Fujitsu recommends Windows 8 Pro.

Data Sheet Fujitsu LIFEBOOK U772 Ultrabook™ Notebook

Business Elegance in Style

The Fujitsu LIFEBOOK U772 Ultrabook[™] is the perfect choice for demanding business professionals on business trips and in the office. The stylish and fully-featured notebook offers a unique combination of an outstanding small form factor with a 35.6 cm (14-inch) frameless display at only 1.4 kg, making you a real eye-catcher. Its extended battery runtime, high responsiveness, ultimate security features and optional embedded 4G/LTE or 3G/UMTS offer you the slim mobility you need when on the move. Moreover, the optional port replicator guarantees you ultimate convenience in the office.

Attractive notebook in combination with ultra-slim design

Outstanding elegance and mobility in every situation.

Appealing ultra-slim notebook at only 15.6 mm with a weight of only 1.4 kg, elegant new Ultrabook design with a stylish frameless 35.6 cm (14-inch) display, two color options (silver and red)

Mobile office on the go

Increase your productivity on business trips.

Ultra-small form factor, long battery runtime, ShockSensor for hard disk drive protection, a full solid magnesium housing and Anytime USB Charge to charge phones/media devices even when the system is turned off

Maximum security

Protect your most valuable asset - your company data - against unauthorized access.

■ Advanced Theft Protection (Intel[®] Anti Theft & Computrace[®]), fingerprint sensor, Full Disk Encryption (FDE), optional TPM module and Intel[®] vPro[™] technology

Convenient working - anywhere

- Comfortable working with versatile features even for the most demanding users
- Anti-glare display, HDMI interface, HD webcam and optional port replicator

Ultimate connectivity

Enhance your flexibility and be available wherever you are.

Optional integrated 4G/LTE or 3G/UMTS, WLAN and Bluetooth









Components

Processor	Intel® Core™ i5-3317U processor (1.7 GHz, up to 2.6 GHz, 3 MB) *
	Intel® Core™ i7-3667U processor (2.0 GHz, up to 3.2 GHz, 4 MB)
	Intel [®] Core™ i5-3427U processor (1.8 GHz, up to 2.8 GHz, 3 MB)
	*Processor only for retail, SMB, education and government
	Intel [®] Core [™] vPro [™] Processor - Best Platform for Businesses of all sizes
Operating systems	
Operating system	Windows 8 Pro 64-bit
	Windows 8 64-bit
	Windows® 7 Professional 64-bit
	Windows® 7 Home Premium 64-bit
	Windows® 7 Home Basic (EM) 64-bit
Operating system compatible	Windows® XP 32-bit Windows® 7 32-bit
	Windows 8 32-bit
Operating system notes	Limited Windows [®] XP support. Microsoft discontinued Windows [®] XP certification on system level, basic drivers via
operating system notes	http://support.ts.fujitsu.com
Memory modules	2 GB (1 module(s) 2 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM
	4 GB (1 module(s) 4 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM
	8 GB (1 module(s) 8 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM
Base unit memory	LIFEBOOK U772 14.0-inch silver LIFEBOOK U772 14.0-inch red
Supported capacity RAM (max.)	8 GB
Memory slots total	1
Memory slot type	DIMM (DDR3)
Memory notes	DDR3 - 1600 MHz
Hard disk drives (internal)	SSD SATA III FDE, 128 GB, 2.5-inch
	SSD SATA III, 256 GB, 2.5-inch
	SSD SATA III, 128 GB, 2.5-inch
	SATA, 5400 rpm, 500 GB, 2.5-inch, S.M.A.R.T.
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
	32 GB, I-SSD cache for IRST & Express Cache
Hard disk notes	ShockSensor for HDD shock protection
	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.
	Accessible capacity may vary, also depending on used software.
	Up to 18 GB of HDD space is reserved for system recovery Internal HDD interface: S-ATA III (6GBit/s)
WLAN (optional)	Intel® Centrino® 6205 802.11 a/b/g/n
Wireless technologies	2 Dual band WI AN aptropose 2 HMTC/ITE antonoge aptienal 1 Plusteast antonoge actional
Antennas WI AN actor	2 Dual band WLAN antennas, 2 UMTS/LTE antennas optional, 1 Bluetooth antenna optional
WLAN notes	Import and usage according to country-specific regulations.
3G/4G (optional)	Sierra Wireless Gobi 3000 (Downlink speed 14.4 Mbit/s, Uplink speed 5.76 Mbit/s)
	LTE Sierra Wireless MC7710 (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)
	Bluetooth 4.0
Bluetooth (optional)	
	35.6 cm (14-inch), LED backlight, (HD), Anti-glare frameless display, magnesium, 1366 x 768 pixel, 300:1, 220 cd/m
Bluetooth (optional) Display Base unit	35.6 cm (14-inch), LED backlight, (HD), Anti-glare frameless display, magnesium, 1366 x 768 pixel, 300:1, 220 cd/m LIFEBOOK U772 14.0-inch silver LIFEBOOK U772 14.0-inch red

Conoral system information	
General system information Chipset	Intel® QM77
Chipset notes	supports iAMT 8.0, Intel® vPro™ requires Core i5-34xx / i7 processor, Intel W-LAN 6205 & TPM module
BIOS features	BIOS based on Phoenix SecureCore
Graphics	
TFT resolution (HDMI)	up to 1920 x 1080
TFT resolution (DVI on Port Replicator)	up to 1920 x 1200
TFT resolution (DisplayPort on Port	up to 2560 x 1600
Replicator)	
Graphics brand name	Intel® HD Graphics 4000 with 3rd generation Core i processors
Graphics features	3 Display Support with 3rd generation Core i processors
Graphics notes	Shared memory depending on main memory size and operating system
Interfaces	
Memory card slots	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 64GB)
SIM card slot	1 (usable only with 3G/UMTS, 4G/LTE)
USB 3.0 total	2 (1 with Anytime USB Charge functionality)
USB 2.0 total	1
HDMI	1
Ethernet (RJ-45)	1 (mini LAN connector, Adapter included)
DC-in	1
Audio: line-out / headphone	1
Internal microphones	2 (digital)
Docking connector for Port Replicator	1
Kensington Lock support	1
Wired communication	
LAN	Built-in 10/100/1000 MBit/s Intel® 82579 LM
Keyboard and pointing devices	
	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 1.0 mm
	Multi gesture touchpad with integrated mouse button functionality
	Fingerprint sensor
	EcoButton
Multimedia	
Audio type	On board
Audio codec	Realtek ALC269
Audio features	Stereo speakers
Camera	Built-in webcam (HD) with Status LED
Power supply	
AC Adapter	19 V / 65 W (3.42 A) , 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter
Notes	65W AC Adapter for usage with system/ 100W AC Adapter for usage with Port Replicator
1st battery options	Li-lon battery 4-cell, 3150 mAh, 45 Wh
Runtime 1st battery	Up to 10:00 h
Battery charging time	~120 min 120 min
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers
	mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct product
	comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower
	and may vary depending on product model, configuration, application and power management settings. The battery capacity slightly decreases with every charging cycle and over the lifetime.
Delated Dracescore for a surra	
Related Processors for power consumption	
Link to Energy White Paper	http://docs.ts.fujitsu.com/dl.aspx?id=3ea5b990-3424-4921-b19c-7faef9568e85
Dimensions / Weight / Environmental	
Dimensions (W x D x H)	327 x 225 x 15.6 mm

Dimensions / Weight / Environmental	
Weight	1.4 kg
Weight notes	Weight may vary depending on actual configuration
Operating ambient temperature	5 - 35°C
Operating relative humidity	20 - 85 %
Additional Software	
	Adobe® Reader®
Additional software (preinstalled)	Adobe® Reader® Application Panel
	Display Manager
	ShockSensor Utility
	Power Saving Utility
	Plugfree Network
	EasyGuide online user documentation
	Nero Essentials S (burning software)
	Norton Internet Security (incl. Firewall) 60 days version
	Win8: Microsoft Push Button Recovery (Hard Disk Based Recovery)
	Microsoft [®] Office Starter: reduced-functionality Word and Excel [®] only, with advertising. No PowerPoint [®] or Outlook [®] .
	Buy Office 2010 to use the full-featured software.
	Win7: Fujitsu Recovery (Hard Disk Based Recovery)
Additional software (optional)	Drivers & Utilities DVD (DUDVD)
Additional software (optional)	UMTS connection manager (optional with UMTS)
Manageability	
Manageability technology	DeskUpdate Driver management
	PXE 2.1 Boot code
	Wake up from S5 (off mode)
	Intel® vPro™ technology
	WoL (Wake on LAN)
	iAMT 8.0 (depending on CPU)
Manageability software	DeskView Client
	DeskView Instant BIOS Management
	DeskView Integration for Symantec Management Platform
DeskView components	Inventory Management
	BIOS Management
	Driver Management
	Security Management
6	Alarm Management
Supported standards	WMI
	PXE
	BootP (made4you)
Manageability link	http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html
Security	
System protection	Kensington Lock support
Audit proof protection	Advanced Theft Protection (Intel® Anti Theft & Computrace®)
	Optional: Trusted platform module (TPM 1.2)
	Norton Internet Security (incl. Firewall) 60 days version
Access protection	Hard disk password
	User and supervisor BIOS password
	Integrated Fingerprint Sensor including Omnipass Software
Compliance	
Europe	CE
Luiope	CB
	Nordic Swan in progress
	· · · · · · · · · · · · · · · · · · ·

Compliance	
Global	RoHS (Restriction of hazardous substances)
	WEEE (Waste electrical and electronic equipment)
	Microsoft Operating Systems (HCT / HCL entry / WHQL)
	WiFi certified
	ENERGY STAR® 5.0
	EPEAT® Gold (dedicated regions)
Compliance notes	Above mentioned compliances are planned but not available at preliminary stage.
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx

Port Replicator interfaces (optiona	I)
DC-in	1 (19V)
Power on switch	1
USB 3.0 total	4
DisplayPort	1 (up to 2560 x 1600) (not usable in parallel with DVI) In case both are connected DisplayPort has higher proirity.
VGA	1
DVI	1 (up to 1920 x 1200) (not usable in parallel with DisplayPort)
Ethernet (RJ-45)	1 (10/100/1000)
Kensington Lock support	2 (Port Rep only)
Notes	Port replicator supports 0-Watt functionality (made4you). Display port is shared with DVI - exclusive usage
Warranty	
Standard Warranty	2 years
Service level Maintenance and Support Services	Collect & Return Service / Bring-in Service (depending on country specific requirements) s - the perfect extension
Recommended Service	5 x 9, response time: next business day, on-site service




Spare Parts availability

Service Weblink

Recommended Accessories

5 years

http://www.fujitsu.com/fts/services/support



The Fujitsu Kensington MicroSaver® DS Ultra-Thin notebook lock is the ultimate defense for even the thinnest notebooks. The patented T-bar locking mechanism along with an advanced carbon-tempered steel cable design provides excellent security. It also includes Kensington Master Access. so you can manage an unlimited number of locks with a single master key.	Order Code: S26361-F1650-L900
The Fujitsu Prestige Pro Case Midi 14 offers you a stylish high-quality leather and nylon combination which will impress everyone who sees it. It protects your 35.6 cm (14-inch) notebook plus your essential accessories in padded compartments. Everything will be safe but accessible in dedicated front, document, and identification pockets.	Order Code: S26391-F1191-L80
Do you often give presentations? Step up to the plate and enjoy full freedom of movement with the Presenter IV Air. Whether you're leafing through a presentation, drawing audience attention with the laser pointer, or navigating your files with the 2D air mouse function, you'll have everything under control.	Order Code: S26381-K440-L100
The Wireless Notebook Mouse WI610 uses the latest wireless 2.4 GHz technology, and an ultra-high resolution switchable sensor to give you the precision and reliability you need (1000/1500/2000 dpi). Sporting a stylish silver-black finish, the WI610 wireless mouse is well suited to all environments.	Order Code: S26381-K460-L100
For independent working and entertainment on your business or private trips, Fujitsu offers the small external DVD drive designed to travel with you - in an attractive slim form. Upgrade your notebook or PC with this external drive and use it wherever you are.	Order Code: S26341-F103-L126
The CELVIN Drive M200 is an ultra-portable and high-class storage device. Since it is compatible with USB3.0 and USB 2.0, it can be used with a large variety of devices. It is ideal for notebook and desktop users. It makes data backup easier and faster than ever.	Order Code: S26341-F103-L128
The Fujitsu VGA Conversion Cable enables you to view content from your HDMI capable device when the available projector or external display only has a VGA connector. This adapter is perfect for salespeople and others who often find themselves making presentations in a wide variety of environments.	Order Code: S26391-F938-L900
	ultimate defense for even the thinnest notebooks. The patented T-bar locking mechanism along with an advanced carbon-tempered steel cable design provides excellent security. It also includes Kensington Master Access so you can manage an unlimited number of locks with a single master key. The Fujitsu Prestige Pro Case Midi 14 offers you a stylish high-quality leather and nylon combination which will impress everyone who sees it. It protects your 35.6 cm (14-inch) notebook plus your essential accessories in padded compartments. Everything will be safe but accessible in dedicated front, document, and identification pockets. Do you often give presentations? Step up to the plate and enjoy full freedom of movement with the Presenter IV Air. Whether you're leafing through a presentation, drawing audience attention with the laser pointer, or navigating your files with the 2D air mouse function, you'll have everything under control. The Wireless Notebook Mouse WI610 uses the latest wireless 2.4 GHz technology, and an ultra-high resolution switchable sensor to give you the precision and reliability you need (1000/1500/2000 dpi). Sporting a stylish silver-black finish, the WI610 wireless mouse is well suited to all environments. For independent working and entertainment on your business or private trips, Fujitsu offers the small external DVD drive designed to travel with you - in an attractive slim form. Upgrade your notebook or PC with this external drive and use it wherever you are. The CELVIN Drive M200 is an ultra-portable and high-class storage device. Since it is compatible with USB3.0 and USB 2.0, it can be used with a large variety of devices. It is ideal for notebook and desktop users. It makes data backup easier and faster than ever.

More information

Fujitsu OPTIMIZATION Services

In addition to Fujitsu LIFEBOOK U772 Ultrabook™, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK U772 Ultrabook™, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www. fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/ terms

Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

FUJITSU Technology Solutions Website: www.fujitsu.com/fts 2012-10-22 CE-EN All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms Copyright © Fujitsu Technology Solutions