



## Ordering Information

**Commercial model number:**  
CF118A (BGJ)  
CF118A (AAZ/220 volt model)

**Canada model number:**  
CF118A

## Sidebar

### In the box:

- Print cartridge<sup>2</sup>
- Support flyer
- Power cord
- Software and documentation on CD-ROM
- Getting started guide
- Wall poster
- Built-in automatic two-sided printing accessory
- HP Jetdirect Gigabit Ethernet embedded print server
- Embedded HP High-Performance Secure Hard
- Built-in fax
- Fax cable

### Software:

- Windows Installer
- HP PCL 6 discrete driver
- Mac Installer
- HP Postscript emulation driver

### Standard warranty:

1 year, onsite warranty with 1 year technical phone support, chat, and e-mail

## HP Care Pack Options

### Recommended Care Pack Services

Installation with Network Setup Service	<b>U2010E</b>
Next Business Day Onsite with DMR: 3 years	<b>U5X64E</b>

### Optional Care Pack Services

Installation with Network Setup Service	<b>U2010E</b>
Same Day Onsite, Standard Business	<b>U5X58E</b>

Turn information into action—with standout results—using advanced image capture and data entry.

Scan two-sided pages in a single pass. HP EveryPage helps avoid missed pages in scans. Create clear images, using auto-orientation, auto-crop, auto-tone, and auto-deskew tools. Automatically remove blank pages. Scan high-volume jobs with ease.



Enlarge Image

Add data to digital files with ease and confidence, using the large, pull-out keyboard. Launch processes with one touch, preview and edit scans, and manage jobs on the 8-inch color touchscreen. Optimize your workspace with this desktop device.

Share files faster and more productively, using a range of send-to options that require no added software. Transfer scans into editable or searchable text, using built-in OCR. Choose from a wide variety of scanned file types.

Configure and control printing environments with industry-leading tools. Easily extend device capabilities and help protect data. HP ePrint—now print from your smartphone or tablet from virtually anywhere.<sup>1</sup> Energy-saving features help reduce costs.

## Compatible Operating Systems

### Standard Desktop

<b>Windows XP</b>	SP2+
<b>Windows Server 2003</b>	SP1+
<b>Windows Server 2008</b>	32/64-bit
<b>Windows Vista®</b>	*
<b>Windows® 7</b>	*
<b>Windows® 8</b>	*
<b>Mac OS</b>	Mac OS X v 10.5, 10.6, 10.7
<b>Other</b>	For the latest operating system support see: Citrix and Windows Terminal Services ( <a href="http://hp.com/go/upd">hp.com/go/upd</a> ); Novell ( <a href="http://novell.com/iprint">novell.com/iprint</a> ); Linux ( <a href="http://hplip.net">hplip.net</a> ); UNIX ( <a href="http://hp.com/go/unix">hp.com/go/unix</a> , <a href="http://hp.com/go/unixmodelscripts">hp.com/go/unixmodelscripts</a> , <a href="http://hp.com/go/jetdirectunix_software">hp.com/go/jetdirectunix_software</a> ); SAP device types ( <a href="http://hp.com/go/sap/drivers">hp.com/go/sap/drivers</a> , <a href="http://hp.com/go/sap/print">hp.com/go/sap/print</a> ); HP ePrint Mobile Driver ( <a href="http://hp.com/go/eprintmobiledriver">hp.com/go/eprintmobiledriver</a> )

## Additional Information

### Sales

[www.hp.com](http://www.hp.com)  
[Data Sheet 4AA4-1614ENUC](#)  
[Data Sheet CF118A](#)

**Technical Support**  
**Third-party solutions**  
**Reseller**  
**Services**

[www.hp.com/support](http://www.hp.com/support)  
[www.hpgsc.com](http://www.hpgsc.com)  
<http://hp.com/partners/us>  
<http://www.hp.com/go/services>

Hours: 3 years

Same Day Onsite, Standard Business Hours: 4 years

U5X60E

Same Day Onsite, Standard Business Hours: 5 years

U5X63E

Same Day Onsite, Extended Business Hours: 3 years

U5X59E

Same Day Onsite, Extended Business Hours: 4 years

U5X61E

Next Business Day Onsite with DMR: 3 years

U5X64E

Next Business Day Onsite with DMR: 4 years

U5X73E

Next Business Day Onsite with DMR: 5 years

U5X74E

Next Business Day Onsite Call-to-Repair with DMR: 3 years

U5X67E

Next Business Day Onsite Call-to-Repair with DMR: 4 years

U5X68E

Next Business Day Onsite Call-to-Repair with DMR: 5 years

U5X69E

Second Business Day Onsite Call-to-Repair with DMR: 3 years

U5X70E

Second Business Day Onsite Call-to-Repair with DMR: 4 years

U5X71E

Second Business Day Onsite Call-to-Repair with

U5X72E

### Supplies and accessories Battlecards

[www.hp.com](http://www.hp.com)

[M525c M575c Banking Battlecard](#)  
[M525c M575c Healthcare Battlecard](#)  
[M525c M575c Horizontal Battlecard](#)  
[M525c M575c Legal Battlecard](#)  
[HP Flow CM Pro Battlecard](#)

### Guides and Brochures

[Solutions & Features Guide 4AA4-0317ENW](#)  
[Flow-Scan Selection Guide 4AA4-3848ENW](#)  
[HP Flow CM Pro Copy Points](#)  
[HP Flow CM Pro Solution Brief](#)  
[HP Flow CM Pro Brief](#)  
[Managing & Sharing Docs](#)

### White Papers

## Brand Specifications

### PRINTER

#### AIO/MFP Functions

Black and white printing, black and white copying, color scanning, black and white faxing, digital sending, easy access USB drive, convenience stapler (optional advanced digital send, wireless)

#### Print Speed Black, Letter:

##### ISO/Best Quality

Up to 42 ppm<sup>3</sup>

#### First Page Out

As fast as 8.5 sec from Ready mode

#### Processor

800 MHz

#### Paper Trays, Std

2

#### Paper Trays, Max

4

#### Input Capacity, Std

600 sheets

#### Input Capacity, Max

1,600 sheets

#### Output Capacity, Std

250 sheets

#### Output Capacity, Max

250 sheets

#### Envelope Input, Std

10

#### Envelope Feeder

No

#### Two-Sided Printing

Automatic (standard)

#### Typefaces

105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <http://www.hp.com/go/laserjetfonts>

#### Print Quality, Black Best

Up to 1200 x 1200 dpi

#### Print Resolution Technology

HP ProRes 1200 (1200 x 1200 dpi), HP FastRes 1200 (1200 dpi quality), HP Resolution Enhancement technology, 600 x 600 dpi, 300 x300 dpi

#### Print Cartridges

1 (black)

#### Print Languages, Std

HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP Postscript Level 3 emulation, native PDF printing (v 1.4)

#### Printer Management

HP Web Jetadmin, HP Utility (Mac)

#### Display Type

8.0-inch (20.3 cm) touchscreen, SVGA LCD (color graphics)

### SCANNER

#### Scan Speed

Up to 52 ipm (black and white), up to 31 ipm (color) from ADF;<sup>4</sup> up to 44 ppm (black and white), up to 32 ppm (color) from Normal speed, letter

#### Scan Resolution, Enhanced

Up to 600 dpi

#### Scan Resolution, Optical

Up to 600 dpi

#### Grayscale Levels

256

DMR: 5 years  
Post Warranty Service, Remote User Assistance Support: 1 year

**UU927PE**

Post Warranty Service, Same Day Onsite, Standard Business Hours: 1 year

**U5X77PE**

Post Warranty Service, Same Day Onsite, Extended Business Hours: 1 year

**U5X78PE**

Post Warranty Service, Next Business Day Onsite with DMR: 1 year

**U5X76PE**

Post Warranty Service, Next Business Day Onsite Call-to-Repair with DMR: 1 year

**U5X81PE**

**Scan Size, Max**

8.5 x 14 in

## COPIER

<b>Copy Speed, Max, Black</b>	UP to 42 cpm
<b>Copy Resolution, Black Text</b>	Up to 600 x 600 dpi (flatbed), 300 x 600 dpi (ADF)
<b>Copy Resolution, Black Graphics</b>	Up to 600 x 600 dpi (flatbed), 300 x 600 dpi (ADF)
<b>Copier Settings</b>	Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, job build, edge-to-edge, job storage
<b>Number Of Copies, Max</b>	9,999
<b>Copier Reduce/Enlarge</b>	25–400%

## FAX

<b>Fax Speed</b>	3 sec per page <sup>5</sup>
<b>Fax Resolution, Best</b>	Up to 300 x 300 dpi (400 x 400 dpi for received faxes only)
<b>PC Fax Interface</b>	Yes
<b>Speed Dialing, Max Numbers</b>	100 numbers (each with 100 destinations)
<b>Fax Forwarding</b>	Yes
<b>Fax Blocking</b>	Yes

## DIGITAL SENDING


<b>Digital Sending Features, Std</b>	Scan to e-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax
<b>Digital Sending Features, Opt</b>	Optional via HP Digital Sending Software (HP DSS); Secondary e-mail; Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LAN, Internet); OCR
<b>Digital Sending File Formats</b>	Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)

## GENERAL

<b>Duty Cycle, Monthly</b>	Up to 75,000 pages <sup>6</sup>
<b>Recommended Monthly Volume</b>	2,000 to 6,000 pages <sup>7</sup>
<b>ADF Capacity</b>	100 sheets
<b>Media Types</b>	Paper (bond, color, letterhead, plain, preprinted, prepunched, recycled, rough); envelopes, labels, cardstock, transparencies, user-defined
<b>Media Sizes, Std</b>	Tray 1: Letter, legal, statement, executive, oficio, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 9, No. 10, Monarch); Tray 2, optional 500-sheet tray (3, 4): letter, legal, statement, executive, oficio, 5 x 7, 5 x 8
<b>Media Sizes, Std, Metric</b>	Tray 1: A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10x15 cm, 16K, Postcard (JIS), DPostcard (JIS), Envelope (B5, C5, C6, DL); tray 2, optional 500-sheet tray (3, 4): A4, A5, A6, RA4, B5 (JIS), B6 (JIS), 10x15 cm, 16K, Postcard (JIS), DPostcard (JIS)
<b>Media Sizes, Custom</b>	Tray 1: 3 x 5 in to 8.5 x 14 in; tray 2, optional 500-sheet tray (3, 4): 4.1 x 5.8 in to 8.5 x 14 in
<b>Media Sizes, Custom, Metric</b>	Tray 1: 76 x 127 to 216 x 356 mm; tray 2, optional 500-sheet tray (3, 4): 105 x 148 to 216 x 356 mm
<b>Media Weights</b>	Tray 1: 14 to 53 lb (straight-through paper path for special media and heavier stock); tray 2,

<b>Media Weights, Metric</b>	optional 500-sheet tray (3, 4): 14 to 32 lb Tray 1: 52 to 199 g/m <sup>2</sup> (straight through paper path for special media); tray 2, optional 500-sheet tray (3, 4): 52 to 120 g/m <sup>2</sup>
<b>Connectivity, Std</b>	2 Hi-Speed USB 2.0 Host, Hi-Speed USB 2.0 Device, Gigabit Ethernet 10/100/1000T network, Foreign Interface, Hardware Integration Pocket, 2 Internal USB Host, fax
<b>Connectivity, Opt</b>	HP Jetdirect wireless print servers
<b>Mobile Printing Capability</b>	HP ePrint, Apple AirPrint™
<b>Memory, Std</b>	1.5 GB
<b>Memory, Max</b>	1.5 GB
<b>Hard Disk Drive</b>	Standard, embedded HP High-Performance Secure Hard Disk, minimum 320 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)
<b>Power Supply Type</b>	Built-in power supply
<b>Power Supply Required</b>	110-volt input voltage: 100 to 127 VAC (+/- 10%), 50/60Hz (+/- 2 Hz), 8.5 A; (Option #AZZ) 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60Hz (+/- 2 Hz), 4.5 A (Not dual voltage, power supply varies by part number with # Option code identifier)
<b>Power Consumption</b>	780 watts (Printing), 785 watts (Copying), 30 watts (Ready), 9.6 watts (Sleep), 0.9 watts (Auto-Off), 0.2 watts (Off) <sup>8</sup>
<b>Typical Electricity Consumption (TEC)</b>	4.016 kWh/Week
<b>ENERGY STAR® Qualified</b>	Yes
<b>Mac Compatible</b>	Yes
<b>Dimensions (W x D x H)</b>	20.3 x 28.2 x 22.7 in (maximum), <sup>9</sup> 20.3 x 21.6 x 22.7 in (minimum)
<b>Weight</b>	67.3 lb
<b>Dimensions, Metric</b>	516 x 717 x 576 mm (maximum), <sup>9</sup> 516 x 547 x 576 mm (minimum)
<b>Weight, Metric</b>	30.5 kg
<b>Shipping Dimensions</b>	28.9 x 23.6 x 24.1 in
<b>Shipping Weight</b>	80.3 lb
<b>Shipping Dimensions, Metric</b>	733 x 600 x 613 mm
<b>Shipping Weight, Metric</b>	36.5 kg
<b>Pallet Dimensions</b>	47.2 x 31.5 x 78.3 in
<b>Pallet Dimensions, Metric</b>	1200 x 800 x 1989 mm
<b>Pallet Weight</b>	531.7 lb
<b>Pallet Weight, Metric</b>	241.7 kg
<b>Quantity Per Pallet</b>	6

## HP LaserJet Enterprise flow MFP M525c



## Jetdirect Products

- [HP Jetdirect 2800w NFC/Wireless Direct Accessory \(J8029A\)](#)
- [HP Jetdirect ew2500 802.11b/g Wireless Print Server \(J8021A\)](#)
- [HP Jetdirect 2700w USB Wireless Print Server \(J8026A\)](#)

## Accessories

- HP Digital Sending Software**
- HP Digital Sending Software (T1936AA)

## HP Universal Print Driver for Windows 5.2

HP Universal Print Driver for Windows (J7980A/J7981A)

### Paper-handling accessories

HP LaserJet 500-sheet Feeder/Tray (CE530A)

HP LaserJet MFP M525 Cabinet (CF338A)

HP Staple Cartridge Pack (Q7432A)

### Maintenance kits

HP 100 ADF Roller Replacement Kit (L2718A)

### LaserJet font solutions

HP BarCode Printing Solution (HG271TT)

HP MICR Printing Solution - USB (HG277TT)

HP BarCodes and More v.2 - USB (HG281TS)

HP Scalable BarCodes v.2 - USB (HG282TT)

HP MICR Font v.2 - USB (HG283TS)

## Compatible Supplies

### HP LaserJet Cartridges and Kits

HP 55A Black Original LaserJet Toner Cartridge ([CE255A](#))

HP 55X High Yield Black Original LaserJet Toner Cartridge ([CE255X](#))

HP 55X 2-pack High Yield Black Original LaserJet Toner Cartridges ([CE255XD](#))

## Compatible Paper Products

### Top Recommended Papers

#### HP Multipurpose Paper

8.5 x 11 in	20 lb	500 sheets	<a href="#">HPM1120R</a>
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	<a href="#">HPM1120C</a>
8.5 x 14 in	20 lb	500 sheets	<a href="#">HPM1420</a>

### HP Brochure and Presentation Papers

#### HP Premium Glossy Presentation Paper

8.5 x 11 in	32 lb	250 sheets	<a href="#">CG988A</a>
-------------	-------	------------	------------------------

#### HP Laser Glossy Tri-fold Brochure Paper

8.5 x 11 in	40 lb	150 sheets	<a href="#">Q6612A</a>
-------------	-------	------------	------------------------

#### HP Laser Glossy Brochure Paper

8.5 x 11 in	52 lb	100 sheets	<a href="#">Q6608A</a>
8.5 x 11 in	40 lb	150 sheets	<a href="#">Q6611A</a>

### HP Everyday Papers

#### HP Premium Choice Laser Paper

8.5 x 11 in	32 lb	500 sheets	<a href="#">HPU1132</a>
-------------	-------	------------	-------------------------

#### HP LaserJet Paper

8.5 x 11 in	24 lb	500 sheets	<a href="#">HPJ1124</a>
8.5 x 11 in	24 lb	2,500 sheets (5 reams)	<a href="#">HPJ115R</a>

#### HP All-in-One Printing Paper

8.5 x 11 in	22 lb	500 sheets	<a href="#">HPT1122</a>
8.5 x 11 in	22 lb	2,500 sheets	<a href="#">HPT115</a>

#### HP Multipurpose Paper

8.5 x 11 in	20 lb	500 sheets	<a href="#">HPM1120R</a>
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	<a href="#">HPM1120C</a>
8.5 x 11 in	20 lb	2,500 sheets (5 reams)	<a href="#">HPM115RC</a>
8.5 x 11 in, 3-hole punch	20 lb	500 sheets	<a href="#">HPM113H</a>
8.5 x 14 in	20 lb	500 sheets	<a href="#">HPM1420</a>

#### HP Office Paper

8.5 x 11 in	20 lb	2,500 sheets (5 reams)	<a href="#">HPC115RC</a>
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	<a href="#">HPC8511C</a>
8.5 x 14 in	20 lb	500 sheets	<a href="#">HPC8514</a>
8.5 x 11 in	20 lb	500 sheets	<a href="#">HPC8511R</a>

#### HP Recycled Paper



8.5 x 11 in	20 lb	500 sheets	<a href="#">HPE1120R</a>
8.5 x 11 in	20 lb	5,000 sheets (10 reams)	<a href="#">HPE1120C</a>
<b>HP Business Copy Paper</b>			
8.5 x 11 in	20 lb	500 sheets	<a href="#">HPBC11</a>
<b>HP Everyday Copy and Print Paper</b>			
8.5 x 11 in	20 lb	500 sheets	<a href="#">HPA510</a>

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

- 1 . Requires an Internet connection to HP web-enabled printer and HP ePrint account registration (for a list of eligible printers, supported documents and image types and other HP ePrint details, see [www.hp.com/go/eprintcenter](http://www.hp.com/go/eprintcenter)). Mobile devices require Internet connection and email capability. May require wireless access point. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. Some HP LaserJet printers may require firmware upgrades.
- 2 . Average cartridge yield: 6,000 standard pages. Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit [www.hp.com/go/learnaboutsupplies](http://www.hp.com/go/learnaboutsupplies).
- 3 . Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver and document complexity.
- 4 . Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance and application software.
- 5 . Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.
- 6 . Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- 7 . HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- 8 . Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages; this will damage the printer and void the product warranty. Power consumption in Auto-Off mode depends on customer network switch capability, user configuration and network activity. Off-mode power may vary while checking network packets for print jobs.
- 9 . Stapler cover closed, ADF jam door closed, multipurpose tray open, extension out, legal extension flipped