


# Data Sheet FUJITSU Tablet STYLISTIC Q704

#### Your Toughest Business Performer

The FUJITSU Tablet STYLISTIC Q704\* helps you to get the job done, regardless of location and weather conditions. Its 31.8 cm (12.5-inch) Full HD display with pen and touch input and 4th gen Intel® Core™ i7 processor with vPro™ technology ensure highest performance. A semi-ruggedized design and optional 4G/LTE and NFC help you achieve your tasks, wherever you are, in any weather. Enterprise-class security features provide best security, while two different dock able keyboards let you convert your tablet into a 2 in 1, an optional cradle provides comfort in the office.

\* MIL-STD-810G test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.



Protect your tablet from environmental conditions. Work anywhere despite exposing the tablet to rain, humidity or dust without any component damage.

 Waterproof (tested for IPX5/7/8 specifications), dustproof (tested for IP5X specification), durable chemically strengthened glass display, MIL-STD tested\*

#### Enterprise ready

Windows 8.1 Professional operating system for multitasking, security and compatibility

 Seamless deployment in commercial environments. Easily connect with and use established Windows-based applications

#### Content creation and collaboration

Give your work a personal touch and enjoy the benefits of precise handwriting recognition and multiple-touch display

 Data entry via pen-based handwriting recognition or onscreen keyboard with predictive text on a 31.8 cm (12.5-inch) Full HD display, dual performance mode for battery runtime of up to 16 hours (with 2nd battery in Keyboard Docking), full USB 3.0 port and optional extension cables via microUSB

#### User experience and connectivity

Be available wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby

 Front/rear webcams, integrated Wi-Fi, Bluetooth and optional embedded 4G/LTE, WLAN, GPS, optional Near Field Communication (NFC), 2 convenient dockable keyboard options and cradle option

#### Manageability and security

Easy administration and protection against unauthorized third-party access

■ Latest 4th gen. Core™ i7 processor with Intel® vPro™ technology, fingerprint sensor, embedded TPM and Advanced Theft Protection option, optional SmartCard Shell or Functional Shell for VESA mount available









Page 1 / 8 www.fujitsu.com/fts/tabletpc

# Components

Base unit	STYLISTIC Q704 Waterproof	STYLISTIC Q704 SmartCard	
Operating systems			
Operating system	Windows 8.1 Pro 64-bit Windows 7 Professional 64-bit	Windows 8.1 Pro 64-bit Windows 7 Professional 64-bit	
Operating system compatible	Windows 8.1 Windows 7	Windows 8.1 Windows 7	
Processor	Intel® Core™ i5-4200U processor (1.6 GHz, L		
	Intel® Core™ i7-4600U processor (2.1 GHz, up to 3.3 GHz, 4 MB)		
	Intel® Core™ i5-4300U processor (1.9 GHz, up to 2.9 GHz, 3 MB)		
	*Processor only for retail, SMB, education and government		
	Intel® Core™ vPro™ Processor - Best Platform for Businesses of all sizes		
Hard disk drives (internal)	SSD mSATA, 256 GB, OPAL capable		
	SSD mSATA, 128 GB, OPAL capable		
	SSD mSATA, 64 GB, FDE		
Hard disk notes	One Gigabyte equals one billion bytes, whe Accessible capacity may vary, also dependir Up to 20 GB of HDD space is reserved for sys Internal HDD interface: S-ATA III (6GBit/s)	g on used software.	
Interface add on cards/components (optional)			
3G/4G (optional)	UMTS Sierra Wireless EM8805 w/ GPS (Down	link speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)	
	No NFC		
	NFC		
	LTE Sierra Wireless EM7305 w/ GPS (Downlin	k speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)	
WLAN (optional)	Intel® Dual Band Wireless-N 7260 a/b/g/n w	ith integrated Bluetooth	
Display	31.8 cm (12.5-inch),LED backlight,(Full HD)	,Glare with dual digitizer,magnesium,1,920 x 1,080 pixel,700:1,352 cd/	
Multimedia			
Camera	Front camera 2 megapixel, rear camera 5 m	egapixel with autofocus and photo LED	

## Base unit

Base unit	STYLISTIC Q704 Waterproof	STYLISTIC Q704 SmartCard
General system information		
Chipset	Integrated in CPU	Integrated in CPU
Chipset notes	Supports iAMT 9.0 Intel® vPro™ requires Core i5-43xx & i7-46xx CPU, Intel WLAN 7260 a/b/g/n, TPM module	Supports iAMT 9.0 Intel® vPro™ requires Core i5-43xx & i7-46xx CPU, Intel WLAN 7260 a/b/g/n, TPM module

Page 2 / 8 www.fujitsu.com/fts/tabletpc

General system information		
Memory slots	LPDDR3 (1600 MHz)	LPDDR3 (1600 MHz)
Supported capacity RAM (max.)	8 GB	8 GB
Memory notes	LPDDR3 (1,600 MHz)	LPDDR3 (1,600 MHz)
AN	via cradle or optional cable accessory Intel® 218LM	via cradle or optional cable accessory Intel® 218LM
AN notes	GBit-LAN via micro USB conversion cable is limited to 480 Mbit/s due to USB 2.0 specification.	GBit-LAN via micro USB conversion cable is limited to 480 Mbit/s due to USB 2.0 specification.
BIOS features	BIOS Flash EPROM BIOS based on Phoenix SecureCore	BIOS Flash EPROM BIOS based on Phoenix SecureCore
Audio type	On board	On board
udio codec	Realtek ALC283	Realtek ALC283
udio features	Built-in array microphone, 2x built-in speakers (stereo)	Built-in array microphone, 2x built-in speakers (stereo)
Vaterproof / Spillproof	IPX5 / 7 / 8	SmartCard Shell: no
Oustproof	IP5X	SmartCard Shell: no
isplay		
isplay	31.8 cm (12.5-inch),IPS dual digitizer,Full HD,Glare,1,920 x 1,080 pixel,700:1,352 cd/m²	31.8 cm (12.5-inch),IPS dual digitizer,Full HD,Glare,1,920 x 1,080 pixel,700:1,352 cd/m²
Display notes	Wide-view high-bright LED display (for enhanced outdoor viewing). With magnesium display lid. Integrated ambient light sensor for automatic backlight adjustment to the working environment.	Wide-view high-bright LED display (for enhanced outdoo viewing). With magnesium display lid. Integrated ambient light sensor for automatic backlight adjustment to the working environment.
Sensors	3-axis Accelerometer Gyroscope Ambient Light Sensor Magnetic Field Sensor	3-axis Accelerometer Gyroscope Ambient Light Sensor Magnetic Field Sensor
spect ratio	16:9	16:9
rightness - typical	352 cd/m²	352 cd/m <sup>2</sup>
ontrast - typical	700:1	700:1
Digitizer / Touch Technology	Dual Digitizer for pen input plus capacitive 10-finger multi-touch screen	Dual Digitizer for pen input plus capacitive 10-finger multi-touch screen
Ambient light sensor	Integrated	Integrated
mbient light sensor notes	While enabled, the ambient light sensor automatically adjusts the display backlight	While enabled, the ambient light sensor automatically adjusts the display backlight
iewing angle (h/v) - typical	178°/178°	178°/178°
raphics		
ase unit	STYLISTIC Q704 Waterproof	STYLISTIC Q704 SmartCard
FT resolution (HDMI)	1,920 x 1,080 pixel	1,920 x 1,080 pixel
FT resolution (VGA)	1,920 x 1,080 pixel	1,920 x 1,080 pixel
Max. resolution external display	up to 1,920 x 1,080	up to 1,920 x 1,080
raphics brand name	Intel® HD Graphics 4400	Intel® HD Graphics 4400
Graphics features	Dual Display support (1x external, 1x internal) HDCP support DirectX 11	Dual Display support (1x external, 1x internal) HDCP support DirectX 11
iraphics notes	Shared memory depending on main memory size and operating system 3D accelerator	Shared memory depending on main memory size and operating system 3D accelerator
nterfaces		
)C-in	1	1
udio: line-out / headphone	1 (combo port with Audio line-in)	1 (combo port with Audio line-in)
udio: line-in / microphone	1 (combo port with Audio line-out)	1 (combo port with Audio line-out)
nternal microphones	1 (digital)	1 (digital)
JSB 2.0 total	micro USB 2.0	micro USB 2.0
JSB 3.0 total	1	1
/GA	via optional cradle or optional adapter cable accessory	via optional cradle or optional adapter cable accessory
HDMI	via optional cradle or optional adapter cable accessory	via optional cradle or optional adapter cable accessory

Page 3 / 8

Interfaces			
Ethernet (RJ-45)	via optional cradle or optional adapter cable accessory	via optional cradle or optional adapter cable accessory	
Memory card slots	1 (microSD up to 2GB, microSDHC up to 32GB, microSDXC up to 64GB)	1 (microSD up to 2GB, microSDHC up to 32GB, microSDXC up to 64GB)	
SmartCard slot		1 (Smart Card Chip: OZ77CR6)	
SIM card slot	1 (MicroSIM - only for models with integrated 3G/UMTS or 4G/LTE module)	1 (MicroSIM - only for models with integrated 3G/UMTS or 4G/LTE module)	
Interface Module notes	LAN, HDMI and VGA available via micro USB conversion cable.	LAN, HDMI and VGA available via micro USB conversion cable.	
Cradle (Charging or Functional)			
DC-in	1 (19V)		
USB 3.0 total	4		
VGA	1		
НДМІ	1		
Ethernet (RJ-45)	1 (10/100/1000)		
Wireless technologies			
Antennas	2x dual band for WLAN, 2x for UMTS/LTE, Bluetooth shared	with WLAN	
Bluetooth	Bluetooth 4.0		
WLAN notes	Import and usage according to country-specific regulations	S.	
LTE/UMTS/GPS notes	Including GPS functionality		
NFC	optional		
Power supply			
AC adapter	19 V / 65 W (3.42 A)		
Rated voltage range	100 V - 240 V (AC Input)		
Rated frequency range	50 Hz - 60 Hz		
1st battery	Lithium Polymer battery 3-cell, 46 Wh		
Runtime 1st battery	up to 10 h		
Battery charging time	~ 140 min.		
Battery notes	comparisons between manufacturers. It does not guarante	ocuments) which provides results that enable direct product see any specific battery runtime which actually can be lower , application and power management settings. The battery	
Dimensions / Weight / Environmental			
Dimensions (W x D x H)	309.6 x 199.3 x 11.9 mm (waterproof) mm	309.6 x 199.3 x 11.9 mm - 18.8 mm (with SmartCard) mm	
Weight	from 0.980 kg (Waterproof)	from 1.032 kg (SmartCard Shell)	
Weight notes	Weight may vary depending on actual configuration (inclu	ıding battery pack)	
Operating ambient temperature	Running: 5 - 35 °C; Packed -15 - 60 °C		
Operating relative humidity	Running: 20 - 85%; Packed 8 - 85% (relative humidity, nor	n-condensing)	
Compliance			
Product	STYLISTIC Q704		
Europe	CE! EN 60950		
Global	IT-Eco-Declaration RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment)		
Russia	GOST		
Compliance link	http://globalsp.ts.fujitsu.com/sites/certificates		

Page 4 / 8 www.fujitsu.com/fts/tabletpc

Additional Software		
Additional software (preinstalled)	Adobe® Reader® (pdf reader) Fujitsu LIFEBOOK Application Panel Fujitsu Display Manager ShockSensor Utility Power Saving Utility Fujitsu Plugfree Network (network management utility) EasyGuide online user documentation Win8.1: Microsoft Push Button Recovery (hard disk based of Microsoft Office (buy license to activate the pre-installed M Win7: Fujitsu Recovery (hard disk based recovery) McAfee Internet Security and Antivirus Software (60 days tr	icrosoft Office)
Additional software (optional)	Drivers & Utilities DVD (DUDVD) Connection manager (optional with 4G/LTE or 3G/UMTS) DVD playback software CyberLink YouCam (webcam software) Recovery DVD for Windows®	
Manageability		
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) Intel® vPro™ technology WoL (Wake on LAN) iAMT 9.0 (depending on CPU)	
Manageability software	DeskView Client DeskView Instant BIOS Management DeskView Integration for Symantec Management Platform	
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management	
Supported standards	WMI PXE BootP (made4you)	
Manageability link	http://www.fujitsu.com/fts/manageability	
Security		
System and BIOS Security	Advanced Theft Protection (Computrace® only) Write protect option for the Flash EPROM Control of all USB interfaces User and supervisor BIOS password Embedded security (TPM 1.2) (optional)	Advanced Theft Protection (Computrace® only) Write protect option for the Flash EPROM Control of all USB interfaces User and supervisor BIOS password Embedded security (TPM 1.2) (optional)
User Security	User and supervisor BIOS password Preboot Authentification with SystemLock 3 Hard disk password Embedded fingerprint sensor (supported only by Windows 8 integrated functionality)	User and supervisor BIOS password Preboot Authentification with SystemLock 3 Hard disk password Embedded fingerprint sensor (supported only by Windows 8 integrated functionality) Integrated SmartCard slot

Warranty	
Warranty period	2 years (depending on country)
Warranty type	Collect & Return Service / Due to product design, only central repair is possible, on-site service is not available.
Warranty Terms & Conditions Product Support Services - the perfe	http://support.ts.fujitsu.com/warranty ect extension
Recommended Service	9x5, Onsite Response Time: Next Business Day
Spare Parts availability	3 years (depending on country)
Service Weblink	htttp://ts.fujitsu.com/Supportservice

### Recommended Accessories

#### Cradle STYLISTIC Q704



Boosted performance, flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of the cradle for the STYLISTIC Q704.

Order Code: S26391-F1367-L100

#### Hand Strap



The Fujitsu Hand Strap makes handling and carrying your tablet easier. It comes with screws that allow you to attach it to the threaded inserts on the back of your tablet to provide a secure grip. The adjustable Velcro makes this hand strap easy to adjust for any size hand and is usable in combination with the SmartCard Shell of the STYLISTIC Q704 and Q584. (Picture shows a STYLISTIC Q584 for illustration only.)

Order Code: S26391-F1193-L12

#### **Shoulder Strap STYLISTIC**



The Fujitsu Shoulder Strap is the perfect addition to your STYLISTIC Q555, Q665, Q775 and Q704 SmartCard Shells. The strap uses only top quality materials and is highly adjustable, enabling you to transport your device with a minimum of effort and maximum comfort. (Picture shows a STYLISTIC Q584 for illustration only.)

Order Code: S26391-F1193-L13

Folio Case STYLISTIC Q704



The Folio Case for the STYLISTIC Q704 Standard Shell is a thin, tailored protective sleeve for your Fujitsu tablet. It keeps the device safe from damage on the go, and brings a touch of style to your daily work. It can even be used as a stand if you need to display a presentation or watch a clip.

Order Code: S26391-F1193-L20

(\*the case can be used with the waterproof version of the STYLISTIC Q704

#### **VESA Mount Plate STYLISTIC** Q704



The VESA Mounting Plate for the STYLISTIC Q704 SmartCard Shell is used to easily and securely attach the rear of the STYLISTIC Q704 to any standard 4-hole 75mm x 75mm VESA-compliant mount, such as a vehicle mount, wall mount, or cart mount. The VESA Mounting Plate is secured to the STYLISTIC Q704 using the four threaded inserts on the rear of the system.

Order Code: S26391-F1193-L21

#### Micro USB to VGA Conversion Cable



The Fujitsu Micro USB to VGA Conversion Cable enables you to view content Order Code: from your compatible STYLISTIC Tablet when the available projector or external display has a VGA connector. This adapter is perfect for salespeople and others who often find themselves making presentations in a wide variety of environments.

S26391-F1378-L810

#### Micro USB to HDMI Conversion Cable



The Fujitsu Micro USB to HDMI Conversion Cable enables you to view content from your compatible STYLISTIC Tablet when the available projector S26391-F1378-L830 or external display has an HDMI connector. This adapter is perfect for salespeople and others who often find themselves making presentations in a wide variety of environments.

Order Code:

#### Micro USB to LAN (RJ45) **Conversion Cable**



The FUJITSU Micro USB to LAN Conversion Cable enables you to connect your Order Code: compatible STYLISTIC Tablet to a wired network connection. GBit-LAN via micro USB conversion cable is limited to 480 Mbit/s due to USB 2.0 specification.

S26391-F1378-L840

#### **External Super Multi Drive**



For independent working and entertainment on your business or private trips, Fujitsu offers the small external DVD drive designed to travel with you. S26341-F103-L135 Upgrade your notebook or PC with this external drive and use it wherever you are.

Order Code:

Page 6 / 8 www.fujitsu.com/fts/tabletpc

#### Mobile Bluetooth Communication Speaker



The Fujitsu Mobile Bluetooth Communication Speaker is the perfect audio accessory for your connected mobile life. It is smaller than a tennis ball so you can bring it everywhere and it can connect via Bluetooth so you don't have to worry about cords. An integrated microphone gives you on-the-fly conference call capabilities for all your Bluetooth enabled mobile devices.

Order Code: S26391-F7128-L700

#### In-Earphone Stereo



These earphones ensure the best acoustic experience with an excellent in-Order Code: ear tiny metallic design. They are equipped with 3 different interchangeable S26391-F7139-L6 silicon ear plugs for optimal wearing comfort and with a wired volume control for easy access to your controls. The 3.5mm audio jack makes these earphones the best companion for your notebook, PC or portable multimedia device.

Slice Keyboard for STYLISITC Q704



The Slice Keyboard for your STYLISTIC Q704 allows fast content creation while on the go and additionally protects against scratches. It also folds to position your tablet at various comfortable angles for efficient working no matter where your job takes you.

S26391-F1276-L2\*\* (\*\*country specific version)

## Keyboard Docking STYLISTIC Q704



The attachable Keyboard Docking exclusively for STYLISTIC Q704 is the ultimate productivity accessory. The keyboard has a dedicated battery for enhanced runtime of up to eight hours and additional USB, VGA and LAN interfaces. The full-sized keyboard transforms your tablet into a traditional notebook for high-efficiency content creation without any compromise on mobility.

S26391-F1277-L2\*\* (\*\*country specific version)

Page 7 / 8 www.fujitsu.com/fts/tabletpc

### More information

#### Fujitsu OPTIMIZATION Services

In addition to FUJITSU Tablet STYLISTIC Q704, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

#### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

#### **Computing Products**

www.fujitsu.com/global/products/computing/

#### Software

www.fujitsu.com/software/

#### More information

Learn more about FUJITSU Tablet STYLISTIC Q704, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. www.fujitsu.com/fts/tabletpc

#### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment



#### Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/

© 2015 Fujitsu Technology Solutions GmbH

#### Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

#### CONTACT

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com/fts 2015-11-27 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

© 2015 Fujitsu Technology Solutions GmbH