



[Home](#) > [For Work](#) > [Dell Monitors](#) > [Dell Monitors](#) > [Dell 24 Monitor: E2417H](#)

Dell 24 Monitor: E2417H

Every feature you value.

A 23.8" display with an ultrawide viewing angle, an environmentally conscious design and rigorous reliability testing define the Dell 24 Monitor – E2417H.

Display

Diagonal Viewing Size

60.47 cm
23.8"

Panel Type

In-Plane switching Technology

Preset Display Area

527.04 mm x 296.46 mm
20.75" x 11.67"
156246.27 mm² (242.18 inches²)

Contrast Ratio

1000: 1 (typical)

Backlight Technology

LED

Brightness

250 cd/m² (typical)

Adjustability

Tilt (-5° to 21°)
Built in cable-management

Response Time

8ms (gray to gray)

Get to know Windows 10 Pro

Intel® Core™ Processors.
Intel Inside®. Powerful Productivity Outside.
[Compare](#)



ity

Emerging C

community

Blog



Viewing angle
(178° vertical / 178° horizontal)

Color Support
Color Gamut (typical):
87% (CIE 1976), 72% (CIE 1931)
Color Depth:
16.7 Million colors

Color Calibration SDK SW
No

Color Calibration with X-rite colorimeter
No

Pixel Pitch
0.275 mm x 0.275 mm

Display Screen Coating
Antiglare with 3H hardness

Aspect Ratio
(16:9)

Maximum Preset Resolution
1920 x 1080 at 60Hz

Pixel Per Inch (PPI)
96

Wireless Charging Feature
N/A

G-SYNC Support
N/A

PbP / PiP
PbP (No)
PiP (No)

Daisy Chain Availability
No

Dell Display Manager Compatibility
Yes

Remote Asset Management
Yes, via Dell Command |Monitor

Audio Output
Optional Soundbar - (AC511)

Connectivity

1 x DP (ver 1.2)
1 x VGA

Built-in Devices
N/A

Security

Security lock slot (cable lock sold separately)
Anti-theft stand lock slot (to panel)

Dimensions

Height with stand

425.1 mm
16.73"

Width with stand

562.6 mm
22.15"

Depth with stand

179.9 mm
7.08"

Height without stand

333.1 mm
13.11"

Width without stand

562.6 mm
21.15"

Depth without stand

53.5mm
2.11"

Weight (panel only - for VESA mount)

3.28 kg
7.23 lb

Weight (with packaging)

5.77 kg
12.72 lb

Power

Voltage Required

100 to 240 VAC / 50 or 60 Hz ± 3Hz / 1.5 A (typical)

Power Consumption (Operational)

22W (typical) / 25W (maximum) / 54 kWh (Energy Star)

Power Consumption Stand by / Sleep

Less than 0.3W

Environmental

Temperature Range

Operating: 0° to 40°C (32° to 104°F)
Non-operating: -20° to 60° (-4° to 140° F)

Humidity Range

Operating: 10% to 80% (non-condensing)
Non-Operating:5% to 90% (non-condensing)

Altitude

Operating: 5,000 m (16,404 ft) max
Non-Operating: 12,192 m (40,000 ft) max

Regulatory

Compliant Standards

ENERGY STAR
EPEAT gold
TCO Certified Displays
RoHS Complaint

Product Safety, EMC and Environmental Datasheets
Dell Regulatory Compliance Home Page
Dell and the Environment

What's Included

Monitor with stand
Power cable
1 x DP Cable
1 x VGA Cable (Europe, Middle East, Africa and Japan only)
Drivers and documentation media
Quick setup guide
Safety Information

[Details](#) | [Dell Recycling](#) | [Contact a Reseller](#) | [Site Map](#)

Ultrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel Logo, Intel Atom, Intel Atom Inside, Intel Core, Intel Inside, Intel Inside Logo, Intel vPro, Itanium, Itanium Inside, Pentium, Pentium Inside, vPro Inside, Xeon, Xeon Phi, and Xeon Inside are trademarks of Intel Corporation in the U.S. and/or other countries.