

General Information

Sikorsky Executive S-76B Helicopter Serial Number 760399



January 2018

Helicopter Resales

George Reenstra

George@jetasg.com / Mobile:1-201-906-1411
www.HelicopterResales.com

Sikorsky S-76B Serial Number 760399

General Information

The following General Information is provided for descriptive purposes and although every effort has been made for accuracy, information contained herein is subject to verification.

Aircraft Data

Service Plans:	Honeywell Avionics Protection Plan (HAPP) Sikorsky Powertrain Assurance Program (PAP)
Manufacturer:	Sikorsky Aircraft Corporation Lockheed Martin
Model Designation:	S-76B
Serial Number:	760399
Date of Manufacture:	April 4, 1992
Current Civil Registration Number:	N2TS
Total Time, Airframe:	6,555 Hours as of December 11, 2017
Total Landings:	14,536 Landings
Number and Type of Engines:	Two (2) Pratt & Whitney Canada, PT6B-36A Turboshaft: No. 1 Engine Serial No.: 36,139 TTE(1): 6,370 Hours since new No. 2 Engine Serial No.: 36,098 TTE(2): 6,348 Hours since new
Maximum Gross Weight:	11,700 Pounds
Equipped Weight Empty / CG:	8,612 Lbs. / STA 208.8
Basic Mission Configuration:	Executive Transport, Six Cabin Passengers
Airworthiness Status:	Airworthy; U.S. FAA, Part 91 Operation 12-Month Inspection Due: April 4, 2018
Present Location:	Dutchess County Airport New York USA

Information contained herein is subject to verification.

Sikorsky S-76B Serial Number 760399

General Information

Configuration Features

Airframe & Systems:

- Hinged cabin doors, left & right side
- Key locks for cockpit, cabin, and baggage compartment doors
- Hinged fuel filler caps with key locks
- Cockpit-controlled electric door locks for cabin doors
- Retractable passenger boarding steps, left/right side
- Heated glass windshields
- Windshield wiper and washer system
- Manual rotor brake system
- 3P and 5P Bifilar vibration absorber assembly
- Baggage floor liner
- Single marathon battery
- Forward-facing recognition lights in nose windows
- Nose-mounted controllable searchlight
- Fixed landing lights on left and right main gear struts
- Pulselite System
- 3-position strobe light system (Whelen)
- Top and bottom anti-collision lights

Interior & Equipment:

- Cabin and Flight deck UB charger TA102
- Executive cabin interior and soundproofing system
- Cockpit-cabin divider bulkhead with sliding windows
- 4 Place forward-facing divan,
- 2 Executive Captains seats with center refreshment credenza
- Cabin and Cockpit Climate Control System (C4)
- Magazine racks on cabin doors
- Storage compartments beneath divan for fire extinguisher, first aid kit, life vests

Instruments and Stability Systems:

- Honeywell SPZ-7000 Dual Digital Automatic Flight Control System
- Honeywell EDZ-756 Electronic Flight Instrument System (EFIS)
- ADI-335D standby attitude indicator
- Dual lighted approach plate holders
- Dual overhead master switch panels
- Radio master switches
- Battery temperature monitor
- Standby vertical-card magnetic compass (Hamilton HI-400)
- Dual Attitude Heading Reference System (Litef LCR-92 AHRS)
- Dual digital clocks (Davtron M-877)
- Single Pilot IFR

Information contained herein is subject to verification.

Sikorsky S-76B Serial Number 760399

General Information

Avionics:

- Collins VIR-32 Dual VHF Nav Receiver
- Collins DME-42 Nav Receiver with IND-42A Indicator
- Collins VN-22A VHF Radios with CTL-22 Head
- Collins TRD-90 Transponder
- Universal UNS-ILW LP/LPW
- Cockpit Voice Recorder (Universal CVR-30A)
- Cabin paging and chime system
- Cabin AirCell ST-3100 for internal and external communications
- Garmin GMX-200 Multifunction Display
- Garmin GDL-69 XM Weather Receiver
- Honeywell Primus 700 Weather Radar
- Honeywell DataNav III Multi-Function Interface Unit
- Universal UNS-1FW Flight Management System with GPS
- Honeywell MKXXII Enhanced Ground Proximity Warning System (EGPWS)
- TCAS I (Bendix CAS-66A)
- Emergency Locator Transmitter (ARTEX C406-2HM)

Mission Equipment:

- Emergency Flotation System - Not currently installed

Loose Equipment:

- Main rotor blade tie-downs (set)
- Pitot-tube covers (2)
- Landing gear pins (3)
- Door lock keys

———— Continue to Photos and Maintenance Report ————

Helicopter Resales


George Reenstra

George@jetasg.com / Mobile:1-201-906-1411
www.HelicopterResales.com

Information contained herein is subject to verification.

Sikorsky S-76B Serial Number 760399

Interior Photos




Helicopter Resales
George Reenstra

George@jetasg.com / Mobile:1-201-906-1411
www.HelicopterResales.com

Information contained herein is subject to verification.

Sikorsky S-76B Serial Number 760399

Cockpit Photos



Helicopter Resales
George Reenstra

George@jetasg.com / Mobile:1-201-906-1411
www.HelicopterResales.com

Information contained herein is subject to verification.



N2TS

S-76B 760399

DATE 4/12/2017

ENG #1 PT6B-36A S/N PCE36139

ENG #2 PT6B-36A S/N PCE36098

A/C T.T.	6513.5	HOBBS	LANDINGS	14494
#1 ENG. TSN	6332.2	#1 CYC	10407	#1 EXCURS
#2 ENG. TSN	6314.8	#2 CYC	10430	#2 EXCURS

<u>REM</u>	<u>PART NUMBER</u>	<u>DESCRIPTION</u>	<u>S/N</u>	<u>PART HRS/CY</u>	<u>REMAINING HRS/CY</u>	<u>REMOVE HRS/CY</u>	<u>TBO SLL</u>	<u>SUPPORT HRS/CY</u>	<u>PART HRS/CY</u>
------------	--------------------	--------------------	------------	--------------------	-------------------------	----------------------	----------------	-----------------------	--------------------

MAIN LANDING GEAR L/H (P/N: 76250-02500-101 S/N: T-5583)

87%	2071-2	CYLINDER	CPT11174JK	LGD/RET	14494.0	93506.0	108000.0	108000	0.0	0.0
89%	2071-4	PISTON	CPT0668JO	LGD/RET	14494.0	114206.0	128700.0	128700	0.0	0.0
56%	2071-12	AXLE SUP FIT	CPT0004BAC	LGD/RET	14494.0	18806.0	33300.0	33300	0.0	0.0
80%	2071-29	PIN UNV TO CYC	CPT0084PP	LGD/RET	14494.0	57506.0	72000.0	72000	0.0	0.0
87%	2071-32	PIN POS ROD TO TRQ ARM	CPT0602X	LGD/RET	14494.0	98006.0	112500.0	112500	0.0	0.0
87%	2071-35	DRAG BRACE ROD END	CPT0391BI	LGD/RET	14494.0	92894.0	107388.0	107388	0.0	0.0
88%	2071-46	UPPER TOR ARM	CPT1233AP	LGD/RET	14494.0	106236.0	120730.0	120730	0.0	0.0
73%	2071-47	LOWER TOR ARM	CPT0407SNM	LGD/RET	14494.0	39182.0	53676.0	53676	0.0	0.0
93%	2071-74	LOWER DRAG BRACE	CPT1328HSM	LGD/RET	14494.0	192506.0	207000.0	207000	0.0	0.0
92%	2071-76	RETRACTION BRACE	CPT0521JK	LGD/RET	14494.0	170006.0	184500.0	184500	0.0	0.0
86%	2071-85	AXLE	CPT0433BI	LGD/RET	14494.0	90716.0	105210.0	105210	0.0	0.0
76%	2071-235	ROD END - POS ROD	CPT0243BI	LGD/RET	14494.0	46706.0	61200.0	61200	0.0	0.0

RETRACTION ACTUATOR L/H (P/N: 1945G200-01 S/N: CPT916JK)

18%	1945F302	OUTER CYLINDER	CPTA1191JK	LGD/RET	26308.2	5641.8	20135.8	31950	6378.8	18193.0
82%	1945E314	PISTON	CPT0506JK	LGD/RET	26308.2	122191.8	136685.8	148500	6378.8	18193.0
77%	01-747-061	PISTON ROD END	HSM1838	LGD/RET	8115.2	27884.8	42378.8	36000	6378.8	0.0

MAIN LANDING GEAR R/H (76250-02500-102 S/N: T-5580)

87%	2071-2	CYLINDER	CPT1342JK	LGD/RET	14494.0	93506.0	108000.0	108000	0.0	0.0
89%	2071-4	PISTON	CPT0338JO	LGD/RET	14494.0	114206.0	128700.0	128700	0.0	0.0
56%	2071-12	AXLE SUP FIT	CPT0061BAC	LGD/RET	14494.0	18806.0	33300.0	33300	0.0	0.0
80%	2071-29	PIN UNV TO CYC	CPT0174PP	LGD/RET	14494.0	57506.0	72000.0	72000	0.0	0.0
87%	2071-32	PIN POS ROD TO TRQ ARM	CPT0543JK	LGD/RET	14494.0	98006.0	112500.0	112500	0.0	0.0
87%	2071-35	DRAG BRACE ROD END	CPT133BI	LGD/RET	14494.0	92894.0	107388.0	107388	0.0	0.0



N2TS

S-76B 760399

DATE 4/12/2017

ENG #1 PT6B-36A S/N PCE36139

ENG #2 PT6B-36A S/N PCE36098

A/C T.T.	6513.5	HOBBS	LANDINGS	14494
#1 ENG. TSN	6332.2	#1 CYC	10407	#1 EXCURS
#2 ENG. TSN	6314.8	#2 CYC	10430	#2 EXCURS

<u>%</u>	<u>REM</u>	<u>PART NUMBER</u>	<u>DESCRIPTION</u>	<u>S/N</u>	<u>PART</u>	<u>REMAINING</u>	<u>REMOVE</u>	<u>TBO</u>	<u>SUPPORT</u>	<u>PART</u>
					<u>HRS/CY</u>	<u>HRS/CY</u>	<u>HRS/CY</u>	<u>SLL</u>	<u>HRS/CY</u>	<u>HRS/CY</u>
88%		2071-46	UPPER TOR ARM	CPT1097AP	LGD/RET 14494.0	106236.0	120730.0	120730	0.0	0.0
73%		2071-47	LOWER TOR ARM	CPT0067DNM	LGD/RET 14494.0	39182.0	53676.0	53676	0.0	0.0
93%		2071-74	LOWER DRAG BRACE	CPT1145HSM	LGD/RET 14494.0	192506.0	207000.0	207000	0.0	0.0
92%		2071-76	RETRACTION BRACE	CPT0320JK	LGD/RET 14494.0	170006.0	184500.0	184500	0.0	0.0
86%		2071-85	AXLE	CPT0040BI	LGD/RET 14494.0	90716.0	105210.0	105210	0.0	0.0
76%		2071-235	ROD END - POS ROD	CPT0250BI	LGD/RET 14494.0	46706.0	61200.0	61200	0.0	0.0
RETRACTION ACTUATOR R/H (1945G200-01 S/N: CPT0916JK)										
55%		1945F302	OUTER CYLINDER	CPTA1191JK	LGD/RET 14494.0	17456.0	31950.0	31950	0.0	0.0
90%		1945E314	PISTON	CPT0506JK	LGD/RET 14494.0	134006.0	148500.0	148500	0.0	0.0
99%		01-747-061	PISTON ROD END	HSM1838	LGD/RET 514.0	35486.0	49980.0	36000	13980.0	0.0
		76650-01801-103	EMER BLOWDOWN BOTTLE	1365	CAL/HYRDO		Aug-19	3 YR	Aug-16	
		76650-01801-103	EMER BLOWDOWN BOTTLE	1365	CAL/RET		Jan-22	15 YR	Jan-07	
NOSE LANDING GEAR (P/N: 76250-01000-100 S/N: T-5454)										
94%		2070-85	AXLE	CPT0007BI	LGD/RET 14494.0	209754.0	224248.0	224248	0.0	0.0
90%		2070-60	FORK	CPT0603JK	LGD/RET 14494.0	129506.0	144000.0	144000	0.0	0.0
91%		2070-4	PISTON	CPT0200AT	LGD/RET 14494.0	146957.0	161451.0	161451	0.0	0.0
76%		2070-2	CYLINDER	CPT0509JK	LGD/RET 14494.0	46256.0	60750.0	60750	0.0	0.0
RETRACTION ACTUATOR NOSE (P/N: 2070A200 S/N: CPT0563ADE)										
86%		2070-201	DRAG BRACE CYL TERM	CPT0213ADE	LGD/RET 14494.0	89006.0	103500.0	103500	0.0	0.0
92%		2070-212B	DRAG BRACE PISTON TERM	CPT0292ADE	LGD/RET 14494.0	165506.0	180000.0	180000	0.0	0.0
85%		1944E204	DRAG BRACE ACT PISTON ROD	CPT0065ADE	LGD/RET 14494.0	84506.0	99000.0	99000	0.0	0.0



N2TS

S-76B 760399

DATE 4/12/2017

ENG #1 PT6B-36A S/N PCE36139

ENG #2 PT6B-36A S/N PCE36098

A/C T.T.	6513.5	HOBBS	LANDINGS	14494
#1 ENG. TSN	6332.2	#1 CYC	10407	#1 EXCURS
#2 ENG. TSN	6314.8	#2 CYC	10430	#2 EXCURS

%				PART	REMAINING	REMOVE	TBO	SUPPORT	PART
REM	PART NUMBER	DESCRIPTION	S/N	HRS/CY	HRS/CY	HRS/CY	SLL	HRS/CY	HRS/CY

COMPONENTS

75%	76204-23002-042	ENG MOUNT FWD X-BEAM	A344-00399	HRS/RET	6513.5	19886.5	26400.0	26400	0.0	0.0
72%	76209-03001-051	MGB SUPP STRUCT FIT L/H	F021-00083	HRS/RET	6513.5	16886.5	23400.0	23400	0.0	0.0
72%	76209-03001-052	MGB SUPP STRUCT FIT R/H	F021-00064	HRS/RET	6513.5	16886.5	23400.0	23400	0.0	0.0
83%	76080-20063-057	STABILIZER	A253-00109	HRS/RET	6513.5	31186.5	37700.0	37700	0.0	0.0
53%	76209-04004-042	STABILIZER RET FIT	SN-PO-1	HRS/RET	6513.5	7486.5	14000.0	14000	0.0	0.0
53%	76209-24004-041	STABILIZER SUPPORT FIT	A317-00019	HRS/RET	6513.5	7486.5	14000.0	14000	0.0	0.0
	76201-05002-047	VERT STAB AFT SPAR		HRS/RET	6513.5				COND	
	76201-05501-042	VERT STAB FWD SPAR		HRS/RET	6513.5				COND	
45%	76150-09100-053	M/R BLADE (BLACK)	A086-01945	HRS/RET	6513.5	5236.5	11750.0	11750	1402.3	1402.3
45%	76150-09100-053	M/R BLADE (RED)	A086-01947	HRS/RET	6513.5	5236.5	11750.0	11750	1402.3	1402.3
45%	76150-09100-053	M/R BLADE (BLUE)	A086-01946	HRS/RET	6513.5	5236.5	11750.0	11750	1402.3	1402.3
45%	76150-09100-053	M/R BLADE (YELLOW)	A086-01944	HRS/RET	6513.5	5236.5	11750.0	11750	1402.3	1402.3
70%	76103-08010-050	M/R HUB ASSY	B027-00443	HRS/RET	6513.5	15486.5	22000.0	22000	6309.7	6309.7
	76102-08500-045	SPINDLE BLADE ASSY (RED)	A134-01932						4998.7	
70%	76102-08001-045	SPINDLE CUFF ASSY	A134-05217	HRS/RET	1514.8	3485.2	9998.7	5000	4998.7	0.0
70%	76102-08011-046	HORN	A050-01556	HRS/RET	6513.5	15186.5	21700.0	21700	0.0	0.0
70%	76102-08003-103	SPINDLE NUT	D186-03539	HRS/RET	1514.8	3485.2	9998.7	5000	4998.7	0.0
84%	SB5206-202	BEARING OUTER RACE	B199-27935	HRS/RET	203.8	1046.2	7559.7	1250	6309.7	0.0
	76102-08500-045	SPINDLE BLADE ASSY (BLK)	A134-05285						4998.7	
70%	76102-08001-045	SPINDLE CUFF ASSY	A134-05285	HRS/RET	1514.8	3485.2	9998.7	5000	4998.7	0.0
70%	76102-08011-046	HORN	A050-01565	HRS/RET	6513.5	15186.5	21700.0	21700	0.0	0.0
70%	76102-08003-103	SPINDLE NUT	D186-03329	HRS/RET	1514.8	3485.2	9998.7	5000	4998.7	0.0
84%	SB5206-202	BEARING OUTER RACE	B199-26981	HRS/RET	203.8	1046.2	7559.7	1250	6309.7	0.0

N2TS

GENERATED BY



S-76B 760399

DATE 4/12/2017

ENG #1 PT6B-36A S/N PCE36139

ENG #2 PT6B-36A S/N PCE36098

A/C T.T.	6513.5	HOBBS	LANDINGS	14494
#1 ENG. TSN	6332.2	#1 CYC	10407	#1 EXCURS
#2 ENG. TSN	6314.8	#2 CYC	10430	#2 EXCURS

<u>REM</u>	<u>PART NUMBER</u>	<u>DESCRIPTION</u>	<u>S/N</u>	<u>PART HRS/CY</u>	<u>REMAINING HRS/CY</u>	<u>REMOVE HRS/CY</u>	<u>TBO SLL</u>	<u>SUPPORT HRS/CY</u>	<u>PART HRS/CY</u>
	76102-08500-045	SPINDLE BLADE ASSY (BLU)	A134-01940					4998.7	
70%	76102-08001-045	SPINDLE CUFF ASSY	A134-05280	HRS/RET 1514.8	3485.2	9998.7	5000	4998.7	0.0
70%	76102-08011-046	HORN	A050-01558	HRS/RET 6513.5	15186.5	21700.0	21700	0.0	0.0
70%	76102-08003-103	SPINDLE NUT	D186-03361	HRS/RET 1514.8	3485.2	9998.7	5000	4998.7	0.0
84%	SB5206-202	BEARING OUTER RACE	B199-26976	HRS/RET 203.8	1046.2	7559.7	1250	6309.7	0.0
	76102-08500-046	SPINDLE BLADE ASSY (YEL)	N/A					4998.7	
70%	76102-08001-045	SPINDLE CUFF ASSY	A134-05220	HRS/RET 1514.8	3485.2	9998.7	5000	4998.7	0.0
70%	76102-08011-046	HORN	A050-01560	HRS/RET 6513.5	15186.5	21700.0	21700	0.0	0.0
70%	76102-08003-103	SPINDLE NUT	D186-03521	HRS/RET 1514.8	3485.2	9998.7	5000	4998.7	0.0
84%	SB5206-202	BEARING OUTER RACE	B199-26977	HRS/RET 203.8	1046.2	7559.7	1250	6309.7	0.0
67%	NAS626-9	ELAST BRG ATTACH BOLTS		HRS/RET 6513.5	13086.5	19600.0	19600	0.0	
67%	NKN626-33	DROOP STOP ATTACH BOLTS		HRS/RET 6513.5	13086.5	19600.0	19600	0.0	
78%	76107-08001-045	LOWER BIF SUP ARM	A173-00412	HRS/RET 6513.5	22886.5	29400.0	29400	0.0	0.0
78%	76107-08004-057	BIFILAR WEIGHT	B187-00144	HRS/RET 6513.5	22886.5	29400.0	29400	0.0	0.0
78%	76107-08004-057	BIFILAR WEIGHT	B187-00141	HRS/RET 6513.5	22886.5	29400.0	29400	0.0	0.0
78%	76107-08004-057	BIFILAR WEIGHT	B187-00171	HRS/RET 6513.5	22886.5	29400.0	29400	0.0	0.0
78%	76107-08004-057	BIFILAR WEIGHT	B187-00157	HRS/RET 6513.5	22886.5	29400.0	29400	0.0	0.0
78%	76107-08001-046	UPPER BIF SUP ARM	A173-00361	HRS/RET 6513.5	22886.5	29400.0	29400	6309.7	6309.7
78%	76107-08004-058	BIFILAR WEIGHT	B188-00063	HRS/RET 6513.5	22886.5	29400.0	29400	6309.7	6309.7
78%	76107-08004-058	BIFILAR WEIGHT	B188-00064	HRS/RET 6513.5	22886.5	29400.0	29400	6309.7	6309.7
78%	76107-08004-058	BIFILAR WEIGHT	B188-00069	HRS/RET 6513.5	22886.5	29400.0	29400	6309.7	6309.7
78%	76107-08004-058	BIFILAR WEIGHT	B188-00128	HRS/RET 6513.5	22886.5	29400.0	29400	6309.7	6309.7
	76104-08500-041	SWASHPLATE ASSY	A238-00105	HRS/RET 6513.5	12686.5	19200.0	19200	0.0	0
31%	76351-09600-044	MGB	A231-00129	HRS/O-H 2237.0	1013.0	7526.5	3250	4276.5	0



N2TS

S-76B 760399

DATE 4/12/2017

ENG #1 PT6B-36A S/N PCE36139

ENG #2 PT6B-36A S/N PCE36098

A/C T.T.	6513.5	HOBBS	LANDINGS	14494
#1 ENG. TSN	6332.2	#1 CYC	10407	#1 EXCURS
#2 ENG. TSN	6314.8	#2 CYC	10430	#2 EXCURS

<u>%</u>	<u>REM</u>	<u>PART NUMBER</u>	<u>DESCRIPTION</u>	<u>S/N</u>	<u>PART</u>	<u>REMAINING</u>	<u>REMOVE</u>	<u>TBO</u>	<u>SUPPORT</u>	<u>PART</u>	
					<u>HRS/CY</u>	<u>HRS/CY</u>	<u>HRS/CY</u>	<u>SLL</u>	<u>HRS/CY</u>	<u>HRS/CY</u>	
81%		76351-09628-101	QUILL SHAFT	A212-00361	HRS/RET	1678.5	7321.5	13835.0	9000	4835.0	0
87%		76351-09626-101	SPLINE ADAP SHAFT	A211-00111	HRS/RET	4801.2	32198.8	38712.3	37000	4835.0	3122.7
54%		76351-09630-041	MAIN ROTOR SHAFT	D213-00542	HRS/RET	2237.0	2663.0	9176.5	4900	4276.5	0
67%		76351-09029-102	SWASHPLATE GUIDE	A028-00188	HRS/RET	6513.5	13486.5	20000.0	20000	4835.0	4835.0
		76351-09008-057	MGB LOWER HOUSING		HRS/RET	6513.5			COND		
70%		76351-09002-053	MGB UPPER HOUSING	A001-00407	HRS/RET	3103.3	7296.7	13810.2	10400	4276.5	866.3
51%		76357-05600-041	INTERMED GEARBOX	A242-00194	HRS/O-H	2184.4	2315.6	8829.1	4500	4329.1	0
45%		76358-05600-042	T/R GEARBOX	A239-00031	HRS/O-H	2184.4	1815.6	8329.1	4000	4329.1	0
65%		76358-05124-042	T/R G/B OUT SHAFT	A069-00600	HRS/RET	3171.2	5928.8	12442.3	9100	3342.3	0
65%		76347-05118-047	T/R G/B OUT FLANGE	A070-00342	HRS/RET	3171.2	5928.8	12442.3	9100	3342.3	0
67%		76101-05020-048	T/R BLADE	02652	HRS/RET	6513.5	13486.5	20000.0	20000	0	0
67%		76101-05020-048	T/R BLADE	02665	HRS/RET	6513.5	13486.5	20000.0	20000	0	0
		76101-05017-045	T/R SPAR	A293-02899	HRS	2173.8			COND	4339.7	0
46%		76101-05006-042	T/R HORN	A334-02652	HRS/RET	6513.5	5486.5	12000.0	12000	0	0
46%		76101-05006-042	T/R HORN	A334-02665	HRS/RET	6513.5	5486.5	12000.0	12000	0	0
67%		76101-05020-048	T/R BLADE	02646	HRS/RET	6513.5	13486.5	20000.0	20000	0	0
67%		76101-05020-048	T/R BLADE	02653	HRS/RET	6513.5	13486.5	20000.0	20000	0	0
		76101-05017-045	T/R SPAR	A116-02168	HRS	6513.5			COND	2163	2163
46%		76101-05006-042	T/R HORN	A334-02646	HRS/RET	6513.5	5486.5	12000.0	12000	0	0
46%		76101-05006-042	T/R HORN	A334-02653	HRS/RET	6513.5	5486.5	12000.0	12000	0	0
28%		76102-05001-047	T/R O.B. RETAIN PLATE	A131-00382	HRS/RET	6513.5	2586.5	9100.0	9100	0	0
69%		76900-01802-106	YAW ACT #1	91081098	HRS/O-H	934.3	2065.7	8579.2	3000	5579.2	0
72%		76900-01802-106	YAW ACT # 2	99010466	HRS/O-H	836.2	2163.8	8677.3	3000	5677.3	0



N2TS

S-76B 760399

DATE 4/12/2017

ENG #1 PT6B-36A S/N PCE36139

ENG #2 PT6B-36A S/N PCE36098

A/C T.T.	6513.5	HOBBS	LANDINGS	14494
#1 ENG. TSN	6332.2	#1 CYC	10407	#1 EXCURS
#2 ENG. TSN	6314.8	#2 CYC	10430	#2 EXCURS

<u>%</u>	<u>REM</u>	<u>PART NUMBER</u>	<u>DESCRIPTION</u>	<u>S/N</u>	<u>PART</u>	<u>REMAINING</u>	<u>REMOVE</u>	<u>TBO</u>	<u>SUPPORT</u>	<u>PART</u>	
					<u>HRS/CY</u>	<u>HRS/CY</u>	<u>HRS/CY</u>	<u>SLI</u>	<u>HRS/CY</u>	<u>HRS/CY</u>	
72%		76900-01802-106	ROLL ACT #1	98120448	HRS/O-H	836.2	2163.8	8677.3	3000	5677.3	0
69%		76900-01802-106	ROLL ACT #2	80062916	HRS/O-H	934.3	2065.7	8579.2	3000	5579.2	0
75%		76900-01802-106	PITCH ACT #1	8107597	HRS/O-H	742.3	2257.7	8771.2	3000	5771.2	0
48%		76900-01802-106	PITCH ACT #2	79J9667	HRS/O-H	1554.9	1445.1	7958.6	3000	4958.6	0
97%		76361-04007-042	T/R D/S SUPPORT	A348-PAE-00238	HRS/OH	99.6	2900.4	9413.9	3000	6413.9	0
		76361-04007-042	T/R D/S SUPPORT	A348-PAE-00238	CAL/OH			Aug-20	5 YR	Aug-15	
97%		SB1138-102	T/R D/S SUPP BRG	F626-00589	HRS/RET	99.6	2900.4	9413.9	3000	6413.9	0
		SB1138-102	T/R D/S SUPP BRG	F626-00589	CAL/RET			Aug-20	5 YR	Aug-15	
97%		76361-04007-042	T/R D/S SUPPORT	A348-PAE-0239	HRS/OH	99.6	2900.4	9413.9	3000	6413.9	0
		76361-04007-042	T/R D/S SUPPORT	A348-PAE-0239	CAL/OH			Aug-20	5 YR	Aug-15	
97%		SB1138-102	T/R D/S SUPP BRG	F626-00411	HRS/RET	99.6	2900.4	9413.9	3000	6413.9	0
		SB1138-102	T/R D/S SUPP BRG	F626-00411	CAL/RET			Aug-20	5 YR	Aug-15	
97%		76361-04007-042	T/R D/S SUPPORT	A348-PAE-0240	HRS/OH	99.6	2900.4	9413.9	3000	6413.9	0
		76361-04007-042	T/R D/S SUPPORT	A348-PAE-0240	CAL/OH			Aug-20	5 YR	Aug-15	
97%		SB1138-102	T/R D/S SUPP BRG	F626-00745	HRS/RET	99.6	2900.4	9413.9	3000	6413.9	0
		SB1138-102	T/R D/S SUPP BRG	F626-00745	CAL/RET			Aug-20	5 YR	Aug-15	
		76650-09807-101	MAIN SERVO LAT	B244-00029	HRS/OH	8324.9			COND	5677.3	7488.7
		RW783741-1	SERVO PISTON		HRS/RET	6513.5			COND		
		76650-09807-101	MAIN SERVO FWD	B244-00162	HRS/OH	4101.3			COND	5677.3	3265.1
		RW783741-1	SERVO PISTON		HRS/RET	6513.5			COND		
		782500-1	MAIN SERVO AFT	B345-00455	HRS/OH	3060.7			COND	5520.4	2067.6
			SERVO PISTON		HRS/RET	6513.5			COND		
		782600-2	T/R SERVO	B346-00167	HRS/O-H	203.8			COND	6413.9	104.2
		RW783719-1	T/R SERVO PISTON		HRS/RET	6513.5			COND		



N2TS

S-76B 760399

DATE 4/12/2017

ENG #1 PT6B-36A S/N PCE36139

ENG #2 PT6B-36A S/N PCE36098

A/C T.T.	6513.5	HOBBS	LANDINGS	14494
#1 ENG. TSN	6332.2	#1 CYC	10407	#1 EXCURS
#2 ENG. TSN	6314.8	#2 CYC	10430	#2 EXCURS

<u>%</u>	<u>REM</u>	<u>PART NUMBER</u>	<u>DESCRIPTION</u>	<u>S/N</u>	<u>PART</u>	<u>REMAINING</u>	<u>REMOVE</u>	<u>TBO</u>	<u>SUPPORT</u>	<u>PART</u>
					<u>HRS/CY</u>	<u>HRS/CY</u>	<u>HRS/CY</u>	<u>SLL</u>	<u>HRS/CY</u>	<u>HRS/CY</u>
		65317-03006-109	#1 FUEL SELECTOR VALVE	1334	CAL/RET		Jul-23	10 YR	Jul-13	
		65317-03006-110	#2 FUEL SELECTOR VALVE	0807	CAL/RET		Jul-23	10 YR	Jul-13	
80%		23092-002	STARTER GEN L/H	259	HRS/O-H	203.8	796.2	7309.7	1000	6309.7 0
80%		23092-002	STARTER GEN R/H	127	HRS/O-H	203.8	796.2	7309.7	1000	6309.7 0
81%		60-3274-5	ANTI-COLL POWER SUPPLY		HRS/O-H	387.6	1612.4	8125.9	2000	6125.9
		76306-07901-102	#1 ENGINE FIRE BOTTLE	71876EK	CAL/HYDRO		Jul-18	5 YR	Jul-13	
		76306-07901-102	#2 ENGINE FIRE BOTTLE	96199EJ	CAL/HYRDO		Jul-18	5 YR	Jul-13	
		M897776-01	#1 FIRE BOTTLE SQUIB	33750	CAL/RET		BY DATE OF	Jan-22	10 YR	Nov-12
		M897776-01	#1 FIRE BOTTLE SQUIB	35311	CAL/RET		MFG	Nov-25	10 YR	Nov-15
		M897776-01	#2 FIRE BOTTLE SQUIB	29547	CAL/RET			Apr-20	10 YR	Apr-10
		M897776-01	#2 FIRE BOTTLE SQUIB	59578	CAL/RET			Apr-20	10 YR	Apr-10
ENGINE # 1										
S/N: PS36139										
24%		PT6B-36A	POWER SECTION	PCE-36139	HRS/OVHL	3059.5	940.5	7272.7	4000	3272.7 0.0
57%		3018312	DISC COMP 2nd	15A070	CYC-RET	12450.5	16549.5	29000.0	29000.0	
56%		3017713	DISC COMP 3rd	12A034	CYC-RET	12450.5	15549.5	28000.0	28000.0	
49%		3024211	DISC COMP TURBINE	1E743	CYC-RET	8159.2	7840.8	16000.0	16000.0	
65%		3022312	DISC POWER TURBINE	6Y402	CYC-RET	20016.0	36984.0	57000.0	57000.0	
58%		3022312	DISC POWER TURBINE	6Y402	HRS-RET	6332.2	8667.8	15000.0	15000	3272.7 3272.7
66%		3018111	HUB COMP ROTOR	1M431	CYC-RET	37351.5	72648.5	110000.0	110000.0	
58%		3018111	HUB COMP ROTOR	1M431	HRS-RET	6332.2	8667.8	15000.0	15000	3272.7 3272.7
59%		3027798	IMPELLER	3D907	CYC-RET	11769.3	17230.7	29000.0	29000.0	
23%		787200-7-L13/15-2	HYDROMECH FUEL CNTRL	A8692	HRS/OVHL	3459.2	1040.8	7373.0	4500	3292.0 419.0
28%		787223-1	ALTERNATOR H.F.C.	LB0103B	HRS/OVHL	3243.1	1256.9	7589.1	4500	3986.8 897.7
24%		PT6B-36B	REDUCTION GEARBOX	RGB-36139	HRS/OVHL	3059.5	940.5	7272.7	4000	3272.7 0.0



N2TS

S-76B 760399

DATE 4/12/2017

ENG #1 PT6B-36A S/N PCE36139

ENG #2 PT6B-36A S/N PCE36098

A/C T.T.	6513.5	HOBBS	LANDINGS	14494
#1 ENG. TSN	6332.2	#1 CYC	10407	#1 EXCURS
#2 ENG. TSN	6314.8	#2 CYC	10430	#2 EXCURS

<u>%</u>	<u>REM</u>	<u>PART NUMBER</u>	<u>DESCRIPTION</u>	<u>S/N</u>	<u>PART HRS/CY</u>	<u>REMAINING HRS/CY</u>	<u>REMOVE HRS/CY</u>	<u>TBO SLL</u>	<u>SUPPORT HRS/CY</u>	<u>PART HRS/CY</u>
			50 HR ENGINE INSPECTION			50.0	6382.2	50	6332.2	
			150 HR ENGINE INSPECTION			150.0	6482.2	150	6332.2	
			150 HR / 6 MONTH GAS GEN CASE INSPECTION			150.0	6482.2	150	6332.2	
			150 HR / 6 MONTH GAS GEN CASE INSPECTION				Oct-17	6 MON	Apr-17	
			150 HR / 12 MONTH OUTPUT SHAFT LEAK CHECK INSPECTION			150.0	6482.2	150	6332.2	
			150 HR / 12 MONTH OUTPUT SHAFT LEAK CHECK INSPECTION				Apr-18	12 MON	Apr-17	
			300 HR ENGINE INSPECTION			300.0	6632.2	300	6332.2	
			300 HR / 12 MONTH COMPRESSOR INLET INSPECTION			300.0	6632.2	300	6332.2	
			300 HR / 12 MONTH COMPRESSOR INLET INSPECTION				Apr-18	12 MON	Apr-17	
			600 HR FUEL FILTER			395.5	6727.7	600	6127.7	
			300 HR FUEL NOZZLE CLEANING			300.0	6632.2	300	6332.2	
			600 HR / 12 MONTH ELECTRICAL CONNECTOR CLEANING			600.0	6932.2	600	6332.2	
			600 HR / 12 MONTH ELECTRICAL CONNECTOR CLEANING				Apr-18	12 MON	Apr-17	
			900 HR / 12 MONTH FLANGE AND JOINT FACE SEALING			900.0	7232.2	900	6332.2	
			900 HR / 12 MONTH FLANGE AND JOINT FACE SEALING				Apr-18	12 MON	Apr-17	
			1200 HR / 24 MONTH OIL FILTER OVERHAUL			1200.0	7532.2	1200	6332.2	
			1200 HR / 24 MONTH OIL FILTER OVERHAUL				Apr-19	24 MON	Apr-17	
			1200 HR FUEL NOZZLE FUNCTIONAL CHECK			817.7	7149.9	1200	5949.9	
			ENGINE OIL CHANGE	PER RSI REQUIREMENTS		300.0	6632.2	300	6332.2	
			ENGINE OIL CHANGE				Apr-18	12 MON	Apr-17	
			ENGINE OIL FILTER CLEANING (ELECTROSONIC METHOD)			150.0	6482.2	150	6332.2	
			ENGINE OIL FILTER CLEANING (ULTRASONIC METHOD)			1200.0	7532.2	1200	6332.2	
			ENGINE OIL FILTER CLEANING (ULTRASONIC METHOD)				Apr-19	24 MON	Apr-17	
ENGINE # 2										
S/N: PS36098										
23%	PT6B-36A	POWER SECTION	PCE-36098	HRS/OVHL	3087.7	912.3	7227.1	4000	3227.1	0.0
57%	3018312	DISC COMP 2nd	9T052	CYC-RET	12462.0	16538.0	29000.0	29000.0		



N2TS

S-76B 760399

DATE 4/12/2017

ENG #1 PT6B-36A S/N PCE36139

ENG #2 PT6B-36A S/N PCE36098

A/C T.T.	6513.5	HOBBS	LANDINGS	14494
#1 ENG. TSN	6332.2	#1 CYC	10407	#1 EXCURS
#2 ENG. TSN	6314.8	#2 CYC	10430	#2 EXCURS

<u>%</u>	<u>REM</u>	<u>PART NUMBER</u>	<u>DESCRIPTION</u>	<u>S/N</u>	<u>PART</u>	<u>REMAINING</u>	<u>REMOVE</u>	<u>TBO</u>	<u>SUPPORT</u>	<u>PART</u>
					<u>HRS/CY</u>	<u>HRS/CY</u>	<u>HRS/CY</u>	<u>SLL</u>	<u>HRS/CY</u>	<u>HRS/CY</u>
55%		3017713	DISC COMP 3rd	1W781	CYC-RET	12462.0	15538.0	28000.0	28000.0	
21%		3024211	DISC COMP TURBINE	A001CTAN	CYC-RET	12564.2	3435.8	16000.0	16000.0	
65%		3022312	DISC POWER TURBINE	8T841	CYC-RET	20058.4	36941.6	57000.0	57000.0	
58%		3022312	DISC POWER TURBINE	8T841	HRS-RET	6314.8	8685.2	15000.0	15000	3227.1 3227.1
66%		3018111	HUB COMP ROTOR	27A577	CYC-RET	37386.0	72614.0	110000.0	110000.0	
58%		3018111	HUB COMP ROTOR	27A577	HRS-RET	6314.8	8685.2	15000.0	15000	3227.1 3227.1
59%		3035883	IMPELLER	7C500	CYC-RET	11784.7	17215.3	29000.0	29000.0	
31%		787200-8-L22SB10&15	HYDROMECH FUEL CNTRL	F24838	HRS/OVHL	3087.7	1412.3	7727.1	4500	6064.6 2837.5
52%		787223-1	ALTERNATOR H.F.C.	F5947	HRS/OVHL	2164.6	2335.4	8650.2	4500	6064.6 1914.4
23%		PT6B-36B	REDUCTION GEARBOX	RGB-36098	HRS/OVHL	3087.7	912.3	7227.1	4000	3227.1 0.0
			50 HR ENGINE INSPECTION				50.0	6364.8	50	6314.8
			150 HR ENGINE INSPECTION				150.0	6464.8	150	6314.8
			150 HR / 6 MONTH GAS GEN CASE INSPECTION				150.0	6464.8	150	6314.8
			150 HR / 6 MONTH GAS GEN CASE INSPECTION					Oct-17	6 MON	Apr-17
			150 HR / 12 MONTH OUTPUT SHAFT LEAK CHECK INSPECTION				150.0	6464.8	150	6314.8
			150 HR / 12 MONTH OUTPUT SHAFT LEAK CHECK INSPECTION					Apr-18	12 MON	Apr-17
			300 HR ENGINE INSPECTION				300.0	6614.8	300	6314.8
			300 HR / 12 MONTH COMPRESSOR INLET INSPECTION				300.0	6614.8	300	6314.8
			300 HR / 12 MONTH COMPRESSOR INLET INSPECTION					Apr-18	12 MON	Apr-17
			600 HR FUEL FILTER				395.5	6710.3	600	6110.3
			300 HR FUEL NOZZLE CLEANING				300.0	6614.8	300	6314.8
			600 HR / 12 MONTH ELECTRICAL CONNECTOR CLEANING				600.0	6914.8	600	6314.8
			600 HR / 12 MONTH ELECTRICAL CONNECTOR CLEANING					Apr-18	12 MON	Apr-17
			900 HR / 12 MONTH FLANGE AND JOINT FACE SEALING				900.0	7214.8	900	6314.8
			900 HR / 12 MONTH FLANGE AND JOINT FACE SEALING					Apr-18	12 MON	Apr-17
			1200 HR / 24 MONTH OIL FILTER OVERHAUL				1200.0	7514.8	1200	6314.8
			1200 HR / 24 MONTH OIL FILTER OVERHAUL					Apr-19	24 MON	Apr-17
			1200 HR FUEL NOZZLE FUNCTIONAL CHECK				574.3	6889.1	1200	5689.1



N2TS

S-76B 760399 DATE 4/12/2017

ENG #1 PT6B-36A S/N PCE36139

ENG #2 PT6B-36A S/N PCE36098

A/C T.T. 6513.5 HOBBS LANDINGS 14494
#1 ENG. TSN 6332.2 #1 CYC 10407 #1 EXCURS
#2 ENG. TSN 6314.8 #2 CYC 10430 #2 EXCURS

<u>%</u>	<u>REM</u>	<u>PART NUMBER</u>	<u>DESCRIPTION</u>	<u>S/N</u>	<u>PART HRS/CY</u>	<u>REMAINING HRS/CY</u>	<u>REMOVE HRS/CY</u>	<u>TBO SLL</u>	<u>SUPPORT HRS/CY</u>	<u>PART HRS/CY</u>
			ENGINE OIL CHANGE	PER RSI REQUIREMENTS		300.0	6614.8	300	6314.8	
			ENGINE OIL CHANGE				Apr-18	12 MON	Apr-17	
			ENGINE OIL FILTER CLEANING (ELECTROSONIC METHOD)			150.0	6464.8	150	6314.8	
			ENGINE OIL FILTER CLEANING (ULTRASONIC METHOD)			1200.0	7514.8	1200	6314.8	
			ENGINE OIL FILTER CLEANING (ULTRASONIC METHOD)				Apr-19	24 MON	Apr-17	
AIRFRAME INSPECTIONS										
			25 HR INSP			25.0	6538.5	25	6513.5	
			50 HR INSP			50.0	6563.5	50	6513.5	
			100 HR INSP			100.0	6613.5	100	6513.5	
			300 HR INSP			300.0	6813.5	300	6513.5	
			500 HR INSP			296.2	6809.7	500	6309.7	
			500 HR MAIN ROTOR BLADE COMPOSITE ROOT END INSP			296.2	6809.7	500	6309.7	
			500 HR TAIL ROTOR BLADE BORESCOPE INSP			296.2	6809.7	500	6309.7	
			600 HR INSP			500.4	7013.9	600	6413.9	
			900 HR INSP			696.2	7209.7	900	6309.7	
			900 HR MAIN ROTOR BLADE INSP			696.2	7209.7	900	6309.7	
			1500 HR ZONE 1 INSP			1296.2	7809.7	1500	6309.7	
			1500 HR ZONE 2 INSP			1296.2	7809.7	1500	6309.7	
			1500 HR ZONE 3 INSP			1296.2	7809.7	1500	6309.7	
			1500 HR ZONE 4 INSP			1296.2	7809.7	1500	6309.7	
			1500 HR ZONE 5 INSP			1296.2	7809.7	1500	6309.7	
			6 MONTH INSP				Oct-17	6 MON	Apr-17	
			12 MONTH INSP				Apr-18	12 MON	Apr-17	
			24 MONTH INSP				Apr-19	24 MON	Apr-17	
			36 MONTH INSP				Aug-19	36 MON	Aug-16	
			ANNUAL INSPECTION				Apr-18	12 MON	Apr-17	



N2TS

S-76B 760399 DATE 4/12/2017

ENG #1 PT6B-36A S/N PCE36139

ENG #2 PT6B-36A S/N PCE36098

A/C T.T.	6513.5	HOBBS	LANDINGS	14494
#1 ENG. TSN	6332.2	#1 CYC	10407	#1 EXCURS
#2 ENG. TSN	6314.8	#2 CYC	10430	#2 EXCURS

<u>REM</u>	<u>PART NUMBER</u>	<u>DESCRIPTION</u>	<u>S/N</u>	<u>PART HRS/CY</u>	<u>REMAINING HRS/CY</u>	<u>REMOVE HRS/CY</u>	<u>TBO SLL</u>	<u>SUPPORT HRS/CY</u>	<u>PART HRS/CY</u>
		6 MONTH J.E.T. EMERGENCY POWER SUPPLY INSP (S/N 12931)				Oct-17	6 MON	Apr-17	
		12 MONTH J.E.T. EMERGENCY POWER SUPPLY - CAPACITY CHECK (S/N 12931)				Apr-18	12 MON	Apr-17	
		300 HR / 3 MONTH MAIN ROTOR SHAFT		300.0	6813.5		300	6513.5	
		300 HR / 3 MONTH MAIN ROTOR SHAFT				Jul-17	3 MON	Apr-17	
		300 HR / 6 MONTH T/R CABLE CORR INSP.		300.0	6813.5		300	6513.5	
		300 HR / 6 MONTH T/R CABLE CORR INSP.				Oct-17	6 MON	Apr-17	
		300 HR / 12 MONTH ENHANCED TAIL ROTOR BALANCE CHECK		300.0	6813.5		300	6513.5	
		300 HR / 12 MONTH ENHANCED TAIL ROTOR BALANCE CHECK				Apr-18	12 MON	Apr-17	
		600 HR / 12 MONTH M/R SERVO SUPPORTS CONDITION INSPECTION		600.0	7113.5		600	6513.5	
		600 HR / 12 MONTH M/R SERVO SUPPORTS CONDITION INSPECTION				Apr-18	12 MON	Apr-17	
		600 HR / 12 MONTH CONTROLS CONDITION CHECK		600.0	7113.5		600	6513.5	
		600 HR / 12 MONTH CONTROLS CONDITION CHECK				Apr-18	12 MON	Apr-17	
		1250 HR / 3 YRS M/R SPINDLE INSP		1218.2	7731.7		1250	6481.7	
		1250 HR / 3 YRS M/R SPINDLE INSP				Aug-19	36 MON	Aug-16	
		1500 HR / 12 MON T/R PEDAL INSP & LUBE		1500.0	8013.5		1500	6513.5	
		1500 HR / 12 MON T/R PEDAL INSP & LUBE				Apr-18	12 MON	Apr-17	
		1500 HR / 12 MON T/R GEARBOX FWD FAIRING SECURITY INSP (ZONE 3)		1500.0	8013.5		1500	6513.5	
		1500 HR / 12 MON T/R GEARBOX FWD FAIRING SECURITY INSP (ZONE 3)				Apr-18	12 MON	Apr-17	
		1500 HR / 12 MON CYC & COLL STICK TRANSDUCER AND WIRING INSP (ZONE 5)		1500.0	8013.5		1500	6513.5	
		1500 HR / 12 MON CYC & COLL STICK TRANSDUCER AND WIRING INSP (ZONE 5)				Apr-18	12 MON	Apr-17	
		1500 HR / 12 MON TEST MAIN GEARBOX CHIP DET & WIRING INSP (ZONE 5)		1500.0	8013.5		1500	6513.5	
		1500 HR / 12 MON TEST MAIN GEARBOX CHIP DET & WIRING INSP (ZONE 5)				Apr-18	12 MON	Apr-17	
		1500 HR / 12 MON MLG POSITIONING ROD & SIDE BRACE ROD END INSP (ZONE 2)		1500.0	8013.5		1500	6513.5	
		1500 HR / 12 MON MLG POSITIONING ROD & SIDE BRACE ROD END INSP (ZONE 2)				Apr-18	12 MON	Apr-17	



N2TS

S-76B 760399 DATE 4/12/2017

ENG #1 PT6B-36A S/N PCE36139

ENG #2 PT6B-36A S/N PCE36098

A/C T.T. 6513.5 HOBBS LANDINGS 14494
#1 ENG. TSN 6332.2 #1 CYC 10407 #1 EXCURS
#2 ENG. TSN 6314.8 #2 CYC 10430 #2 EXCURS

<u>REM</u>	<u>PART NUMBER</u>	<u>DESCRIPTION</u>	<u>S/N</u>	<u>PART HRS/CY</u>	<u>REMAINING HRS/CY</u>	<u>REMOVE HRS/CY</u>	<u>TBO SLL</u>	<u>SUPPORT HRS/CY</u>	<u>PART HRS/CY</u>
		1500 HR / 24 MON HOR STAB SUPPORT FITTING ATTACH BOLT REPLACE			1500.0	8013.5	1500	6513.5	
		1500 HR / 24 MON HOR STAB SUPPORT FITTING ATTACH BOLT REPLACE				Apr-19	24 MON	Apr-17	
		1500 HR / 36 MON T/R CABLE REPLACEMENT			1468.2	7981.7	1500	6481.7	
		1500 HR / 36 MON T/R CABLE REPLACEMENT				Aug-19	36 MON	Aug-16	
		3000 HR / 3 YR M-R BLADE ROOT END LAMIN-TO-SPAR BOND	BEGINS @ 11750 HRS M-R BLADE TIME				3000		
		3000 HR / 3 YR M-R BLADE ROOT END LAMIN-TO-SPAR BOND	BEGINS @ 11750 HRS M-R BLADE TIME				36 MON		
		3000 HR / 5 YEAR TAIL CONE SPLICE FRAME BOLT REPLACE			2796.2	9309.7	3000	6309.7	
		3000 HR / 5 YEAR TAIL CONE SPLICE FRAME BOLT REPLACE				Jul-18	60 MON	Jul-13	
		PITOT STATIC INSP PER (91.411)				Apr-19	24 MON	Apr-17	
		TRANSPONDER INSP PER (91.413)				Apr-19	24 MON	Apr-17	
		ELT INSP/ TEST (FAR 91.207d)				Apr-18	12 MON	Apr-17	
		ELT BATTERY	P/N: 453-5001, S/N: 12251			Oct-20			
		GPS DATA BASE UPDATE	DATA BASE EXPIRED -PLACARD INSTALLED			Jan-17	60 DAY	Nov-16	
		PORTABLE FIRE EXT INSP (FWD)	NFPA-10 RULES			May-17	30 DAY	Apr-17	
		PORTABLE FIRE EXT WT CK (FWD)	AMEREX C352, S/N: B00096906			Apr-18	12 MON	Apr-17	
		PORTABLE FIRE EXT INTERNAL INSP (FWD)				Jan-21	6 YR	Jan-15	
		PORTABLE FIRE EXT HYDRO (FWD)				Jan-27	12 YR	Jan-15	
		PORTABLE FIRE EXT INSP (AFT)	NFPA-10 RULES			May-17	30 DAY	Apr-17	
		PORTABLE FIRE EXT WT CK (AFT)	AMEREX C352, S/N: B0009689			Apr-18	12 MON	Apr-17	
		PORTABLE FIRE EXT INTERNAL INSP (AFT)				Jan-21	6 YR	Jan-15	
		PORTABLE FIRE EXT HYDRO (AFT)				Jan-27	12 YR	Jan-15	
		BATTERY DEEP CYCLE	P/N: 30596-001 S/N: 9800200					6481.7	
		BATTERY DEEP CYCLE				Oct-17	6 MON	Apr-17	



N2TS

S-76B 760399 DATE 4/12/2017

ENG #1 PT6B-36A S/N PCE36139

ENG #2 PT6B-36A S/N PCE36098

A/C T.T.	6513.5	HOBBS	LANDINGS	14494
#1 ENG. TSN	6332.2	#1 CYC	10407	#1 EXCURS
#2 ENG. TSN	6314.8	#2 CYC	10430	#2 EXCURS

<u>%</u>	<u>REM</u>	<u>PART NUMBER</u>	<u>DESCRIPTION</u>	<u>S/N</u>	<u>PART HRS/CY</u>	<u>REMAINING HRS/CY</u>	<u>REMOVE HRS/CY</u>	<u>TBO SLL</u>	<u>SUPPORT HRS/CY</u>	<u>PART HRS/CY</u>
		DK-100, S/N: SC55712	05-20-00, ITEM D, NOTE			Aug-18	24 MON		Aug-16	
						Feb-22	6 YR		Feb-16	
						Apr-18	12 MON		Apr-17	
AIR CONDITIONING SYSTEM										
						300.0	6813.5	300	6513.5	
							Oct-17	6 MON	Apr-17	
						300.0	6813.5	300	6513.5	
							Oct-17	6 MON	Apr-17	
						300.0	6813.5	300	6513.5	
							Oct-17	6 MON	Apr-17	
						300.0	6813.5	300	6513.5	
							Oct-17	6 MON	Apr-17	
						396.2	6909.7	600	6309.7	
LUBRICATION										
						50.0	6563.5	50	6513.5	
						100.0	6613.5	100	6513.5	
						600.0	7113.5	600	6513.5	
							Apr-18	12 MON	Apr-17	
						696.2	7209.7	900	6309.7	
						1500.0	8013.5	1500	6513.5	
							Apr-19	24 MON	Apr-17	
SERVICING										



N2TS

S-76B 760399

DATE 4/12/2017

ENG #1 PT6B-36A S/N PCE36139

ENG #2 PT6B-36A S/N PCE36098

A/C T.T.	6513.5	HOBBS	LANDINGS	14494
#1 ENG. TSN	6332.2	#1 CYC	10407	#1 EXCURS
#2 ENG. TSN	6314.8	#2 CYC	10430	#2 EXCURS

<u>REM</u>	<u>PART NUMBER</u>	<u>DESCRIPTION</u>	<u>S/N</u>	<u>PART HRS/CY</u>	<u>REMAINING HRS/CY</u>	<u>REMOVE HRS/CY</u>	<u>TBO SLL</u>	<u>SUPPORT HRS/CY</u>	<u>PART HRS/CY</u>
		MAIN GEARBOX OIL CHANGE			900.0	7413.5	900	6513.5	
		MAIN GEARBOX OIL CHANGE				Apr-18	12 MON	Apr-17	
		MAIN GEARBOX FILTER REPLACEMENT			900.0	7413.5	900	6513.5	
		MAIN GEARBOX FILTER REPLACEMENT				Apr-18	12 MON	Apr-17	
		INTERMEDIATE GEARBOX OIL CHANGE			900.0	7413.5	900	6513.5	
		INTERMEDIATE GEARBOX OIL CHANGE				Apr-18	12 MON	Apr-17	
		TAIL ROTOR GEARBOX OIL CHANGE			900.0	7413.5	900	6513.5	
		TAIL ROTOR GEARBOX OIL CHANGE				Apr-18	12 MON	Apr-17	
		MAIN ROTOR DAMPER RESERVOIR AND DAMPERS OIL CHANGE			900.0	7413.5	900	6513.5	
		INTERMEDIATE AND TAIL ROTOR GEARBOX FLANGE CORR PREVENTATIVE APPLICATION				Apr-18	12 MON	Apr-17	
		HYDRAULIC SYSTEM FLUID CHANGE			2367.6	8881.1	2500	6381.1	
		HYDRAULIC FILTER REPLACEMENT		RSI POLICY	300.0	6813.5	300	6513.5	
		HYDRAULIC FILTER REPLACEMENT		RSI POLICY		Apr-18	12 MON	Apr-17	
CONTINUED AIRWORTHINESS									
		DAVTRON CABIN AIR TEMPERATURE INDICATOR		PER 337		Apr-18	12 MON	Apr-17	
		STANDBY 2 INCH ALTIMETER		PER 337		Apr-18	12 MON	Apr-17	
		TRUE BLUE TA102 USB CHARGER (2)		PER 337		Apr-18	12 MON	Apr-17	
		KEYSTONE DOOR PIN KIT		IC00278		PRE-FLIGHT			
		KEYSTONE DOOR PIN KIT			268.2	6781.7	300	6481.7	
		T/R PEDALS CONTROLS GREASE FITTING KIT INSP		IM93-32	1500.0	8013.5	1500	6513.5	
		T/R PEDALS CONTROLS GREASE FITTING KIT INSP				Apr-18	12 MON	Apr-17	
		T/R PEDALS CONTROLS GREASE FITTING KIT LUBRICATION			268.2	6781.7	300	6481.7	
		T/R PEDALS CONTROLS GREASE FITTING KIT LUBRICATION			1500.0	8013.5	1500	6513.5	
		T/R PEDALS CONTROLS GREASE FITTING KIT LUBRICATION				Apr-18	12 MON	Apr-17	



N2TS

S-76B 760399 DATE 4/12/2017

ENG #1 PT6B-36A S/N PCE36139

ENG #2 PT6B-36A S/N PCE36098

A/C T.T.	6513.5	HOBBS	LANDINGS	14494
#1 ENG. TSN	6332.2	#1 CYC	10407	#1 EXCURS
#2 ENG. TSN	6314.8	#2 CYC	10430	#2 EXCURS

<u>REM</u>	<u>PART NUMBER</u>	<u>DESCRIPTION</u>	<u>S/N</u>	<u>PART HRS/CY</u>	<u>REMAINING HRS/CY</u>	<u>REMOVE HRS/CY</u>	<u>TBO SLL</u>	<u>SUPPORT HRS/CY</u>	<u>PART HRS/CY</u>
------------	--------------------	--------------------	------------	--------------------	-------------------------	----------------------	----------------	-----------------------	--------------------

ENHANCED GROUND PROXIMITY WARNING SYS (EGPWS) SELF TEST ICA00256.76				PRIOR TO EACH FLIGHT					
---	--	--	--	-----------------------------	--	--	--	--	--

ENHANCED GROUND PROXIMITY WARNING SYS (EGPWS) DATABASE UPDATE DATA BASE EXPIRED					Dec-16	60 DAY		Oct-16	
---	--	--	--	--	--------	--------	--	--------	--

ENHANCED GROUND PROXIMITY WARNING SYS (EGPWS) VISUAL					Apr-18	12 MON		Apr-17	
--	--	--	--	--	--------	--------	--	--------	--

UNIVERSAL AVIONICS SYSTEMS UNS-1FW 20819-ICA-01				300.0	6813.5	300		6513.5	
---	--	--	--	-------	--------	-----	--	--------	--

UNIVERSAL AVIONICS SYSTEMS UNS-1FW					Apr-18	12 MON		Apr-17	
------------------------------------	--	--	--	--	--------	--------	--	--------	--

SERVICE BULLETINS

76-32-26A/76A-32-03 MLG POSITIONING ROD & SIDE BRACE ROD END INSP				1500.0	8013.5	1500		6513.5	
---	--	--	--	--------	--------	------	--	--------	--

76-32-26A/76A-32-03 MLG POSITIONING ROD & SIDE BRACE ROD END INSP					Apr-18	12 MON		Apr-17	
---	--	--	--	--	--------	--------	--	--------	--

76-65-18C M/R BLADE COMPOSITE ROOT END INSPECTION				296.2	6809.7	500		6309.7	
---	--	--	--	-------	--------	-----	--	--------	--

76-66-38 T/R DRIVESHAFT BEARING REPLACEMENT				2900.4	9413.9	3000		6413.9	
---	--	--	--	--------	--------	------	--	--------	--

76-66-38 T/R DRIVESHAFT BEARING REPLACEMENT					Sep-20	60 MON		Aug-15	
---	--	--	--	--	--------	--------	--	--------	--

76-66-53 MGB LOWER HOUSING ASSY OIL FILTER BOWL ATTACHMENT STUDS - ONETIME				DUE AT NEXT O/H - NO LATER THAN 9-30-2020					
--	--	--	--	--	--	--	--	--	--

AIRWORTHINESS DIRECTIVES

89-07-12 TAIL ROTOR HORN TIME LIFE				5486.5	12000.0	12000		0.0	
------------------------------------	--	--	--	--------	---------	-------	--	-----	--

99-19-30 T/R GEARBOX FWD FAIRING INSPECTION				1468.2	7981.7	1500		6481.7	
---	--	--	--	--------	--------	------	--	--------	--

2001-01-04 MLG POSITIONING ROD & SIDE BRACE ROD END INSP.				1500.0	8013.5	1500		6513.5	
---	--	--	--	--------	--------	------	--	--------	--

2001-01-04 MLG POSITIONING ROD & SIDE BRACE ROD END INSP.					Apr-18	12 MON		Apr-17	
---	--	--	--	--	--------	--------	--	--------	--

ENGINE BULLETINS

ENGINE #1									
------------------	--	--	--	--	--	--	--	--	--

11004 REV.2. NEW IMPROVED COMPRESSOR BLEED VALVE ASSY				DUE WHEN PARTS SUPPLY IS DEPLETED					
---	--	--	--	--	--	--	--	--	--

11008 R.2. NEW IMPROVED ACCESSORY GEARBOX HOUSING ASSY				DUE AT NEXT ACCESS					
--	--	--	--	---------------------------	--	--	--	--	--

11010 R.2. COMPRESSOR TURBINE SHROUD LOCATING RING				DUE AT NEXT ENGINE SHOP VISIT					
--	--	--	--	--------------------------------------	--	--	--	--	--

11014 R.3. IMPROVED COMPRESSOR STATOR ASSEMBLY & IMPELLER HOUSING				DUE AT NEXT ACCESS					
---	--	--	--	---------------------------	--	--	--	--	--



N2TS

S-76B 760399 DATE 4/12/2017

ENG #1 PT6B-36A S/N PCE36139

ENG #2 PT6B-36A S/N PCE36098

A/C T.T.	6513.5	HOBBS	LANDINGS	14494
#1 ENG. TSN	6332.2	#1 CYC	10407	#1 EXCURS
#2 ENG. TSN	6314.8	#2 CYC	10430	#2 EXCURS

<u>REM</u>	<u>PART NUMBER</u>	<u>DESCRIPTION</u>	<u>S/N</u>	<u>PART HRS/CY</u>	<u>REMAINING HRS/CY</u>	<u>REMOVE HRS/CY</u>	<u>TBO SLL</u>	<u>SUPPORT HRS/CY</u>	<u>PART HRS/CY</u>
	11018 R.1.	INTRODUCTION OF NEW EEC							DUE AT NEXT ACCESS
	11021 R.1.	INTRODUCTION OF NEW HMU							DUE AT NEXT ACCESS
	11023	MODIFICATION OF FUEL CONTROL TRAY							DUE AT NEXT ENGINE SHOP VISIT
	11029 R.2.	NEW COMPRESSOR BLADE							DUE AT NEXT ACCESS
	11030	REPLACEMENT OF CARRIER SEALS							DUE AT NEXT ACCESS
	11036 R.2.	CLASSIFIED IMPELLER HOUSING MODIFICATION							DUE AT NEXT ACCESS
	11040 REV.1.	IMPROVED CHIP DETECTOR							DUE AT NEXT DISASSEMBLY
	11046 REV.5	MODIFICATION OF ACCESSORY GEARBOX ASSY HOUSING							DUE AT NEXT MAINTENANCE OR O/H OPPORTUNITY
	11047 REV.1.	NEW COMPRESSOR REAR AIR SEAL HOUSING							DUE AT NEXT ENGINE SHOP VISIT
	11048 R.1.	ELECTRICAL WIRING HARNESS ASSEMBLY							DUE AT NEXT ACCESS
	11049	THERMOCOUPLE WIRING HARNESS							DUE AT NEXT ACCESS
	11052 R.1.	ACCESSORY GEARBOX GEARSHAFT INSPECTION/REPLACEMENT							DUE AT NEXT ENGINE SHOP VISIT
	11053 R.1.	REDUCTION GEARBOX ROLLER BEARING REPLACEMENT							DUE AT NEXT ENGINE SHOP VISIT
	11058	FUEL CONTROL TRAY ASSEMBLY MODIFICATION							DUE AT NEXT ACCESS
	11060	TOP REAR FIRE SEAL ASSEMBLY							DUE AT NEXT ENGINE SHOP VISIT
	11065	STARTER GENERATOR DRIVE PLAIN SEAL REPLACEMENT							DUE AT NEXT MAINTENANCE OR O/H OPPORTUNITY
	11069	ASSEMBLY GEARBOX OIL TRANSFER TUBE ASSEMBLY REPLACEMENT							DUE AT NEXT ENGINE SHOP VISIT
	11074 R.3.	REDUCTION GEARBOX CASING & CENTYER ASSY & ACCY GEARBOX HOUSING							DUE AT NEXT ENGINE SHOP VISIT
	11077	REDUCTION GEARBOX NO. 5 BEARING REPLACEMENT							DUE AT NEXT ENGINE SHOP VISIT
	11125 REV.4.	MODIFICATION OF COMPRESSOR BLEED VALVE ASSY							DUE WHEN PARTS SUPPLY IS DEPLETED
	11132 R.1.	HYDROMECHANICAL FUEL CONTROL UNIT MODIFICATION							DUE AT NEXT ACCESS
	11144	REPLACEMENT OF COMPRESSOR BLEED VALVE ASSY							DUE AT NEXT MAINTENANCE OR O/H OPPORTUNITY
	11147 R.2.	COMPRESSOR TURBINE VANE RING REPLACEMENT							DUE AT NEXT ACCESS
	11154	HYDROMECHANICAL FUEL CONTROL UNIT INSPECTION							DUE AT NEXT ACCESS
	11155 R.3.	ELECTRONIC ENGINE CENTER REPLACEMENT							DUE AT NEXT ACCESS
	11156 R.2.	TORQUE SENSOR WIRING HARNESS MODIFICATION							DUE AT NEXT ACCESS
	11159 REV.1	MODIFICATION/REPLACEMENT OF FCU							DUE WHEN PARTS SUPPLY IS DEPLETED
	11160	COROSSION INHIBITORS INTRO OF							DUE AT NEXT MAINTENANCE OR O/H OPPORTUNITY
	11161	COMPRESSOR TURBINE SHROUD HOUSING INSPECTION							DUE AT NEXT ACCESS



N2TS

S-76B

760399

DATE 4/12/2017

ENG #1 PT6B-36A S/N PCE36139

ENG #2 PT6B-36A S/N PCE36098

A/C T.T.	6513.5	HOBBS	LANDINGS	14494
#1 ENG. TSN	6332.2	#1 CYC	10407	#1 EXCURS
#2 ENG. TSN	6314.8	#2 CYC	10430	#2 EXCURS

<u>%</u>	<u>REM</u>	<u>PART NUMBER</u>	<u>DESCRIPTION</u>	<u>S/N</u>	<u>PART</u>	<u>REMAINING</u>	<u>REMOVE</u>	<u>TBO</u>	<u>SUPPORT</u>	<u>PART</u>
					<u>HRS/CY</u>	<u>HRS/CY</u>	<u>HRS/CY</u>	<u>SLL</u>	<u>HRS/CY</u>	<u>HRS/CY</u>
			11163 REDUCTION GEARBOX NO.5 BEARING INSPECTION							DUE AT NEXT ACCESS
			11166 COMPRESSOR TURBINE CT DISC INSPECTION							DUE AT NEXT ACCESS
			ENGINE #2							
			11004 REV.2. NEW IMPROVED COMPRESSOR BLEED VALVE ASSY							DUE WHEN PARTS SUPPLY IS DEPLETED
			11008 R.2. NEW IMPROVED ACCESSORY GEARBOX HOUSING ASSY							DUE AT NEXT ACCESS
			11010 R.2. COMPRESSOR TURBINE SHROUD LOCATING RING							DUE AT NEXT ENGINE SHOP VISIT
			11014 R.3. IMPROVED COMPRESSOR STATOR ASSEMBLY & IMPELLER HOUSING							DUE AT NEXT ACCESS
			11018 R.1. INTRODUCTION OF NEW EEC							DUE AT NEXT ACCESS
			11021 R.1. INTRODUCTION OF NEW HMU							DUE AT NEXT ACCESS
			11023 MODIFICATION OF FUEL CONTROL TRAY							DUE AT NEXT ENGINE SHOP VISIT
			11029 R.2. NEW COMPRESSOR BLADE							DUE AT NEXT ACCESS
			11030 REPLACEMENT OF CARRIER SEALS							DUE AT NEXT ACCESS
			11036 R.2. CLASSIFIED IMPELLER HOUSING MODIFICATION							DUE AT NEXT ACCESS
			11040 REV.1. IMPROVED CHIP DETECTOR							DUE AT NEXT DISASSEMBLY
			11046 REV.5 MODIFICATION OF ACCESSORY GEARBOX ASSY HOUSING							DUE AT NEXT MAINTENANCE OR O/H OPPORTUNITY
			11047 REV.1. NEW COMPRESSOR REAR AIR SEAL HOUSING							DUE AT NEXT ENGINE SHOP VISIT
			11048 R.1. ELECTRICAL WIRING HARNESS ASSEMBLY							DUE AT NEXT ACCESS
			11049 THERMOCOUPLE WIRING HARNESS							DUE AT NEXT ACCESS
			11052 R.1. ACCESSORY GEARBOX GEARSHAFT INSPECTION/REPLACEMENT							DUE AT NEXT ENGINE SHOP VISIT
			11053 R.1. REDUCTION GEARBOX ROLLER BEARING REPLACEMENT							DUE AT NEXT ENGINE SHOP VISIT
			11058 FUEL CONTROL TRAY ASSEMBLY MODIFICATION							DUE AT NEXT ACCESS
			11060 TOP REAR FIRE SEAL ASSEMBLY							DUE AT NEXT ENGINE SHOP VISIT
			11065 STARTER GENERATOR DRIVE PLAIN SEAL REPLACEMENT							DUE AT NEXT MAINTENANCE OR O/H OPPORTUNITY
			11069 ASSEMBLY GEARBOX OIL TRANSFER TUBE ASSEMBLY REPLACEMENT							DUE AT NEXT ENGINE SHOP VISIT
			11074 R.3. REDUCTION GEARBOX CASING & CENTYER ASSY & ACCY GEARBOX HOUSING							DUE AT NEXT ENGINE SHOP VISIT
			11077 REDUCTION GEARBOX NO. 5 BEARING REPLACEMENT							DUE AT NEXT ENGINE SHOP VISIT
			11125 REV.4. MODIFICATION OF COMPRESSOR BLEED VALVE ASSY							DUE WHEN PARTS SUPPLY IS DEPLETED
			11132 R.1. HYDROMECHANICAL FUEL CONTROL UNIT MODIFICATION							DUE AT NEXT ACCESS



N2TS

S-76B 760399

DATE 4/12/2017

ENG #1 PT6B-36A S/N PCE36139

ENG #2 PT6B-36A S/N PCE36098

A/C T.T.	6513.5	HOBBS		LANDINGS	14494
#1 ENG. TSN	6332.2	#1 CYC	10407	#1 EXCURS	
#2 ENG. TSN	6314.8	#2 CYC	10430	#2 EXCURS	

<u>REM</u>	<u>PART NUMBER</u>	<u>DESCRIPTION</u>	<u>S/N</u>	<u>PART HRS/CY</u>	<u>REMAINING HRS/CY</u>	<u>REMOVE HRS/CY</u>	<u>TBO SLL</u>	<u>SUPPORT HRS/CY</u>	<u>PART HRS/CY</u>
	11144	REPLACEMENT OF COMPRESSOR BLEED VALVE ASSY			DUE AT NEXT MAINTENANCE OR O/H OPPORTUNITY				
	11147	R.2. COMPRESSOR TURBINE VANE RING REPLACEMENT			DUE AT NEXT ACCESS				
	11154	HYDROMECHANICAL FUEL CONTROL UNIT INSPECTION			DUE AT NEXT ACCESS				
	11155	R.3. ELECTRONIC ENGINE CENTER REPLACEMENT			DUE AT NEXT ACCESS				
	11156	R.2. TORQUE SENSOR WIRING HARNESS MODIFICATION			DUE AT NEXT ACCESS				
	11159	REV.1 MODIFICATION/REPLACEMENT OF FCU			DUE WHEN PARTS SUPPLY IS DEPLETED				
	11160	COROSSION INHIBITORS INTRO OF			DUE AT NEXT MAINTENANCE OR O/H OPPORTUNITY				
	11161	COMPRESSOR TURBINE SHROUD HOUSING INSPECTION			DUE AT NEXT ACCESS				
	11163	REDUCTION GEARBOX NO.5 BEARING INSPECTION			DUE AT NEXT ACCESS				
	11166	COMPRESSOR TURBINE CT DISC INSPECTION			DUE AT NEXT ACCESS				
RETORQUES									
					MARGIN				
		STABILIZER SUPPORT FITTING		5-15	15.0	6528.5	15	6513.5	
		STABILIZER RETAINING PLATE		5-15	15.0	6528.5	15	6513.5	
		MAIN ROTOR BLADE BOLTS		5-15	15.0	6528.5	15	6513.5	
		MAIN ROTOR HEAD		5-15			15		
		SPINDLE TO HUB BOLTS		5-15			15		
		MAIN ROTOR PITCH CONTROL RODS		5-15			15		
		BIFILAR ATTACH BOLTS		5-15			15		
		SWASHPLATE SPHERICAL BALL CLAMP		5-15			15		
		ROTATING SCISSOR BOLT		5-15			15		
		TAIL ROTOR BLADE TO HUB		5-15			15		
		INTERMEDIATE GEARBOX NUTS		5-15			15		
		TAIL GEARBOX BOLTS		5-15			15		
		TAIL DRIVE SHAFT COUPLING		5-15			15		
		MAIN ROTOR SWASHPLATE EXPANDABLE PINS		5-15			15		
		ENGINE DRIVESHAFT NUTS		5-15			15		
		OIL COOLER BLOWER CLAMP		5-15	15.0	6528.5	15	6513.5	



N2TS

S-76B 760399 DATE 4/12/2017

ENG #1 PT6B-36A S/N PCE36139

ENG #2 PT6B-36A S/N PCE36098

A/C T.T.	6513.5	HOBBS		LANDINGS	14494
#1 ENG. TSN	6332.2	#1 CYC	10407	#1 EXCURS	
#2 ENG. TSN	6314.8	#2 CYC	10430	#2 EXCURS	

<u>REM</u>	<u>PART NUMBER</u>	<u>DESCRIPTION</u>	<u>S/N</u>	<u>PART HRS/CY</u>	<u>REMAINING HRS/CY</u>	<u>REMOVE HRS/CY</u>	<u>TBO SLL</u>	<u>SUPPORT HRS/CY</u>	<u>PART HRS/CY</u>
------------	--------------------	--------------------	------------	--------------------	-------------------------	----------------------	----------------	-----------------------	--------------------

FLUIDS									
AIRCRAFT LUBE = BP 2380			ENGINE #1 & #2 = BP 2380			MAIN GEARBOX = MOBIL 1 ATF			
HYDRAULIC SYSTEM = MIL-H-5606			INTERMEDIATE & TAIL ROTOR GEARBOXES = MOBIL 1 ATF						
NO HOBBS METER		ENG#1 = SUBTRACT 181.3 FROM ACTT			ENG#2 = SUBTRACT 198.7 FROM ACTT				
DATE OF MANUFACTURER = 1992					REGISTRATION EXPIRES: MAY 31, 2019				
PAINT CODES:									
WHITE AF3502		THUNDERSTORM GRAY 799361			NORDIC GRAY P1174				