



RETAIL FUELING

INNOVATION THAT WORKS

In This Package:

Encore 700 S

POS Systems

Self Checkout

Gilbarco Parts

JFPetroParts Showcase





Encore® 700 S Dispensers

Secure your competitive advantage and increase profits with Gilbarco® Veeder-Root's Encore 700 S – your best dispenser investment for today and tomorrow. Highly secure, powerful CRIND® electronics build a flexible and innovative platform for your changing forecourt marketing and payment needs. Enjoy peace of mind with a leading foundation that is highly secure today and upgradeable to meet the payment security and technology needs of tomorrow.

Encore 700 S delivers:

- > **EMV Readiness** – Encore 700 S is the cornerstone of Gilbarco's suite of EMV technology.
- > **Reliability** – Gilbarco's proven quality provides durable construction for lower cost of ownership.
- > **Flexibility** – Encore 700 S offers the most configurations and options to fit your forecourt.
- > **Marketing Capability** – Gilbarco's future-ready electronics platform, FlexPay™ IV, supports technologies such as Applause pump media to drive in store traffic.
- > **Security** – Enhanced features minimize potential for fuel loss and payment fraud.

Options. Uptime. Reliability.

Proven design guarantees uptime.

You get the best of Gilbarco's field-proven Encore® 700 S series:

- > Familiar ATM-style customer interface
- > Full range of alternative fuel options
- > Industry's most comprehensive warranty

Enhanced, upgradeable security.

You'll benefit from Gilbarco's global EMV® leadership and experience, including the largest installed base of EMV® fueling pay points in North America. The Payment Card Industry and EMV® certified platform in Encore 700 S include:

- > FlexPay™ Encrypting PIN Pad (EPP) to protect PIN data
- > FlexPay™ Hybrid (Chip and Magnetic Stripe) Card Reader
- > EMV® certification
- > PCI-UPT certification
- > Secure Controller to protect the entire electronics platform

Superior merchandising improves profits.

Encore® 700 S gives you field-proven tools to inform, persuade, and motivate your fuel customers to come inside your store and buy higher-margin goods, through:

- > Flexible content management options, with the industry leading Applause merchandising system
- > Superior image clarity, resolution and video performance
- > 5.7" color screen as standard for clear, effective communication
- > 10.4" color upgrade option for maximum impact

Platform for continued growth.

Encore® 700 S provides a strong foundation for growth with powerful, future ready electronics to support your innovation needs, such as mobile payments, enhanced loyalty, expanded merchandising and other applications:

- > Enhanced applications processor for future growth
- > Enhanced CRIND® memory for improved application speed
- > CAT-5 connectivity for ultimate flexibility

Encore® 700 S Specifications

Regulatory / Governmental Approvals:	Processor:	Component Options:
> UL, cUL	> Up to 400-MHz ARM A9 Core for enhanced CRIND applications speed	> 5.7" QVGA (10.4" VGA upgrade option available)
> Measurement Canada, Weights & Measures, FCC	> Secure processor for data encryption and tamper responsiveness	> NFC Contactless Reader
> PCI PED 4.x	> Memory:	> 2D Barcode Scanner
> EMV® Compatible	> NAND Flash: 512 MB	> Door switches to notify the POS to limit access and prevent tampering*
	> DDR SRAM: 256 MB	> Key components that self-disable in the event of tampering
	> eMMC: 4GB	> High Speed Graphic Thermal Printer
		> Encrypted Pulser (optional)

*POS Dependent

EMV is a registered trademark or trademark of EMVCo LLC in the United States and other countries.

P-2397H | Printed in the U.S.A. | © 2016 | 1016 | 7300 W. Friendly Ave., Greensboro, NC 27410 (336) 547-5000



PETROLEUM
GROUP

PASSPORT PX60

Future-Proof Your Store

With industry-leading security and functionality, no other POS system offers more to keep your business up and running.

Simplicity

Passport's touchscreen and intuitive design makes training time 20 minutes or less. Cashiers can organize menus by time of day, set reminders to display promotions, and other workflow convenience features. Managers can program and require reason codes for any exception entry to decrease employee theft, as well as take advantage of the security grouping features which sets permissions for data and other specific functions.

Control

The Method of Payment Report calculates both credit and debit transactions for fuel, merchandise and car wash sales to reduce card processing fees. Paid-In or Paid-Out functionality and reporting tracks monies coming in or out of the cash drawers for vendor payments. Blind balancing facilitates effective cash control by requiring the cashier to balance the register without knowing how much cash should be in the cash drawer.



Hardware

Core I3-2120 (standard)
® Q67 Chipset
4 GB DDR3 SDRAM DIMM (standard), 16 GB (max)
Integrated 15" Projected Capacitive Touch Screen
Dual SATA drives (Server), Single SATA drive (Client)

I/O Connectivity

Parallel Port (1)
Serial Ports (4)
USB Ports (4)
EPSON Printer Power Port (1), 5' cable provided
Intel 1GB LAN (2)

Environmental Specifications

Operating Temperature: 5°C ~ 35°C (41°F ~ 108°F)
Storage Temperature: 20°C ~ 55°C (-4°F ~ 140°F)
Operating Humidity: 20% ~ 80% RH non-condensing
Storage Humidity: 20% ~ 80% RH non-condensing

OPOS Compliant Peripherals

PIN Pad with 2-track MSR
Optional Gilbarco® RFID reader
2 x 20 customer display
Epson® Thermal Receipt Printer
OKI® Data Digital Report Printer
APG Cash Drawer
Metrologic® scanners, 1D and 2D

Ruby2

PURPOSE BUILT, ALL TOUCH POS FOR C-STORES

Ruby2 is the latest POS solution offering from Verifone. It is equipped with a fully touch screen console providing fast, efficient order taking and payment processing. The multi-core processor allows the Ruby2 to process functions with increased speed allowing for easier store and customer management.

The Ruby2 is equipped with a high capacity processor allowing it to grow in functionality as business needs change or expand. The sleek touch screen hardware allows for more counter space and a smaller footprint for each work station.

Ruby2 is compatible with the latest Verifone product offerings which include media solutions for customer engagement, site management software to efficiently manage multiple locations seamlessly, and the latest in fuel control management. With Ruby2 all components of convenience store management can be easily performed with one centralized device.



Purpose Built for Convenience Retail Environment

SPECIFICATIONS

Processor	1.86 GHz Dual Core Atom CPU
Memory	2GB Solid State SATA Flash Optional 160GB HDD, scalable to 1+TB 2GB DDR3 RAM, scalable to 4GB
Display	LED-backlit 15 inch TFT XGA high brightness display
Connectivity	10/100/100 BaseT LAN port 6 USB ports 2 Cash Drawer ports with RJ-45 connectors for solenoid control DVI connector for second display Audio mic-in and line-out connectors 100/240V 50/60Hz operation
Weight	15lbs/6.8kg
Communications	Supports multi-terminal operations in a LAN configuration
Operating System	Secure Real-Time Linux
PIN Pad Support	MX800 Series MX900 Series
Environmental	Temperature: operating range 0-40° C, non-operating range -20 to 60° C Humidity: operating range 15% to 95%, relative humidity at 40° C
Dimensions	13.5" W x 15.25" H x 10.5" L

Customizable Layout Allows for Quick Cashier Adoption

Sleek Design Allows for Smaller Footprint at the Counter, Freeing Valuable Space for More Products

Custom reports and a library of over 60 standard reports provide immediate access to detailed site information

©2015 Verifone, Inc. All rights reserved. Verifone, the Verifone logo, are either trademarks or registered trademarks of Verifone in the United States and/or other countries. All other trademarks or brand names are the properties of their respective holders. All features and specifications are subject to change without notice. Reproduction or posting of this document without prior Verifone approval is prohibited. 01/15 55496 Rev B NO

RubyCi

ALL-IN-ONE STORE MANAGEMENT SOLUTION

RubyCi is the latest POS solution offering from Verifone. It is equipped with a functional site controller included in one piece of hardware providing fast, efficient, complete store management. The combination of POS and site controller makes this solution the only one of it's kind in the marketplace. Now, site owners have the ability to consolidate as well as upgrade their operating technology at the same time.

RubyCi is equipped with a high capacity processor allowing it to grow in functionality as business needs change or expand. The sleek touch screen hardware allows for more counter space and a smaller footprint for each work station.

SITE SUPPORT

- Up to 16 fueling positions
- Up to 3 indoor POS workstations
- One dispenser type

SPECIFICATIONS

Processor	1.86 GHz Dual Core Atom CPU
Memory	2GB Solid State SATA Flash, 160GB HDD, scalable to 1+TB 2GB DDR3 RAM, scalable to 4GB
Display	LED-backlit 15 inch TFT XGA high brightness display Touch Screen, 15 inch infrared touch screen with high transmissivity anti-glare glass
Connectivity	10/100/100 BaseT LAN port, 6 USB ports 2 Cash Drawer ports with RJ-45 connectors for solenoid control DVI connector for second display, Audio mic-in and line-out connectors, 100/240V 50/60Hz operation
Other Standard Features	3-track MSR for reading loyalty and ID cards
Communications	8 RJ-45, RS-232 serial ports with optional software controlled 12 Volt DTR power, Diagnostic Panel for fast debugging; includes soft reset button, diagnostic console port, 7-segment status LEDs, heartbeat LED, and diagnostic switches
Safety	UL, cUL, CE Mark capability, EMI: FCC Class A (USA) & CISPR 22 Class A (EU), ESD: IEC 1000 4-2 (8 KV contact, 4 KV air)
Power	Voltage: 5-12V DC, 500mA (maximum)
Environmental	Temperature: operating range 0-40° C, non-operating range -20 to 60° C - Humidity: operating range 15% to 95%, relative humidity at 40° C
Dimensions	18"H x 13.5"W x 11"L



Speed Through Lines with the Fastest Processor in the Industry **COMMANDER**

Increase Workspace with Consolidated Hardware Design



Manage Operations Quicker and Easier with Cloud Management Tools



©2014 Verifone, Inc. All rights reserved. Verifone, the Verifone logo, are either trademarks or registered trademarks of VeriFone in the United States and/or other countries. All other trademarks or brand names are the properties of their respective holders. All features and specifications are subject to change without notice. Reproduction or posting of this document without prior Verifone approval is prohibited. 11/14 46765 Rev B NO

Passport Express Lane™ Self-Checkout System

Keeping Convenience **CONVENIENT**

Designed specifically for the modern convenience store environment, **Passport Express Lane Self-Checkout** shrinks lines, cuts labor costs, and enhances the consumer experience to increase loyalty. Consumers crave control and quick service. Passport Express Lane keeps shoppers speeding along without stressing your workforce. Help shoppers save time and skip the line.

- **Improves Store Efficiency**
- **Cuts Labor Costs**
- **Pays for Itself**



Give your customers checkout options



Higher throughput opportunity



Build customer loyalty to increase revenue



Speed customers through the line



Same networks & mobile payment options as Passport



Seamless Integration



Enhance Customer Service

SCAN. PAY. ON YOUR WAY!



Consumer Self-Checkout Terminal

- A consumer-facing kiosk for fast and easy self-service checkout
- Enter items by scanning, speedkeys or UPC Codes
- Age-Restricted items with control console approval
- Configurable Fuel sales*
- Card-based / mobile payment
- Future: Cash/Coin Recycler
- Configuration & Reporting at Passport


Control Console

- Function that monitors and modifies transactions on individual Consumer Terminals.
- Accessible from all Attended Cashier Workstations
- Visual and audio alerts
- Modify Consumer Terminal transaction including void or add items and approve restricted items
- Records trackable cashier actions for audits
- Separate hardware package optional**

*Fuel Sales - prepay or postpay, consumer-facing or cashier assisted

CONTACT YOUR LOCAL GILBARCO DISTRIBUTOR OR VISIT GILBARCO.COM/EXPRESSLANE

Passport Express Lane Site View



Minimum Requirements: Passport Express Lane System

- Passport System with minimum Software Version (V12.02 for base functionality, V20.04 or higher for fuel support, V20.02A or less requires Control Console Hardware Package)
- PC60 Hardware Platform
- Passport Express Lane Annual Service Agreement
- Current Passport Service Offering (PSO) - PLUS or PREMIUM level
- Approved peripheral models; including uninterruptible power supply (UPS), 2D scanners, thermal receipt printer, and PIN Pad payment device






C18

Self-Checkout, Realized.

The Verifone C18 brings the self-checkout and point of sale to life with its vibrant high-definition screen for maximum customer engagement and its unique ability to function as both a cashier- and customer-facing device.

Self-service kiosks offer added convenience to any retail operations. Today's consumers want quick and simple ways to buy items so they can get back to their day. With C18, we're helping convenience store operators empower their customers to interact with them in engaging ways— increase throughput and exceed customers' expectations.



| ENGINEERED FOR EXPERIENCE.

Your POS should fit the aesthetic of your establishment. Enter C18, where style and function intersect. Our team of experts created C18 Self-Checkout to delight customers with its intuitive user interface (UI) designed with every modern consumer in mind. 47% of consumers use self-checkouts regularly* and expect retailers to offer this method of checkout to improve the checkout process. The sleek design requires minimal footprint and will make a great addition to any countertop space to complement your operations. And because C18 Self-Checkout can be deployed on the same hardware as C18 Point of Sale, retailers can maximize their investment. Only Verifone offers this unique two-in-one approach to convenience store self-checkout.

Robust Experience with Hardwearing Reliability

- 18.5" screen that offers valuable real-estate to deliver a meaningful checkout experience
- Ample room to display the rolling receipt and itemized menus for quicker item location
- Enhanced touchscreen technology with multi-touch gesture capabilities

| SELF-CHECKOUT TO ASPIRE TO.

Designed to co-exist with other Verifone solutions, the C18 self-checkout easily integrates with your Commander Site Controller, POS devices and accessories. Work smarter, not harder to create operational efficiencies for your business. Access the price book from Commander Site Controller and centrally manage your site's pricing on a single platform offering a consistent experience for your entire site.

Simplified Business Management

- Leverage integrations with your Commander Site Controller platform for centralized data access
- Pair with a combination of your favorite Verifone POS solutions
- Robust reporting by aggregating all of the data to your back office solution
- Cashier monitoring built into the POS




Reasons Why Self-Checkout Will Benefit Your Business



Increase In-Store Productivity

Serving customers in a quick and efficient manner is mission critical for all businesses. Alleviate the long queues and focus on getting back to what truly matters, creating a pleasant and organized store environment.



Shorter Queues

Speed at the checkout is critical for every business. Increase throughput by letting your customers grab-and-go and pay for their goods and merchandise with ease. With digital payments gaining popularity, accept familiar payment methods to satisfy your customers' expectations.



Improved Customer Satisfaction

Some customers prefer frictionless experiences with limited human interactions. With self-checkouts, customers can complete their store visit with ease.



Elevate Your Staff

Self-checkouts serve as an extension of your cashier staff – always available and never late for a shift. Allow your employees to focus on more important and valuable interactions with customers.



Maximize Counterspace

Since C18 can be deployed as a self-checkout terminal and a POS workstation, and can change based on store needs, retailers can maximize investment and counter space with this two-in-one device.

SPECIFICATIONS

Processor

7th Generation Intel Celeron 2.2 GHz, scalable to 3.5 GHz Core i7

Operating System

Available in Linux and Windows

Memory

4 GB DDR4 RAM, scalable to 32GB

Camera

Built-in 2 MP camera with integrated microphone

Environmental

Operating temperature: 0 to 40°C; non-operating temperature: temperature: -20 to 60° C; operating humidity: operating 15% to 95% R.H, at 40°C

Connectivity

1 LAN: 10/100/1000 BaseT LAN connection; 6 USB 3.0 ports; 1 additional RS-232 Serial Console Port with RJ-45 connector; 6 RJ-45 RS-232 Serial Ports with optional software-selectable 12V port power; 1 additional RS-232 Serial Console Port with RJ-45 connector; audio line-out connectors

Physical

Landscape: 19" H x 18.25" W x 10" L; portrait: 22" H x 12" W x 10" L; weight: 21.5 lbs

Optional

120 full travel keyboard; increased mass storage size; biometric reader for login

SHOP FOR PARTS WITH US!



Nozzle Boot Assembly



MX915 Pin Pad
(No Stand)



Grade Select Button
(Decal Sold Separately)



EMV Card Reader
(UX300)



Your #1 Gilbarco Parts Resource

Here at JF Petroleum we pride ourselves on being a top Gilbarco distributor. Each of our locations have access to the largest in-stock parts inventory in the petroleum equipment industry. We also offer the convenience of ordering parts online at JFPetroParts.com.



REIMAGING KITS ALSO AVAILABLE
— CALL YOUR LOCAL REP. FOR MORE INFO —

VISIT US OR SHOP ONLINE!

- Largest Inventory of Certificated Gilbarco Parts
- Over 2,000 Products
- Same Day Shipping *
- Free UPS Ground Shipping Over \$300
- 24-Hour Access
- Desktop, Tablet & Mobile Compatibility
- Multi-site Account Management
- In-Store & Curbside Pick-Up Available **

* Only for In Stock orders placed before 4 p.m. EST.

** Only offered in select locations.



CONTACT US AT websales@jfpetrogroup.com



jfpetrogroup.com





**UV-CLEAN
 TECHNOLOGY**



**HANGING
 HARDWARE**



**TOOLS &
 SUPPLIES**



2,000 PARTS ONLINE



at jfpetroparts.com



PUMPS



**CAPS &
 ADAPTERS**



**REPLACEMENT
 LIDS**



**CANOPY
 LIGHTS**



FILTERS

CONVENIENCE STORES • FLEET FUELING • SPECIALTY FUELING

With the largest in stock inventory of petroleum equipment parts in the U.S., we offer a vast product selection to meet your needs.

Hanging Hardware

Offering a full line of dispensing equipment from nozzles, breakaways, swivels, and hoses for all hanging hardware requirements.

Conventional Nozzles

PART #	DESCRIPTION
11BP-8400	OPW Black 11BP Nozzle, unleaded with hold open clip, with splash
11BP-0400	OPW Black 11BP Nozzle, unleaded with hold open clip, NO splash guard
11B-8100*	OPW Green 11B nozzle, diesel with hold open clip, with splash guard
11B-0100	OPW Green 11B nozzle, diesel with hold open clip, NO splash guard
NEPNL-0-01-2-BK	Catlow Black Elite P nozzle, unleaded with hold open clip, with splash
NEPNL-0-01-2-GR	Catlow Green Elite P nozzle, diesel with hold open clip, with splash
159559-04	Husky Black Unleaded Nozzle with Hold Open Clip & Splash Guard
159559-16	Husky Green Unleaded Nozzle with Hold Open Clip & Splash Guard



OPW GREEN 11B NOZZLE
11B-8100*



FLEXSTEEL FUTURA HOSE
532-327-124-00869*

CATLOW CAM TWIST BREAKAWAY
CTM100*

TWO PLANE SWIVEL
241TPS-1000*

Breakaway & Swivels

PART #	DESCRIPTION
241TPS-0241	OPW 3/4" 241 Two Plane Swivel
241TPS-1000*	OPW 1" 241 Two Plane Swivel
68EZR-7575	OPW 3/4" Reconnectable Breakaway
68EZR-1010	OPW 1" Reconnectable Breakaway
CTM75	Catlow 3/4" X 3/4" Reconnect Safety Break - Magnetic
CTM100*	Catlow 1" X 1" Reconnect Safety Break - Magnetic
002273	Husky 3/4" F X 3/4" F Npt Single Use Breakaway
002276	Husky 1" Single Use Breakaway
003360	Husky 3/4" F X 3/4" F Npt Reconnectable Breakaway

Dispensing Hoses

PART #	DESCRIPTION
532-327-124-00869*	Continental 3/4" x 8' Flexsteel Futura Hose, MMOT
532-327-124-12169	Continental 3/4" x 8' 6" Flexsteel Hard-wall Hose
532-327-124-00969	Continental 3/4" x 9' Flexsteel Hardwall Hose
532-327-720-00972	Continental 5/8" x 9' Flexsteel Hose Mx Male Swvl
532-327-720-00883	Continental 5/8" X 8', Non-Vapor, Male Swivel x Male Swivel

Whip Hoses

PART #	DESCRIPTION
532-327-124-20869	Continental 3/4" X 8" Whip Hose
532-327-124-12169	Continental 1" x 12" Flexsteel Whip Hose MMOT Chrome
532-327-120-20869	Continental 5/8" x 8" Flexsteel Whip Hose
532-327-120-20969	Continental 5/8" X 9" Flexsteel Hardwall

Multi-Plane Swivels

PART #	DESCRIPTION
000350	Husky 3/4" M x 3/4" F NPT Multi-Plane Swivel
000087	Husky 1" High Flow Multi-Plane Swivel
C720 3-4	Catlow 3/4" M x 3/4" F NPT Multi-Plane Swivel
C720 1X1	Catlow 1" M x 1" F NPT Multi-Plane Swivel

Commercial Parts

Keep your fleet fueling islands running with a wide selection of hanging hardware, fuel island accessories and fuel management system parts!



Fuel Management Accessories

PART #	DESCRIPTION
M09679B001	Gasboy Mifare Tags Blue, 10 Pack
M09678B021	Gasboy Fuel Cube Units
172405*	Fuelmaster Prokee - Black (*Available In 5 Colors)
20-4120	OPW Petrovend Chipkey

FUELMASTER PROKEE
172405*



FUEL MANAGEMENT SYSTEMS

PART #	DESCRIPTION
M09677B036	Gasboy Nozzle Reader, Nano High Flow
M09678B001	Gasboy Tank Ring, 70mm/2.75"
M09678B002	Gasboy Tank Ring, 105mm/4.13"
M09678B003	Gasboy Tank Ring, 120mm/4.72"

Tank Accessories

Fill and vapor recovery caps, adapters and accessories.



4" LOCKABLE FILL CAP
634LPC-0400*

Fill, Overfill & Spill Containment

PART #	DESCRIPTION
71SO-400C	OPW Overfill Prevention Valve, Vapor Tight, 8' Tank
71SO-410C	OPW Overfill Prevention Valve, Vapor Tight, 10' Tank
1C-3132P	OPW Spill Container, Sensor, CI Cover, Drain Plug
A1004EVR-316S	Emco Spill Container, DW, With Drain
A1100EVR-056	Emco Overfill Prevention Valve, Vapor Tight, 10' Tank

Caps & Adapters

PART #	DESCRIPTION
1711T-7085-EVR	OPW 3" Vapor Cap (Orange)
1711LPC-0300	OPW 3" Low Profile Vapor Cap
634TT-7085-EVR	OPW 4" Lockable Fill Cap
634LPC-0400*	OPW 4" Lockable Fill Cap (Low Profile Metal)

Replacement Lids

PART #	DESCRIPTION
1-21AC	OPW Lid, Aluminium, for MG 1-2100, New
A1004-316CLID	Emco Lid & Seal, Cast Iron, 13" Black

Dispenser Filters

A line of spin-on dispenser filters that are used to remove contaminants from gasoline, ethanol blends, and diesel fuel.

CIM-TEK 400MB-10*
70120



Water / Hydrosorb

PART #	DESCRIPTION
70060	Cim-Tek 400HS-10
70065	Cim-Tek 400HS-30
40510W-AD	Petroclear 10 Micron
40530W-AD	Petroclear 30 Micron

Alcohol (Phase Sep)

PART #	DESCRIPTION
70120*	Cim-Tek 400MB-10
70106	Cim-Tek 400MB-30
40510D-AD	Petroclear 10 Micron Dual-Purpose
40530A-AD	Petroclear 30 Micron Alert

Particulate

PART #	DESCRIPTION
70015	Cim-Tek 400-10
70016	Cim-Tek 400-30
40510P-AD	Petroclear 10 Micron
40530P-AD	Petroclear 30 Micron

Hi Flow

PART #	DESCRIPTION
70019	Cim-Tek 800-10 Particulate Only
70068	Cim-Tek 800HS-30 Water Detect
51130P	Petroclear 30 Micron Particulate
51130W	Petroclear 30 Micron Water Detect

POS Equipment

Offering POS equipment solutions from pinpads, scanners, cables, replacement hardware and much more!

POS

PART #	DESCRIPTION
GD4590-BK-B*	Datalogic Gryphon Scanner
PA01570080*	Gilbarco Passport Cash Drawer
PA03270400	Gilbarco Passport Customer Display
P040-02-030	Verifone Thermal Receipt Printer RP-330
P050-01-101-R	Verifone Customer Display for Topaz & Ruby2



PASSPORT CASH DRAWER
PA01570080



DATALOGIC GRYPHON SCANNER
GD4590-BK-B



NEW TECH
UV-CLEAN

UV-Clean

PART #	DESCRIPTION
UV-CLEAN-MX915-KIT*	UV-Clean Payment Terminal Light With Required Stand

UV-CLEAN-MX915-KIT

Service Essentials

Essential maintenance items, tools, and supplies to help provide the best service!



Grade Select Button (M06139A001) is NOT included with decal.

87 OCTANE DECAL
ES500S-87*



GRIP HERO
GHDM-001-GREEN



35 GALLON TRASH CAN
755201



CHAIN WRENCH, 3/4 IN
901-101-01



EMCO STANDARD TOOL KIT
A0081-001SET-NB

Decals & Overlays	
PART #	DESCRIPTION
ES500S-87*	Decal, 87 Octane Button 500s
EU04001G1766	EMV Sticker For Flexpay IV
Q13763-05	Static Warning Label, USA

Outdoor Cleaning	
PART #	DESCRIPTION
755201*	35 Gallon Trashcan with Windshield Service Center, Black
750701	Vue-T-Ful Windshield Service Center, Black
GHDM-001-GREEN*	GripHero Surface Mount Glove Dispenser
ASC-002	GripHero Oxo-Bio Glove Case
VVX	Vivx Graffiti Remover, 15 Oz Can
NN900	36" Squeeze Trash Grabber

Tools & Maintenance	
PART #	DESCRIPTION
007089	Husky Nozzle Service Kit
901-101-01*	Franklin Fueling 3/4" Chain Wrench
61SA-TOOL	OPW Swivel Wrench for 61SA & 61VSA
A0081-001SET-NB*	Emco Standard Tool Kit, Without Tool Box
R19424	Gilbarco Fuel Collector, Nitrile
R18896-G2	Gilbarco Filter Cap, And Gasket, Hi-Cap, Painted Black
E810030	Seraphin Model 3 Stainless Steel Funnel
BPO-100	Absorbent Pads 15" x 17", Bag Of 100
SS08	1/2 Pint Gasoila Soft-Set Sealant
FP01	Door Pull Plate, Stainless Steel, Direct Mount
FL7A	OPW Lifting Handle for Watertight Cover, with foot pedal

Don't see what you need?

Contact our Customer Service Team at websales@jfpetrogroup.com

BROWSE THROUGH OUR ONLINE STORE



★ CORPORATE OFFICE
★ DISTRIBUTION CENTERS

- Shipping To All 50 States
- Over 2,000 Products
- Same Day Shipping*
- Free UPS Ground Shipping Over \$300
- 24-Hour Access
- Desktop, Tablet & Mobile Compatibility
- Personalized Shopping Lists
- Curbside & In-Store Pick Up Options**

*Same day shipping on In Stock orders placed by 4 p.m. Eastern.
**Only offered in select locations.



OFFICE LOCATIONS

- CORPORATE OFFICE
- DISTRIBUTION CENTERS
- OFFICE LOCATIONS

CORPORATE OFFICE
 100 Perimeter Park Drive
 Suite H
 Morrisville, NC 27560
 Phone: 919-838-7555

NORTHEAST REGION

- Norfolk, VA
P: 757-853-3500
- Richmond, VA
P: 804-232-7161
- Roanoke, VA
P: 540-977-0321
- Baltimore, MD
P: 443-833-1565
- Pittsburgh, PA
P: 412-787-8596
- Swedesboro, NJ
P: 215-613-5705
- Webster, MA
P: 413-283-5353

SOUTHEAST REGION

- Atlanta, GA
P: 770-322-0552
- Charlotte, NC
P: 704-393-8542
- Raleigh, NC
P: 919-231-1998
- Columbia, SC
P: 803-731-4140
- Jacksonville, FL
P: 904-738-7281
- Tampa, FL
P: 813-703-1598

MIDWEST REGION

- NEW Chicago, IL**
- Cleveland, OH
P: 216-459-9320
- Dayton, OH
P: 937-665-1200
- Columbus, OH
P: 614-276-5906
- Indianapolis, IN
P: 317-243-3120
- Madison, IN
P: 614-276-5906
- Ironton, OH
P: 740-532-4046
- Louisville, KY
P: 502-454-5100

GULF COAST REGION

- Lake Charles, LA
P: 337-433-5272
- Lafayette, LA
P: 337-237-1440
- Baton Rouge, LA
P: 225-664-1857
- New Orleans, LA
P: 504-367-5586
- Mobile, AL
P: 251-658-1680

SOUTHWEST REGION

- Abilene, TX
P: 325-676-2371
- Austin, TX
P: 512-278-1000
- Beaumont, TX
P: 409-842-0007
- Corpus Christi, TX
P: 361-882-3077
- Edinburg, TX
P: 956-686-9582
- Dallas-Fort Worth, TX
P: 972-314-2400
- Dallas-Fort Worth, TX
P: 972-929-0646
- Houston, TX
P: 281-449-4027
- San Antonio, TX
P: 210-661-2489
- San Antonio, TX
P: 972-929-0646
- Tyler, TX
P: 903-535-9595
- Victoria, TX
P: 361-573-7449

DISTRIBUTION CENTERS

- Atlanta, GA
P: 770-232-0807
- Cleveland, OH
P: 330-405-4474
- Dayton, OH
P: 937-665-1200
- Phoenix, AZ
P: 602-278-3000
- Texas Center**
(Coming Soon)

TRAINING LOCATIONS

- Dayton, OH
P: 937-665-1200
- Dallas-Fort Worth, TX
P: 972-314-2400
- Royal Palm Beach, FL
P: 561-308-5239
- Raleigh, NC
P: 919-231-1998
- San Antonio, TX
P: 210-661-2489