

Data Sheet FUJITSU Accessory Port Replicator and Cradle Components, Accessories

Get connected to your peripherals in no time

Flexibility, expandability, desktop replacement and investment protection are just a few of the many benefits of Fujitsu's docking options. Our port replicators and cradles are the perfect docking solution for LIFEBOOK notebooks, STYLISTIC tablets and CELSIUS mobile workstations. In the office or at home it takes just a second to attach your device to the port replicator and get connected to peripherals such as an external display, keyboard and mouse. Your workplace is simplified and tidy while you work with your Fujitsu device.

Reliability

- High quality and stability
- Everything you need from one source

Ease of Use

- Connect your notebook or tablet instantly to all your peripherals
- One-hand release mechanism
- Leave your peripherals plugged into the Port Replicator
- Wide range of interfaces
- \blacksquare Hot docking
- Family port replicator which supports 8 devices across notebooks, 2 in 1 tablets and workstations over several generations (depending on model)
- Optional power-on button- for convenient switch-on of select notebooks (depending on model)





Magnetic Keyboard STYLISTIC R726

-	_							• 1
	ΙΔ	•	h	n	ıra	ın	leta	ulc

Weight	0.345 kg
Order code	S26391-F2114-L** (**country specific version)



Slice Keyboard for STYLISITC Q704

Technical details

LED	Caps lock, Num lock, Scroll lock
Weight	0.656 kg
Order code	S26391-F1276-L2** (**country specific version)



Slim Keyboard STYLISTIC Q665

Technical details

Order code	S26391-F1293-L2xx**	(**countr	y specific version)	
------------	---------------------	-----------	---------------------	--



Slice Keyboard STYLISTIC Q584

Technical details

Weight	0.630 kg
Order code	S26391-F1272-L2** (**country specific version)



Slim Keyboard STYLISTIC Q555

Technical details

Order code	S26391-F1288-L2**	(**country specific version)
------------	-------------------	------------------------------



Keyboard Docking for STYLISTIC Q775 (with battery)

Technical details

recinited details		
DC-in	1	
USB 3.0 total	3	
VGA	1	
HDMI	1	
LAN / Ethernet (RJ45)	1	
Battery capacity	45 Wh	
Battery power	4.17 Ah	
Battery power	4.17 Ah	
Weight	1.072 kg	
Order code	S26391-F1289-L3xx** (**country specific version)	



Page 2 / 8 www.fujitsu.com/fts/accessories

Keyboard Docking for STYLISTIC Q775 (without battery)

Technical details

DC-in	1
USB 3.0 total	3
VGA	1
Weight	0.880 kg
Order code	S26391-F1289-L2xx** (**country specific version)



Keyboard Docking STYLISTIC Q704

Technical details

DC-in	1
USB 2.0 total	2
VGA	1
HDMI	1
LAN / Ethernet (RJ45)	1
Weight	1.188 kg
Order code	S26391-F1277-L2** (**country specific version)



Cradle STYLISTIC R726

Technical details

DC-in	1 (19V)
Audio: line-in / microphone	1
Audio: line-out / headphone	1
USB 2.0 total	2
DisplayPort	1
VGA	1
HDMI	1
Ethernet (RJ-45)	1 (10/100/1000)
Kensington Lock support	1
LAN / Ethernet (RJ45)	1
Order code	S26391-F2167-L100 (with AC Adapter, without power cable)



Cradle STYLISTIC Q704

Technical details

DC-in	1 (19V)
USB 3.0 total	4
VGA	1
HDMI	1
LAN / Ethernet (RJ45)	1
Weight	0.396 kg
Order code	S26391-F1367-L100



Cradle STYLISTIC Q572 with EU power cable

Technical details

DC-in	1
USB 2.0 total	3
LAN / Ethernet (RJ45)	1
Weight	0.150 kg
Order code	S26391-F1217-L500
Order code Port Replicator Bundle	S26391-F1217-L510



Cradle STYLISTIC Q572

Technical details

DC-in	1
USB 2.0 total	3
LAN / Ethernet (RJ45)	1
Weight	0.150 kg
Order code	S26391-F1217-L500
Order code Port Replicator Bundle	S26391-F1217-L510



Cradle STYLISTIC Q555 / Q665 / Q775

Technical details

DC-in	1 (19V)
Audio: line-in / microphone	1
Audio: line-out / headphone	1
USB 2.0 total	3 (if used with STYLISTIC Q555)
USB 3.0 total	3 (if used with STYLISTIC Q775)
DisplayPort	1
VGA	1
Ethernet (RJ-45)	1 (10/100/1000)
Kensington Lock support	1
Order code	S26391-F1417-L100 (without AC adapter), S26391-F1417-E110 (with AC Adapter, without power cable)



Charging Cradle STYLISTIC Q584

Technical details

recinical details	
DC-in	1 (19V)
Weight	0.190 kg
Order code	S26391-F1377-L100 or -E100 (both without AC Adapter)



Charging Cradle STYLISTIC V535

Technical details

iccimical actails	
DC-in	1 (19V)
Weight	0.450 kg
Order code	S26391-F2147-L200 or - E200 (both without AC Adapter)



Page 4 / 8 www.fujitsu.com/fts/accessories

Multifunctional Cradle STYLISTIC Q584

Technical details

DC-in	1 (19V)
USB 2.0 total	3
VGA	1
HDMI	1
LAN / Ethernet (RJ45)	1
Weight	0.205 kg
Order code	S26391-F1377-L200 or -E200 (both without AC Adapter)



Multifunctional Cradle STYLISTIC V535

Technical details

DC-in 1 (19V) USB 3.0 total 3 HDMI 1 Kensington Lock support 1 LAN / Ethernet (RJ45) 1 Weight 0.550 kg		
HDMI 1 Kensington Lock support 1 LAN / Ethernet (RJ45) 1 Weight 0.550 kg	DC-in	1 (19V)
Kensington Lock support 1 LAN / Ethernet (RJ45) 1 Weight 0.550 kg	USB 3.0 total	3
LAN / Ethernet (RJ45) 1 Weight 0.550 kg	HDMI	1
Weight 0.550 kg	Kensington Lock support	1
	LAN / Ethernet (RJ45)	1
	Weight	0.550 kg
Order code S26391-F214/-L100 or - E100 (both with AC Adapter and EU power cable)	Order code	S26391-F2147-L100 or - E100 (both with AC Adapter and EU power cable)



18 Port Replicator for LIFEBOOK (U745, T726, E5 and E7 Series), CELSIUS H730 Technical details

recinited details	
DC-in	1 (19V)
Power on switch	1
0-watt compatibility	Yes
Audio: line-in / microphone	1
Audio: line-out / headphone	1
USB 3.0 total	4
DisplayPort	2 (up to 2560 x 1600) - 1 DP shared with DVI, works exclusive with DVI
VGA	1 (up to 1920 x 1200)
DVI	1 (up to 1920 x 1200) - shared with 1 of the display ports - works exclusive with DP
Kensington Lock support	2 (1x Port rep only, 1x PR & System)
LAN / Ethernet (RJ45)	1
eSATA	1
Weight	0.540 kg
Order code	For LIFEBOOK E753, E743 and E733: S26391-F1247-E100 or -L100 Port replicator 0-Watt technology support For LIFEBOOK U745, T725, E754, E744 and E734, E554, E544: S26391-F1337-E100 or -L100 Port replicator 0-Watt technology support For CELSIUS H730: S26391-F1337-L100
Order code Port Replicator Bundle	Port replicator/0-Watt AC Adapter with EU-Cable Kit (for LIFEBOOK E753, E743 and E733), S26391-F1247-L110; Port replicator/0-Watt AC Adapter with EU-Cable Kit (for LIFEBOOK U745, T725, E754, E744 and E734, E554, E544), S26391-F1317-L110; Port replicator 150W AC Adapter with EU-Cable (for CELSIUS H730) S26391-

F1337-L110



Page 5 / 8 www.fujitsu.com/fts/accessories

19 Port Replicator for LIFEBOOK S936

-	_							• 1
	ΙΔ	•	h	n	ıra	ın	leta	ulc

DC-in	1 (19V)
Power on switch	1
USB 3.0 total	4
DisplayPort	1 (up to 2560 x 1600)
VGA	1 (up to 1920 x 1200)
DVI	1 (up to 1920 x 1200)
Kensington Lock support	1 (Port Rep only)
LAN / Ethernet (RJ45)	1
Weight	0.650 kg
Order code	S26391-F1307-L100
Order code Port Replicator Bundle	S26391-F1307-L110: Port Replicator + 80W AC Adapter (0-Watt Technology) + EU Cable





Port Replicator for LIFEBOOK T9 Series

Technical details

recillical decalls	
DC-in	1 (19V)
Power on switch	1
USB 3.0 total	4
DisplayPort	1 (up to 2560 x 1600) (not usable in parallel with DVI) In case both are connected DisplayPort has higher priority.
VGA	1
DVI	1 (up to 1920 x 1200) (not usable in parallel with DisplayPort)
Kensington Lock support	2 (Port Rep only)
LAN / Ethernet (RJ45)	1
Weight	0.585 kg
Order code Port Replicator Bundle	S26391-F1327-L100: Port Replicator + 80 W AC Adapter (0-Watt technology)





Port Replicator for LIFEBOOK U904

Technical details

iccimical actails	
DC-in	1 (19V)
Power on switch	1
USB 3.0 total	4
DisplayPort	1 (up to 2560 x 1600)
VGA	1 (up to 1920 x 1200)
DVI	1 (up to 1920 x 1200)
Kensington Lock support	1 (Port Rep only)
LAN / Ethernet (RJ45)	1
Weight	0.580 kg
Order code	S26391-F1347-L100
Order code Port Replicator Bundle	S26391-F1347-L110: Port Replicator + 80W AC Adapter (0-Watt Technology) + EU Cable Kit





Page 6 / 8 www.fujitsu.com/fts/accessories

USB 3.0 Port Replicator PR08

Technical details

0
3.5 mm front
3.5 mm front
2 rear
2 front
1
1.2
via DVI-to-VGA adapter (included)
1 (DVI-I Single Link)
1
Industry-standard Kensington® security slot
1
Power (blue), USB activity (green)
0.350 kg
S26391-F6007-L400



USB Port Replicator PR7.1

Technical details

recinital actails	
USB 3.0 total	2 (with BC1.2 charging)
USB upstream	1
DVI	1 (DVI-I, Single-Link)
HDMI	1
HDMI text	1.4a
Ethernet (RJ-45)	1
LED	Power (blue)
Weight	120 gr
Order code	S26391-F6007-L310





Page 7 / 8 www.fujitsu.com/fts/accessories

More information

Fujitsu OPTIMIZATION Services

In addition to FUJITSU Accessory, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU Accessory , please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. www.fujitsu.com/fts/accessories

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/ terms

© 2016 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com/fts 2016-02-01 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

© 2016 Fujitsu Technology Solutions GmbH