

**Bruxite**<sup>TM</sup>  
WEAR EDGES & BARS

[www.bruxite.com](http://www.bruxite.com)

# OEM REPLACEMENT CATALOGUE

Wear Steel Parts for OEM GET equipment



 **Olofsfors**  
Make your own way

## TABLE OF CONTENTS

CASE BULLDOZERS	4
CASE LOADERS	11
CAT BULLDOZERS	13
CAT LOADERS	31
DAEWOO LOADERS	56
DRESSTA BULLDOZERS	59
HYUNDAI BULLDOZERS	65
HYUNDAI LOADERS	66
JOHN DEERE BULLDOZERS	68
JOHN DEERE LOADERS	74
JOHN DEERE CRAWLER LOADERS	83
KAWASAKI LOADERS	85
KOMATSU BULLDOZERS	89
KOMATSU LOADERS	100
NEW HOLLAND BULLDOZERS	107
NEW HOLLAND LOADERS	109
SAMSUNG LOADERS	111
VOLVO BULLDOZERS	112
VOLVO LOADERS	113
ALL BACKHOES	135
ALL WHEELOZERS	143
ALL SCRAPERS	147
MISCELLANEOUS	151
COMPACTORS	153
LIEBHERR	154
GRADERS	155
RUSSIAN GRADERS	157

**Bruxite**<sup>TM</sup>  
WEAR EDGES & BARS

# ***HARD WORK HAS A NAME***

# CASE BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
200 210 256							
Serial Nr: 68"							
16583	Center	150x12x1318	18,5	40,79	1/2"	13	171M498870
Serial Nr: 80"							
17808	Center	150x12x1622	22,8	50,27	1/2"	16	171M498880
Serial Nr: 88"							
16792	Center	150x12x1826	25,7	56,67	1/2"	18	171M498890
300 310 320 356							
Serial Nr: 68"							
16583	Center	150x12x1318	18,5	40,79	1/2"	13	171M498870
Serial Nr: 80"							
17808	Center	150x12x1622	22,8	50,27	1/2"	16	171M498880
Serial Nr: 88"							
16792	Center	150x12x1826	25,7	56,67	1/2"	18	171M498890
350							
Serial Nr: 91"							
R24492	Center	150x12x1622	22,8	50,27	1/2"	9	171M498900
400 420							
Serial Nr: 68"							
16583	Center	150x12x1318	18,5	40,79	1/2"	13	171M498870
Serial Nr: 80"							
17808	Center	150x12x1622	22,8	50,27	1/2"	16	171M498880
Serial Nr: 88"							
16792	Center	150x12x1826	25,7	56,67	1/2"	18	171M498890
450 455							
Serial Nr: 88"							
R29741	Center	150x12x1619	22,8	50,27	1/2"	16	171M498880
R57842	Heavy Duty Center	150x16x1622	26,8	59,09	1/2"	16	171M498885
Serial Nr: 91"							
R24492	Center	150x12x1622	22,8	50,27	1/2"	9	171M498900

# CASE BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 96"							
16792	Center	150x12x1826	25,7	56,67	1/2"	18	171M498890
Serial Nr: 104"							
R43179	Center	150x12x2026	28,5	62,84	1/2"	20	171M498910
500 520 530 556							
Serial Nr: 68"							
16583	Center	150x12x1318	18,5	40,79	1/2"	13	171M498870
Serial Nr: 80"							
17808	Center	150x12x1622	22,8	50,27	1/2"	16	171M498880
Serial Nr: 88"							
16792	Center	150x12x1826	25,7	56,67	1/2"	18	171M498890
550							
Serial Nr: 96"							
R57844	Center	150x16x1824	30,1	66,37	1/2"	18	171M498895
Serial Nr: 104"							
R57843	Center	150x16x2029	33,5	73,87	1/2"	20	171M498915
Serial Nr: 96"							
311729A1	Center	200x16x1516	34,8	76,73	3/4"	10	171M498920
Serial Nr: 110"							
346292A1	Center	200x16x 934	21,5	47,41	3/4"	6	171M498930
600							
Serial Nr: 68"							
16583	Center	150x12x1318	18,5	40,79	1/2"	13	171M498870
Serial Nr: 80"							
17808	Center	150x12x1622	22,8	50,27	1/2"	16	171M498880
Serial Nr: 88"							
16792	Center	150x12x1826	25,7	56,67	1/2"	18	171M498890
650							
Serial Nr: 107"							
R44600	Center	150x16x1899	31,7	69,90	5/8"	13	171M498940

# CASE BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 104"							
115631A1	Center	200x20x 862	24,5	54,02	3/4"	6	171M477400
Serial Nr: 98"							
327245A1	Center	200x20x1598	45,2	99,67	3/4"	10	171M498950
Serial Nr: 120"							
327539A1	Center	200x20x2158	61	134,51	3/4"	14	171M498960
Serial Nr: 110"							
430157A1	Center	200x20x1908	53,8	118,63	3/4"	13	171M498970
700 750							
Serial Nr: 88"							
17808	Center	150x12x1622	22,8	50,27	1/2"	16	171M498880
Serial Nr: 94"							
R23000	Center	150x16x1622	26,7	58,87	5/8"	16	171M498881
Serial Nr: 114"							
D32945	Center	150x16x2130	35,1	77,40	5/8"	21	171M498980
Serial Nr: 112"							
70725	Center	150x12x2232	31	68,36	1/2"	22	171M498990
Serial Nr: 118"							
R22981	Center	150x16x2232	36,8	81,14	5/8"	22	171M498991
750							
Serial Nr: 104"							
115631A1	Center	200x20x 862	24,5	54,02	3/4"	6	171M477400
Serial Nr: 114,5"							
327430A1	Center	200x20x2010	56,8	125,24	3/4"	13	171M499000
Serial Nr: 120"							
327539A1	Center	200x20x2158	61	134,51	3/4"	14	171M498960
Serial Nr: 124"							
126519A1	Center	200x20x2258	63,8	140,68	3/4"	15	171M499010

# CASE BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 110"							
430157A1	Center	200x20x1908	53,8	118,63	3/4"	13	171M498970
Serial Nr: 130"							
430350A1	Center	200x20x2400	68	149,94	3/4"	16	171M487381
800 810							
Serial Nr: 87,5"							
17808	Center	150x12x1622	22,8	50,27	1/2"	16	171M498880
Serial Nr: 94"							
R23000	Center	150x16x1622	26,7	58,87	5/8"	16	171M498881
Serial Nr: 102"							
16792	Center with 1/2" holes	150x12x1826	25,7	56,67	1/2"	18	171M498890
R42529	Center with 5/8" holes	150x16x1826	30,1	66,37	5/8"	18	171M498891
Serial Nr: 110"							
70391	Center	150x12x2029	28,2	62,18	1/2"	20	171M498910
R22973	Heavy Duty Center	150x16x2026	33,4	73,65	5/8"	20	171M498911
Serial Nr: 114"							
D32945	Center	150x16x2130	35,1	77,40	5/8"	21	171M498980
Serial Nr: 118"							
70725	Center	150x12x2232	31	68,36	1/2"	22	171M498990
R22981	Heavy Duty Center	150x16x2232	36,8	81,14	5/8"	22	171M498991
850							
Serial Nr: 118,5"							
R43239	Center	150x16x2207	36,8	81,14	5/8"	15	171M499020
Serial Nr: 103,5"							
R44592	Center	150x16x1822	30,4	67,03	5/8"	12	171M499030
Serial Nr: 107,5"							
R44600	Center	150x16x1899	31,7	69,90	5/8"	13	171M498940
Serial Nr: 120"							
D52377	Center	150x16x2232	37,3	82,25	5/8"	15	171M499040

# CASE BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 104"							
115631A1	Center	200x20x 862	24,5	54,02	3/4"	6	171M477400
Serial Nr: 124"							
126519A1	Center	200x20x2258	63,8	140,68	3/4"	15	171M499010
Serial Nr: 110"							
430157A1	Center	200x20x1908	53,8	118,63	3/4"	13	171M498970
Serial Nr: 130"							
430350A1	Center	200x20x2400	68	149,94	3/4"	16	171M487381
855							
Serial Nr: 118"							
R43239	Center	150x16x2207	36,8	81,14	5/8"	15	171M499020
1000, 1010							
Serial Nr: 102"							
16792	Center with 1/2" holes	150x12x1826	25,7	56,67	1/2"	18	171M498890
R42529	Center with 5/8" holes	150x16x1826	30,1	66,37	5/8"	18	171M498891
Serial Nr: 110"							
70391	Center	150x12x2029	28,2	62,18	1/2"	20	171M498910
R22973	Heavy Duty Center	150x16x2026	33,4	73,65	5/8"	20	171M498911
Serial Nr: 118"							
70725	Center	150x12x2232	31	68,36	1/2"	22	171M498990
R22981	Heavy Duty Center	150x16x2232	36,8	81,14	5/8"	22	171M498991
1150							
Serial Nr: 104"							
R42529	Center	150x16x1826	30,1	66,37	5/8"	18	171M498891
Serial Nr: 110"							
R45446	Center	150x16x 989	16,5	36,38	5/8"	7	171M499050
Serial Nr: 112"							
R22973	Center	150x16x2026	33,4	73,65	5/8"	20	171M498911
Serial Nr: 120"							
R22981	Center	150x16x2232	36,8	81,14	5/8"	22	171M498991



# CASE BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 128"							
R41350	Center	150x16x2435	40,1	88,42	5/8"	24	171M499060
Serial Nr: 134"							
R45447	Center	150x16x1295	21,6	47,63	5/8"	9	171M499070
Serial Nr: 130,5"							
R44885	Center	150x16x 838	14	30,87	5/8"	6	171M499080
Serial Nr: 132"							
R32043	Center	150x16x2537	42,4	93,49	5/8"	17	171M499090
Serial Nr: 114"							
R53060	Center	150x16x1041	17,4	38,37	5/8"	7	171M499100
Serial Nr: 128"							
R54419	Center	150x16x1226	20,5	45,20	5/8"	8	171M499110
Serial Nr: 110"							
179402A1	Center	200x20x1908	53,8	118,63	3/4"	13	171M498970
Serial Nr: 124"							
126519A1	Center	200x20x2258	63,8	140,68	3/4"	15	171M499010
Serial Nr: 120"							
327539A1	Center	200x20x2158	61	134,51	3/4"	14	171M498960
Serial Nr: 130"							
430350A1	Center	200x20x2400	68	149,94	3/4"	16	171M487381
Serial Nr: 132"							
87313382	Center	200x20x2463	69,6	153,47	3/4"	16	171M499120
1155							
Serial Nr: 82"							
R53318	Center	150x16x1594	26,7	58,87	3/4"	10	171M499130
1450							
Serial Nr: 126"							
R41857	Center	200x20x2207	62,3	137,37	3/4"	15	171M499140

# CASE BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 138"							
R34906	Center	200x20x 832	23,6	52,04	3/4"	5	171M368680
R34688	End	200x20x 838	23,5	51,82	3/4"	6	171M368681
1450, 1550							
Serial Nr: 138"							
R56772	Center	200x20x1207	34,1	75,19	3/4"	8	171M499150
Serial Nr: 155"							
R41908	Center	200x20x1086	30,7	67,69	3/4"	7	171M499160
R41909	End	200x20x 889	25,1	55,35	3/4"	6	171M499170
Serial Nr: 152"							
R39115	Center	200x20x1519	42,9	94,59	3/4"	10	171M499180
1550							
Serial Nr: 126"							
R41857	Center	200x20x2207	62,3	137,37	3/4"	15	171M499140
Serial Nr: 143"							
R42626	Center	200x20x1305	36,1	79,60	3/4"	9	171M368690
GT25 GT28 GT30 GT34							
Serial Nr: 68"							
16583	Center	150x12x1318	18,5	40,79	1/2"	13	171M498870
Serial Nr: 76"							
17808	Center	150x12x1622	22,8	50,27	1/2"	16	171M498880
W9 W10 W12							
Serial Nr: 102"							
16792	Center	150x12x1826	25,7	56,67	1/2"	18	171M498890

# CASE LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
521							
Serial Nr: 97"							
360949A2	Base Edge	200x25x2470				28	
360940A1	Center	250x25x1256	56,6	124,80	3/4"	6	171M499190
360941A2	End	250x25x 596	26,5	58,43	3/4"	5	171M499200
362962A1	Segment	250x25x 225	10	22,05	3/4"	2	171M499210
621							
Serial Nr: 102,5"							
371232A2	Base Edge	200x25x2600				28	
372081A1	Center	250x25x1324	59,7	131,64	3/4"	6	171M499220
372082A2	End	250x25x 629	28	61,74	3/4"	5	171M499230
373354A1	Segment	250x25x 244	10,9	24,03	3/4"	2	171M499240
721							
Serial Nr: 97"							
436293A1	Base Edge	250x30x2700				30	
8500177	Center	330x30x1220	88	194,04	1"	6	171M499250
8500178	End	330x30x 730	52,6	115,98	1"	4	171M499260
8500182	Segment	330x30x 225	16	35,28	1"	2	171M499270
821							
Serial Nr: 109"							
L129401	Base Edge	250x30x2770				30	
L125171	Center	300x30x1009	66,2	145,97	1"	3	171M499280
L125172	End	300x30x 874	57,2	126,13	1"	3	171M499290
L125814	Segment	300x30x 230	14,8	32,63	1"	2	171M499300
Serial Nr: 119,5"							
87306785	Base Edge	250x30x3030				30	
87306785	Center	320x30x1378	88,02	194,08	1"	6	171M499310
87306783	End	320x30x 816	52,08	114,84	1"	4	171M499320
87306707	Segment	320x30x 260	18	39,69	1"	2	171M499330
921							
Serial Nr: 120"							
L127823	Base Edge	250x35x3050				14	
L128861	Center	330x30x1866	136	299,88	1"	4	171M499340
L128862	End	330x30x 585	42,4	93,49	1"	2	171M499350
L129097	Segment	330x30x 308	22,1	48,73	1"	2	171M499360

# CASE LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
W18 W20							
Serial Nr: 92,5"							
L111769	Optional center	250x25x 943	42,8	94,37	5/8"	3	171M499370
L111770	Optional end	250x25x 727	32,9	72,54	5/8"	3	171M499380
L300287	One Piece Bolt on	250x20x2404	87,8	193,60	5/8"	9	171M499390
L106785	One Piece Bolt on	250x25x2404	109	240,35	5/8"	9	171M499400
W24							
Serial Nr: 93,5"							
L115722	Center	250x30x 946	50,4	111,13	5/8"	6	171M499410
L115723	End	250x30x 737	39	86,00	5/8"	6	171M499420
L111779	Optional center	250x30x 949	51,2	112,90	5/8"	3	171M499430
L111780	Optional end	250x30x 740	39,8	87,76	5/8"	3	171M499440
Serial Nr: 102"							
L111775	Optional center	250x30x 929	50,1	110,47	5/8"	3	171M499450

# CAT BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
D3							
Serial Nr: 6EH 15W 86U							
4T6230	Center	165x16x 870	16,1	35,5	5/8"	6	171M497000
4T6229	End	165x16x 330	6,1	13,5	5/8"	3	171M497001
6Y5839	End Right	165x16x 350	6,4	14,1	5/8"	3	171M497002
6Y5840	End Left	165x16x 350	6,4	14,1	5/8"	3	171M497003
Serial Nr: 31M 40V							
4T6231	End	165x16x1064	19,8	43,7	5/8"	7	171M497010
4T6229	End	165x16x 330	6,1	13,5	5/8"	3	171M497001
6Y5839	End Right	165x16x 350	6,4	14,1	5/8"	3	171M497002
6Y5840	End Left	165x16x 350	6,4	14,1	5/8"	3	171M497003
Serial Nr: 5WH 96X 8JP							
4T6232	Center	165x16x1213	22,5	49,6	5/8"	8	171M496150
4T6229	End	165x16x 330	6,1	13,5	5/8"	3	171M497001
6Y5839	End Right	165x16x 350	6,4	14,1	5/8"	3	171M497002
6Y5840	End Left	165x16x 350	6,4	14,1	5/8"	3	171M497003
Serial Nr: 8HP 8KP							
6Y5841	Center	165x16x 911	16,9	37,3	5/8"	6	171M497020
4T6229	End	165x16x 330	6,1	13,5	5/8"	3	171M497001
6Y5839	End Right	165x16x 350	6,4	14,1	5/8"	3	171M497002
6Y5840	End Left	165x16x 350	6,4	14,1	5/8"	3	171M497003
Serial Nr: 8XP							
141-0413	Center	165x16x1234	22,9	50,5	5/8"	8	171M497030
4T6229	End	165x16x 330	6,1	13,5	5/8"	3	171M497001
6Y5839	End Right	165x16x 350	6,4	14,1	5/8"	3	171M497002
6Y5840	End Left	165x16x 350	6,4	14,1	5/8"	3	171M497003
Serial Nr: 5LH							
4T6231	End	165x16x1064	19,8	43,7	5/8"	7	171M497010
4T6230	Center	165x16x 870	16,1	35,5	5/8"	6	171M497000
4T6229	End	165x16x 330	6,1	13,5	5/8"	3	171M497001
6Y5839	End Right	165x16x 350	6,4	14,1	5/8"	3	171M497002
6Y5840	End Left	165x16x 350	6,4	14,1	5/8"	3	171M497003

# CAT BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr:							
157-7338	Center	165x16x1099	20,4	45,0	5/8"	7	171M497380
4T6229	End	165x16x 330	6,1	13,5	5/8"	3	171M497001
6Y5839	End Right	165x16x 350	6,4	14,1	5/8"	3	171M497002
6Y5840	End Left	165x16x 350	6,4	14,1	5/8"	3	171M497003
D4							
Serial Nr: 12D 78D 05F1-2850							
4T2977	Center	200x16x1826	41,4	91,3	5/8"	18	171M497040
4T3021	Heavy Duty Center	200x20x1826	51,5	113,6	5/8"	18	171M497460
Serial Nr: 05F 97E 24F 65F							
4T2979	Center	200x16x2029	46,5	102,5	5/8"	13	171M497050
Serial Nr: 10D 79D 06F1-11299							
4T2981	Center	200x16x2334	52,9	116,6	5/8"	23	171M497060
Serial Nr: 52E 96E 26F 06F11300 95G 33R							
4T2974	Center	200x16x 810	18,6	41,0	5/8"	5	171M497070
4T2973	End	200x16x 857	19,7	43,4	5/8"	6	171M497080
Serial Nr: 6AC 2GC							
4T8940	Center	200x16x1194	27,4	60,4	3/4"	8	171M497090
Serial Nr: 02A 25F 67F							
4T2980	Center	200x16x1521	34,5	76,1	5/8"	15	171M497100
Serial Nr: 93C							
8A8580	Center	200x16x 625	14,3	31,5	5/8"	4	171M497110
8A8581	End	200x16x 584	13,4	29,5	5/8"	4	171M497120
Serial Nr: 67E 27F 94G							
4T2983	Center	200x16x 381	8,7	19,2	5/8"	3	171M497130
4T2972	End	200x16x 673	15,5	34,2	5/8"	4	171M497140
Serial Nr: 2TC 3CH 3DC							
4T3720	Center	200x16x 860	19,7	43,4	3/4"	6	171M497150

# CAT BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 84E 19J 45J							
4T2982	Center	200x16x 991	22,7	50,1	5/8"	7	171M497160
4T2972	End	200x16x 673	15,5	34,2	5/8"	4	171M497140
4T3029	Heavy Duty Center	200x20x 991	27,5	60,6	5/8"	7	171M497165
4T3028	Heavy Duty End	200x20x 673	18,8	41,5	5/8"	4	171M497145
Serial Nr: 2YH							
4T6230	Center	165x16x 870	16,1	35,5	5/8"	6	171M497000
4T6229	End	165x16x 330	6,1	13,5	5/8"	3	171M497001
6Y5839	End Right	165x16x 350	6,4	14,1	5/8"	3	171M497002
6Y5840	End Left	165x16x 350	6,4	14,1	5/8"	3	171M497003
Serial Nr: 6CH							
6Y5841	Center	165x16x 911	16,9	37,3	5/8"	6	171M497020
4T6229	End	165x16x 330	6,1	13,5	5/8"	3	171M497001
6Y5839	End Right	165x16x 350	6,4	14,1	5/8"	3	171M497002
6Y5840	End Left	165x16x 350	6,4	14,1	5/8"	3	171M497003
Serial Nr: 9SH							
104-9634	Center	165x16x 975	18,1	39,9	5/8"	6	171M497170
104-9634x3/4	Heavy Center	165x20x 975	22,3	49,2	5/8"	6	171M497175
208-5277	Heavy Duty Center	165x25x 975	23,6	52,0	5/8"	6	171M497176
4T6229	End	165x16x 330	6,1	13,5	5/8"	3	171M497001
6Y5839	End Right	165x16x 350	6,4	14,1	5/8"	3	171M497002
6Y5840	End Left	165x16x 350	6,4	14,1	5/8"	3	171M497003
Serial Nr: 8LP							
140-2187	Center	165x16x1011	18,8	41,5	5/8"	6	171M497180
4T6229	End	165x16x 330	6,1	13,5	5/8"	3	171M497001
6Y5839	End Right	165x16x 350	6,4	14,1	5/8"	3	171M497002
6Y5840	End Left	165x16x 350	6,4	14,1	5/8"	3	171M497003
Serial Nr: 9ZB 4AC 5NH 7EH							
3G9306	Center	200x16x 884	20,2	44,5	3/4"	6	171M497190
Serial Nr: 4GH 9YH 8ZH							
4T6232	Center	165x16x1213	22,5	49,6	5/8"	8	171M496150
4T6229	End	165x16x 330	6,1	13,5	5/8"	3	171M497001
6Y5839	End Right	165x16x 350	6,4	14,1	5/8"	3	171M497002
6Y5840	End Left	165x16x 350	6,4	14,1	5/8"	3	171M497003

# CAT BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 6DH 9TH 8MP							
6Y5842	Center	165x16x1267	23,5	51,8	5/8"	8	171M497200
4T6229	End	165x16x 330	6,1	13,5	5/8"	3	171M497001
6Y5839	End Right	165x16x 350	6,4	14,1	5/8"	3	171M497002
6Y5840	End Left	165x16x 350	6,4	14,1	5/8"	3	171M497003
Serial Nr: 8YP							
141-2238	Center	165x16x1308	24,3	53,6	5/8"	8	171M497210
4T6229	End	165x16x 330	6,1	13,5	5/8"	3	171M497001
6Y5839	End Right	165x16x 350	6,4	14,1	5/8"	3	171M497002
6Y5840	End Left	165x16x 350	6,4	14,1	5/8"	3	171M497003
Serial Nr: 6XH							
8E9377	Center	200x16x1054	24,2	53,4	3/4"	7	171M497220
4T6659	Heavy Center	200x20x1054	29,8	65,7	3/4"	7	171M497410
D5							
Serial Nr: 91H 96H 42K							
4T3030	Center	200x20x1216	34,3	75,6	5/8"	12	171M497230
Serial Nr: 93H1-3846 98H 11J 13J							
4T3008	Center	200x20x1165	32,9	72,5	5/8"	11	171M497240
4T3020	End	200x20x 859	24,2	53,4	5/8"	9	171M497250
Serial Nr: 93H3847-UP							
4T3004	Center	200x20x1441	40,8	90,0	3/4"	9	171M497260
Serial Nr: 6RH							
102-4580	Center	200x20x1321	37,5	82,7	3/4"	8	171M497270
Serial Nr: 3AH 2FH 2TH							
4T3013	Center	200x20x1013	28,6	63,1	3/4"	7	171M497280
1U2207	End	200x20x 962	27,3	60,2	3/4"	6	171M497290
Serial Nr: 90H							
4T2983	Center	200x16x 381	8,7	19,2	5/8"	3	171M497130
4T2972	End	200x16x 673	15,5	34,2	5/8"	4	171M497140
4T3027	Heavy Duty Center	200x20x 381	10,6	23,4	5/8"	3	171M497135
4T3028	Heavy Duty End	200x20x 673	18,8	41,5	5/8"	4	171M497145



# CAT BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 92H 97H 10J 12J							
4T3025	Center	200x20x1114	31,7	69,9	5/8"	7	171M497300
4T3026	End	200x20x 556	15,8	34,8	5/8"	4	171M497310
Serial Nr: 16K 19R							
4T3024	Center	200x20x2816	79,3	174,9	5/8"	28	171M497320
Serial Nr: 2BH 4FH							
3G6062	Center	200x20x1045	29,6	65,3	3/4"	7	171M497330
Serial Nr: 1ZH 3KH							
1U2211	Center	200x20x1394	39,5	87,1	3/4"	9	171M497340
Serial Nr: 4AH							
4T0731	Center	200x20x 816	23,1	50,9	3/4"	5	171M497350
Serial Nr: 9WH 6MH							
3G9306	Center	200x16x 884	20,2	44,5	3/4"	6	171M497190
Serial Nr: 8GP							
140-0983	Center	200x16x 911	20,9	46,1	3/4"	6	171M497360
Serial Nr: 2AH 2MH 7AH							
3G4282	Center	200x20x1153	32,7	72,1	3/4"	7	171M497370
Serial Nr: 4GP 6JP							
8E9377	Center	200x16x1054	24,2	53,4	3/4"	7	171M497220
4T6659	Heavy Duty Center	200x20x1054	29,8	65,7	3/4"	7	171M497410
Serial Nr:							
157-7338	Center	165x16x1099	20,4	45,0	5/8"	7	171M497380
4T6229	End	165x16x 330	6,1	13,5	5/8"	3	171M497001
6Y5839	End Right	165x16x 350	6,4	14,1	5/8"	3	171M497002
6Y5840	End Left	165x16x 350	6,4	14,1	5/8"	3	171M497003
Serial Nr: 6PH 9XH 8NP							
6Y5842	Center	165x16x1267	23,5	51,8	5/8"	8	171M497200
4T6229	End	165x16x 330	6,1	13,5	5/8"	3	171M497001
6Y5839	End Right	165x16x 350	6,4	14,1	5/8"	3	171M497002
6Y5840	End Left	165x16x 350	6,4	14,1	5/8"	3	171M497003

# CAT BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 8ZP							
142-4914	Center	165x16x1286	23,9	52,7	5/8"	8	171M497390
4T6229	End	165x16x 330	6,1	13,5	5/8"	3	171M497001
6Y5839	End Right	165x16x 350	6,4	14,1	5/8"	3	171M497002
6Y5840	End Left	165x16x 350	6,4	14,1	5/8"	3	171M497003
Serial Nr: 2SH 1YH							
4T2315	Center	200x20x1556	44,1	97,2	3/4"	10	171M497400
Serial Nr: 4FP BHY							
4T8940	Center	200x16x1194	27,4	60,4	3/4"	8	171M497090
Serial Nr: 7BH							
4T6659	Center	200x20x1054	29,8	65,7	3/4"	7	171M497410
9U8057	End	200x20x 627	18,2	40,1	3/4"	4	171M497411
D6							
Serial Nr: 16C5001-UP 37D 81D 16E 03F 04F 40H							
4T3008	Center	200x20x1165	32,9	72,5	5/8"	11	171M497240
4T3020	End	200x20x 859	24,2	53,4	5/8"	9	171M497250
Serial Nr: 15C5001-UP 39D 82D 08E 09E							
4T3030	Center	200x20x1216	34,3	75,6	5/8"	12	171M497230
4T2978	One Piece Center	200x16x2435	55,3	121,9	5/8"	24	171M497231
Serial Nr: 54U 44E 47G 58G 18H							
4T3009	Center	200x20x1521	43	94,8	3/4"	10	171M497420
Serial Nr: 1BH1-0659 4DH 4LH 3EH							
4T6262	Center	200x20x1019	28,8	63,5	3/4"	7	171M497430
7T9977	Heavy Duty Center	200x25x1019	38,1	84,0	3/4"	7	171M497435
Serial Nr: 1XP 3GP 1ZP 1YP 3PP 4BP 8TP							
4T2952	Center	250x20x 800	28,9	63,7	3/4"	5	171M497440
4T2985	Heavy Duty Center	250x25x 800	37	81,6	3/4"	5	171M497445
9W1875	End-Bit Flat Right	305x30x 470	27,4	60,4	3/4"	6	171M368310
9W1876	End-Bit Flat Left	305x30x 470	27,4	60,4	3/4"	6	171M368300
Serial Nr: 6HP							
109-9093	Center	250x20x 889	32,1	70,8	3/4"	6	171M497450
9W1875	End-Bit Flat Right	305x30x 470	27,4	60,4	3/4"	6	171M368310
9W1876	End-Bit Flat Left	305x30x 470	27,4	60,4	3/4"	6	171M368300

# CAT BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 3WP 3XP							
3G4282	Center	200x20x1153	32,7	72,1	3/4"	7	171M497370
Serial Nr: 4MP B6L G6G							
4T2315	Center	200x20x1556	44,1	97,2	3/4"	10	171M497400
Serial Nr: 09A 01C 06C							
4T2977	Center	200x16x1826	41,4	91,3	5/8"	18	171M497040
Serial Nr: 15C1-5000							
4T3021	Center	200x20x1826	51,5	113,6	5/8"	18	171M497460
Serial Nr: 16C1-5000							
4T2976	Center	200x16x2232	50,6	111,6	5/8"	22	171M497470
Serial Nr: 85C 36D 80D 38D 15E 02G 03G 39H							
4T3023	Center	200x20x2229	62,8	138,5	5/8"	22	171M497480
Serial Nr: 21H 41H							
4T3011	Center	200x20x1619	45,8	101,0	3/4"	11	171M497490
4T3010	End	200x20x 657	18,6	41,0	3/4"	4	171M497500
Serial Nr: 95E 17H 46G 55G 63S							
4T3013	Center	200x20x1013	28,6	63,1	3/4"	7	171M497280
4T3010	End	200x20x 657	18,6	41,0	3/4"	4	171M497500
Serial Nr: 1DH1-0599 2HH 3JH 4BH							
4T6659	Center	200x20x1054	29,8	65,7	3/4"	7	171M497410
4T3010	End	200x20x 657	18,6	41,0	3/4"	4	171M497500
7T9976	Heavy Center	200x25x1054	36,9	81,4	3/4"	7	171M497415
7T9978	Heavy End	200x25x 657	25	55,1	3/4"	4	171M497505
Serial Nr: 1AH 2LH 3FH 1SP 3HP BHG							
4T6659	Center	200x20x1054	29,8	65,7	3/4"	7	171M497410
7T9976	Center	200x25x1054	36,9	81,4	3/4"	7	171M497415
Serial Nr: 1CH 2NH 4PH 8AH 8BH							
9W1878	Center	250x20x1225	44,5	98,1	3/4"	8	171M368180
6Y3840	Heavy Center	250x25x1225	55,9	123,3	3/4"	8	171M368185
9W1875	End-Bit Flat Right	305x30x 470	27,4	60,4	3/4"	6	171M368310
9W1876	End-Bit Flat Left	305x30x 470	27,4	60,4	3/4"	6	171M368300

# CAT BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 2SP 6GP ECA SGD							
4T6659	Center	200x20x1054	29,8	65,7	3/4"	7	171M497410
9U8057	End	200x20x 627		0,0	3/4"	4	171M497411
Serial Nr: 9BP 1WP							
106-0956	Center	250x20x1381		0,0	3/4"	9	171M368190
229-6599	Heavy Center	250x25x1381		0,0	3/4"	9	171M368195
9W1875	End-Bit Flat Right	305x30x 470	27,4	60,4	3/4"	6	171M368310
9W1876	End-Bit Flat Left	305x30x 470	27,4	60,4	3/4"	6	171M368300
D7							
Serial Nr: 17C5001-P 06A 35D 84D 18E 06E							
4T2949	Center	250x20x1521	54,5	120,2	3/4"	15	171M497510
4T2863	Heavy Center	250x25x1521	69,9	154,1	3/4"	15	171M497515
Serial Nr: 13F 22F 30F 72F 13H							
4T2948	Center	250x20x1064	38,5	84,9	3/4"	7	171M497520
4T2989	Heavy Center	250x25x1064	49,2	108,5	3/4"	7	171M497525
3G8315	End-Bit Flat Right	290x30x 530	28,7	63,3	1"	7	171M368240
3G8316	End-Bit Flat Left	290x30x 530	28,7	63,3	1"	7	171M368250
9W9796	11" Center	280x25x1064	55,8	123,0	3/4"	7	171M497526
4T6505	End Bit Right	250x25x 457/406	19,5	43,0	7/8"	7	171M497521
4T6506	End Bit Left	250x25x 457/406	19,5	43,0	7/8"	7	171M497522
Serial Nr: 4EB 3CC 4ZC							
4T3901	Center	250x20x1092	39,3	86,7	7/8"	7	171M497530
3G8315	End-Bit Flat Right	290x30x 530	28,7	63,3	1"	7	171M368240
3G8316	End-Bit Flat Left	290x30x 530	28,7	63,3	1"	7	171M368250
7T6589	11" Center	280x25x1092	55,1	121,5	7/8"	7	171M497535
135-9778	Heavy 11" Center	280x35x1092		0,0	7/8"	7	171M497536
4T6505	End Bit	250x25x 457/406	19,5	43,0	7/8"	7	171M497521
4T6506	End Bit	250x25x 457/406	19,5	43,0	7/8"	7	171M497522
Serial Nr: 17C1-5000 05A 84C 34D 83D 02E 17E							
4T2954	Center	250x20x2334	83,6	184,3	3/4"	23	171M497540
4T2864	Heavy Center	250x25x2334	108,4	239,0	3/4"	23	171M497545
Serial Nr: 23F 31F 59F 14H							
4T2946	Center	250x20x1114	40,3	88,9	3/4"	7	171M497550
4T2945	End	250x20x 708	25,6	56,4	3/4"	5	171M497560
4T2990	Heavy Center	250x25x1114	51,5	113,6	3/4"	7	171M497555
4T2991	Heavy End	250x25x 708	32,7	72,1	3/4"	5	171M497565

# CAT BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
3G8315	End-Bit Flat Right	290x30x 530	28,7	63,3	1"	7	171M368240
3G8316	End-Bit Flat Left	290x30x 530	28,7	63,3	1"	7	171M368250
4T6505	End Bit	250x25x 457/406	19,5	43,0	7/8"	7	171M497521
4T6506	End Bit	250x25x 457/406	19,5	43,0	7/8"	7	171M497522
Serial Nr: 53J 49K 60K 64K S7G							
4T2921	Center	250x20x1064	38,3	84,5	7/8"	7	171M497570
4T2922	End	250x20x 759	27,3	60,2	7/8"	5	171M497580
4T2993	Center	250x25x1064	47,4	104,5	7/8"	7	171M497571
4T2992	End	250x25x 759	33,8	74,5	7/8"	5	171M497581
9W9794	11" Center	280x25x1064	53,7	118,4	7/8"	7	171M497575
9W9795	11" End	280x25x 759	38,3	84,5	7/8"	5	171M497585
Serial Nr: 6KB 8ZB 4XC 8NH J8L CDC							
4T5318	Center	250x20x 895	32,2	71,0	7/8"	6	171M497590
7T6678	11" Center	280x25x 895	45,1	99,4	7/8"	6	171M497595
107-3363	Heavy 11" Center	280x35x 895	65,8	145,1	7/8"	6	171M497596
3G8315	End-Bit Flat Right	290x30x 530	28,7	63,3	1"	7	171M368240
3G8316	End-Bit Flat Left	290x30x 530	28,7	63,3	1"	7	171M368250
4T6505	End Bit	250x25x 457/406	19,5	43,0	7/8"	7	171M497521
4T6506	End Bit	250x25x 457/406	19,5	43,0	7/8"	7	171M497522
Serial Nr: 2RP 8RH 5SP 9KP J4L CDN							
128-5883	Center	250x20x1108	39,9	88,0	7/8"	7	171M497600
135-6537	11" Center	280x25x1108	55,9	123,3	7/8"	7	171M497605
145-7846	Heavy 11" Center	280x35x1108	78	172,0	7/8"	7	171M497606
3G8315	End-Bit Flat Right						171M368240
3G8316	End-Bit Flat Left						171M368250
4T6505	End Bit	250x25x 457/406	19,5	43,0	7/8"	7	171M497521
4T6506	End Bit	250x25x 457/406	19,5	43,0	7/8"	7	171M497522
Serial Nr: 42G							
4T2952	Center	250x20x 800	28,9	63,7	3/4"	5	171M497440
4T2985	Heavy Center	250x25x 800	37	81,6	3/4"	5	171M497445
3G8315	End-Bit Flat Right	290x30x 530	28,7	63,3	1"	7	171M368240
3G8316	End-Bit Flat Left	290x30x 530	28,7	63,3	1"	7	171M368250
Serial Nr: 85D 61K 94R							
4T2916	End	250x20x 819	29,5	65,0	7/8"	5	171M497610
4T3420	End	250x25x 816	36,4	80,3	7/8"	5	171M497620
9W9792	11" End	280x25x 816	41,2	90,8	7/8"	5	171M497625
3G8315	End-Bit Flat Right	290x30x 530	28,7	63,3	1"	7	171M368240

# CAT BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
3G8316	End-Bit Flat Left	290x30x 530	28,7	63,3	1"	7	171M368250
4T6505	End Bit	250x25x 457/406	19,5	43,0	7/8"	7	171M497521
4T6506	End Bit	250x25x 457/406	19,5	43,0	7/8"	7	171M497522
Serial Nr: 5SB 9JB 7AC 8MH JIL CDL							
4T7110	Center	250x20x 989	33,6	74,1	7/8"	6	171M368540
4T7109	End	250x20x 568	20,4	45,0	7/8"	4	171M497630
7T6591	11" Center	280x25x 989	46,3	102,1	7/8"	6	171M368545
7T6592	11" End	280x25x 568	28,6	63,1	7/8"	4	171M497635
135-9627	Heavy 11" Center	280x35x 989	69	152,1	7/8"	6	171M368546
135-9626	Heavy 11" End	280x35x 568	40,4	89,1	7/8"	4	171M497636
3G8315	End-Bit Flat Right	290x30x 530	28,7	63,3	1"	7	171M368240
3G8316	End-Bit Flat Left	290x30x 530	28,7	63,3	1"	7	171M368250
4T6505	End Bit	250x25x 457/406	19,5	43,0	7/8"	7	171M497521
4T6506	End Bit	250x25x 457/406	19,5	43,0	7/8"	7	171M497522
Serial Nr: 4DB 2FC 2JH 1JP 8LH CDT J6L BHT							
4T5318	Center	250x20x 895	32,2	71,0	7/8"	6	171M497590
1U1192	End	250x20x 913	31	68,4	7/8"	6	171M368550
7T6678	11" Center	280x25x 895	45,1	99,4	7/8"	6	171M497595
7T6936	11" End	280x25x 913	47,2	104,1	7/8"	6	171M368555
107-3363	Heavy 11" Center	280x35x 895	65,8	145,1	7/8"	6	171M497596
107-3362	Heavy 11" End	280x35x 913	65,8	145,1	7/8"	6	171M368556
3G8315	End-Bit Flat Right	290x30x 530	28,7	63,3	1"	7	171M368240
3G8316	End-Bit Flat Left	290x30x 530	28,7	63,3	1"	7	171M368250
4T6505	End Bit	250x25x 457/406	19,5	43,0	7/8"	7	171M497521
4T6506	End Bit	250x25x 457/406	19,5	43,0	7/8"	7	171M497522
D8							
Serial Nr: 07A 18C 33D 72D 87D 99D 07E 22E							
4T2943	Center	250x20x1622	58,1	128,1	3/4"	16	171M497640
4T2888	Heavy Center	250x25x1622	74,9	165,2	3/4"	16	171M497645
Serial Nr: 71F 77G							
4T2867	Center	250x25x2042	91	200,7	7/8"	13	171M497650
3G8315	End-Bit Flat Right	290x30x 530	28,7	63,3	1"	7	171M368240
3G8316	End-Bit Flat Left	290x30x 530	28,7	63,3	1"	7	171M368250
4T6505	End Bit	250x25x 457/406	19,5	43,0	7/8"	7	171M497521
4T6506	End Bit	250x25x 457/406	19,5	43,0	7/8"	7	171M497522
Serial Nr: 43K							
4T3418	Center	250x25x1530	68,2	150,4	7/8"	10	171M497660

# CAT BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
4T6298	Heavy Center	250x40x1530	115,7	255,1	7/8"	10	171M497665
107-3476	Extra Heavy Center	250x45x1530	124,8	275,2	7/8"	10	171M497666
Serial Nr: 08A 12C 18c 32D 03E 86D 44C1-1192							
4T2944	Center	250x20x1318	47,2	104,1	3/4"	13	171M497670
4T2860	Heavy Center	250x25x1318	61,7	136,0	3/4"	13	171M497675
Serial Nr: 44C1193-UP 73D							
4T2862	Center	250x25x1419	63	138,9	3/4"	14	171M497680
Serial Nr: 11C 74D 88D 24E							
4T3419	Center	250x25x1213	53,8	118,6	3/4"	12	171M497691
4T2861	End	250x25x 908	40,3	88,9	3/4"	9	171M497690
Serial Nr: 28E1-11125							
4T6532	Center	250x25x 911	40,6	89,5	7/8"	6	171M497700
7J2972	Heavy Center	250x40x 911	69	152,1	7/8"	6	171M497706
107-3474	Extra Heavy Center	250x45x 911	74	163,2	7/8"	6	171M497707
3G8315	End-Bit Flat Right	290x30x 530	28,7	63,3	1"	7	171M368240
3G8316	End-Bit Flat Left	290x30x 530	28,7	63,3	1"	7	171M368250
6Y6761	11" Center	280x35x 908	63,1	139,1	7/8"	6	171M497705
Serial Nr: 78C 29E 94E							
4T6531	Center	250x25x1521	67,8	149,5	7/8"	10	171M497710
4T6299	Heavy Center	250x40x1521	115,7	255,1	7/8"	10	171M497716
107-3477	Extra Heavy Center	250x45x1521	124,3	274,1	7/8"	10	171M497717
6Y6764	11" Center	280x35x1521	105,8	233,3	7/8"	10	171M497715
Serial Nr: 69E 14J 44K 95S 80V 47K							
4T3418	Center	250x25x1530	68,2	150,4	7/8"	10	171M497660
4T6298	Heavy Center	250x40x1530	115,7	255,1	7/8"	10	171M497665
107-3476	Extra Heavy Center	250x45x1530	124,8	275,2	7/8"	10	171M497666
6Y6763	11" Center	280x35x1530	106,4	234,6	7/8"	10	171M497665
Serial Nr: 30E 73E 29J							
4T6532	End	250x25x 911	40,6	89,5	7/8"	6	171M497700
4T6296	Heavy End	250x40x 908	68,5	151,0	7/8"	6	171M497708
107-3474	Extra Heavy End	250x45x 908	74	163,2	7/8"	6	171M497707
3G8315	End-Bit Flat Right	290x30x 530	28,7	63,3	1"	7	171M368240
3G8316	End-Bit Flat Left	290x30x 530	28,7	63,3	1"	7	171M368250
6Y6761	11" End	280x35x 908	63,1	139,1	7/8"	6	171M497705

# CAT BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 20F 45K 48K							
4T6512	End	250x25x 924	41,2	90,8	7/8"	6	171M497720
4T6297	Heavy End	250x40x 921	74,4	164,1	7/8"	6	171M497726
107-3475	Extra Heavy End	250x45x 921	75,3	166,0	7/8"	6	171M497727
3G8315	End-Bit Flat Right	290x30x 530	28,7	63,3	1"	7	171M368240
3G8316	End-Bit Flat Left	290x30x 530	28,7	63,3	1"	7	171M368250
6Y6762	11" End	280x35x 924	64,3	141,8	7/8"	6	171M497725
Serial Nr: 28E11126-UP 93E 14F 77C							
4T2994	Center	250x25x1213	54	119,1	1"	8	171M497730
4T3447	Heavy Center	250x40x1213	91,7	202,2	1"	8	171M497735
107-3484	Extra Heavy Center	250x45x1213	99,4	219,2	1"	8	171M497736
9W8658	11" Center	280x35x1213	81,7	180,1	1"	8	171M497737
Serial Nr: 29V 30W 68V 60V							
4T2988	Center	250x25x1035	46,1	101,7	1"	7	171M497740
1U4933	Heavy Center	250x35x1035	67,4	148,6	1"	7	171M497746
4T6301	Heavier Center	250x40x1035	78	172,0	1"	7	171M497747
107-3479	Extra Heavy Center	250x45x1035	83,9	185,0	1"	7	171M497748
9W8657	11" Center	280x35x1035	72	158,8	1"	7	171M497745
Serial Nr: 30V 65X 69V 34W							
4T2987	End	250x25x 924	41,2	90,8	1"	6	171M497750
4T6303	Heavy End	250x40x 924	70,8	156,1	1"	6	171M497756
107-3481	Extra Heavy End	250x45x 924	75,3	166,0	1"	6	171M497757
9W8655	11" End	280x35x 924	64,3	141,8	1"	6	171M497755
Serial Nr:05Y 41Z 27B							
4T2988	Center	250x25x1035	46,1	101,7	1"	7	171M497740
4T2987	End	250x25x 924	41,2	90,8	1"	6	171M497750
1U4933	Heavy Center	250x35x1035	67,4	148,6	1"	7	171M497746
1U4932	Heavy End	250x35x 924	57,6	127,0	1"	6	171M497758
4T6301	Heavier Center	250x40x1035	78	172,0	1"	7	171M497747
4T6303	Heavier End	250x40x 924	70,8	156,1	1"	6	171M497756
107-3479	Extra Heavy Center	250x45x1035	83,9	185,0	1"	7	171M497748
107-3481	Extra Heavy End	250x45x 924	75,3	166,0	1"	6	171M497757
9W8657	11" Center	280x35x1035	72	158,8	1"	7	171M497745
9W8655	11" End	280x35x 924	64,3	141,8	1"	6	171M497755
Serial Nr: 04Y1-1939							
4T3423	Center	250x25x 857	38,1	84,0	1"	6	171M497760
4T3417	End	250x25x 810	36,3	80,0	1"	5	171M368560



# CAT BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
1U4930	Heavy Center	250x35x 857	49	108,0	1"	6	171M497766
1U4929	Heavy End	250x35x 810	51,5	113,6	1"	5	171M368565
4T3445	Heavier Center	250x40x 857	64,7	142,7	1"	6	171M497767
4T6302	Heavier End	250x40x 810	64	141,1	1"	5	171M368566
107-3482	Extra Heavy Center	250x45x 857	70	154,4	1"	6	171M497767
107-3480	Extra Heavy End	250x45x 810	64,9	143,1	1"	5	171M368567
6Y6358	11" Center	280x35x 857	59,5	131,2	1"	6	171M497765
6Y6359	11" End	280x35x 810	55,9	123,3	1"	5	171M497768
Serial Nr: 04Y1940-UP							
4T9586	Center	330x30x1692	121,6	268,1	1"	11	171M497770
6Y5540	End	330x30x 800	53,1	117,1	1"	5	171M368570
9W4396	Heavy Center	330x35x1692	143,4	316,2	1"	11	171M497775
9W4398	Heavy End	330x35x 800	66,7	147,1	1"	5	171M368575
9W3925	Extra Heavy Center	330x45x1692	189,2	417,2	1"	11	171M497776
9W3927	Extra Heavy End	330x45x 800	86,7	191,2	1"	5	171M368576
8E4539	End-Bit Flat Right	390x60x 610	94,2	207,7	1"	7	171M368260
8E4540	End-Bit Flat Left	390x60x 610	94,2	207,7	1"	7	171M368270
Serial Nr: 6Y1-1395							
4T3422	Center	250x25x1095	48,8	107,6	1"	7	171M497780
4T3417	End	250x25x 810	36,3	80,0	1"	5	171M368560
1U4931	Heavy Center	250x35x1095	68,5	151,0	1"	7	171M497786
1U4929	Heavy End	250x35x 810	51,5	113,6	1"	5	171M368565
4T3446	Heavier Center	250x40x1095	81,8	180,4	1"	7	171M497787
4T6302	Heavier End	250x40x 810	64	141,1	1"	5	171M368566
107-3483	Extra Heavy Center	250x45x 1095	89	196,2	1"	7	171M497788
107-3480	Extra Heavy End	250x45x 810	64,9	143,1	1"	5	171M368567
6Y6360	11" Center	280x35x1092	76	167,6	1"	7	171M497785
Serial Nr: 6Y1396-UP 42Z 82M							
4T9590	Center	330x30x2165	155,6	343,1	1"	14	171M497790
4T9587	End	330x30x 800		0,0	1"	5	171M368570
9W4397	Heavy Center	330x35x2165	182,8	403,1	1"	14	171M497795
9W4398	Heavy End	330x35x 800	66,7	147,1	1"	5	171M368575
9W3926	Extra Heavy Center	330x45x2165	233,2	514,2	1"	14	171M497796
9W3927	Extra Heavy End	330x45x 800	86,7	191,2	1"	5	171M368576
8E4539	End-Bit Flat Right	390x60x 610	94,2	207,7	1"	7	171M368260
8E4540	End-Bit Flat Left	390x60x 610	94,2	207,7	1"	7	171M368270
Serial Nr: 1HH 2XP 9AH 6NH 4ZP							
9W5432	Center	330x30x1238	89	196,2	1"	8	171M497800
9W9098	Heavy Center	330x35x1238	103,9	229,1	1"	8	171M497805

# CAT BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
112-2474	Extra Heavy Center	330x45x1238	132	291,1	1"	8	171M497806
8E4193	End-Bit Flat Right	405x40x 585	55,6	122,6	1"	7	171M368350
8E4194	End-Bit Flat Left	405x40x 585	55,6	122,6	1"	7	171M368340
Serial Nr: BHR 9ZP DZD D1E D1F							
135-9373	Center	330x30x1267	91,1	200,9	1"	8	171M497810
135-9628	Heavy Center	330x35x1267	86,2	190,1	1"	8	171M497815
135-9629	Extra Heavy Center	330x45x1267		0,0	1"	8	171M497816
8E4193	End-Bit Flat Right	405x40x 585	55,6	122,6	1"	7	171M368350
8E4194	End-Bit Flat Left	405x40x 585	55,6	122,6	1"	7	171M368340
Serial Nr: 1KH 2PP 2TP 3MP 3WH 1HP 6LH 9BH							
4T6381	Center	330x30x1353	97,2	214,3	1"	9	171M497820
6Y5540	End	330x30x 800	53,1	117,1	1"	5	171M368570
7T9126	Heavy Center	330x35x1353	113	249,2	1"	9	171M497825
7T9125	Heavy End	330x35x 800	66,7	147,1	1"	5	171M368577
112-2472	Extra Heavy Center	330x45x1353	146	321,9	1"	9	171M497826
112-2471	Extra Heavy End	330x45x 800	86,2	190,1	1"	5	171M368578
8E4193	End-Bit Flat Right	405x40x 585	55,6	122,6	1"	7	171M368350
8E4194	End-Bit Flat Left	405x40x 585	55,6	122,6	1"	7	171M368340
Serial Nr: KMB LAA							
4Z9058	Center	330x30x1951	140,1	308,9	1"	13	171M497830
6Y5540	End	330x30x 800	53,1	117,1	1"	5	171M368570
8E4193	End-Bit Flat Right	405x40x 585	55,6	122,6	1"	7	171M368350
8E4194	End-Bit Flat Left	405x40x 585	55,6	122,6	1"	7	171M368340
Serial Nr: 1JH 2WP 6AH 9CH 9WP CXB							
4T6378	Center	330x30x 902	64,8	142,9	1"	6	171M497840
9W5232	End	330x30x 824	53,5	118,0	1"	5	171M368580
9W6092	Heavy Duty Center	330x35x 902	77	169,8	1"	6	171M497841
7T9127	Heavy End	330x35x 824	68,2	150,4	1"	5	171M368585
112-2475	Extra Heavy Center	330x45x 902	96,6	213,0	1"	6	171M497845
112-2473	Extra Heavy End	330x45x 824	86,2	190,1	1"	5	171M368586
8E4193	End-Bit Flat Right	405x40x 585	55,6	122,6	1"	7	171M368350
8E4194	End-Bit Flat Left	405x40x 585	55,6	122,6	1"	7	171M368340
D9							
Serial Nr: 52C 90D 11E 26E							
4T6388	Center	330x30x1064	76,4	168,5	1"	7	171M497850
4T6387	End	330x30x1365	98	216,1	1"	9	171M497860

# CAT BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
7J2966	Heavy Center	330x40x1064	105,2	232,0	1"	7	171M497855
7J2965	Heavy End	330x40x1365	135,6	299,0	1"	9	171M497865
8E4539	End-Bit Flat Right	390x60x 610	94,2	207,7	1"	7	171M368260
8E4540	End-Bit Flat Left	390x60x 610	94,2	207,7	1"	7	171M368270
Serial Nr: 70F 45G							
4T6450	Center	330x30x2207	158,4	349,3	1"	15	171M497870
4T6388	End	330x30x1064	76,4	168,5	1"	7	171M497850
Serial Nr: 39K							
4T6386	Center	330x30x1041	74,7	164,7	1"	7	171M497880
9W4500	Heavy Center	330x35x1041	88,8	195,8	1"	7	171M497881
7J2980	Extra Heavy Center	330x40x1041	101	222,7	1"	7	171M497882
Serial Nr: 25E 06A 21E1-831							
4T6459	Center	330x30x1327	95,3	210,1	1"	9	171M497890
4T6456	End	330x30x 949	68,2	150,4	1"	6	171M497900
7J2961	Heavy Center	330x40x1327	132	291,1	1"	9	171M497895
7J2960	Heavy End	330x40x 949	93	205,1	1"	6	171M497905
Serial Nr: 53E 89D 21E832-UP							
4T6448	Center	330x30x1518	109	240,3	1"	10	171M497910
7J2962	Heavy Center	330x40x1518	151,1	333,2	1"	10	171M497915
Serial Nr: 55C							
4T6457	End	330x30x 908	65,2	143,8	1"	6	171M497920
7J2964	Heavy End	330x40x 908	86,6	191,0	1"	6	171M497925
8E4539	End-Bit Flat Right	390x60x 610	94,2	207,7	1"	7	171M368260
8E4540	End-Bit Flat Left	390x60x 610	94,2	207,7	1"	7	171M368270
Serial Nr: 20H							
4T6378	Center	330x30x 902	64,8	142,9	1"	6	171M497840
4T6377	Center	330x30x 591	42,4	93,5	1"	4	171M497930
4T6379	End	330x30x 591	39,3	86,7	1"	4	171M368590
8E4539	End-Bit Flat Right	390x60x 610	94,2	207,7	1"	7	171M368260
8E4540	End-Bit Flat Left	390x60x 610	94,2	207,7	1"	7	171M368270
Serial Nr: 14C 19K 78X							
4T6378	Center and Ends	330x30x 902	64,8	142,9	1"	6	171M497840
4T6379	End	330x30x 591	39,3	86,7	1"	4	171M368590
9W6092	Heavy Duty Center	330x35x 902	77	169,8	1"	6	171M497841
9W9197	Heavy End	330x35x 591	49,5	109,1	1"	4	171M368595

# CAT BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
7J2959	Extra Heavy Center and Ends	330x40x 902	90,3	199,1	1"	6	171M497845
7J2979	Extra Heavy End	330x40x 591	57,6	127,0	1"	4	171M368596
8E4539	End-Bit Flat Right	390x60x 610	94,2	207,7	1"	7	171M368260
8E4540	End-Bit Flat Left	390x60x 610	94,2	207,7	1"	7	171M368270
Serial Nr: 18Y1-1875 52Y 42S							
4T6386	Center	330x30x1041	74,7	164,7	1"	7	171M497880
4T6385	End	330x30x1223	82,6	182,1	1"	8	171M368600
9W4500	Heavy Center	330x35x1041	88,8	195,8	1"	7	171M497881
9W4502	Heavy End	330x35x1223	103	227,1	1"	8	171M368605
Serial Nr: 19Y1475-UP							
9W0775	Center	400x35x 759	76,7	169,1	1 1/4"	5	171M490790
7T9781	End	400x35x 876	84,8	187,0	1 1/4"	5	171M368610
9W3931	Heavy Center	400x45x 759	101,6	224,0	1 1/4"	5	171M490795
9W3929	Heavy End	400x45x 876	124,3	274,1	1 1/4"	5	171M368615
Serial Nr: 1MH 5BH 1LP 2LP 7NH 2ZP 2BP 9RP							
6Y5539	Center	330x30x1788	128,4	283,1	1"	12	171M497940
6Y5540	End	330x30x 800	53,1	117,1	1"	5	171M368570
7T5702	Heavy Center	330x35x1790	147,9	326,1	1"	12	171M497941
7T9125	Heavy End	330x35x 800	66,7	147,1	1"	5	171M368577
9W7043	Extra Heavy Center	330x45x1788	195,5	431,1	1"	12	171M497942
112-2471	Extra Heavy End	330x45x 800	86,2	190,1	1"	5	171M368578
8E4539	End-Bit Flat Right	390x60x 610	94,2	207,7	1"	7	171M368260
8E4540	End-Bit Flat Left	390x60x 610	94,2	207,7	1"	7	171M368270
Serial Nr: 19Y1-1474 78S							
4T6381	Center	330x30x1353	97,2	214,3	1"	9	171M497820
4T6382	End	330x30x 635	40,8	90,0	1"	6	171M368620
7T9126	Heavy Center	330x35x1353	113	249,2	1"	9	171M497825
9W4503	Heavy End	330x35x 635	50,8	112,0	1"	6	171M368625
9W4507	Extra Heavy Center	330x40x1353	130,2	287,1	1"	9	171M497827
9W4506	Extra Heavy End	330x40x 635	58,1	128,1	1"	6	171M368626
Serial Nr: 18Y1876-UP							
7T9782	Center	400x35x 908	91,8	202,4	1 1/4"	6	171M497970
7T9779	End	400x35x 832	80,8	178,2	1 1/4"	5	171M368630
9W3928	Heavy Center	400x45x 908	120	264,6	1 1/4"	6	171M497975
9W3930	Heavy End	400x45x 832	108,4	239,0	1 1/4"	5	171M368635

# CAT BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 1LH 2ZH 1MP CMH CMN CMS CMW							
6Y5538	Center	330x30x2261	162,4	358,1	1"	15	171M497980
6Y5540	End	330x30x 800	53,1	117,1	1"	5	171M368570
7T5701	Heavy Center	330x35x2261	186,8	411,9	1"	15	171M497985
7T9125	Heavy End	330x35x 800	66,7	147,1	1"	5	171M368577
9W7044	Extra Heavy Center	330x45x2261	247,7	546,2	1"	15	171M497986
112-2471	Extra Heavy End	330x45x 800	86,2	190,1	1"	5	171M368578
8E4539	End-Bit Flat Right	390x60x 610	94,2	207,7	1"	7	171M368260
8E4540	End-Bit Flat Left	390x60x 610	94,2	207,7	1"	7	171M368270
D10							
Serial Nr: 83W							
9J3751	Center	330x35x1216	100,7	222,0	1"	10	171M497990
Serial Nr: 79W							
1U4459	Center	400x35x1029	102,8	226,7	1 1/4"	9	171M497950
1U4455	End	400x35x1026	101,6	224,0	1 1/4"	9	171M368640
4T0081	Heavy Center	400x40x1029	124,9	275,4	1 1/4"	9	171M497955
4T0082	Heavy End	400x40x1026	131,5	290,0	1 1/4"	9	171M368645
6Y0016	Heavier Center	400x45x1029	137,9	304,1	1 1/4"	9	171M497956
6Y0017	Heavier End	400x45x1026	133,8	295,0	1 1/4"	9	171M368646
4T0607	Extra Heavy Center	400x50x1029	166,6	367,4	1 1/4"	9	171M497957
4T0604	Extra Heavy End	400x50x1026	166,6	367,4	1 1/4"	9	171M368647
6Y0021	Extra Heavy Center	400x60x1029	180,1	397,1	1 1/4"	9	171M497958
6Y0020	Extra Heavy End	400x60x1026	186	410,1	1 1/4"	9	171M368648
8E4546	End-Bit Flat Left	510x75x 830	180,7	398,4	1 1/4"	9	171M368220
8E4545	End-Bit Flat Right	510x75x 830	180,7	398,4	1 1/4"	9	171M368230
Serial Nr: 80W							
1U4458	Center	400x35x1064	106,5	234,8	1 1/4"	9	171M497960
1U4457	End	400x35x 784	77,6	171,1	1 1/4"	7	171M368650
4T0083	Heavy Center	400x40x1064	129,4	285,3	1 1/4"	9	171M497965
4T0084	Heavy End	400x40x 784	91,2	201,1	1 1/4"	7	171M368655
6Y0018	Heavier Center	400x45x1064	142,4	314,0	1 1/4"	9	171M497966
6Y0019	Heavier End	400x45x 784	98,4	217,0	1 1/4"	7	171M368656
4T0609	Extra Heavy Center	400x50x1064	160,1	353,0	1 1/4"	9	171M497967
4T0608	Extra Heavy End	400x50x 784	113,2	249,6	1 1/4"	7	171M368657
6Y0023	Extra Heavy Center	400x60x1064	182,1	401,5	1 1/4"	9	171M497968
6Y0022	Extra Heavy End	400x60x 784	106,1	234,0	1 1/4"	7	171M368658
8E4546	End-Bit Flat Left	510x75x 830	180,7	398,4	1 1/4"	9	171M368220
8E4545	End-Bit Flat Right	510x75x 830	180,7	398,4	1 1/4"	9	171M368230

# CAT BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 1RH 7RH 4KP 6EP BHJ BHA							
9W6609	Center	400x35x 994	100,7	222,0	1 1/4"	6	171M498000
9W6608	End	400x35x 859	85,6	188,7	1 1/4"	5	171M368660
9W6656	Heavy Center	400x45x 994	133,4	294,1	1 1/4"	6	171M498005
9W6657	Heavy End	400x45x 859	111,2	245,2	1 1/4"	5	171M368665
8E2085	Heavier Center	400x60x 994	179,2	395,1	1 1/4"	6	171M498006
8E2086	Heavier End	400x60x 859	149,7	330,1	1 1/4"	5	171M368666
135-9580	Extra Heavy Center	400x75x 994	221,8	489,1	1 1/4"	6	171M498007
135-9579	Extra Heavy End	400x75x 859	185,5	409,0	1 1/4"	5	171M368667
Serial Nr: 1SH 7WH 4LP 6FP BHF BHP							
9W6615	Center	400x35x 848	86	189,6	1 1/4"	5	171M498010
9W6608	End	400x35x 859	85,6	188,7	1 1/4"	5	171M368660
9W6658	Heavy Center	400x45x 850	108,6	239,5	1 1/4"	5	171M498011
9W6657	Heavy End	400x45x 859	111,2	245,2	1 1/4"	5	171M368665
8E2087	Heavier Center	400x60x 850	146,8	323,7	1 1/4"	5	171M498015
8E2086	Heavier End	400x60x 859	149,7	330,1	1 1/4"	5	171M368666
8E2087-24	Extra Heavy Center	400x75x 850	189,2	417,2	1 1/4"	5	171M498016
135-9579	Extra Heavy End	400x75x 859	185,5	409,0	1 1/4"	5	171M368667
D11							
Serial Nr: 4BB 4KB 9NH 1AP 4XP 8PP							
9W2426	Center	400x45x1099	138	304,3	1 1/4"	9	171M498020
9W2425	End	400x45x1019	135,4	298,6	1 1/4"	9	171M368670
9W4495	Heavy Center	400x60x1099	196,2	432,6	1 1/4"	9	171M498025
9W4494	Heavy End	400x60x1019	179,2	395,1	1 1/4"	9	171M368675
135-9578	Extra Heavy Center	400x75x1099	240,3	529,9	1 1/4"	9	171M498026
135-9577	Extra Heavy End	400x75x1019	216,4	477,2	1 1/4"	9	171M368676
8E4546	End-Bit Flat Left	510x75x 830	180,7	398,4	1 1/4"	9	171M368220
8E4545	End-Bit Flat Right	510x75x 830	180,7	398,4	1 1/4"	9	171M368230
Serial Nr: 4CB 5TB 9MH 9ZH 4YP 8RP							
9W2426	Center	400x45x1099	138	304,3	1 1/4"	9	171M498020
9W2424	Intermediate	400x45x1026	137	302,1	1 1/4"	9	171M498021
9W2425	End	400x45x1019	135,4	298,6	1 1/4"	9	171M368670
9W4495	Heavy Center	400x60x1099	196,2	432,6	1 1/4"	9	171M498025
9W4493	Heavy Intermediate	400x60x1026	184,2	406,2	1 1/4"	9	171M498022
9W4494	Heavy End	400x60x1019	179,2	395,1	1 1/4"	9	171M368675
135-9578	Extra Heavy Center	400x75x1099	240,3	529,9	1 1/4"	9	171M498026
195-7187	Extra Heavy Intermediate	400x75x1026	222,7	491,1	1 1/4"	9	171M498023
135-9577	Extra Heavy End	400x75x1019	216,4	477,2	1 1/4"	9	171M368676
8E4546	End-Bit Flat Left	510x75x 830	180,7	398,4	1 1/4"	9	171M368220

# CAT LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
IT12 IT14 IT24 IT26 IT28 IT38							
Serial Nr: 5G8308							
5G6133	Base Edge With Segment Holes	200x20x2150				26	
5G3085	Base Edge No Segment Holes	200x20x2150				14	
4T2913	Center	250x20x1308	49,4	108,93	3/4"	3	171M498030
4T2914	End	250x20x 432	16,2	35,72	3/4"	2	171M466780
195-7134	Optional HD Center RH	250x25x 906	42,5	93,71	3/4"	3	171M498040
195-7133	Optional HD Center LH	250x25x1274	59,8	131,86	3/4"	4	171M498050
128-2873	Segment	200x20x 264	7,7	16,98	3/4"	2	171M498060
7T8935	Optional Wider Segment	250x20x 264	9,8	21,61	3/4"	2	171M498065
Serial Nr: 5G7599							
5G8763	Base Edge With Segment Holes	200x20x2265				24	
9W8694	Center	250x20x1422	53,8	118,63	3/4"	3	171M498070
4T2914	End	250x20x 432	16,2	35,72	3/4"	2	171M466780
195-7140	Optional HD Center RH	250x25x 950	44,6	98,34	3/4"	3	171M498080
195-7139	Optional HD Center LH	250x25x1332	62,6	138,03	3/4"	4	171M498090
128-2872	Segment	200x20x 324	9,6	21,17	3/4"	2	171M498100
9W9640	Optional Wider Segment	250x20x 324	12,1	26,68	3/4"	2	171M498105
7T8935	Optional Wider Segment	250x20x 264	9,8	21,61	3/4"	2	171M498065
Serial Nr: 9V8954 9V8955 9V8958 9V8959							
9V6572	Base Edge With Segment Holes	250x25x2370					
5V4670	Base Edge No Segment Holes	250x25x2370					
1U0295	Center	280x25x1026	52,4	115,5	1"	3	171M464480
4T8091	End	342x30x 160	11,7	25,8	1"	2	171M462450
4T6694	Segment	280x25x 225	11,6	25,6	1"	2	171M498110
132-1035	Optional HD Segment	280x35x 225	15,9	35,1	1"	2	171M498115
Serial Nr: 1718131 1718132 1718134							
5G8342	Base Edge With Segment Holes	200x20x2365				28	
9W8620	Center	250x20x1524	57,5	126,8	3/4"	4	171M498120
4T2914	End	250x20x 432	16,2	35,7	3/4"	2	171M466780
195-7137	Optional HD Center	250x25x1197	45,1	99,4	3/4"	4	171M498130
128-2873	Segment	200x20x 264	7,7	17,0	3/4"	2	171M498060
7T8935	Wider Segment	250x20x 264	9,8	21,61	3/4"	2	171M498065

# CAT LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 4E2474							
4E0659	Base Edge With Segment Holes	250x25x2524				28	
8E4567	Center	280x25x1105	58,3	128,6	1"	3	171M492200
4T8091	End	342x30x 160	11,7	25,8	1"	2	171M462450
8E4569	Segment	280x25x 248	12,8	28,2	1"	2	171M498140
Serial Nr: 1243468 1243469 1274920 1274921							
105-2345	Base Edge With Segment Holes	250x25x2680				28	
107-3746	Center	280x25x1183	62,5	137,8	1"	3	171M492220
4T8091	End	342x30x 160	11,7	25,8	1"	2	171M462450
138-6425	Optional HD Center	280x35x1183	86,6	191,0	1"	3	171M492225
138-6560	Optional HD End	350x35x 159	14,1	31,1	1"	2	171M462455
4T6695	Segment	280x25x 265	13,7	30,2	1"	2	171M498150
132-1037	Optional HD Segment	280x35 265	18,9	41,7	1"	2	171M498155
IT62							
Serial Nr: 1670046							
141-4847	Base Edge With Segment Holes	270x30x2921				30	
139-9230	Center	360x30x1283	105,3	232,2	1"	3	171M485170
4T8101	End	500x35x 170	21,5	47,4	1"	3	171M462470
135-9666	Optional HD Center	360x35x1283	122,2	269,5	1"	3	171M485175
132-1033	Optional HD End	500x35x 170	21,7	47,8	1"	3	171M462470
132-4715	Segment	300x35x 278	20,6	45,4	1"	2	171M498160
902							
Serial Nr: 1388941 1388912 1501917							
138-8938	Base Edge						
132-4723	Bolt On (Flat Head Screws)	165x16x1790	34,7	76,5	5/8"	13	171M498171
132-4723PB	Bolt On (Plow Bolts)	165x16x1786	34,7	76,5	5/8"	13	171M498170
Serial Nr: 1499261 1417263 1843268							
138-8932	Base Edge	150x20x1885				20	
132-4724	Bolt On (Flat Head Screws)	165x16x1890	36,7	80,9	5/8"	13	171M498181
132-4724PB	Bolt On (Plow Bolts)	165x16x1890	36,7	80,9	5/8"	13	171M498180
906							
Serial Nr: 1485385							
160-5335	Base Edge						



# CAT LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
132-4724	Bolt On (Flat Head Screws)	165x16x1890	36,7	80,9	5/8"	13	171M498181
132-4724PB	Bolt On (Plow Bolts)	165x16x1890	36,7	80,9	5/8"	13	171M498180
Serial Nr: 1473152							
152-1051	Base Edge						
132-4719	Bolt On (Flat Head Screws)	165x16x1956	38	83,8	5/8"	13	171M498191
132-4719PB	Bolt On (Plow Bolts)	165x16x1956	38	83,8	5/8"	13	171M498190
Serial Nr: 1417265 1860153							
138-8937	Base Edge						
132-4725	Bolt On (Flat Head Screws)	165x16x2080	40,5	89,3	5/8"	13	171M498201
132-4725PB	Bolt On (Plow Bolts)	165x16x2080	40,5	89,3	5/8"	13	171M498200
908							
Serial Nr: 1388905 1473153 1485386 1414992							
138-8937	Base Edge						
132-4725	Bolt On (Flat Head Screws)	165x16x2080	40,5	89,3	5/8"	13	171M498201
132-4725PB	Bolt On (Plow Bolts)	165x16x2080	40,5	89,3	5/8"	13	171M498200
910							
Serial Nr: 6S6504 6S8657							
6S6500	Base Edge No Segment Holes	200x20x2150				14	
4T2920	Center	250x20x 965	36,4	80,3	3/4"	3	171M498210
4T2918	End	250x20x 591	22,3	49,2	3/4"	2	171M498220
Serial Nr: 5G4088 5G3080 5G6180							
5G6133	Base Edge With Segment Holes	200x20x2150				26	
5G3085	Base Edge No Segment Holes	200x20x2150				14	
4T2913	Center	250x20x1308	49,4	108,9	3/4"	3	171M498030
4T2914	End	250x20x 432	16,2	35,7	3/4"	2	171M466780
195-7134	Optional HD Center RH	250x25x 906	42,5	93,7	3/4"	3	171M498040
195-7133	Optional HD Center LH	250x25x1274	59,8	131,9	3/4"	4	171M498050
128-2873	Segment	200x20x 264	7,7	17,0	3/4"	2	171M498060
7T8935	Optional Wider Segment	250x20x 264	9,8	21,6	3/4"	2	171M498065

# CAT LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 713193							
5G8763	Base Edge With Segment Holes	200x20x2265				24	
9W8694	Center	250x20x1422	53,8	118,6	3/4"	3	171M498070
4T2914	End	250x20x 432	16,2	35,7	3/4"	2	171M466780
195-7140	Optional HD Center RH	250x25x 950	44,6	98,3	3/4"	3	171M498080
195-7139	Optional HD Center LH	250x25x1332	62,6	138,0	3/4"	4	171M498090
128-2872	Center Segment	200x20x 324	9,6	21,2	3/4"	2	171M498100
128-2873	End Segment	200x20x 264	7,7	17,0	3/4"	2	171M498060
9W9640	Wider Center Segment	250x20x 324	12,1	26,7	3/4"	2	171M498105
7T8935	Wider End Segment	250x20x 264	9,8	21,6	3/4"	2	171M498065
Serial Nr: 9U4718							
5G8342	Base Edge With Segment Holes	200x20x2365				28	
9W8620	Center	250x20x1524	57,5	126,8	3/4"	4	171M498120
4T2914	End	250x20x 432	16,2	35,7	3/4"	2	171M466780
195-7137	Optional HD Center	250x25x1197	45,1	99,4	3/4"	4	171M498130
128-2873	Segment	200x20x 264	7,7	17,0	3/4"	2	171M498060
7T8935	Wider Segment	250x20x 264	9,8	21,6	3/4"	2	171M498065
Serial Nr: 6S4521							
5G2809	Base Edge No Segment Holes	200x20x2080				14	
4T8796	Center	250x20x1241	46,9	103,4	3/4"	3	171M498230
4T2914	End	250x20x 432	16,2	35,7	3/4"	2	171M466780
195-7132	Optional HD Center RH	250x25x 880	41,3	91,1	3/4"	3	171M498240
195-7131	Optional HD Center LH	250x25x1229	57,7	127,2	3/4"	4	171M498250
914							
Serial Nr: 1718128 1718129							
5G8342	Base Edge With Segment Holes	200x20x2365				28	
9W8620	Center	250x20x1524	57,5	126,8	3/4"	4	171M498120
4T2914	End	250x20x 432	16,2	35,7	3/4"	2	171M466780
195-7137	Optional HD Center	250x25x1197	45,1	99,4	3/4"	4	171M498130
128-2873	Segment	200x20x 264	7,7	17,0	3/4"	2	171M498060
7T8935	Optional Wider Segment	250x20x 264	9,8	21,6	3/4"	2	171M498065
916							
Serial Nr: 9C4940 8V7152 6W7769 8R2126 8R2127							

# CAT LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
9V6572	Base Edge With Segment Holes	250x25x2370				28	
5V4670	Base Edge No Segment Holes	250x25x2370				16	
1U0295	Center	280x25x1026	52,4	115,5	1"	3	171M464480
4T8091	End	342x30x 160	11,7	25,8	1"	2	171M462450
4T6694	Segment	280x25x 225	11,2	24,7	1"	2	171M498110
132-1035	Optional HD Segment	280x35x 225	15,9	35,1	1"	2	171M498115
920							
Serial Nr: 5V4662 5V4660							
6W2984	Base Edge With Segment Holes	250x25x2405				28	
1U0607	Center	280x25x1041	54,9	121,1	1"	3	171M466280
4T8091	End	342x30x 160	11,7	25,8	1"	2	171M462450
4T6694	Segment	280x25x 225	11,2	24,7	1"	2	171M498110
4T6693	Segment	280x25x 210	10,8	23,8	1"	2	171M498260
132-1035	Optional HD Segment	280x35x 225	15,9	35,1	1"	2	171M498115
132-1036	Optional HD End	280x35x 210	14,8	32,6	1"	2	171M498265
Serial Nr: 9K0574 9K7874							
8K8161	Base Edge No Segment Holes	250x25x2440				18	
1U1465	Center	280x25x 787	40,1	88,4	1"	3	171M463270
1U1464	End	280x25x 819	41,7	91,9	1"	3	171M463340
132-1026	Optional HD Center	280x35x 787	57,2	126,1	1"	3	171M463275
132-1027	Optional HD End	280x35x 819	59,6	131,4	1"	3	171M463345
924							
Serial Nr: 1119634 1119635							
9V6572	Base Edge With Segment Holes	250x25x2370				28	
5V4670	Base Edge No Segment Holes	250x25x2370				16	
1U0295	Center	280x25x1026	52,4	115,5	1"	3	171M464480
4T8091	End	342x30x 160	11,7	25,8	1"	2	171M462450
4T6694	Segment	280x25x 225	11,2	24,7	1"	2	171M498110
132-1035	Optional HD Segment	280x35x 225	15,9	35,1	1"	2	171M498115
Serial Nr: 1455166 1455165 1784665 1455163 1455162							
4E0659	Base Edge With Segment Holes	250x25x2525				28	
8E4567	Center	280x25x1105	58,3	128,6	1"	3	171M492200
4T8091	End	342x30x 160	11,7	25,8	1"	2	171M462450
8E4569	Segment	280x25x 248	12,8	28,2	1"	2	171M498140

# CAT LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
926							
Serial Nr: 9C8254 6W5556 9C6372 8R6169							
9V6572	Base Edge With Segment Holes	250x25x2370				28	
5V4670	Base Edge No Segment Holes	250x25x2370				16	
1U0295	Center	280x25x1026	52,4	115,5	1"	3	171M464480
4T8091	End	342x30x 160	11,7	25,8	1"	2	171M462450
4T6694	Segment	280x25x 225	11,2	24,7	1"	2	171M498110
132-1035	Optional HD Segment	280x35x 225	15,9	35,1	1"	2	171M498115
Serial Nr: 4E0091 4E0092							
4E0659	Base Edge With Segment Holes	250x25x2525				28	
8E4567	Center	280x25x1105	58,3	128,6	1"	3	171M492200
4T8091	End	342x30x 160	11,7	25,8	1"	2	171M462450
8E4569	Segment	280x25x 248	12,8	28,2	1"	2	171M498140
928							
Serial Nr: 4E0091 4E0092 1718136 1718137							
4E0659	Base Edge With Segment Holes	250x25x2525				28	
8E4567	Center	280x25x1105	58,3	128,6	1"	3	171M492200
4T8091	End	342x30x 160	11,7	25,8	1"	2	171M462450
8E4569	Segment	280x25x 248	12,8	28,2	1"	2	171M498140
930							
Serial Nr: 5V4656 5V467							
6W2984	Base Edge With Segment Holes	250x25x2405				28	
1U0607	Center	280x25x1041	54,9	121,1	1"	3	171M466280
4T8091	End	342x30x 160	11,7	25,8	1"	2	171M462450
4T6694	Segment	280x25x 225	11,2	24,7	1"	2	171M498110
4T6693	Segment	280x25x 210	10,8	23,8	1"	2	171M498260
132-1035	Optional HD Segment	280x35x 225	15,9	35,1	1"	2	171M498115
132-1036	Optional HD End	280x35x 210	14,8	32,6	1"	2	171M498265
Serial Nr: 8K8989 8K9767							
8K8161	Base Edge No Segment Holes	250x25x2440				18	
1U1465	Center	280x25x 787	40,1	88,4	1"	3	171M463270
1U1464	End	280x25x 819	41,7	91,9	1"	3	171M463340
132-1026	Optional HD Center	280x35x 787	57,2	126,1	1"	3	171M463275
132-1027	Optional HD End	280x35x 819	59,6	131,4	1"	3	171M463345

# CAT LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
933							
Serial Nr: 1106379 8Y4996 8Y4982							
8Y4738	Base Edge With Segment Holes	200x20x1955				26	
5G8467	Base Edge No Segment Holes	200x20x1955				14	
9W9943	Center	250x20x1235	46,5	102,5	3/4"	4	171M498270
9W9944	End	250x20x 373	14	30,9	3/4"	2	171M498280
6Y6362	Segment	250x20x 200	7,4	16,3	3/4"	2	171M498290
Serial Nr: 1103833							
5G3477	Base Edge No Segment Holes	200x20x2330				14	
4T2915	Center	250x20x1486	56,2	123,9	3/4"	3	171M468650
4T2914	End	250x20x 432	16,2	35,7	3/4"	2	171M466780
195-7136	Optional HD Center RH	250x25x 974	45,7	100,8	3/4"	3	171M498300
195-7135	Optional HD Center LH	250x25x1386	65,1	143,5	3/4"	4	171M498310
Serial Nr: 5G2811							
5G2808	Base Edge No Segment Holes	200x20x1830				16	
4T2911	Center	250x20x1144	43,1	95,0	3/4"	4	171M498320
4T2910	End	250x20x 354	13,2	29,1	3/4"	2	171M498330
195-7130	Optional HD Center	250x25x 928	43,4	95,7	3/4"	4	171M498340
Serial Nr: 6S6503							
6S6501	Base Edge No Segment Holes	200x20x1900				12	
4T2919	Center	250x20x 946	35,7	78,7	3/4"	3	171M498350
Serial Nr: 5G0890							
5G2395	Base Edge No Segment Holes	200x20x1900				16	
4T2912	Center	250x20x 955	35,9	79,2	3/4"	4	171M498360
Serial Nr: 5G8461 8Y4996 8Y4982 1106379							
8Y4738	Base Edge With Segment Holes	200x20x1955				26	
5G2807	Base Edge No Segment Holes	200x20x1955				14	
9W9943	Center	250x20x1235	46,5	102,5	3/4"	4	171M498270
9W9944	End	250x20x 373	14	30,9	3/4"	2	171M498280
195-7138	Optional HD Center	250x25x 992	37,3	82,2	3/4"	4	171M498370
6Y6362	Segment	250x20x 200	7,4	16,3	3/4"	2	171M498290

# CAT LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 6S6504 6S8657							
6S6500	Base Edge No Segment Holes	200x20x2150				14	
4T2920	Center	250x20x 965	36,4	80,3	3/4"	3	171M498210
4T2918	End	250x20x 591	22,3	49,2	3/4"	2	171M498220
Serial Nr: 5G3475							
5G3477	Base Edge No Segment Holes	200x20x2330				14	
4T2915	Center	250x20x1486	56,2	123,9	3/4"	3	171M468650
4T2914	End	250x20x 432	16,2	35,7	3/4"	2	171M466780
195-7136	Optional HD Center RH	250x25x 974	45,7	100,8	3/4"	3	171M498300
195-7135	Optional HD Center LH	250x25x1386	65,1	143,5	3/4"	4	171M498310
Serial Nr: 5G4085 6S4521							
5G2809	Base Edge No Segment Holes	200x20x2080				14	
4T8796	Center	250x20x1241	46,9	103,4	3/4"	3	171M498230
4T2914	End						
195-7132	Optional HD Center RH	250x25x 880	41,3	91,1	3/4"	3	171M498240
195-7131	Optional HD Center LH	250x25x1229	57,7	127,2	3/4"	4	171M498250
Serial Nr: 8Y5075 8Y5074							
8Y4738	Base Edge With Segment Holes	200x20x1955				26	
5G8467	Base Edge No Segment Holes	200x20x1955				14	
9W9943	Center	250x20x1235	46,5	102,5	3/4"	4	171M498270
9W9944	End	250x20x 373	14	30,9	3/4"	2	171M498280
6Y6362	Segment	250x20x 200	7,4	16,3	3/4"	2	171M498290
936							
Serial Nr: 9V1081 9C4829 9C8265 6W7781 9V1082 9C4826							
6W2985	Base Edge With Segment Holes	250x25x2640				28	
8V1825	Base Edge No Segment Holes	250x25x2640				16	
1U0292	Center	280x25x1162	61,3	135,2	1"	3	171M462440
4T8091	End	342x30x 160	11,7	25,8	1"	2	171M462450
938							
Serial Nr: 1177992							
110-4781	Base Edge With Segment Holes	250x25x2440				28	
110-4782	Center	280x25x1060	54,1	119,3	1"	3	171M498380

# CAT LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
4T8091	End	342x30x 160	11,7	25,8	1"	2	171M462450
4T6694	Segment	280x25x 225	11,2	24,7	1"	2	171M498110
Serial Nr: 1037399 1037400 1058008 1243468 1243469							
105-2345	Base Edge With Segment Holes	250x25x2680				28	
107-3746	Center	280x25x1183	60,5	133,4	1"	3	171M492220
4T8091	End	342x30x 160	11,7	25,8	1"	2	171M462450
4T6695	Segment	280x25x 265	13,3	29,3	1"	2	171M498150
Serial Nr: 1129405 1105701 1105702 1105703							
110-4712	Base Edge With Segment Holes	250x25x2725				28	
110-4711	Center	280x25x1200	61,3	135,2	1"	3	171M498390
4T8091	End	342x30x 160	11,7	25,8	1"	2	171M462450
4T6695	Segment	280x25x 265	13,3	29,3	1"	2	171M498150
939							
Serial Nr: 8Y8263							
8Y8763	Base Edge With Segment Holes	250x25x2160				28	
100-6359	Center	280x25x 917	46,8	103,2	1"	3	171M498400
4T8091	End	342x30x 160	11,7	25,8	1"	2	171M462450
4T6692	Segment	280x25x 195	9,7	21,4	1"	2	171M498410
941							
Serial Nr: 5V4651							
6W2977	Base Edge With Segment Holes	250x25x2020				28	
1U0605	Center	280x25x 851	43,4	95,7	1"	3	171M464490
4T8091	End	342x30x 160	11,7	25,8	1"	2	171M462450
4T6691	Segment	280x25x 175	8,7	19,2	1"	2	171M498420
Serial Nr: 8K7935 1V5026							
8K6452	Base Edge No Segment Holes	250x25x2080				16	
1U1467	Center	280x25x1035	52,7	116,2	1"	4	171M498430
Serial Nr: CGS							
9V6572	Base Edge With Segment Holes	250x25x2370				28	
5V4670	Base Edge No Segment Holes	250x25x2370				16	
1U0295	Center	280x25x1026	52,4	115,5	1"	3	171M464480

# CAT LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
4T8091	End	342x30x 160	11,7	25,8	1"	2	171M462450
4T6694	Segment	280x25x 225	11,2	24,7	1"	2	171M498110
943							
Serial Nr: 4V8280 9V9030							
9V6571	Base Edge With Segment Holes	250x25x2080				28	
4V8335	Base Edge No Segment Holes	250x25x2080				16	
1U0294	Center	280x25x 879	44,8	98,8	1"	3	171M479810
4T8091	End	342x30x 160	11,7	25,8	1"	2	171M462450
4T6691	Segment	280x25x 175	8,7	19,2	1"	2	171M498420
Serial Nr: 9V8999 8Y3830 4V8695							
9V6570	Base Edge With Segment Holes	250x25x2205				28	
4V8850	Base Edge No Segment Holes	250x25x2205				16	
1U0293	Center	280x25x 940	48	105,8	1"	3	171M498440
4T8091	End	342x30x 160	11,7	25,8	1"	2	171M462450
4T6692	Segment	280x25x 195	9,7	21,4	1"	2	171M498410
Serial Nr: 8V7359 8V7363							
6W2976	Base Edge With Segment Holes	250x25x2250				28	
8V7453	Base Edge No Segment Holes	250x25x2250				16	
4T8091	End	342x30x 160	11,7	25,8	1"	2	171M462450
4T6692	Center Segment	280x25x 195	9,7	21,4	1"	2	171M498410
4T6693	End Segment	280x25x 210	10,8	23,8	1"	2	171M498260
944							
Serial Nr: 5V7265							
6W2986	Base Edge With Segment Holes	250x25x2415				30	
5V7277	Base Edge No Segment Holes	250x25x2415				18	
1U2414	Center	360x30x1044	78,3	172,7	1"	3	171M463170
4T8101	End	496x35x 170	21,4	47,2	1"	3	171M462470
4T6694	Segment	280x25x 225	11,2	24,7	1"	2	171M498110
4T6693	Segment	280x25x 210	10,8	23,8	1"	2	171M498260
Serial Nr: 8K9039 9K8655							
8K8161	Base Edge No Segment Holes	250x25x2440				18	



# CAT LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
1U1465	Center	280x25x 787	40,1	88,4	1"	3	171M463270
1U1464	End	280x25x 819	41,7	91,9	1"	3	171M463340
Serial Nr: 5V7267 5V7269 5V7271							
6W2987	Base Edge With Segment Holes	250x25x2615				30	
5V7276	Base Edge No Segment Holes	250x25x2615				18	
1U2412	Center	360x30x1148	86,1	189,9	1"	3	171M498450
4T8101	End	496x35x 170	21,4	47,2	1"	3	171M462470
4T6694	Center Segment	280x25x 225	11,2	24,7	1"	2	171M498110
4T6695	End Segmeny	280x25x 265	13,3	29,3	1"	2	171M498150
Serial Nr: 8K9041 8K9042 8K9043 9K8658 9K8657 9K8656							
8K8162	Base Edge No Segment Holes	250x25x2690				20	
1U1470	Center	360x30x 991	78,8	173,8	1"	4	171M498460
1U1469	End	360x30x 841	62,9	138,7	1"	3	171M464180
950							
Serial Nr: 5V7265							
6W2986	Base Edge With Segment Holes	250x25x2415				30	
5V7277	Base Edge No Segment Holes	250x25x2415				18	
1U2414	Center	360x30x1044	78,3	172,7	1"	3	171M463170
4T8101	End	496x35x 170	21,4	47,2	1"	3	171M462470
4T6694	Segment	280x25x 225	11,2	24,7	1"	2	171M498110
4T6693	Segment	280x25x 210	10,8	23,8	1"	2	171M498260
Serial Nr: 8K9039 9K8655							
8K8161	Base Edge No Segment Holes	250x25x2440				18	
1U1465	Center	280x25x 787	40,1	88,4	1"	3	171M463270
1U1464	End	280x25x 819	41,7	91,9	1"	3	171M463340
Serial Nr: 5V7267 5V7269 5V7271							
6W2987	Base Edge With Segment Holes	250x25x2615				30	
5V7276	Base Edge No Segment Holes	250x25x2615				18	
1U2412	Center	360x30x1148	86,1	189,9	1"	3	171M498450
4T8101	End	496x35x 170	21,4	47,2	1"	3	171M462470
4T6694	Center Segment	280x25x 225	11,2	24,7	1"	2	171M498110
4T6695	End Segment	280x25x 265	13,3	29,3	1"	2	171M498150

# CAT LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 8K9041 8K9042 8K9043 9K8658 9K8657 9K8656							
8K8162	Base Edge No Segment Holes	250x25x2690				20	
1U1470	Center	360x30x 991	78,8	173,8	1"	4	171M498460
1U1469	End	360x30x 841	62,9	138,7	1"	3	171M464180
Serial Nr: 5V7352 9V3298							
5V7410	Base Edge	250x25x2745				12	
1U0601	Center	360x30x1210	96	211,7	1"	3	171M462480
4T8101	End	496x35x 170	21,4	47,2	1"	3	171M462470
Serial Nr: 9C8345 9C8357 5V4447 6V3299 6W7787							
9V6573	Base Edge With Segment Holes	280x35x2740				30	
5V4696	Base Edge No Segment Holes	280x35x2740				18	
1U0601	Center	360x30x1210	96	211,7	1"	3	171M462480
4T8101	End	496x35x 170	21,4	47,2	1"	3	171M462470
4T6695	Segment	280x25x 265	13,3	29,3	1"	2	171M498150
132-1037	Heavy Segment	280x35x 265	18,9	41,7	1"	2	171M498155
Serial Nr: 1419393 1419394 1419395 1419396 1419397							
141-4847	Base Edge With Segment Holes	280x35x2920				30	
139-9230	Center	360x30x1279	85,6	188,7	1"	3	171M485170
4T8101	End	496x35x 170	21,4	47,2	1"	3	171M462470
132-4715	Segment	300x35x 278	20,8	45,9	1"	2	171M498160
Serial Nr: 5V7273 5V7272							
6W2988	Base Edge With Segment Holes	250x25x2640				30	
1U2413	Center	360x30x1162	86,7	191,2	1 1/4"	3	171M465170
4T8101	End	496x35x 170	21,4	47,2	1"	3	171M462470
4T6694	Center Segment	280x25x 225	11,2	24,7	1"	2	171M498110
4T6695	End Segment	280x25x 265	13,3	29,3	1"	2	171M498150
Serial Nr: 6W1136 8R8618							
6W2973	Spade Nose Base Edge	500x35x2815				18	
7T5962	Center	360x30x 530	41	90,4	1 1/4"	4	171M498470
4T3015	Segment	360x30x 257	19,9	43,9	1 1/4"	2	171M354701
132-1038	Heavy Segment	360x35x 257	21,8	48,1	1 1/4"	2	171M354703

# CAT LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
951							
Serial Nr: 5V4669 5V4664							
6W2977	Base Edge With Segment Holes	250x25x2020				28	
1U0605	Center	280x25x 851	43,4	95,7	1"	3	171M464490
4T8091	End	342x30x 160	11,7	25,8	1"	2	171M462450
4T6691	Segment	280x25x 175	8,7	19,2	1"	2	171M498420
Serial Nr: 8K6453 9K2754 2V2916 4V0387							
8K6452	Base Edge No Segment Holes	250x25x 2080				16	
1U1467	Center	280x25x1035	52,7	116,2	1"	4	171M498430
Serial Nr: 5V4671 2V7166							
9V6572	Base Edge With Segment Holes	250x25x2370				28	
5V4670	Base Edge No Segment Holes	250x25x2370				16	
1U0295	Center	280x25x1026	52,4	115,5	1"	3	171M464480
4T8091	End						
4T6694	Segment	280x25x 225	11,2	24,7	1"	2	171M498110
Serial Nr: 5V0624 6W0183							
9V6570	Base Edge With Segment Holes	250x25x2205				28	
4V8850	Base Edge No Segment Holes	250x25x2205				16	
1U0293	Center	280x25x 940	48	105,8	1"	3	171M498440
4T8091	End	342x30x 160	11,7	25,8	1"	2	171M462450
4T6692	Segment	280x25x 195	9,7	21,4	1"	2	171M498410
Serial Nr: 6W0184 4V5310 8Y3832 9Y9100							
9V6572	Base Edge With Segment Holes	250x25x2370				28	
5V4670	Base Edge No Segment Holes	250x25x2370				16	
1U0295	Center	280x25x1026	52,4	115,5	1"	3	171M464480
4T8091	End	342x30x 160	11,7	25,8	1"	2	171M462450
4T6694	Segment	280x25x 225	11,2	24,7	1"	2	171M498110
Serial Nr: 8K7864 8K7865 9K1063							
5V7437	Base Edge No Segment Holes	250x25x2250				16	

# CAT LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
1U1471	Center	360x30x1121	89,2	196,7	1"	4	171M498480
Serial Nr: CGS							
6W2978	Base Edge With Segment Holes	280x35x2260				30	
1U2410	Center	360x30x 959	76,5	168,7	1"	3	171M498490
4T8101	End	496x35x 170	21,4	47,2	1"	3	171M462470
4T6692	Segment	280x25x 195	9,7	21,4	1"	2	171M498410
Serial Nr: 1V2912 1V9079							
1V2911	Base Edge No Segment Holes	250x25x2290				16	
1U1473	Center	360x30x1140	85,3	188,1	1"	4	171M465090
Serial Nr: 5V7258							
5V7263	Base Edge No Segment Holes	280x35x2435				18	
1U2411	Center	360x30x1057	84,3	185,9	1"	3	171M462280
4T8101	End	496x35x 170	21,4	47,2	1"	3	171M462470
960							
Serial Nr: 1093637 1093640 1093639							
9V6573	Base Edge With Segment Holes	280x35x2740				30	
5V4696	Base Edge No Segment Holes	280x35x2740				18	
1U0601	Center	360x30x1210	96	211,7	1"	3	171M462480
4T8101	End	496x35x 170	21,4	47,2	1"	3	171M462470
4T6695	Segment	280x25x 265	13,3	29,3	1"	2	171M498150
Serial Nr: 7I3106 1052956 1070582							
9V6575	Base Edge With Segment Holes	280x40x3035				30	
7V1490	Base Edge No Segment Holes	280x40x3035				18	
1U0593	Center	360x30x1318	104,9	231,3	1 1/4"	3	171M462260
3G6395	End	510x35x 200	25,3	55,8	1 1/4"	3	171M462270
4T6699	Segment	360x30x 270	19,6	43,2	1 1/4"	2	171M465880
Serial Nr: 8R8618							
6W2973	Spade Nose Base Edge	500x35x2815				18	
7T5962	Center	360x30x 530	41	90,4	1 1/4"	4	171M498470
4T3015	Segment	360x30x 257	19,9	43,9	1 1/4"	2	171M354701

# CAT LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
962							
Serial Nr: 1487243 1419395 1419394 1419397 1419398 1419399							
141-4847	Base Edge With Segment Holes	280x35x2920				30	
139-9230	Center	360x30x1279	85,6	188,7	1"	3	171M485170
4T8101	End	496x35x 170	21,4	47,2	1"	3	171M462470
132-4715	Segment	300x35x 278	20,8	45,9	1"	2	171M498160
963							
Serial Nr: 4V6519							
6W2979	Base Edge With Segment Holes	280x35x2275				30	
4V4958	Base Edge No Segment Holes	280x35x2275				18	
1U0599	Center	360x30x 977	77,9	171,8	1"	3	171M498500
4T8101	End	496x35x 170	21,4	47,2	1"	3	171M462470
4T6692	Segment	280x25x 195	9,7	21,4	1"	2	171M498410
4T6693	Segment	280x25x 210	10,8	23,8	1"	2	171M498260
Serial Nr: CGS							
6W2980	Base Edge With Segment Holes	280x35x2480				30	
4V3174	Base Edge No Segment Holes	280x35x2480				18	
1U0600	Center	360x30x1080	86,2	190,1	1"	3	171M498510
4T8101	End	496x35x 170	21,4	47,2	1"	3	171M462470
4T6694	Segment	280x25x 225	11,2	24,7	1"	2	171M498110
Serial Nr: 8Y9110							
8Y6263	Base Edge With Segment Holes	280x35x2500				30	
8E5793	Center	360x35x1060	97,5	215,0	1 1/4"	3	171M498520
3G6395	End	510x35x 200	25,3	55,8	1 1/4"	3	171M462270
4T6697	Segment	360x30x 209	15,3	33,7	1 1/4"	2	171M465950
4T6696	Segment	360x30x 191	14,4	31,8	1 1/4"	2	171M498530
Serial Nr: 8V7367 8V7364 8Y9626 8Y9625							
6W2980	Base Edge With Segment Holes	280x35x2480				30	
4V3174	Base Edge No Segment Holes	280x35x2480				18	
1U0600	Center	360x30x1080	86,2	190,1	1"	3	171M498510
4T8101	End	496x35x 170	21,4	47,2	1"	3	171M462470
4T8084	Center	200x16x1689	38,7	85,3	5/8"	11	171M498540
4T8085	End	200x16x 381	8,7	19,2	5/8"	3	171M498550

# CAT LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
4T6694	Segment	280x25x 225	11,2	24,7	1"	2	171M498110
132-1035	Heavy Segment	280x35x 225	15,9	35,1	1"	2	171M498115
966							
Serial Nr: 5V7340 5V7341 5V7342							
6W2990	Base Edge With Segment Holes	280x35x2860				30	
1U2406	Center	360x30x1230	91,8	202,4	1 1/4"	3	171M463020
3G6395	End	510x35x 200	25,3	55,8	1 1/4"	3	171M462270
100-4045	16" Center	400x35x1230	129	284,4	1 1/4"	3	171M463025
100-4044	22" End	560x40x 200	32,2	71,0	1 1/4"	3	171M462275
4T6698	Segment	360x30x 240	17,3	38,1	1 1/4"	2	171M466760
140-6867	Heavy Segment	360x35x 240		0,0	1 1/4"	2	171M466765
Serial Nr: 9K0286 9K0287 9K1611							
8K9754	Base Edge No Segment Holes	270x35x2920				24	
1U1476	Center	360x30x1403	111	244,8	1"	8	171M462360
1U1475	End	360x30x 756	59,9	132,1	1"	4	171M462370
Serial Nr: 7V6825 9V0970							
713631	Base Edge With Segment Holes	300x40x2925				30	
7V6844	Base Edge No Segment Holes	300x40x2925				18	
1U1909	Center	360x30x1260	94,1	207,5	1 1/4"	3	171M463910
3G6395	End	510x35x 200	25,3	55,8	1 1/4"	3	171M462270
135-9533	16" Center	400x35x1260	126,5	278,9	1 1/4"	3	171M463915
100-4044	22" End	560x40x 200	32,2	71,0	1 1/4"	3	171M462275
100-6664	Segment	360x30x 255	19,6	43,2	1 1/4"	2	171M498560
140-6869	Heavy Segment	360x35x 255	21,6	47,6	1 1/4"	2	171M498565
Serial Nr: 6W7793 8R8209 8R6172 9C8299 8R6173							
9V6575	Base Edge With Segment Holes	300x40x3040				30	
7V1490	Base Edge No Segment Holes	300x40x3040				18	
7V0912	Base Edge	300x35x3040				12	
1U0593	Center	360x30x1318	104,9	231,3	1 1/4"	3	171M462260
3G6395	End	510x35x 200	25,3	55,8	1 1/4"	3	171M462270
100-4046	16" Center	400x35x1318	138,5	305,4	1 1/4"	3	171M462265
100-4044	22" End	560x40x 200	32,2	71,0	1 1/4"	3	171M462275
4T6699	Segment	360x30x 270	19,6	43,2	1 1/4"	2	171M465880
140-6868	Heavy Segment	360x35x 270	22,6	49,8	1 1/4"	2	171M465885

# CAT LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 1331698 1331680							
713015	Base Edge With Segment Holes	300x40x3195				30	
100-6668	Center	360x30x1400	104,7	230,9	1 1/4"	3	171M465520
3G6395	End	510x35x 200	25,3	55,8	1 1/4"	3	171M462270
140-6823	Heavy Center	360x35x1400	122,4	269,9	1 1/4"	3	171M465525
167-7430	Heavy End	510x40x 200	28,9	63,7	1 1/4"	3	171M462276
135-9410	16" Center	400x35x1400	134,3	296,1	1 1/4"	3	171M465526
100-4044	22" End	560x40x 200	32,2	71,0	1 1/4"	3	171M462275
100-6666	Segment	360x30x 293	22,8	50,3	1 1/4"	2	171M498580
140-6870	Heavy Segment	360x35x 293	24,9	54,9	1 1/4"	2	171M498585
Serial Nr: 5V7338 5V7339							
6W2989	Base Edge With Segment Holes	280x35x2845				30	
1U2407	Center	360x30x1222	91,2	201,1	1 1/4"	3	171M464240
3G6395	End	510x35x 200	25,3	55,8	1 1/4"	3	171M462270
135-9532	16" Center	400x35x1222	122,6	270,3	1 1/4"		171M464245
100-4044	22" End	560x40x 200	32,2	71,0	1 1/4"	3	171M462275
4T6698	Segment	360x30x 241	17,3	38,1	1 1/4"	2	171M466760
140-6867	Heavy Segment	360x35x 241		0,0	1 1/4"	2	171M466765
Serial Nr: 2Q3073 2Q2922							
6W2993	Spade Nose Base Edge	580x45x3085				22	
4T9185	Center	360x30x 572	41,7	91,9	1 1/4"	4	171M476130
4T9126	Center Right	360x30x 655	48,3	106,5	1 1/4"	3	171M476120
4T9128	End Right	360x30x 637	46,6	102,8	1 1/4"	4	171M476110
4T9125	Center Left	360x30x 655	48,3	106,5	1 1/4"	3	171M476140
4T9127	End Left	360x30x 637	46,6	102,8	1 1/4"	4	171M476150
4T6697	Segment	360x30x 209	15,3	33,7	1 1/4"	2	171M465950
140-6866	Heavy Segment	360x35x 209			1 1/4"	2	171M465955
Serial Nr: 1486908 1486909							
148-6915	Spade Nose Base Edge	615x40x3255				20	
135-9294	Segment	330x40x 300	27,8	61,3	1 1/4"	2	171M498590
Serial Nr: 1486907 1486906							
154-1604	Spade Nose Base Edge	615x40x3255				22	
135-8240	Center	360x35x 578	52	114,7	1 1/4"	4	171M498600
970							
Serial Nr: 9U4834							
713631	Base Edge With Segment Holes	300x40x2925				30	

# CAT LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
1U1909	Center	360x30x1260	94,1	207,5	1 1/4"	3	171M463910
3G6395	End	510x35x 200	25,3	55,8	1 1/4"	3	171M462270
135-9533	16" Center	400x35x1260	126,5	278,9	1 1/4"	3	171M463915
100-4044	22" End	560x40x 200	32,2	71,0	1 1/4"	3	171M462275
100-6664	Segment	360x30x 255	19,6	43,2	1 1/4"	2	171M498560
140-6869	Heavy Segment	360x35x 255	21,6	47,6	1 1/4"	2	171M498565
Serial Nr: 8R8209 9U4833 1270732 1270733							
9V6575	Base Edge With Segment Holes	300x40x3045				30	
7V1490	Base Edge No Segment Holes	300x40x3045				18	
1U0593	Center	360x30x1318	104,9	231,3	1 1/4"	3	171M498610
3G6395	End	510x35x 200	25,3	55,8	1 1/4"	3	171M462270
100-4046	16" Center	400x35x1318	138,5	305,4	1 1/4"	3	171M462265
100-4044	22" End	560x40x 200	32,2	71,0	1 1/4"	3	171M462275
4T6699	Segment	360x30x 270	19,6	43,2	1 1/4"	2	171M465880
140-6868	Heavy Segment	360x35x 270	22,6	49,8	1 1/4"	2	171M465885
Serial Nr: 9U4835 1056113 1270731 1107728 1270730 1270735							
713015	Base Edge With Segment Holes	300x40x3195				30	
100-6668	Center	360x30x1400	104,7	230,9	1 1/4"	3	171M465520
3G6395	End	510x35x 200	25,3	55,8	1 1/4"	3	171M462270
140-6823	Heavy Center	360x35x1400	122,4	269,9	1 1/4"	3	171M465525
167-7430	Heavy End	510x40x 200	28,9	63,7	1 1/4"	3	171M462276
135-9410	16" Center	400x35x1400	134,3	296,1	1 1/4"	3	171M465526
100-4044	22" End	560x40x 200	32,2	71,0	1 1/4"	3	171M462275
100-6666	Segment	360x30x 293	22,8	50,3	1 1/4"	2	171M498580
140-6870	Heavy Segment	360x35x 293	24,9	54,9	1 1/4"	2	171M498585
972							
Serial Nr: 1311681							
9V6575	Base Edge With Segment Holes	300x40x3040				30	
7V1490	Base Edge No Segment Holes	300x40x3040				18	
1U0593	Center	360x30x1318	104,9	231,3	1 1/4"	3	171M498610
3G6395	End	510x35x 200	25,3	55,8	1 1/4"	3	171M462270
100-4046	16" Center	400x35x1318	138,5	305,4	1 1/4"	3	171M462265
100-4044	22" End	560x40x 200	32,2	71,0	1 1/4"	3	171M462275
4T6699	Segment	360x30x 270	19,6	43,2	1 1/4"	2	171M465880
140-6868	Heavy Segment	360x35x 270	22,6	49,8	1 1/4"	2	171M465885



# CAT LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 1331700 1331697 1331696 1470444 1470668 1470133							
713015	Base Edge With Segment Holes	300x40x3195				30	
100-6668	Center	360x30x1400	104,7	230,9	1 1/4"	3	171M465520
3G6395	End	510x35x 200	25,3	55,8	1 1/4"	3	171M462270
140-6823	Heavy Center	360x35x1400	122,4	269,9	1 1/4"	3	171M465525
167-7430	Heavy End	510x40x 200	28,9	63,7	1 1/4"	3	171M462276
135-9410	16" Center	400x35x1400	134,3	296,1	1 1/4"	3	171M465526
100-4044	22" End	560x40x 200	32,2	71,0	1 1/4"	3	171M462275
100-6666	Segment	360x30x 293	22,8	50,3	1 1/4"	2	171M498580
140-6870	Heavy Segment	360x35x 293	24,9	54,9	1 1/4"	2	171M498585
Serial Nr: 1486913 1486912 1486908							
148-6915	Spade Nose Base Edge	615x40x3255				20	
135-9294	Segment	330x40x 300	27,8	61,3	1 1/4"	2	171M498590
Serial Nr: 1486911 1486910							
154-1604	Spade Nose						171M352710
135-8240	Center	360x35x 578	52	114,7	1 1/4"	4	171M352713
135-8241	Center Right				1 1/4"		171M352714
135-8242	End Left				1 1/4"		171M352711
135-8243	End Right				1 1/4"		171M352715
135-8244	Center Left				1 1/4"		171M352712
973							
Serial Nr: 5V0517							
6W2982	Base Edge With Segment Holes	300x40x2610				30	
5V0600	Base Edge No Segment Holes	300x40x2610				18	
1U0591	Center	360x30x1330	82,5	181,9	1 1/4"	3	171M498630
3G6395	End	510x35x 200	25,3	55,8	1 1/4"	3	171M462270
4T6697	Segment	360x30x 209	15,3	33,7	1 1/4"	2	171M465950
140-6866	Heavy Segment	360x35x 209			1 1/4"	2	171M465955
Serial Nr: 4V9677							
6W2981	Base Edge With Segment Holes	300x40x2845				30	
1U2406	Center	360x30x1230	91,8	202,4	1 1/4"	3	171M463020
3G6395	End	510x35x 200	25,3	55,8	1 1/4"	3	171M462270
4T6698	Segment	360x30x 240	17,3	38,1	1 1/4"	2	171M466760
140-6867	Heavy Segment	360x35x 240		0,0	1 1/4"	2	171M466765

# CAT LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 5V7305 5V2742							
5G7304	Base Edge With Segment Holes	300x40x2705				30	
5G7303	Base Edge No Segment Holes	300x40x2705				18	
9W8334	Center	360x30x1156	91,8	202,4	1 1/4"	3	171M498640
3G6395	End	510x35x 200	25,3	55,8	1 1/4"	3	171M462270
4T6697	Segment	360x30x 209	15,3	33,7	1 1/4"	2	171M465950
140-6866	Heavy Segment	360x35x 209			1 1/4"	2	171M465955
Serial Nr: 5V7346							
6W2994	Spade Nose Base Edge	500x45x2705				16	
9W3676	Center	400x45x 917	117,9	260,0	1 1/4"	4	171M498650
4T3015	Segment	360x30x 257	19,9	43,9	1 1/4"	2	171M354701
132-1038	Heavy Segment	360x35x 257	21,8	48,1	1 1/4"	2	171M354703
977							
Serial Nr: 5V7349 5V7351							
6W2983	Base Edge With Segment Holes	300x40x2435				30	
1U2408	Center	360x30x1018	80,7	177,9	1 1/4"	3	171M498660
3G6395	End	510x35x 200	25,3	55,8	1 1/4"	3	171M462270
4T6696	Segment	360x30x 191	14,4	31,8	1 1/4"	2	171M498530
140-6865	Heavy Segment	360x35x 191			1 1/4"	2	171M498535
Serial Nr: 2V5683 5V7350							
7V0898	Base Edge No Segment Holes	300x40x2810				18	
1U2409	Center	360x30x1207	95,9	211,5	1 1/4"	3	171M498670
3G6395	End	510x35x 200	25,3	55,8	1 1/4"	3	171M462270
4T6696	Segment	360x30x 191	14,4	31,8	1 1/4"	2	171M498530
140-6865	Heavy Segment	360x35x 191			1 1/4"	2	171M498535
Serial Nr: 5V7348 5V7347							
6W2983	Base Edge With Segment Holes	300x40x2435				30	
1U1478	Center RH	360x30x1419	112,3	247,6	1"	8	171M498680
1U1479	Center LH	360x30x1067	84,4	186,1	1"	6	171M498690
980							
Serial Nr: 9K1415 9K1447 9K1448							
6W2991	Base Edge With Segment Holes	300x40x3180				30	
9V1327	Base Edge	300x40x3180				18	

# CAT LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
4T5273	Center	400x35x1337	138,1	304,5	1 1/4"	3	171M464340
1U0761	End	560x40x 264	42,8	94,4	1 1/4"	3	171M462500
107-8572	Heavy Center	400x40x1337	157	346,2	1 1/4"	3	171M464345
100-4043	Heavy End	560x45x 264	45,8	101,0	1 1/4"	3	171M462505
4T6700	Segment	360x30x 290	21,1	46,5	1 1/4"	2	171M477580
107-8580	Heavy Segment	360x45x 290	31,3	69,0	1 1/4"	2	171M477585
Serial Nr: 9K1415 9K1447 9K1448							
9K1619	Base Edge No Segment Holes	300x45x3270				24	
4T6594	Center	400x35x1537	158,2	348,8	1"	8	171M465611
4T6592	End	400x35x 851	87,7	193,4	1"	4	171M498700
107-8578	Heavy Center	400x45x1537	192,3	424,0	1"	8	171M465612
107-8577	Heavy End	400x45x 851	106,7	235,3	1"	4	171M498705
Serial Nr: 6W7800 8R6478							
9V6574	Base Edge With Segment Holes	300x45x3315				30	
7V4188	Base Edge No Segment Holes	300x45x3315				18	
1U0762	Center	406x35x1406	148,5	327,4	1 1/4"	3	171M462490
1U0761	End	560x40x 264	42,8	94,4	1 1/4"	3	171M462500
100-4047	Heavy Center	400x40x1406	165,3	364,5	1 1/4"	3	171M462495
100-4043	Heavy End	560x45x 264	45,8	101,0	1 1/4"	3	171M462505
136-8758	Extra Heavy Center	400x50x1406	202,2	445,9	1 1/4"	3	171M462496
136-8759	Extra Heavy End	560x50x 264	51,9	114,4	1 1/4"	3	171M462506
4T6700	Segment	360x30x 290	21,1	46,5	1 1/4"	2	171M477580
107-8580	Heavy Segment	360x45x 290	31,3	69,0	1 1/4"	2	171M477585
Serial Nr: 5V7354							
7V0909	Base Edge	300x40x3325				12	
1U0762	Center	406x35x1406	148,5	327,4	1 1/4"	3	171M462490
1U0761	End	560x40x 264	42,8	94,4	1 1/4"	3	171M462500
100-4047	Heavy Center	400x40x1406	165,3	364,5	1 1/4"	3	171M462495
100-4043	Heavy End	560x45x 264	45,8	101,0	1 1/4"	3	171M462505
136-8758	Extra Heavy Center	400x50x1406	202,2	445,9	1 1/4"	3	171M462496
136-8759	Extra Heavy End	560x50x 264	51,9	114,4	1 1/4"	3	171M462506
Serial Nr: 4V1220							
4V1741	Base Edge No Segment Holes	300x45x3375				24	
4T6589	Center	400x35x1667	171,8	378,8	1"	8	171M464740
4T6590	End	400x35x 857	88,3	194,7	1"	4	171M468130

# CAT LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
107-8574	Heavy Center	400x45x1667	208,9	460,6	1"	8	171M464745
107-8575	Heavy End	400x45x 857	107,5	237,0	1"	4	171M468135
Serial Nr: 1339562 1339563 1339654 1231410 1231408 1119736							
111-9770	Base Edge With Segment Holes	300x45x3405				30	
109-9212	Center	406x35x1448	153	337,4	1 1/4"	3	171M470160
1U0761	End	560x40x 264	42,8	94,4	1 1/4"	3	171M462500
109-9230	Heavy Center	400x40x1448	170,9	376,8	1 1/4"	3	171M470165
100-4043	Heavy End	560x45x 264	45,8	101,0	1 1/4"	3	171M462505
109-9019	Segment	360x30x 318	24,8	54,7	1 1/4"	2	171M498710
135-8219	Heavy Segment	360x45x 318	34,2	75,4	1 1/4"	2	171M498715
Serial Nr: 2Q2827 2Q2066 2Q2067							
9V3561	Spade Nose Base Edge	650x45x3375				18	
4T7141	Center	406x35x 621	63,8	140,7	1 1/4"	4	171M498720
4T3015	Segment	360x30x 257	19,9	43,9	1 1/4"	2	171M354701
107-8586	Heavy Center	400x45x 621	82,9	182,8	1 1/4"	4	171M498725
107-8582	Heavy Segment	360x45x 257	27,4	60,4	1 1/4"	2	
Serial Nr: 1352959 1369033 1133254							
113-9942	Spade Nose Base Edge	645x45x3495				25	
109-9123	Center	406x35x 634	65,1	143,5	1 1/4"	5	171M479752
9W5734	Segment	483x35x 311	38	83,8	1 1/4"	3	171M354761
107-3490	Heavy Segment	483x45x 311	45,7	100,8	1 1/4"	3	
988							
Serial Nr: 6W7804							
4E6085	Base Edge With Segment Holes	300x45x3560				30	
9W1375	Center	406x35x1524	161,1	355,2	1 1/4"	3	171M472460
1U0761	End	560x40x 264	42,8	94,4	1 1/4"	3	171M462500
9W1375-13	Heavy Center	400x40x1524	182,4	402,2	1 1/4"	3	171M472465
100-4043	Heavy End	560x45x 264	45,8	101,0	1 1/4"	3	171M462505
4T6700	Segment	360x30x 290	21,1	46,5	1 1/4"	2	171M477580
107-8580	Heavy Segment	360x45x 290	31,3	69,0	1 1/4"	2	171M477585
Serial Nr: 3V0200 9V1345							
3V0187	Base Edge No Segment Holes	300x45x3645				18	
4T6588	Center	406x35x1210	126,6	279,2	1"	6	171M498730
4T6588-13	Heavy Center	400x40x1210	151,2	333,4	1"	6	171M498735

# CAT LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 9U3744 1456499							
9U3748	Base Edge With Segment Holes	300x45x3690				30	
104-5841	Center	406x35x1584	166,5	367,1	1 1/4"	3	171M498740
1U0761	End	560x40x 264	42,8	94,4	1 1/4"	3	171M462500
183-5325	Heavy Center	400x40x1584	186,4	411,0	1 1/4"	3	171M498745
100-4043	Heavy End	560x45x 264	45,8	101,0	1 1/4"	3	171M462505
138-6540	Segment	330x35x 372	30,7	67,7	1 1/4"	2	171M498750
183-5324	Heavy Segment	330x45x 372			1 1/4"	2	171M498755
Serial Nr: 9V3564 4E0062 1111509 1456496 2Q3930							
8R4649	Spade Nose Base Edge	705x50x3645				31	
9W5733	Center	483x35x 706	87,3	192,5	1 1/4"	5	171M498760
106-1096	Heavy Center	483x45x 706	105,8	233,3	1 1/4"	5	171M498765
9W5734	Segment	483x35x 311	38	83,8	1 1/4"	3	171M354761
107-3490	Heavy Segment	483x45x 311	45,7	100,8	1 1/4"	3	
Serial Nr: 5V1223 9V0218 9V1343 9V6603 5V1222 9V0217							
9C2932	Base Edge With Segment Holes	330x50x3645				21	
9V0232	Base Edge No Holes	330x50x3645					
9W8250	Center	483x35x1464	184,8	407,5	1 1/4"	3	171M498770
9W8249	End	483x35x1105	138,6	305,6	1 1/4"	4	171M498780
9W8250-13	Heavy Center	483x40x1464	206,3	454,9	1 1/4"	3	171M498775
9W8249-13	Heavy End	483x40x1105	155,9	343,8	1 1/4"	4	171M498785
9W5734	Segment	483x35x 311	38	83,8	1 1/4"	3	171M354761
107-3490	Heavy Segment	483x45x 311	45,7	100,8	1 1/4"	3	
Serial Nr: 9U4191 1456506 9U4719 145600 4E6470 1069821							
4E7616	Spade Nose Base Edge	655x50x3770				27	
9U4713	Spade Nose Edge No Holes	725x50x3770					
101-9350	Center	483x40x1330	187,1	412,6	1 1/4"	9	171M498790
107-3540	Heavy Center	483x50x1330	236,3	521,0	1 1/4"	9	171M498795
101-9435	Segment	483x40x 346	48,3	106,5	1 1/4"	3	171M498800
107-3536	Heavy Segment	483x45x 346	52	114,7	1 1/4"	3	171M498805
Serial Nr: 1450354 1456495 1456503							
132-3117	Spade Nose Base Edge for Segment					21	
101-9435	Segment	483x40x 346	48,3	106,5	1 1/4"	3	171M498800
107-3536	Heavy Segment	483x45x 346	52	114,7	1 1/4"	3	171M498805

# CAT LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 9U4187 2Q3968 1456507 4E8102 9U4193 1456497							
4E8112	Base Edge	350x50x3775				21	
2Q3133	Base Edge No Holes	350x50x3775					
101-9350	Center	483x40x1330	187,1	412,6	1 1/4"	9	171M498790
102-2184	End	483x40x1251	177,6	391,6	1 1/4"	6	171M469300
107-3540	Heavy Center	483x50x1330	236,3	521,0	1 1/4"	9	171M498795
107-3541	Heavy End	483x50x1251	223,9	493,7	1 1/4"	6	171M469305
101-9435	Segment	483x40x 346	48,3	106,5	1 1/4"	3	171M498800
107-3536	Heavy Segment	483x45x 346	52	114,7	1 1/4"	3	171M498805
Serial Nr: 1495910							
146-6302	Spade Nose Base Edge	655x50x3825				27	
9W5734	Segment	483x35x 311	38	83,8	1 1/4"	3	171M354761
107-3490	Heavy Segment	483x45x 311	45,7	100,8	1 1/4"	3	
Serial Nr: 1751451							
136-6176	Spade Nose Base Edge for Segments					27	
101-9435	Segment	483x40x 346	48,3	106,5	1 1/4"	3	171M498800
107-3536	Heavy Segment	483x45x 346	52	114,7	1 1/4"	3	171M498805
Serial Nr: 1946256							
149-5915	Spade Nose Base Edge	700x50x3965				34	
9W5734	Segment	483x35x 311	38	83,8	1 1/4"	3	171M354761
9W5733	Center	483x35x 706	87,3	192,5	1 1/4"	5	171M498760
107-3490	Heavy Segment	483x45x 311	45,7	100,8	1 1/4"	3	
106-1096	Heavy Center	483x45x 706	105,8	233,3	1 1/4"	5	171M498765
Serial Nr: 1456507 2Q7052							
2Q7018	Spade Nose Base Edge	695x65x3860				28	
4T6760	Segment	590x40x 411	70,9	156,3	1 1/4"	4	171M498810
107-3530	Heavy Segment	590x50x 411	88,9	196,0	1 1/4"	4	171M498815
990							
Serial Nr: 9U2027 4E9885							
4E9915	Spade Nose Base Edge	800x65x4450				36	
106-6420	Center	660x40x 828	162,3	357,9	1 1/4"	6	171M498820
4T6760	Segment	590x40x 411	70,9	156,3	1 1/4"	4	171M498810
Serial Nr: 1019181 1019180							
101-9186	Base Edge With Segment Holes	440x65x4450				28	

# CAT LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
106-6377	Center	590x40x 810	141,5	312,0	1 1/4"	5	171M498830
106-6378	End	590x40x1430	250,3	551,9	1 1/4"	8	171M498840
4T6760	Segment	590x40x 411	70,9	156,3	1 1/4"	4	171M498810
107-3530	Heavy Segment	590x50x 411	88,9	196,0	1 1/4"	4	171M498815
107-6294	Extra Heavy Segment	590x60x 411	104,3	230,0	1 1/4"	4	171M498816
Serial Nr: 2Q4239 2Q4246							
2Q4247	Spade Nose Base Edge	880x65x4610				36	
4T6760	Segment	590x40x 411	70,9	156,3	1 1/4"	4	171M498810
107-3530	Heavy Segment	590x50x 411	88,9	196,0	1 1/4"	4	171M498815
107-6294	Extra Heavy Segment	590x60x 411	104,3	230,0	1 1/4"	4	171M498816
Serial Nr: 9V3572 9U3014 7I3331 9U3014							
4E6462	Spade Nose Base Edge	920x65x4750				38	
6I8364	Center	664x40x 884	174,6	385,0	1 1/4"	6	171M498850
127-7429	Heavy Center	664x50x 884	200	441,0	1 1/4"	6	171M498855
4T6760	Segment	590x40x 411	70,9	156,3	1 1/4"	4	171M498810
107-3530	Heavy Segment	590x50x 411	88,9	196,0	1 1/4"	4	171M498815
Serial Nr: 9V3568 4E8622							
9V3566	Spade Nose Base Edge	840x65x4750				28	
4T6760	Segment	590x40x 411	70,9	156,3	1 1/4"	4	171M498810
107-3530	Heavy Segment	590x50x 411	88,9	196,0	1 1/4"	4	171M498815
107-6294	Extra Heavy Segment	590x60x 411	104,3	230,0	1 1/4"	4	171M498816
Serial Nr: 8X1491 8X0807							
8X0809	Spade Nose Base Edge	937x75x5650				40	
8E3157	Segment	700x50x 445	112,7	248,5	1 1/4"	5	171M498860

# DAEWOO LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
MEGA 200							
Serial Nr: 97,25"							
200X97BASE	Base Edge	200x25x2470				16	
200X6OCTR	Center	250x25x1522	69,2	152,59	5/8"	4	171M499460
200X185END	End	250x25x 470	21,3	46,97	5/8"	2	171M499470
MEGA 250							
Serial Nr: 108"							
250-3BASE	Base Edge	285x25x2740				18	
250-3CTR	Center	300x25x1627	89,8	198,01	5/8"	6	171M499480
250-3END	End	300x25x 559	30,8	67,91	5/8"	2	171M499490
MEGA 300							
Serial Nr: 115"							
300-3CTR	Base Edge	380x40x1790				4	
300-3END	End	380x40x 562	62,3	137,37	1"	2	171M499500
MEGA 400							
Serial Nr: 126"							
400-3CTR	Base Edge	300x45x2200				7	
400-3END	End	380x40x 495	54,8	120,83	7/8"	2	171M499510
Dressta/Dresser/International/Hough Loader							
512							
41670A1120	Base Edge						
4168151310	Center	250x25x1330	60,3	132,96	3/4"	4	171M499520
4168151320	End	250x25x 533	24,1	53,14	3/4"	2	171M499530
515							
943013C1	Base Edge	150x20x2390				16	
4604442H1	Center	250x25x1214	55	121,28	3/4"	4	171M499540
518							
41770A1150	Base Edge						
4178151210	Center	250x25x1360	61,4	135,39	7/8"	4	171M499550
4178151220	End	250x25x 536	24,1	53,14	7/8"	2	171M499560
520							
1261104H1	Base Edge	250x25x2590				16	
1261190H1	Center	300x25x1470	80,9	178,38	1"	4	171M499570
1261189H1	End	300x25x 556	30,5	67,25	1"	2	171M499580
1137506C1	Base Edge	250x25x2440				16	



# DAEWOO LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
1138017C1	Center	200x25x1359	48,1	106,06	1"	4	171M499590
1138016C1	End	200x25x 533	18,8	41,45	1"	2	171M499600
525							
4197012122	Base Edge	250x30x2685				14	
418815A110	Center	330x30x1492	108,5	239,24	1"	4	171M499610
419815A120	End	330x30x 590	42,8	94,37	1"	2	171M499620
4198151111	Optional center	330x30x1701	123,9	273,20	1"	4	171M499630
4198151121	Optional end	330x30x 489	35,4	78,06	1"	2	171M499640
530							
1218657H1	Base Edge	330x35x2620				16	
1218754H1	Center	250x30x1476	79,5	175,30	1"	4	171M499650
1218753H1	End	250x30x 559	30	66,15	1"	2	171M499660
1109418C3	Base Edge	330x40x2630				25	
1122885C1	Center	250x25x1086	57,9	127,67	3/4"	7	171M499670
1122884C1	End	250x25x 756	40,3	88,86	3/4"	5	171M499680
532							
4197012221	Base Edge	250x30x2740				14	
419815A110	Center	330x30x1542	112,2	247,40	1"	4	171M499690
419815A120	End	330x30x 590	42,8	94,37	1"	2	171M499620
538							
4247012220	Base Edge	230x35x2905				24	
423815A110	Center	330x30x1626	117,8	259,75	7/8"	6	171M499710
423815A120	End	330x30x 635	45,6	100,55	7/8"	4	171M499700
424815A140	Optional center	330x30x1748	126,8	279,59	7/8"	6	171M499720
424815A130	Optional end	330x30x 575	41,1	90,63	7/8"	4	171M499730
540							
1172674C1	Base Edge	330x30x2900				16	
1129402C1	Center	200x25x1667	59,1	130,32	1"	4	171M499740
1129401C1	End	250x30x 610	32,8	72,32	1"	2	171M499750
1108018C2	Base Edge	330x45x2910				28	
1122887C1	Center	250x30x1364	72,2	159,20	7/8"	9	171M499760
1122886C1	End	250x30x 745	39,4	86,88	7/8"	5	171M499770
1221559H1	Base Edge	300x30x2975				16	
1221562H1	Center	330x25x1702	103,8	228,88	1"	4	171M499780
1221561H1	End	330x25x 623	37,9	83,57	1"	2	171M499790

# DAEWOO LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
542							
424815A120	Center	330x30x1865	134,4	296,35	7/8"	10	171M499800
424815A110	End	330x30x 595	42,7	94,15	7/8"	4	171M499810
421815A120	Optional center	330x30x1979	143,3	315,98	7/8"	8	171M499820
4218151121	Optional end	330x30x 548	39,2	86,44	7/8"	4	171M499830
545							
4217012122	Base Edge	230x35x3050				27	
424815A110	End	330x30x 595	42,7	94,15	7/8"	4	171M499810
421815A110	Center	330x30x 1979	142,7	314,65	7/8"	10	171M499840
4218152110	Optional center	330x30x2070	149,9	330,53	7/8"	8	171M499850
4218151121	Optional end	330x30x 548	39,2	86,44	7/8"	4	171M499830
550							
1136619C1	Base Edge	250x40x3300				16	
1137228C1	Center	330x40x1872	179,5	395,80	1"	4	171M499860
1137227C1	End	330x40x 710	67,8	149,50	1"	2	171M499870
558							
4257012321	Base Edge	250x40x3400				38	
425815A310	Center	400x30x2065	183,6	404,84	1"	8	171M499880
425815A320	End	400x30x 660	58,3	128,55	1"	4	171M499890
425815A210	Optional two piece center	400x30x1030	91,6	201,98	1"	4	171M499900
4258381110	Segment	400x30x 285	24,8	54,68	1 1/4"	2	171M499910
562							
4268061120	Base Edge	350x50x3680				22	
426815A110	Center	400x30x 875	77,1	170,01	1 1/4"	4	171M499920
426815A130	End	581x30x 200	25,7	56,67	1 1/4"	2	171M499930

# DRESSTA BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
TD-6							
Serial Nr: 6D							
623993C1	Center	165x16x 911	16,9	37,26	3/4"	6	171M499940
Serial Nr: 6G							
623994C1	Center	165x16x1521	28,3	62,40	3/4"	10	171M499950
TD-7							
Serial Nr: 102"							
623994C1	Center	165x16x1521	28,3	62,40	3/4"	10	171M499950
Serial Nr: 110"							
620563C1	Center	165x16x 759	14,1	31,09	3/4"	5	171M499960
TD-8							
Serial Nr:							
954489R1	Center	165x16x1676	31,2	68,80	3/4"	11	171M499970
Serial Nr:							
620690C1	Center	165x20x 759	17,3	38,15	3/4"	5	171M499980
Serial Nr:							
620563C1	Center	165x16x 759	14,1	31,09	3/4"	5	171M499960
TD-9							
Serial Nr: 9D							
298827R1	Center	165x16x1216	22,6	49,83	3/4"	8	171M499990
Serial Nr: 9D Series B							
623992C1	Center	200x20x1216	34,3	75,63	3/4"	8	171M363000
Serial Nr: 9B							
623993C1	Center	165x16x 911	16,9	37,26	3/4"	6	171M499940
298832R1	Optional One Piece Center	165x16x1826	33,9	74,75	3/4"	12	171M363010
Serial Nr:							
1282468H1	Center	200x20x 756	21,4	47,19	3/4"	5	171M363020
TD-12							
Serial Nr:							
623991C1	Center	200x20x1521	43	94,82	3/4"	10	171M363030

# DRESSTA BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr:							
623992C1	Center	200x20x1216	34,3	75,63	3/4"	8	171M363000
Serial Nr:							
717791C1	Center	200x20x1391	39,3	86,66	3/4"	9	171M363040
Serial Nr:							
1282468H1	Center	200x20x 756	21,4	47,19	3/4"	5	171M363020
Serial Nr:							
623990C1	Center	200x20x 892	25,2	55,57	3/4"	6	171M363050
623989C1	Center	200x20x 778	22	48,51	3/4"	5	171M363060
TD-14							
Serial Nr: 14DN							
298842R1	Center	200x20x1648	46,5	102,53	3/4"	11	171M363070
Serial Nr: 14D							
298844R1	Center	200x20x2134	60,3	132,96	3/4"	14	171M363080
Serial Nr: 14GN							
298846R1	Center	200x20x2438	68,9	151,92	3/4"	16	171M363090
Serial Nr: 14G							
298848R1	Center	200x20x2896	81,8	180,37	3/4"	19	171M363100
TD-15							
Serial Nr: 15D 15D-2 15BD							
623988C1	Center	200x20x 810	22,9	50,49	3/4"	5	171M363110
623987C1	End	200x20x 708	20	44,10	3/4"	5	171M363120
320843R1	Optional One Piece Center	200x20x2229	62,9	138,69	3/4"	15	171M363130
Serial Nr: 15G 15BG 15G-2							
623991C1	Center	200x20x1521	43	94,82	3/4"	10	171M363030
315023R1	Optional One Piece Center	200x25x3045	106,5	234,83	3/4"	20	171M363140
Serial Nr: 15G-1 15G-2 15G-3							
623992C1	Center	200x20x1216	34,3	75,63	3/4"	8	171M363000
Serial Nr: 15D 15D-3							
623990C1	Center	200x20x 892	25,2	55,57	3/4"	6	171M363050

# DRESSTA BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
623989C1	Center	200x20x 778	22	48,51	3/4"	5	171M363060
608082C1	Optional One Piece Center	200x20x2448	69,2	152,59	3/4"	16	171M363150
Serial Nr:							
738530C1	Center	200x25x1549	54,2	119,51	3/4"	10	171M363160
Serial Nr:							
623989C1	Center	200x20x 778	22	48,51	3/4"	5	171M363060
712742C1	End	200x20x1054	29,8	65,71	3/4"	7	171M363170
Serial Nr:							
623990C1	Center	200x20x 892	25,2	55,57	3/4"	6	171M363050
623989C1	Center	200x20x 778	22	48,51	3/4"	5	171M363060
608082C1	Optional One Piece Center	200x20x2448	69,2	152,59	3/4"	16	171M363150
Serial Nr:							
1211642H1	Center	200x20x1013	28,6	63,06	3/4"	7	171M363180
1211941H1	End	200x20x1115	31,5	69,46	3/4"	7	171M363190
Serial Nr:							
1211642H1	Center	200x20x1013	28,6	63,06	3/4"	7	171M363180
623988C1	Center	200x20x 810	22,9	50,49	3/4"	5	171M363110
Serial Nr:							
782211024	Center	200x20x 911	25,7	56,67	3/4"	6	171M363200
782211023	End	200x20x 889	25,1	55,35	3/4"	6	171M363210
TD-18							
Serial Nr: 18D							
623986C1	Center	250x20x 759	27,4	60,42	7/8"	5	171M363220
298856R1	Optional One Piece Center	250x25x2286	101,6	224,03	7/8"	15	171M363230
Serial Nr: 18G							
298857R1	Center	250x25x3048	135,5	298,78	7/8"	20	171M363240
TD-20							
Serial Nr: 20G							
315071R1	Center	250x25x3127	138,9	306,27	7/8"	21	171M363250

# DRESSTA BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 20B 20BD 20D-1 20D-2 20D-3							
623986C1	Center	250x20x 759	27,4	60,42	7/8"	5	171M363220
298856R1	Optional One Piece Center	250x25x2286	101,6	224,03	7/8"	15	171M363230
Serial Nr: 20BG 20G-2 20G-3							
623985C1	Center	250x20x1521	54,9	121,05	7/8"	10	171M363260
Serial Nr:							
623984C1	Center	250x20x1111	40,1	88,42	7/8"	7	171M363270
623983C1	End	250x20x 711	25,6	56,45	7/8"	5	171M363280
608007C1	Optional One Piece Center	250x25x2540	112,9	248,94	7/8"	17	171M363290
Serial Nr: 20D-2 20D-3							
623986C1	Center	250x20x 759	27,4	60,42	7/8"	5	171M363220
646482C1	End	250x25x 886	39,4	86,88	7/8"	6	171M363300
Serial Nr:							
646258C1	Center	250x25x1788	79,4	175,08	7/8"	12	171M363310
Serial Nr:							
734528C1	Center	250x30x1016	53,7	118,41	7/8"	7	171M363320
734529C1	End	250x30x 806	42,7	94,15	7/8"	5	171M363330
Serial Nr:							
645200C1	Center	250x25x1016	45,1	99,45	7/8"	7	171M363340
645201C1	End	250x25x 806	35,9	79,16	7/8"	5	171M363350
711527C1	Center	250x30x1016	53,7	118,41	7/8"	7	171M363360
711528C1	End	250x30x 791	41,9	92,39	7/8"	5	171M363370
TD-24							
Serial Nr: 24D 25D 25D-2 25D-3							
298864R1	Center	250x25x2591	115,2	254,02	7/8"	17	171M363380
Serial Nr: 24D 25D 25D-2 25D-3							
623978C1	Center	250x25x1369	60,9	134,28	7/8"	9	171M363390
299581R1	Optional One Piece Center	250x25x2740	121,8	268,57	7/8"	18	171M363400
Serial Nr: 24G 25G 25G-2 25G-3							
298867R1	Center	250x25x2896	128,8	284,00	7/8"	19	171M363410

# DRESSTA BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 24G 25G 25G-2 25G-3							
623982C1	Center	250x25x1407	62,6	138,03	7/8"	9	171M363420
623981C1	End	250x25x1026	45,6	100,55	7/8"	7	171M363430
298868R1	Optional One Piece Center	250x25x3461	153,8	339,13	7/8"	23	171M363440
TD-25							
Serial Nr:							
623977C1	Center	250x25x2016	89,7	197,79	1"	13	171M363450
Serial Nr:							
623976C1	Center	250x25x1186	52,7	116,20	1"	8	171M363460
623975C1	End	250x25x1246	55,4	122,16	1"	8	171M363470
323667R1	Optional One Piece Center	250x25x3683	163,8	361,18	1"	24	171M363480
Serial Nr:							
623979C1	Center	250x25x1521	67,6	149,06	1"	10	171M363490
711526C1	Heavy Duty Center	250x40x1521	104,4	230,20	1"	10	171M363500
Serial Nr:							
1297572H1	Center	250x25x1183	52,6	115,98	1"	8	171M363510
TD-30							
Serial Nr:							
623977C1	Center	250x25x2016	89,7	197,79	1"	13	171M363450
Serial Nr:							
323666R1	Center	250x25x3194	142	313,11	1"	21	171M363520
Serial Nr:							
623976C1	Center	250x25x1186	52,7	116,20	1"	8	171M363460
623975C1	End	250x25x1246	55,4	122,16	1"	8	171M363470
323667R1	Optional One Piece Center	250x25x3683	163,8	361,18	1"	24	171M363480
TD-40							
Serial Nr:							
730258C1	Center	330x30x1060	75,1	165,60	1 1/4"	7	171M363530
Serial Nr:							
1208121H1	Center	330x35x1216	99,8	220,06	1 1/4"	8	171M363540
1248985H1	Center	330x40x1214	113,1	249,39	1 1/4"	8	171M363550

# DRESSTA BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
TD-340							
Serial Nr:							
623994C1	Center	165x16x1521	28,3	62,40	3/4"	10	171M499950
500 510 511 512							
Serial Nr:							
623994C1	Center	165x16x1521	28,3	62,40	3/4"	10	171M499950
Serial Nr:							
677423R1	Center	165x16x1749	32,5	71,66	3/4"	12	171M363560
D-100							
Serial Nr:							
298856R1	Center	250x25x2286	101,6	224,03	7/8"	15	171M363230
Serial Nr:							
197896H1	Center	250x25x3200	141,5	312,01	7/8"	25	171M363570
D-120							
Serial Nr:							
623978C1	Center	250x25x1368	60,8	134,06	7/8"	9	171M363390
299581R1	Optional One Piece Center	250x25x2740	121,8	268,57	7/8"	18	171M363400
Serial Nr:							
197896H1	Center	250x25x3200	141,5	312,01	7/8"	25	171M363570
D-400							
Serial Nr:							
623980C1	Center	250x25x1521	67,6	149,06	7/8"	10	171M363580
284870R1	Optional One Piece Center	250x25x3045	135,4	298,56	7/8"	20	171M363590
Serial Nr:							
323666R1	Center	250x25x3194	142	313,11	1"	21	171M363520
D-500							
Serial Nr:							
623980C1	Center	250x25x1521	67,6	149,06	7/8"	10	171M363580
284870R1	Optional One Piece Center	250x25x3045	135,4	298,56	7/8"	20	171M363590
Serial Nr:							
323666R1	Center	250x25x3194	142	313,11	1"	21	171M363520



# HYUNDAI BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
H70							
65D1-20370	Center	150x16x 911	15,2	33,52	3/4"	6	171M363600
H80							
65D1-20370	Center	150x16x 911	15,2	33,52	3/4"	6	171M363600

# HYUNDAI LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
HL17							
61L3-0175	Center	280x25x1136	58,2	128,33	3/4"	3	171M363610
61L3-0174	End	280x25x 643	32,9	72,54	3/4"	2	171M363620
HL25							
61L4-01111	Center	350x35x1223	109,8	242,11	7/8"	3	171M363630
61L1-3039	End	475x45x 176	26,7	58,87	7/8"	2	171M363640
HL35							
61L1-30381	Center	350x35x1368	121,4	267,69	7/8"	7	171M363650
64L1-00710	End	475x35x 176	21,2	46,75	1"	2	171M363660
61L1-3039	Optional HD End	475x45x 176	26,7	58,87	7/8"	2	171M363640
HL730							
61L8-20170	Center	260x25x 1045	49,4	108,93	3/4"	3	171M363670
61L7-20040	End	320x25x 150	8,6	18,96	3/4"	2	171M363680
61LG-00360	Center	270x25x1081	53,1	117,09	3/4"	4	171M363690
61LG-00370	End	390x25x 138	9,8	21,61	3/4"	2	171M363700
HL740							
61L7-20030	Center	260x25x1119	53	116,87	3/4"	3	171M363710
61L7-20040	End	320x25x 150	8,6	18,96	3/4"	2	171M363680
61LF-00330	Center	290x25x1139	60,5	133,40	3/4"	4	171M363720
61LD-00370	End	410x25x 130	9,7	21,39	3/4"	2	171M363730
HL750							
64L3-40030	Center	260x25x1144	54,2	119,51	3/4"	3	171M363740
61L7-20040	End	320x25x 150	8,6	18,96	3/4"	2	171M363680
HL757							
61LD-00360	Center	290x25x1234	65,4	144,21	3/4"	5	171M363750
61LD-00370	End	410x25x 130	9,7	21,39	3/4"	2	171M363730
HL760							
61L1-30381	Center	350x35x1368	121,4	267,69	7/8"	7	171M363650
64L1-00710	End	475x35x 176	21,2	46,75	1"	2	171M363660
61L1-3039	Optional HD End	475x45x 176	26,7	58,87	7/8"	2	171M363640
64L4-01310	Center	350x25x1268	81,5	179,71	7/8"	7	171M363760
64L1-00710	End	475x35x 176	21,2	46,75	1"	2	171M363660

# HYUNDAI LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
61L1-3039	Optional HD End	475x45x 176	26,7	58,87	7/8"	2	171M363640
61LC-00340	Center	330x35x1268	106,1	233,95	1"	5	171M363770
61LB-00370	End	455x35x 176	20,3	44,76	1"	2	171M363780
HL770							
64L1-00350	Center	350x35x1443	128,2	282,68	7/8"	7	171M363790
64L1-00710	End	475x35x 176	21,2	46,75	1"	2	171M363660
61L1-3039	Optional HD End	475x45x 176	26,7	58,87	7/8"	2	171M363640
61L1-30381	Center	350x35x1368	121,4	267,69	7/8"	7	171M363650
64L1-00710	End	475x35x 176	21,2	46,75	1"	2	171M363660
61L1-3039	Optional HD End	475x45x 176	26,7	58,87	7/8"	2	171M363640
61LB-00360	Center	330x35x1368	114,6	252,69	1"	5	171M363800
61LB-00370	End	455x35x 176	20,3	44,76	1"	2	171M363780
HL780							
61L6-00302	Center	350x40x1529	154,9	341,55	1 1/4"	5	171M363810
61L6-00311	End	490x40x 190	26,3	57,99	1 1/4"	3	171M363820

# JOHN DEERE BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
450							
Serial Nr: 90"							
U16748	Center	150x16x1673	28,2	62,2	3/4"	7	171M495710
Serial Nr: 96"							
T32742	Center	150x16x1826	30,8	67,9	3/4"	7	171M495700
Serial Nr: 106"							
U16814	Center	150x16x2080	35	77,2	3/4"	9	171M363830
Serial Nr: 90"							
T127297	Center	200x20x1616	46,1	101,7	3/4"	7	171M363840
Serial Nr: 97"							
T120979	Center	200x20x1794	51,3	113,1	3/4"	7	171M363850
Serial Nr: 115"							
T140560	Center	200x20x2251	64,3	141,8	3/4"	9	171M495930
Serial Nr: 121"							
T120981	Center	200x20x2403	68,7	151,5	3/4"	9	171M495940
Serial Nr: 124"							
T172943	Center	200x20x2480	70,9	156,3	3/4"	9	171M495720
550							
Serial Nr: 90"							
U16748	Center	150x16x1673	28,2	62,2	3/4"	7	171M495710
Serial Nr: 96"							
T32742	Center	150x16x1826	30,8	67,9	3/4"	7	171M495700
Serial Nr: 106"							
U16814	Center	150x16x2080	35	77,2	3/4"	9	171M363830
Serial Nr: 97"							
T120979	Center	200x20x1794	51,3	113,1	3/4"	7	171M363850
Serial Nr: 105"							
T120980	Center	200x20x1997	57,1	125,9	3/4"	7	171M495950

# JOHN DEERE BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 115"							
T140560	Center	200x20x2251	64,3	141,8	3/4"	9	171M495930
Serial Nr: 121"							
T120981	Center	200x20x2403	68,7	151,5	3/4"	9	171M495940
Serial Nr: 128"							
T155646	Center	200x20x2606	74,6	164,5	3/4"	9	171M495730
650							
Serial Nr: 97"							
T120979	Center	200x20x1794	51,3	113,1	3/4"	7	171M363850
Serial Nr: 105"							
T120980	Center	200x20x1997	57,1	125,9	3/4"	7	171M495950
Serial Nr: 115"							
T140560	Center	200x20x2251	64,3	141,8	3/4"	9	171M495930
Serial Nr: 121"							
T120981	Center	200x20x2403	68,7	151,5	3/4"	9	171M495940
Serial Nr: 128"							
T155646	Center	200x20x2606	74,6	164,5	3/4"	9	171M495730
700							
Serial Nr: 120"							
T224178	Center	200x20x2378	68	149,9	3/4"	9	171M363860
T162841	Level Cut End Bit LH/RH	200x20x 325	9,1	20,1	3/4"	3	171M368130
Serial Nr: 132"							
T224179	Center	200x20x2683	76,8	169,3	3/4"	9	171M495740
T223520	Level Cut End Bit LH	200x20x 347/282	8,5	18,7	3/4"	6	171M363861
T223519	Level Cut End Bit RH	200x20x 347/282	8,5	18,7	3/4"	6	171M363862
750							
Serial Nr: 96"							
T73281	Center	200x20x1816	51,4	113,3	3/4"	12	171M363870
T58192	Level Cut End Bit LH	200x20x 341/276	8,3	18,3	3/4"	6	171M363871
T58191	Level Cut End Bit RH	200x20x 341/276	8,3	18,3	3/4"	6	171M363872
Serial Nr: 115"							
T79194	Center	200x20x 759	21,5	47,4	3/4"	5	171M363880

# JOHN DEERE BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
T79280	End	200x20x 716	20,2	44,5	3/4"	5	171M363890
T49153	Optional One Piece Center	200x20x2197	62,1	136,9	3/4"	15	171M363900
Serial Nr: 120"							
T79198	Center	200x20x 911	25,8	56,9	3/4"	6	171M363910
T79197	End	200x20x 725	20,5	45,2	3/4"	5	171M363920
T60679	Optional One Piece Center	200x20x2365	66,9	147,5	3/4"	16	171M363930
Serial Nr: 128,5"							
T79194	Center	200x20x 759	21,5	47,4	3/4"	5	171M363880
T79195	End	200x20x 899	25,4	56,0	3/4"	6	171M495960
T68896	Optional One Piece Center	200x20x2562	72,5	159,9	3/4"	17	171M363940
Serial Nr: 132"							
T79196	Center	200x20x1216	34,4	75,9	3/4"	8	171M495970
T79197	End	200x20x 725	20,5	45,2	3/4"	5	171M363920
T62577	Optional One Piece Center	200x20x2670	75,5	166,5	3/4"	18	171M363950
Serial Nr: 146"							
T79196	Center	200x20x1216	34,4	75,9	3/4"	8	171M495970
T79195	End	200x20x 899	25,4	56,0	3/4"	6	171M495960
T58190	Optional One Piece Center	200x20x3016	85,3	188,1	3/4"	20	171M363960
Serial Nr: 150"							
T79192	Center	200x20x1064	30,1	66,4	3/4"	7	171M495750
T79199	End	200x20x1019	28,8	63,5	3/4"	7	171M363970
T65937	Optional One Piece Center	200x20x3108	87,9	193,8	3/4"	21	171M363980
Serial Nr: 126"							
T79192	Center	200x20x1064	30,1	66,4	3/4"	7	171M495750
T79197	End	200x20x 725	20,5	45,2	3/4"	5	171M363920
Serial Nr: 120"							
T79198	Center	200x20x 911	25,8	56,9	3/4"	6	171M363910
T79197	End	200x20x 725	20,5	45,2	3/4"	5	171M363920
Serial Nr: 132"							
T79196	Center	200x20x1216	34,4	75,9	3/4"	8	171M495970

# JOHN DEERE BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
T79197	End	200x20x 725	20,5	45,2	3/4"	5	171M363920
Serial Nr: 144"							
T166169	Center	250x20x1064	38,5	84,9	3/4"	7	171M363990
Serial Nr: 152"							
T79192	Center	200x20x1064	30,1	66,4	3/4"	7	171M495750
T79193	End	200x20x1051	29,7	65,5	3/4"	7	171M495980
Serial Nr: 150"							
T187988	Center	250x20x1216	44,7	98,6	3/4"	8	171M495760
T200759	End	250x20x 810	29,3	64,6	3/4"	5	171M364000
Serial Nr: 156"							
T204082	Center	200x20x 911	25,8	56,9	3/4"	6	171M495780
T204083	End	200x20x1038	29,4	64,8	3/4"	7	171M495770
T204081	Level Cut End Bit LH	200x20x 481/417,5	12,4	27,3	3/4"	6	171M495781
T204080	Level Cut End Bit RH	200x20x 481/417,5	12,4	27,3	3/4"	6	171M495782
850							
Serial Nr: 123"							
T79198	Center	200x20x 911	25,8	56,9	3/4"	6	171M363910
T79200	End	200x20x 738	20,9	46,1	3/4"	5	171M364010
T52751	Optional One Piece Center	200x20x2394	67,7	149,3	3/4"	16	171M364020
Serial Nr: 123"							
T79198	Center	200x20x 911	25,8	56,9	3/4"	6	171M363910
T79194	End	200x20x 759	21,5	47,4	3/4"	5	171M363880
Serial Nr: 152"							
T79192	Center	200x20x1064	30,1	66,4	3/4"	7	171M495750
T79193	End	200x20x1051	29,7	65,5	3/4"	7	171M495980
T58940	Optional One Piece Center	200x20x3169	89,7	197,8	3/4"	21	171M364030
Serial Nr: 138"							
T79199	Center	200x20x1019	28,8	63,5	3/4"	7	171M363970
T79194	End	200x20x 759	21,5	47,4	3/4"	5	171M363880
Serial Nr: 123"							
T79198	Center	200x20x 911	25,8	56,9	3/4"	6	171M363910

# JOHN DEERE BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
T79194	End	200x20x 759	21,5	47,4	3/4"	5	171M363880
Serial Nr: 128"							
T79194	Center	200x20x 759	21,5	47,4	3/4"	5	171M363880
T79195	End	200x20x 899	25,4	56,0	3/4"	6	171M495960
Serial Nr: 146"							
T184052	Center	250x20x 911	32,8	72,3	3/4"	6	171M364040
Serial Nr: 146"							
T187987	Center	250x20x 911	33,5	73,9	3/4"	6	171M495790
T190207	Heavy Center	250x25x 911	40,8	90,0	3/4"	6	171M495795
Serial Nr: 152"							
T79192	Center	200x20x1064	30,1	66,4	3/4"	7	171M495750
T79193	End	200x20x1051	29,7	65,5	3/4"	7	171M495980
Serial Nr: 156"							
T166169	Center	250x20x1064	38,5	84,9	3/4"	7	171M363990
Serial Nr: 158"							
T184055	Center	250x20x1216	43,7	96,4	7/8"	8	171M364050
T184052	End	250x20x 911	32,8	72,3	3/4"	6	171M364040
Serial Nr: 158"							
T187988	Center	250x20x1216	44,7	98,6	3/4"	8	171M495760
T187987	End	250x20x 911	33,5	73,9	3/4"	6	171M495790
T190208	Heavy Center	250x25x1216	54,5	120,2	3/4"	8	171M495765
T190207	Heavy End	250x25x 911	40,8	90,0	3/4"	6	171M495795
Serial Nr: 168"							
T184055	Center	250x20x1216	43,7	96,4	7/8"	8	171M364050
T184056	End	250x20x1038	37,3	82,2	7/8"	7	171M364060
Serial Nr: 168"							
T187988	Center	250x20x1216	44,7	98,6	3/4"	8	171M495760
T187989	End	250x20x1038	37,5	82,7	3/4"	7	171M495800
T187244	Level Cut End Bit LH	250x20x 481/417,5	15,93	35,1	3/4"	6	171M495801
T187243	Level Cut End Bit RH	250x20x 481/417,5	15,93	35,1	3/4"	6	171M495802
T190208	Heavy Center	250x25x1216	54,5	120,2	3/4"	8	171M495765
T190209	Heavy Duty End	250x25x1038	46,5	102,5	3/4"	7	171M495805



# JOHN DEERE BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 130"							
T195673	Center	200x20x 705	19,9	43,9	3/4"	5	171M364070
Serial Nr: 146"							
T187987	Center	250x20x 911	33,5	73,9	3/4"	6	171M495790
T190207	Heavy Center	250x25x 911	40,8	90,0	3/4"	6	171M495795
Serial Nr: 154"							
T187988	Center	250x20x1216	44,7	98,6	3/4"	8	171M495760
T200726	End	250x20x 860	31,1	68,6	3/4"	6	171M364080
Serial Nr: 128"							
T162524	Center	250x20x1229	43,86	96,7	3/4"	8	171M368140
T160425	Level Cut End Bit RH	250x20x467/403,5	15,41	34,0	3/4"	6	171M368150
T160426	Level Cut End Bit LH	250x20x467/403,5	15,41	34,0	3/4"	6	171M368160
950							
AT265034	Center	250x25x 865	38,4	84,7	7/8"	6	171M364090
AT265037	Heavy Duty Center	250x30x 865	45,7	100,8	7/8"	6	171M364095
AT265038	End	250x25x 980	43,7	96,4	7/8"	6	171M364100
AT265039	Heavy Duty End	250x30x 980	52	114,7	7/8"	6	171M364105
1050							
Serial Nr: 165"							
9790891	Center	330x30x1100	79	174,2	1"	7	171M364110
Serial Nr: 170"							
AT278764	End	330x30x1039	74,5	164,3	1"	7	171M364120

# JOHN DEERE LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
244							
Serial Nr: 78,25"							
AT108860	Center	200x20x 925	26,5	58,43	5/8"	3	171M364130
AT108861	End	200x20x 542	15,5	34,18	5/8"	2	171M364140
Serial Nr: 78,25"							
T152355	Base Edge	200x20x1990				14	
T152344	Center	200x20x1350	38,8	85,55	5/8"	4	171M364150
T152342	End	200x20x 313	8,9	19,62	5/8"	2	171M364160
Serial Nr: 1,1M							
AT314223	Base Edge	150x20x2175				10	
AT314212	End	150x16x 400	6,7	14,77	5/8"	2	171M364170
AT314220	Center	150x16x 696	11,7	25,80	5/8"	3	171M364180
304							
Serial Nr: 1,2/1,4 YD							
AT261936	Base Edge	150x20x2100				16	
AT261938	Center	150x20x 666	13,8	30,43	5/8"	3	171M364190
AT261937	End	150x20x 381	7,9	17,42	5/8"	2	171M364200
Serial Nr: 1,1M							
AT314223	Base Edge	150x20x2175				10	
AT314212	End	150x16x 400	6,7	14,77	5/8"	2	171M364170
AT314220	Center	150x16x 696	11,7	25,80	5/8"	3	171M364180
324							
Serial Nr: 1,4 YD							
AT261183	Base Edge	200x20x2200					
AT261184	Center	200x20x 732	21	46,31	3/4"	2	171M364210
Serial Nr: 1,75YD							
AT219301	Base Edge	200x20x2400				22	
AT250430	Center	200x20x 832	23,9	52,70	3/4"	2	171M364220
AT250429	End	200x20x 782	22,4	49,39	3/4"	2	171M364230
344							
Serial Nr: 1,6/2,0YD							
T152653	Base Edge	200x25x2355				16	
AT123070	Center	200x20x1316	37,7	83,13	3/4"	4	171M364240
AT123053	End	200x20x 514	14,7	32,41	3/4"	2	171M364250

# JOHN DEERE LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 2,0YD							
AT219301	Base Edge	200x20x2400				22	
AT250430	Center	200x20x 832	23,9	52,70	3/4"	2	171M364220
AT250429	End	200x20x 782	22,4	49,39	3/4"	2	171M364230
444							
Serial Nr: 1,5YD							
T64320	One Piece Bolt on	200x16x2302	53,4	117,75	5/8"	8	171M364260
Serial Nr: 3YD							
T145946	One Piece Bolt on	250x20x2438	89	196,25	3/4"	7	171M364270
Serial Nr: 1,75YD							
T76968	Center	250x20x1197	43,6	96,14	3/4"	4	171M364280
Serial Nr: 2YD							
T76971	Center	250x20x1249	45,6	100,55	3/4"	4	171M364290
Serial Nr: 1,75/2,25YD							
T120639	Base Edge	250x25x2420				16	
AT123054	Center	200x20x1384	39,7	87,54	3/4"	4	171M364300
AT123053	End	200x20x 514	14,7	32,41	3/4"	2	171M364250
Serial Nr: 2,0/2,5YD							
T156603	Base Edge With Segment Holes	200x25x2420				3	
T156637	Center	250x25x 992	45	99,23	3/4"	3	171M364310
T146672	End	350x25x 206	13,1	28,9	3/4"	3	171M495890
T156635	Segment	250x25x 240	10,7	23,6	3/4"	2	171M364320
Serial Nr: 2,5YD							
T169127	Base Edge	200x25x2420				16	
T162493	Center	250x25x1213	54,3	119,7	3/4"	8	171M364330
Serial Nr: 100,4"							
T157282	Base Edge With Segment Holes	200x25x2550				30	
T157311	Center	250x25x1056	47,9	105,6	3/4"	3	171M364340
T146672	End	350x25x 206	13,1	28,9	3/4"	3	171M495890
T157306	Segment	250x25x 258	11,5	25,4	3/4"	2	171M364350

# JOHN DEERE LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 100,4"							
T169142	Base Edge	200x25x2550				16	
T147931	Center	330x30x 911	65,4	144,2	1"	6	171M364360
T159917	End	330x30x 810	58,3	128,6	1"	5	171M364370
Serial Nr: 2,25YD							
T149466	Base Edge With Segment Holes	200x25x2550				32	
T101255	Base Edge	200x25x2550				18	
T146673	Center	250x25x1054	47,8	105,4	3/4"	3	171M364380
T146672	End	350x25x 206	13,1	28,9	3/4"	3	171M495890
T149468	Segment	250x25x 254	11,3	24,9	3/4"	2	171M364390
544							
Serial Nr: 2YD							
T76971	Center	250x20x1249	45,6	100,55	3/4"	4	171M364290
Serial Nr: 3YD							
T145946	One Piece Bolt on	250x20x2438	89	196,25	3/4"	7	171M364270
Serial Nr: 1,5YD							
T64320	One Piece Bolt on	200x16x2302	53,4	117,75	5/8"	8	171M364260
Serial Nr: 1,75YD							
T76968	Center	250x20x1197	43,6	96,14	3/4"	4	171M364280
Serial Nr: 3YD							
T84184	One Piece Bolt on	250x20x2651	96,6	213,0	3/4"	10	171M364400
Serial Nr: 2,25/2,5YD							
T149466	Base Edge With Segment Holes	200x25x2550				32	
T101255	Base Edge	200x25x2550				18	
T146673	Center	250x25x1054	47,8	105,4	3/4"	3	171M364380
T146672	End	350x25x 206	13,1	28,9	3/4"	3	171M495890
T149468	Segment	250x25x 254	11,3	24,9	3/4"	2	171M364390
Serial Nr: 2,5YD							
T169142	Base Edge	200x25x2550				16	
T147931	Center	330x30x 911	65,4	144,2	1"	6	171M364360
T159917	End	330x30x 810	58,3	128,6	1"	5	171M364370

# JOHN DEERE LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 2,625/3,0YD							
T157282	Base Edge With Segment Holes	200x25x2550				30	
T157311	Center	250x25x1056	47,9	105,6	3/4"	3	171M364340
T146672	End	350x25x 206	13,1	28,9	3/4"	3	171M495890
T157306	Segment	250x25x 258	11,5	25,4	3/4"	2	171M364350
Serial Nr: 3,0YD							
T157465	Base Edge With Segment Holes	200x25x2685				30	
T157492	Center	250x25x1124	51	112,5	3/4"	3	171M495910
T146672	End	350x25x 206	13,1	28,9	3/4"	3	171M495890
T157493	Segment	250x25x 278	12,4	27,3	3/4"	2	171M495900
Serial Nr: 3,0YD							
T169128	Base Edge	200x25x2690				17	
T148082	Center	330x30x1064	76,4	168,5	1"	7	171M364410
T159917	End	330x30x 810	58,3	128,6	1"	5	171M364370
624							
Serial Nr: 2,625/3,0YD							
T149467	Base Edge With Segment Holes	250x25x2585				32	
T102646	Base Edge	250x25x2585				18	
T102695	Center	250x25x1073	48,7	107,4	3/4"	3	171M364420
T146672	End	350x25x 206	13,1	28,9	3/4"	3	171M495890
T149468	Segment	250x25x 254	11,3	24,9	3/4"	2	171M364390
Serial Nr: 2,625/3,0YD							
T129782	Base Edge	250x25x2585				18	
T129787	Center	320x25x1432	84,6	186,5	3/4"	4	171M364430
T129786	End	320x25x 567	33,2	73,2	3/4"	4	171M495990
Serial Nr: 3,25YD							
T159674	Base Edge	250x25x2585				17	
T148082	Center	330x30x1064	76,4	168,5	1"	7	171M364410
T159916	End	330x30x 759	54,5	120,2	1"	5	171M364440
Serial Nr: 3/3,5YD							
T157465	Base Edge With Segment Holes	200x25x2685				30	
T157492	Center	250x25x1124	51	112,5	3/4"	3	171M495910
T157493	Segment	250x25x 278	12,4	27,3	3/4"	2	171M495900

# JOHN DEERE LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
T159917	End	330x30x 810	58,3	128,6	1"	5	171M364370
Serial Nr: 3,5YD							
T169128	Base Edge	200x25x2690				17	
T148082	Center	330x30x1064	76,4	168,5	1"	7	171M364410
T159917	End	330x30x 810	58,3	128,6	1"	5	171M364370
644							
Serial Nr: 2,5YD							
T26809	Base Edge	200x25x2600				10	
T84184	One Piece Bolt on	250x20x2651	96,6	213,0	3/4"	10	171M364400
Serial Nr: 2,5/3,0YD							
T76976	Center	300x25x 992	54,4	120,0	7/8"	4	171M496000
T76975	End	300x25x 849	46,6	102,8	7/8"	3	171M364450
Serial Nr: 2,5YD							
T76979	Center RH	300x25x1497	82,3	181,5	7/8"	5	171M364460
T76980	Center LH	300x25x1197	65,8	145,1	7/8"	4	171M364470
T65268	Optional three piece center	300x25x 897	49,4	108,9	3/4"	3	171M364480
Serial Nr: 109"							
T144321	Base Edge With Segment Holes	250x35x2780				30	
T101923	Base Edge	250x35x2780				18	
T101939	Center	250x25x1143	51,8	114,2	1"	3	171M496010
T101940	End	387x25x 232	16,3	35,9	1"	3	171M496020
T144577	Segment	250x25x 292	13	28,7	1"	2	171M364490
Serial Nr: 112"							
T148684	Base Edge With Segment Holes	250x35x2850				30	
T123976	Base Edge	250x35x2850				18	
T123988	Center	250x25x1178	53,4	117,7	1"	3	171M364500
T101940	End	387x25x 232	16,3	35,9	1"	3	171M496020
T144577	Segment	250x25x 292	13	28,7	1"	2	171M364490
Serial Nr: 112"							
T130080	Base Edge	250x35x2850				18	
T130078	Center	350x35x1597	143,7	316,9	1"	4	171M496030
T130079	End	350x35x 617	54,8	120,8	1"	4	171M496040

# JOHN DEERE LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 112"							
T159635	Base Edge	250x35x2850				18	
T147932	Center	330x30x1216	87,3	192,5	1"	8	171M364510
T159917	End	330x30x 810	58,3	128,6	1"	5	171M364370
Serial Nr: 3,5/4,3YD							
T167802	Base Edge With Segment Holes	250x35x2900				30	
T167828	Center	360x30x1207	96,4	212,6	1"	3	171M495880
T167829	End	480x30x 233	24,6	54,2	1"	3	171M495870
T209345	Optional center	360x35x1207	111,9	246,7	1"	3	171M495885
T167850	Segment	350x25x 300	19,2	42,3	1"	2	171M364520
Serial Nr: 4,5YD							
T171165	Base Edge With Segment Holes	250x35x3040				30	
T171386	Center	360x30x1277	102	224,9	1"	3	171M496050
T167829	End	480x30x 233	24,6	54,2	1"	3	171M495870
T209348	Optional center	360x35x1277	118,5	261,3	1"	3	171M495860
T167850	Segment	350x25x 300	19,2	42,3	1"	2	171M364520
Serial Nr: 4,3YD							
T169129	Base Edge	250x35x2900				19	
T148082	Center	330x30x1064	76,4	168,5	1"	7	171M364410
T147931	End	330x30x 911	65,4	144,2	1"	6	171M364360
724							
Serial Nr: 4,75YD							
T171165	Base Edge With Segment Holes	250x35x3040				30	
T171386	Center	360x30x1277	102	224,9	1"	3	171M496050
T167829	End	480x30x 233	24,6	54,2	1"	3	171M495870
T209348	Optional center	360x35x1277	118,5	261,3	1"	3	171M495860
T167850	Segment	350x25x 300	19,2	42,3	1"	2	171M364520
Serial Nr: 5,0/6,0/7,0YD							
T167802	Base Edge With Segment Holes	250x35x2900				30	
T167828	Center	360x30x1207	96,4	212,6	1"	3	171M495880
T167829	End	480x30x 233	24,6	54,2	1"	3	171M495870
T209345	Optional center	360x35x1207	111,9	246,7	1"	3	171M495885
T167850	Segment	350x25x 300	19,2	42,3	1"	2	171M364520

# JOHN DEERE LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
744							
Serial Nr: 4,25/5,0YD							
T156031	Base Edge With Segment Holes	300x40x3040				30	
AT139630	Base Edge No Segment Holes	300x40x3040				18	
AT139623	Center	400x40x1270	149,1	328,8	1 1/4"	3	171M364530
AT139622	End	558x40x 242	38,9	85,8	1 1/4"	3	171M495850
T144578	Segment	330x35x 298	24,4	53,8	1 1/4"	2	171M364540
Serial Nr: 4,5/5,25YD							
T156031	Base Edge With Segment Holes	300x40x3040				30	
AT139630	Base Edge No Segment Holes	300x40x3040				18	
T167922	Center	412x30x1268	116,4	256,7	1 1/4"	3	171M496060
AT139622	End	558x40x 242	38,9	85,8	1 1/4"	3	171M495850
T209347	Optional center	400x40x1270	149,1	328,8	1 1/4"	3	171M496065
T156106	Segment	400x40x 298	34,2	75,4	1 1/4"	2	171M364550
Serial Nr: 5,25YD							
T169126	Base Edge	300x40x3040				19	
T161117	Center	400x40x1064	124	273,4	1"	7	171M364560
T161116	End	400x40x 988	115,3	254,2	1"	6	171M364570
Serial Nr: 5,75YD							
T156262	Base Edge With Segment Holes	300x40x3275				32	
T156530	Center	406x35x1388	145,7	321,3	1 1/4"	3	171M495840
AT139622	End	558x40x 242	38,9	85,8	1 1/4"	3	171M495850
T209349	Optional center	406x40x1388	165,7	365,4	1 1/4"	3	171M495845
T156132	Segment	400x40x 330	38	83,8	1 1/4"	2	171M495830
824							
Serial Nr: 6,0/6,75YD							
T156262	Base Edge With Segment Holes	300x40x3275				32	
T156530	Center	406x35x1388	145,7	321,3	1 1/4"	3	171M495840
AT139622	End	558x40x 242	38,9	85,8	1 1/4"	3	171M495850
T209349	Optional center	406x40x1388	165,7	365,4	1 1/4"	3	171M495845
T156132	Segment	400x40x 330	38	83,8	1 1/4"	2	171M495830



# JOHN DEERE LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
844							
Serial Nr: 506810-UP 5,0/5,5YD							
T78994	Base Edge	300x45x3280				18	
T101647	Center	330x35x1356	114	251,4	1 1/4"	3	171M364580
T101648	End	485x35x 305	37,4	82,5	1 1/4"	3	171M364590
Serial Nr: 136"							
T196210	Base Edge	300x40x3460				32	
T198126	Center	412x30x 955	86,9	191,6	1 1/4"	4	171M495820
T196455	End	558x30x 282	34,6	76,3	1 1/4"	3	171M495810
T196607	Segment	400x40x 338	38,9	85,8	1 1/4"	2	171M496070
T198121	Bolt-on Wear Plate	250x40x 648	45,1	99,4	1"	4	171M368120
Serial Nr:							
T211766	Spade Nose Base Edge					25	
T211887	Segment	485x35x 311	38,2	84,2	1 1/4"	3	171M364600
TC44							
Serial Nr: 2,5YD							
T156603	Base Edge With Segment Holes	200x25x2420				30	
T156637	Center	250x25x 992	45	99,2	3/4"	3	171M364310
T146672	End	350x25x 206	13,1	28,9	3/4"	3	171M495890
T156635	Segment	250x25x 240	10,7	23,6	3/4"	2	171M364320
Serial Nr: 2,5YD							
T169127	Base Edge	200x25x2420				16	
T162493	Center	250x25x1213	54,3	119,7	3/4"	8	171M364330
TC54							
Serial Nr: 3,0YD							
T157282	Base Edge With Segment Holes	200x25x2550				30	
T157311	Center	250x25x1056	47,9	105,6	3/4"	3	171M364340
T146672	End	350x25x 206	13,1	28,9	3/4"	3	171M495890
T157306	Segment	250x25x 258	11,5	25,4	3/4"	2	171M364350
Serial Nr: 3,0YD							
T169142	Base Edge	200x25x2550				16	
T147931	Center	330x30x 911	65,4	144,2	1"	6	171M364360
T159917	End	330x30x 810	58,3	128,6	1"	5	171M364370

# JOHN DEERE LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
TC62							
Serial Nr: 3,0/3,5YD							
T157465	Base Edge With Segment Holes	200x25x2685				30	
T157492	Center	250x25x1124	51	112,5	3/4"	3	171M495910
T146672	End	350x25x 206	13,1	28,9	3/4"	3	171M495890
T157493	Segment	250x25x 278	12,4	27,3	3/4"	2	171M495900
Serial Nr: 3,5YD							
T169128	Base Edge	200x25x2685				17	
T148082	Center	330x30x1064	76,4	168,5	1"	7	171M364410
T159917	End	330x30x 810	58,3	128,6	1"	5	171M364370

# JOHN DEERE CRAWLER LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
350							
Serial Nr: 0,75YD							
T84180	One Piece Bolt on	200x20x1683	48,1	106,06	1/2"	8	171M364610
Serial Nr: 1,25YD							
T120980	One Piece Bolt on	200x20x1997	57,1	125,91	3/4"	7	171M495950
400							
Serial Nr: 0,625YD							
U11714	One Piece Bolt on	150x16x1673	28,2	62,18	5/8"	7	171M364620
Serial Nr: 0,75/1,0YD							
T103142	Center	200x20x1106	31,7	69,90	5/8"	4	171M364630
T103141	End	200x20x 481	13,8	30,43	5/8"	2	171M364640
450							
Serial Nr: 1,25YD							
T84182	One Piece Bolt on	200x20x1842	52,6	115,98	3/4"	7	171M364650
U11711	Multi Purpose Dozer Center	200x12x1216	16,5	36,38	5/8"	6	171M368110
455							
Serial Nr: 1,25YD							
T84182	One Piece Bolt on	200x20x1842	52,6	115,98	3/4"	7	171M364650
Serial Nr: Standard							
T151773	One Piece Bolt on	200x20x1975	56,3	124,14	3/4"	8	171M364660
Serial Nr: Wide							
T151774	One Piece Bolt on	200x20x2398	68,5	151,04	7/8"	9	171M364670
555							
Serial Nr: 1,25YD							
T84182	One Piece Bolt on	200x20x1842	52,6	115,98	3/4"	7	171M364650
Serial Nr: Standard							
T149487	One Piece Bolt on	250x25x2156	97,5	214,99	3/4"	8	171M364680

# JOHN DEERE CRAWLER LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: Wide							
T151772	One Piece Bolt on	250x25x2474	112	246,96	7/8"	9	171M364690
655							
Serial Nr: Multi							
T131503	One Piece Bolt on	250x25x2264	102,2	225,35	1"	7	171M364700
755							
Serial Nr: 2YD Multi							
T131503	One Piece Bolt on	250x25x2264	102,2	225,35	1"	7	171M364700
Serial Nr: 3, 1YD							
AT279998	Segment	360x30x 190	12,6	27,78	1 1/4"	2	171M364710

# KAWASAKI LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
50							
Serial Nr: 93"							
03D-652-11001	Base Edge	200x25x2350				16	
309-352-3300	Center	250x20x1008	36,8	81,14	3/4"	3	171M364720
309-352-3320	End	350x25x 160	10,2	22,49	3/4"	2	171M364730
309-352-0060	Optional center	230x20x1008	33,6	74,09	3/4"	3	171M364725
309-352-0070	Optional end	320x25x 160	9,2	20,29	3/4"	2	171M364735
60							
Serial Nr: 96,375"							
309-302-0420	Base Edge	200x20x2450				16	
309-352-0440	Center	250x20x1260	46	101,43	3/4"	4	171M364740
309-352-0450	End	250x20x 589	21,5	47,41	3/4"	2	171M364750
65							
Serial Nr: 96,375"							
309-302-0420	Base Edge	200x20x2450				16	
309-352-0440	Center	250x20x1260	46	101,43	3/4"	4	171M364740
309-352-0450	End	250x20x 589	21,5	47,41	3/4"	2	171M364750
70							
Serial Nr: 102,5"							
03D-710-01001	Base Edge With Segment Holes	200x25x2450				30	
309-302-0030	Base Edge	200x25x2450				16	
309-352-3310	Center	250x20x1058	38,6	85,11	3/4"	3	171M364760
309-352-3320	End	350x25x 160	10,2	22,49	3/4"	2	171M364730
309-352-0080	Optional center	230x20x1058	35,3	77,84	3/4"	3	171M364765
309-352-0070	Optional end	320x25x 160	9,2	20,29	3/4"	2	171M364735
309-362-0010	Segment	230x20x 200	6,5	14,33	3/4"	2	171M364770

# KAWASAKI LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
03D-268-0L001	Base Edge	250x25x2610				16	
309-352-0500	Center	330x30x1050	76,3	168,24	7/8"	3	171M364780
309-352-0270	End	450x35x 240	27,2	59,98	7/8"	3	171M364790
Serial Nr: 106,3"							
03D-410-1L001	Base Edge	250x25x2700				18	
309-352-0280	Center	330x30x1105	80,4	177,28	7/8"	3	171M364800
309-352-0270	End	450x35x 240	27,2	59,98	7/8"	3	171M364790
Serial Nr: 106,3"							
309-302-0040	Base Edge	250x25x2700				18	
309-352-0090	Center	330x30x1105	80,4	177,28	7/8"	3	171M364810
309-352-0100	End	450x30x 240	23,6	52,04	7/8"	3	171M364820
Serial Nr: 105"							
309-302-0130	Base Edge	250x25x2670				18	
309-352-0210	Center	330x30x1090	79,3	174,86	7/8"	3	171M364830
309-352-0100	End	450x30x 240	23,6	52,04	7/8"	3	171M364820
80							
Serial Nr: 5001 02-77							
03D-410-1L001	Base Edge	250x25x2700				18	
309-352-0280	Center	330x30x1105	80,4	177,28	7/8"	3	171M364800
309-352-0270	End	450x35x 240	27,2	59,98	7/8"	3	171M364790
Serial Nr: 5003 04-78							
309-302-0040	Base Edge	250x25x2700				18	
309-352-0090	Center	330x30x1105	80,4	177,28	7/8"	3	171M364810
309-352-0100	End	450x30x 240	23,6	52,04	7/8"	3	171M364820
Serial Nr: 110,25"							
03D-935-0L001	Base Edge With Segment Holes	250x25x2800				32	
309-302-0780	Base Edge	250x25x2800				18	
309-352-0390	Center	330x30x1154	84	185,22	7/8"	3	171M364840
309-352-0100	End	450x30x 240	23,6	52,04	7/8"	3	171M364820
309-362-0040	Segment	330x30x 260	18,6	41,01	7/8"	2	171M364850

# KAWASAKI LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
85							
Serial Nr: 116"							
03D-413-1L001	Base Edge	250x35x2950					
309-352-0320	Center	330x35x1230	103,6	228,44	7/8"	3	171M364860
309-352-0330	End	455x35x 240	27,5	60,64	7/8"	3	171M364870
Serial Nr: 120"							
03D-270-1L001	Base Edge	250x35x3050				18	
03D-428-1L001	Center	330x30x1278	93,1	205,29	7/8"	3	171M364880
309-352-0100	End	450x30x 240	23,6	52,04	7/8"	3	171M364820
Serial Nr: 122"							
309-302-1960	Base Edge	250x35x3100				18	
309-352-0760	Center	330x30x1304	95	209,48	7/8"	3	171M364890
309-352-0100	End	450x30x 240	23,6	52,04	7/8"	3	171M364820
309-352-1050	Optional Thicker/Wider Center	390x30x1304	113,4	250,05	7/8"	3	171M501895
309-352-1060	Optional Thicker/Wider End	510x35x 240	31,2	68,80	7/8"	3	171M501825
90							
Serial Nr: 122"							
03D-715-0L001	Base Edge With Segment Holes	270x40x3100				38	
309-302-0240	Base Edge	270x40x3100				24	
309-352-0160	Center	390x30x1285	111,5	245,86	1"	4	171M364900
309-352-0150	End	510x30x 255	28,8	63,50	1"	3	171M364910
309-362-0020	Segment	390x30x 244	20,9	46,08	1"	2	171M364920
95							
Serial Nr: 60416 UP 135,4"							
03D-373-0L001	Base Edge	300x40x3440				24	
309-352-0130	Center	406x30x1818	164	361,62	1"	8	171M364930
309-352-0120	End	406x30x 808	72,8	160,52	1"	4	171M364940
Serial Nr: 135,8"							
03D-716-0L001	Base Edge With Segment Holes	270x40x3450				38	
309-302-0290	Base Edge	270x40x3450				24	
309-352-0170	Center	406x35x1435	150,7	332,29	1"	4	171M364950
309-352-0180	End	530x35x 280	38,1	84,01	1"	3	171M364960
309-362-0031	Segment	390x30x 290	24,9	54,90	1"	2	171M364970

# KAWASAKI LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
110 115							
Serial Nr: 148,5"							
13D-068-0L001	Base Edge	350x50x3770				20	
309-352-0910	Center	406x40x1835	216,8	478,04	1"	10	171M364980
309-352-0920	End	406x40x 957	113,2	249,61	1"	5	171M364990
Serial Nr: 148,5"							
13D-007-0L001	Base Edge With Segment Holes	400x50x3770				21	
309-362-0050	Segment	406x30x 318	28,3	62,40	1"	3	171M365000



# KOMATSU BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
D20							
Serial Nr: 45001-UP							
104-Z4-01160	Center	150x16x1776	29,6	65,27	1/2"	12	171M365010
Serial Nr: 45001-UP							
104-72-21140	Center	150x16x1540	25,7	56,67	1/2"	10	171M365020
Serial Nr: 45001-UP							
10G-Z4-61120	Center	150x16x1930	32,2	71,00	1/2"	13	171M365030
D21							
Serial Nr: 45001-UP							
104-Z4-01160	Center	150x16x1776	29,6	65,27	1/2"	12	171M365010
Serial Nr: 45001-UP							
104-72-21140	Center	150x16x1540	25,7	56,67	1/2"	10	171M365020
Serial Nr: 45001-UP							
10G-Z4-61120	Center	150x16x1930	32,2	71,00	1/2"	13	171M365030
Serial Nr: 75001-UP							
10G-72-21260	Center	150x16x1673	27,9	61,52	1/2"	11	171M365040
D31							
Serial Nr: 25001-UP							
114-72-21140	Center	165x16x 841	15,6	34,40	5/8"	6	171M365050
Serial Nr: ALL							
12F-70-31261	Center	165x16x 911	16,9	37,26	5/8"	6	171M365060
12F-70-31281	Center	165x16x1216	22,6	49,83	5/8"	8	171M365070
Serial Nr: ALL							
12F-70-31251	Center	165x16x 759	14,1	31,09	5/8"	5	171M365080
12F-70-31261	Center	165x16x 911	16,9	37,26	5/8"	6	171M365060
Serial Nr: 25001-UP							
12F-70-11640	Center	165x16x1200	22,3	49,17	5/8"	8	171M365090

# KOMATSU BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 25001-UP							
11G-71-21170	Center	165x16x 870	16,2	35,72	5/8"	6	171M365100
Serial Nr: ALL							
12F-70-31281	Center	165x16x1216	22,6	49,83	5/8"	8	171M365070
D32							
Serial Nr: 75501-76092							
620563C1	Center	165x16x 759	14,1	31,09	3/4"	5	171M365110
D37							
Serial Nr: ALL							
12F-70-31251	Center	165x16x 759	14,1	31,09	5/8"	5	171M365080
12F-70-31261	Center	165x16x 911	16,9	37,26	5/8"	6	171M365060
Serial Nr: 3001-UP							
12F-70-31251	Center	165x16x 759	14,1	31,09	5/8"	5	171M365080
12F-70-31281	Center	165x16x1216	22,6	49,83	5/8"	8	171M365070
D38							
Serial Nr: 85501-86238							
620563C1	Center	165x16x 759	14,1	31,09	3/4"	5	171M365110
D39							
Serial Nr: 95501-UP							
1282468H1	Center	200x20x 756	21,4	47,19	3/4"	5	171M365120
Serial Nr: 1001-UP							
12F-70-31251	Center	165x16x 759	14,1	31,09	5/8"	5	171M365080
12F-70-31281	Center	165x16x1216	22,6	49,83	5/8"	8	171M365070
Serial Nr: 1001-UP							
12F-70-31251	Center	165x16x 759	14,1	31,09	5/8"	5	171M365080
12F-70-31261	Center	165x16x 911	16,9	37,26	5/8"	6	171M365060
D40							
Serial Nr: ALL							
12F-70-11640	Center	165x16x1200	22,3	49,17	5/8"	8	171M365090
Serial Nr: ALL							
124-Z4-61160	Center	165x16x1226	22,8	50,27	5/8"	8	171M365130

# KOMATSU BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: ALL							
11G-71-21170	Center	165x16x 870	16,2	35,72	5/8"	6	171M365100
Serial Nr: ALL							
12F-70-31281	Center	165x16x1216	22,6	49,83	5/8"	8	171M365070
Serial Nr: 6001-UP							
12F-70-31261	Center	165x16x 911	16,9	37,26	5/8"	6	171M365060
Serial Nr: 6001-UP							
12F-70-31251	Center	165x16x 759	14,1	31,09	5/8"	5	171M365080
12F-70-31261	End	165x16x 911	16,9	37,26	5/8"	6	171M365060
Serial Nr: 1925-UP							
101-71-12370	Center	150x16x1670	27,9	61,52	1/2"	11	171M365140
Serial Nr: 6001-UP							
12F-B7-13231	Center	150x16x 759	12,7	28,00	1/2"	5	171M365150
12F-B7-13241	End	150x16x 911	15,2	33,52	1/2"	6	171M365160
Serial Nr: 6001-UP							
12F-B7-13241	Center	150x16x 911	15,2	33,52	1/2"	6	171M365160
12F-B7-13231	End	150x16x 759	12,7	28,00	1/2"	5	171M365150
D41							
Serial Nr: 6001-UP							
12F-70-31281	Center	165x16x1216	22,6	49,83	5/8"	8	171M365070
Serial Nr: 6001-UP							
12F-70-31261	Center	165x16x 911	16,9	37,26	5/8"	6	171M365060
Serial Nr: 6001-UP							
12F-70-31251	Center	165x16x 759	14,1	31,09	5/8"	5	171M365080
12F-70-31261	Center	165x16x 911	16,9	37,26	5/8"	6	171M365060
Serial Nr: B20001-UP							
130-Z2-01510	Center	200x20x1254	35,4	78,06	3/4"	8	171M365170
Serial Nr: 6001-UP							
12F-70-31251	Center	165x16x 759	14,1	31,09	5/8"	5	171M365080
12F-70-31281	Center	165x16x1216	22,6	49,83	5/8"	8	171M365070

# KOMATSU BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
D45							
Serial Nr: 1501-UP							
12F-70-11640	Center	165x16x1200	22,3	49,17	5/8"	8	171M365090
Serial Nr: 1501-UP							
124-Z4-61160	Center	165x16x1226	22,8	50,27	5/8"	8	171M365130
Serial Nr: 1501-UP							
11G-71-21170	Center	165x16x 870	16,2	35,72	5/8"	6	171M365100
D50							
Serial Nr: 65001-UP							
130-70-61170	Center	200x20x1535	43,4	95,70	3/4"	10	171M365180
Serial Nr: 65001-UP							
130-Z2-01510	Center	200x20x1254	35,4	78,06	3/4"	8	171M365170
Serial Nr: ALL							
130-Z2-01510	Center	200x20x1254	35,4	78,06	3/4"	8	171M365170
130-92-0A180	End	200x20x1197	33,8	74,53	3/4"	8	171M365190
Serial Nr: ALL							
13F-Z2-71510	Center	200x20x1429	40,3	88,86	3/4"	10	171M365200
Serial Nr: 65001-UP							
130-87-01820	Center	165x16x 470	8,7	19,18	5/8"	3	171M365210
130-70-11145	End	165x16x 1299	24,2	53,36	5/8"	8	171M365220
D58							
Serial Nr: 80888-UP							
130-70-61170	Center	200x20x1535	43,4	95,70	3/4"	10	171M365180
Serial Nr: 81823-UP							
130-70-61170	Center	200x20x1535	43,4	95,70	3/4"	10	171M365180
144-70-11131	Center	200x20x1659	46,9	103,41	3/4"	11	171M365230
Serial Nr: 80888-UP							
130-70-41130	Center	200x20x1346	38	83,79	3/4"	9	171M365240
130-Z2-01510	Center	200x20x1254	35,4	78,06	3/4"	8	171M365170

# KOMATSU BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 80588-UP							
130-Z2-01510	Center	200x20x1254	35,4	78,06	3/4"	8	171M365170
130-92-0A180	End	200x20x1197	33,8	74,53	3/4"	8	171M365190
Serial Nr: 80588-UP							
13F-Z2-71510	Center	200x20x1429	40,3	88,86	3/4"	10	171M365200
130-Z2-01610	End	200x20x 889	25,1	55,35	3/4"	6	171M365250
D60							
Serial Nr: 20006-UP							
144-70-11131	Center	200x20x1659	46,9	103,41	3/4"	11	171M365230
Serial Nr: 20006-UP							
154-70-11314	Center	250x25x1159	51,9	114,44	3/4"	8	171M365260
150-70-21356	End-Bit Flat Left	300x30x 465	26,7	58,87	3/4"	6	171M368280
150-70-21346	End-Bit Flat Right	300x30x 465	26,7	58,87	3/4"	6	171M368290
Serial Nr: 20006-UP							
144-92-01120	Center	200x20x1381	39	86,00	3/4"	9	171M365270
Serial Nr: 40001-UP							
130-70-51A30	Center	200x20x1422	40,2	88,64	3/4"	9	171M365280
Serial Nr: 40001-UP							
12F-70-31251	Center	165x16x 759	14,1	31,09	5/8"	5	171M365080
D61							
Serial Nr: 1001-UP							
134-72-61410	Center	200x20x1346	38	83,79	3/4"	9	171M365290
134-72-61420	Center	200x20x1257	35,5	78,28	3/4"	8	171M365300
Serial Nr: 1001-UP							
13G-72-61420	Center	200x20x 889	25,1	55,35	3/4"	6	171M365310
14X-71-11310	End	200x20x1381	39	86,00	3/4"	9	171M365320
Serial Nr: 1001-UP							
13G-72-61410	Center	200x20x1429	40,3	88,86	3/4"	10	171M365330
13G-72-61420	Center	200x20x 889	25,1	55,35	3/4"	6	171M365310
Serial Nr: 1001-UP							
144-70-11131	Center	200x20x1659	46,9	103,41	3/4"	11	171M365230

# KOMATSU BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
D63							
Serial Nr: 1001-UP							
130-70-61170	Center	200x20x1535	43,4	95,70	3/4"	10	171M365180
Serial Nr: 1001-UP							
130-Z2-01510	Center	200x20x1254	35,4	78,06	3/4"	8	171M365170
Serial Nr: 1001-UP							
134-70-31180	Center	200x20x1285	36,2	79,82	3/4"	9	171M365340
D65							
Serial Nr: 20006-UP							
144-70-11131	Center	200x20x1659	46,9	103,41	3/4"	11	171M365230
144-70-11251	End-Bit Flat Left	250x30x 365	16,7	36,82	3/4"	5	171M368320
144-70-11261	End-Bit Flat Right	250x30x 365	16,7	36,82	3/4"	5	171M368330
Serial Nr: 20006-UP							
154-70-11314	Center	250x25x1159	51,9	114,44	3/4"	8	171M365260
150-70-21356	End-Bit Flat Left	300x30x 465	26,7	58,87	3/4"	6	171M368280
150-70-21346	End-Bit Flat Right	300x30x 465	26,7	58,87	3/4"	6	171M368290
Serial Nr: 20006-UP							
144-92-01120	Center	200x20x1381	39	86,00	3/4"	9	171M365270
Serial Nr: 60001-63169							
14X-71-11310	Center	200x20x1381	39	86,00	3/4"	9	171M365320
144-70-11251	End-Bit Flat Left	250x30x 365	16,7	36,82	3/4"	5	171M368320
144-70-11261	End-Bit Flat Right	250x30x 365	16,7	36,82	3/4"	5	171M368330
Serial Nr: 60001-60941							
14X-95-21130	Center	200x20x1276	36,1	79,60	3/4"	8	171M365350
150-70-21356	End-Bit Flat Left	300x30x 465	26,7	58,87	3/4"	6	171M368280
150-70-21346	End-Bit Flat Right	300x30x 465	26,7	58,87	3/4"	6	171M368290
Serial Nr: 60942-UP							
130-70-41130	Center	200x20x1346	38	83,79	3/4"	9	171M365240
130-92-0A180	Center	200x20x1197	33,8	74,53	3/4"	8	171M365190
Serial Nr: 40001-UP							
130-70-51A30	Center	200x20x1422	40,2	88,64	3/4"	9	171M365280
130-92-0A180	Center	200x20x1197	33,8	74,53	3/4"	8	171M365190

# KOMATSU BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
D75							
Serial Nr: 50001-UP							
144-70-61140	Center	200x20x1800	50,8	112,01	3/4"	12	171M365360
D80							
Serial Nr: 25001-UP							
154-70-11314	Center	250x25x1083	48,4	106,72	3/4"	8	171M365260
150-70-21356	End-Bit Flat Left	300x30x 465	26,7	58,87	3/4"	6	171M368280
150-70-21346	End-Bit Flat Right	300x30x 465	26,7	58,87	3/4"	6	171M368290
Serial Nr: 25001-UP							
154-70-16591	Center	250x25x1308	58,5	128,99	3/4"	9	171M365370
150-70-21356	End-Bit Flat Left	300x30x 465	26,7	58,87	3/4"	6	171M368280
150-70-21346	End-Bit Flat Right	300x30x 465	26,7	58,87	3/4"	6	171M368290
Serial Nr: 25001-UP							
154-70-11314	Center	250x25x1083	48,4	106,72	3/4"	8	171M365260
154-81-A1191	End	250x25x 835	37,3	82,25	3/4"	6	171M365380
150-70-21356	End-Bit Flat Left	300x30x 465	26,7	58,87	3/4"	6	171M368280
150-70-21346	End-Bit Flat Right	300x30x 465	26,7	58,87	3/4"	6	171M368290
Serial Nr: 25001-UP							
154-72-A1122	Center	250x25x1384	62	136,71	3/4"	9	171M365390
154-72-A1151	End	250x25x 907	40,6	89,52	3/4"	6	171M365400
150-70-21356	End-Bit Flat Left	300x30x 465	26,7	58,87	3/4"	6	171M368280
150-70-21346	End-Bit Flat Right	300x30x 465	26,7	58,87	3/4"	6	171M368290
D85							
Serial Nr: 10001-15477							
154-81-A1191	Center	250x25x 835	37,3	82,25	3/4"	6	171M365380
150-70-21356	End-Bit Flat Left	300x30x 465	26,7	58,87	3/4"	6	171M368280
150-70-21346	End-Bit Flat Right	300x30x 465	26,7	58,87	3/4"	6	171M368290
Serial Nr: 15478-UP							
154-70-11314	Center	250x25x1083	48,4	106,72	3/4"	8	171M365260
154-81-A1191	Center	250x25x 835	37,3	82,25	3/4"	6	171M365380
150-70-21356	End-Bit Flat Left	300x30x 465	26,7	58,87	3/4"	6	171M368280
150-70-21346	End-Bit Flat Right	300x30x 465	26,7	58,87	3/4"	6	171M368290

# KOMATSU BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 25001-UP							
154-70-16591	Center	250x25x1308	58,5	128,99	3/4"	9	171M365370
154-70-11314	Center	250x25x1083	48,4	106,72	3/4"	8	171M365260
150-70-21356	End-Bit Flat Left	300x30x 465	26,7	58,87	3/4"	6	171M368280
150-70-21346	End-Bit Flat Right	300x30x 465	26,7	58,87	3/4"	6	171M368290
Serial Nr: 25001-UP							
154-72-A1122	Center	250x25x1384	62	136,71	3/4"	9	171M365390
154-72-A1151	End	250x25x 907	40,6	89,52	3/4"	6	171M365400
150-70-21356	End-Bit Flat Left	300x30x 465	26,7	58,87	3/4"	6	171M368280
150-70-21346	End-Bit Flat Right	300x30x 465	26,7	58,87	3/4"	6	171M368290
Serial Nr: 25001-UP							
154-70-11314	Center	250x25x1083	48,4	106,72	3/4"	8	171M365260
154-71-43190	End	250x25x 845	38,7	85,33	3/4"	6	171M365261
150-70-21356	End-Bit Flat Left	300x30x 465	26,7	58,87	3/4"	6	171M368280
150-70-21346	End-Bit Flat Right	300x30x 465	26,7	58,87	3/4"	6	171M368290
D87							
Serial Nr: 90001-UP							
646258C1	Center	250x25x1788	79,4	175,08	7/8"	12	171M363310
Serial Nr: 90001-UP							
734528C1	Center	250x30x1016	53,7	118,41	7/8"	7	171M363320
734529C1	End	250x30x 807	42,8	94,37	7/8"	5	171M363330
D135							
Serial Nr: 10001-UP							
175-70-26310	Center	250x25x1064	47,3	104,30	7/8"	7	171M365440
175-70-21115	End	250x25x1397	62,1	136,93	7/8"	9	171M365450
175-70-21126	End-Bit Flat Left	300x30x 533	30	66,2	1"	7	171M368360
175-70-21136	End-Bit Flat Right	300x30x 533	30	66,2	1"	7	171M368370
D150							
Serial Nr: 8329-UP							
175-70-26310	Center	250x25x1064	47,3	104,30	7/8"	7	171M365440
175-70-21115	End	250x25x1397	62,1	136,93	7/8"	9	171M365450
175-70-21126	End-Bit Flat Left	300x30x 533	30	66,2	1"	7	171M368360
175-70-21136	End-Bit Flat Right	300x30x 533	30	66,2	1"	7	171M368370



# KOMATSU BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 5508-8328							
175-70-21114	Center	250x25x1975	87,8	193,60	7/8"	13	171M365460
Serial Nr: 6843-5328							
175-72-21133	End	250x25x 876	38,9	85,77	7/8"	6	171M365470
D155							
Serial Nr: 5508-10262							
175-70-21114	Center	250x25x1975	87,8	193,60	7/8"	13	171M365460
Serial Nr: 10263-UP							
175-70-26310	Center	250x25x1064	47,3	104,30	7/8"	7	171M365440
175-70-21115	End	250x25x1397	62,1	136,93	7/8"	9	171M365450
175-70-21126	End-Bit Flat Left	300x30x 533	30	66,2	1"	7	171M368360
175-70-21136	End-Bit Flat Right	300x30x 533	30	66,2	1"	7	171M368370
Serial Nr: 6843-10262							
175-72-21133	End	250x25x 876	38,9	85,77	7/8"	6	171M365470
Serial Nr: 60001-UP							
195-70-12492	Center	330x30x1327	95,1	209,70	1"	9	171M365480
17A-71-11351	End	330x30x 762	57,5	126,79	1"	5	171M365485
17M-71-21930	End-Bit Flat Left	435x50x 750	97,3	214,55	1"	7	171M368200
17M-71-21940	End-Bit Flat Right	435x50x 750	97,3	214,55	1"	7	171M368210
Serial Nr: 60001-UP							
17A-72-12221	Center	330x30x 889	63,7	140,46	1"	6	171M365490
17M-71-21930	End-Bit Flat Left	435x50x 750	97,3	214,55	1"	7	171M368200
17M-71-21940	End-Bit Flat Right	435x50x 750	97,3	214,55	1"	7	171M368210
Serial Nr: 60001-UP							
17A-71-45210	Center	330x35x1060			1"	7	171M368591
17A-71-45220	End Left	330x35x 523			1"	3	171M368592
17A-71-45230	End Right	330x35x 523			1"	3	171M368590
17A-71-45712	End-Bit Flat Left	400x45x 662			1"	7	171M368593
17A-71-45722	End-Bit Flat Right	400x45x 662			1"	7	171M368594

# KOMATSU BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
D275							
Serial Nr: 10001-UP							
195-71-A1654	Center	330x35x1062	76	167,58	1"	7	171M472530
17M-71-21930	End-Bit Flat Left	435x50x 750	97,3	214,55	1"	7	171M368200
17M-71-21940	End-Bit Flat Right	435x50x 750	97,3	214,55	1"	7	171M368210
D355							
Serial Nr: 1632-UP							
195-70-12492	Center	330x30x1327	95,1	209,70	1"	9	171M365480
Serial Nr: 1632-UP							
195-71-A1654	Center	330x35x1062	76	167,58	1"	7	171M472530
Serial Nr: 5416-UP							
175-70-21115	End	250x25x1397	62,1	136,93	7/8"	9	171M365450
175-70-26310	Center	250x25x1064	47,3	104,30	7/8"	7	171M365440
D375							
Serial Nr: 15001-UP							
195-71-37450	Center	330x30x 911	65,4	144,21	1"	6	171M365510
195-70-12492	Center	330x30x1327	95,1	209,70	1"	9	171M365480
Serial Nr: 15001-15217							
195-71-A1654	Center	330x35x1062	76	167,58	1"	7	171M472530
Serial Nr: 15218-15413							
195-71-A1651	Center	330x35x1064	87,3	192,50	1 1/8"	7	171M365520
Serial Nr: 15414-15601							
195-71-61550	Center	400x40x 887	102,1	225,13	1 1/4"	6	171M365530
Serial Nr: 15218-15413							
195-71-51671	Center	330x30x1327	93,9	207,05	1 1/8"	9	171M365540
Serial Nr: 15414-15601							
198-71-11181	Center	400x40x1194	137,4	302,97	1 1/4"	8	171M365550
D455							
Serial Nr: 1002-UP							
198-71-11181	Center	400x40x1194	137,4	302,97	1 1/4"	8	171M365550

# KOMATSU BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 1301-UP							
195-70-12492	Center	330x30x1327	95,1	209,70	1"	9	171M365480
D475							
Serial Nr: 10001-10032							
198-71-21830	Center	400x40x1187	136,6	301,20	1 3/8"	8	171M365560
Serial Nr: 10001-UP							
198-71-A1550	Center	400x45x1187	151	332,96	1 3/8"	8	171M365570
Serial Nr: 10001-UP							
198-71-11181	Center	400x40x1194	137,4	302,97	1 1/4"	8	171M365550
D575							
Serial Nr: 10001-UP							
19M-72-11231	Center	400x50x1206	167,5	369,34	1 3/8"	8	171M365580
19M-72-21260	End	400x50x 753	104,6	230,64	1 3/8"	5	171M365590

# KOMATSU LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
WA30							
Serial Nr: 5901-UP							
362-70-11121	Base Edge						
362-97-21111	Center	165x16x1574	29,6	65,27	5/8"	6	171M365600
WA40							
Serial Nr:							
363-70-32130	Base Edge						
363-70-21190	One Piece Bolt On	165x16x1690	31,7	69,90	5/8"	7	171M365610
WA50							
Serial Nr:							
363-70-32120	Base Edge						
363-70-21190	One Piece Bolt On	165x16x1690	31,7	69,90	5/8"	7	171M365610
WA70							
Serial Nr:							
415-70-12121	Base Edge						
415-81-51110	Center	200x20x1054	30,1	66,37	5/8"	5	171M365620
415-81-51120	End	200x20x 460	13,1	28,89	5/8"	3	171M365630
WA90							
Serial Nr:							
42W-70-12D70	Base Edge						
42W-70-12140	One Piece Bolt On	165x16x2143	40,3	88,86	5/8"	7	171M365640
WA100							
Serial Nr: 10001-UP 92"							
416-70-12121	Base Edge						
416-81-51110	Center	250x20x1461	53,4	117,75	3/4"	4	171M365650
416-81-51120	End	250x20x 434	15,8	34,84	3/4"	2	171M365660
416-81-51210	Optional Center	230x20x1297	43,2	95,26	3/4"	4	171M365670
416-81-51220	Optional End	230x20x 517	17,2	37,93	3/4"	2	171M365680
Serial Nr: 10001-UP 94"							
417-70-12121	Base Edge						
417-81-5A110	Center	250x20x1502	54,9	121,05	3/4"	4	171M365690
417-81-5A120	End	250x20x 441	16	35,28	3/4"	2	171M365700
416-81-51310	Optional Center	250x25x1330	60,3	132,96	3/4"	4	171M365710
416-81-51320	Optional End	250x25x 533	24,1	53,14	3/4"	2	171M365720

# KOMATSU LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr:							
417-90-41120	Center	200x20x1656	46,8	103,19	3/4"	11	171M365730
417-90-41130	End	200x20x 767	21,7	47,85	3/4"	5	171M365740
WA120							
Serial Nr: 20001-UP							
417-70-12121	Base Edge						
417-81-5A110	Center	250x20x1502	54,9	121,05	3/4"	4	171M365690
417-81-5A120	End	250x20x 441	16	35,28	3/4"	2	171M365700
416-81-51310	Optional Center	250x25x1330	60,3	132,96	3/4"	4	171M365710
416-81-51320	Optional End	250x25x 533	24,1	53,14	3/4"	2	171M365720
WA150							
Serial Nr: 10001-UP							
417-70-12121	Base Edge						
417-81-5A110	Center	250x20x1502	54,9	121,05	3/4"	4	171M365690
417-81-5A120	End	250x20x 441	16	35,28	3/4"	2	171M365700
416-81-51310	Optional Center	250x25x1330	60,3	132,96	3/4"	4	171M365710
416-81-51320	Optional End	250x25x 533	24,1	53,14	3/4"	2	171M365720
WA180							
Serial Nr: 10001-UP							
418-70-12121	Base Edge						
417-81-51210	Center	250x25x1360	61,4	135,39	7/8"	4	171M365750
417-81-51220	End	250x25x 536	24,1	53,14	7/8"	2	171M365760
418-81-5A120	Optional Center	250x25x1534	69,4	153,03	7/8"	4	171M365770
418-81-5A130	Optional End	250x25x 448	20,1	44,32	7/8"	2	171M365780
WA200							
Serial Nr: 10001-UP							
418-70-12121	Base Edge						
417-81-51210	Center	250x25x1360	61,4	135,39	7/8"	4	171M365750
417-81-51220	End	250x25x 536	24,1	53,14	7/8"	2	171M365760
418-81-5A120	Optional Center	250x25x1534	69,4	153,03	7/8"	4	171M365770
418-81-5A130	Optional End	250x25x 448	20,1	44,32	7/8"	2	171M365780
Serial Nr:							
418-90-41120	Center	250x25x1875	83,4	183,90	7/8"	12	171M365790
418-90-41130	End	250x25x 783	34,8	76,73	7/8"	5	171M365800

# KOMATSU LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr:							
417-70-32120	Base Edge						
417-81-53210	Center	250x25x1473	66,6	146,85	7/8"	4	171M365810
417-81-51220	End	250x25x 536	24,1	53,14	7/8"	2	171M365760
WA250							
Serial Nr: 10001-UP 105,7"							
419-70-12122	Base Edge						
418-81-5A110	Center	330x30x1492	108,5	239,24	1"	4	171M365820
419-81-5A120	End	330x30x 590	42,8	94,37	1"	2	171M365830
419-81-51111	Optional Center	330x30x1701	123,9	273,20	1"	4	171M365840
419-81-51121	Optional End	330x30x 489	35,4	78,06	1"	2	171M365850
421-83-81110							
	End Segment	330x30x 221	15,7	34,62	1"	2	171M365860
WA300							
Serial Nr: 10001-19999							
419-70-12122	Base Edge						
418-81-5A110	Center	330x30x1492	108,5	239,24	1"	4	171M365820
419-81-5A120	End	330x30x 590	42,8	94,37	1"	2	171M365830
419-81-51111	Optional Center	330x30x1701	123,9	273,20	1"	4	171M365840
419-81-51121	Optional End	330x30x 489	35,4	78,06	1"	2	171M365850
421-83-81110							
	End Segment	330x30x 221	15,7	34,62	1"	2	171M365860
WA320							
Serial Nr: 10001-19999							
419-70-12221	Base Edge						
419-81-5A110	Center	330x30x1542	112,2	247,40	1"	4	171M365870
419-81-5A120	End	330x30x 590	42,8	94,37	1"	2	171M365830
421-83-81110							
	End Segment	330x30x 221	15,7	34,62	1"	2	171M365860
Serial Nr: 53001-UP							
419-70-12122	Base Edge						
418-81-5A110	Center	330x30x1492	108,5	239,24	1"	4	171M365820
419-81-51111	Optional Center	330x30x1701	123,9	273,20	1"	4	171M365840
419-81-51121	Optional End	330x30x 489	35,4	78,06	1"	2	171M365850
WA350							
Serial Nr: 10001-UP 114,4"							
424-70-12220	Base Edge						

# KOMATSU LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
423-81-5A110	Center	330x30x1626	117,8	259,75	7/8"	6	171M365880
423-81-5A120	End	330x30x 635	45,6	100,55	7/8"	4	171M365890
424-81-5A140	Optional Center	330x30x1748	126,8	279,59	7/8"	6	171M365900
424-81-5A130	Optional End	330x30x 575	41,2	90,85	7/8"	4	171M365910
Serial Nr: 10001-UP 107,9"							
423-70-12121	Base Edge						
423-81-5A130	Center	330x30x1610	116,7	257,32	7/8"	6	171M365920
423-81-5A140	End	330x30x 559	40	88,20	7/8"	4	171M365930
WA380							
Serial Nr: 10001-UP							
424-T6-51120	Base Edge						
424-81-5A140	Center	330x30x1748	126,8	279,59	7/8"	6	171M365900
424-81-5A130	End	330x30x 575	41,2	90,85	7/8"	4	171M365910
423-81-5A110	Optional Center	330x30x1626	117,8	259,75	7/8"	6	171M365880
423-81-5A120	Optional End	330x30x 635	45,6	100,55	7/8"	4	171M365890
Serial Nr: 60001-UP							
423-70-22720	Base Edge						
423-81-52210	Center	330x30x1249	90,7	199,99	7/8"	4	171M365940
424-T7-91110	Optional two piece center	330x30x 872	63	138,92	7/8"	4	171M365950
424-T7-91120	Optional End	330x30x 575	41,2	90,85	7/8"	4	171M365960
421-83-81110	Segment	330x30x 220	15,6	34,40	1"	2	171M365860
WA400							
Serial Nr: 10001-UP							
424-70-12121	Base Edge						
424-81-5A140	Center	330x30x1748	126,8	279,59	7/8"	6	171M365900
424-81-51121	End	330x30x 585	41,9	92,39	7/8"	4	171M365970
Serial Nr: 10001-UP							
424-70-12220							
424-81-5A140	Center	330x30x1748	126,8	279,59	7/8"	6	171M365900
424-81-5A130	End	330x30x 575	41,2	90,85	7/8"	4	171M365910
423-81-5A110	Optional Center	330x30x1626	117,8	259,75	7/8"	6	171M365880
423-81-5A120	Optional End	330x30x 635	45,6	100,55	7/8"	4	171M365890
Serial Nr: 70001-UP							
423-70-32220	Base Edge						
424-81-5A140	Center	330x30x1748	126,8	279,59	7/8"	6	171M365900

# KOMATSU LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
424-81-5A130	End	330x30x 575	41,2	90,85	7/8"	4	171M365910
424-T7-91110	Optional two piece center	330x30x 872	63	138,92	7/8"	4	171M365950
421-83-81110	Segment	330x30x 220	15,6	34,40	1"	2	171M365860
WA420							
Serial Nr: 10001-UP							
421-T6-51120	Base Edge						
424-81-5A120	Center	330x30x1865	134,4	296,35	7/8"	10	171M365980
424-81-5A110	End	330x30x 595	42,7	94,15	7/8"	4	171M365990
421-81-5A120	Optional Center	330x30x1952	141,3	311,57	7/8"	8	171M366000
421-81-51121	Optional End	330x30x 548	39,2	86,44	7/8"	4	171M366010
421-83-81110	Center Segment	330x30x 220	15,6	34,40	1"	2	171M365860
421-83-81120	End Segment	330x30x 180	12,7	28,00	1"	2	171M366020
Serial Nr: 30001-UP							
421-70-12122	Base Edge						
424-81-5A120	Center	330x30x1865	134,4	296,35	7/8"	10	171M365980
421-81-51121	Optional End	330x30x 548	39,2	86,44	7/8"	4	171M366010
421-81-5A120	Optional Center	330x30x1952	141,3	311,57	7/8"	8	171M366000
424-81-5A110	End	330x30x 595	42,7	94,15	7/8"	4	171M365990
WA450							
Serial Nr: 10001-UP							
421-70-12320	Base Edge						
421-81-5A120	Center	330x30x1952	141,3	311,57	7/8"	8	171M366000
421-81-5A130	End	330x30x 533	38,1	84,01	7/8"	4	171M366030
424-81-5A120	Optional Center	330x30x1865	134,4	296,35	7/8"	10	171M365980
424-81-5A110	Optional End	330x30x 595	42,7	94,15	7/8"	4	171M365990
Serial Nr: 10001-UP							
421-T6-51120	Base Edge						
421-83-81110	Center Segment	330x30x 220	15,6	34,40	1"	2	171M365860
421-83-81120	End Segment	330x30x 180	12,7	28,00	1"	2	171M366020
Serial Nr: 250001-UP							
421-70-12430	Base Edge						
421-81-5A110	Center	330x30x1979	142,7	314,65	7/8"	10	171M366040
424-81-5A110	Optional End	330x30x 595	42,7	94,15	7/8"	4	171M365990
421-81-52110	Optional Center	330x30x2070	149,9	330,53	7/8"	8	171M366050
421-81-51121	End	330x30x 548	39,2	86,44	7/8"	4	171M366010



# KOMATSU LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 36001-UP							
421-70-32920	Base Edge						
421-81-53210	Center	330x30x1303	94,4	208,15	7/8"	5	171M366060
421-81-52110	Optional Center	330x30x2070	149,9	330,53	7/8"	8	171M366050
421-81-51121	End	330x30x 548	39,2	86,44	7/8"	4	171M366010
WA470							
Serial Nr: 10001-19999							
421-70-12430	Base Edge						
421-81-5A110	Center	330x30x1979	142,7	314,65	7/8"	10	171M366040
424-81-5A110	End	330x30x 595	42,7	94,15	7/8"	4	171M365990
421-81-51121	Optional End	330x30x 548	39,2	86,44	7/8"	4	171M366010
421-81-52110	Optional Center	330x30x2070	149,9	330,53	7/8"	8	171M366050
Serial Nr: 10001-UP							
421-T6-51120	Base Edge						
421-83-81110	Center Segment	330x30x 220	15,6	34,40	1"	2	171M365860
421-83-81120	End Segment	330x30x 180	12,7	28,00	1"	2	171M366020
Serial Nr: 50001-UP							
421-70-12430	Base Edge						
421-81-52110	Center	330x30x2070	149,9	330,53	7/8"	8	171M366050
421-81-51121	End	330x30x 548	39,2	86,44	7/8"	4	171M366010
421-81-5A110	Optional Center	330x30x1979	142,7	314,65	7/8"	10	171M366040
424-81-5A110	Optional End	330x30x 595	42,7	94,15	7/8"	4	171M365990
Serial Nr:							
424-70-H2D50Y	Center	330x30x1688	122,9	270,99	1"	4	171M481680
424-70-H2D60Y	End	330x30x 650	46,7	102,97	1"	4	171M481670
424-70-H2D50Z	Center	400x30x1693	151,2	333,40	7/8"	4	171M481685
424-70-H2D60Z	End	400x30x 650	57,4	126,57	7/8"	4	171M481675
Serial Nr: 37000-UP							
421-70-32920	Base Edge						
421-81-53210	Center	330x30x1303	94,4	208,15	7/8"	5	171M366060
421-81-52110	Center	330x30x2070	149,9	330,53	7/8"	8	171M366050
421-81-51121	End	330x30x 548	39,2	86,44	7/8"	4	171M366010
421-81-5A110	Optional Center	330x30x1979	142,7	314,65	7/8"	10	171M366040
424-81-5A110	Optional End	330x30x 595	42,7	94,15	7/8"	4	171M365990
421-83-81110	Center Segment	330x30x 221	15,7	34,62	1"	2	171M365860
421-83-81120	End Segment	330x30x 180	12,7	28,00	1"	2	171M366020

# KOMATSU LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
WA500							
Serial Nr: 10001-19999							
425-70-12122	Base Edge						
425-81-5A110	Center	400x40x2092	244,9	540,00	1"	8	171M366070
425-81-5A120	End	400x40x 648	75,1	165,60	1"	4	171M366080
425-81-5A110A	Optional two piece center	400x40x1045	122,3	269,67	1"	4	171M366090
Serial Nr: 20001-UP							
425-70-12321	Base Edge						
425-81-5A310	Center	400x40x2065	243,6	537,14	1"	8	171M366100
425-81-5A320	End	400x40x 660	76,5	168,68	1"	4	171M366110
425-81-5A210	Optional two piece center	400x40x1030	120,5	265,70	1"	4	171M366120
425-83-81110	Segment	400x40x 285	32,8	72,32	1 1/4"	2	171M366130
Serial Nr: 52001-UP							
425-V6-22120	Base Edge						
425-81-52220	Center	400x40x1503	175,8	387,64	1"	6	171M366140
WA600							
Serial Nr: 10001-UP							
426-80-61120	Base Edge						
426-81-5A110	Center	400x40x 875	101,8	224,47	1 1/4"	4	171M366150
426-81-5A130	End	581x40x 200	34	74,97	1 1/4"	2	171M366160

# NEW HOLLAND DOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
DC70							
Serial Nr: 106"							
D32023	Center	150x20x1010	22	48,51	5/8"	7	171M366170
Serial Nr: 120"							
D29280	Center	150x20x1181	25,7	56,67	5/8"	8	171M366180
DC75							
Serial Nr: 98"							
327245A1	Center	200x20x1598	47,1	103,86	3/4"	10	171M498950
Serial Nr: 110"							
430157A1	Center	200x20x1908	56,2	123,92	3/4"	13	171M498970
Serial Nr: 120"							
327539A1	Center	200x20x2158	63,6	140,24	3/4"	14	171M498960
DC80							
Serial Nr: 110"							
76598268	Center	150x20x1060	21,8	48,07	5/8"	7	171M366190
Serial Nr: 120"							
D29280	Center	150x20x1181	24,3	53,58	5/8"	8	171M366180
DC85							
Serial Nr: 104"							
115631A1	Center	200x20x 862	24,5	54,02	3/4"	6	171M477400
Serial Nr: 110"							
430157A1	Center	200x20x1908	56,2	123,92	3/4"	13	171M498970
Serial Nr: 124"							
126519A1	Center	200x20x2258	63,8	140,68	3/4"	15	171M499010
DC95							
Serial Nr: 104"							
115631A1	Center	200x20x 862	24,5	54,02	3/4"	6	171M477400
Serial Nr: 120"							
327539A1	Center	200x20x2158	63,6	140,24	3/4"	14	171M498960
Serial Nr: 130"							

# NEW HOLLAND DOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
430350A1	Center	200x20x2408	68	149,94	3/4"	16	171M487381
DC100							
Serial Nr: 110"							
76598268	Center	150x20x1060	21,8	48,07	5/8"	7	171M366190
Serial Nr: 130"							
76606068	Center	150x20x1314	27	59,54	5/8"	9	171M366200
DC150							
Serial Nr: 126"							
79101015	Center	200x25x1176	41,1	90,63	3/4"	8	171M366210
DC180							
Serial Nr: 116"							
08298624	Center	200x20x1080	30,5	67,25	3/4"	7	171M366220
Serial Nr: 136"							
73117698	Center	200x20x 759	21,4	47,19	3/4"	5	171M366230

# NEW HOLLAND LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
LW50							
Serial Nr: 75"							
721-83-743	Center	200x25x 632	22,3	49,17	1/2"	4	171M366240
LW80							
Serial Nr: 84"							
D36272	Center	150x16x 710	11,8	26,02	5/8"	5	171M366250
LW90							
Serial Nr: 92,5"							
760-16-359	End	200x20x 422	12	26,46	3/4"	2	171M366260
LW130							
Serial Nr: 96,5"							
760-34-782	Center	330x25x1296	78,8	173,75	3/4"	6	171M366270
760-34-783	End	330x25x 575	35	77,18	3/4"	2	171M366280
Serial Nr: 98,5"							
760-54-294	Center	330x40x1319	124,9	275,40	3/4"	6	171M366290
760-54-295	End	330x40x 586	55,8	123,04	3/4"	2	171M366300
LW170							
Serial Nr: 98"							
760-47-507	Center	330x25x 984	59,7	131,64	1"	4	171M366310
760-47-508	End	330x25x 750	45,5	100,33	1"	3	171M366320
Serial Nr: 106,5"							
38916	Center	330x25x1257	76,3	168,24	1"	5	171M366330
38917	End	330x25x 719	43,6	96,14	1"	3	171M366340
LW190							
Serial Nr: 114,5"							
760-47-624	Center	330x25x1362	82,7	182,35	7/8"	5	171M366350
760-47-625	End	330x25x 772	46,9	103,41	7/8"	3	171M366360
LW230							
Serial Nr: 118,5"							
760-34-788	Center	400x35x1405	144,8	319,28	1"	5	171M366370
760-34-789	End	400x35x 800	82,4	181,69	1"	3	171M366380

# NEW HOLLAND LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
LW270							
Serial Nr: 124,5"							
760-34-790	Center	380x25x1518	107,2	236,38	1"	5	171M366390
760-34-791	End	380x25x 819	57,8	127,45	1"	3	171M366400

# SAMSUNG LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
SL120							
Serial Nr: 100"							
SL120-17049	Optional HD End	360x30x 807	63,9	140,90	3/4"	5	171M366410
SL250							
Serial Nr: 120"							
SK-9685	Base Edge	300x40x3050				28	
SL250-2CTR	Center	300x30x1241	81,3	179,27	1"	4	171M366420
SL250-2END	End	430x30x 280	26,4	58,21	1"	3	171M366430
Serial Nr: 122"							
SL250-2C-32	Center	330x30x1210	88,1	194,26	1"	3	171M366440
SL250-2E-32	End	330x30x 940	68,2	150,38	1"	3	171M366450

# VOLVO BULLDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
280							
Serial Nr: 170"							
546123	Center	250x25x1826	81,2	179,05	7/8"	12	171M366460
Serial Nr: 160"							
560696	Center	250x25x3048	135,5	298,78	7/8"	20	171M366470
2552392	Heavy Center	300x50x3048			7/8"	20	171M366475
Serial Nr: 255"							
1546234	Center	250x25x3480	154,7	341,11	7/8"	23	171M366480
Serial Nr: 255"							
2552817	Center	250x25x3480	154,7	341,11	1"	23	171M366481
Serial Nr: 196"							
2553040	Center	250x25x1975	87,8	193,60	1"	13	171M366490
2560932	Heavy Duty Center	250x40x1975	135,6	299,00	1"	13	171M366495
Serial Nr: 207,5"							
548052	Center	250x25x2435	108,3	238,80	7/8"	16	171M366500
Serial Nr: 196"							
1505870	Center	250x25x1975	87,8	193,60	7/8"	13	171M366491



# VOLVO LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
EL70							
Serial Nr:							
11011438	Base Edge	200x25x2500	90,3	199,11	5/8"	25	171M011438
11012887-3	Center	280x20x1448	58,2	128,33	5/8"	9	171M012887
11011413-9	End	367x20x 521	28,11	61,98	5/8"	8	171M011413
11011439-4	Optional center	250x20x1448	53	116,87	5/8"	9	171M011439
11011414-7	Optional end	250x20x 521	19	41,90	5/8"	4	171M011414
11142174	Bolt-on Wear Plate	280x20x 400	15,7	34,62	5/8"	4	171M142174
Serial Nr: 92564							
11082121	Base Edge	200x25x2550	92,5	203,96	5/8"	21	171M082121
11081625-3	Center	280x20x1498	55,8	123,04	5/8"	9	171M081625
11011413-9	End	367x20x 521	28,11	61,98	5/8"	8	171M011413
11142174	Bolt-on Wear Plate	280x20x 400	15,7	34,62	5/8"	4	171M142174
Serial Nr: 98018							
4857503-9	Base Edge	200x25x2430	88,2	194,48	3/4"	12	171M857503
4857494-1	Center	250x20x 608	22,08	48,69	3/4"	3	171M857494
Serial Nr: 90928							
4859527	Base Edge	200x25x2500	90,3	199,11	3/4"	12	171M859527
4857495-8	Center	300x20x 626	27,66	60,99	3/4"	3	171M857495
L30							
Serial Nr: 91248 91249							
11010991	Base Edge	200x20x2130	59	130,10	5/8"	23	171M010991
11011143-2	Center	250x20x1248	45,3	99,89	5/8"	9	171M011143
11011144-0	End	250x20x 436	14	30,87	5/8"	3	171M011144
1805077	Optional center	200x20x1248	35,4	78,06	5/8"	9	171M366510
1805120	Optional end	200x20x 437	12,4	27,34	5/8"	3	171M366520
Serial Nr: 91033 91035							
4857501	Base Edge	150x20x2130	46,1	101,65	5/8"	9	171M857501
48757492-5	Center	220x16x 710	18,25	40,24	5/8"	3	171M857492
Serial Nr: 91070 91072							
11010634	Base Edge	150x20x2240	48,5	106,94	5/8"	9	171M010634
11010633-3	Center	220x16x 744	19,14	42,20	5/8"	3	171M010633
L50							
Serial Nr: 97989 97968 97988 97985							
4857501-3	Base Edge	150x20x2130	46,1	101,65	5/8"	9	171M857501

# VOLVO LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
48757492-5	Center	220x16x 710	18,25	40,24	5/8"	3	171M857492
Serial Nr: Many buckets							
11010393	Base Edge	200x20x2300	67,2	148,18	5/8"	25	171M010393
11011143-2	Center	250x20x1248	45,3	99,89	5/8"	9	171M011143
11011414-7	End	250x20x 521	19	41,90	5/8"	4	171M011414
1805077	Optional center	200x20x1248	35,4	78,06	5/8"	9	171M366510
2518689-1	Optional end	200x20x 521	14,8	32,63	5/8"	4	171M366530
11142174	Bolt-on Wear Plate	280x20x 400	15,7	34,62	5/8"	4	171M142174
Serial Nr: 90561 90562 90563 90564 90565 90566							
4859260	Base Edge	200x20x2300					
2561770	Center	200x20x1332	38,3	84,45	1/2"	4	171M366540
2519492	End	200x20x 484	13,8	30,43	1/2"	4	171M366550
Serial Nr: 90039 90253 99776 90251 99778							
4857502-1	Base Edge	200x20x2300	67,8	149,50	5/8"	9	171M857502
4857493-3	Center	220x16x 768	19,75	43,55	5/8"	3	171M857493
Serial Nr: 92315 94524 93470 92313 82099							
11012935	Base Edge	200x20x2380	69,8	153,91	5/8"	17	171M012935
11012938-4	Center	250x20x1328	48,2	106,28	5/8"	9	171M012938
11011414-7	End	250x20x 521	19	41,90	5/8"	4	171M011414
Serial Nr: 92316 92236 82100							
11081543	Base Edge	200x20x2500	73,3	161,63	5/8"	18	171M081543
11081544-6	Center	250x20x1448	52	114,66	5/8"	10	171M081544
11011414-7	End	250x20x 521	19	41,90	5/8"	4	171M011414
Serial Nr: Many buckets							
4857503	Base Edge	200x25x2430	88,2	194,48	3/4"	12	171M857503
4857494-1	Center	250x20x 610	22,08	48,69	3/4"	3	171M857494
Serial Nr: 92171 93815							
11142217	Spade Nose Base Edge No Holes	2300/600 x331/102x20	84,8	186,98			171M142217
L60							
Serial Nr: 93817 93820 93823 93825 82036 80177							
11011438	Base Edge	200x25x2500	90,3	199,11	5/8"	25	171M011438
11012887-3	Center	280x20x1448	58,2	128,33	5/8"	9	171M012887

# VOLVO LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
11011413-9	End	367x20x 521	28,11	61,98	5/8"	8	171M011413
11011439-4	Optional center	250x20x1448	53	116,87	5/8"	9	171M011439
11011414-7	Optional end	250x20x 521	19	41,90	5/8"	4	171M011414
11142174	Bolt-on Wear Plate	280x20x 400	15,7	34,62	5/8"	4	171M142174
Serial Nr: 80924 80925							
11156508	Base Edge	200x25x2550	92	202,86	5/8"	30	171M156508
11156585	Center	280x20x1472	60,6	133,62	5/8"	8	171M156585
11156579	End	367x20x 534	28,83	63,57	5/8"	8	171M156579
11142174	Bolt-on Wear Plate	280x20x 400	15,7	34,62	5/8"	4	171M142174
Serial Nr: 82516 82515 92564 80160 82098							
11082121-2	Base Edge	200x25x2550	92,5	203,96	5/8"	21	171M082121
11081625-3	Center	280x20x1498	55,8	123,04	5/8"	9	171M081625
11011413-9	End	367x20x 521	28,11	61,98	5/8"	8	171M011413
11142174	Bolt-on Wear Plate	280x20x 400	15,7	34,62	5/8"	4	171M142174
Serial Nr: 92565 82364 82096 82097							
11012803	Base Edge	200x20x2650	77,6	171,11	5/8"	22	171M012803
11012832-9	Center	280x20x1598	66	145,53	5/8"	10	171M012832
11011413-9	End	367x20x 521	28,11	61,98	5/8"	8	171M011413
11142174	Bolt-on Wear Plate	280x20x 400	15,7	34,62	5/8"	4	171M142174
11156221	Bolt-on Wear Plate	250x20x 250	8,87	19,56	5/8"	4	171M156221
Serial Nr: 93827							
11142206	Spade Nose Base Edge No Holes	2500/650 x350/102x25					171M142206
L70							
Serial Nr: Many buckets							
11010394-2	Base Edge	200x25x2430	87,8	193,60	5/8"	25	171M010394
11011412-1	Center	280x20x1373	52	114,66	5/8"	9	171M011412
11011413-9	End	367x20x 521	28,11	61,98	5/8"	8	171M011413
2561771-3	Optional center	200x20x1378	39,2	86,44	5/8"	9	171M366560
2518689-1	Optional end	200x20x 521	14,8	32,63	5/8"	4	171M366530
Serial Nr: 90041 90044 99780 99784 99782 99786							
4857503-9	Base Edge	200x25x2430	88,2	194,48	3/4"	12	171M857503
4857494-1	Center	250x20x 610	22,08	48,69	3/4"	3	171M857494
Serial Nr: Many buckets							
11011438-6	Base Edge	200x25x2500	90,3	199,11	5/8"	25	171M011438

# VOLVO LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
11012887-3	Center	280x20x1448	58,2	128,33	5/8"	9	171M012887
11011413-9	End	367x20x 521	28,11	61,98	5/8"	8	171M011413
11011439-4	Optional center	250x20x1448	53	116,87	5/8"	9	171M011439
11011414-7	Optional end	250x20x 521	19	41,90	5/8"	4	171M011414
11142174	Bolt-on Wear Plate	280x20x 400	15,7	34,62	5/8"	4	171M142174
Serial Nr: 99788 90778 90928							
4857504-7	Base Edge	200x30x2500	107,6	237,26	3/4"	12	171M857504
4859527-6	Base Edge	200x25x2500	90,3	199,11	3/4"	12	171M859527
4857495-8	Center	300x20x 626	27,66	60,99	3/4"	3	171M857495
Serial Nr: 98432							
4858166-4	Base Edge	200x30x2500	107	235,94	1"	12	171M858166
4858167-2	Center	320x25x 626	36,69	80,90	1"	3	171M858167
Serial Nr: 80684 80635 80637 80639 80705 80741							
11156508	Base Edge	200x25x2550	92	202,86	5/8"		171M156508
11156585	Center	280x20x1472	60,6	133,62	5/8"	8	171M156585
11156579	End	367x20x 534	28,83	63,57	5/8"	8	171M156579
11156591	Segment	280x25x 251					
11156838	Bolt-on Wear Plate	280x20x 400	14,45	31,86	5/8"	4	171M156838
11142174	Bolt-on Wear Plate	280x20x 400	15,7	34,62	5/8"	4	171M142174
Serial Nr: 92564 92550 80160 82516 82515 92312							
11082121-2	Base Edge	200x25x2550	92,5	203,96	5/8"	21	171M082121
11081625-3	Center	280x20x1498	55,8	123,04	5/8"	9	171M081625
11011413-9	End	367x20x 521	28,11	61,98	5/8"	8	171M011413
11142174	Bolt-on Wear Plate	280x20x 400	15,7	34,62	5/8"	4	171M142174
11156221	Bolt-on Wear Plate	250x20x 250	9,6	21,17	5/8"	4	171M156221
Serial Nr: 91760 92565 82364 92237 80159 82097							
11012803-0	Base Edge	200x20x2650	77,6	171,11	5/8"	22	171M012803
11012832-9	Center	280x20x1598	66	145,53	5/8"	10	171M012832
11011413-9	End	367x20x 521	28,11	61,98	5/8"	8	171M011413
11142174	Bolt-on Wear Plate	280x20x 400	15,7	34,62	5/8"	4	171M142174
11156221	Bolt-on Wear Plate	250x20x 250	9,6	21,17	5/8"	4	171M156221
Serial Nr: 82514 82513							
11082218	Base Edge	250x30x2750	150,5	331,85	3/4"	21	171M082218
11081051-2	Center	300x25x1448	78	171,99	3/4"	9	171M081051

# VOLVO LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
11011112-7	End	387x25x 646	46	101,43	3/4"	8	171M011112
11142033	Bolt-on Wear Plate	310x30x 550	22,3	49,17	3/4"	4	171M142033
Serial Nr: 82512 82511							
11082219-4	Base Edge	270x35x3000	207	456,44	3/4"	19	171M082219
11082755-7	Center	350x25x1745	113	249,17	3/4"	9	171M082755
11011154-9	End	461x25x 622	53	116,87	3/4"	6	171M011154
11142033	Bolt-on Wear Plate	310x30x 550	22,3	49,17	3/4"	4	171M142033
Serial Nr: 80685 80636 80640 82643 82644							
11156590	Base Edge	200x25x2550	93	205,07	5/8"	14	171M156590
Serial Nr: 80638 80893							
11156661	Base Edge	200x25x2650	95,8	211,24	5/8"	30	171M156661
11157181	Center	280x20x1494	61,5	135,61	5/8"	8	171M157181
11157182	End	367x20x 574	31	68,36	5/8"	8	171M157182
11156674	Segment	280x25x 245	12	26,46	5/8"	2	171M156674
11156838							
Serial Nr: 80562 80821							
11156577	Base Edge	200x25x2650	96,2	212,12	5/8"	22	171M156577
11156578	Center	280x20x1572	64,6	142,44	5/8"	10	171M156578
11156679	End	367x20x 566	30,6	67,47	5/8"	8	171M156679
Serial Nr: 80634 80964							
11156667	Base Edge	200x20x2750	80,9	178,38	5/8"	20	171M156667
11156666	Center	280x20x1608	68,7	151,48	5/8"	8	171M156666
11156679	End	367x20x 566	30,6	67,47	5/8"	8	171M156679
11156221	Bolt-on Wear Plate	250x20x 250	9,6	21,17	5/8"	4	171M156221
Serial Nr: 93827							
11142206	Spade Nose Base Edge No Holes	2500/650 x350/102x25	120,2	265,04			171M142206
11156586	Segment	280x25x 236	12,1	26,68	5/8"	2	171M156586
L90							
Serial Nr: 90442 90446 90229 90447 90443 90448							
4858166-4	Base Edge	200x30x2500	107	235,94	1"	12	171M858166
4858167-2	Center	320x25x 626	36,69	80,90	1"	3	171M858167

# VOLVO LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 92948 92947							
11082727	Base Edge	250x30x2500	136,5	300,98	3/4"	23	171M082727
11082739-1	Center	300x25x1200	65,6	144,65	3/4"	7	171M082739
11011112-7	End	387x25x 646	46	101,43	3/4"	8	171M011112
Serial Nr: 90573 90574 90575 90576 90577 90578							
4859288	Base Edge	230x35x2500				20	
2561772	Center	200x20x1202	34,5	76,07	5/8"	4	171M366570
2553942	End	200x20x 646	18,4	40,57	5/8"	4	171M366580
Serial Nr: 80238 93842							
11045945	Base Edge	250x30x2500	135,9	299,66	3/4"	30	171M045945
11045951	Center	300x25x1476	80,3	177,06	3/4"	8	171M045951
11142264	End	387x25x 508	35,5	78,28	3/4"	8	171M142264
11045952	Segment	300x30x 230	14,8	32,63	3/4"	2	171M045952
11142033	Bolt-on Wear Plate	310x30x 550	22,3	49,17	3/4"	4	171M142033
Serial Nr: Many buckets							
11010395-9	Base Edge	200x30x2650	113,4	250,05	3/4"	25	171M010395
11081682-4	Base Edge	250x30x2650	144,4	318,40	3/4"	25	171M081682
11011111-9	Center	300x25x1348	72,4	159,64	3/4"	9	171M011111
11011112-7	End	387x25x 646	46	101,43	3/4"	8	171M011112
Serial Nr: 93845 93857 93848 93859 93854 93862							
11045661	Base Edge	250x30x2650	144,2	317,96	3/4"	30	171M045661
11045948-4	Center	300x25x1494	81,3	179,27	3/4"	8	171M045948
11045947-6	End	387x25x 574	40,3	88,86	3/4"	8	171M045947
11045949-2	Segment	300x30x 245	15,8	34,84	3/4"	2	171M045949
11142033	Bolt-on Wear Plate	310x30x 550	22,3	49,17	3/4"	4	171M142033
Serial Nr: 92687 92688 82514 82513 92334 82039							
11082218	Base Edge	250x30x2750	150,5	331,85	3/4"	21	171M082218
11081049	Base Edge	200x25x2750	99,3	218,96	3/4"	21	171M081049
11081051-2	Center	300x25x1448	78	171,99	3/4"	9	171M081051
11011112-7	End	387x25x 646	46	101,43	3/4"	8	171M011112
11142033	Bolt-on Wear Plate	310x30x 550	22,3	49,17	3/4"	4	171M142033
Serial Nr: 90926 90501							
11010184-7	Base Edge	200x30x2750	117,7	259,53	1"	12	171M010184
4859102-8	Base Edge	270x35x2750	189,6	418,07	1"	12	171M859102

# VOLVO LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
4857496-6	Center	330x25x 686	40,26	88,77	1"	3	171M857496
Serial Nr: 91769							
11010396-7	Base Edge	250x35x2854	195	429,98	3/4"	25	171M010396
11011153-1	Center	350x25x1600	93	205,07	3/4"	9	171M011153
11011154-9	End	461x25x 622	53	116,87	3/4"	6	171M011154
1805013	Optional center	250x25x1600	71,9	158,54	3/4"	9	171M366590
2526416	Optional end	250x25x 622	28	61,74	3/4"	3	171M526416
Serial Nr: 82512 82511							
11082219-4	Base Edge	270x35x3000	207	456,44	3/4"	19	171M082219
11082755-7	Center	350x25x1745	113	249,17	3/4"	9	171M082755
11011154-9	End	461x25x 622	53	116,87	3/4"	6	171M011154
11142033	Bolt-on Wear Plate	310x30x 550	22,3	49,17	3/4"	4	171M142033
Serial Nr: 92683 92333 82041 82040							
11081024-9	Base Edge	200x25x3000	108,7	239,68	3/4"	22	171M081024
11012955-8	Center	300x25x1698	92	202,86	3/4"	10	171M012955
11011112-7	End	387x25x 646	46	101,43	3/4"	8	171M011112
Serial Nr: 99436							
4859041-8	Base Edge	200x25x3000	107,7	237,48	1"	15	171M859041
4859042-6	Center	250x25x 608	27,27	60,13	1"	3	171M859042
Serial Nr: 93847 93858 93849 93861 93855 93864							
11045944	Base Edge	250x30x2650	145,6	321,05	3/4"	14	171M045944
11045949-2	Segment	300x30x 245	15,8	34,84	3/4"	2	171M045949
11142033	Bolt-on Wear Plate	310x30x 550	22,3	49,17	3/4"	4	171M142033
Serial Nr: 80681							
11156733	Base Edge	250x30x2750	151,2	333,40	3/4"	14	171M156733
11156745	Segment	300x30x 268	17,3	38,15	3/4"	2	171M156745
11142033	Bolt-on Wear Plate	310x30x 550	22,3	49,17	3/4"	4	171M142033
Serial Nr: 93843							
11045946	Base Edge	250x30x2500	137,3	302,75	3/4"	14	171M045946
11045952	Segment	300x30x 230	14,8	32,63	3/4"	2	171M045952
11142033	Bolt-on Wear Plate	310x30x 550	22,3	49,17	3/4"	4	171M142033
Serial Nr: 80682 82109							
11156728	Base Edge	250x30x2750	149,2	328,99	3/4"	30	171M156728

# VOLVO LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
11156729	Center	300x25x1608	86,8	191,39	3/4"	8	171M156729
11156731	End	387x25x 566	39,7	87,54	3/4"	8	171M156731
Serial Nr: 93866 93868							
11142168	Spade Nose Base Edge No Holes	2650/800 x410/162x30	192,3	424,02			171M142168
11142033	Bolt-on Wear Plate	310x30x 550	22,3	49,17	3/4"	4	171M142033
L110							
Serial Nr: 93869 93870 93876 93872 93882 80145							
11045768	Base Edge	270x35x2880	198,6	437,91	3/4"	37	171M045768
11045809-8	Center	350x25x1624	104	229,32	3/4"	11	171M045809
11045808-0	End	461x25x 624	52,7	116,20	3/4"	10	171M045808
11045810	Segment	350x30x 280	20,7	45,64	3/4"	3	171M045810
11142033	Bolt-on Wear Plate	310x30x 550	22,3	49,17	3/4"	4	171M142033
Serial Nr: 82590 80576 92689 92690 82512 82511							
11082219-4	Base Edge	270x35x3000	207	456,44	3/4"	19	171M082219
11156717	Base Edge	270x35x3000	211	465,26	3/4"	14	171M156717
11082755-7	Center	350x25x1745	113	249,17	3/4"	9	171M082755
11011154-9	End	461x25x 622	53	116,87	3/4"	6	171M011154
11156762	Segment	350x30x 280	20,7	45,64	3/4"	2	171M156762
11142033	Bolt-on Wear Plate	310x30x 550	22,3	49,17	3/4"	4	171M142033
Serial Nr: 82043 82042 82041 82040							
11081024-9	Base Edge	200x25x3000	108,7	239,68	3/4"	22	171M081024
11012955-8	Center	300x25x1698	92	202,86	3/4"	10	171M012955
11011112-7	End	387x25x 646	46	101,43	3/4"	8	171M011112
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811
Serial Nr: 80872 82396 82397							
11156764	Base Edge	270x35x3000	205,9	454,01	3/4"	30	171M156764
11156766SP-10	Center	350x30x1682	129,4	285,33	7/8"	8	171M366600
11156765SP-10	End	460x30x 656	57,9	127,67	7/8"	8	171M366610
11156766	Center	350x25x1682	109	240,35	3/4"	8	171M156766
11156765	End	461x25x 655	56	123,48	3/4"	8	171M156765
11156762	Segment	350x30x 280	20,7	45,64	3/4"	2	171M156762
11142033	Bolt-on Wear Plate	310x30x 550	22,3	49,17	3/4"	4	171M142033
Serial Nr: 92684 82044 82045							
11011630-8	Base Edge	200x25x3400	123,2	271,66	3/4"	25	171M011630
11011631-6	Center	300x25x2098	114	251,37	3/4"	13	171M011631



# VOLVO LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
11011112-7	End	387x25x 646	46	101,43	3/4"	8	171M011112
11142033	Bolt-on Wear Plate	310x30x 550	22,3	49,17	3/4"	4	171M142033
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811
Serial Nr: 82118 82361 93871 93881 93887 93873							
11045692	Base Edge	270x35x2880	198,5	437,69	3/4"	21	171M045692
11045810	Segment	350x30x 280	20,7	45,64	3/4"	3	171M045810
11142033	Bolt-on Wear Plate	310x30x 550	22,3	49,17	3/4"	4	171M142033
Serial Nr: 93889 93888 93890							
11045693	Spade Nose Base Edge	2880/850 x480/205x35	287,2	633,28	3/4"	25	171M045693
11045826	Center	350x25x 876	57,1	125,91	3/4"	5	171M045826
11045827	End LH	350x25x1127	65,9	145,31	3/4"	10	171M045827
11045828	End RH	350x25x1127	65,9	145,31	3/4"	10	171M045828
11142263	Segment	350x30x 260	19,2	42,34	3/4"	3	171M142263
11142033	Bolt-on Wear Plate	310x30x 550	22,3	49,17	3/4"	4	171M142033
L120							
Serial Nr: 91452							
11010394-2	Base Edge	200x25x2430	87,8	193,60	5/8"	25	171M010394
11011412-1	Center	280x20x1373	52	114,66	5/8"	9	171M011412
11011413-9	End	367x20x 521	28,11	61,98	5/8"	8	171M011413
2561771-3	Optional center	200x20x1378	39,2	86,44	5/8"	9	171M366560
2518689-1	Optional end	200x20x 521	14,8	32,63	5/8"	4	171M366530
Serial Nr: 90579 90580 90581 90582 90583 90584							
4859319	Base Edge	250x35x2750				23	
2561773-9	Center	250x25x1500	67,3	148,40	3/4"	9	171M561773
2526416	End	250x25x 622	28	61,74	3/4"	3	171M526416
Serial Nr: 90450 90453 90226 90454 90451 90455							
4859102-8	Base Edge	270x35x2750	189,6	418,07	1"	12	171M859102
4857496-6	Center	330x25x 686	40,26	88,77	1"	3	171M857496
Serial Nr: Many buckets							
11010396-7	Base Edge	250x35x2854	195	429,98	3/4"	25	171M010396
11011153-1	Center	350x25x1600	93	205,07	3/4"	9	171M011153
11011154-9	End	461x25x 622	53	116,87	3/4"	6	171M011154
1805013	Optional center	250x25x1600	71,9	158,54	3/4"	9	171M366590
2526416	End	250x25x 622	28	61,74	3/4"	3	171M526416

# VOLVO LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 93869 93870 93876 93872 93882 93875							
11045768-6	Base Edge	270x35x2880	198,6	437,91	3/4"	37	171M045768
11045809-8	Center	350x25x1624	104	229,32	3/4"	11	171M045809
11045808-0	End	461x25x 624	52,7	116,20	3/4"	10	171M045808
11045810	Segment	350x30x 280	20,7	45,64	3/4"	3	171M045810
11142033	Bolt-on Wear Plate	310x30x 550	22,3	49,17	3/4"	4	171M142033
Serial Nr: 90927							
11010185-4	Base Edge	270x35x2950	203,5	448,72	1"	12	171M010185
11010187-0	Center	320x25x 732	43	94,82	1"	3	171M010187
Serial Nr: 92336 94693 94814 94694 82043 82042							
11081024-9	Base Edge	200x25x3000	108,7	239,68	3/4"	22	171M081024
11012955-8	Center	300x25x1698	92	202,86	3/4"	10	171M012955
11011112-7	End	387x25x 646	46	101,43	3/4"	8	171M011112
11082755-7	Center	350x25x1745	113	249,17	3/4"	9	171M082755
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811
Serial Nr: 80576 82590							
11156717	Base Edge	270x35x3000	211	465,26	3/4"	14	171M156717
11082755-7	Center	350x25x1745	113	249,17	3/4"	9	171M082755
11011154-9	End	461x25x 622	53	116,87	3/4"	6	171M011154
11156762	Segment	350x30x 280	20,7	45,64	3/4"	2	171M156762
11142033	Bolt-on Wear Plate	310x30x 550	22,3	49,17	3/4"	4	171M142033
Serial Nr: 80872 82602 82024 80575 82396 82397							
11156764	Base Edge	270x35x3000	205,9	454,01	3/4"	30	171M156764
11156766SP-10	Center	350x30x1682	129,4	285,33	7/8"	8	171M366600
11156765SP-10	End	460x30x 656	57,9	127,67	7/8"	8	171M366610
11156762	Segment	350x30x 280	20,7	45,64	3/4"	2	171M156762
11142033	Bolt-on Wear Plate	310x30x 550	22,3	49,17	3/4"	4	171M142033
Serial Nr: 92689 92690							
11082219-4	Base Edge	270x35x3000	207	456,44	3/4"	19	171M082219
11082755-7	Center	350x25x1745	113	249,17	3/4"	9	171M082755
11011154-9	End	461x25x 622	53	116,87	3/4"	6	171M011154
11142033	Bolt-on Wear Plate	310x30x 550	22,3	49,17	3/4"	4	171M142033
Serial Nr: 90503 90504							
4859041-8	Base Edge	200x25x3000	107,7	237,48	1"	15	171M859041
4859042-6	Center	250x25x 608	27,27	60,13	1"	3	171M859042

# VOLVO LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 92684 92335 94695 94815 82044 82045							
11011630-8	Base Edge	200x25x3400	123,2	271,66	3/4"	25	171M011630
11011631-6	Center	300x25x2098	114	251,37	3/4"	13	171M011631
11011112-7	End	387x25x 646	46	101,43	3/4"	8	171M011112
11142033	Bolt-on Wear Plate	310x30x 550	22,3	49,17	3/4"	4	171M142033
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811
Serial Nr: 90505							
4858008-8	Base Edge	200x25x3500	126,9	279,81	1"	15	171M858008
4857496-6	Center	330x25x 686	40,26	88,77	1"	3	171M857496
Serial Nr: 82118 82360 93871 93881 93887 93873							
11045692	Base Edge	270x35x2880	198,5	437,69	3/4"	21	171M045692
11045810	Segment	350x30x 280	20,7	45,64	3/4"	3	171M045810
11142033	Bolt-on Wear Plate	310x30x 550	22,3	49,17	3/4"	4	171M142033
Serial Nr: 90480 90483 91379 91386 92783 91075							
11011305	Spade Nose Edge No Holes	2850/850 x400/130x35	225	496,13			171M011305
Serial Nr: 92784							
11082841	Spade Nose Edge No Holes	2850/850 x450/180x35	265	584,33			171M082841
Serial Nr: 93889 93888 93890							
11045693	Spade Nose Edge	2880/850 x480/205x35	287,2	633,28	3/4"	25	171M045693
11045826	Center	350x25x 876	56,2	123,92	3/4"	5	171M045826
11045827	End Left	350x25x1127	65,6	144,65	3/4"	10	171M045827
11045828	End Right	350x25x1127	65,6	144,65	3/4"	10	171M045828
11142263	Segment	350x30x 260	19,2	42,34	3/4"	3	171M142263
11142033	Bolt-on Wear Plate	310x30x 550	22,3	49,17	3/4"	4	171M142033
L150							
Serial Nr: 91620 91621 91293 91292 92176 92177							
11081060-3	Base Edge	300x40x3000	260,9	575,28	1"	25	171M081060
11081064-5	Center	380x30x1267	108	238,14	1"	7	171M081064
11081069-4	End	480x30x 863	93	205,07	1"	10	171M081069
Serial Nr: 91620 91621 91293 91292 92176 92177							
11011065-7	Base Edge	300x40x3000	262,8	579,47	3/4"	25	171M011065
11011512-8	Center	310x30x1267	85,1	187,65	3/4"	7	171M011512
11011411-3	End	406x30x 863	79	174,20	3/4"	10	171M011411

# VOLVO LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 94738 94742 94737 94741							
11082598-1	Base Edge	300x40x3000	260	573,30	1"	30	171M082598
11082665-8	Center	380x30x1618	136	299,88	1"	8	171M082665
11082664-1	End	480x30x 687	74	163,17	1"	8	171M082664
11082661	Segment	380x30x 250	20,8	45,86	1"	2	171M082661
11082654	Segment	380x30x 290	24,22	53,41	1"	2	171M082654
Serial Nr: 80754 93697 93708 93698 93709 80736							
11111884	Base Edge	300x40x3000	260	573,30	1"	30	171M111884
11111886	Center	380x30x1682	141,7	312,45	1"	8	171M111886
11111885	End	480x30x 655	69,4	153,03	1"	8	171M111885
11111054	Segment	380x35x 270	25,7	56,67	1"	2	171M111054
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811
Serial Nr: 92204 92205 92179 92180 91954 91955							
11081059-5	Base Edge	200x30x3200	136,9	301,86	1"	17	171M081059
11045300-8	Base Edge	250x30x3200	174,9	385,65	1"	17	171M045300
11081061-1	Base Edge	300x40x3200	278,6	614,31	1"	17	171M081061
11081068-6	Center	380x30x1467	124	273,42	1"	7	171M081068
11081069-4	End	480x30x 863	93	205,07	1"	10	171M081069
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811
Serial Nr: 92204 92205 92179 92180 91954 91955							
11011913-8	Base Edge	300x40x3200	280,1	617,62	3/4"	25	171M011913
11011410-5	Center	310x30x1467	97,2	214,33	3/4"	7	171M011410
11011411-3	End	406x30x 863	79	174,20	3/4"	10	171M011411
2561774-7	Optional center	300x30x1467	95,9	211,46	3/4"	7	171M366620
2541824	Optional end	300x30x 857	55,9	123,26	3/4"	5	171M366630
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811
Serial Nr: 94740 94744 94686 94739 94743 93700							
11082599	Base Edge	300x40x3200	276,8	610,34	1"	30	171M082599
11082666-6	Center	380x30x1818	152	335,16	1"	8	171M082666
11082664-1	End	480x30x 687	74	163,17	1"	8	171M082664
11082654	Segment	380x30x 290	24,22	53,41	1"	2	171M082654
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811
Serial Nr: 93725 93736 93747 93730 93732 93706							
11045996	Base Edge	300x40x3230	283,4	624,90	1"	14	171M045996
11111888	Segment	380x35x 310	29,6	65,27	1"	2	171M111888
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811

# VOLVO LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 82458 82459							
11111760	Base Edge	300x40x3400	296,8	654,44	1"	37	171M111760
11111776-8	Center	380x30x1954	164,8	363,38	1"	9	171M111776
11111775-0	End	480x30x 719	75,5	166,48	1"	10	171M111775
11111761-0	Segment	380x35x 330	31	68,36	1"	3	171M111761
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811
Serial Nr: 91677 92117							
11081078-5	Base Edge	300x40x3400	295,8	652,24	1"	28	171M081078
11081065-2	Center	380x30x1666	137	302,09	1"	9	171M081065
11081069-4	End	480x30x 863	93	205,07	1"	10	171M081069
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811
Serial Nr: 91677 92117							
11082601-3	Base Edge	300x40x3400	295,4	651,36	1"	30	171M082601
11082667-4	Center	380x30x2018	168	370,44	1"	8	171M082667
11082664-1	End	480x30x 687	74	163,17	1"	8	171M082664
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811
Serial Nr: 91677 92117							
11011903	Base Edge						
11011987-2	Center	310x30x1664	110	242,55	3/4"	9	171M011987
11011411-3	End	406x30x 863	79	174,20	3/4"	10	171M011411
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811
Serial Nr: 91756 92269 80798 82017							
11081063-7	Base Edge	200x30x3400	145,6	321,05	1"	19	171M081063
11045302	Base Edge	250x30x3400	185,7	409,47	1"	19	171M045302
11081078-5	Base Edge	300x40x3400	295,8	652,24	1"	28	171M081078
11081065-2	Center	380x30x1666	137	302,09	1"	9	171M081065
11081069-4	End	480x30x 863	93	205,07	1"	10	171M081069
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811
Serial Nr: 92192 91678 80810 82508 91757 92270							
11081058-7	Base Edge	200x30x3700	158,6	349,71	1"	20	171M081058
11045299	Base Edge	250x30x3700	176,9	390,06	1"	20	171M045299
11111691-9	Base Edge	300x40x3700	323,1	712,44	1"	24	171M111691
11081066-0	Center	380x30x1965	168	370,44	1"	10	171M081066
11081069-4	End	480x30x 863	93	205,07	1"	10	171M081069
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811

# VOLVO LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 92192 91678 80810 82508 91757 92270							
11011561	Base Edge						
11011570-6	Center	310x30x1965	132,5	292,16	3/4"	10	171M011570
11011411-3	End	406x30x 863	79	174,20	3/4"	10	171M011411
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811
Serial Nr: 91679 91758 92271 80799 82018							
11081062-9	Base Edge	200x30x4000	171,4	377,94	1"	22	171M081062
11045301-6	Base Edge	250x30x4000	218,5	481,79	1"	22	171M045301
11081067-8	Center	380x30x2265	193	425,57	1"	12	171M081067
11081069-4	End	480x30x 863	93	205,07	1"	10	171M081069
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811
Serial Nr: 93699 93710 93704 93707							
11082773	Base Edge	300x40x3030	263,1	580,14	1"	14	171M082773
11111055-7	Segment	380x35x 280	26,6	58,65	1"	2	171M111055
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811
Serial Nr: 93722							
11045995	Base Edge	300x40x3030	265,7	585,87	1"	14	171M045995
11111055-7	Segment	380x35x 280	26,6	58,65	1"	2	171M111055
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811
Serial Nr: 80323 80325 80327 80735 82664 80755							
11082773	Base Edge	300x40x3030	263,1	580,14	1"	14	171M082773
11111054	Segment	380x35x 270	25,7	56,67	1"	2	171M111054
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811
Serial Nr: 93889 93888 93890							
11145693	Spade Nose Base Edge						
11045826	Center	350x25x 876	57,1	125,91	3/4"	5	171M045826
11045827	End LH	350x25x1127	65,9	145,31	3/4"	10	171M045827
11045828	End RH	350x25x1127	65,9	145,31	3/4"	10	171M045828
11142263	Segment	350x30x 260	19,2	42,34	3/4"	3	171M142263
11142033	Bolt-on Wear Plate	310x30x 550	22,3	49,17	3/4"	4	171M142033
Serial Nr:							
11045585	Spade Nose Base Edge	3030/850 x565/272x40	416,4	918,16	1"	18	171M045585
11045615	Center	380x30x 924	77,7	171,33	1"	4	171M045615
11045616	End LH	380x30x1187	90,9	200,43	1"	6	171M045616
11045617	End RH	380x30x1187	90,9	200,43	1"	6	171M045617

# VOLVO LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
L160							
Serial Nr: Many buckets							
11011913-8	Base Edge	300x40x3200	280,1	617,62	3/4"	25	171M011913
11011410-5	Center	310x30x1467	97,2	214,33	3/4"	7	171M011410
11011411-3	End	406x30x 863	79	174,20	3/4"	10	171M011411
2561774-7	Optional center	300x30x1467	95,9	211,46	3/4"	7	171M366620
2541824	Optional end	300x30x 857	55,9	123,26	3/4"	5	171M366630
Serial Nr: Many buckets							
4857506-2	Base Edge	300x40x3200	281,2	620,05	1"	12	171M857506
4857497-4	Center	350x30x 800	61,77	136,20	1"	3	171M857497
Serial Nr: 91717							
11011903	Base Edge						
11011987-2	Center	310x30x1664	110	242,55	3/4"	9	171M011987
11011411-3	End	406x30x 863	79	174,20	3/4"	10	171M011411
Serial Nr: 90900							
4858008-8	Base Edge	200x25x3500	126,9	279,81	1"	15	171M858008
4857496-6	Center	330x25x 686	40,26	88,77	1"	3	171M857496
Serial Nr: 99358 90110							
4858009-6	Base Edge	200x30x4000	172,4	380,14	1"	15	171M858009
4857497-4	Center	350x30x 800	61,77	136,20	1"	3	171M857497
L180							
Serial Nr: 92176 92177							
11081060-3	Base Edge	300x40x3000	260,9	575,28	1"	25	171M081060
11081064-5	Center	380x30x1267	108	238,14	1"	7	171M081064
11081069-4	End	480x30x 863	93	205,07	1"	10	171M081069
Serial Nr: Many buckets							
11081059-5	Base Edge	200x30x3200	136,9	301,86	1"	17	171M081059
11045300-8	Base Edge	250x30x3200	174,9	385,65	1"	17	171M045300
11081061-1	Base Edge	300x40x3200	278,6	614,31	1"	17	171M081061
11081068-6	Center	380x30x1467	124	273,42	1"	7	171M081068
11081069-4	End	480x30x 863	93	205,07	1"	10	171M081069
Serial Nr: Many buckets							
11011913-8	Base Edge	300x40x3200	280,1	617,62	3/4"	25	171M011913
11011410-5	Center	305x30x1467	97,3	214,55	3/4"	7	171M011410
11011411-3	End	406x30x864	76,9	169,56	3/4"	10	171M011411

# VOLVO LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
2561774-7	Optional center	300x30x1467	95,9	211,46	3/4"	7	171M366620
2541824	Optional end	300x30x 857	55,9	123,26	3/4"	5	171M366630
Serial Nr: 94749 94748 94745 94746 94747 93705							
11082599-9	Base Edge	300x40x3200	276,8	610,34	1"	30	171M082599
11082666-6	Center	380x30x1818	152	335,16	1"	8	171M082666
11082664-1	End	480x30x 687	74	163,17	1"	8	171M082664
11082654	Segment	380x30x 290	24,22	53,41	1"	2	171M082654
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811
11111887	Segment	380x35x 300	28,9	63,72	1"	2	171M111887
Serial Nr: 93725 93736 93747 93730 93732 93706							
11045996	Base Edge	300x40x3230	283,4	624,90	1"	14	171M045996
11111888	Segment	380x35x 310	29,6	65,27	1"	2	171M111888
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811
Serial Nr: 92211 94940							
11082601-3	Base Edge	300x40x3400	295,4	651,36	1"	30	171M082601
11082667-4	Center	380x30x2018	168	370,44	1"	8	171M082667
11082664-1	End	480x30x 687	74	163,17	1"	8	171M082664
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811
Serial Nr: 93726 93733 93739 80137 82458 82459							
11111760	Base Edge	300x40x3400	296,8	654,44	1"	37	171M111760
11111776-8	Center	380x30x1954	164,8	363,38	1"	9	171M111776
11111775-0	End	480x30x 719	75,5	166,48	1"	10	171M111775
11111761-0	Segment	380x35x 330	31	68,36	1"	3	171M111761
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811
Serial Nr: Many buckets							
11081063-7	Base Edge	200x30x3400	145,6	321,05	1"	19	171M081063
11045302	Base Edge	250x30x3400	185,7	409,47	1"	19	171M045302
11081078	Base Edge	300x40x3400	295,8	652,24	1"	28	171M081078
11081065-2	Center	380x30x1666	137	302,09	1"	9	171M081065
11081069-4	End	480x30x 863	93	205,07	1"	10	171M081069
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811
Serial Nr: Many buckets							
11011903	Base Edge						
11011987-2	Center	310x30x1664	110	242,55	3/4"	9	171M011987
11011411-3	End	406x30x 863	79	174,20	3/4"	10	171M011411
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811



# VOLVO LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 92192 82508 91678 82015 82016 91757							
11081058-7	Base Edge	200x30x3700	158,6	349,71	1"	28	171M081058
11045299	Base Edge	250x30x3700	176,9	390,06	1"		171M045299
11111691-9	Base Edge	300x40x3700	323,1	712,44	1"	28	171M111691
11081066-0	Center	380x30x1965	168	370,44	1"	10	171M081066
11081069-4	End	480x30x 863	93	205,07	1"	10	171M081069
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811
Serial Nr: 92192 82508 91678 82015 82016 91757							
11011561	Base Edge						
11011570-6	Center	310x30x1965	132,5	292,16	3/4"	10	171M011570
11011411-3	End	406x30x 863	79	174,20	3/4"	10	171M011411
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811
Serial Nr: 91679 80707 91758 92271 80799 82018							
11081062-9	Base Edge	200x30x4000	171,4	377,94	1"	22	171M081062
11045301-6	Base Edge	250x30x4000	218,5	481,79	1"	30	171M045301
11081067-8	Center	380x30x2265	193	425,57	1"	12	171M081067
11081069-4	End	480x30x 863	93	205,07	1"	10	171M081069
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811
Serial Nr: 93742 93741 93745							
11045586	Spade Nose Base Edge	3230/850 x590/272x40	457,5	1008,79	1"	18	171M045586
11111889	Center	380x30x1010	85,2	187,87	1"	4	171M111889
11045618	End LH	380x30x1246	97,5	214,99	1"	6	171M045618
11045619	End RH	380x30x1246	97,5	214,99	1"	6	171M045619
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811
L220							
Serial Nr: 82510							
11082599-9	Base Edge	300x40x3200	276,8	610,34	1"	30	171M082599
11082666-6	Center	380x30x1818	152	335,16	1"	8	171M082666
11082664-1	End	480x30x 687	74	163,17	1"	8	171M082664
11082654	Segment	380x30x 290	24,22	53,41	1"	2	171M082654
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811
Serial Nr: 93985 93453 93454 93972 93974 93456							
11111760	Base Edge	300x40x3400	296,8	654,44	1"	37	171M111760
11142595	Base Edge Countersunk	300x40x3400	284,8	627,98	1"	37	171M142595
11111776-8	Center	380x30x1954	164,8	363,38	1"	9	171M111776
11111775-0	End	480x30x 719	75,5	166,48	1"	10	171M111775

# VOLVO LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
111117610	Segment	380x35x 330	31	68,36	1"	3	171M111761
11111026	Optional Segment	380x35x 340	32	70,56	1"	3	171M111026
11417476	Optional Segment	380x35x 320	30,2	66,59	1"	3	171M417476
11111282	Bolt-on Wear Plate	400x35x 570	56,4	124,36	1"	4	171M111282
11156580	Bolt-on Wear Plate	387x25x 570	39,3	86,66	1"	2	171M156580
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811
Serial Nr: 91756 93451 80798 80797							
11081063-7	Base Edge	200x30x3400	145,6	321,05	1"	19	171M081063
11045302	Base Edge	250x30x3400	185,7	409,47	1"	19	171M045302
11081065-2	Center	380x30x1666	137	302,09	1"	9	171M081065
11081069-4	End	480x30x 863	93	205,07	1"	10	171M081069
Serial Nr: 93416 93450 93663 93449 82508 82507							
11045299	Base Edge	250x30x3700	176,9	390,06	1"	20	171M045299
11111691	Base Edge	300x40x3700	323,1	712,44	1"	28	171M111691
11081066-0	Center	380x30x1965	168	370,44	1"	10	171M081066
11081069-4	End	480x30x 863	93	205,07	1"	10	171M081069
11111282	Bolt-on Wear Plate	400x35x 570	56,4	124,36	1"	4	171M111282
11156580	Bolt-on Wear Plate	387x25x 570	39,3	86,66	1"	2	171M156580
Serial Nr: 91679 80707 91758 80799							
11081062-9	Base Edge	200x30x4000	171,4	377,94	1"	22	171M081062
11045301-6	Base Edge	250x30x4000	218,5	481,79	1"	30	171M045301
11081067-8	Center	380x30x2265	193	425,57	1"	12	171M081067
11081069-4	End	480x30x 863	93	205,07	1"	10	171M081069
11111282	Bolt-on Wear Plate	400x35x 570	56,4	124,36	1"	4	171M111282
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811
Serial Nr: 93452 93455 93457 93973 93980 93459							
11142594	Base Edge	300x40x3430	298	657,09	1"	21	171M142594
11111026	Optional Segment	380x35x 340	32	70,56	1"	3	171M111026
11111811	Bolt-on Wear Plate	350x25x 600	37,5	82,69	1"	4	171M111811
Serial Nr: 93458 94976 80540 80981 82888							
11142596	Spade Nose Base Edge	3430/850 x620/272x40	494,9	1091,25	1"	25	171M142596
11111762	Center	500x30x1094	120	264,60	1"	14	171M111762
11111011	End LH	380x30x1308	100,33	221,23	1"	10	171M111011
11111012	End RH	380x30x1308	100,33	221,23	1"	10	171M111012
111117610	Segment	380x35x 330	31	68,36	1"	3	171M111761
11417476	Optional Segment	380x35x 320	30,2	66,59	1"	3	171M417476

# VOLVO LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
11156580	Bolt-on Wear Plate	387x25x 570	39,3	86,66	1"	2	171M156580
L250							
15155370	Base Edge Countersunk	300x40x3580	303,2	668,56	1"	23	171M155370
15155526	Center	380x30x2075	174,5	384,77	1"	9	171M155526
15155527	End	480x30x 746	78,7	173,53	1"	10	171M155527
17207279	Wear Plate	460x30x 640	58,22	128,38	1"	4	171M207279
L330							
Serial Nr: 94895 94599 93485 93489 92929 92931							
11082587	Base Edge No Holes	370x65x3970	709,9	1565,33			171M082587
11082431	Base Edge	370x65x3970	656,83	1448,31	1 1/4"	21	171M082431
11082433-1	Center	430x40x1422	179	394,70	1 1/4"	7	171M082433
11082434-9	End	430x40x1265	159	350,60	1 1/4"	6	171M082434
11082443	Segment	430x40x 340	44	97,02	1 1/4"	3	171M082443
11111134	Optional Segment	430x50x 340	48,6	107,16	1 1/4"	3	171M111134
11111250	Bolt-on Wear Plate	450x50x 816	117,8	259,75	1 1/4"	4	171M111250
Serial Nr: 80271 94773							
11045477-4	Base Edge	368x65x4500	739	1629,50	1 1/4"	24	171M045477
11045478-2	Center	430x40x1961	246	542,43	1 1/4"	10	171M045478
11082434-9	End	430x40x1265	159	350,60	1 1/4"	6	171M082434
11111250	Bolt-on Wear Plate	450x50x 816	117,8	259,75	1 1/4"	4	171M111250
Serial Nr:92927 92923 92928 92919							
11082432	Spade Nose Base Edge						
11082435	Center	600x40x1342	248	546,84	1 1/4"	14	171M082435
11082436	End LH	430x40x1323	175	385,88	1 1/4"	6	171M082436
11082437	End RH	430x40x1323	175	385,88	1 1/4"	6	171M082437
11082443	Segment	430x40x 340	44	97,02	1 1/4"	3	171M082443
Serial Nr: 93487 93488 93496 93497 80129 80167							
11111126	Spade Nose Base Edge						171M111126
11111135	Center	600x40x1239	204	449,82	1 1/4"	14	171M111135
11111136	End LH	430x40x1524	172	379,26	1 1/4"	10	171M111136
11111137	End RH	430x40x1524	172	379,26	1 1/4"	10	171M111137
11111250	Bolt-on Wear Plate	450x50x 816	117,8	259,75	1 1/4"	4	171M111250
Serial Nr: 80130 80168							
11111127	Spade Nose Edge No Holes	3970/692 x790/352x65	1170	2579,85			171M111127
11111250	Bolt-on Wear Plate	450x50x 816	117,8	259,75	1 1/4"	4	171M111250

# VOLVO LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
35 45 55 65 75 85							
Serial Nr: 87"							
2514814	Base Edge						
2519491	Center	200x20x1241	35,6	78,50	1/2"	4	171M366640
2519492	End	200x20x 484	13,7	30,21	1/2"	4	171M366550
Serial Nr:93,5"							
2512596	Base Edge						
2518690	Center	200x20x1327	38,1	84,01	5/8"	4	171M366650
2518689-1	End	200x20x 521	14,8	32,63	5/8"	4	171M366530
Serial Nr: 97"							
2525352	Base Edge						
2525441	Center	200x20x1416	40,7	89,74	5/8"	4	171M366660
2525440	End	200x20x 521	14,8	32,63	5/8"	4	171M366670
Serial Nr: 97,75"							
2511382	Base Edge						
2511387	Center	200x25x1343	45,9	101,21	7/8"	12	171M366680
Serial Nr: 99,75"							
2518572	Base Edge						
2519888	Center	200x20x1421	40,8	89,96	5/8"	4	171M366690
2519887	End	200x20x 555	15,7	34,62	5/8"	4	171M366700
Serial Nr: 102"							
2553946	Base Edge						
2553943	Center	200x20x1289	37	81,59	5/8"	4	171M366710
2553942	End	200x20x 646	18,4	40,57	5/8"	4	171M366580
Serial Nr: 104"							
2526421	Base Edge						
2526419	Center	250x25x1391	62,3	137,37	3/4"	9	171M366720
2526416	End	250x25x 622	28	61,74	3/4"	3	171M526416
125							
Serial Nr: 120"							
2526420	Base Edge						
2526423	Center	250x30x1518	81	178,61	3/4"	9	171M366730
2526417	End	250x30x 762	40,6	89,52	3/4"	5	171M366740
2541821	Optional Thicker/Wider Center	330x35x1519	125,9	277,61	3/4"	9	171M366750

# VOLVO LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
2541823	Optional Thicker/wider End	330x35x 762	63	138,92	¾"	5	171M366760
Serial Nr: 124"							
2557266	Base Edge						
2526422	Base Edge						
2526418	Center	250x30x1416	75,9	167,36	¾"	7	171M366770
2526415	End	250x30x 864	46,2	101,87	¾"	5	171M366780
2541822	Optional Thicker/Wider Center	300x30x1416	92,6	204,18	¾"	7	171M366790
2541824	Optional Thicker/Wider End	300x30x 857	55,9	123,26	¾"	5	171M366630
175							
Serial Nr: 124"							
2557266	Base Edge						
2526422	Base Edge						
2526418	Center	250x30x1416	75,9	167,36	¾"	7	171M366770
2526415	End	250x30x 864	46,2	101,87	¾"	5	171M366780
2541822	Optional Thicker/Wider Center	300x30x1416	92,6	204,18	¾"	7	171M366790
2541824	Optional Thicker/Wider End	300x30x 857	55,9	123,26	¾"	5	171M366630
Serial Nr: 130"							
2555849	Base Edge						
2555850	Center	330x35x1510	126,7	279,37	¾"	5	171M366800
2555851	End	330x35x 894	74,2	163,61	¾"	5	171M366810
4300							
Serial Nr: 95,5"							
11010394-2	Base Edge	200x25x2430	87,8	193,60	5/8"	25	171M010394
11011412-1	Center	280x20x1373	52	114,66	5/8"	9	171M011412
11011413-9	End	367x20x 521	28,11	61,98	5/8"	8	171M011413
2561771-3	Optional center	200x20x1378	39,2	86,44	5/8"	9	171M366560
2518689-1	Optional End	200x20x 521	14,8	32,63	5/8"	4	171M366530
Serial Nr: 98,5"							
11011438-6	Base Edge	200x25x2500	90,3	199,11	5/8"	25	171M011438
11012887-3	Center	280x20x1448	58,2	128,33	5/8"	9	171M012887
11011413-9	End	367x20x 521	28,11	61,98	5/8"	8	171M011413
11011439-4	End	250x20x1448	53	116,87	5/8"	9	171M011439
11011414-7	Optional End	250x20x 521	19	41,90	5/8"	4	171M011414

# VOLVO LOADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 100,25"							
11082121-2	Base Edge	200x25x2550	92,5	203,96	5/8"	21	171M082121
11081625-3	Center	280x20x1498	55,8	123,04	5/8"	9	171M081625
11012832-9	Center	280x20x1598	66	145,53	5/8"	10	171M012832
Serial Nr: 134,5"							
11012803-0	Base Edge	200x20x2650	77,6	171,11	5/8"	22	171M012803
11012832-9	Center	280x20x1598	66	145,53	5/8"	10	171M012832
11011413-9	End	367x20x 521	28,11	61,98	5/8"	8	171M011413
P3056							
11111305	Spade Nose Base Edge	3530/850 x650/290x50	672,3	1482,42	1"	25	171M111305
11111564	Center	550x35x1074	155	341,78	1"	14	171M111564
11111565	End LH	390x35x1372	126	277,83	1"	10	171M111565
11111566	End RH	390x35x1372	126	277,83	1"	10	171M111566
11305095	Bolt-on Edge	150x16x1620	27,28	60,15	5/8"	10	171M305095
11305763	Bolt-on Edge	150x20x1800	37,1	81,81	3/4"	9	171M305763
11305846	Bolt-on Edge	150x16x1870	31,52	69,50	5/8"	11	171M305846
11306310	Cutting Edge	150x20x2250	49,28	108,66			171M306310
11307646	Bolt-on Edge	150x16x2220	37,42	82,51	5/8"	13	171M307646
2810395	Bolt-on Edge	150x16x1780	29,98	66,11	5/8"	11	171M810395
2810434	Bolt-on Edge	150x16x1980	33,41	73,67	5/8"	11	171M810434

# ALL BACKHOES

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
ALL							
D13508	Base Edge	150x20x3780				10	
D145681	Center	200x20x2083	59,2	130,54	3/4"	10	171M366820
ZPC215381	Center	200x20x2083	59,2	130,54	3/4"	10	171M366820
87418005	Base Edge	150x20x2115				10	
112946A1	Center	150x20x2113	43,5	95,92	3/4"	10	171M366830
D147323	Center	250x20x2318	83,7	184,56	3/4"	15	171M366840
147323A1	Center	250x20x2318	83,7	184,56	3/4"	15	171M366840
D32209	Base Edge	150x20x2395				10	
185506A1	Center	150x20x2392	49,4	108,93	3/4"	10	171M366850
332448A1	Base Edge	200x20x2438				10	
332449A1	Center	200x20x2438	69,5	153,25	3/4"	10	171M366860
ZPC21600HT	Center	250x25x2441	110,8	244,31	5/8"	8	171M366870
Case Skid Steers							
1845							
Serial Nr: 63"							
H438542	Base Edge	150x20x1610				9	
H439028	One Piece Bolt on	200x20x1607	45,8	100,99	5/8"	9	171M366880
Serial Nr: 73"							
H438919	Base Edge	150x20x1860				12	
H439029	One Piece Bolt on	200x20x1861	52,9	116,64	5/8"	12	171M366890
ZPC215421	One Piece Bolt on	150x16x1854	31	68,36	5/8"	12	171M366900
XT40							
86577165	One Piece Bolt on	200x20x1521	43,5	95,92	5/8"	7	171M366910
86577167	One Piece Bolt on	200x20x1673	47,9	105,62	5/8"	7	171M366920
86577169	One Piece Bolt on	200x20x1826	52,3	115,32	5/8"	7	171M366930
86577171	One Piece Bolt on	200x20x1978	56,6	124,80	5/8"	9	171M366940
86577173	One Piece Bolt on	200x20x2130	61	134,51	5/8"	9	171M366950
XT75							

# ALL BACKHOES

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 74"							
245106A1	Base Edge	150x20x1880				12	
294681A1	One Piece Bolt on	200x20x1877	53,4	117,75	5/8"	12	171M366960
XT85							
Serial Nr: 74"							
245106A1	Base Edge	150x20x1880				12	
294681A1	One Piece Bolt on	200x20x1877	53,4	117,75	5/8"	12	171M366960
XT90							
Serial Nr: 82,5"							
183948A2	Base Edge	150x20x2100				10	
299336A1	One Piece Bolt on	200x20x2100	59,7	131,64	3/4"	10	171M366970
XT95							
Serial Nr: 82,5"							
183948A2	Base Edge	150x20x2100				10	
299336A1	One Piece Bolt on	200x20x2100	59,7	131,64	3/4"	10	171M366970
CAT Backhoes							
416 420 424 426 428 430 432 436 438 442 89"							
Serial Nr: 9R5201 9R5988 9R5989							
9R4672	Base Edge No Segment Holes	150x20x2260				16	
9W8215	Center	200x20x1130	32,4	71,44	5/8"	4	171M366980
416 420 424 426 428 430 432 436 438 442 94"							
118-7110	Center	200x20x1199	34,4	75,85	5/8"	4	171M366990
446							
Serial Nr: 6Q0655							
6Q2193	Base Edge	200x25x2470				8	
9U9665	Center	250x20x1222	44	97,02	5/8"	12	171M367000
174-7982	Longer Center	250x20x1252	45,8	100,99	5/8"	4	171M367010
CAT Skid Steers							
54"							
149-5434	Base Edge	150x16x1425				6	
135-9393	Bolt On (Flat Head Screws)	165x16x1422	26,7	58,87	5/8"	6	171M367021
135-9393PB	Bolt On (Plow Bolts)	165x16x1422	26,7	58,87	5/8"	6	171M367020



# ALL BACKHOES

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
174-7965	Wider Bolt On (Plow Bolts)	200x16x1422	32,9	72,54	5/8"	6	171M367022
174-7971	Thicker/Wider Bolt On (PB)	200x20x1422	40,7	89,74	5/8"	6	171M367025
60"							
149-5435	Base Edge	150x20x1575				16	
135-9394	Bolt On (Flat Head Screws)	165x16x1588	29,7	65,49	5/8"	8	171M367031
135-9394PB	Bolt On (Plow Bolts)	165x16x1588	29,7	65,49	5/8"	8	171M367030
174-7966	Wider Bolt On (Plow Bolts)	200x16x1588	36,7	80,92	5/8"	8	171M367032
174-7972	Thicker/Wider Bolt On (PB)	200x20x1588	45,3	99,89	5/8"	8	171M367035
66"							
149-5436	Base Edge	150x20x1730				16	
135-9395	Bolt On (Flat Head Screws)	165x16x1743	32,6	71,88	5/8"	8	171M367041
135-9395PB	Bolt On (Plow Bolts)	165x16x1743	32,6	71,88	5/8"	8	171M367040
174-7967	Wider Bolt On (Plow Bolts)	200x16x1743	40,3	88,86	5/8"	8	171M367042
174-7973	Thicker/Wider Bolt On (PB)	200x20x1743	49,8	109,81	5/8"	8	171M367045
72"							
149-5437	Base Edge	150x20x1890				22	
135-9396	Bolt On (Flat Head Screws)	165x16x1896	35,3	77,84	5/8"	11	171M367051
135-9396PB	Bolt On (Plow Bolts)	165x16x1896	35,3	77,84	5/8"	11	171M367050
174-7968	Wider Bolt On (Plow Bolts)	200x16x1896	43,7	96,36	5/8"	11	171M367052
174-7974	Thicker/Wider Bolt On (PB)	200x20x1896	54	119,07	5/8"	11	171M367055
78"							
164-7433	Base Edge	150x20x2035				17	
135-9397	Bolt On (Flat Head Screws)	165x16x2047	38,2	84,23	5/8"	11	171M367061
135-9397PB	Bolt On (Plow Bolts)	165x16x2047	38,2	84,23	5/8"	11	171M367060
174-7969	Wider Bolt On (Plow Bolts)	200x16x2047	47,2	104,08	5/8"	11	171M367062
174-7975	Thicker/Wider Bolt On (PB)	200x20x2047	58,4	128,77	5/8"	11	171M367065
BP15							
135-9394	Bolt On (Flat Head Screws)	165x16x1588	29,7	65,49	5/8"	8	171M367031

# ALL BACKHOES

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
135-9394PB	Bolt On (Plow Bolts)	165x16x1588	29,7	65,49	5/8"	8	171M367030
BP18							
135-9396	Bolt On (Flat Head Screws)	165x16x1896	35,3	77,84	5/8"	11	171M367051
135-9396PB	Bolt On (Plow Bolts)	165x16x1896	35,3	77,84	5/8"	11	171M367050
JOHN DEERE Backhoes							
210							
Serial Nr: 79,252							
T103142	Center	200x20x1106	31,7	69,90	5/8"	4	171M364630
T103141	End	200x20x 481	13,8	30,43	5/8"	2	171M364640
Serial Nr: 86"							
T150487	Base Edge	150x20x2185				7	
T150517HT	One Piece Bolt on	200x20x2184	62,7	138,25	5/8"	7	171M367070
Serial Nr: 90"							
T118977	Base Edge	150x20x2290				8	
T84194HT	One Piece Bolt on	200x20x2346	67,3	148,40	5/8"	8	171M367080
T166437	Center	200x20x2083	59,8	131,86	5/8"	7	171M367090
310							
Serial Nr: 66"							
T84180	One Piece Bolt on	200x20x1683	48,1	106,06	1/2"	8	171M364610
310 315							
Serial Nr: 86"							
T150487	Base Edge	150x20x2185				7	
T150517HT	One Piece Bolt on	200x20x2184	62,7	138,25	5/8"	7	171M367070
Serial Nr: 90"							
T118977	Base Edge	150x20x2290				8	
T84194HT	One Piece Bolt on	200x20x2346	67,3	148,40	5/8"	8	171M367080
Serial Nr: 82"							
T166419	Base Edge	200x20x2085				14	
T166437	Center	200x20x2083	59,8	131,86	5/8"	7	171M367090
410 510 610							
Serial Nr: 90"							
T118977	Base Edge	150x20x2290				8	

# ALL BACKHOES

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
T84194	Center	200x20x2346	67,3	148,40	5/8"	8	171M367080
Serial Nr: 93"							
T142888	Base Edge	200x25x2360				8	
T126774	Center	200x16x2464	70,7	155,89	5/8"	8	171M367100
410							
Serial Nr: 86"							
T150487	Base Edge	150x20x2185				7	
T150517	Center	200x20x2184	62,7	138,25	5/8"	7	171M367070
Serial Nr: 92,5"							
T118768	Base Edge	150x20x2350				8	
T84194	Center	200x20x2346	67,3	148,40	5/8"	8	171M367080
Serial Nr: 94,5"							
T164728	Base Edge	150x20x2400				8	
T143804	Center	200x20x2394	68,7	151,48	5/8"	8	171M367110
710							
Serial Nr: 92,5"							
T142888	Base Edge	200x25x2360				8	
T84194	Center	200x20x2346	67,3	148,40	5/8"	8	171M367080
Serial Nr: 97"							
T143074	Base Edge	200x25x2465				8	
T126774	Center	200x16x2464	70,7	155,89	5/8"	8	171M367100
Serial Nr: 100,5"							
T157282	Base Edge With Segment Holes	200x25x2550				30	
T157311	Center	250x25x1056	47,9	105,62	3/4"	3	171M364340
T146672	End	350x25x 206	13,1	28,9	3/4"	3	171M495890
T157306	Segment	250x25x 258	11,5	25,4	3/4"	2	171M364350
JOHN DEERE Skid Steers							
54"							
KV12470	One Piece Bolt on	150x16x1372	23,2	51,2	5/8"	5	171M367120
60"							
KV17819	One Piece Bolt on	150x16x1524	25,7	56,7	5/8"	6	171M367130

# ALL BACKHOES

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
66"							
U16748	One Piece Bolt on	150x16x1676	28,3	62,4	3/4"	7	171M495710
72"							
T32742	One Piece Bolt on	150x16x1826	30,8	67,9	3/4"	7	171M495700
76"							
T223081	One Piece Bolt on	150x16x1930	32,6	71,9	3/4"	7	171M367140
78"							
KV12758	One Piece Bolt on	150x16x1981	33,4	73,6	3/4"	8	171M367150
84"							
KV12471	One Piece Bolt on	150x16x2133	36	79,4	3/4"	8	171M367160
KOMATSU Backhoes							
WB-140 WB-150							
Serial Nr: 92,75"							
36B-70-K1114	Base Edge	200x20x2355				15	
36B-70-M7600	Center	165x16x 762	14,2	31,3	5/8"	5	171M367170
36B-70-M7900	End	165x16x 797	14,8	32,6	5/8"	5	171M367180
WB-140-CTRSP	Optional HD Center	200x20x 762	21,7	47,8	5/8"	5	171M367175
WB-140-ENDSP	Optional HD End	200x20x 797	22,7	50,1	5/8"	5	171M367185
36B-70-M2210	Optional One Piece Edge	165x16x2356	44,3	97,7	5/8"	8	171M367190
36B-70-M2210F	Optional One Piece Edge, extra thick	165x20x2356	54,6	120,4	5/8"	8	171M367195
Serial Nr: 96,6"							
36B-70-M1113	Base Edge	150x20x2460				15	
36B-70-M2220	One Piece Bolt on	165x16x2454	46,2	101,9	5/8"	8	171M367200
KOMATSU Skid Steers							
60"							
Serial Nr: 1550MM							
37A-70-12A11	Base Edge	150x16x1550				12	
37A-70-12310B	Optional Center one row of holes	200x20x1563	44,8	98,8	1/2"	6	171M367210

# ALL BACKHOES

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
66"							
Serial Nr: 1730MM							
37B-70-12A11	Base Edge	150x16x1565				14	
37A-70-12310B	Optional Center one row of holes	200x20x1563	44,8	98,8	1/2"	7	171M367210
72"							
Serial Nr: 1880MM							
37C-70-12A11	Base Edge	150x16x1880				14	
37C-70-A2310P	Optional Center one row of holes	165x20x1880	43,5	95,9	1/2"	7	171M367220
80"							
Serial Nr: 2030MM							
37C-70-12C10	Base Edge	150x16x2030				14	
37C-70-12C10B	One Piece Bolt on	200x20x2043	58,6	129,2	1/2"	7	171M367230
NEW HOLLAND Backhoes							
86577165	One Piece Bolt on	200x20x1521	43,5	95,9	5/8"	7	171M366910
86577167	One Piece Bolt on	200x20x1673	47,9	105,6	5/8"	7	171M366920
86577169	One Piece Bolt on	200x20x1826	52,3	115,3	5/8"	7	171M366930
86577171	One Piece Bolt on	200x20x1978	56,6	124,8	5/8"	9	171M366940
86577173	One Piece Bolt on	200x20x2130	61	134,5	5/8"	9	171M366950
NEW HOLLAND Skid Steers							
ALL							
86577165	One Piece Bolt on	200x20x1521	43,5	95,9	5/8"	7	171M366910
86577167	One Piece Bolt on	200x20x1673	47,9	105,6	5/8"	7	171M366920
86577169	One Piece Bolt on	200x20x1826	52,3	115,3	5/8"	7	171M366930

# ALL BACKHOES

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
86577171	One Piece Bolt on	200x20x1978	56,6	124,8	5/8"	9	171M366940
86577173	One Piece Bolt on	200x20x2130	61	134,5	5/8"	9	171M366950
VOLVO Skid Steers							
Serial Nr: 11842719 11842730 11842747							
11842726	Base Edge						
D8147	One Piece Bolt on	150x16x1880		0,0	5/8"	7	171M367240
VOLVO Backhoes							
11883780	One Piece Bolt on	200x20x2350	66,46	146,5	3/4"	16	171M883780

# ALL WHEELDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
814							
Serial Nr: 56D 23K							
4T2921	Center	250x20x1064	38,3	84,5	7/8"	7	171M497570
4T2922	End	250x20x 759	27,3	60,2	7/8"	5	171M497580
4T2993	Heavy Duty Center	250x25x1064	47,4	104,5	7/8"	7	171M497571
4T2992	Heavy Duty End	250x25x 759	33,8	74,5	7/8"	5	171M497581
Serial Nr: 36S 3YP							
4T2922	End	250x20x 759	27,3	60,2	7/8"	5	171M497580
4T2923	End	250x20x1029	38,4	84,7	7/8"	7	171M367250
815							
Serial Nr: 24K1-1044 59E1-341							
4T3008	Center	200x20x1165	32,9	72,5	5/8"	11	171M497240
4T3020	End	200x20x 859	24,2	53,4	5/8"	9	171M497250
Serial Nr: 24K1045-UP 59E342-UP							
4T3004	Center	200x20x1441	40,8	90,0	3/4"	9	171M497260
Serial Nr: 39S 17Z							
4T3012	Center	200x20x1495	44	97,0	3/4"	10	171M367260
816							
Serial Nr: 51K							
4T6531	Center	250x25x1521	67,8	149,5	7/8"	10	171M497710
4T6532	End	250x25x 911	40,6	89,5	7/8"	6	171M497700
Serial Nr: 41S 15Z 3ZP							
4T2922	Center	250x20x 759	27,3	60,2	7/8"	5	171M497580
4T2923	End	250x20x1029	38,4	84,7	7/8"	7	171M367250
824							
Serial Nr: 88H							
4T6448	Center	330x30x1518	109	240,3	1"	10	171M497910
Serial Nr: 35G							
4T6515	Center	250x25x1775	81,8	180,4	7/8"	12	171M367270
109-9014	Heavy Duty Center	250x60x1775	180,7	398,4	7/8"	12	171M367275
Serial Nr: 2HP							
122-9227	Center	250x25x 895	41,2	90,8	7/8"	6	171M367280
4T3420	End	250x25x 816	36,4	80,3	7/8"	5	171M497620

# ALL WHEELDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
825							
Serial Nr: 89X							
4T6238	Center	250x25x1200	55,3	121,9	1"	8	171M367290
Serial Nr: 4JP							
4T6532	Center	250x25x 911	40,6	89,5	7/8"	6	171M497700
826							
Serial Nr: 97X 90K 2GP							
4T6515	Center	250x25x1775	81,8	180,4	7/8"	12	171M367270
834 825 824							
Serial Nr: 93G							
4T6531	Center	250x25x1521	67,8	149,5	7/8"	10	171M497710
4T6532	End	250x25x 911	40,6	89,5	7/8"	6	171M497700
834 824							
Serial Nr: 64G							
4T2889	Center	250x25x1410	65,1	143,5	7/8"	9	171M367300
834							
Serial Nr: 14B							
4T8797							
4T8798	End	250x25x1076	49,6	109,4	7/8"	7	171M367310
Serial Nr: 27K 36G 96G							
4T6515	Center	250x25x1775	81,8	180,4	7/8"	12	171M367270
4T6455							
Serial Nr:							
6Y5539	Center	330x30x1788	128,4	283,1	1"	12	171M497940
4T6386	End	330x30x1041	74,7	164,7	1"	7	171M497880
113-0322	Heavy Duty Center	330x50x1788	212	467,5	1"	12	171M497945
195-7272	Heavy Duty End	330x50x1041	123,4	272,1	1"	7	171M497885
Serial Nr:							
7J2960	Center	330x40x 953	93	205,1	1"	6	171M497905
138-0791	Center	330x50x 953	113,3	249,8	1"	6	171M367325
834 835							
Serial Nr: 27K 36G 96G							
4T6515	Center	250x25x1775	81,8	180,4	7/8"	12	171M367270



# ALL WHEELDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
844							
Serial Nr: Balderson							
4T6378	Center	330x30x 902	66,6	146,9	1"	6	171M497840
6Y5540	End	330x30x 800	53,1	117,1	1"	5	171M368570
4T6386	Center	330x30x1041	74,7	164,7	1"	7	171M497880
9W6092	Heavy Duty Center	330x35x 902	77	169,8	1"	6	171M497841
7T9125	Heavy End	330x35x 800	66,7	147,1	1"	5	171M368577
9W4500	Heavy Duty Center	330x35x1041	88,8	195,8	1"	7	171M497881
Serial Nr: Balderson							
7J2980	Center	330x40x1041	101	222,7	1"	7	171M497882
9W3927	End	330x45x 800	86,7	191,2	1"	5	171M368576
112-2475	End	330x45x 902	96,6	213,0	1"	6	171M497845
8E4539	End-Bit Flat Right	390x60x 610	94,2	207,7	1"	7	171M368260
8E4540	End-Bit Flat Left	390x60x 610	94,2	207,7	1"	7	171M368270
Serial Nr: Australian							
9W3928	Center	400x45x 908	120	264,6	1 1/4"	6	171M497975
9W6657	Heavy End	400x45x 859	111,2	245,2	1 1/4"	5	171M368665
135-9625	Center	400x60x 908	156,7	345,5	1 1/4"	6	171M367345
8E2086	Heavier End	400x60x 859	149,7	330,1	1 1/4"	5	171M368666
690							
Serial Nr: Balderson							
7T9126	Center	330x35x1353	113	249,2	1"	9	171M497825
9W6092	Heavy Duty Center	330x35x 902	77	169,8	1"	6	171M497841
Serial Nr: Balderson							
6Y0018	Center	400x45x1064	139,3	307,2	1 1/4"	9	171M367370
9W6657	Heavy End	400x45x 859	111,2	245,2	1 1/4"	5	171M368665
6Y0023	Heavy Duty Center	400x60x1064	182,1	401,5	1 1/4"	9	171M497968
8E2086	Heavier End	400x60x 859	149,7	330,1	1 1/4"	5	171M368666
854							
Serial Nr: Balderson							
7J2966	Center	330x40x1060	105,2	232,0	1"	7	171M497855
Serial Nr: Balderson							
9W6658	Heavier Center	400x45x 848	112,5	248,1	1 1/4"	5	171M498011
9W6657	Heavy End	400x45x 859	111,2	245,2	1 1/4"	5	171M368665
8E2087	Heavy Duty Center	400x60x 848	146,8	323,7	1 1/4"	5	171M498015
8E2086	Heavier End	400x60x 859	149,7	330,1	1 1/4"	5	171M368666

# ALL WHEELDOZERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
8E2087-24	Extra Heavy Center	400x75x 850	189,2	417,2	1 1/4"	5	171M498016
135-9579	Extra Heavy End	400x75x 859	185,5	409,0	1 1/4"	5	171M368667
DRESSSTA Wheel Dozer							
970							
623976C1	Center	250x25x1186	54,6	120,4	1"	8	171M363460
711526C1	Center	250x40x1521	109,5	241,4	1"	10	171M363500
KOMATSU Wheel Dozer							
WD600							
Serial Nr: 10001-UP							
41E-70-A5221	Center	250x25x1365	62,9	138,7	7/8"	9	171M367390
41E-70-A5231	End	250x25x1213	55,9	123,3	7/8"	8	171M367400
175-70-21126	End-Bit Flat Left	300x30x 533	30	66,2	1"	7	171M368360
175-70-21136	End-Bit Flat Right	300x30x 533	30	66,2	1"	7	171M368370
Serial Nr: 10001-UP							
175-70-21115	End	250x25x1397	64,5	142,2	7/8"	9	171M365450
WD900							
Serial Nr: 50001-UP							
195-71-61550	End	400x40x 887	105	231,5	1 1/4"	6	171M365530

# ALL SCRAPERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
E-200 E-211							
626020C1							
626021C1	End	330x20x 756	37,7	83,13	3/4"	5	171M367410
626021C1	End	330x20x 756	37,7	83,13	3/4"	5	171M367410
626013C1	End	330x25x 454	28,2	62,18	3/4"	3	171M367420
270							
626016C1	End	330x20x 756	37,7	83,13	1"	5	171M367411
626011C1	End	330x20x 454	22,6	49,83	1"	3	171M367421
E270							
626011C1	End	330x20x 454	22,6	49,83	1"	3	171M367421
295							
626014C1	End	330x25x 756	46,7	102,97	1"	5	171M367415
618019C1	Optional One Piece Edge	330x25x1826	108,1	238,36	1"	36	171M367430
412							
626021C1	End	330x20x 756	37,7	83,13	3/4"	5	171M367410
626013C1	End	330x25x 454	28,2	62,18	3/4"	3	171M367420
431 433							
626014C1	End	330x25x 756	46,7	102,97	1"	5	171M367415
614454C1	Heavy Duty End	330x35x1521	131,8	290,62	1"	5	171M367440
CAT Scraper							
10							
Serial Nr: 19C							
4T2953	End	250x20x 622	23,2	51,16	7/8"	4	171M367450
4T2939	Optional One Piece Edge	250x20x2305	86	189,63	7/8"	15	171M367460
Serial Nr: 3C							
4T2883	End	250x20x 514	18,9	41,67	3/4"	6	171M367470
15							
Serial Nr: 4W 92D							
4T2942	End	250x20x 597	22,3	49,17	7/8"	4	171M367480

# ALL SCRAPERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
4T2947	Optional One Piece Edge	250x20x2575	96,1	211,90	7/8"	17	171M367490
20 21							
Serial Nr: 8J 11C							
4T6612	End	330x25x 749	46,3	102,09	1"	5	171M367500
40							
Serial Nr: 1W							
4T2965	End	200x16x 394	9,3	20,51	3/4"	4	171M367510
60							
Serial Nr: 1D							
4T2881	Center	250x20x1245	45,8	100,99	3/4"	14	171M367520
4T2884	End	250x20x 441	16,2	35,72	3/4"	5	171M367530
Serial Nr: 2W							
4T2953	End	250x20x 622	23,2	51,16	7/8"	4	171M367450
4T2939	Optional One Piece Edge	250x20x2305	86	189,63	7/8"	15	171M367460
70							
Serial Nr: 8C							
4T2883	End	250x20x 514	18,9	41,67	3/4"	6	171M367470
Serial Nr: 3W 91D							
4T2942	End	250x20x 597	22,3	49,17	7/8"	4	171M367480
4T2947	Optional One Piece Edge	250x20x2575	96,1	211,90	7/8"	17	171M367490
80							
Serial Nr: 2D							
4T6622	Center	330x25x1511	92	202,86	7/8"	17	171M367540
4T6624	End	330x25x 622	37,9	83,57	7/8"	7	171M367550
Serial Nr: 5W							
4T6612	End	330x25x 749	46,3	102,09	1"	5	171M367500
90							
Serial Nr: 9V							
4T6612	End	330x25x 749	46,3	102,09	1"	5	171M367500
4T6380	Heavy Duty End	330x30x 749	55,3	121,94	1"	5	171M367505
428 435 442							

# ALL SCRAPERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
Serial Nr: 33F 35E 43D 44D 45D 83E 85F 88F							
4T6612	End	330x25x 749	46,3	102,09	1"	5	171M367500
4T6380	Heavy Duty End	330x30x 749	55,3	121,94	1"	5	171M367505
456, 463, 470, 491							
Serial Nr: 60C 61C 62C 93D 94D 98C							
4T6612	End	330x25x 749	46,3	102,09	1"	5	171M367500
4T6380	Heavy Duty End	330x30x 749	55,3	121,94	1"	5	171M367505
619							
Serial Nr: 68F 45F 48F							
4T6612	End	330x25x 749	46,3	102,09	1"	5	171M367500
4T6380	Heavy Duty End	330x30x 749	55,3	121,94	1"	5	171M367505
621 627							
Serial Nr: 69M 50K 4YK 37V 38V 6FB 6HB AYK							
4T6612	End	330x25x 749	46,3	102,09	1"	5	171M367500
4T6380	Heavy Duty End	330x30x 749	55,3	121,94	1"	5	171M367505
132-4567	Extra Heavy End	330x35x 749			1"	5	
623 J619 J621							
Serial Nr: 26U 5SG 61E 6DB AWB CEW 43F 43H							
4T6612	End	330x25x 749	46,3	102,09	1"	5	171M367500
4T6380	Heavy Duty End	330x30x 749	55,3	121,94	1"	5	171M367505
630 631 637							
Serial Nr: 64M 11G 10G 28F 32F							
4T6614	End	330x25x 902	55,7	122,82	1"	6	171M367560
4T6378	Heavy Duty End	330x30x 902	66,6	146,85	1"	6	171M497840
9W6092	End	330x35x 902	77	169,79	1"	6	171M497841
7J2959	End	330x40x 902	90,3	199,1	1"	6	171M497845
631 637							
Serial Nr: 20W-23W 7CB 1LB 1HB AWE AYN							
4T6614	End	330x25x 902	55,7	122,82	1"	6	171M367560
4T6378	Heavy Duty End	330x30x 902	66,6	146,85	1"	6	171M497840
632 641							
Serial Nr: 71G 79F 42M 43M 70G 80F							
4T6614	End	330x25x 902	55,7	122,82	1"	6	171M367560
9W6092	End	330x35x 902	77	169,79	1"	6	171M497841

# ALL SCRAPERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
651, 657, 650, 660, 666							
Serial Nr: 20G1-93 23G1-126 19G1-221							
4T6378	Heavy Duty End	330x30x 902	66,6	146,85	1"	6	171M497840
9W6092	End	330x35x 902	77	169,79	1"	6	171M497841
Serial Nr: 20G94-UP 23G127-UP							
9W6092	Heavy Duty Center	330x35x 902	77	169,8	1"	6	171M497841
7J2959	End	330x40x 902	90,3	199,1	1"	6	171M497845
651 657							
Serial Nr: 86Z1-240 6MB1-90							
9W4399	End	330x35x 965	81,1	178,83	1 1/4"	8	171M367570
9W4509	End	330x40x 965	92,2	203,30	1 1/4"	8	171M367575
KOMATSU Scraper							
Serial Nr: 1005-UP							
WS23S							
287-70-15221	End	330x30x 965	82,5	181,91	1"	6	171M367580



# MISCELLANEOUS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
510/86402	Center	330x25x1700	101,7	224,25	7/8"	14	171M367990
512/11100	Center	150x12x1753	24,6	54,24	1/2"	9	171M368000
510/93401	Center	250x25x1790	80,1	176,62	7/8"	9	171M368010
141/00704	Center	170x25x1850	54,2	119,51	7/8"	7	171M368020
141/01417	Center	170x25x1950	57,2	126,13	7/8"	7	171M368030
331/21971	Center	150x20x2032	42,2	93,05	1/2"	9	171M368040
331/13371BO	Center	200x20x2082	59,1	130,32	5/8"	15	171M368050
993/99391	Center	200x20x2235	63,9	140,90	3/4"	8	171M368060
990/69801	Center	200x20x2260	64,6	142,44	3/4"	8	171M368070
JCB980/99036	Center	200x20x2267	64,8	142,88	3/4"	8	171M368080
993/99189	Center	200x20x2350	67,2	148,18	3/4"	8	171M368090
990/69901	Center	200x20x2438	69,6	153,47	3/4"	9	171M368100



---

# COMPACTORS

---

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
WF450							
Serial Nr: 10001-UP							
144-92-01120	Center	200x20x1381	39	86,00	3/4"	9	171M365270

# LIEBHERR

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
	Center	200x25x 840	30,75		3/4"	6	171M365410
	End	200x25x 880/840	31,53		3/4"	6	171M365420
	End Bit LH	250/200x30 x480/380	21,9		3/4"	6	171M365430
	End Bit RH	250/200x30 x480/380	21,9		3/4"	6	171M365431
	End Bit LH	255/200x30 x493/380			3/4"	6	171M368130
	End Bit RH	255/200x30 x493/380			3/4"	6	171M368131
9020839	End Bit RH	200x25x 390/340			3/4"	6	171M368390
9020838	End Bit LH	200x25x 390/340			3/4"	6	171M368391
9043492	End Bit RH	200x20x 390/350			3/4"	6	171M368400
9043491	End Bit LH	200x20x 390/350			3/4"	6	171M368401
9050646	End Bit RH	200x20x 330			3/4"	6	171M368410
9050645	End Bit LH	200x20x 330			3/4"	6	171M368411
9183109	End Bit RH	200x25x 385			3/4"	6	171M368420
9183110	End Bit LH	200x25x 385			3/4"	6	171M368421

# GRADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
5/8" Flat							
4T2967	5 Foot	200x16x1524	37,5	82,69	5/8"	11	171M368700
4T2968	6 Foot	200x16x 1828	45	99,23	5/8"	13	171M368701
4T2969	7 Foot	200x16x2133	52,5	115,76	5/8"	15	171M368702
4T2966	8 Foot	200x16x2434	60,1	132,52	5/8"	17	171M368703
4Z8129-6	3 Foot	200x20x 915	28,1	61,96	5/8"	7	171M368704
4Z8129	3 Foot	200x20x 915	28,3	62,40	5/8"	5	171M368705
4Z8119-6	4 Foot	200x20x1220	37,5	82,69	5/8"	9	171M368706
4Z8119	4 Foot	200x20x1220	37,8	83,35	5/8"	6	171M368707
4T3034	5 Foot	200x20x1524	46,9	103,41	5/8"	11	171M368708
4T3007	6 Foot	200x20x1828	56,3	124,14	5/8"	13	171M368709
4T3036	7 Foot	200x20x2133	65,7	144,87	5/8"	15	171M368710
4T3035	8 Foot	200x20x2434	75,1	165,60	5/8"	17	171M368711
135-9692	4 Foot	200x25x1220	46,9	103,41	5/8"	9	171M368712
7T3497	5 Foot	200x25x1524	58,6	129,21	5/8"	11	171M368713
7T3499	6 Foot	200x25x1828	70,3	155,01	5/8"	13	171M368714
7T3498	7 Foot	200x25x2133	82,1	181,03	5/8"	15	171M368715
7T3496	8 Foot	200x25x2434	93,8	206,83	5/8"	17	171M368716
3/4" Flat							
4Z8120	5 Foot	200x16x1524	37,5	82,69	3/4"	11	171M368720
4T2971	6 Foot	200x16x1828	45	99,23	3/4"	13	171M368721
4T2970	7 Foot	200x16x2133	52,5	115,76	3/4"	15	171M368722
4T9603	8 Foot	200x16x2434	60,1	132,52	3/4"	17	171M368723
4T3033	6 Foot	200x20x1828	56	123,48	3/4"	13	171M368724
4T3032	7 Foot	200x20x2133	65,3	143,99	3/4"	15	171M368725
4T3037	8 Foot	200x20x2434	74,7	164,71	3/4"	17	171M368726
4Z8926	4 Foot	200x25x1220	46,6	102,75	3/4"	9	171M368727
7T3493	6 Foot	200x25x1828	69,8	153,91	3/4"	13	171M368728
7T3494	7 Foot	200x25x2133	81,5	179,71	3/4"	15	171M368729
7T3495	8 Foot	200x25x2434	93,2	205,51	3/4"	17	171M368730
4T6502	6 Foot	250x25x1828	87,8	193,60	3/4"	13	171M368731
4T6508	7 Foot	250x25x2133	102,4	225,79	3/4"	15	171M368732
4T6511	8 Foot	250x25x2434	117,1	258,21	3/4"	17	171M368733
4T8316	7 Foot	250x35x2133	140,7	310,24	3/4"	15	171M368734
4T8317	8 Foot	250x35x2434	160,8	354,56	3/4"	17	171M368520
104-3628	8 Foot	250x45x2434	205,7	453,57	3/4"	17	171M368735
140-6790	7 Foot	280x25x2133	115	253,58	3/4"	15	171M368736
4Z9186	8 Foot	280x25x2434	131,5	289,96	3/4"	17	171M368737
132-1086	8 Foot	280x35x2434	180,9	398,88	3/4"	17	171M368738
4Z9188	8 Foot	300x35x2434	194,3	428,43	3/4"	17	171M368739
D26515	7 Foot	330x45x2133	240,2	529,64	3/4"	15	171M368740

# GRADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
128-2577	8 Foot	330x45x2434	275,8	608,14	3/4"	17	171M368741
1" Flat							
109-3117	4 Foot	330x30x1220	92,5	203,96	1"	9	171M368750
109-3116	4 Foot	330x45x1220	137,2	302,53	1"	9	171M368751
132-1019	8 Foot	330x60x2438	372,2	820,70	1"	9	171M368752
135-9690	4 Foot	400x30x1220	112,7	248,50	1"	9	171M368753
138-6440	4 Foot	400x45x1220	167,3	368,90	1"	9	171M368754
135-9349	4 Foot	400x60x1220	223,1	491,94	1"	9	171M368755

# RUSSIAN GRADERS

OEM	Blade Position	Dimensions (mm)	Weight (kg)	Weight (lb)	Bolts	Holes	OFAB
DZ98							
DZ122							
DZ143							
DZ180							
GS14.02							

**Bruxite**<sup>TM</sup>  
WEAR EDGES & BARS

# HARD WORK HAS A NAME



[www.bruxite.com](http://www.bruxite.com)


**Bruxite standard profile range up to 6 meter / 20 feet:**

Cutting edges, Half arrow edges, Flat wear bars, Grouser bars, Round bars, Spade nose edges, Double bevel edges full length.  
Download or order the catalogue from [www.bruxite.com](http://www.bruxite.com)

**SharqEdges**<sup>TM</sup>  
Olofsfors

# BE SMART. RUN SHARP.

► Edges for graders and snow plows



[www.sharqedges.com](http://www.sharqedges.com)





OF  
250  
1762-2012

Olofsfors was founded in 1762, and since its conception 250 years ago, it has been producing world renowned high quality steel products. To this day, production is still at the same place located in Northern Sweden. Three families have been involved since the beginning of our dynamic company: Jennings, Pauli and Wikstrom. The proud Wikstrom family have been owners since 1864. From 1762 up until the late 19th century, Olofsfors has produced steel with its own mill. From the 19th century Olofsfors has been focused on the development of special and hardened steel products. This focus has produced the absolute best and highest quality of wear resistant steel products in the world since 1970 resulting in Olofsfors becoming a contracted supplier to many well known Large Equipment Manufacturers. The Olofsfors business model still holds true today; produce high quality steel products through a focused mixture of knowledge, and durability and value adding to our partners products.

Dealer:



 **Olofsfors**  
Make your own way