

# HP LaserJet Enterprise MFP M631 series



This HP LaserJet MFP with JetIntelligence combines performance, energy efficiency, and security.<sup>1</sup>

This HP LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security.<sup>1</sup>



HP LaserJet Enterprise Flow MFP M631h



HP LaserJet Enterprise MFP M631z

### The world's most secure printing<sup>1</sup>

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help prevent potential attacks and take immediate action with instant notification of security issues.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.<sup>3</sup>
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes A6 to legal.

### High-speed performance meets energy efficiency

- Speed through tasks and save paper. Print two-sided documents nearly as fast as single-sided.
- This printer wakes up fast and prints your first page faster—in as quickly as 7.8 seconds.<sup>2</sup>
- This MFP uses exceptionally low amounts of energy thanks to its innovative design and toner technology.<sup>6</sup>
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes A6 to legal.

### More. Pages, Performance, and Protection.<sup>5</sup>

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Original HP Toner cartridges with JetIntelligence deliver more pages per cartridge than predecessors.<sup>5</sup>
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.<sup>7</sup>

### Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages—every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 150 pages into the automatic document feeder for fast, unattended scanning.

<sup>1</sup> Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit <http://www.hp.com/go/PrintersThatProtect>. For more information: <http://www.hp.com/go/printersecurityclaims> <sup>2</sup> Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep. <sup>3</sup> HP Web Jetadmin is available for download at no additional charge at <http://www.hp.com/go/webjetadmin> <sup>4</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>5</sup> More pages versus predecessor cartridges claim based on page-yield comparison of HP 37X High Yield Black Original LaserJet Toner Cartridges with HP 87X High Yield Black Original LaserJet Toner Cartridges. For more information, see <http://www.hp.com/go/learnabouthsupplies> <sup>6</sup> Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see <http://www.hp.com/go/Ljclaims> <sup>7</sup> HP 37X High Yield Black Original LaserJet Toner Cartridges not included; please purchase separately. <sup>8</sup> Scan speed measured from ADF at default 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

## Product walkaround

1. Hardware Integration Pocket<sup>1</sup>
2. Easy-access USB port<sup>2</sup>
3. 1,000-sheet 3-bin stapler/stacker with job offset
4. Left door access to toner cartridges
5. Automatic two-sided printing
6. 550-sheet input tray 2
7. 3x550-sheet paper feeder and stand
8. 150-sheet ADF with single-pass, two-sided scanning
9. 8.0-inch (20.3 cm) intuitive icon-based color touchscreen
10. HP High-Performance Secure Hard Disk
11. Wi-Fi Direct<sup>®</sup> printing<sup>5</sup>/ Bluetooth<sup>®</sup> Low Energy<sup>6</sup>
12. Right door (access to print path)
13. 100-sheet multipurpose tray 1
14. Host USB port
15. Hi-speed USB 2.0 printing port
16. Slot for cable-type security lock
17. Gigabit Ethernet port
18. Fax port



## Series at a glance



Model	HP LaserJet Enterprise Flow MFP M631h	HP LaserJet Enterprise MFP M631z
Part number	J8J64A	J8J65A
Print speeds (letter/A4) <sup>3</sup>	Up to 55/52 ppm	Up to 55/52 ppm
Fax capabilities	Optional	√
HP High-Performance Secure Hard Disk	√	√
100-sheet tray 1, 550-sheet tray 2	√	√
550-sheet paper feeder <sup>4</sup>	Optional (up to four)	Optional (up to one)
1x550-sheet paper feeder with stand and cabinet <sup>4</sup>	Optional	Not available
3x550-sheet paper feeder and stand <sup>4</sup>	Optional	√
1x550 and 2,000-sheet HCI feeder and stand <sup>4</sup>	Optional	Not available
Envelope feeder	Optional (up to two)	Optional (up to one)
3-bin stapler/stacker with job offset	Not available	√
Advanced workflow features, including pull-out keyboard <sup>5</sup>	√	Not available
Direct mobile printing	Optional wireless direct <sup>6</sup> /NFC <sup>7</sup>	Embedded Wi-Fi

<sup>1</sup>Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.<sup>2</sup>An administrator must enable the easy-access USB port before use.<sup>3</sup>Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see [hp.com/go/printerclaims](http://hp.com/go/printerclaims). Exact speed varies depending on the system configuration, software application, driver, and document complexity.<sup>4</sup>Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see [hp.com/go/printerclaims](http://hp.com/go/printerclaims). Exact speed varies depending on the system configuration, software application, driver, and document complexity.<sup>5</sup>The pull-out keyboard and HP EveryPage are only available on the HP LaserJet Enterprise Flow MFP M631h, Flow MFP M632z, and Flow MFP M633z models.<sup>6</sup>Wi-Fi Direct printing is embedded in the HP LaserJet Enterprise M631z and Flow M633z models. All other models can add wireless direct with purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the signal of a Wi-Fi Direct<sup>®</sup> supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see [hp.com/go/mobileprinting](http://hp.com/go/mobileprinting). Wi-Fi Direct is a registered trademark of Wi-Fi Alliance<sup>®</sup>.<sup>7</sup>Touch-to-print capability can be added to all models (except M631z and Flow M633z) with purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see [hp.com/gobusinessmobileprinting](http://hp.com/gobusinessmobileprinting).<sup>8</sup>Bluetooth Low Energy is standard only on the HP LaserJet Enterprise MFP M631z and Flow MFP M633z models, and it cannot be added to other models. Bluetooth<sup>®</sup> is a trademark owned by its proprietor and used by HP Inc. under license.<sup>9</sup>All models can add wireless networking with the purchase of the HP Jetdirect 2900w Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.

## HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

### Next Business Day Onsite with Defective Media Retention:

Customers can retain their hard disk drive and keep control of sensitive data.

**Same Day Onsite – 4 hour 9x5 and 13x5:** Sends an HP technician to customers' site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.

### Next Business Day Exchange:

Ships a permanent replacement unit overnight via premium airfreight, if hardware issue cannot be resolved remotely. Shipping charges are prepaid by HP.

For carepack availability visit: [hp.com/go/cpc](http://hp.com/go/cpc)



## Top features

Only HP Enterprise MFPs repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally managing your fleet with ease.<sup>1</sup>

With speeds of up to 55 pages per minute,<sup>4</sup> fast first page out and a variety of paper-handling options, you get confidence that your employees can speed through their tasks without interruption.

Get more pages and help protect your printer using Original HP Toner cartridges with JetIntelligence.<sup>5</sup>

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs super-fast—up to 180 ipm<sup>6</sup>—and avoid extra steps with a Flow MFP designed for maximum productivity.

### Accessories

- J8J89A - HP LaserJet 550-sheet paper feeder
- J8J90A - HP LaserJet Envelope Feeder
- J8J91A - HP LaserJet 1x550-sheet paper feeder with stand and cabinet (only M631H)
- J8J92A - HP LaserJet 1x550-sheet and 2,000-sheet HCl feeder and stand (only M631H)
- J8J93A - HP LaserJet 3x550-sheet paper feeder with stand (only M631H)
- B5L28A - HP Internal USB Ports
- B5L31A - HP Foreign Interface Harness (FIH)
- CC487A - HP LaserJet MFP Analog Fax Accessory 500 (only M631H)
- J8031A - HP Jetdirect 2900nw Print Server
- J8030A - HP Jetdirect 3000w NFC/Wireless Accessory (only M631H)
- F5S62A - HP Trusted Platform Module Accessory
- A7W12A - HP LaserJet Keyboard Overlay Kit for Simplified Chinese & Traditional Chinese
- A7W14A - HP LaserJet Keyboard Overlay Kit Sweden
- E5K48A - HP 1GB DDR3 x32 144-Pin 800MHz SODIMM

### Supplies

- J8J96A - HP Staple Cartridge Refill
- J8J87A - HP LaserJet 110v Maintenance Kit
- J8J88A - HP LaserJet 220v Maintenance Kit
- J8J95A - HP 300 ADF Roller Replacement Kit
- CF237A - HP 37A Black Original LaserJet Toner Cartridge
- CF237X - HP 37X High Yield Black Original LaserJet Toner Cartridge
- CF237Y - HP 37Y Extra High Yield Black Original LaserJet Toner Cartridge

### Services

- U9NK2E - HP 5 year Next Business Day HW Support w/Defective Media Retention
- U9NK5E - HP 5 year 4 hour 9x5 Hardware Support w/Defective Media Retention
- U9NK8E - HP 5 year 4 hour 13x5 Hardware Support w/Defective Media Retention
- U9NL1E - HP 5 year NBD Call To Repair HW Support w/Defective Media Retention
- U9NL4E - HP 5 year Next Business Day Parts Exchange Service
- U9NL7E - HP 5 year Next Business Day + max 5 Maintenance Kit HW Support
- U9NL9PE - HP 5 year Next Business Day + max 5 Maintenance Kit HW Support
- U9NM1PE - HP 2 year Post Warranty 4 hour 9x5 Hardware Support w/DMR
- U9NM3PE - HP 2 year Post Warranty 4 hour 13x5 Hardware Support w/DMR
- U9NM5PE - HP 2 year Post Wty NBD CTR HW Support w/Defective Media Retention
- U9NM7PE - HP 2 year Post Wty NBD CTR HW Support w/Defective Media Retention

<sup>1</sup> Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit <http://www.hp.com/go/PrintersThatProtect>. For more information: <http://www.hp.com/go/printersecurityclaims> <sup>2</sup>Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep. <sup>3</sup> HP Web Jetadmin is available for download at no additional charge at <http://www.hp.com/go/webjetadmin> <sup>4</sup>Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>5</sup> More pages versus predecessor cartridges claim based on page-yield comparison of HP 37X High Yield Black Original LaserJet Toner Cartridges with HP 87X High Yield Black Original LaserJet Toner Cartridges. For more information, see <http://www.hp.com/go/learnabouthsupplies> <sup>6</sup>Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in [energystar.gov](http://energystar.gov) versus the top three leading competitors as of 8/2015. Actual results may vary. For details see <http://www.hp.com/go/ljclaims> <sup>7</sup>HP 37X High Yield Black Original LaserJet Toner Cartridges not included; please purchase separately. <sup>8</sup> Scan speed measured from ADF at default: 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

# HP LaserJet Enterprise MFP M631 series

Technical Specifications	HP LaserJet Enterprise Flow MFP M631h (U8J64A)	HP LaserJet Enterprise MFP M631z (U8J65A)
MFP functions	Print, Copy, Scan; MFP multitasking supported: Yes	Print, Copy, Scan, Fax; MFP multitasking supported: Yes
Print speed	Letter: Up to 55 ppm black <sup>6</sup> ; First page out: 5.3 sec <sup>8</sup>	
Print resolution	Black (fine lines): Up to 1200 x 1200 dpi	
Print Technology	Laser; Print Resolution Technologies: FastRes 1200; 1200 x 1200 dpi	
Print Cartridges Number	1 (black)	
Standard Print Languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™	
Printer Smart Software Features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB	
Printer Management	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver	
Scan Type / Technology	Type: Flatbed, ADF; Technology: Charge Coupled Device (CCD)	
Scan Resolution	Hardware: 600 x 600 dpi; Optical: up to 600 dpi	
Scan File Format	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)
Scan Input Modes	Front panel applications: Copy; E-mail; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (XP) applications; HP Scan or user application via TWAIN	
Scan Size	ADF: 215.9 x 863.6 mm; 8.5 x 34.0 in Maximum; 68 x 147 mm; 2.7 x 5.8 in Minimum; Flatbed: 220 x 365 mm;	ADF: 215.9 x 863.6 mm; 8.5 x 34.0 in Maximum; 68 x 147 mm; 2.7 x 5.8 in Minimum; Flatbed: 220 x 365 mm;
Scan Speed	Letter: Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color); Duplex Letter: Up to 180 ipm (b&w), up to 180 ipm (color) <sup>11</sup>	Letter: Up to 75 ppm/120 ipm (b&w), up to 75 ppm/120 ipm (color); Duplex Letter: Up to 120 ipm (b&w), up to 120 ipm (color) <sup>11</sup>
Scanner Advanced Features	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto-tone PDF, JPG, TIF, MTIF Scan software not included in box. HP Scan and TWAIN driver available for download at <a href="http://hp.com/support">http://hp.com/support</a> Scan software not included in box. HP Scan and TWAIN driver available for download at <a href="http://hp.com/support">http://hp.com/support</a>	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets PDF, JPG, TIF, MTIF Scan software not included in box. HP Scan and TWAIN driver available for download at <a href="http://hp.com/support">http://hp.com/support</a> Scan software not included in box. HP Scan and TWAIN driver available for download at <a href="http://hp.com/support">http://hp.com/support</a>
Bit depth / Grayscale levels	Internal: 30 bit; External: 24 bit/ 256	
Digital Sending Standard Features	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page; OCR	Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Color Sense; Auto Crop To Content; Compact PDF
Copy Speed	Black (Letter): Up to 55 cpm	
Copy Resolution	Black (text and Graphics): Up to 600 x 600 dpi (flatbed); Up to 600 x 450 dpi (ADF)	
Maximum Number of Copies	Up to 9999 copies	
Copier Resize	25 to 400%	
Copier Settings	Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to-B Copy (different media sizes)	
Fax Speed	Up to: 33.6 kbps <sup>9</sup>	
Fax Resolution	Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi	
Fax Smart Software Features	Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule	
Fax Features	Fax Telephone Mode Supported: No	Fax Memory: Greater than 500; Auto Fax Reduction Supported: Yes; Auto-Redialing: Yes; Fax Delayed Sending: No; Distinctive Ring Detection Supported: No; Fax Forwarding Supported: Yes; Fax Phone TAM Interface Supported: No; Fax Polling Supported: Yes (poll to receive only); Fax Telephone Mode Supported: No; Junk Barrier Supported: Yes; Maximum Speed Dialing Numbers: Up to 1000 numbers (each with 210 destinations); PC Interface Supported: Yes; Remote Retrieval Capability Supported: No; Telephone Handset Supported: No
Standard Connectivity	1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket	1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax; 1 1 Wi-Fi direct 802.11b/g/n; 1 Bluetooth low energy
Network Capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).	
Network Ready	Standard (built-in Gigabit Ethernet)	
Wireless Capability	Optional, enabled with purchase of HP Jetdirect 2900nw Print Server J8031A or HP Jetdirect 3000w NFC/Wireless Accessory J8030A	Built-in Wi-Fi Direct, Bluetooth low energy (BLE)
Mobile Printing Capability	HP ePrint; Apple AirPrint™; Mopria™-certified; Google Cloud Print 2.0	
Memory	Standard: 1.5 GB (printer); 1 GB (scanner); Maximum: 2.5 GB Total	Standard: 1.5 GB (printer); 512 MB (scanner); Maximum: 2 GB Total
Processor Speed	1.2GHz / Hard disk: Standard, minimum 320 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater)	
Duty Cycle	Monthly, Letter: Up to 300,000 pages; Recommended Monthly Page Volume: 5,000 to 30,000	
Paper Handling	Input Capacities: 100-sheet multipurpose feeder, 550-sheet input feeder, 150-sheet automatic document feeder; Up to 650 sheets standard; Up to 75 envelopes labels legal; Output Capacities: 500-sheet output feeder, two-sided printing; Up to 500 sheets standard labels legal; Duplex Options: Automatic (standard) Auto Document Feeder Capacity: Standard, 150 sheets; Envelope Feeder: Yes, 75 (optional); Standard Paper Trays: 2; Media Types Supported: Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), mono transparency, labels, letterhead, envelope, heavy envelope; Media Weight Supported: feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2: 16 to 32 lb bond (plain); Media Sizes Supported: feeder 1: Letter, legal, statement, executive, Oficio (8.5 x 13 in), envelopes [No. 9, No. 10, Monarch (7 3/4)], 3 x 5, 4 x 6, 5 x 7, 5 x 8; feeder 2: letter, executive; Media Sizes Custom: feeder 1: 3 x 5 to 8.5 x 14 in; feeder 2: 3.90 x 5.83 to 8.5 x 11 in	Input Capacities: 100-sheet multipurpose feeder, 550-sheet input feeder, 150-sheet automatic document feeder, 3x550-sheet input feeder with stand; Up to 2300 sheets standard; Up to 75 envelopes labels legal; Output Capacities: 500-sheet output feeder, 500 sheet output stapler stacker, two-sided printing; Up to 1000 sheets standard labels legal; Duplex Options: Automatic (standard) Auto Document Feeder Capacity: Standard, 150 sheets; Envelope Feeder: Yes, 75 (optional); Standard Paper Trays: 5; Media Types Supported: Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), mono transparency, labels, letterhead, envelope, heavy envelope; Media Weight Supported: feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2, 3: 16 to 32 lb bond (plain); Media Sizes Supported: feeder 1: Letter, legal, statement, executive, Oficio (8.5 x 13 in), envelopes [No. 9, No. 10, Monarch (7 3/4)], 3 x 5, 4 x 6, 5 x 7, 5 x 8; feeder 2, 3: letter, executive; feeder 4: Letter, Legal; Media Sizes Custom: Feeder 1: 3 x 5 to 8.5 x 14 in; feeder 2: 3.90 x 5.83 to 8.5 x 11 in, feeder 3: 3.90 x 5.83 to 8.5 x 11 in, feeder 4: 8.27 x 11 to 8.5 x 14

# HP LaserJet Enterprise MFP M631 series

Technical Specifications	HP LaserJet Enterprise Flow MFP M631h (J8J64A)	HP LaserJet Enterprise MFP M631z (J8J65A)
<b>Product Dimensions</b>	<b>WxDxH:</b> 20.15 x 22 x 25.2 in; 512 x 558 x 640 mm <b>Maximum:</b> 40.5 x 31.7 x 34.1 in (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open); 1030 x 808 x 865 mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open)	<b>WxDxH:</b> 26 x 25.9 x 48.5 in; 661 x 658 x 1234 mm <b>Maximum:</b> 40.5 x 35 x 59.1 in (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open); 1030 x 890 x 1500 mm (right side jam access door open, left side cartridge door open, all feeders open and extended, ADF open)
<b>Product Weight</b>	33.2 kg/73.2 lb	62.5 kg/137.8 lb
<b>What's in the box</b>	HP LaserJet Multifunction Printer; HP Black Original LaserJet Toner Cartridge (~11K yield); CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord	
<b>Warranty Features</b>	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to <a href="http://hp.com/support">hp.com/support</a> to learn about HP award winning service and support options in your region.	
<b>Control Panel</b>	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)
<b>Display Description</b>	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu)	
<b>Software Included</b>	HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals	
<b>Fonts and Typefaces</b>	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 Internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <a href="http://www.hp.com/go/laserjetfonts">http://www.hp.com/go/laserjetfonts</a>	
<b>Compatible Operating Systems</b>	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)	
<b>Compatible Network Operating Systems</b>	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows Server 2012/2012R2, Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 Terminal Services 32- and 64-bit, Citrix XenApp 6.0/6.5 [for Windows Server 2008 R2 Terminal Services, 32- and 64-bit], Citrix XenApp 6.0/6.5/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenApp 7.5 [for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit], Citrix XenDesktop 5.6 [for Windows Server 2008 R2 Terminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5 [for Windows Server 2008 R2 SP1 Terminal Services, 32- and 64-bit], Citrix XenDesktop 7.0/7.5 [for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit], Novell NetWare 6.5/SP8 Novell Clients <a href="http://www.novell.com/print">www.novell.com/print</a> , Novell iPrint Appliance v1.0, Novell Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2 for Linux, Novell Servers <a href="http://www.novell.com/print">www.novell.com/print</a> , Windows Server 2003/2003 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2), Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-/64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2012 R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services), Windows Server 2016/ 64-bit Standard/Essential/Datacenter (+ Cluster & Terminal Services)	
<b>Minimum System Requirements</b>	<b>PC:</b> 2GB available hard disk space; OS hardware requirements see <a href="http://microsoft.com">microsoft.com</a> ; <b>MAC:</b> 1.3 GB available hard drive space; Internet; OS hardware requirements see <a href="http://apple.com">apple.com</a> for more info	
<b>Power</b>	<b>Power Supply Type:</b> Built in 115V or 220V Power Supply; <b>Power Requirements:</b> Input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/- 3Hz), 1.2 A; Input voltage: 220V to 240V nominal, (+/-10%) 50 - 60Hz nominal (+/- 3Hz), 6 A; <sup>2</sup>	
<b>Acoustics</b>	<b>Acoustic Power Emissions:</b> 6.9 Bel; <b>Acoustic Pressure Emissions:</b> 55 dB(A)	<b>Acoustic Power Emissions:</b> 6.9 Bel; <b>Acoustic Pressure Emissions:</b> 53 dB(A)
<b>Operating Environment</b>	<b>Operating Temperature Range:</b> 15 to 32.5°C; <b>Recommended Operating Temperature:</b> 15 to 27°C; <b>Storage Temperature Range:</b> -20 to 40°C; <b>Non-Operating Humidity Range:</b> 10 to 90% RH; <b>Operating Humidity Range:</b> 10 to 80% RH; <b>Recommended Humidity Operating Range:</b> 30 to 70% RH	
<b>Security Management</b>	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WPA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs, ...); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs	

<sup>1</sup> Cartridges included; yields 11,000 black pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies> <sup>2</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115 v device. <sup>3</sup> Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <http://www.hp.com/go/learnaboutsupplies> <sup>4</sup> Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit <http://www.hp.com/go/learnaboutsupplies> <sup>5</sup> Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17 <sup>6</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>7</sup> Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type. <sup>8</sup> Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>9</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 v device. <sup>10</sup> Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled. <sup>11</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. <sup>12</sup> Scan software not included in box. HP Scan and TWAIN driver available for download.

## Learn more at [hp.com](http://hp.com)

© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

