




Dell Monitors

for Business



Dell UltraSharp 38 Curved Monitor | U3818DW
Dell 34 Curved Monitor | P3418HW

See more, do more.
Dell Monitors — the world's #1 monitor brand.*

Why choose Dell Monitors



Innovative

Expect a thoroughly engaging visual experience with innovative Dell monitors, from monitors that provide the ultimate in resolution, contrast, and color with immersive user experiences, and unrivaled usability.



Designed for productivity

Today's Dell monitors are designed to help enhance productivity, with larger workspaces and great usability, unsurpassed reliability and thin bezel design that facilitates dual monitor configurations.** All reasons to refresh your monitor today with Dell so you can simply focus on your work, and give your productivity a boost.



Award-winning

The multiple awards and positive reviews for our monitors from around the globe — from leading computing magazines, online portals and consumers alike — vouch for the quality, performance and usability of these monitors.



Reliable

With Dell monitors you get the same commitment to quality, reliability and service that you expect from Dell — demonstrated through an exhaustive testing regimen, and backed by our Premium Panel Warranty*** available with Dell UltraSharp Monitors and select Dell Monitors.



Environmentally responsible

Dell monitors conform to environmental certifications and are made with environmentally-preferable materials. Built-in energy-efficient features in select monitors can help you save on power consumption, so you can be proud of the environmentally-responsible choice you make.



Dell UltraSharp Monitors

See your work come alive with Dell UltraSharp monitors. Enjoy a superb view with consistent, accurate colors, outstanding color breadth and depth, and sharp high resolution image clarity. Help boost productivity with virtually borderless models great for multi-monitor setup, curved monitors and features to aid multi-tasking.

Our high performance **Dell UltraSharp Monitors with PremierColor** offer every color professional the ideal tools for their color-critical projects. See visuals that rival real life in immaculate **Ultra HD 8K** and dazzling **4K** resolution. 8K resolution provides 4x more detail than 4K, 16x more detail than Full HD. With our **4K HDR[†] Monitor** you'll view, edit and create stunningly realistic images in HDR10[†] with lifelike colors, exceptional clarity and striking details.



Thank you
for making
Dell Monitors
#1
worldwide*



UP3218K
Dell UltraSharp 32 8K Monitor

Visuals that rival real life.

Viewable image size (inches / cm)	31.5 inches / 80.01 cm
Maximum resolution	8K 7680 x 4320 at 60 Hz; 280 ppi
Aspect ratio	16 : 9
Panel type, surface	In-Plane Switching type; Anti-Reflective treatment of the front polarizer (2H)
Backlight technology	LED
Connectivity	2 x DP (ver 1.4), 1 x USB 3.0 ² port - Upstream, 4 x USB 3.0 ² ports - Bottom (including 1 x USB 3.0 ² BC1.2 charging port), Audio line-out
Design features	
Adjustability	Height (120 mm), swivel, tilt, pivot
Other	Dell InfinityEdge virtually borderless design, ComfortView [®] with Flicker-free screen, Dell Display Manager with Easy Arrange



UP3216Q
Dell UltraSharp 32 Ultra HD 4K Monitor
with PremierColor

The ideal PremierColor coverage and Ultra HD clarity for every color professional.

	31.5 inches / 80.1 cm
	4K 3840 x 2160 at 60 Hz
	16 : 9
	In-plane switching
	LED
	HDMI 2.0/ MHL 2.0 ⁴ with HDCP 2.2, 4 x USB 3.0 ² , DisplayPort, mini-DisplayPort, 6-in-1 media card reader
	Height (90 mm), swivel, tilt
	Dell PremierColor; additional color coverage: 99.5% Adobe RGB2, 100% sRGB, 100% REC709, and 87% DCI-P3; Single Scalar design for easier system support



UP2718Q
Dell UltraSharp 27 4K HDR Monitor


View, edit and create stunningly realistic images in HDR10[†].

	27 inches / 68.47 cm
	3840 x 2160 at 60 Hz
	16 : 9
	In-Plane Switching; Anti-glare treatment of the front polarizer (3H) hard coating
	LED
	1 x DisplayPort (ver 1.4), 1 x mDP (ver. 1.4), 2 x HDMI (ver. 2.0a), 2 x USB 3.0 ² upstream ports, 4 x USB 3.0 ² downstream ports (including 2 x USB 3.0 ² BC1.2 charging port), Audio line-out
	Height (145 mm), swivel, tilt, pivot
	HDR10 capabilities [†] , built-in KVM, 100% AdobeRGB, 100% sRGB, 100% Rec. 709, and 97.7% DCI-P3 and 76.9% Rec2020

ULTRA HD PREMIUM™ logo is a trademark of UHD Alliance, Inc.

Product availability varies by country. Please contact your Dell representative for more information.

Dell UltraSharp Monitors



UP2516D
Dell UltraSharp 25 Monitor
with PremierColor

Dell PremierColor for power users — all the tools you need for color-critical projects.

Viewable image size (inches / cm)	25 inches / 63.44 cm
Maximum resolution	QHD 2560 x 1440 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	In-plane switching
Backlight technology	LED
Connectivity	HDMI 1.4/ MHL 2.0 ⁴ x 2, DisplayPort 1.2 ³ (in)/ mini-DisplayPort, DisplayPort (out), 4 x USB 3.0 ² ports
Design features	Adjustability
Other	Height (130 mm), swivel, tilt, pivot (clockwise and counter-clockwise) Dell PremierColor; broad color coverage: 100% Adobe RGB2, 100% sRGB, 100% REC709, and 98% DCI-P3; Single Scalar design for easier system support; ultra-thin bezels; built-in KVM, PIP, PBP



UP2716D
Dell UltraSharp 27 Monitor
with PremierColor

Dell PremierColor for power users — all the tools you need for color-critical projects.

Viewable image size (inches / cm)	27 inches / 68.47 cm
Maximum resolution	QHD 2560 x 1440 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	In-plane switching
Backlight technology	LED
Connectivity	HDMI 1.4/ MHL 2.0 ⁴ x 2, DisplayPort 1.2 ³ (in)/ mini-DisplayPort, DisplayPort (out), 4 x USB 3.0 ² ports
Design features	Adjustability
Other	Height (130 mm), swivel, tilt, pivot (clockwise and counter-clockwise) Dell PremierColor; broad color coverage: 100% Adobe RGB2, 100% sRGB, 100% REC709, and 98% DCI-P3; Single Scalar design for easier system support; ultra-thin bezels; built-in KVM, PIP, PBP



UP3017
Dell UltraSharp 30 Monitor
with PremierColor

Dell PremierColor for power users — all the tools you need for color-critical projects.


Viewable image size (inches / cm)	30 inches / 75.62 cm
Maximum resolution	WQXGA 2560 x 1600 at 60 Hz
Aspect ratio	16 : 10
Panel type, surface	In-plane switching, anti-glare
Backlight technology	LED
Connectivity	DisplayPort 1.2 ³ , mini-DP 1.2, DisplayPort-out, 2 x HDMI 1.4, 2x USB 3.0 ² upstream (KVM), 4 x USB 3.0 ²
Design features	Adjustability
Other	Height (115 mm), swivel, tilt, pivot Dell PremierColor; broad color coverage: 99% AdobeRGB, 99% sRGB, 99% REC709 and 99%, DCI-P3 (Delta-E <2); SDK, KVM, flicker-free, ComfortView ¹

Dell UltraSharp Monitors

U Series

Dell UltraSharp InfinityEdge Monitors

Maximize your view with Dell's InfinityEdge monitors, with super thin borders on all four sides. Open up space on your desk to work more freely and comfortably with the arm-mounted options.



U2417H
Dell UltraSharp 24
InfinityEdge Monitor

Optimize your view with super thin borders on all four sides.

Viewable image size (inches / cm)	23.8 inches / 60.47 cm
Maximum resolution	Full HD 1920 x 1080 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	In-plane switching, anti-glare
Backlight technology	LED
Connectivity	HDMI 1.4 (MHL 2.0*), DisplayPort 1.2 ³ , mini-DisplayPort 1.2, DisplayPort-out, Audio line-out, 4 x USB 3.0 ² ports
USB ports: rear/side	

Design features

Adjustability	Height (130 mm), swivel, tilt, pivot (clockwise and counter-clockwise)
----------------------	--

Other

Virtually borderless view perfect for productivity-boosting multi-monitor setups



U2417HA
Dell UltraSharp 24 InfinityEdge Monitor
with Arm

Optimize your view and workspace with super thin borders on all four sides.

Viewable image size (inches / cm)	23.8 inches / 60.47 cm
Maximum resolution	Full HD 1920 x 1080 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	In-plane switching, anti-glare with hard coat 3H
Backlight technology	LED
Connectivity	HDMI 1.4 (MHL 2.0*), mini-DisplayPort 1.2/ DisplayPort 1.2 ³ , DisplayPort out (MST), Audio Line out, 5 x USB 3.0 ² ports (1 upstream, 4 downstream)

Vertical and horizontal extension and built in cable-management, swivel, tilt, pivot (clockwise and counter-clockwise)

Virtually borderless view and mounted on an arm for more usable desk space




U2518D
Dell UltraSharp 25 Monitor

Push productivity to the edge.

Viewable image size (inches / cm)	25 inches / 63.44 cm
Maximum resolution	QHD 2560 x 1440 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	In-Plane Switching type; Anti-glare treatment of the front polarizer (3H) hard coating
Backlight technology	LED
Connectivity	1 x DisplayPort 1.2 ³ , 1 x mDP (ver. 1.2), DisplayPort 1.2 ³ out with MST, 1 x HDMI (ver. 2.0), 1 x USB 3.0 ² port - Upstream, 4 x USB 3.0 ² ports, with 2 x USB 3.0 ² BC1.2 charging capability at 2A (max), audio line-out

Height (130 mm), swivel, tilt, pivot (clockwise and counter-clockwise)

Dell HDR with HDR10 viewing capabilities^{††}, InfinityEdge screen, Dell Easy Arrange, 99% sRGB, 99% Rec709, 79% DCI-P3, TUV-Certified flicker-free screen with ComfortView[†]



U2717D
Dell UltraSharp 27 InfinityEdge Monitor

Optimize your view with super thin borders on all four sides.

Viewable image size (inches / cm)	27 inches / 68.47 cm
Maximum resolution	QHD 2560 x 1440 at 60Hz
Aspect ratio	16 : 9
Panel type, surface	In-plane switching, anti-glare with hard coat 3H
Backlight technology	LED
Connectivity	HDMI 1.4 (MHL 2.0*), mini-DisplayPort 1.2/ DisplayPort 1.2 ³ , DisplayPort out (MST), Audio Line out, 5 x USB 3.0 ² ports (1 upstream, 4 downstream)
USB ports: rear/side	

Design features

Adjustability	Height (130 mm), swivel, tilt, pivot (clockwise and counter-clockwise)
----------------------	--

Other

Virtually borderless view perfect for productivity-boosting multi-monitor setups



U2717DA
Dell UltraSharp 27 InfinityEdge Monitor
with Arm

Optimize your view and workspace with super thin borders on all four sides.

Viewable image size (inches / cm)	27 inches / 68.47 cm
Maximum resolution	QHD 2560 x 1440 at 60Hz
Aspect ratio	16 : 9
Panel type, surface	In-plane switching, anti-glare with hard coat 3H
Backlight technology	LED
Connectivity	HDMI 1.4 (MHL 2.0*), mini-DisplayPort 1.2/ DisplayPort 1.2 ³ , DisplayPort out (MST), Audio Line out, 5 x USB 3.0 ² ports (1 upstream, 4 downstream)

Vertical and horizontal extension and built in cable-management, swivel, tilt, pivot (clockwise and counter-clockwise)

Virtually borderless view mounted on an arm for more usable desk space



U2718Q
Dell UltraSharp 27 4K Monitor

Productivity without boundaries.


Viewable image size (inches / cm)	27 inches / 68.47 cm
Maximum resolution	4K 3840 x 2160 at 60Hz
Aspect ratio	16 : 9
Panel type, surface	In-Plane Switching type; Antiglare with hard-coating 3H
Backlight technology	LED
Connectivity	1 x DisplayPort 1.2 ³ , 1 x mDP (ver. 1.2), 1 x HDMI (ver. 2.0), 1 x USB 3.0 ² port - Upstream, 4 x USB 3.0 ² ports, including 2 x USB 3.0 ² BC1.2 charging capability at 2A (max), audio line-out

Height (130 mm), swivel, tilt, pivot (clockwise and counter-clockwise)

Dell HDR with HDR10 viewing capabilities^{††}, InfinityEdge screen, 99.9% sRGB with Delta-E < 2 (average), 99.9% Rec 709, 80.7% DCI-P3, Dell Easy Arrange, TUV-Certified flicker-free screen with ComfortView[†]

Product availability varies by country. Please contact your Dell representative for more information.

Dell UltraSharp Monitors



U Series

Dell UltraSharp Monitor with Wireless Charging Stand

Wireless charging stand for Qi and PMA-compatible phones, plus flexible viewing and connectivity add up to great performance and convenience.

Dell UltraSharp Wireless Connect Monitor


Wireless freedom — connect your mobile devices to your monitor wirelessly and edit content from both devices simultaneously with a single keyboard and mouse.



U2417HJ

Dell UltraSharp 24 Monitor with Wireless Charging Stand

Wireless charging convenience.



U2417HWi

Dell UltraSharp 24 Wireless Connect Monitor

World's first monitor to allow two mobile devices to be connected wirelessly.

Viewable image size (inches / cm)	23.8 inches / 60.47 cm
Maximum resolution	Full HD 1920 x 1080 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	In-plane switching, anti-glare with 3H hardness
Backlight technology	LED
Connectivity	DisplayPort/ mini-DisplayPort in, DisplayPort-out, 2 x HDMI (MHL ¹), 4 x USB 3.0 ² , Audio line-out
USB ports: rear/side	
Design features	
Adjustability	Height, swivel, tilt, pivot (clockwise and counter-clockwise)
Other	Conveniently charge your Qi and PMA compatible smartphones without wires

	23.8 inches / 60.47 cm
	Full HD 1920 x 1080 at 60 Hz
	16 : 9
	In-plane switching, anti-glare with 3H hardness
	LED
	HDMI (1.4), 1 x USB 3.0 ² upstream, 4 x USB 3.0 ² downstream, Audio line-out
	Height (130 mm), swivel, tilt, pivot (clockwise and counter-clockwise)
	Wirelessly connect two mobile devices ⁵ and display and edit content with one keyboard and mouse

Product availability varies by country. Please contact your Dell representative for more information.

Dell UltraSharp Monitors

U Series

Dell UltraSharp Curved and Ultra Wide Monitors

Enjoy a panoramic viewing experience for work, videos, movies and gaming on these ideally sized, expansive monitors, perfect for multi-tasking.



U2917W
Dell UltraSharp 29 Ultra Wide Monitor

Help boost productivity while you multitask efficiently.

Viewable image size (inches / cm)	28.8 inches / 73.03 cm
Maximum resolution	2560 x 1080 at 60 Hz
Aspect ratio	21 : 9
Panel type, surface	In-plane switching, anti-glare
Backlight technology	LED
Connectivity	2 x HDMI 1.4, 1 x Mini-DisplayPort, 1 x DisplayPort, 1 x DisplayPort out (MST), 1 x Audio-line out, 1 x USB 3.0 ² upstream, 4 x USB 3.0 ² downstream ports, with 2 x BC1.2 charging capability at 2A (max)
Design features	
Adjustability	Height (130 mm), swivel, tilt
Other	Picture-by-Picture, Picture-in-Picture, Daisy Chain availability, Dell Display Manager compatible with Easy Arrange, Remote Asset Management via Dell Command Monitor



U3415W
Dell UltraSharp 34 Curved Ultra Wide Monitor

Immersive panoramic view makes work comfortable and play fun.

Viewable image size (inches / cm)	34 inches / 86.5 cm
Maximum resolution	WQHD 3440 x 1440 at 60 Hz
Aspect ratio	21 : 9
Panel type, surface	In-plane switching, anti-glare
Backlight technology	LED
Connectivity	1 x HDMI 2.0, 1 x MHL ⁴ , 1 x mini-DisplayPort, 1 x DisplayPort, 1 x DisplayPort out (MST), 1 x Audio line-out, 2 x USB 3.0 ² upstream, 4 x USB 3.0 ² downstream
Design features	
Adjustability	Height (115 mm), swivel, tilt
Other	Curved screen, 2 integrated 9W speakers; built-in KVM, PIP, PBP



U3417W
Dell UltraSharp 34 Curved Monitor

Immersive display. Immaculate performance.

Viewable image size (inches / cm)	34.14 inches / 86.72 cm
Maximum resolution	WQHD 3440 x 1440 at 60 Hz
Aspect ratio	21 : 9
Panel type, surface	In-plane switching, anti-glare
Backlight technology	LED
Connectivity	DisplayPort 1.2 ³ (HDCP 1.4), mini-DisplayPort 1.2 (HDCP 1.4), DisplayPort-out with MST (HD 1.4), 2 x HDMI 2.0 (HDCP 1.4), 1 x Analog 2.0 audio line out (3.5 mm jack) ports, 2 x USB 3.0 ² upstream, 4 x USB 3.0 ² downstream
Design features	
Adjustability	Height (115 mm), swivel, tilt
Other	Integrated 2 x 9W speakers, Picture-by-Picture, Picture-in-Picture, KVM (Keyboard, video, mouse)



U3818DW
Dell UltraSharp 38 Curved Monitor

Envision all you can do.

Viewable image size (inches / cm)	37.5 inches / 95.3 cm
Maximum resolution	WQHD+ 3840 x 1600 at 60Hz
Aspect ratio	21 : 9
Panel type, surface	In-Plane Switching type; Anti-glare with (3H) hard coating
Backlight technology	LED edgelight system
Connectivity	1 x DisplayPort 1.2 ³ (HDCP 2.2), 2 x HDMI 2.0 (HDCP 2.2), 2 x USB 3.0 ² upstream port, 2 x USB 3.0 ² Downstream port (side), 2 x USB 3.0 ² Downstream port (bottom), 1 x USB Type-C (Alternate mode with DP1.2, Power Delivery of up to 100W, and USB 2.0), 1 x Analog 2.0 audio line out (3.5 mm jack)
Design features	
Adjustability	Height (115 mm), swivel, tilt
Other	Integrated 2 x 9W speakers, InfinityEdge screen, 99% sRGB color, built-in KVM, Dell Easy Arrange, Picture-in-Picture, Picture-by-Picture, USB Type-C connectivity

Product availability varies by country. Please contact your Dell representative for more information.

Dell UltraSharp Monitors

U Series



U2412M
Dell UltraSharp 24 Monitor

Bridge corporate connectivity needs from analog to digital.

Viewable image size (inches / cm)	24 inches / 60.96 cm
Maximum resolution	WUXGA 1920 x 1200 at 60 Hz
Aspect ratio	16 : 10
Panel type, surface	In-plane switching, anti-glare
Backlight technology	LED
Connectivity	VGA, DVI-D (HDCP), DisplayPort, Audio DC out
USB ports: rear/side	
Design features	
Adjustability	Height (115 mm), swivel, tilt, pivot
Other	Legacy model ideal for businesses using analog and digital connectivity



U2412MWh
Dell UltraSharp 24 Monitor

Bridge corporate connectivity needs from analog to digital.

Viewable image size (inches / cm)	24 inches / 60.96 cm
Maximum resolution	WUXGA 1920 x 1200 at 60 Hz
Aspect ratio	16 : 10
Panel type, surface	In-plane switching, anti-glare
Backlight technology	LED
Connectivity	VGA, DVI-D (HDCP), DisplayPort, Audio DC out
USB ports: rear/side	
Design features	
Adjustability	Height (115 mm), swivel, tilt, pivot
Other	Legacy model ideal for businesses using analog and digital connectivity



U2414H
Dell UltraSharp 24 Monitor

Virtually borderless viewing ideal for multi-monitor setups.

Viewable image size (inches / cm)	23.8 inches / 60.5 cm
Maximum resolution	Full HD 1920 x 1080 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	In-plane switching, anti-glare
Backlight technology	LED
Connectivity	2 x HDMI (MHL ⁴), 4 x USB 3.0 ² , DisplayPort 1.2 ³ , mini-DisplayPort
USB ports: rear/side	
Design features	
Adjustability	Height (130 mm), swivel, tilt, pivot (90° clockwise or 90° counter-clockwise)
Other	Ultra-thin bezel great for multi-monitor set-up; DisplayPort 1.2 ³ supports multi-stream transport for daisy chaining



U2415
Dell UltraSharp 24 Monitor

Virtually borderless viewing ideal for multi-monitor setups.

Viewable image size (inches / cm)	24.1 inches / 61.1 cm
Maximum resolution	WUXGA 1920 x 1200 at 60 Hz
Aspect ratio	16 : 10
Panel type, surface	In-plane switching, anti-glare with hard coat 3H
Backlight technology	LED
Connectivity	2 x HDMI (MHL ⁴), 1 x mini-DisplayPort, 1 x DisplayPort 1.2 ³ , 1 x DisplayPort out (MST), 1 x Audio line-out, 5 x USB 3.0 ² ports
USB ports: rear/side	
Design features	
Adjustability	Height (115 mm), swivel, tilt, pivot (clockwise and counter-clockwise)
Other	Ultra-thin bezel great for multi-monitor set-up; DisplayPort 1.2 ³ supports multi-stream transport for daisy chaining



U2515H
Dell UltraSharp 25 Monitor

Virtually borderless viewing ideal for multi-monitor setups.

Viewable image size (inches / cm)	25 inches / 63.44 cm
Maximum resolution	QHD 2560 x 1440 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	In-plane switching, anti-glare with hard coat 3H
Backlight technology	LED
Connectivity	2 x HDMI (MHL ⁴), 1 x mini-DisplayPort, 1 x DisplayPort 1.2 ³ , 1 x DisplayPort out (MST), 1 x Audio line-out, 5 x USB 3.0 ² ports
USB ports: rear/side	
Design features	
Adjustability	Height (115 mm), swivel, tilt, pivot (clockwise and counter-clockwise)
Other	Ultra-thin bezel great for multi-monitor set-up; DisplayPort 1.2 ³ supports multi-stream transport for daisy chaining



U2715H
Dell UltraSharp 27 Monitor

Virtually borderless viewing ideal for multi-monitor setups.


Viewable image size (inches / cm)	27 inches / 68.5 cm
Maximum resolution	QHD 2560 x 1440 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	In-plane switching, anti-glare with hard coat 3H
Backlight technology	LED
Connectivity	HDMI (MHL ⁴), 1 x mini-DisplayPort, 1 x DisplayPort 1.2 ³ , 1 x DisplayPort out (MST), 1 x Audio line-out, 5 x USB 3.0 ² ports
USB ports: rear/side	
Design features	
Adjustability	Height (115 mm), swivel, tilt, pivot (clockwise and counter-clockwise)
Other	Ultra-thin bezel great for multi-monitor set-up; DisplayPort 1.2 ³ supports multi-stream transport for daisy chaining

Product availability varies by country. Please contact your Dell representative for more information.

Dell Medical Review Monitors




Purpose-built for the healthcare market, these monitors provide accurate, consistent DICOM-ready images, are aligned with infection control initiatives, and allow for easy and efficient point of care use.



MR2217
Dell Medical Review 22 Monitor

DICOM calibrated and built for efficient point of care use.



MR2416
Dell Medical Review 24 Monitor

Fully cleanable, DICOM calibrated, and aligned with infection reduction initiatives.

Viewable image size (inches / cm)	21.5 inches / 54.61 cm
Maximum resolution	1920 x 1080 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	In-plane switching
Backlight technology	LED
Connectivity	VGA, DisplayPort 1.2 ³ , HDMI 1.4, USB 2.0 x 2 ports (downstream), 1 x USB 2.0 (upstream)
Design features	
Adjustability	Height (130 mm), swivel, tilt, pivot (clockwise and counter-clockwise)
Other	DICOM-ready images, matte screen, smooth, ventless design, green dot power cord, IEC60601-1 certified, active screw-on cable clip for cable security, ISO13485 certified

Viewable image size (inches / cm)	24.0 inches / 60.97 cm
Maximum resolution	1920 x 1200 at 60 Hz
Aspect ratio	16 : 10
Panel type, surface	In-plane switching
Backlight technology	LED
Connectivity	VGA, DisplayPort 1.2 ³ , HDMI 1.4, USB 2.0 x 2 ports (downstream), 1 x USB 2.0 (upstream)
Design features	
Adjustability	Height (130 mm), swivel, tilt, pivot (clockwise and counter-clockwise)
Other	DICOM-ready images, anti-reflective screen, Light-colored exterior, smooth, ventless design, IP32 rated to withstand strong cleaning agents, green dot power cord, IEC60601-1 certified, active screw-on cable clip for cable security, ISO13485 certified

Dell Large Format Displays



Communicate every detail of your presentation clearly with Dell Large Format Displays ideal for rooms seating from 4 to 20 people. These large format monitors are designed for quick, easy setup and are simple to manage.

Our **interactive touch monitors** promote group collaboration allowing up to 20 simultaneous touch points via stylus or hand.



C5518QT
Dell 55 4K Interactive Touch Monitor
Built for captivating collaboration — with Touch technology.

Viewable image size (inches / cm)	54.64 inch / 139.7 cm
Maximum resolution	3840 x 2160 at 60 Hz
Aspect ratio	16 : 9
Duty cycle	12/7
Panel type, surface	In-Plane Switching type, 4 mm heat tempered glass, 9H hardness, AG, AS, 5% haze
Backlight technology	White LED edgelight system
Connectivity	3 x HDMI 2.0, 1 x DisplayPort 1.2 ³ , 1 x VGA, 1 x audio input, 1 x audio line-out, 3 x USB 3.0 ² upstream, 3 x USB 3.0 ² downstream, 1 x USB dedicated charging port, optional wireless connectivity via Dell Wireless Module - WR517

Design features	
VESA mounting support	300 mm x 300 mm
Stand/wall mount	-
Speakers	Built-in dual 10W
Other	Ideal size for conference room seating up to 8 people; Dell Display Manager, RS232 and RJ45 interfaces for remote management; InGlass™ touch technology allows up to 20 touch points with fingers; up to four points with stylus; Compatible with optional Dell OptiPlex Micro (integrates into back panel)



C5517H
Dell 55 Conference Room Monitor
Brilliantly clear, ideal for small conference rooms.

Viewable image size (inches / cm)	54.6 inches / 138.68 cm
Maximum resolution	Full HD 1920 x 1080 at 60 Hz
Aspect ratio	16 : 9
Duty cycle	12/7
Panel type, surface	Vertical Alignment, anti-glare with hard coating 3H, 2% haze
Backlight technology	LED
Connectivity	VGA, 2 x HDMI, 1 x DisplayPort, RS232 port, Audio Line Out Port, Audio Line In Port, 1x USB upstream port, 3x USB downstream ports, optional wireless connectivity via Dell Wireless Module - WR517

Design features	
VESA mounting support	400 mm x 400 mm
Stand/wall mount	Removable pedestal/Wall mount kit sold separately
Speakers	Built-in dual 10W
Other	Ideal size for 4-8 person conference room; remote control with brightness and volume adjustment



C7016H
Dell 70 Conference Room Monitor
Stunning 70" monitor elevates office collaboration.

Viewable image size (inches / cm)	69.513 inches / 176.56 cm
Maximum resolution	Full HD 1920 x 1080 at 60 Hz
Aspect ratio	16 : 9
Duty cycle	16/7
Panel type, surface	Vertical Alignment, anti-glare
Backlight technology	LED
Connectivity	VGA, 2 x HDMI (1.4 /MHL 2.0 ⁴ combo), DisplayPort 1.2 ³ , 3 x USB (including 1 power charging port), USB upstream port, Audio line-in, Audio line-out

Design features	
VESA mounting support	400 mm x 400 mm
Stand/wall mount	RLT2 Wall Mount Kit included
Speakers	Built-in dual 10W
Other	Ideal size for conference room seating up to 12 people; remote control with brightness and volume adjustment, OSD menu control, power, input source selection, RS232 interface



C7017T
Dell 70 Interactive Conference Room Monitor
Collaborate on a large scale — with Touch technology.

Viewable image size (inches / cm)	69.513 inches / 175.56 cm
Maximum resolution	Full HD 1920 x 1080 at 60 Hz
Aspect ratio	16 : 9
Duty cycle	16/7
Panel type, surface	Vertical Alignment, anti-glare
Backlight technology	LED
Connectivity	VGA, 3 x HDMI (2 x HDMI 1.4, 1 x HDMI/MHL ⁴), DisplayPort 1.2 ³ , 4 x USB 3.0 ² downstream ports (including 1 power charging port), USB 2.0 for touch, Audio line-in, Audio line-out

Design features	
VESA mounting support	400 mm x 400 mm
Stand/wall mount	Chief LSA1U Wall Mount Kit included
Speakers	Built-in dual 10W
Other	IR-Technology 10-point multi touch; Accessories: Stylus x2 + Stylus holder, Remote + remote holder



C8618QT
Dell 86 4K Interactive Touch Monitor
Built for larger-than-life Touch collaboration.

Viewable image size (inches / cm)	85.6 inches / 217.4 cm
Maximum resolution	3840 x 2160 at 60 Hz
Aspect ratio	16 : 9
Duty cycle	12/7
Panel type, surface	In-Plane Switching type, 4 mm heat tempered glass, 9H hardness, AG, AS, 5% haze
Backlight technology	White LED edgelight system
Connectivity	4 x HDMI 2.0, 1 x DisplayPort 1.2 ³ , 1 x VGA, 1 x audio line in, 1 x audio line out, 3 x USB 3.0 ² upstream, 3 x USB 3.0 ² downstream, 1 x USB dedicated charging port, optional wireless connectivity via Dell Wireless Module - WR517

Design features	
VESA mounting support	600 mm x 400 mm
Stand/wall mount	-
Speakers	Built-in dual 20W
Other	Ideal size for conference room seating up to 20 people; Dell Display Manager, RS232 and RJ45 interfaces for remote management; InGlass™ touch technology allows up to 20 touch points with fingers; up to four points with stylus; Compatible with optional Dell OptiPlex Micro (integrates into back panel)

Product availability varies by country. Please contact your Dell representative for more information.

Dell P Series Monitors



Dell P Series Monitors offer enhanced productivity-boosting features and comfortable usability.

With the **Dell Multi-Client Monitor** you can view content from four sources on one seamless 43" screen. Our affordable 34" curved monitor helps you boost productivity with a new view. And experience superb Ultra HD screen clarity, affordably, with **Dell P Series 4K** monitors.



P4317Q
Dell 43 Ultra HD 4K Multi-Client Monitor
Simplify monitor set-up and management.

Viewable image size (inches / cm)	42.51 inches / 107.98 cm
Maximum resolution	Ultra HD 4K 3840 x 2160 ⁷ at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	In-plane switching with 2H hardness, anti-glare treatment on the front polarizer
Backlight technology	LED
Connectivity	VGA, HDMI 1.4/MHL ⁴ combo x 2, DisplayPort 1.2 ³ , mini-DisplayPort 1.2, USB 3.0 ² x 4 including 1 charging port + 1 USB 3.0 ² upstream port; Audio-in, Headphone output, RS232 input port for remote control
Design features	Tilt only
Other	Connect up to four independent clients to a single monitor; Picture-by-Picture x 4 and Picture-in-Picture x 2 (with 4 clients), Dual integrated 8W speakers



P3418HW
Dell 34 Curved Monitor
Boost productivity with an immersive screen.

Viewable image size (inches / cm)	34 inches / 86.7 cm
Maximum resolution	2560 x 1080 at 60 Hz
Aspect ratio	21 : 9
Panel type, surface	In-plane switching, anti-glare with 3H hard coating
Backlight technology	LED
Connectivity	2 x HDMI 1.4 (HDCP 1.4), 1 x DP 1.2 (HDCP 1.4), 1 x mini-DisplayPort (HDCP 1.4), 1 x USB 3.0 ² port - upstream; audio line out; 2 x USB 3.0 ² ports - side, 2 x USB 3.0 ports - bottom
Design features	Height adjustable (115 mm), tilt, swivel
Other	Curved screen - curve radius R3800; dual 9W integrated speakers



P2715Q
Dell 27 Ultra HD 4K Monitor
Exceptional Ultra HD screen clarity at a reasonable price.

Viewable image size (inches / cm)	27 inches / 68.5 cm
Maximum resolution	Ultra HD 4K 3840 x 2160 at 60Hz
Aspect ratio	16 : 9
Panel type, surface	In-plane switching, anti-glare
Backlight technology	LED
Connectivity	1 x mini-DisplayPort, 1 x DisplayPort (in), 1 x DisplayPort (out), 1 x HDMI (MHL ⁴), 1 x Audio line-out, 4 x USB 3.0 ²
Design features	Height (115 mm), swivel, tilt, pivot
Other	-




P2415Q
Dell 24 Ultra HD 4K Monitor
Exceptional Ultra HD screen clarity at a reasonable price.

Viewable image size (inches / cm)	23.8 inches / 60.47 cm
Maximum resolution	Ultra HD 4K 3840 x 2160 at 60Hz
Aspect ratio	16 : 9
Panel type, surface	In-plane switching, anti-glare
Backlight technology	LED
Connectivity	1 x mini-DisplayPort, 1 x DisplayPort (in), 1 x DisplayPort (out), 1 x HDMI (MHL ⁴), 1 x Audio line-out, 4 x USB 3.0 ²
Design features	Height (115 mm), swivel, tilt, pivot
Other	-

Product availability varies by country. Please contact your Dell representative for more information.

Dell P Series Monitors



The **Dell 24 Monitor for Video Conferencing**, certified for Microsoft® Skype® for Business and Windows Hello™⁶ and **Dell 24 Touch Monitor** maximize productivity and promote collaboration.



P2418HZ
Dell 24 Monitor for Video Conferencing
Enhanced desktop video conferencing.



P2418HT
Dell 24 Touch Monitor
The ultimate touch experience for business.



P2418D
Dell 24 Monitor
See more details and get more done with QHD resolution.

Viewable image size (inches / cm)	23.8 inches / 60.47 cm
Maximum resolution	Full HD 1920 x 1080 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	In-plane switching, anti-glare with 3H hardness
Backlight technology	LED
Connectivity	1 x DisplayPort 1.2 ³ , 1 x HDMI (ver 1.4), 1 x VGA, 1 x Headphone-out/ Microphone-in combo jack, 1 x USB 3.0 ² port upstream, 2 x USB 3.0 ² ports (side) (including 1 x USB 3.0 ² BC1.2 charging port), 2 x USB 3.0 ² ports (bottom)
Design features	
Adjustability	Height (125 mm), swivel, tilt, pivot
Other	2.1 Mega-pixel, Full HD image sensor and dual IR LEDs with VGA infrared camera, dual digital microphone (Omni-directional), Speakers (2 x 5.0W), TUV-Certified flicker-free screen with ComfortView ¹ , 2 x USB 3.0 ² ports on monitor side

Viewable image size (inches / cm)	23.8 inches / 60.47 cm
Maximum resolution	Full HD 1920 x 1080 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	In-plane switching, anti-glare with 3H hardness
Backlight technology	LED
Connectivity	1 x DisplayPort 1.2 ³ , 1 x HDMI (ver 1.4), 1 x VGA, - Bottom 1 x Analog 2.0 audio line out (3.5 mm jack), 1 x USB 3.0 ² port - Upstream, 2 x USB 3.0 ² ports - Side (including 1 x USB 3.0 ² BC1.2 charging port), 2 x USB 3.0 ² ports
Design features	
Adjustability	Articulating stand: Swivel (-30° to 30°), extended tilt and height adjustable (-5°- 60°)
Other	TUV-Certified flicker-free with ComfortView ¹ , Premium Panel Warranty, Touch features: Type: projected capacitive system; Input: bare finger; Points: 10 touch points; Response time: 35 ms; Resolution: 4096 x 4096; Operating systems supported: Windows 10, 8.1, 7

Viewable image size (inches / cm)	23.8 inches / 60.33 cm
Maximum resolution	QHD 2560 x 1440 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	In-plane switching, anti-glare
Backlight technology	LED
Connectivity	DisplayPort 1.2 ³ , HDMI 1.4, 1 x USB 3.0 ² port - Upstream, 2 x USB 3.0 ² ports (side), 2 x USB 3.0 ports (bottom)
Design features	
Adjustability	Height (115 mm), swivel, tilt, pivot
Other	1.77 times more details than Full HD, 3-sided ultrathin bezel, Dell Easy Arrange, TUV-Certified flicker-free screen with ComfortView ¹



P1917S
Dell 19 Monitor
Boost productivity with added user comfort and convenience.



P1917SWH
Dell 19 Monitor
Boost productivity with added user comfort and convenience.



P2016
Dell 20 Monitor
Boost productivity with added user comfort and convenience.

Viewable image size (inches / cm)	19 inches / 48.00 cm
Maximum resolution	1280 x 1024 at 60 Hz
Aspect ratio	5 : 4
Panel type, surface	In-plane switching
Backlight technology	LED
Connectivity	DisplayPort 1.2 ³ , HDMI 1.4, VGA, 2 x USB 3.0 ² (side), 2 x USB 2.0 (bottom)
Design features	
Adjustability	Height (130 mm), swivel, tilt, pivot
Other	TUV-Certified flicker-free screen with ComfortView ¹

Viewable image size (inches / cm)	19 inches / 48.00 cm
Maximum resolution	1280 x 1024 at 60 Hz
Aspect ratio	5 : 4
Panel type, surface	In-plane switching
Backlight technology	LED
Connectivity	DisplayPort 1.2 ³ , HDMI 1.4, VGA, 2 x USB 3.0 ² (side), 2 x USB 2.0 (bottom)
Design features	
Adjustability	Height (130 mm), swivel, tilt, pivot
Other	TUV-Certified flicker-free screen with ComfortView ¹

Viewable image size (inches / cm)	19.5 inches / 49.40 cm
Maximum resolution	1440 x 900 at 60Hz
Aspect ratio	16 : 10
Panel type, surface	In-plane switching, anti-glare
Backlight technology	LED
Connectivity	1 x DisplayPort 1.2 ³ , 1 x VGA, 2 x USB 2.0
Design features	
Adjustability	Height (115 mm), swivel, tilt, pivot
Other	-

Product availability varies by country. Please contact your Dell representative for more information.

Dell P Series Monitors



P2017H
Dell 20 Monitor

Boost productivity with added user comfort and convenience.

Viewable image size (inches / cm)	19.5 inches / 49.5 cm
Maximum resolution	1600 x 900 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	In-plane switching
Backlight technology	LED
Connectivity	DisplayPort 1.2 ³ , HDMI 1.4, VGA, 2 x USB 3.0 ² (side), 2 x USB 2.0 (bottom)
USB ports: rear/side/bottom	
Design features	
Adjustability	Height (130 mm), swivel, tilt, pivot
Other	TUV-Certified flicker-free screen with ComfortView ¹



P2018H
Dell 20 Monitor

More productivity than ever.

Viewable image size (inches / cm)	19.5 inches / 49.41 cm
Maximum resolution	1600 x 900 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	TN (Twisted Nematic)
Backlight technology	LED
Connectivity	1 x DisplayPort 1.2 ³ , 1 x HDMI 1.4, 1 x VGA, 1 x USB 3.0 ² port - Upstream, 2 x USB 3.0 ² ports (side), 2 x USB 2.0 ports (bottom)
USB ports: rear/side/bottom	
Design features	
Adjustability	Height (130 mm), swivel, tilt, pivot
Other	TUV-Certified flicker-free screen with ComfortView ¹



P2217
Dell 22 Monitor

Boost productivity with added user comfort and convenience.

Viewable image size (inches / cm)	22 inches / 55.9 cm
Maximum resolution	1680 x 1050 at 60 Hz
Aspect ratio	16 : 10
Panel type, surface	TN (Twisted Nematic)
Backlight technology	LED
Connectivity	DisplayPort 1.2 ³ , HDMI 1.4, VGA, 2 x USB 3.0 ² (side), 2 x USB 2.0 (bottom)
USB ports: rear/side/bottom	
Design features	
Adjustability	Height (130 mm), swivel, tilt, pivot
Other	TUV-Certified flicker-free screen with ComfortView ¹



P2217Wh
Dell 22 Monitor

Boost productivity with added user comfort and convenience.

Viewable image size (inches / cm)	22 inches / 55.9 cm
Maximum resolution	1680 x 1050 at 60 Hz
Aspect ratio	16 : 10
Panel type, surface	TN (Twisted Nematic)
Backlight technology	LED
Connectivity	DisplayPort 1.2 ³ , HDMI 1.4, VGA, 2 x USB 3.0 ² (side), 2 x USB 2.0 (bottom)
USB ports: rear/side/bottom	
Design features	
Adjustability	Height (130 mm), swivel, tilt, pivot
Other	TUV-Certified flicker-free screen with ComfortView ¹



P2217H
Dell 22 Monitor

Boost productivity with added user comfort and convenience.

Viewable image size (inches / cm)	21.5 inches / 54.6 cm
Maximum resolution	1920 x 1080 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	In-plane switching
Backlight technology	LED
Connectivity	DisplayPort 1.2 ³ , HDMI 1.4, VGA, 2 x USB 3.0 ² (side), 2 x USB 2.0 (bottom)
USB ports: rear/side/bottom	
Design features	
Adjustability	Height (130 mm), swivel, tilt, pivot
Other	TUV-Certified flicker-free screen with ComfortView ¹



P2317H
Dell 23 Monitor

Boost productivity with added user comfort and convenience.

Viewable image size (inches / cm)	23 inches / 58.4 cm
Maximum resolution	1920 x 1080 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	In-plane switching
Backlight technology	LED
Connectivity	DisplayPort 1.2 ³ , HDMI 1.4, VGA, 2 x USB 3.0 ² (side), 2 x USB 2.0 (bottom)
USB ports: rear/side/bottom	
Design features	
Adjustability	Height (130 mm), swivel, tilt, pivot
Other	TUV-Certified flicker-free screen with ComfortView ¹

Product availability varies by country. Please contact your Dell representative for more information.

Dell P Series Monitors



P2317HWH
Dell 23 Monitor

Boost productivity with added user comfort and convenience.


Viewable image size (inches / cm)	23 inches / 58.4 cm
Maximum resolution	1920 x 1080 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	In-plane switching
Backlight technology	LED
Connectivity	DisplayPort 1.2 ³ , HDMI 1.4, VGA, 2 x USB 3.0 ² (side), 2 x USB 2.0 (bottom)
Design features	
Adjustability	Height (130 mm), swivel, tilt, pivot
Other	TUV-Certified flicker-free screen with ComfortView ¹



P2417H
Dell 24 Monitor

Boost productivity with added user comfort and convenience.

Viewable image size (inches / cm)	23.8 inches / 60.5 cm
Maximum resolution	1920 x 1080 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	In-plane switching
Backlight technology	LED
Connectivity	DisplayPort 1.2 ³ , HDMI 1.4, VGA, 2 x USB 3.0 ² (side), 2 x USB 2.0 (bottom)
Design features	
Adjustability	Height (130 mm), swivel, tilt, pivot
Other	TUV-Certified flicker-free screen with ComfortView ¹



P2717H
Dell 27 Monitor

Boost productivity with added user comfort and convenience.

Viewable image size (inches / cm)	27.0 inches / 68.6 cm
Maximum resolution	1920 x 1080 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	In-plane switching
Backlight technology	LED
Connectivity	DisplayPort 1.2 ³ , HDMI 1.4, VGA, 2 x USB 3.0 ² (side), 2 x USB 2.0 (bottom)
Design features	
Adjustability	Height (130 mm), swivel, tilt, pivot
Other	TUV-Certified flicker-free screen with ComfortView ¹

Dell E Series Monitors



Dell E Series Monitors are affordable and reliable options with essential features for everyday productivity.



E1715S
Dell 17 Monitor

Essential features at a great value.

Viewable image size (inches / cm)	17 inches / 43.2 cm
Maximum resolution	1280 x 1024 at 60 Hz
Aspect ratio	5 : 4
Panel type, surface	TN (active matrix –TFT LCD), anti-glare
Backlight technology	LED
Connectivity	VGA, DisplayPort
Design features	
Adjustability	Tilt only



E1916H
Dell 19 Monitor

Essential features at a great value.

Viewable image size (inches / cm)	18.51 inches / 47.01 cm
Maximum resolution	1366 x 768 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	TN (active matrix –TFT LCD), anti-glare
Backlight technology	LED
Connectivity	VGA, DisplayPort 1.2 ³
Design features	
Adjustability	Tilt only



E1916HV
Dell 19 Monitor

Essential features at a great value.

Viewable image size (inches / cm)	18.51 inches / 47.01 cm
Maximum resolution	1366 x 768 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	TN (active matrix –TFT LCD), anti-glare
Backlight technology	LED
Connectivity	VGA
Design features	
Adjustability	Tilt only



E2016
Dell 20 Monitor

Essential features at a great value.

Viewable image size (inches / cm)	19.45 inches / 49.40 cm
Maximum resolution	1440 x 900 at 60 Hz
Aspect ratio	16 : 10
Panel type, surface	In-plane switching
Backlight technology	LED
Connectivity	VGA
Design features	
Adjustability	Tilt only



E2016H
Dell 20 Monitor

Essential features at a great value.

Viewable image size (inches / cm)	19.5 inches / 49.41 cm
Maximum resolution	1600 x 900 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	TN (active matrix –TFT LCD), anti-glare
Backlight technology	LED
Connectivity	VGA, DisplayPort 1.2 ³
Design features	
Adjustability	Tilt only



E2016HV
Dell 20 Monitor

Essential features at a great value.

Viewable image size (inches / cm)	19.5 inches / 49.41 cm
Maximum resolution	1600 x 900 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	TN (active matrix –TFT LCD), anti-glare
Backlight technology	LED
Connectivity	VGA
Design features	
Adjustability	Tilt only

Product availability varies by country. Please contact your Dell representative for more information.

Dell E Series Monitors



E2216H
Dell 22 Monitor

Essential features at a great value.

Viewable image size (inches / cm)	21.5 inches / 54.61 cm
Maximum resolution	Full HD 1920 x 1080 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	TN (active matrix –TFT LCD), anti-glare
Backlight technology	LED
Connectivity	VGA, DisplayPort 1.2 ³
Design features	
Adjustability	Tilt only
Other	-



E2216HV
Dell 22 Monitor

Essential features at a great value.

Viewable image size (inches / cm)	21.5 inches / 54.61 cm
Maximum resolution	Full HD 1920 x 1080 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	TN (active matrix –TFT LCD), anti-glare
Backlight technology	LED
Connectivity	VGA
Design features	
Adjustability	Tilt only
Other	-



E2218HN
Dell 22 Monitor

Help drive office productivity.

Viewable image size (inches / cm)	21.5 inches / 54.61 cm
Maximum resolution	Full HD 1920 x 1080 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	TN (active matrix –TFT LCD), anti-glare
Backlight technology	LED
Connectivity	VGA, HDMI
Design features	
Adjustability	Tilt only
Other	Flicker-free screen with ComfortView ¹ , wide viewing angle



E2219HN
Dell 22 Monitor

Help drive office productivity.

Viewable image size (inches / cm)	21.5 inches / 54.61 cm
Maximum resolution	Full HD 1920 x 1080 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	In-Plane Switching technology; Antiglare with 3H hardness
Backlight technology	White LED edgelight system
Connectivity	VGA, HDMI (ver 1.4)
Design features	
Adjustability	Tilt only
Other	Flicker-free screen with ComfortView ¹ , wide viewing angle



E2318H
Dell 23 Monitor

Essential features, essential value in a 23" monitor.


Viewable image size (inches / cm)	23.0 inches / 58.42 cm
Maximum resolution	Full HD 1920 x 1080 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	In-plane switching, anti-glare
Backlight technology	LED
Connectivity	VGA, DisplayPort 1.2 ³
Design features	
Adjustability	Tilt only
Other	Flicker-free screen with ComfortView ¹ , wide viewing angle



E2318HN/HR
Dell 23 Monitor

Essential features, essential value in a 23" monitor.

Viewable image size (inches / cm)	23.0 inches / 58.42 cm
Maximum resolution	Full HD 1920 x 1080 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	In-plane switching, anti-glare
Backlight technology	LED
Connectivity	VGA, HDMI
Design features	
Adjustability	Tilt only
Other	Flicker-free screen with ComfortView ¹ , wide viewing angle



E2417H
Dell 24 Monitor

Essential features, essential value in a 23" monitor.

Viewable image size (inches / cm)	23.8 inches / 60.47 cm
Maximum resolution	Full HD 1920 x 1080 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	In-plane switching, anti-glare
Backlight technology	LED
Connectivity	VGA, DisplayPort 1.2 ³
Design features	
Adjustability	Tilt only
Other	Flicker-free screen with ComfortView ¹ , wide viewing angle




E2418HN
Dell 24 Monitor

Enjoy essential features for productivity with a 23.8" monitor.

Viewable image size (inches / cm)	23.8 inches / 60.47 cm
Maximum resolution	Full HD 1920 x 1080 at 60 Hz
Aspect ratio	16 : 9
Panel type, surface	In-plane switching, anti-glare
Backlight technology	LED
Connectivity	VGA, HDMI
Design features	
Adjustability	Tilt only
Other	Response time (gray to gray): 5 ms FAST mode; 8 ms NORMAL mode; Flicker-free screen with ComfortView ¹ , wide viewing angle.

Product availability varies by country. Please contact your Dell representative for more information.



Dell Monitors

Innovative, award-winning Dell monitors offer a broad selection to fit your needs and budget, with key features to help boost productivity, unsurpassed reliability, and the industry's most advanced monitor technologies.

† As defined by UHD Alliance (www.uldalliance.org)

†† Dell's HDR feature has been designed with a PC user in mind and supports specifications that are different from existing TV standards for HDR. Please review the specs carefully for further details. Dell HDR monitors require HDR10 enabled content from a compatible source like your service provider, a Blu-ray disc or a game.

* Dell monitors are #1 worldwide for 4 consecutive years (2013 to 2016)! Source: IDC Worldwide PC Monitor Tracker (4Q16).

** "Dell Displays, Productivity and Satisfaction Single vs. Dual Monitors," conducted by SURL, Wichita State University and commissioned by Dell, October 2015.

*** Even if only one bright pixel is found on our select range of monitors, a free panel exchange is guaranteed during the Limited Hardware Warranty period. For a copy of Limited Hardware Warranty, write to Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see dell.com/warranty.

1 ComfortView feature reduces blue light emission and brightness onscreen.

2 USB 3.0 does not support graphics output. USB 3.0 rate of data transfer can only be achieved with a computer that supports USB 3.0.

3 Select Dell UltraSharp monitors support High Bit Rate 2 (HBR2) and Multi-stream transport (MST); Dell UltraSharp monitors do not support fast AUX transaction, 3D stereo transport and HBR (High data rate) audio.

4 MHL connectivity works with smartphones and tablets with MHL out and that are in compliance with MHL standards.

5 Windows laptop††† (†††Supports Win 7, Win 8.1 and Win 10. Recommends i5 or i7 processor.) and Android smartphone†††† (††††Supports Android OS version 5 & above. Must support WiFi Direct, Miracast.) or tablet.

6 Windows Hello requires specialized hardware, including fingerprint reader, illuminated IR sensor or other biometric sensors.

7 4K in single screen mode; Full HD in multi-screen mode.



PremierColor

Product availability varies by country. Please contact your Dell representative for more information.