

Overview

HP DESKTOP MINI PC ACCESSORIES

Mounting/Security

HP Desktop Mini Security/Dual VESA Sleeve v3	13L67AA
HP Desktop Mini Security/Dual VESA Sleeve v3 with Power Supply Holder	13L68AA
HP Desktop Mini Port Cover Kit V3	13L69AA
HP Desktop Mini Security/Dual VESA Sleeve v2	2JA32AA
HP Desktop Mini LockBox v2	3EJ57AA
HP DM Power Supply Holder Kit v2	7DB38AA
HP Dual VESA Sleeve v2 + Power Supply Holder	7DB36AA
HP B300 PC Mounting Bracket + Power Supply Holder	7DB37AA

Optical Drive

HP Desktop Mini DVD DVD-Writer ODD Expansion Module	K9Q83AA
---	---------

Input / Output / HDD

HP Desktop Mini 2.5" SATA Drive Bay Kit v2	13L70AA
HP Desktop Mini I/O Expansion Module	K9Q84AA

Power

HP Desktop 65W Mini Power Supply Kit	L2X04AA
HP Desktop 90W Mini Power Supply Kit	L4R65AA

Other compatible accessory options

Stands and Chassis

HP Quick Release Bracket 2	6KD15AA
HP Quick Release (VESA mount)	EM870AA
HP Single Monitor Arm	BT861AA
HP DM Chassis Tower Stand	G1K23AA
HP Integrated Work Center for Desktop Mini and Thin Client	E8H16AA/G1V61AA

Security

HP Keyed cable lock 10mm kit	T1A62AA
HP Master Keyed Cable Lock 10mm Kit	T1A63AA
HP Dual Head Keyed Cable Lock kit	T1A64AA

Technical Specifications

MOUNTING

HP Desktop Mini Security/Dual VESA Sleeve v3

Part number	13L67AA
Displays compatibility	HP P-Series Display ¹
Platform compatibility	HP 260 Desktop Mini, HP ProDesk 400/405 Desktop Mini, HP ProDesk 600 Desktop Mini, HP EliteDesk 705 Desktop Mini, HP EliteDesk 800/805 Desktop Mini
Dimensions (H x W x D)	7.3 x 6.43 x 1.77 in (18.5 x 16.33 x 4.5 cm)
VESA configuration	Compatible with 100 x 100 mm VESA mount
What's in the box	1 Security/Dual VESA Sleeve; 2x sets of Torx T15 screws, 1x set 20mm Philips #2 screw, Spacer, Installation guide
Compatibility	HP 260 Desktop Mini, HP ProDesk 400/405 Desktop Mini, HP ProDesk 600 Desktop Mini, HP EliteDesk 705 Desktop Mini, HP EliteDesk 800/805 Desktop Mini
Service support	One-year limited warranty

1. Not compatible with P21b G4, P21v G4, P22v G4, P24v G4, P27v G4, and P223 aho.

HP Desktop Mini Security/Dual VESA Sleeve v3 with Power Supply Holder

Part number	13L68AA
Displays compatibility	HP P-Series Display
Platform compatibility	HP 260 Desktop Mini, HP ProDesk 400/405 Desktop Mini, HP ProDesk 600 Desktop Mini, HP EliteDesk 705 Desktop Mini, HP EliteDesk 800/805 Desktop Mini
Service and support	One-year limited warranty
Dimensions (H x W x D)	7.3 x 6.43 x 1.77 in (18.5 x 16.33 x 4.5 cm) (Dual VESA Sleeve v3) + 6.32 x 2.53 x 0.67 in (16.05 x 8.2 x 4.07 cm) (PWR Supply Holder)
Weight	0.89 lb (404.5g) (Dual VESA Sleeve v3) + 0.52 lb (234g) (PWR Supply Holder)
VESA Configurations	Compatible with 100 x 100 mm VESA mount
What's in the Box?	1 Security/Dual VESA Sleeve; 1 Power Supply Holder kit; 4 ladder screws; Installation guide; user manual

NOTE: Power Supply Holder only supports up to 90W Adapter.

1. Not compatible with P21b G4, P21v G4 and P223 aho.

HP Desktop Mini Port Cover Kit V3

Part number	13L69AA
Dimensions (H x W x D)	4.6 x 3.33 x 0.87 in (11.7 x 8.45 x 2.2 cm)
Weight	0.23 lb (105g)
Compatibility	HP ProDesk 400/405 G6 Desktop Mini, HP ProDesk 600 G6 Desktop Mini, HP EliteDesk 800/805 G6 Desktop Mini (Not compatible with D-GPU/95W)
What's in the box	1 Port Cover v3; Installation guide
Service and support	One-year limited warranty

Technical Specifications

HP Desktop Mini Security/Dual VESA Sleeve v2

Part number	2JA32AA
Dimensions (H x W x D)	4.58 x 18.1 x 16.1 cm (4.58 x 18.1 x 16.1 cm)
Weight	0.90 lb (0.411 kg)
What's in the box	1 Security/Dual VESA Sleeve; 4 ladder screws; Installation guide; Warranty
Compatibility	The HP Desktop Mini Security/Dual VESA Sleeve v2 is compatible with the HP 260 Desktop Mini, HP ProDesk 400 Desktop Mini, HP ProDesk 600 Desktop Mini, HP EliteDesk 705 Desktop Mini, HP EliteDesk 800 Desktop Mini.

1. Each sold separately. Expansion Modules are compatible with the HP Desktop Mini Security/Dual VESA Sleeve (G1K22AA) and HP Desktop Mini Security/Dual VESA Sleeve v2 (2JA32AA). The HP DM VESA Power Supply Holder Kit and HP DM VESA Quick Deploy Adhesive are only compatible with HP Desktop Mini Security/Dual VESA Sleeve v2 (2JA32AA). See product QuickSpecs for exact configurations.

NOTE: Not compatible with T1A62AA HP Keyed Cable Lock 10mm.

HP Desktop Mini LockBox v2

Part number	3EJ57AA
Dimensions (H x W x D)	10.55 x 10.7 x 2.25 in (26.8 x 27.2 x 5.72 cm)
Weight	5.17 lb (2.34 kg)
Compatibility	The HP Desktop Mini LockBox V2 is compatible with the HP ProDesk 400 G2/G3/G4/G5/G6 Desktop Mini, HP ProDesk 405 G4/G6/G8 Desktop Mini, HP ProDesk 600 G3/G4/G5/G6/G8 Desktop Mini, HP EliteDesk 705 G3/G4/G5 Desktop Mini, HP EliteDesk 800 G2/G3/G4/G5/G6/G8 35W Desktop Mini, HP EliteDesk 800 G2/G3/G4/G5/G6/G8 65W Desktop Mini, HP EliteDesk 805 G6/G8 Desktop Mini (Not compatible with D-GPU/95W)
What's in the box	HP Desktop Mini Lock Box v2; Screw kit; Installation Guide

HP DM Power Supply Holder Kit v2¹

Part number	7DB38AA
Dimensions (H x W x D)	6.3 x 1.6 x 9.6 in (16 x 4.16 x 24.61 cm)
Weight	Unpackaged: 1.3 lb (0.59 kg); Packaged: 1.65 lb (0.75kg)
Compatibility*	HP EliteDesk 800 Desktop Mini, HP EliteDesk 705 Desktop Mini, HP ProDesk 600 Desktop Mini, HP ProDesk 400 Desktop Mini, HP ProDesk 405 Desktop Mini and HP 260 Desktop Mini.
Possible Configurations	Supports 65W and 90W adapters. Not compatible with 150W adapters.
What's in the box?	1 Power Supply Holder Kit; Installation Guide

1. Only works with HP Desktop mini Security/Dual VESA sleeve v2 (2JA32AA) or HP B300 Mounting Bracket(2DW53AA) (Sold Separately)

HP Dual VESA Sleeve v2 + Power Supply Holder

Part number	7DB36AA
Displays compatibility	HP B201, V190, V194, V196, V197, V202, V202b, V203p, V222, V223, V243, V243cn, V243jp, V244h, V244a, V270, V272, V272b, V273, V273a, V320, N223, N223b, N322v, P17A, P17A, P19A, P200cn, P200sg, P203, P204, P204v, P223, P223a, P224, P222c, P232, P240va, P242va, P244, P274
Platform compatibility	HP EliteDesk 800 Desktop Mini, HP EliteDesk 705 Desktop Mini, HP ProDesk 600 Desktop Mini, HP ProDesk 400 Desktop Mini, HP ProDesk 405 Desktop Mini and HP 260 Desktop Mini.
Service and support	One-year limited warranty
Dimensions Unpackaged (H x W x D)	6.74 x 1.8 x 10.39 in (17.12 x 4.58 x 26.41 cm)
Weight Unpackaged	142 lb (647.6 g)

Technical Specifications

VESA Configurations	Compatible with 100 x 100 mm VESA mount
Product finish	HP Black
What's in the Box?	1 Security/Dual VESA Sleeve; 1 Power Supply Holder kit; 4 ladder screws; Installation guide;

NOTE: Not compatible with T1A62AA HP Keyed Cable Lock 10mm.

HP B300 PC Mounting Bracket + Power Supply Holder

Part number	7DB37AA
Displays compatibility	E223, E233, E233ho, E243, E243ho, E243i, E243iho, E243d, E243m, E243p, E273, E273q, E273qho, E273m, E324q, HC270c, Z22n G2, Z23n G2, Z24i G2, Z24nf G2, Z24n G2, Z27, Z27n G2
Platform compatibility	HP EliteDesk 800 Desktop Mini, HP EliteDesk 705 Desktop Mini, HP ProDesk 600Desktop Mini, HP ProDesk 400 Desktop Mini, HP ProDesk 405 Desktop Mini and HP 260 Desktop Mini.
Service and support	One-year limited warranty
Dimensions unpackaged (H x W x D)	6.3 x 3.8 x 9.7 in (16 x 9.65 x 24.63 cm)
Weight unpackaged	2.02 lb (917.2 g)
Dimensions packaged (H x W x D)	7.09 x 2.68 x 10.83 in (18 x 6.8 x 27.5 cm)
Weight packaged	1.2 kg
VESA Configurations	Compatible with 100 x 100 mm VESA mount
Product finish	HP Black
What's in the Box?	1 HP B300 PC Mounting Bracket; 1 Power Supply Holder Kit; 700 mm DisplayPort cable; 700mm USB A to B cable; 4 x 6mm screws; 4 x 10 mm screws; Installation Guide

NOTE: Power Supply Holder only supports up to 90W Adapter.

Technical Specifications

OPTICAL DRIVE

HP Desktop Mini DVD ODD Expansion Module

Part number	K9Q83AA	
Dimensions (H x W x D)	0.9 x 7 x 6.9 in (22.8 x 177 x 174.6 mm)	
Weight	712g (25.12oz)	
Color	Jack Black	
Disc capacity	Up to 8.5 GB DVD double-layer or 4.7 GB standard single-layer	
Write / Read speeds	DVD+R	Up to 8X
	DVD+RW	Up to 8X
	DVD+R DL	Up to 6X
	DVD-R DL	Up to 6X
	DVD-R	Up to 8X
	DVD-RW	Up to 6X
	CD-R	Up to 24X
	CD-RW	Up to 24X
Host Interface	USB 3.0 Type B female connector	
Connectors Single output	USB 3.0 Type B	
Access times (typical reads, including setting)	Random	DVD-ROM: 160 ms (typical), CD-ROM: 140 ms (typical)
	Full Stroke	DVD-ROM: 280 ms (typical), CD-ROM: 280 ms (typical)
Power	Source	USB 3.0 Type B female connector
	DC Power Requirement	5 VDC \pm 5%-100 mV ripple p-p
	DC Current	5 VDC - 1000 mA typical, 1600 mA maximum
Environmental (all conditions non-condensing)	Temperature (operating)	41° to 122° F (5° to 50° C)
	Relative Humidity (operating)	10% to 80%
	Maximum Wet Bulb Temperature (operating)	86° F (30° C)
VESA mount	Yes, 100mm	
Option kit contents	3 4mm ladder screws, 3 8mm ladder screws, 1 29mm secured torx screw, 1 54mm secured torx screw, 1 29mm torx screw, 1 54mm torx screw, 1 50mm USB 3.0 Type AB USB to Type A cable, , 1 80mm USB 3.0 Type AB USB to Type A cable, Installation guide, Warranty	
Compatibility	HP 260 Desktop Mini, HP ProDesk 400 Desktop Mini, HP ProDesk 600 Desktop Mini, HP EliteDesk 705 Desktop Mini, HP EliteDesk 800 Desktop Mini	

***NOTE:** These modules can be mounted to the DM directly and to another module with screws in the kit that allow the module to slide into place. All modules can be used with the PC that is wrapped in the Security/Dual VESA Sleeve, and all can be mounted onto a standard VESA mount (100mm sizing). Both options can be secured in place with a tamper-resistant screw. They are powered by a single USB connection cable. The HP 260 and ProDesk 400 can support 2 expansion modules at a time using 2 USB Type A ports on the back of the unit.

Technical Specifications

INPUT / OUTPUT / HDD

HP Desktop Mini 2.5 inch SATA Drive Bay Kit v2

Part number	13L70AA
Dimensions (H x W x D)	4.6 x 3.33 x 0.87 in (11.7 x 8.45 x 2.2 cm)
Weight	0.2 lb (89.5 g)
What's in the box	HP Desktop Mini 2.5" SATA Drive Bay Kit v2; Installation Guide
Country of origin	China
Compatibility	HP ProDesk 400/405 G6 Desktop Mini, HP ProDesk 600 G6/G8 Desktop Mini, HP EliteDesk 800/805 G6/G8 Desktop Mini

HP Desktop Mini I/O Expansion Module

Part number	K9Q84AA
Dimensions (H x W x D)	0.9 x 7 x 6.9 in (22.8 x 177 x 174.6 mm)
Weight	623g (21.98oz)
Color	Jack Black
Host Interface	USB 3.0 Type B female connector
Ports included on module	PS/2, Serial, USB 3.0 Type AB connector on the ODD, HDD/ I/O, and I/O modules, 2 USB 2.0 ports NOTE: PC will recognize PS/2 and Serial as a USB to serial connection and is not intended use with peripherals that require native serial connectivity.
Power	USB 3.0 Type B
Operating Temperature	0~35°C (32~95°F)
Storage Temperature	-20~60°C (4~140°F)
System Requirements Software	Windows 8.1, Driver located on HP.com for HP EliteDesk 800 Desktop Mini, HP EliteDesk 705 Desktop Mini, HP ProDesk 600 Desktop Mini
VESA mount	Yes, 100 mm
Option kit contents	Expansion module, 3 4mm ladder screws, 3 8mm ladder screws, 1 29mm secured torx screw, 1 54mm secured torx screw, 1 29mm torx screw, 1 54mm torx screw, 1 50mm USB 3.0 Type AB USB to Type A cable, 1 80mm USB 3.0 Type B USB to Type A cable, Installation guide, Warranty
Compatibility	HP 260 Desktop Mini, HP ProDesk 400 Desktop Mini, HP ProDesk 600 Desktop Mini, HP EliteDesk 705 Desktop Mini, HP EliteDesk 800 Desktop Mini

Technical Specifications

POWER

HP Desktop 65W Mini Power Supply Kit

Part number	L2X04AA
Dimensions (H x L x W) External Power Adapter	2.2 x 1.2 x 4.5 in (30mm x 113.5mm x 55mm)
Total cord length	6 ft.
Standard Efficiency	65W 89% efficient
Operating Voltage Range	90 - 264 VAC
Rated Voltage Range	100 - 240 VAC
Rated Line Frequency	50/60 Hz
Current Leakage (NFPA 99: 2102)	Less than 500 microamps of leakage current at 120 Vac with the ground wire disconnected, as required for Non-patient Electrical Appliances and Equipment used in a patient care facility or that contact patients in normal use. Per section 10.3.5.1. Less than 100 microamps of leakage current at 120 Vac with the ground wire intact with normal polarity, as required for Non-patient Electrical Appliances and Equipment used in a patient care facility or that contact patients in normal use. Per section 10.3.5.1.
Option kit contents	Power supply, Power cable, Warranty
Compatibility	HP 260/400/600/705/800 Desktop Mini (35W SKU only)

HP Desktop 90W Mini Power Supply Kit

Part number	L4R65AA
Dimensions (H x L x W) External Power Adapter	2.2 x 1.2 x 4.5 in (31.1mm x 133mm x 58mm)
Total cord length	6 ft.
Standard Efficiency	90W active PFC 89% efficient
Operating Voltage Range	90 - 264 VAC
Rated Voltage Range	100 - 240 VAC
Rated Line Frequency	50/60 Hz
Current Leakage (NFPA 99: 2102)	Less than 500 microamps of leakage current at 120 Vac with the ground wire disconnected, as required for Non-patient Electrical Appliances and Equipment used in a patient care facility or that contact patients in normal use. Per section 10.3.5.1. Less than 100 microamps of leakage current at 120 Vac with the ground wire intact with normal polarity, as required for Non-patient Electrical Appliances and Equipment used in a patient care facility or that contact patients in normal use. Per section 10.3.5.1.
Option kit contents	Power supply, Power cable, Warranty
Compatibility	HP 260/400/600/705/800 Desktop Mini (35W & 65W SKU)

Technical Specifications

STANDS AND CHASSIS

HP Quick Release Bracket 2

Part number	6KD15AA
Dimensions (H x W x D)	6.57 x 5.12 x 0.70 in (16.7 x 13.0 x 1.79 cm)
Weight	1.1 lb (0.49 kg)
What's in the box?	HP Quick Release Bracket; Screws (for attachment to VESA compliant monitor mounts); One Quick Release "locking" screw.

HP Integrated Work Center for Desktop Mini and Thin Client

Part number	E8H16AA / G1V61AA
Dimensions unpackaged	7 ft (213cm)
Weight unpackaged	4.5mm
Dimensions packaged	4.94 oz (0.14 kg)
Weight packaged	Standard
Technical Notes	HP Integrated Work Center — Desktop Mini / Thin Client has been designed to support 17 to 24-inch* diagonal HP LCD monitors from 2.27 kg to 5.0 kg (5.0 lbs to 11.0 lb). Tilt range: -3 to +30 degrees Swivel range: -180 degrees to +180 degrees Pivot rotation: No Height adjustable: Yes, range: 130 mm Compliance: RoHS compliant, Low Halogen** * Not all 24-inch monitors supported please refer list of compatible monitors. ** External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.
Compatibility statement	The Integrated Work Center Stand Desktop Mini / Thin Client is designed to exclusively accommodate HP Desktop Mini, select Thin Clients (t520), HP Chromebox and the HP LCD monitors shown below (each sold separately). HP Thin Client supported is the t520. HP Business Monitors ProDisplay - LE1711, P17A, LE1911, P19A, P191, P201, P221, P231 EliteDisplay - LA1956x, E190i, E201, E221, E231, LA2405x, E241i, E221i, E231i Performance - ZR2040w, ZR2240w, Z22i, ZR2330w, Z23i, Z24i, ZR2440w Value - V206hz, V201, V201a, V241, V241a Touch - L2206tmp, L2206tm Specialty - E221c, L2401x, L2311c.
What's in the box	HP Dual Head Keyed Cable Lock 10 mm, two keys and documentation

HP Integrated WorkCenter for Desktop Mini

Part number	E8H16AA/G1V61AA
Cable Length	7 ft (213cm)
Cable Diameter	4.5mm
Weight	4.94 oz (0.14 kg)
Compatible slot	Standard
Option kit contents	HP Dual Head Keyed Cable Lock 10 mm, two keys and documentation

Technical Specifications

SECURITY

HP Keyed Cable Lock 10 mm

Part number	T1A62AA
Cable Length	6 ft (183cm)
Cable Diameter	0.177in (4.5mm)
Weight	4.23 oz (0.12 kg)
Compatible slot	Standard
Option kit contents	HP Keyed Cable Lock 10 mm, two keys and documentation

NOTE: This lock is not compatible with [Desktop mini with a HP desktop mini dual vesa sleeve v2 \(2JA32AA/7DB36AA\)](#)

HP Master Keyed Cable Lock 10 mm

Part number	T1A63AA
Cable Length	6 ft (183cm)
Cable Diameter	0.177in (4.5mm)
Weight	4.23 oz (0.12 kg)
Compatible slot	Standard
Option kit contents	HP Master Keyed Cable Lock 10 mm, two keys and documentation

HP Dual Head Keyed Cable Lock 10 mm

Part number	T1A64AA
Cable Length	7 ft (213cm)
Cable Diameter	4.5mm
Weight	4.94 oz (0.14 kg)
Compatible slot	Standard
Option kit contents	HP Dual Head Keyed Cable Lock 10 mm, two keys and documentation

Service and support

Your Option Limited Warranty is a one (1) year (HP Option Limited Warranty Period) parts replacement warranty on any HP-branded or Compaq-branded options (HP Options). If your HP Option is installed in an HP Hardware Product, HP may provide warranty service either for the HP Option Limited Warranty Period or the remaining Limited Warranty Period of the HP Hardware Product in which the HP Option is being installed, whichever period is the longer but not to exceed three (3) years from the date you purchased the HP Option.

Summary of Changes

Copyright © 2021 HP Development Company, L.P. The only warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Date of change:	Version History:		Description of change:
January 9, 2015	V1	Created	Created the document
February 17, 2015	From v1 to v2	Added	Added the other accessories chart
February 24, 2015	From v2 to v3	Changes	Added new options in the first page Added a note at the end of “ HP Desktop Mini 500GB HDD/ I/O Expansion Module”
July 1, 2015	From v3 to v4	Added	Added 7mm Spacer, 20mm screws under HP Desktop Mini Security/Dual VESA Sleeve
August 20, 2015	From v4 to v5	Change Added	Change “Mounting” to “Mounting/Security” on the 1 st page Added “Desktop Mini LockBox” and it’s specs under “Mounting”
August 31, 2015	From v5 to v6	Changed	Desktop Mini LockBox weight
December 1, 2015	From v6 to v7	Added	“Desktop Mini Port Cover Kit” and it’s specs under Mounting
December 3 2015	From v7 to v8	Added	Specs for the Desktop Mini Port Cover Kit
March 15, 2016	From v8 to v9		Updated compatibility
December 5, 2016	From v9 to v10	Updated	SuperMulti references deleted
July 11. 2017	From v10 to v11	Added	HP Desktop Mini G3 Port Cover Kit, HP Desktop Mini VESA Power Supply Holder Kit, HP (Bulk 10) Desktop Mini VESA Quick Deploy Adhesive Kit
August 02, 2017	From v11 to v12	Updated	Mounting/Security section updated: Desktop Mini LockBox (G1/G2 only) P1N78AA; HP Desktop Mini Port Cover Kit (G1/G2 only) P3R65AA
September 29, 2017	From v12 to v13	Updated	HP Desktop 65w Mini Power Supply Kit specs updated
October 30, 2017	From v13 to v14	Updated	Power Section updated
November 1, 2017	From v14 to v15	Update	HP Desktop Mini 65w Power Supply Kit compatibility updated
November 8, 2017	From v15 to v16	Added	HP DisplayPort To VGA Adapter with its compatibility spec
November 9, 2017	From v16 to v17	Update	HP Desktop Mini Port Cover Kit compatibility updated
May 29, 2018	From v17 to v18	Update	HP Desktop Mini G3 Port Cover Kit renamed to G4 and HP G4 Mini 2.5-inch SATA Drive Bay Kit added
July 16, 2018	From v18 to v19	Update	Sentence added to possible configurations on HP (Bulk 10) Desktop Mini VESA Quick Deploy Adhesive Kit*
August 14, 2018	From v19 to v20	Update	Note updated to HP Desktop Min G4 Port cover Kit.
June 25, 2019	From v20 to v21	Update	HP DM Power Supply Holder Kit v2, HP Dual VESA Sleeve v2 + Power Supply Holder and HP B300 PC Mounting Bracket + Power Supply Holder, HP Keyed cable lock 10mm kit, HP Master Keyed Cable Lock 10mm, HP Dual Head Keyed Cable Lock kit, HP Integrated Work Center for Desktop Mini and Thin Client added, HP Desktop Mini LockBox v2 and HP Desktop Mini G3/G4/G5 Port Cover Kit added Desktop Mini LockBox (G1/G2 models only), HP Desktop Mini Port Cover Kit (G1/G2 models only) and HP Desktop Mini G4 Port Cover Kit removed
August 12, 2019	From v21 to v22	Update	HP Dual VESA Sleeve v2 + Power Supply Holder unpackaged unpackaged dimensions corrected
August 13, 2019	From v22 to v23	Added	HP Keyed Cable Lock 10 mm related NOTES
August 3, 2020	From v23 to v24	Added	13L67AA, 13L68AA, 13L69AA and 13L70AA
October 22, 2020	From v24 to v25	Correction	90W active PFC, in Power section
February 23, 2021	From v25 to v26	Update	G1K21AA, G1K22AA, 1ZE52AA, 3TK91AA removed. Compatibility updated for HP Desktop Mini Port Cover Kit V3 and HP Desktop Mini LockBox v2
July 8, 2021	From v26 to v27	Update	User manual added to What’s in the box section for HP Desktop Mini Dual VESA Sleeve v3 with PSH
August 12, 2021	From v27 to v28	Update	HP Desktop Mini Security/Dual VESA Sleeve v3 table corrected and updated

Summary of Changes

December 1, 2021	From v28 to v29	Update	HP Desktop Mini Security/Dual VESA Sleeve v3 disclaimer updated
December 2	From v29 to v30	Update	HP E-series Display and it's disclaimer removed from HP Desktop Mini Security/Dual VESA Sleeve v3 and HP Desktop Mini Security/Dual VESA Sleeve v3 with Power Supply Holder