



Enhanced features for mainstream business use

HP t5540 Thin Client

The HP t5540 Thin Client delivers a great desktop experience for general office applications or your specific line of business software. The enhanced features make it ideal for mainstream business use, with support for legacy ports, ICA, RDP, terminal emulation, Windows Media Player, and basic web browsing. The HP t5540 is designed for more secure, convenient access to traditional Terminal Services/Citrix solutions, Virtual Desktop Infrastructure (VDI), HP Blade PCs, and HP Blade Workstations.

Easy to deploy and manage

Reduce the cost and complexity of managing your thin client deployments. Choose from a portfolio of industry standard management solutions from SMB to Enterprise.

More secure

Store critical user data and applications on the secure, centralized server; Add smart cards for more secure access to your network; Two USB ports inside a secure compartment help safeguard USB devices.

Performance and features at a great price

Supports industry-leading brokers for quick and easy access to a variety of VDI solutions; Enjoy years of reliable use with solid-state design and industry-standard architecture.

Designed with the environment in mind

Designed to be energy efficient, HP thin clients help save you money; HP's hardware return and recycling program, Planet Partners™ operates in more than 40 countries, regions and territories worldwide; Specialized bulk packaging has 24-packs of Thin Clients bundled together to reduce the amount packaging.

Global sales and support

HP thin clients are backed by HP global service and support through our network of 50,000 IT pros in over 100 countries.



HP t5540 Thin Client

Operating system	Microsoft Windows CE 6.0 R2
Browser	Microsoft® Internet Explorer 6.0
Processor	VIA Eden 1 GHz
Memory	128 MB Flash, 512 MB DDR2 SODIMM (64 MB of system RAM is reserved for video graphics usage)
Video	VIAChrome9 HC3 Integrated Graphics with support for high-resolution monitors up to 1920 x 1440 or up to 32-bit color depth, 64 MB of graphics memory
Ports and jacks	USB or PS/2, VGA-type video output, local and/or network printer support
I/O and peripheral support	6 USB 2.0 ports (two in front, two in rear, two in secure USB compartment), 1 VGA, 1 DVI-D, 2 PS/2, 1 serial, 1 parallel, 1 RJ-45
Connectivity	10/100/1000 Ethernet, twisted pair (RJ-45), TCP/IP with DNS and DHCP, DHCP with FTP option for automatic updates, Point-to-Point Protocol (PPP), Point-to-Point over Ethernet (PPPoE), VPN connection via MS Point-to-Point Tunneling Protocol (PPTP), Layer-2 Tunneling Protocol (L2TP), Direct Connection through RS-232, Wake on LAN (WOL), PXE
Emulations	Built in dual monitor support (VGA and DVI-D native) - supporting a broad range of HP monitors
Networking / communication	Altiris Deployment Solution (full client license), HP Device Manager, HP ThinState for image capture and redeploy, Support for HP Client Automation
Software included	Altiris Deployment Solution (full client license), HP ThinState for image capture and redeploy, HP ThinConnect Connection Manager, Citrix ICA 10.x and Microsoft RDP 6.0, HP Device Manager Agent, VNC for remote control, TeemTalk Terminal Emulation Suite, ThinPrint print TCP client (available as add-on)
Server OS compatibility / support	Windows 2000/2003 Server families, Windows 2000/2003 Server Terminal Services, Windows 2008 Server, Windows 2000 Advanced Server, Windows 2000 Advance Server Terminal Services, Citrix Presentation Server (up to 4.5), VMware Virtual Desktop Infrastructure using RDP
Dimensions (W x D x H)	5.20 x 21.59 x 21.97 cm with stand
Weight	1.54 kg with stand
Power	Worldwide auto-sensing 100-240 VAC, 50-60 Hz energy-saving automatic power-down, surge-tolerant 50 W power supply
Operating temperature	10 to 40° C
Non-operating temperature	-30 to 60° C
Warranty	3 years pick-up and return service (Certain restrictions apply)

© 2008 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Microsoft and Windows are trademarks or registered trademarks of Microsoft Corporation in the U.S. or other countries. Intel and Intel Celeron are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the U.S. and other countries. AMD, Geode, Hypertransport, and Opteron are trademarks of Advanced Micro Devices, Inc.

For more information, please visit www.hp.com/eur/thinclients



HP t5540 Thin Client

Recommended accessories and services

HP Quick Release



A secure and easy-to-use mounting solution for your VESA-compliant HP flat panel monitors, thin clients and other HP desktop products. Attach to any a compatible stand, bracket or wall mount and make the most of your workspace.

Product number: EM870AA

Kensington Security Lock



Peace of mind in an instant. This handy cable lock device attaches itself to your hardware and is then secured to an anchor point in your workspace, ensuring your hardware remains exactly where it should.

Product number: PC766A


HP USB Smart Card Keyboard



An innovative full-sized keyboard that uses Smartcard technology to prevent unauthorised access to your desktop PC and business networks.

Product number: ED707AA

3 years Next Day Exchange, excl. external Monitor, HW Support



HP provides quick replacement of your failed hardware unit the day after it goes down, if the problem can't be resolved remotely. Offers a convenient, cost-saving alternative to onsite hardware repair for your HP product.

Product number: U4847E

