

2 Port Triple Monitor DVI USB KVM Switch with Audio & USB 2.0 Hub

Product ID: SV231TDVIUA



The SV231TDVIUA 2-Port Triple Monitor DVI USB KVM Switch allows 2 PCs (each with 3 DVI video outputs) to share monitors, 1 microphone and set of speakers, 1 keyboard and 1 mouse, as well as an additional USB 2.0 peripheral such as an external hard drive, thumb drive, printer, or webcam.

The Triple DVI KVM switch enables you to switch back and forth between 2 multi DVI PCs at the touch of a button, while maintaining professional-level video quality on all monitors at resolutions up to 1920x1200. The triple monitor DVI switch also features an integrated USB hub port which allows USB 2.0 peripherals to be shared between attached systems, eliminating duplicate peripheral costs and offering the convenience of sharing stored data between PCs.

The SV231TDVIUA 2-Port Triple Head DVI KVM Switch is TAA compliant and backed by a StarTech.com 3-year warranty with free lifetime technical support.

PLEASE NOTE: While the DVI connector on this KVM is DVI-I, the KVM only supports single-link DVI-D (digital only) video sources. It is recommended wherever possible to use DVI-D cables across all PC to KVM and KVM to console connections.

Certifications, Reports and Compatibility















Applications

- Switch three displays, mouse, keyboard, speakers, microphone, and one USB peripheral between two PCs
- Graphic design and Multimedia production applications
- Great for CAD/CAM operators using multiple monitor systems
- Financial/banking and Trading work stations, with multiple monitors
- High resolution medical imaging with multiple displays

Features

- Switch 3 monitors and peripherals between 2 PCs
- Supports high definition DVI resolutions on 3 monitors each up to 1920x1200
- Switch Audio devices independently
- Supports front panel push button and hot-key functions for computer selection
- OS independent; No software or drivers required
- All metal chassis for long-term durability
- Hub port supports High speed USB 2.0 devices
- HDCP compliant

Hardware		
	Warranty	3 Years
	Audio	Yes
	KVM Ports	2
	PC Interface	USB
	PC Video Type	DVI
	Number of Monitors Supported	Yes
	Rack-Mountable	No
	Cables Included	No
	Daisy-Chain	No





Performance On-Screen Display No **DVI Support** Yes IP Control No Hot-Key Selection Yes Maximum Digital 1920x1200 Resolutions Wide Screen Supported Yes Auto Scan 3, 8, 15 & 30 seconds Maximum Number of 1 Users Port Selection Support Push Button and Hotkeys 62,000 hours **MTBF** Connector(s) 2 - 3.5 mm Mini-Jack (3 Position) Console Interface(s) 3 - DVI-I (29 pin) 4 - USB 2.0 Type-A (4 pin, 480Mbps) **Host Connectors** 4 - 3.5 mm Mini-Jack (3 Position) 6 - DVI-I (29 pin) 2 - USB B (4 pin) **Software OS** Compatibility OS independent; No software or drivers required Special Notes / Requirements Note While the DVI connector on this KVM is DVI-I, the KVM only supports single-link DVI-D (digital only) video sources. It is recommended wherever possible to use DVI-D cables across all PC to KVM and KVM to console connections. **Indicators**

2 - Orange - PC Online

LED Indicators



2 - Green - Active PC

Power

Power Source AC Adapter Included

Input Voltage 100 - 240 AC

Input Current 0.8A

Output Voltage 12V DC

Output Current 1.5A

Center Tip Polarity Positive

Plug Type M

Power Consumption (In

Watts)

Environmental

Operating Temperature 0C to 40C (32F to 104F)

18

Storage Temperature -10C to 60C (14F to 140F)

Humidity 0~80% RH

Physical Characteristics

Color Black

Material Steel

Product Length 0.0 in [0.0 mm]

Product Width 6.3 in [15.9 cm]

Product Height 2.9 in [7.4 cm]

Product Depth 3.9 in [100 mm]

Weight of Product 2.0 lb [0.9 kg]

Packaging Information

Package Quantity 1

Package Length 9.4 in [24.0 cm]



	Package Width	7.3 in [18.6 cm]
	Package Height	3.8 in [9.6 cm]
	Shipping (Package) Weight	3.0 lb [1.4 kg]
What's in the Box		
	Included in Package	1 - 2 Port Triple Display KVM
		4 - Rubber Foot Pads
		1 - Universal Power Adapter (NA/UK/EU)
		1 - User Manual

^{*}Product appearance and specifications are subject to change without notice.