

USB 3.0 to VGA Adapter - Slim Design - 1920x1200

Product ID: USB32VGAES



The USB32VGAES Slim USB 3.0 to VGA Adapter turns a USB 3.0 port into a VGA output port with 1920x1200/1080p video support. The adapter minimizes clutter with a slim design that seamlessly blends with your video cable - an ideal space-saving solution for multi-monitor applications on Ultrabook, laptop, or desktop computers.

Functioning as an external graphics card, this USB to VGA adapter provides a convenient way to add multi-monitor capability to a USB 3.0-enabled desktop or laptop computer (optimal performance from USB 3.0, backward compatible with USB 2.0).

To save space while travelling, this ultra-portable USB to VGA adapter features a lightweight, small footprint design that fits easily in a laptop carrying bag.

Leveraging the high-bandwidth (5 Gbps) SuperSpeed USB 3.0 interface, the adapter delivers smooth, high-definition content to your VGA display/projector. The adapter can be used to mirror your primary desktop, showing the same image on each display, or to extend your desktop to double your workspace and increase your productivity.

The USB32VGAES is backed by a StarTech.com 3-year warranty and free lifetime technical support.

Recommended System Requirements:

CPU: Quad Core 2.4GHz or Higher (i5 recommended)

RAM: 4GB or higher

USB 3.0 port (Backwards compatible with USB 2.0)

Certifications, Reports and Compatibility























Applications

- Add a secondary VGA display with full HD capability
- View large or multiple spreadsheets across several displays
- Use the adapter to connect your PC to your VGA-equipped projector or display for viewing family pictures and movies
- · Add multi-monitor capability to a single computer, to create engaging multimedia presentations
- Have reference material on one display and a working document copy on the other
- Run multiple applications on different screens check your email on one display and search the web on the other

Features

- Slim lightweight design
- Ultra-portable
- SuperSpeed USB 3.0 (5 Gbps)
- Supports High-Definition video resolutions up to 1920x1200/1080p
- USB-powered No external power adapter required
- Supports Mirrored, Extended or Primary display configurations
- · Supports display rotation

Hardware

Warranty 3 Years

AV Input USB 3.2 Gen 1 (5Gbps)

Ports 1

AV Output VGA



USB Pass-Through No

Memory 16MB

Chipset ID Trigger - T5-302

Performance

Maximum Analog

Resolutions

1920x1200/1080p

Supported Resolutions Widescreen(16/32 bit):

1920x1200, 1920x1080, 1680x1050, 1600x900, 1440x900,

1360x768, 1280x800, 1280x768, 1280x720

Standard(16/32 bit):

1600x1200, 1400x1050, 1280x1024, 1280x960, 1152x864,

1024x768, 800x600

Wide Screen Supported Yes

Connector(s)

Connector A 1 - USB Type-A (9 pin, 5 Gbps)

Connector B 1 - VGA (15 pin, High Density D-Sub)

Software

OS Compatibility Windows 11

Windows 10 (32/64)

Windows 8 / 8.1 (32/64)

Windows 7(32/64)

Windows Vista (32/64)

Windows XP (32/64)

Microsoft WHQL Certified

Special Notes / Requirements

System and Cable

Requirements

System Processor: Quad Core 2.4GHz (i5 recommended)

System Memory: 4GB

Connect a maximum of five USB video adapters on a single Note

computer. Support for multiple adapters will vary depending

upon your system resources



This USB video adapter is not intended for graphical intensive applications, such as gaming

Power	Power Source	USB-Powered
Environmental	Operating Temperature	0C to 50C (32F to 122F)
	Storage Temperature	-10C to 75C (14F to 167F)
	Humidity	< 85% non-condensing
Physical Characteristics		
	Color	Black
	Material	Plastic
	Cable Length	2.4 in [62 mm]
	Product Length	7.5 in [19.0 cm]
	Product Width	1.0 in [2.5 cm]
	Product Height	0.5 in [1.2 cm]
	Weight of Product	0.9 oz [25.0 g]
Packaging Information		
	Package Quantity	1
	Package Length	6.7 in [17.0 cm]
	Package Width	5.8 in [14.8 cm]
	Package Height	1.3 in [3.2 cm]
	Shipping (Package) Weight	5.2 oz [148.0 g]
What's in the Box		

Included in Package 1 - Slim USB 3.0 Video Adapter

1 - Driver CD



1 - Instruction Manual

*Product appearance and specifications are subject to change without notice.