

Data Sheet

FUJITSU Tablet STYLISTIC Q736

Most Secure Professional Tablet

The FUJITSU Tablet STYLISTIC Q736 is the perfect companion for professionals who require ultimate security and a large screen. Its 33.8 cm (13.3-inch) Full HD anti-glare display supports ergonomic data entry with pen and touch, the optional palm vein sensor combined with PalmSecure™ technology provides an unrivaled security level. Everywhere connectivity is ensured with embedded 4G/LTE, GPS and NFC. A cradle shared with other STYLISTIC models enables best-in-class comfort in the office.

Intuitive 2 in 1 design

Easily switch between tablet and notebook use

- Make your choice, attachable keyboard to enhance the writing experience or attachable keyboard with battery for extended battery runtime

Paramount security

Keep your most valuable asset safe - your data

- Optional palm vein sensor for PalmSecure™ technology, TPM, optional fingerprint sensor or SmartCard reader

Convenient content viewing

Enjoy a large screen span to perfectly view all your content, even tables and spread sheets

- 33.8 cm (13.3-inch) Full HD anti-glare display with touch and pen input, supporting audit-proof signature

Enterprise connectivity

Be available wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby

- Optionally integrated 4G/LTE with GPS, WLAN, Bluetooth and Near Field Communication (NFC).

Adaptable design

Broad range of accessories lets you build your individual 2 in 1

- Optionally available hand strap, shoulder strap, VESA mount, attachable keyboard, shared common cradle with STYLISTIC Q555, downward compatible to Q775 and Q665.



Components

Base unit	STYLISTIC Q736
Operating systems	
Operating system	Windows 10 Pro
Operating system compatible	Windows 8.1
Processor	
	Intel® Core™ i5-6200U processor (2.1 GHz, up to 2.7 GHz, 3 MB) *
	Intel® Core™ i7-6600U processor (2.6 GHz, up to 3.2 GHz, 4 MB)
	Intel® Core™ i5-6300U processor (2.3 GHz, up to 2.9 GHz, 3 MB)
	*Processor only for retail, SMB, education and government
	Intel® Core™ vPro™ Processor - Best Platform for Businesses of all sizes
Hard disk drives (internal)	
	SSD SATA III, 512 GB, M.2 module, OPAL capable
	SSD SATA III, 256 GB, M.2 module, OPAL capable
	SSD SATA III, 128 GB, M.2 module, OPAL capable
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery Internal storage interface: S-ATA III (6Gbit/s)
Interface add on cards/components (optional)	
3G/4G (optional)	UMTS Sierra Wireless EM8805 w/ GPS (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s) NFC LTE Sierra Wireless EM7305 w/ GPS (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)
WLAN (optional)	Intel® Dual Band Wireless-AC8260NV 11ac with integrated Bluetooth 4.1 Import and usage according to country-specific regulations. Intel® Dual Band Wireless-AC8260 11ac with integrated Bluetooth 4.1 Import and usage according to country-specific regulations.
Display	33.8 cm (13.3-inch), IPS dual digitizer, (Full HD), Glare with dual digitizer, compound, 1,920 x 1,080 pixel, 1000:1, 330 cd/m ² 33.8 cm (13.3-inch), IPS dual digitizer, (Full HD), Anti-glare display, compound, 1,920 x 1,080 pixel, 1000:1, 330 cd/m ²
Multimedia	
Camera	Front camera 2 megapixel, rear camera 5 megapixel with autofocus and photo LED

Base unit

Base unit	STYLISTIC Q736
General system information	
Chipset	Integrated in CPU
Chipset notes	Supports iAMT 11.0 Intel® vPro™ requires Core i5-63xx & i7-66xx CPU, Intel WLAN 8260ac, TPM module
Supported capacity RAM (max.)	8 GB
Memory slots	LPDDR3 (1600 MHz)
LAN	via cradle or optional cable accessory Intel® I219LM
LAN notes	LAN connector via optional cradle or optional USB adapter cable
BIOS features	InsydeH2O Bios
Audio type	On board

General system information

Audio codec	Realtek ALC255
Audio features	Built-in array microphone, 2x built-in speakers (stereo)
MIL-STD tested	Yes. MIL-STD-810G test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.

Display	
Display	33.8 cm (13.3-inch), IPS dual digitizer, Full HD, Anti-Glare or Glare options, 1,920 x 1,080 pixel, 1000:1, 330 cd/m ²
Display notes	Wide-view high-bright LED display (for enhanced outdoor viewing). With magnesium display lid. Integrated ambient light sensor for automatic backlight adjustment to the working environment.
Sensors	3-axis Accelerometer Gyroscope Ambient Light Sensor Magnetic Field Sensor Compass
Aspect ratio	16:9
Brightness - typical	330 cd/m ²
Contrast - typical	1000:1
Digitizer / Touch Technology	Wacom Dual Digitizer for pen input plus capacitive 10-finger multi-touch screen
Ambient light sensor	Integrated
Ambient light sensor notes	While enabled, the ambient light sensor automatically adjusts the display backlight
Viewing angle (h/v) - typical	178°/178°

Graphics

Base unit	STYLISTIC Q736
TFT resolution (HDMI)	up to 4,096 × 2,160
TFT resolution (VGA)	1,920 x 1,200 pixel
Graphics brand name	Intel® HD Graphics 520
Graphics features	HDCP support DirectX 11 3 Display Support (2 external, 1 internal)
Graphics notes	Shared memory depending on main memory size and operating system 3D accelerator

Interfaces

DC-in	1
Audio: line-out / headphone	1 (combo port with Audio line-in)
Audio: line-in / microphone	1 (combo port with Audio line-out)
Internal microphones	1 (digital)
USB 2.0 total	1
USB 3.0 total	1 (Anytime USB-charge)
VGA	1 (via optional cradle or optional conversion cable)
micro HDMI	1
Ethernet (RJ-45)	1 (via optional cradle or optional conversion cable)
Memory card slots	1 microSD up to 2GB, microSDHC up to 32GB, microSDXC up to 128GB Speed Class: up to UHS-I
SmartCard slot	optional
SIM card slot	1 (MicroSIM - only for models with integrated 3G/UMTS or 4G/LTE module)
Interface Module notes	LAN and VGA available via conversion cable., Ethernet via conversion cable (USB to RJ-45)

Cradle (Charging or Functional)

DC-in	1 (19V)	1 (19V)
Audio: line-in	1	1
Audio: line-out	1	1
USB 2.0 total	3 (if used with STYLISTIC Q555)	3 (if used with STYLISTIC Q555)
USB 3.0 total	3 (if used with STYLISTIC Q736/Q616/Q775/Q665)	3 (if used with STYLISTIC Q775/Q736/Q665)
DisplayPort	1	1

Cradle (Charging or Functional)

VGA	1	1
Ethernet (RJ-45)	1 (10/100/1000)	1 (10/100/1000)
Kensington Lock support	1	1
Interface Module notes	If USB 3.0 or 2.0 is supported, is determined by the technological base of the product.	If USB 3.0 or 2.0 is supported, is determined by the technological base of the product.

Wireless technologies

Antennas	2x dual band for WLAN, 2x for UMTS/LTE, Bluetooth shared with WLAN
Bluetooth	Bluetooth 4.1 LE
WLAN notes	Import and usage according to country-specific regulations.
LTE/UMTS/GPS notes	Including GPS functionality Import and usage according to country-specific regulations.
NFC	optional
GPS	Embedded in 3G/4G module if configured with WWAN

Power supply

AC Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) slim and light AC-Adapter, 108x46x30 mm 19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 2-pin (grounded) slim and light AC-Adapter, 108x46x30 mm
AC adapter	19 V / 65 W (3.42 A)
Rated voltage range	100 V - 240 V (AC Input)
Rated frequency range	50 Hz - 60 Hz
1st battery	Lithium Polymer battery 3-cell, 46 Wh
Runtime 1st battery	up to 9h 40min (Productivity Workload MobileMark® 2014)
Runtime 1st + 2nd battery	up to 15h 10min (Productivity Workload MobileMark® 2014)
Battery charging time	~ 140 min.
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.

Dimensions / Weight / Environmental

Dimensions (W x D x H)	309.6 x 199.3 x 12.7 mm (Standard Shell) / 15.8 mm (SmartCard Shell) mm 12.19 x 7.85 x 0.5 inch (Standard Shell) / 0.62 inch (SmartCard Shell) inch
Weight	from 0.990 kg
Weight (lbs)	From 2.20 lbs
Weight notes	Weight may vary depending on actual configuration (including battery pack)
Operating ambient temperature	5 - 35 °C (41 - 95 °F); Packed -15 - 60 °C (5 - 140 °F)
Operating relative humidity	Running: 20 - 85%; Packed 8 - 85% (relative humidity, non-condensing)

Compliance

Product	STYLISTIC Q736
Germany	GS (only for premium anti-glare touchscreen display)
Europe	CE! EN 60950
Global	ENERGY STAR® 6.1 EPEAT® in progress (dedicated regions) IT-Eco-Declaration RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL)
Compliance link	http://globalsp.ts.fujitsu.com/sites/certificates

Additional Software

Additional software (preinstalled)	Waves MaxxAudio (audio enhancer) LTE / UMTS Connection Manager (if configured with 4G/LTE or 3G/UMTS) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool) Microsoft Office (buy license to activate the pre-installed Microsoft Office) McAfee Internet Security and Antivirus Software (60 days trial version)
---	--

Additional software (optional)	Recovery DVD for Windows® Drivers & Utilities DVD (DUDVD) optional CyberLink PowerDVD BD (playback software for Blu-ray Disc™) CyberLink PowerDVD DVD (playback software for DVD) CyberLink YouCam (webcam software) Nero (backup and burning software)
---------------------------------------	--

Manageability

Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) Intel® vPro™ technology WoL (Wake on LAN) iAMT 10.0 (depending on CPU)
---------------------------------	---

Manageability software	DeskView Client DeskView Instant BIOS Management
-------------------------------	---

DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management
----------------------------	---

Supported standards	WMI PXE BootP (made4you)
----------------------------	--------------------------------

Manageability link	http://www.fujitsu.com/fts/manageability
---------------------------	---

Security

Physical Security	Kensington Lock support
--------------------------	-------------------------

System and BIOS Security	Absolute Persistence® technology capable BIOS Optional: Trusted platform module (TPM 1.2 or 2.0)
---------------------------------	---

User Security	Integrated palm vein sensor (optional) Smartcard reader (optional) Embedded fingerprint sensor (optional) Workplace Protect (secure authentication solution) Hard disk password User and supervisor BIOS password SystemLock BIOS SmartCard security
----------------------	--

Warranty

Warranty period	2 years (for countries within EMEA)
------------------------	-------------------------------------

Warranty type	Collect & Return Service / Bring-in Service (depending on country)
----------------------	--

Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty
--	---

Product Support Services - the perfect extension

Recommended Service	9x5, Onsite Response Time: Next Business Day
----------------------------	--

Spare Parts availability	5 years after end of product life
---------------------------------	-----------------------------------

Service Weblink	http://ts.fujitsu.com/Supportservice
------------------------	---

Recommended Accessories

Cradle STYLISTIC Q Series



Boosted efficiency, desktop experience, flexibility, expandability - these are only some of the benefits of the cradle for the STYLISTIC Q Series

Order Code:
S26391-F1467-L100

Shoulder Strap STYLISTIC Q Series



The FUJITSU Shoulder Strap is the perfect addition to your STYLISTIC Q Series SmartCard Shells. The strap uses only top quality materials and is highly adjustable, enabling you to transport your device with a minimum of effort and maximum comfort.
(Picture shows a STYLISTIC for illustration only.)

Order Code:
S26391-F1193-L13

Folio Case STYLISTIC Q736



The Folio Case for the STYLISTIC Q736 is a thin, tailored protective sleeve for your Fujitsu tablet. It keeps the device safe from damage on the go, and brings a touch of style to your daily work. It can even be used as a stand if you need to display a presentation or watch a clip.

Order Code:
S26391-F1193-L43

TPU Cover STYLISTIC Q736



The Protective TPU Cover is designed to help prevent damage to your STYLISTIC Q736 Hybrid Tablet PC. Openings on the cover allow you to access all of the ports and buttons on the slate whilst the hand strap on the back of the case gives you a firm grip whilst standing and operating your Tablet PC.

Order Code:
S26391-F1193-L44

VESA Mount Plate STYLISTIC Q Series



The VESA Mounting Plate for the STYLISTIC Q Series is used to easily and securely attach the rear of the STYLISTIC Q Series to any standard 4-hole 75mm x 75mm VESA-compliant mount, such as a vehicle mount, wall mount, or cart mount. The VESA Mounting Plate is secured to the STYLISTIC Q Series using the four threaded inserts on the rear of the system. (Works exclusively with SmartCard Shells of STYLISTIC Q Series. Picture shows different STYLISTIC model and plate color for illustration only.)

Order Code:
S26391-F1419-L900

Hand Strap STYLISTIC Q Series



The FUJITSU Hand Strap makes handling and carrying your tablet easier. It comes with screws that allow you to attach it to the threaded inserts on the back of your tablet to provide a secure grip. The adjustable Velcro makes this hand strap easy to adjust for any size hand.
(Picture shows a different STYLISTIC model for illustration only.)

Order Code:
S26391-F1419-L930

Micro HDMI to HDMI Conversion Cable



The Fujitsu Micro HDMI to HDMI Conversion Cable enables you to view content from your compatible STYLISTIC Tablet when the available projector or external display has an HDMI connector. This adapter is perfect for salespeople and others who often find themselves making presentations in a wide variety of environments.

Order Code:
S26391-F6055-L231

USB to VGA Conversion Cable



The FUJITSU USB to VGA Conversion Cable enables you to view content from your compatible STYLISTIC Tablet when the available projector or external display has a VGA connector. This adapter is perfect for salespeople and others who often find themselves making presentations in a wide variety of environments. (Picture similar to product)

Order Code:
S26391-F1418-L810

LAN Conversion Cable (USB to LAN) for STYLISTIC Q



The FUJITSU USB to LAN Conversion Cable enables you to connect your compatible STYLISTIC Q Tablet to a wired network connection. GBit-LAN via USB conversion cable is limited to 480 Mbit/s due to USB 2.0 specification. (Picture similar to product)

Order Code:
S26391-F1418-L840

Bluetooth Mouse BT3



Enjoy freedom of movement with the highly portable Bluetooth® Mouse BT3. The ergonomically designed device includes a highly sensitive IR sensor with a resolution of 1,000 dpi for comfortable and more precise cursor control on nearly any surface. Scroll horizontally or vertically with the 4-way tilt scroll wheel and take it wherever you go.

Order Code:
S26381-K445-L100

Mobile Bluetooth Communication Speaker



The Fujitsu Mobile Bluetooth Communication Speaker is the perfect audio accessory for your connected mobile life. It is smaller than a tennis ball so you can bring it everywhere and it can connect via Bluetooth so you don't have to worry about cords. An integrated microphone gives you on-the-fly conference call capabilities for all your Bluetooth enabled mobile devices.

Order Code:
S26391-F7128-L700

Keyboard Docking for STYLISTIC Q7 Series (without battery)



Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's slim keyboard for the STYLISTIC Q Series.

S26391-F1289-L2xx**
(**country specific version)

Keyboard Docking for STYLISTIC Q7 Series (with battery)



Flexibility, enhanced battery runtime, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's keyboard for the STYLISTIC Q Series.

S26391-F1289-L3xx**
(**country specific version)

More information

Fujitsu OPTIMIZATION Services

In addition to FUJITSU Tablet STYLISTIC Q736, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU Tablet STYLISTIC Q736, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
www.fujitsu.com/fts/tabletpc

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms
© 2016 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

Fujitsu Technology Solutions GmbH
Website: www.fujitsu.com/fts
2016-09-01 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms
© 2016 Fujitsu Technology Solutions GmbH