


Tarif Fujitsu Technology Solutions

Prix indicatifs ht au 14 Octobre 2016





Fujitsu recommande Windows.

Sommaire

Positionnement Lifebook	3	Accessoires CELSIUS	53	Serveurs scale-out	91
STYLISTIC Q616	4	Accessoires CELSIUS H	54	PRIMERGY CX400 M1	92
STYLISTIC Q736	5			PRIMERGY CX2550 M1	93
STYLISTIC R726	6	Terminaux légers FUTRO -	55	PRIMERGY CX2570 M1	94
STYLISTIC V535	7	FUTRO	56	Accessoires serveurs scale-out	95
		Accessoires FUTRO	57		
PC Portables		Positionnement Moniteurs	56	Onduleurs	96
LIFEBOOK A555	8	Moniteurs	57	Accessoires Onduleurs	97
LIFEBOOK A556	9				
LIFEBOOK A557	10	Imprimantes	58		
LIFEBOOK E544	11			Stockage disque -	98
LIFEBOOK E546	12	Positionnement CELVIN	59	ETERNUS DX60/ DX80/ DX90 S2	99
LIFEBOOK E554	13	CELVIN NAS Server	60	ETERNUS DX100 S3	100
LIFEBOOK E556	14			ETERNUS DX200 S3	101
LIFEBOOK E734	15	Serveurs tour PRIMERGY -	61	ETERNUS DX400	103
LIFEBOOK E736	16	PRIMERGY TX1310 M1	62	ETERNUS DX500 S3	102
LIFEBOOK E744	17	PRIMERGY TX1320 M1	63	ETERNUS DX5/600 S3 DE	104
LIFEBOOK E746	18	PRIMERGY TX1330 M1	64	ETERNUS DX600 S3	105
LIFEBOOK E754	19	PRIMERGY TX150 S8	65	ETERNUS DX8700	106
LIFEBOOK E756	20	PRIMERGY TX2540 M1	66	ETERNUS JX400	107
LIFEBOOK S936	21	PRIMERGY TX2560 M1	67	ETERNUS JX60	108
LIFEBOOK T726	22	PRIMERGY TX300 S8	68	Accessoires ETERNUS (1)	109
LIFEBOOK T936	23	Accessoires serveurs tour	69	Accessoires ETERNUS (2)	110
LIFEBOOK U745	24				
LIFEBOOK U904	25	Serveurs rack PRIMERGY -	70	ETERNUS CS Data Protection Appli:	111
Accessoires LIFEBOOK	26	PRIMERGY RX1330 M1	71	ETERNUS CS Racks 38/42HU	112
Accessoires LIFEBOOK 2	27	PRIMERGY RX2520 M1	72	ETERNUS CS200C	113
Accessoires STYLISTIC	28	PRIMERGY RX2530	73	ETERNUS CS800	114
		PRIMERGY RX2540	74		
PC professionnel ESPRIMO -	29	PRIMERGY RX2560	75	Stockage bande -	115
ESPRIMO A525-L	30	PRIMERGY RX4470	76	LTO Desktop	116
ESPRIMO C	31	PRIMERGY RX4470	77	ETERNUS LT20	117
ESPRIMO D	32	Accessoires serveurs rack	78	ETERNUS LT40	118
ESPRIMO E	33			ETERNUS LT60	119
ESPRIMO P	34	PRIMECENTER	79	SCALAR i500	120
ESPRIMO Q	35	Accessoires PRIMECENTER	80	Accessoires stockage bande	121
ESPRIMO X	36				
Accessoires ESPRIMO A	37	Positionnement PRIMERGY	81		
Accessoires ESPRIMO C	38	Serveurs lames PRIMERGY -	82		
Accessoires ESPRIMO D	39	PRIMERGY BX400 S1	83		
Accessoires ESPRIMO E	40	PRIMERGY BX900 S2	84		
Accessoires ESPRIMO P	41	Accessoires serveurs lames	85		
Accessoires ESPRIMO Q	42				
Accessoires ESPRIMO X	43	PRIMERGY Connection blade	86		
		PRIMERGY SX05 S1	87		
Stations de travail CELSIUS	44	PRIMERGY SX960 S1	88		
CELSIUS C620	45	PRIMERGY SX980 S2	89		
CELSIUS C740	46				
CELSIUS H760	47	Accessoires stockage PRIMERGY	90		
CELSIUS J550	48				
CELSIUS M740	49				
CELSIUS R940	50				
CELSIUS W530	51				
CELSIUS W550	52				

Cette liste de prix Fujitsu référence les familles de portables LIFEBOOK, clients légers FUTRO, PC ESPRIMO, stations de travail CELSIUS, moniteurs et claviers, serveurs PRIMERGY et les solutions de stockage disque et bande. Les références, désignations et prix sont données à titre indicatif et n'engagent pas Fujitsu.

Les références en fond grisé font partie de notre offre Partner Business Selection et sont exclusivement disponibles auprès des grossistes agréés

Les prix mentionnés dans la présente liste de prix sont exprimés en Prix Indicatifs hors taxe (Prix Indicatif €HT) . Les Prix Indicatifs ne constituent en aucun cas une offre et un engagement de la part de Fujitsu, chaque Partenaire restant libre de fixer ses conditions tarifaires.

Fujitsu recommends Windows.

Flexible Working on the Move

FUJITSU Tablet STYLISTIC or LIFEBOOK



	STYLISTIC 0555	STYLISTIC 0665	STYLISTIC 0775	STYLISTIC 0726	LIFEBOOK T725	LIFEBOOK T936	SPECIALIZED STYLISTIC V535 Industrial	
Category	Hybrid Tablet	Hybrid Tablet	Hybrid Tablet	Hybrid Tablet	Convertible	Convertible Ultrabook™	Rugged Tablet	
Operating System	Windows 8.1 Pro Windows 8.1	Windows 8.1 Pro Windows 8.1	Windows 8.1 Pro Windows 8.1 Professional	Windows 10 Pro Windows 8.1	Windows 8.1 Pro Windows 7 Professional	Windows 10 Windows 8.1 Pro Windows 7 Professional	Windows 8.1 Pro	
Processor	Intel® Atom™ Z3795 (64-bit support)	Intel® Core™ m-7th™	Intel® Core™ i7-6th™ Intel® Core™ i5-7th™	Intel® Core™ i7-6th™ Intel® Core™ i5-7th™ Intel® Core™ 3	Intel® Core™ i7-6th™ Intel® Core™ i5-7th™ Intel® Core™ i5	Intel® Core™ i7-6th™ Intel® Core™ i5-7th™ Intel® Core™ i5	Intel® Atom™ Z3795 (64-bit support)	
Chipset	Intel® Baytrail™ SoC	Integrated in CPU	Integrated in CPU	Integrated in CPU	Integrated in CPU	Integrated in CPU	Intel® Baytrail™ SoC	
Display	25.7cm (10.1-inch), 1920 x 1200 pixel (MVA), IPS, anti-glare, dual digitizer, touchscreen, toughened glass	28.5cm (11.5-inch), 1920 x 1080 pixel (Full HD), IPS, anti-glare, dual digitizer, touchscreen, toughened glass	33.8cm (13.3-inch), 1920 x 1080 pixel (Full HD), IPS, anti-glare, dual digitizer, touchscreen, toughened glass	31.8cm (12.5-inch), 1920 x 1080 (Full HD), PLS, anti-glare option, dual digitizer, touchscreen	31.8cm (12.5-inch), 1366 x 768 pixel (HD), IPS, anti-glare, dual digitizer, touchscreen, min. 300 cd/m², toughened glass	33.8cm (13.3-inch), 2560 x 1440 pixel (UHD), LCD or 1920 x 1080 pixel (Full HD), dual digitizer, touchscreen, min. 300 cd/m², 1:300 cd/m², D-agon™ Glass	21.0cm (8.3-inch), 1920 x 1200 pixel (MVA), IPS, touch display with glove and pressure pen support, toughened glass	
Graphics	Integrated SoC design	Intel® HD Graphics 5200	Intel® HD Graphics 5500	Intel® HD Graphics 520	Intel® HD Graphics 5200	Intel® HD Graphics 520	Integrated SoC design	
Weight	From 653 g / 1.44 lbs (without keyboard)	From 753 g / 1.66 lbs (without keyboard)	From 890 g / 2.18 lbs (without keyboard)	From 830 g / 1.82 lbs (without keyboard)	From 1.8 kg / 3.96 lbs	From 1.6 kg / 3.53 lbs	From 540 g / 1.19 lbs	
Communication	Optional: 4G/LTE with GPS and Bluetooth, 3G/LTE with GPS and Bluetooth, WLAN, NFC	Optional: Bluetooth, 4G/LTE with GPS and Bluetooth, 3G/LTE with GPS and Bluetooth, WLAN, NFC	Optional: Bluetooth, 4G/LTE with GPS and Bluetooth, 3G/LTE with GPS and Bluetooth, WLAN, NFC	Optional: 4G/LTE with GPS and Bluetooth, WLAN, NFC	Optional: 4G/LTE with GPS and Bluetooth, WLAN, NFC	Optional: 4G/LTE with GPS and Bluetooth, 3G/LTE with GPS and Bluetooth, WLAN, NFC	Optional: 4G/LTE with GPS and Bluetooth, 3G/LTE with GPS and Bluetooth, WLAN, NFC	Optional: 4G/LTE with GPS, GPRS and Bluetooth, WLAN, dedicated GPS (when WLAN only), NFC
Webcam	Front camera 2.0 megapixel, Rear camera 8.1 megapixel with autofocus and light LED	Front camera 5.0 megapixel, rear camera 2.0 megapixel with autofocus and photo LED	Front camera 2.0 megapixel, rear camera 5.0 megapixel with autofocus and photo LED	Front camera 2.0 megapixel, rear camera 5.0 megapixel with autofocus	Optional: Built-in webcam, 2.0 megapixel	Built-in webcam (Full HD) with Status LED	Built-in webcam, Front camera 2 megapixel, Rear camera 8 megapixel with autofocus and photo LED	
Modular bay options	-	-	-	-	2nd battery, DVD Super Multi, weight saver	-	-	
Runtime 1st (+ 2nd battery)	Up to 10 h	Up to 11:50 h (tbl)	Up to 10 h	Up to 12 h	Up to 10.6 h (1.4.3 h)	Up to 11 h	Up to 6.5 h	
Port replicator or cradle	•	•	•	•	•	•	•	
Dockable keyboard option	•	•	•	•	•	•	•	
Fingerprint option	•	•	•	•	•	•	•	
Smart Shell or Shell Concept support	•	•	•	•	•	•	•	
Water / dust tight	-	-	-	-	-	-	•	



Fujitsu recommande Windows.

STYLISTIC Q616

Fiche produit : <http://fr.fujitsu.com/stylistic>

La tablette FUJITSU STYLISTIC Q616 deux en un est le compromis parfait entre performances et mobilité. Compacte, sans ventilateur, avec un écran mat en verre renforcé de 29,5 cm (11,6 pouces), elle est parfaitement adaptée à une utilisation intensive et au travail nomade. Vous êtes libre d'effectuer vos saisies avec l'écran tactile, le stylet ou le clavier pour gérer vos tâches professionnelles plus efficacement, comme vous en avez envie. Pour une productivité sans faille, elle offre les performances d'un ordinateur Ultrabook™, une autonomie d'une journée complète et la connectivité 4G/LTE en option, ainsi que des options de sécurité professionnelles pour garantir la sécurité de vos données. Le clavier amovible et le socle augmentent l'ergonomie.

Tous .

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
STYLISTIC Q616				
ST Q616 /SC SHELL NFC/11.6' FHD TCH/	ST Q616 /SC SHELL NFC/11.6' FHD TCH/ DIGI W/ PEN/M3-6Y30/SSD 128GB OPAL/ DUAL WLAN AC8260NV/LTE EM7305/ 2MP + 5MP CAM/FINGERPRINT/TPM V2.0/	LKN:Q6160M0001FR	1694,12	
ST Q616 /STD SHELL/11.6' FHD TCH/	ST Q616 /STD SHELL/11.6' FHD TCH/ DIGI W/ PEN/M5-6Y54/SSD 128GB OPAL/ DUAL WLAN AC8260NV/LTE EM7305/ 2MP + 5MP CAM/TPM V2.0/CK INT/	LKN:Q6160M0002FR	1890,59	
ST Q616 /SC SHELL/11.6' FHD TCH/	ST Q616 /SC SHELL/11.6' FHD TCH/ DIGI W/ PEN/M7-6Y75/SSD 128GB OPAL/ DUAL WLAN AC8260/LTE EM7305/ 2MP + 5MP CAM/TPM V2.0/CK INT/	LKN:Q6160M0003FR	2358,82	
ST Q616 /STD SHELL/11.6' FHD TCH/	ST Q616 /STD SHELL/11.6' FHD TCH/ DIGI W/ PEN/M5-6Y54/SSD 128GB OPAL/ DUAL WLAN AC8260NV/LTE EM7305/ 2MP + 5MP CAM/TPM V2.0/CK INT/	LKN:Q6160M0004FR	1892,94	
ST Q616 /STD SHELL/11.6' FHD TCH/	ST Q616 /STD SHELL/11.6' FHD TCH/ DIGI W/ PEN/M7-6Y75/SSD 128GB OPAL/ DUAL WLAN AC8260/LTE EM7305/ 2MP + 5MP CAM/TPM V2.0/CK INT/	LKN:Q6160M0005FR	2296,47	

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
STYLISTIC Q616				
STYLISTIC Q616	Base unit with 29,5cm (11.6"), TFT wide-view and AG FHD LED Display with toughened glass, Wacom® Dual digitizer with pen support and capacitive multi-touch screen, Intel® Core M CPU, 4GB or 8GB DDR3L 1600MHz PC12800 Arbeitsspeicher fix integrated (soldered). Mobile Intel® HD520 integrierte graphic, M.2 interface for internal storage, 10/100/1000 MBit Intel® LAN Chip, Intel® HD Audio, 2 digital microphones and 2 speaker integrated-Sensors: ambientlight, gyroscope, compass, G-Sensor, Kensington Lock, Fingerprint Sensor und Smartcard optional, status LED and application button., Interfaces: micro HDMI, Lect.cte SD, 1x bootable USB 3.0, 1x USB2.0, optional SIM-Card reader for UMTS/LTE, Audio in/out (combined), Clavier Répliqueurs connector. Tablet pen and cleaning cloth.	S26391-K449-V100	648,24	



Fujitsu recommande Windows.

STYLISTIC Q736

Fiche produit : <http://fr.fujitsu.com/stylistic>

La tablette STYLISTIC Q736 de FUJITSU est idéale pour les professionnels à la recherche d'une sécurité maximale et d'un grand écran. Son écran antireflet Full HD de 33,8 cm (13,3 pouces) prend en charge la saisie au stylet et au doigt, et le lecteur PalmVein en option avec technologie PalmSecure™ offre un niveau de sécurité inégalé. Bénéficiez d'une bonne connectivité où que vous soyez avec les technologies 4G/LTE, GPS et NFC. Le socle commun aux autres modèles STYLISTIC assure un confort supérieur au bureau.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
STYLISTIC Q736				
ST Q736 /FUNCT. SHELL/DIGI W/ PEN/	ST Q736 /FUNCT. SHELL/DIGI W/ PEN/ 13.3' FHD TCH/I7-6600U/SSD 256GB OPAL/ DUAL WLAN AC8260/2MP + 5MP CAM/CK INT/ AC ADAP 19V/65W/2xCBL EU/CRADLE 2PIN AC/	LKN:Q7360M0001FR	2551,76	
ST Q736 /FUNCT. SHELL/DIGI W/ PEN/	ST Q736 /FUNCT. SHELL/DIGI W/ PEN/ 13.3' FHD TCH/I5-6300U/SSD 256GB OPAL/ DUAL WLAN AC8260/LTE EM7305/ 2MP + 5MP CAM/TPM V2.0/CK INT/	LKN:Q7360M0001IN	2094,12	
ST Q736 /FUNCT. SHELL/DIGI W/ PEN/	ST Q736 /FUNCT. SHELL/DIGI W/ PEN/ 13.3' FHD TCH/I7-6600U/SSD 512GB OPAL/ DUAL WLAN AC8260/LTE EM7305/ 2MP + 5MP CAM/TPM V2.0/CK INT/	LKN:Q7360M0002FR	2829,41	
ST Q736 /FUNCT. SHELL/DIGI W/ PEN/	ST Q736 /FUNCT. SHELL/DIGI W/ PEN/ 13.3' FHD TCH/I7-6600U/SSD 256GB OPAL/ DUAL WLAN AC8260/2MP + 5MP CAM/TPM V1.2/ CK INT/AC ADAP 19V/65W/2xCBL EU/	LKN:Q7360M0003FR	2498,82	
ST Q736 /FUNCT. SHELL/DIGI W/ PEN/	ST Q736 /FUNCT. SHELL/DIGI W/ PEN/ 13.3' FHD TCH/I5-6200U/SSD 128GB OPAL/ DUAL WLAN AC8260NV/LTE EM7305/ 2MP + 5MP CAM/TPM V2.0/CK INT/	LKN:Q7360M0004FR	2329,41	
ST Q736 /STD SHELL/DIGI W/ PEN/	ST Q736 /STD SHELL/DIGI W/ PEN/ 13.3' FHD TCH/I5-6300U/SSD 256GB OPAL/ DUAL WLAN AC8260/UMTS EM8805/ 2MP + 5MP CAM/TPM V1.2/CK INT/	LKN:Q7360M0005FR	1968,24	
ST Q736 /STD SHELL/DIGI W/ PEN/	ST Q736 /STD SHELL/DIGI W/ PEN/ 13.3' FHD TCH/I7-6600U/SSD 256GB OPAL/ DUAL WLAN AC8260/LTE EM7305/ 2MP + 5MP CAM/FINGERPRINT/TPM V2.0/	LKN:Q7360M0006FR	2205,88	

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
STYLISTIC Q736				
STYLISTIC Q736	Base unit with 33,8cm (13.3"), TFT wide-view and bright FHD LED Display with toughened glass, Wacom® Dual digitizer with pen support and capacitive multi-touch screen, Intel® 6th generation CPU, 4GB or 8GB DDR3L 1600MHz PC12800 Arbeitsspeicher fix integrated (soldered), Mobile Intel® HD5500 integrierte graphic, M.2 interface for internal storage, 10/100/1000 MBit Intel® LAN Chip, Intel® HD Audio, 1 digital microfone and 2 speaker integrated-Sensors: ambientlight, gyroscope, compass, G-Sensor, Kensington Lock, Fingerprint Sensor und Smartcard optional, status LED and application button., Interfaces: micro HDMI, Lect.cte SD, 1x bootable USB 3.0, 1x USB2.0, optional SIM-Card reader for UMTS/LTE, Audio in/out (combined), Clavier Répicateurs connector. Tablet pen and cleaning cloth.	S26391-K448-V100	709,41	



Fujitsu recommande Windows.

STYLISTIC R726

Fiche produit : <http://fr.fujitsu.com/stylistic>

Le STYLISTIC R726 Intel® Core™ i7Processor est conçu pour une utilisation sans limites – vous choisissez votre manière de travailler. Utilisez vos doigts et le stylet numérique simultanément : le STYLISTIC R726 supporte ces deux modes. Ou transformez la tablette en un ordinateur portable en cliquant sur le clavier magnétique - et travaillez jusqu'à 12 heures sans recharge de batteries. Des caractéristiques de sécurité prêtes pour l'avenir protègent vos données, quel que soit votre emplacement. Vous pouvez avoir recours à 4G/LTE pour une véritable connectivité mobile. De retour au bureau, il suffit de placer le STYLISTIC R726 dans sa station d'accueil pour obtenir l'intégralité

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
STYLISTIC R726				
ST R726 I5/8GB/VPRO /SSD M.2 512GB/NFC/	ST R726 I5/8GB/VPRO /SSD M.2 512GB/NFC/ LTE EM7305/CK INT/19V/65W KIT/ AC CABLE EU/MAGN KB FR/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	LKN:R7260M0001FR	1832,94	
STYLISTIC R726 I5/8GB/VPRO /	STYLISTIC R726 I5/8GB/VPRO / SSD M.2 256GB/TPM/LTE EM7305/CK INT/ 19V/65W KIT/AC CABLE EU/LIC W10 PRO/ W10 PRO64 MAIN/VGA ADAP/HDMI ADAP/	LKN:R7260M0001IN	1584,71	
ST R726 I5/4GB/NONVPRO /SSD M.2 256GB/	ST R726 I5/4GB/NONVPRO /SSD M.2 256GB/ TPM/NFC/LTE EM7305/CK INT/19V/65W KIT/ AC CABLE EU/LIC W10 PRO/W10 PRO64 MAIN/ RDVD W10 PRO64/ACTIVE PEN/	LKN:R7260M0002FR	1471,76	
STYLISTIC R726 I7/8GB/VPRO /	STYLISTIC R726 I7/8GB/VPRO / SSD M.2 256GB/TPM/LTE EM7305/CK DE/ 19V/65W KIT/AC CABLE EU/MAGN KB DE/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:R7260M0002IN	1801,19	
ST R726 I5/4GB/NONVPRO /SSD M.2 256GB/	ST R726 I5/4GB/NONVPRO /SSD M.2 256GB/ TPM/NFC/LTE EM7305/CK INT/19V/65W KIT/ AC CABLE EU/MAGN KB FR/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	LKN:R7260M0003FR	1564,71	
STYLISTIC R726 I5/8GB/VPRO /	STYLISTIC R726 I5/8GB/VPRO / SSD M.2 256GB/TPM/LTE EM7305/CK INT/ 19V/65W KIT/AC CABLE EU/LIC W10 PRO/ W10 PRO64 SEE/VGA ADAP/HDMI ADAP/	LKN:R7260M0003IN	1584,71	
ST R726 I5/8GB/VPRO /SSD M.2 256GB/TPM/	ST R726 I5/8GB/VPRO /SSD M.2 256GB/TPM/ NFC/LTE EM7305/CK INT/19V/65W KIT/ AC CABLE EU/MAGN KB FR/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	LKN:R7260M0004FR	1670,59	
STYLISTIC R726 I5/4GB/NONVPRO /	STYLISTIC R726 I5/4GB/NONVPRO / SSD M.2 256GB/NFC/LTE EM7305/CK INT/ 19V/65W KIT/AC CABLE EU/MAGN KB FR/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:R7260M0005FR	1560,00	



Fujitsu recommande Windows.

STYLISTIC R726 Fiche produit : <http://fr.fujitsu.com/stylistic>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
STYLISTIC R726 (Suite)				
STYLISTIC R726 I5/4GB/NONVPRO /	STYLISTIC R726 I5/4GB/NONVPRO / SSD M.2 128GB/TPM/LTE EM7305/CK INT/ 19V/65W KIT/AC CABLE EU/MAGN KB FR/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:R7260M0006FR	1507,06	
STYLISTIC R726 I5/8GB/VPRO /	STYLISTIC R726 I5/8GB/VPRO / SSD M.2 256GB/TPM/LTE EM7305/CK INT/ 19V/65W KIT/AC CABLE EU/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/VGA ADAP/	LKN:R7260M0007FR	1587,06	
STYLISTIC R726 I5/4GB/NONVPRO /	STYLISTIC R726 I5/4GB/NONVPRO / SSD M.2 256GB/NFC/LTE EM7305/CK INT/ 19V/65W KIT/AC CABLE EU/MAGN KB FR/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:R7260M0008FR	1612,94	
STYLISTIC R726 I7/8GB/VPRO /	STYLISTIC R726 I7/8GB/VPRO / SSD M.2 512GB/TPM/NFC/LTE EM7305/CK DE/ 19V/65W KIT/AC CABLE EU/MAGN KB DE/ LIC W10 PRO/W10 PRO64 MAIN/	PRJ:R7260M0001IN	2049,41	
ST R726 I5/4GB/NONVPRO /SSD M.2 256GB/	ST R726 I5/4GB/NONVPRO /SSD M.2 256GB/TPM/NFC/UMTS EE8805/CK INT/19V/65W KIT/ AC CABLE EU/LIC W10 PRO/W10 PRO64 MAIN/ RDVD W10 PRO64/ACTIVE PEN/	VFY:R7260M850BFR	1175,29	
ST R726 I5/4GB/NONVPRO /SSD M.2 256GB/	ST R726 I5/4GB/NONVPRO /SSD M.2 256GB/TPM/NFC/UMTS EE8805/CK INT/19V/65W KIT/ AC CABLE EU/MAGN KB FR/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	VFY:R7260M85ABFR	1234,12	
ST R726 I5/8GB/VPRO /SSD M.2 256GB/TPM/	ST R726 I5/8GB/VPRO /SSD M.2 256GB/TPM/ NFC/UMTS EE8805/CK INT/19V/65W KIT/ AC CABLE EU/MAGN KB FR/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	VFY:R7260M85BBFR	1328,24	
ST R726 I7/8GB/VPRO /SSD M.2 256GB/TPM/	ST R726 I7/8GB/VPRO /SSD M.2 256GB/TPM/ NFC/LTE EM7305/CK INT/19V/65W KIT/ AC CABLE EU/MAGN KB FR/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	VFY:R7260M87APFR	1528,24	
ST R726 I7/8GB/VPRO /SSD M.2 512GB/TPM/	ST R726 I7/8GB/VPRO /SSD M.2 512GB/TPM/ NFC/LTE EM7305/CK INT/19V/65W KIT/ AC CABLE EU/MAGN KB FR/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	VFY:R7260M87BPFR	1645,88	



Fujitsu recommande Windows.

STYLISTIC R726 Fiche produit : <http://fr.fujitsu.com/stylistic>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
STYLISTIC R726 (Suite)				
STYLISTIC R726 i3/4GB/nonVPro	Base unit with 31.75cm (12.5"), TFT wide-view and bright FHD LED Display with toughened glass, Touchpanel from TPK® with active pen support and capacitive multi-touch screen, Intel® 6th Generation i3-6100U 2.30GHz CPU (Non-vPro)*, 4GB DDR3L 1600MHz PC12800 Arbeitsspeicher fix integrated (soldered). Mobile Intel® HD520 integrated graphic, INTEL® WLAN 8260ac Intég., front 2MP (FHD) and 5MP rear Kamera, Bluetooth 4.1 LE Intég., M.2 interface for internal storage, 10/100/1000 MBit Intel® LAN Chip, Intel® HD Audio, 2 digita arrayl microfones and 2 speaker integrated. Sensors: ambientlight, gyroscope, compass, G-Sensorand status LED., Interfaces: mini DP, Lect.cte SD, 1x bootable USB 3.0, optional SIM-Card reader for UMTS/LTE, Audio in/out (combined), Clavier Répliqueurs connector., * not for Corporate Projects (only for Retail, SMB, education and government)	S26391-K418-V110	857,65	
STYLISTIC R726 i5/4GB/nonVPro	Base unit with 31.75cm (12.5"), TFT wide-view and bright FHD LED Display with toughened glass, Touchpanel from TPK® with active pen support and capacitive multi-touch screen, Intel® 6th Generation i5-6200U 2.40GHz CPU (Non-vPro)*, 4GB DDR3L 1600MHz PC12800 Arbeitsspeicher fix integrated (soldered). Mobile Intel® HD520 integrated graphic, INTEL® WLAN 8260ac Intég., front 2MP (FHD) and 5MP rear Kamera, Bluetooth 4.1 LE Intég., M.2 interface for internal storage, 10/100/1000 MBit Intel® LAN Chip, Intel® HD Audio, 2 digita arrayl microfones and 2 speaker integrated. Sensors: ambientlight, gyroscope, compass, G-Sensorand status LED., Interfaces: mini DP, Lect.cte SD, 1x bootable USB 3.0, optional SIM-Card reader for UMTS/LTE, Audio in/out (combined), Clavier Répliqueurs connector., * not for Corporate Projects (only for Retail, SMB, education and government)	S26391-K418-V120	963,53	
STYLISTIC R726 i5/8GB/VPro	Base unit with 31.75cm (12.5"), TFT wide-view and bright FHD LED Display with toughened glass, Touchpanel from TPK® with active pen support and capacitive multi-touch screen, Intel® 6th Generation i5-6300U 2.50GHz CPU (vPro)*, 8GB DDR3L 1600MHz PC12800 Arbeitsspeicher fix integrated (soldered). Mobile Intel® HD520 integrated graphic, INTEL® WLAN 8260ac Intég., front 2MP (FHD) and 5MP rear Kamera, Bluetooth 4.1 LE Intég., M.2 interface for internal storage, 10/100/1000 MBit Intel® LAN Chip, Intel® HD Audio, 2 digita arrayl microfones and 2 speaker integrated. Sensors: ambientlight, gyroscope, compass, G-Sensorand status LED., Interfaces: mini DP, Lect.cte SD, 1x bootable USB 3.0, optional SIM-Card reader for UMTS/LTE, Audio in/out (combined), Clavier Répliqueurs connector.	S26391-K418-V130	1069,41	
STYLISTIC R726 i7/8GB/VPro	Base unit with 31.75cm (12.5"), TFT wide-view and bright FHD LED Display with toughened glass, Touchpanel from TPK® with active pen support and capacitive multi-touch screen, Intel® 6th Generation i7-6600U 2.80GHz CPU (vPro)*, 4GB DDR3L 1600MHz PC12800 Arbeitsspeicher fix integrated (soldered). Mobile Intel® HD520 integrated graphic, INTEL® WLAN 8260ac Intég., front 2MP (FHD) and 5MP rear Kamera, Bluetooth 4.1 LE Intég., M.2 interface for internal storage, 10/100/1000 MBit Intel® LAN Chip, Intel® HD Audio, 2 digita arrayl microfones and 2 speaker integrated. Sensors: ambientlight, gyroscope, compass, G-Sensorand status LED., Interfaces: mini DP, Lect.cte SD, 1x bootable USB 3.0, optional SIM-Card reader for UMTS/LTE, Audio in/out (combined), Clavier Répliqueurs connector.	S26391-K418-V140	1264,71	



Fujitsu recommande Windows.

STYLISTIC V535

Fiche produit : <http://fr.fujitsu.com/stylistic>

La tablette STYLISTIC V535 de FUJITSU assure des niveaux inédits de productivité dans des contextes industriels. Elle est conçue pour les environnements difficiles grâce à sa résistance à l'eau et à la poussière, à sa légèreté, ainsi qu'à son écran de 21.0 cm (8.3 pouces) en verre renforcé. Grâce aux options exceptionnelles de connectivité et de navigation, notamment 4G/LTE, NFC, GPS et GLONASS, ainsi qu'à l'autonomie longue durée de la batterie, vous pouvez rester connecté où que vous soyez. Intégration simplifiée et sécurité optimale avec Windows 8.1 et TPM. Le concept Smart Shell de Fujitsu permet une adaptation parfaite aux exigences industrielles spécifiques.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
STYLISTIC V535 Industrial				
ST V535/Z3795/128GB /CK EU DU-DVD/	ST V535/Z3795/128GB /CK EU DU-DVD/ LIC W10 PRO/W10 PRO64 MAIN/	VFY:V5350M30AOFR	1342,35	
ST V535 LTE /LTE HUAWEI ME936/	ST V535 LTE /LTE HUAWEI ME936/ CK EU DU-DVD/LIC W10 PRO/W10 PRO64 MAIN/	VFY:V5350M30BOFR	1567,06	

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
STYLISTIC V535 Industrial				
STYLISTIC V535/64bit/Z3795/4GB/64GB	Spill proof (IP65) baseunit with 21 cm (8.3") TFT WUXGA (1920 x 1200) LED Display with toughened glas, dual digitizer capacitive multi-touch screen, Intel Baytrail Chipset with ATOM Z3795 Quadcore, 4 GB LPDDR3-1067 fixed RAM, WLAN 802.11abgn, TPM, integrated Intel HD graphics, Realtek HD Audio, 2 digital microfne and 2 integrated Stereo speakers, 8.0 Mpixel rear camera with light and autofocus, 2.0 Mpixel Web-Cam, 16.8Wh 2-cell batterie, ambient light sensor, giro, proximity-sensor, status LED . . . , Interfaces: MicroSD card reader, 1x USB 2.0, 1 x micro-USB (with charging only function), optional micro SIM card reader for LTE, audio in/out combo, (microfon, headset), docking connector, SmartCard reader optional, NFC, 64-bit OS	S26391-K411-V110	1068,24	
STYLISTIC V535/64bit/Z3795/4GB/128GB	STYLISTIC V535/64bit/Z3795/4GB/128GB	S26391-K411-V210	1209,41	



Fujitsu recommande Windows.

STYLISTIC V535		Fiche produit : http://fr.fujitsu.com/stylistic		
Description	Détails	Référence	Prix indicatif (€)	Remarques
Unités de Base				
STYLISTIC V535 Industrial (Suite)				
STYLISTIC V535/Z3795/4GB/128GB/LTE	Spill proof (IP65) baseunit with 21 cm (8.3") TFT WUXGA (1920 x 1200) LED Display with toughened glas, dual digitizer capacitive multi-touch screen, Intel Baytrail Chipset with ATOM Z3795 Quadcore, 4 GB LPDDR3-1067 fixed RAM. WLAN 802.11abgn, 4G/LTE, TPM, integrated Intel HD graphics, Realtek HD Audio, 2 digital microphone and 2 integrated Stereo speakers, 8.0 Mpixel rear camera with light and autofocus, 2.0 Mpixel Web-Cam, 16.8Wh 2-cell batterie, ambient light sensor, giro, proximity-sensor, status LED, , Interfaces: MicroSD card reader, 1x USB 2.0, 1 x micro-USB (with charging only function), optional micro SIM card reader for LTE, audio in/out combo, (microfon, headset), docking connector, SmartCard reader optional, NFC, 64-bit OS	S26391-K411-V310	1209,41	
STYLISTIC V535 Retail				
STYLISTIC V535/64bit/Z3795/4GB/64GB	STYLISTIC V535/64bit/Z3795/4GB/64GB	S26391-K411-V520	1068,24	
STYLISTIC V535/64bit/Z3795/4GB/128GB	STYLISTIC V535/64bit/Z3795/4GB/128GB	S26391-K411-V530	1209,41	

Mobility Opens New Horizons

FUJITSU Notebook LIFEBOOK



	ALL-ROUND				ADVANCED					SUPERIOR	
Fujitsu	LIFEBOOK A535	LIFEBOOK A536/ A536G	LIFEBOOK E546	LIFEBOOK E556	LIFEBOOK E736	LIFEBOOK E746	LIFEBOOK E756	LIFEBOOK U745	LIFEBOOK 3936	LIFEBOOK U904	
Category	Desktop replacement Windows 8.1 Pro Windows 7 Professional Windows 10 Pro (license + recovery/media only)	Desktop replacement Windows 10 Pro Windows 7 Professional	Desktop replacement Windows 10 Pro Windows 8.1 Pro Windows 7 Professional	Desktop replacement Windows 10 Pro Windows 8.1 Pro Windows 7 Professional	Ultra-portable Windows 10 Pro Windows 8.1 Pro Windows 7 Professional	Ultra-portable Windows 10 Pro Windows 8.1 Pro Windows 7 Professional	Ultrabook™ Windows 8.1 Pro Windows 7 Professional Windows 10 Pro (license + recovery/media only)	Ultrabook™ Windows 8.1 Pro Windows 7 Professional	Ultra-portable Windows 10 Pro Windows 8.1 Pro Windows 7 Professional	Ultrabook™ Windows 8.1 Pro Windows 7 Professional	
Operating System	5th Gen Intel® Core™ i3 processor	6th Gen Intel® Core™ i5 processor	6th Gen Intel® Core™ i7 and Core™ i5 vPro™ processors	6th Gen Intel® Core™ i7, vPro™ and Core™ i5 vPro™ processors	6th Gen Intel® Core™ i7, vPro™ and Core™ i5 vPro™ processors	6th Gen Intel® Core™ i7 vPro™ and Core™ i5 vPro™ processors	5th Gen Intel® Core™ i7 vPro™ and Core™ i5 vPro™ processors	6th Gen Intel® Core™ i7 vPro™ and Core™ i5 vPro™ processors	6th Gen Intel® Core™ i7 vPro™ and Core™ i5 vPro™ processors	4th Gen Intel® Core™ i7 vPro™ and Core™ i5 vPro™ processors	
Processor (up to)	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	
Chipset	Intel® Pro WD1	39.6 cm (15.6-inch), LED backlight, HD 1366 x 768 pixel, Anti-glare non-touch	35.6 cm (14.0-inch), LED backlight, HD 1336 x 768 pixel or Full HD 1920 x 1080 pixel, Anti-glare non-touch	39.6 cm (15.6-inch), LED backlight, HD 1336 x 768 pixel or Full HD 1920 x 1080 pixel, Anti-glare non-touch	33.8 cm (13.3-inch), LED backlight, HD 1366 x 768 pixel or Full HD 1920 x 1080 pixel, Anti-glare non-touch	35.6 cm (14.0-inch), LED backlight, HD 1366 x 768 pixel or Full HD 1920 x 1080 pixel, Anti-glare non-touch	39.6 cm (15.6-inch), LED backlight, HD 1366 x 768 pixel or Full HD 1920 x 1080 pixel, Anti-glare non-touch	35.6 cm (14.0-inch), LED backlight, HD+ 1800 x 900 pixel or Full HD 1920 x 1080 pixel, Anti-glare touch or non-touch	33.8 cm (13.3-inch), LED backlight, WQHD 2560 x 1440 pixel or Full HD 1920 x 1080 pixel, Anti-glare touch or anti-glare non-touch	35.6 cm (14.0-inch), LED backlight, WQHD+ 3200 x 1800 pixel, IGZO glass touch or anti-glare non-touch	
Display	Compound	Compound	Compound	Magnesium (lid), aluminum palm-vent	Magnesium (lid), aluminum palm-vent	Magnesium & aluminum	Magnesium & aluminum	Magnesium & aluminum	Magnesium & aluminum	Magnesium & aluminum	
Material	Intel® HD Graphics 5500	Intel® HD Graphics 5500+ AMD Radeon™ R7 M360	Intel® HD Graphics 520	Intel® HD Graphics 520	Intel® HD Graphics 520	Intel® HD Graphics 520	Intel® HD Graphics 5500	Intel® HD Graphics 520	Intel® HD Graphics 520	Intel® HD Graphics 4400	
Graphics	From 2.4 kg (5.3 lbs)	From 2.3 kg (5.1 lbs)	From 1.9 kg (4.2 lbs)	From 2.2 kg (4.9 lbs)	From 1.6 kg (3.5 lbs)	From 1.7 kg (3.7 lbs)	From 1.9 kg (4.2 lbs)	From 1.55 kg (3.42 lbs)	From 1.19 kg (2.62 lbs)	From 1.33 kg (3.1 lbs)	
Weight	Integrated WLAN, Bluetooth	Integrated WLAN, Bluetooth	4G LTE or 3G/LTE, WLAN, Bluetooth	4G LTE or 3G/LTE, WLAN, Bluetooth	4G LTE or 3G/LTE, WLAN, Bluetooth	4G LTE or 3G/LTE, WLAN, Bluetooth	4G LTE or 3G/LTE, WLAN, Bluetooth	4G LTE or 3G/LTE, WLAN, Bluetooth	NFC, 4G LTE or 3G/LTE, WLAN, Bluetooth	4G LTE or 3G/LTE, WLAN, Bluetooth	
Wireless Connectivity	*DVD Super Multi, weight saver	*DVD Super Multi, weight saver	2nd hard disk drive, DVD Super Multi, weight saver	2nd hard disk drive, DVD Super Multi, weight saver	2nd battery, 2nd HDD, Blu-Ray Disc™ Triple Writer, DVD Super Multi, weight saver	2nd battery, 2nd HDD, Blu-Ray Disc™ Triple Writer, DVD Super Multi, weight saver	2nd battery, 2nd HDD, Blu-Ray Disc™ Triple Writer, DVD Super Multi, weight saver	2nd battery, 2nd HDD, Blu-Ray Disc™ Triple Writer, DVD Super Multi, weight saver	2nd battery, 2nd HDD, Blu-Ray Disc™ Triple Writer, DVD Super Multi, weight saver	HDD, LAN, 2x USB, memory/SIM/SmartCard slot, audio, DC-in	
Modular bay options Optical drive options*	VGA, HDMI, LAN, 3x USB, audio, DC-in, memory slots up to 8 h	VGA, HDMI, LAN, 3x USB, audio, DC-in, memory slots up to 11 h*	VGA, DP, LAN, 3x USB, memory/SIM/SmartCard slot, audio, DC-in, optional Serial (RS-232) up to 12 h*	VGA, DP, LAN, 3x USB, memory/SIM/SmartCard slot, audio, DC-in up to 12 h*	VGA, HDMI, DP, LAN, 4x USB, memory/SIM/SmartCard slot, audio, DC-in up to 14 h, up to 19 h*	VGA, DP, LAN, 3x USB, memory/SIM/SmartCard slot, audio, DC-in up to 12 h*	VGA, DP, LAN, 3x USB, memory/SIM/SmartCard slot, audio, DC-in up to 12 h*	VGA, DP, LAN, 3x USB, memory/SIM/SmartCard slot, audio, DC-in up to 12 h*	VGA, DP, LAN, 3x USB, memory/SIM/SmartCard slot, audio, DC-in up to 18 h, up to 24 h*	HDMI, LAN, 2x USB, memory/SIM slot, audio, DC-in up to 10 h	
Interface	Port replicator	Port replicator	Port replicator	Port replicator	Port replicator	Port replicator	Port replicator	Port replicator	Port replicator	Port replicator	
Runtime 1zr / 2nd battery	Fingerprint sensor option	Fingerprint sensor option	Fingerprint sensor option	Fingerprint sensor option	Fingerprint sensor option	Fingerprint sensor option	Fingerprint sensor option	Fingerprint sensor option	Fingerprint sensor option	Fingerprint sensor option	
Runtime 1zr / 2nd battery	Face vein sensor option	Face vein sensor option	Face vein sensor option	Face vein sensor option	Face vein sensor option	Face vein sensor option	Face vein sensor option	Face vein sensor option	Face vein sensor option	Face vein sensor option	
Port replicator	Q-Mobit AC adapter option	Q-Mobit AC adapter option	Q-Mobit AC adapter option	Q-Mobit AC adapter option	Q-Mobit AC adapter option	Q-Mobit AC adapter option	Q-Mobit AC adapter option	Q-Mobit AC adapter option	Q-Mobit AC adapter option	Q-Mobit AC adapter option	
Face vein sensor option	Q-Mobit AC adapter option	Q-Mobit AC adapter option	Q-Mobit AC adapter option	Q-Mobit AC adapter option	Q-Mobit AC adapter option	Q-Mobit AC adapter option	Q-Mobit AC adapter option	Q-Mobit AC adapter option	Q-Mobit AC adapter option	Q-Mobit AC adapter option	
Q-Mobit AC adapter option	Note *	Note *	Note *	Note *	Note *	Note *	Note *	Note *	Note *	Note *	

* Battery MobilityLife™ 2014 (office productivity)



Fujitsu recommande Windows.

LIFEBOOK A555

Fiches produit : <http://fr.fujitsu.com/lifebook>

Si vous recherchez un ordinateur portable robuste, fiable et polyvalent, le Fujitsu LIFEBOOK A555 est le choix idéal. L'écran LCD haute définition de 39,6 cm (15,6") mat, idéal en extérieur, facilite votre travail. Connexions WLAN et Bluetooth® intégrées, clavier avec pavé numérique intégré, fonctionnalité USB Charge et webcam commutable pour une meilleure ergonomie.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK A555				
LB A555 I3 /2x4GB DDR3/DVD SM/HDD 500GB/	LB A555 I3 /2x4GB DDR3/DVD SM/HDD 500GB/ WLAN DUAL BAND/CK INT/AC 19V EU/ KB BLK FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	LKN:A5550M0007FR	877,65	
LB A555 I3 /4GB DDR3/DVD SM/HDD 500GB/	LB A555 I3 /4GB DDR3/DVD SM/HDD 500GB/ WLAN DUAL BAND/CK INT/AC 19V EU/ KB BLK FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	LKN:A5550M0008FR	861,18	
LB A555 I3 /4GB DDR3/HDD 500GB/	LB A555 I3 /4GB DDR3/HDD 500GB/ WLAN DUAL BAND/CK INT/AC 19V EU/ KB BLK FR/LIC W10 PRO/W10 PRO64 MAIN/ RDVD W10 PRO64/	LKN:A5550M0010FR	836,47	
LB A555 I3 /4GB DDR3/DVD SM/	LB A555 I3 /4GB DDR3/DVD SM/ SSHD 500GB 8BG/WLAN DUAL BAND/CK INT/ AC 19V EU/KB BLK FR/NO OS/	LKN:A5550M0011FR	721,18	
LB A555 I3 /4GB DDR3/DVD SM/SSD 128GB/	LB A555 I3 /4GB DDR3/DVD SM/SSD 128GB/ WLAN N7265/CK INT/AC 19V EU/KB BLK FR/ LIC W10 PRO/W10 PRO64 MAIN/ RDVD W10 PRO64/	LKN:A5550M0012FR	862,35	
LB A555 I3 /4GB DDR3/DVD SM/HDD 500GB/	LB A555 I3 /4GB DDR3/DVD SM/HDD 500GB/ WLAN DUAL BAND/CK INT/AC 19V EU/ KB BLK FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/	LKN:A5550M0013FR	844,71	



Fujitsu recommande Windows.

LIFEBOOK A555 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK A555 (Suite)				
LB A555 I3 /4GB DDR3/DVD SM/HDD 500GB/	LB A555 I3 /4GB DDR3/DVD SM/HDD 500GB/ WLAN N7265/TPM/CK INT/AC 19V EU/ KB BLK FR/LIC W10 PRO/W10 PRO64 MAIN/ RDVD W10 PRO64/	VFY:A5550M330OFR	516,47	
LB A555 I3 /2x4GB DDR3/DVD SM/HDD 500GB/	LB A555 I3 /2x4GB DDR3/DVD SM/HDD 500GB/ WLAN N7265/TPM/CK INT/AC 19V EU/ KB BLK FR/LIC W10 PRO/W10 PRO64 MAIN/ RDVD W10 PRO64/	VFY:A5550M331OFR	563,53	
LB A555 I3 /8GB DDR3/DVD SM/SSD 256GB/	LB A555 I3 /8GB DDR3/DVD SM/SSD 256GB/ WLAN N7265/TPM/CK INT/AC 19V EU/ KB BLK FR/LIC W10 PRO/W10 PRO64 MAIN/ RDVD W10 PRO64/	VFY:A5550M332OFR	645,88	
LB A555 I3 /4GB DDR3/DVD SM/HDD 500GB/	LB A555 I3 /4GB DDR3/DVD SM/HDD 500GB/ WLAN N7265/TPM/CK INT/AC 19V EU/ KB BLK FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:A5550M730OFR	516,47	
LB A555 I3 /2x4GB DDR3/DVD SM/HDD 500GB/	LB A555 I3 /2x4GB DDR3/DVD SM/HDD 500GB/ WLAN N7265/TPM/CK INT/AC 19V EU/ KB BLK FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:A5550M731OFR	563,53	
LB A555 I3 /BIS A555/8GB DDR3/DVD SM/	LB A555 I3 /BIS A555/8GB DDR3/DVD SM/ HDD 500GB/WLAN N7265/CK INT/AC 19V IND/ KB BLK US/NO OS/	VFY:A5550M83A5IN	722,35	

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
LIFEBOOK A555				
LIFEBOOK A555 I3		S26391-K404-V500	524,71	



Fujitsu recommande Windows.

LIFEBOOK A556

Fiches produit : <http://fr.fujitsu.com/lifebook>

Si vous recherchez un ordinateur portable robuste, fiable et polyvalent, le Fujitsu LIFEBOOK A556 est le choix idéal. L'écran LCD haute définition de 39,6 cm (15,6") mat, idéal en extérieur, facilite votre travail. Connexions WLAN et Bluetooth® intégrées, clavier avec pavé numérique intégré, fonctionnalité USB Charge et webcam commutable pour une meilleure ergonomie

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK A556				
LB A556 I5 /4 GB DDR4/DVD SM/HDD 1TB/	LB A556 I5 /4 GB DDR4/DVD SM/HDD 1TB/ WLAN DUAL BAND/CK INT/AC 19V EU/ KB FR BLACK/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO64/	LKN:A5560M0001FR	1068,24	
LB A556 I5 /8 GB DDR4/DVD SM/SSD 256GB/	LB A556 I5 /8 GB DDR4/DVD SM/SSD 256GB/ WLAN DUAL BAND/TPM 2.0/CK INT/AC 19V EU/ KB DE BLACK/OEM H+B 2016/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:A5560M0002FR	1389,41	
LB A556 I5 /4 GB DDR4/DVD SM/HDD 1TB/	LB A556 I5 /4 GB DDR4/DVD SM/HDD 1TB/ WLAN DUAL BAND/CK INT/AC 19V US/ KB FR BLACK/NO OS/	LKN:A5560M0003FR	920,00	
LB A556 I5 /8 GB DDR4/SSD 128GB/NO WL/	LB A556 I5 /8 GB DDR4/SSD 128GB/NO WL/ CK GB/AC 19V GB/KB GB BLACK/ OEM H+B 2016/LIC W10 PRO/W10 PRO64 MAIN/ RDVD W10 PRO64/	LKN:A5560M0004FR	1300,00	
LB A556 I5 /4 GB DDR4/DVD SM/HDD 1TB/	LB A556 I5 /4 GB DDR4/DVD SM/HDD 1TB/ WLAN DUAL BAND/CK INT/AC 19V EU/ KB FR BLACK/NO OS/	LKN:A5560M0005FR	908,24	



Fujitsu recommande Windows.

LIFEBOOK A556 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK A556 (Suite)				
LB A556 I5 /4 GB DDR4/DVD SM/HDD 500GB/	LB A556 I5 /4 GB DDR4/DVD SM/HDD 500GB/ WLAN DUAL BAND/CK INT/AC 19V EU/ KB GB BLACK/LIC W10 PRO/W10 PRO64 MAIN/ RDVD W10 PRO64/	LKN:A5560M0006FR	1024,71	
LB A556 I5 /8 GB DDR4/DVD SM/SSD 256GB/	LB A556 I5 /8 GB DDR4/DVD SM/SSD 256GB/ WLAN DUAL BAND/CK INT/AC 19V EU/ KB FR BLACK/POWER DVD12/NERO 2016/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:A5560M0007FR	1142,35	
LB A556 I5 /8 GB DDR4/DVD SM/SSD 256GB/	LB A556 I5 /8 GB DDR4/DVD SM/SSD 256GB/ WLAN DUAL BAND/CK INT/AC 19V EU/ KB FR BLACK/POWER DVD12/NERO 2016/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:A5560M0008FR	1142,35	
LB A556 I5 /4 GB DDR4/DVD SM/HDD 500GB/	LB A556 I5 /4 GB DDR4/DVD SM/HDD 500GB/ WLAN 7265 B/G/N/CK INT/AC 19V EU/ KB FR BLACK/LIC W10 PRO/W10 PRO64 MAIN/	LKN:A5560M0011FR	1020,00	
LB A556 I5 /4 GB DDR4/DVD SM/HDD 500GB/	LB A556 I5 /4 GB DDR4/DVD SM/HDD 500GB/ WLAN DUAL BAND/TPM 2.0/CK INT/AC 19V EU/ KB FR BLACK/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO64/	Vfy:A5560M850OFR	669,41	
LB A556 I5 /8 GB DDR4/DVD SM/SSD 256GB/	LB A556 I5 /8 GB DDR4/DVD SM/SSD 256GB/ WLAN DUAL BAND/TPM 2.0/CK INT/AC 19V EU/ KB FR BLACK/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO64/	Vfy:A5560M854OFR	763,53	
LB A556 I5 /8 GB DDR4/DVD SM/HDD 1TB/	LB A556 I5 /8 GB DDR4/DVD SM/HDD 1TB/ WLAN DUAL BAND/TPM 2.0/CK INT/AC 19V EU/ KB FR BLACK/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO64/	Vfy:A5560M85AOFR	716,47	



Fujitsu recommande Windows.

LIFEBOOK A556

Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
-------------	---------	-----------	--------------------	-----------

Configurations Standards

LIFEBOOK A556 (Suite)

Description	Détails	Référence	Prix Indicatif (€)	Remarques
-------------	---------	-----------	--------------------	-----------

Unités de Base

LIFEBOOK A556

LIFEBOOK A556 i5	LCD 15,6" Anti-Glare HD(1366 x 768) LED Backlight, Intel® Core i5-6200U processor with integrated Intel® HD520 Graphics, DDR4-2133 MHz (2 DIMM slots), Gigabit (10/100/1000 Mbit)-LAN, integrated WLAN and Bluetooth V4.1,SD/SDHC/SDXC card reader, HD-camera with integrated digital microphone, touchpad, Kensington lock slot, , 3cell batterie (4170mAh), Interfaces: VGA , HDMI, 1x USB 2.0, 3x USB 3.0, RJ45 for LAN, audio in/out combi, , SD card slot, , Driver and Utility DVD (DUDVD)	S26391-K416-V620	704,71	
------------------	--	------------------	--------	--



Fujitsu recommande Windows.

LIFEBOOK A557

Fiches produit : <http://fr.fujitsu.com/lifebook>

Si vous recherchez un ordinateur portable robuste, fiable et polyvalent, le Fujitsu LIFEBOOK A557 est le choix idéal. L'écran LCD haute définition de 39,6 cm (15,6") mat, idéal en extérieur, facilite votre travail. Connexions WLAN et Bluetooth® intégrées, clavier avec pavé numérique intégré, fonctionnalité USB Charge et webcam commutable pour une meilleure ergonomie

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK A557				
LB A557 HD /4 GB DDR4/DVD SM/HDD 500GB/	LB A557 HD /4 GB DDR4/DVD SM/HDD 500GB/ CK INT/19V/65W KIT EU/KB BLK FR/ LIC W10 PRO/W10 PRO64 MAIN/ RDVD W10 PRO64/	VFY:A5570M350OFR	1023,53	
LB A557 HD /8 GB DDR4/DVD SM/HDD 1TB/	LB A557 HD /8 GB DDR4/DVD SM/HDD 1TB/ CK INT/19V/65W KIT EU/KB BLK FR/ LIC W10 PRO/W10 PRO64 MAIN/ RDVD W10 PRO64/	VFY:A5570M352OFR	1078,82	
LB A557 HD /8 GB DDR4/DVD SM/SSD 256GB/	LB A557 HD /8 GB DDR4/DVD SM/SSD 256GB/ CK INT/19V/65W KIT EU/KB BLK FR/ LIC W10 PRO/W10 PRO64 MAIN/ RDVD W10 PRO64/	VFY:A5570M354OFR	1121,18	

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
LIFEBOOK A557				
LIFEBOOK A557 I5 HD	LCD 15,6" Anti-Glare HD (1366 x 768) LED Backlight, Intel® Core i5-7200U with integrated Intel® HD Graphics 620, DDR4-2133 MHz (2 DIMM slots), Intel WLAN dual band-AC7265, Gigabit (10/100/1000 Mbit)-LAN, integrated WLAN and Bluetooth V4.0, TPM 2.0 functionality (Intel PTT), SD/SDHC/SDXC card reader, HD-camera with integrated dig. mic and 0.92M pixels, touchpad, Kensington lock slot, 6cell batt (48wh), Interfaces: VGA, HDMI, 1x USB 2.0, 3x USB 3.0, RJ45 for LAN, audio combi, SD card slot, Driver and Utility DVD (DUDVD)	S26391-K423-V720	717,65	



Fujitsu recommande Windows.

LIFEBOOK A557

Fiches produit : <http://fr.fujitsu.com/lifebook>

LIFEBOOK A557 I5 FHD	LCD 15,6" Anti-Glare FHD (1920 x 1200) LED Backlight, Intel® Core i5-7200U with integrated Intel® HD Graphics 620, DDR4-2133 MHz (2 DIMM slots), Intel WLAN dual band-AC7265, Gigabit (10/100/1000 Mbit)-LAN, integrated WLAN and Bluetooth V4.0, TPM 2.0 functionality (Intel PTT), SD/SDHC/SDXC card reader, FHD-camera with integrated dig. mic and 2M pixels, touchpad, Kensington lock slot, 6cell batt (48wh), Interfaces: VGA, HDMI, 1x USB 2.0, 3x USB 3.0, RJ45 for LAN, audio combi, SD card slot, Driver and Utility DVD (DUDVD)	S26391-K423-V725	752,94	
----------------------	---	------------------	--------	--



Fujitsu recommande Windows.

LIFEBOOK E544

Fiches produit : <http://fr.fujitsu.com/lifebook>

L'ordinateur portable LIFEBOOK E544 de FUJITSU avec son écran de 35,6 cm (14 pouces) pour un poids de 1,9 kg (4,19 livres) est un produit fiable pour les environnements professionnels nécessitant des ordinateurs portables performants. Il est doté de fonctionnalités professionnelles complètes, avec réplicateur de ports et options de baie modulaire, parallèlement à un excellent

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E544				
LB E544 HM86 /14.0' HD+/I5-4210M/8 GB/ DVD SM/SSD 128GB/INT N7260 BGN BT/ 2X MIC & CAM/TPM/CK INT/AC 19V/65W/ 2P AC 19V/90W/BATT. 6CELL 72WH/2xCBL EU/		LKN:E5440M0032FR	1478,82	
LB E544 HM86 /14.0' HD+/I5-4210M/4 GB/ DVD SM/SSD 256GB/INT N7260 BGN BT/ UMTS EM8805/UMTS/LTE ANT/2X MIC & CAM/ CK INT/AC 19V/65W/1ST BATT 63WH/CBL EU/		VFY:E5440M752OFR	1474,12	

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
LIFEBOOK E544				
LIFEBOOK E544 HM86	Base unit, Intel HM86Chipset, supports Dual Channel DDR3L 1600MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drive, 2nd hard disk (S-ATA-II) or weight saver. Mobile Intel® HD4600 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit, Realtek High Definition Audio, LED Status display, application buttons, Kensington Lock connector., Interfaces: 1x Smart Card Reader (optional), 1x Lect.cte SD, 1x VGA, 1x Displayport, 3x USB 3.0 (1 with anytime charging functionality), 1x RJ45 for LAN, 1x audio in, 1x audio out, docking connector., >> Please do not forget to configure the AC Adapter (65W for system; 80 & 90W for portrep), AC Cable & 1st Battery extra., >> Please as well check out the numerous accessories, such as Sleeve Cases, Port replicators, extra batteries, ..	S26391-K400-V100	503,53	



Fujitsu recommande Windows.

LIFEBOOK E546

Fiches produit : <http://fr.fujitsu.com/lifebook>

L'ordinateur portable LIFEBOOK E546 de FUJITSU dispose d'un écran de 39,6 cm (15,6 pouces) pour un poids de 2,2 kg (4,85 livres) permettant de travailler confortablement n'importe où. Il est doté de fonctionnalités professionnelles complètes, ainsi que d'un excellent système de sécurité et d'une connectivité hors pair. Ceci en fait un ordinateur professionnel fiable spécifiquement adapté aux tâches les plus exigeantes.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E546				
LB E546 NON-VPRO /14.0' HD/15-6200U/	LB E546 NON-VPRO /14.0' HD/15-6200U/ 4 GB/DVD SUPER MULTI/SSD 256GB/ INT AC8260 AC+BT/UMTS/LTE ANT/ LTE EM7305/2X MIC & CAM/CK INT/	LKN:E5460M0001FR	1487,06	
LB E546 NON-VPRO /14.0' HD/15-6300U/	LB E546 NON-VPRO /14.0' HD/15-6300U/ 4 GB/DVD SUPER MULTI/500GB 7.2K/ INT AC8260 AC+BT/2X MIC & CAM/TPM 2.0/ SC SLOT/CK INT/3P AC 19V/65W SL/	LKN:E5460M0002FR	1500,00	
LB E546 NON-VPRO /14.0' FHD/15-6200U/	LB E546 NON-VPRO /14.0' FHD/15-6200U/ 8 GB/DVD SUPER MULTI/SSD 128GB/ INT AC8260 AC+BT/2X MIC & CAM/TPM 2.0/ CK INT/3P AC 19V/65W SL/3P AC 19V/90W/	LKN:E5460M0003FR	1561,18	
LB E546 NON-VPRO /14.0' FHD/15-6200U/	LB E546 NON-VPRO /14.0' FHD/15-6200U/ 8 GB/DVD SUPER MULTI/SSD 128GB/ INT AC8260 AC+BT/2X MIC & CAM/TPM 2.0/ CK INT/3P AC 19V/65W SL/3P AC 19V/90W/	LKN:E5460M0004FR	1563,53	
LB E546 NON-VPRO /14.0' HD/13-6100U/	LB E546 NON-VPRO /14.0' HD/13-6100U/ 8 GB/DVD SUPER MULTI/500GB 5.4K/ INT AC8260 AC+BT/2X MIC & CAM/CK INT/ 3P AC 19V/65W SL/1ST BATT 63WH/	LKN:E5460M0005FR	1263,53	
LB E546 NON-VPRO /14.0' HD/13-6100U/	LB E546 NON-VPRO /14.0' HD/13-6100U/ 4 GB/DVD SUPER MULTI/500GB 5.4K/ INT AC8260 AC+BT/2 MIC/CK INT/ 3P AC 19V/65W SL/3P AC 19V/90W/	LKN:E5460M0006FR	1320,00	
LB E546 NON-VPRO /14.0' HD/15-6200U/	LB E546 NON-VPRO /14.0' HD/15-6200U/ 8 GB/WEIGHT SAVER/SSD 128GB/ INT AC8260 AC+BT/2X MIC & CAM/CK INT/ 3P AC 19V/65W SL/1ST BATT 63WH/	LKN:E5460M0007FR	1335,29	
LB E546 NON-VPRO /14.0' HD/15-6200U/	LB E546 NON-VPRO /14.0' HD/15-6200U/ 8 GB/WEIGHT SAVER/SSD 256GB/ INT AC8260 AC+BT/2X MIC & CAM/CK INT/ 3P AC 19V/65W SL/1ST BATT 63WH/	VFY:E5460M352OFR	1081,18	
LB E546 NON-VPRO /14.0' HD/15-6200U/	LB E546 NON-VPRO /14.0' HD/15-6200U/ 8 GB/WEIGHT SAVER/SSD 256GB/ INT AC8260 AC+BT/2X MIC & CAM/CK INT/ 3P AC 19V/65W SL/1ST BATT 63WH/	VFY:E5460M353OFR	1371,76	
LB E546 NON-VPRO /14.0' HD/15-6200U/	LB E546 NON-VPRO /14.0' HD/15-6200U/ 4 GB/WEIGHT SAVER/SSHD 500GB 5.4K/ INT AC8260 AC+BT/2X MIC & CAM/TPM 2.0/ CK INT/3P AC 19V/65W SL/1ST BATT 63WH/	VFY:E5460M35ABFR	881,18	
LB E546 /14.0' HD/15-6200U/4 GB/	LB E546 /14.0' HD/15-6200U/4 GB/ WEIGHT SAVER/500GB 5.4K/ INT AC8260 AC+BT/2X MIC & CAM/CK INT/ 3P AC 19V/65W SL/1ST BATT 63WH/	VFY:E5460M750OFR	881,18	



Fujitsu recommande Windows.

LIFEBOOK E546

Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
-------------	---------	-----------	--------------------	-----------

Configurations Standards

LIFEBOOK E546 (Suite)

LB E546 /14.0' HD/I5-6200U/8 GB/	LB E546 /14.0' HD/I5-6200U/8 GB/ WEIGHT SAVER/SSD 256GB/INT AC8260 AC+BT/ 2X MIC & CAM/CK INT/3P AC 19V/65W SL/ 1ST BATT 63WH/3PIN CABLE EU/	VFY:E5460M752OFR	1081,18	
----------------------------------	--	------------------	---------	--

Description	Détails	Référence	Prix Indicatif (€)	Remarques
-------------	---------	-----------	--------------------	-----------

Unités de Base

LIFEBOOK E546

LIFEBOOK E546 non-vPro	Base unit, supports Dual Channel DDR4 2133MHz PC17000 RAM (2 DIMM slots). Modular bay concept for optical drive, 2nd hard disk (S-ATA-II) or weight saver. Mobile Intel® HD520 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit, Realtek High Definition Audio, LED Status display, application buttons, Kensington Lock connector., Interfaces: 1x Smart Card Reader (optional), 1x Lect.cte SD, 1x VGA, 1x Displayport, 3x USB 3.0 (1 with anytime charging functionality), 1x RJ45 for LAN, 1x audio in, 1x audio out, docking connector., >> Please do not forget to configure the AC Adapter (65W for system; 80 & 90W for portrep), AC Cable & 1st Battery extra., >> Please as well check out the numerous accessories, such as Sleeve Cases, Port replicators, extra batteries, ..	S26391-K441-V100	484,71	
------------------------	---	------------------	--------	--



Fujitsu recommande Windows.

LIFEBOOK E546

Fiches produit : <http://fr.fujitsu.com/lifebook>

LIFEBOOK E546 vPro	Base unit, prepared for Intel vPro technology and iAMT 11.0, supports Dual Channel DDR4 2133MHz PC17000 RAM (2 DIMM slots). Modular bay concept for optical drive, 2nd hard disk (S-ATA-II) or weight saver. Mobile Intel® HD520 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit, Realtek High Definition Audio, LED Status display, application buttons, Kensington Lock connector., Interfaces: 1x Smart Card Reader (optional), 1x Lect.cte SD, 1x VGA, 1x Displayport, 3x USB 3.0 (1 with anytime charging functionality), 1x RJ45 for LAN, 1x audio in, 1x audio out, docking connector., >> Please do not forget to configure the AC Adapter (65W for system; 80 & 90W for portrep), AC Cable & 1st Battery extra., >> Please as well check out the numerous accessories, such as Sleeve Cases, Port replicators, extra batteries, ..., >> Info: vPro logo requires Intel Core i5-63xx or better CPU, Intel 8260 ac W-LAN & TPM module.	S26391-K441-V200	508,24
--------------------	---	------------------	--------



Fujitsu recommande Windows.

LIFEBOOK E556

Fiches produit : <http://fr.fujitsu.com/lifebook>

L'ordinateur portable LIFEBOOK E556 de FUJITSU dispose d'un écran de 39,6 cm (15,6 pouces) pour un poids de 2,2 kg (4,85 livres) permettant de travailler confortablement n'importe où. Il est doté de fonctionnalités professionnelles complètes, ainsi que d'un excellent système de sécurité et d'une connectivité hors pair. Ceci en fait un ordinateur professionnel fiable spécifiquement adapté aux tâches

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
LIFEBOOK E556					
LB E556 NON-VPRO /15.6' HD/I3-6100U/	LB E556 NON-VPRO /15.6' HD/I3-6100U/ 8 GB/DVD SUPER MULTI/500GB 7.2K/ INT AC8260 AC+BT/2 MIC/CK INT/ 3P AC 19V/90W/1ST BATT 63WH/		LKN:E5560M0001FR	1261,18	
LB E556 NON-VPRO /RS232/15.6' FHD/	LB E556 NON-VPRO /RS232/15.6' FHD/ I5-6300U/2x8 GB/DVD SUPER MULTI/ SSD 512GB OPAL/INT AC8260 AC+BT/ UMTS/LTE ANT/LTE EM7305/2X MIC & CAM/		LKN:E5560M0001IN	2023,53	
LB E556 NON-VPRO /RS232/15.6' HD/	LB E556 NON-VPRO /RS232/15.6' HD/ I3-6100U/4 GB/DVD SUPER MULTI/ 500GB 5.4K/INT AC8260 AC+BT/ 2X MIC & CAM/CK INT/3P AC 19V/65W SL/		LKN:E5560M0002FR	1344,71	
LB E556 NON-VPRO /RS232/15.6' FHD/	LB E556 NON-VPRO /RS232/15.6' FHD/ I5-6300U/2x8 GB/DVD SUPER MULTI/ SSD 512GB OPAL/INT AC8260 AC+BT/ UMTS/LTE ANT/LTE EM7305/2X MIC & CAM/		LKN:E5560M0002IN	2023,53	
LB E556 NON-VPRO /15.6' HD/I5-6200U/	LB E556 NON-VPRO /15.6' HD/I5-6200U/ 8 GB/DVD SUPER MULTI/500GB 7.2K/ INT AC8260 AC+BT/2 MIC/CK INT/ 3P AC 19V/90W/1ST BATT 63WH/		LKN:E5560M0003FR	1344,71	



Fujitsu recommande Windows.

LIFEBOOK E556

Fiches produit : <http://fr.fujitsu.com/lifebook>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
LIFEBOOK E556 (Suite)					
LB E556 NON-VPRO /RS232/15.6' FHD/	LB E556 NON-VPRO /RS232/15.6' FHD/ I5-6300U/2x8 GB/DVD SUPER MULTI/ SSD 512GB OPAL/INT AC8260 AC+BT/ UMTS/LTE ANT/LTE EM7305/2X MIC & CAM/	LKN:E5560M0003IN	2023,53		
LB E556 VPRO /RS232/15.6' HD/I5-6300U/	LB E556 VPRO /RS232/15.6' HD/I5-6300U/ 4 GB/DVD SUPER MULTI/SSD 256GB/ INT AC8260 AC+BT/2X MIC & CAM/TPM 2.0/ CK INT/2x3P AC 19V/90W/BATT. 6CELL 72WH/	LKN:E5560M0004FR	1625,88		
LB E556 NON-VPRO /RS232/15.6' FHD/	LB E556 NON-VPRO /RS232/15.6' FHD/ I5-6300U/2x8 GB/DVD SUPER MULTI/ SSD 512GB OPAL/INT AC8260 AC+BT/ UMTS/LTE ANT/LTE EM7305/2X MIC & CAM/	LKN:E5560M0004IN	2023,53		
LB E556 VPRO /RS232/15.6' HD/I5-6300U/	LB E556 VPRO /RS232/15.6' HD/I5-6300U/ 4 GB/DVD SUPER MULTI/SSD 256GB/ INT AC8260 AC+BT/2X MIC & CAM/TPM 2.0/ CK INT/2x3P AC 19V/90W/BATT. 6CELL 72WH/	LKN:E5560M0005FR	1625,88		
LB E556 NON-VPRO /RS232/15.6' FHD/	LB E556 NON-VPRO /RS232/15.6' FHD/ I5-6300U/2x8 GB/DVD SUPER MULTI/ SSD 512GB OPAL/INT AC8260 AC+BT/ UMTS/LTE ANT/LTE EM7305/2X MIC & CAM/	LKN:E5560M0005IN	2025,88		
LB E556 NON-VPRO /15.6' HD/I5-6200U/	LB E556 NON-VPRO /15.6' HD/I5-6200U/ 8 GB/DVD SUPER MULTI/500GB 7.2K/ INT AC8260 AC+BT/2X MIC & CAM/CK INT/ 3P AC 19V/65W SL/1ST BATT 63WH/	LKN:E5560M0006FR	1344,71		
LB E556 NON-VPRO /RS232/15.6' FHD/	LB E556 NON-VPRO /RS232/15.6' FHD/ I5-6300U/2x8 GB/DVD SUPER MULTI/ SSD 512GB OPAL/INT AC8260 AC+BT/ UMTS/LTE ANT/LTE EM7305/2X MIC & CAM/	LKN:E5560M0006IN	2023,53		



Fujitsu recommande Windows.

LIFEBOOK E556

Fiches produit : <http://fr.fujitsu.com/lifebook>

Modèle Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E556 (Suite)				
LB E556 VPRO /RS232/15.6' FHD/I5-6300U/	LB E556 VPRO /RS232/15.6' FHD/I5-6300U/ 16 GB/DVD SUPER MULTI/SSHD 500GB 5.4K/ INT AC8260 AC+BT/2X MIC & CAM/FIP/ TPM 2.0/CK INT/3P AC 19V/80W (0W)/	LKN:E5560M0007FR	1576,47	
LB E556 NON-VPRO /RS232/15.6' FHD/	LB E556 NON-VPRO /RS232/15.6' FHD/ I5-6300U/2x8 GB/DVD SUPER MULTI/ SSD 512GB OPAL/INT AC8260 AC+BT/ UMTS/LTE ANT/LTE EM7305/2X MIC & CAM/	LKN:E5560M0007IN	2023,53	
LB E556 NON-VPRO /15.6' FHD/I5-6200U/	LB E556 NON-VPRO /15.6' FHD/I5-6200U/ 8 GB/WEIGHT SAVER/SSHD 500GB 5.4K/ INT AC8260 AC+BT/UMTS/LTE ANT/ LTE EM7305/2X MIC & CAM/CK INT/	LKN:E5560M0008FR	1525,88	
LB E556 NON-VPRO /RS232/15.6' FHD/	LB E556 NON-VPRO /RS232/15.6' FHD/ I5-6300U/2x8 GB/DVD SUPER MULTI/ SSD 512GB OPAL/INT AC8260 AC+BT/ UMTS/LTE ANT/LTE EM7305/2X MIC & CAM/	LKN:E5560M0008IN	2023,53	
LB E556 NON-VPRO /15.6' FHD/I5-6200U/	LB E556 NON-VPRO /15.6' FHD/I5-6200U/ 4 GB/DVD SUPER MULTI/SSD 128GB/ INT AC8260 AC+BT/2X MIC & CAM/FIP/ CK INT/3P AC 19V/65W SL/1ST BATT 63WH/	LKN:E5560M0009FR	1232,94	
LB E556 NON-VPRO /RS232/15.6' FHD/	LB E556 NON-VPRO /RS232/15.6' FHD/ I5-6300U/2x8 GB/DVD SUPER MULTI/ SSD 512GB OPAL/INT AC8260 AC+BT/ UMTS/LTE ANT/LTE EM7305/2X MIC & CAM/	LKN:E5560M0009IN	2023,53	
LB E556 NON-VPRO /15.6' HD/I3-6100U/	LB E556 NON-VPRO /15.6' HD/I3-6100U/ 4 GB/DVD SUPER MULTI/SSHD 500GB 5.4K/ INT AC8260 AC+BT/2X MIC & CAM/CK INT/ 3P AC 19V/65W SL/3P AC 19V/90W/	LKN:E5560M0010FR	1395,29	



Fujitsu recommande Windows.

LIFEBOOK E556

Fiches produit : <http://fr.fujitsu.com/lifebook>

Modèle	Description	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E556 (Suite)				
LB E556 NON-VPRO /RS232/15.6' FHD/	LB E556 NON-VPRO /RS232/15.6' FHD/ I5-6300U/2x8 GB/DVD SUPER MULTI/ SSD 512GB OPAL/INT AC8260 AC+BT/ UMTS/LTE ANT/LTE EM7305/2X MIC & CAM/	LKN:E5560M0010IN	2023,53	
LB E556 NON-VPRO /RS232/15.6' HD/	LB E556 NON-VPRO /RS232/15.6' HD/ I5-6300U/4 GB/DVD SUPER MULTI/ 500GB 7.2K/INT AC8260 AC+BT/ 2X MIC & CAM/TPM 2.0/SC SLOT/CK INT/	LKN:E5560M0011FR	1520,00	
LB E556 NON-VPRO /RS232/15.6' FHD/	LB E556 NON-VPRO /RS232/15.6' FHD/ I5-6300U/2x8 GB/DVD SUPER MULTI/ SSD 512GB OPAL/INT AC8260 AC+BT/ UMTS/LTE ANT/LTE EM7305/2X MIC & CAM/	LKN:E5560M0011IN	2023,53	
LB E556 NON-VPRO /15.6' HD/I5-6200U/	LB E556 NON-VPRO /15.6' HD/I5-6200U/ 4 GB/DVD SUPER MULTI/SSHD 500GB 5.4K/ INT AC8260 AC+BT/2X MIC & CAM/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 49WH/	LKN:E5560M0012FR	1317,65	
LB E556 NON-VPRO /RS232/15.6' FHD/	LB E556 NON-VPRO /RS232/15.6' FHD/ I5-6300U/2x8 GB/DVD SUPER MULTI/ SSD 512GB OPAL/INT AC8260 AC+BT/ UMTS/LTE ANT/LTE EM7305/2X MIC & CAM/	LKN:E5560M0012IN	2023,53	
LB E556 NON-VPRO /RS232/15.6' FHD/	LB E556 NON-VPRO /RS232/15.6' FHD/ I5-6200U/8 GB/WEIGHT SAVER/SSD 256GB/ INT AC8260 AC+BT/2X MIC & CAM/CK INT/ 3P AC 19V/65W SL/3P AC 19V/80W (0W)/	LKN:E5560M0013FR	1608,24	
LB E556 NON-VPRO /RS232/15.6' HD/	LB E556 NON-VPRO /RS232/15.6' HD/ I3-6100U/4 GB/DVD SUPER MULTI/SSD 256GB/ INT AC8260 AC+BT/UMTS/LTE ANT/ LTE EM7305/2 MIC/TPM 1.2/CK DE/	LKN:E5560M0013IN	1409,41	
LB E556 NON-VPRO /15.6' FHD/I5-6200U/	LB E556 NON-VPRO /15.6' FHD/I5-6200U/ 4 GB/DVD SUPER MULTI/SSD 128GB/ INT AC8260 AC+BT/2X MIC & CAM/FIP/ TPM 2.0/CK INT/3P AC 19V/65W SL/	LKN:E5560M0014FR	1237,65	



Fujitsu recommande Windows.

LIFEBOOK E556

Fiches produit : <http://fr.fujitsu.com/lifebook>

	Modèle Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
LIFEBOOK E556 (Suite)					
	LB E556 NON-VPRO /RS232/15.6' FHD/	LB E556 NON-VPRO /RS232/15.6' FHD/ I5-6300U/2x8 GB/DVD SUPER MULTI/ SSD 512GB OPAL/INT AC8260 AC+BT/ UMTS/LTE ANT/LTE EM7305/2X MIC & CAM/	LKN:E5560M0014IN	2023,53	
	LB E556 NON-VPRO /15.6' HD/I5-6200U/	LB E556 NON-VPRO /15.6' HD/I5-6200U/ 8 GB/DVD SUPER MULTI/SSD 256GB/ INT AC8260 AC+BT/UMTS/LTE ANT/ LTE EM7305/2X MIC & CAM/CK INT/	LKN:E5560M0015FR	1629,41	
	LB E556 NON-VPRO /RS232/15.6' FHD/	LB E556 NON-VPRO /RS232/15.6' FHD/ I5-6300U/2x8 GB/DVD SUPER MULTI/ SSD 512GB OPAL/INT AC8260 AC+BT/ UMTS/LTE ANT/LTE EM7305/2X MIC & CAM/	LKN:E5560M0015IN	2023,53	
	LB E556 VPRO /RS232/15.6' FHD/I5-6300U/	LB E556 VPRO /RS232/15.6' FHD/I5-6300U/ 8 GB/WEIGHT SAVER/SSD 256GB/ INT AC8260 AC+BT/UMTS/LTE ANT/ 2X MIC & CAM/FIP/TPM 2.0/CK INT/	LKN:E5560M0016FR	1571,76	
	LB E556 NON-VPRO /RS232/15.6' FHD/	LB E556 NON-VPRO /RS232/15.6' FHD/ I5-6300U/2x8 GB/DVD SUPER MULTI/ SSD 512GB OPAL/INT AC8260 AC+BT/ UMTS/LTE ANT/LTE EM7305/2X MIC & CAM/	LKN:E5560M0016IN	2023,53	
	LB E556 NON-VPRO /RS232/15.6' HD/	LB E556 NON-VPRO /RS232/15.6' HD/ I5-6300U/8 GB/DVD SUPER MULTI/ 500GB 7.2K/INT AC8260 AC+BT/ UMTS/LTE ANT/2X MIC & CAM/CK INT/	LKN:E5560M0017FR	1449,41	
	LB E556 NON-VPRO /RS232/15.6' FHD/	LB E556 NON-VPRO /RS232/15.6' FHD/ I5-6300U/2x8 GB/DVD SUPER MULTI/ SSD 512GB OPAL/INT AC8260 AC+BT/ UMTS/LTE ANT/LTE EM7305/2X MIC & CAM/	LKN:E5560M0017IN	2023,53	
	LB E556 NON-VPRO /RS232/15.6' HD/	LB E556 NON-VPRO /RS232/15.6' HD/ I5-6300U/8 GB/DVD SUPER MULTI/SSD 128GB/ INT AC8260 AC+BT/UMTS/LTE ANT/ UMTS EM8805/2X MIC & CAM/CK INT/	LKN:E5560M0018FR	1796,47	



Fujitsu recommande Windows.

LIFEBOOK E556

Fiches produit : <http://fr.fujitsu.com/lifebook>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
LIFEBOOK E556 (Suite)					
LB E556 NON-VPRO /RS232/15.6' FHD/	LB E556 NON-VPRO /RS232/15.6' FHD/ I5-6300U/2x8 GB/DVD SUPER MULTI/ SSD 512GB OPAL/INT AC8260 AC+BT/ UMTS/LTE ANT/LTE EM7305/2X MIC & CAM/	LKN:E5560M0018IN	2023,53		
LB E556 NON-VPRO /15.6' HD/I5-6200U/	LB E556 NON-VPRO /15.6' HD/I5-6200U/ 4 GB/DVD SUPER MULTI/500GB 5.4K/ INT AC8260 AC+BT/2X MIC & CAM/TPM 2.0/ CK DE/3P AC 19V/65W SL/BATT. 6CELL 49WH/	LKN:E5560M0019FR	1282,35		
LB E556 NON-VPRO /RS232/15.6' FHD/	LB E556 NON-VPRO /RS232/15.6' FHD/ I5-6300U/2x8 GB/DVD SUPER MULTI/ SSD 512GB OPAL/INT AC8260 AC+BT/ UMTS/LTE ANT/LTE EM7305/2X MIC & CAM/	LKN:E5560M0019IN	2021,18		
LB E556 NON-VPRO /15.6' HD/I5-6200U/	LB E556 NON-VPRO /15.6' HD/I5-6200U/ 4 GB/DVD SUPER MULTI/SSD 128GB/ INT AC8260 AC+BT/2X MIC & CAM/TPM 2.0/ CK DE/3P AC 19V/65W SL/BATT. 6CELL 49WH/	LKN:E5560M0020FR	1303,53		
LB E556 NON-VPRO /RS232/15.6' FHD/	LB E556 NON-VPRO /RS232/15.6' FHD/ I5-6300U/2x8 GB/DVD SUPER MULTI/ SSD 512GB OPAL/INT AC8260 AC+BT/ UMTS/LTE ANT/LTE EM7305/2X MIC & CAM/	LKN:E5560M0020IN	2023,53		
LB E556 NON-VPRO /RS232/15.6' FHD/	LB E556 NON-VPRO /RS232/15.6' FHD/ I7-6500U/8 GB/DVD SUPER MULTI/SSD 256GB/ INT AC8260 AC+BT/2X MIC & CAM/FIP/ SC SLOT/CK INT/3P AC 19V/90W/	LKN:E5560M0021FR	1582,35		
LB E556 NON-VPRO /RS232/15.6' FHD/	LB E556 NON-VPRO /RS232/15.6' FHD/ I5-6300U/2x8 GB/DVD SUPER MULTI/ SSD 512GB OPAL/INT AC8260 AC+BT/ UMTS/LTE ANT/LTE EM7305/2X MIC & CAM/	LKN:E5560M0021IN	2021,18		



Fujitsu recommande Windows.

LIFEBOOK E556

Fiches produit : <http://fr.fujitsu.com/lifebook>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
LIFEBOOK E556 (Suite)					
LB E556 NON-VPRO /15.6' HD/I5-6300U/	LB E556 NON-VPRO /15.6' HD/I5-6300U/ 8 GB/DVD SUPER MULTI/SSHD 500GB 5.4K/ INT AC8260 AC+BT/2X MIC & CAM/TPM 2.0/ CK INT/2x3P AC 19V/65W SL/	LKN:E5560M0022FR	1418,82		
LB E556 NON-VPRO /RS232/15.6' FHD/	LB E556 NON-VPRO /RS232/15.6' FHD/ I5-6300U/2x8 GB/DVD SUPER MULTI/ SSD 512GB OPAL/INT AC8260 AC+BT/ UMTS/LTE ANT/LTE EM7305/2X MIC & CAM/	LKN:E5560M0022IN	2023,53		
LB E556 NON-VPRO /15.6' FHD/I5-6200U/	LB E556 NON-VPRO /15.6' FHD/I5-6200U/ 8 GB/WEIGHT SAVER/500GB 7.2K/ INT AC8260 AC+BT/2X MIC & CAM/TPM 2.0/ SC SLOT/CK INT/3P AC 19V/65W SL/	LKN:E5560M0023FR	1520,00		
LB E556 NON-VPRO /RS232/15.6' FHD/	LB E556 NON-VPRO /RS232/15.6' FHD/ I5-6300U/2x8 GB/DVD SUPER MULTI/ SSD 512GB OPAL/INT AC8260 AC+BT/ UMTS/LTE ANT/LTE EM7305/2X MIC & CAM/	LKN:E5560M0023IN	2023,53		
LB E556 NON-VPRO /RS232/15.6' FHD/	LB E556 NON-VPRO /RS232/15.6' FHD/ I5-6300U/2x8 GB/DVD SUPER MULTI/ SSD 512GB OPAL/INT AC8260 AC+BT/ UMTS/LTE ANT/LTE EM7305/2X MIC & CAM/	LKN:E5560M0024FR	2023,53		
LB E556 NON-VPRO /RS232/15.6' FHD/	LB E556 NON-VPRO /RS232/15.6' FHD/ I5-6300U/2x8 GB/DVD SUPER MULTI/ SSD 512GB OPAL/INT AC8260 AC+BT/ UMTS/LTE ANT/LTE EM7305/2X MIC & CAM/	LKN:E5560M0024IN	2023,53		
LB E556 NON-VPRO /15.6' FHD/I5-6200U/	LB E556 NON-VPRO /15.6' FHD/I5-6200U/ 4 GB/DVD SUPER MULTI/500GB 5.4K/ INT AC8260 AC+BT/2X MIC & CAM/CK INT/ 3P AC 19V/65W SL/1ST BATT 63WH/	LKN:E5560M0025FR	1349,41		



Fujitsu recommande Windows.

LIFEBOOK E556

Fiches produit : <http://fr.fujitsu.com/lifebook>

	Modèle Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
LIFEBOOK E556 (Suite)					
	LB E556 NON-VPRO /15.6' FHD/I5-6200U/	LB E556 NON-VPRO /15.6' FHD/I5-6200U/ 8 GB/DVD SUPER MULTI/500GB 7.2K/ INT AC8260 AC+BT/2X MIC & CAM/CK INT/ 3P AC 19V/65W SL/1ST BATT 63WH/	LKN:E5560M0026FR	1380,00	
	LB E556 NON-VPRO /15.6' FHD/I5-6200U/	LB E556 NON-VPRO /15.6' FHD/I5-6200U/ 8 GB/DVD SUPER MULTI/SSD 128GB/ INT AC8260 AC+BT/2X MIC & CAM/CK INT/ 3P AC 19V/65W SL/1ST BATT 63WH/	LKN:E5560M0027FR	1396,47	
	LB E556 NON-VPRO /15.6' FHD/I5-6200U/	LB E556 NON-VPRO /15.6' FHD/I5-6200U/ 8 GB/DVD SUPER MULTI/SSD 256GB/ INT AC8260 AC+BT/2X MIC & CAM/CK INT/ 3P AC 19V/65W SL/1ST BATT 63WH/	LKN:E5560M0028FR	1447,06	
	LB E556 NON-VPRO /15.6' HD/I3-6100U/	LB E556 NON-VPRO /15.6' HD/I3-6100U/ 8 GB/WEIGHT SAVER/SSD 128GB/ INT AC8260 AC+BT/UMTS/LTE ANT/ 2X MIC & CAM/TPM 2.0/CK INT/	LKN:E5560M0029FR	1230,59	
	LB E556 VPRO /15.6' HD/I5-6300U/2x8 GB/	LB E556 VPRO /15.6' HD/I5-6300U/2x8 GB/ DVD SUPER MULTI/SSD 256GB/ INT AC8260 AC+BT/2X MIC & CAM/TPM 2.0/ SC SLOT/CK INT/3P AC 19V/90W/	LKN:E5560M0030FR	1670,59	
	LB E556 VPRO /15.6' HD/I5-6300U/2x8 GB/	LB E556 VPRO /15.6' HD/I5-6300U/2x8 GB/ DVD SUPER MULTI/SSD 512GB OPAL/ INT AC8260 AC+BT/2X MIC & CAM/TPM 2.0/ SC SLOT/CK INT/3P AC 19V/90W/	LKN:E5560M0031FR	1843,53	
	LB E556 NON-VPRO /RS232/15.6' FHD/	LB E556 NON-VPRO /RS232/15.6' FHD/ I5-6200U/8 GB/DVD SUPER MULTI/SSD 256GB/ INT AC8260 AC+BT/UMTS/LTE ANT/ LTE EM7305/2X MIC & CAM/FIP/TPM 2.0/	PRJ:E5560M0001IN	1611,76	
	LB E556 NON-VPRO /RS232/15.6' FHD/	LB E556 NON-VPRO /RS232/15.6' FHD/ I7-6500U/16 GB/DVD SUPER MULTI/ SSD 256GB/INT AC8260 AC+BT/UMTS/LTE ANT/ LTE EM7305/2X MIC & CAM/FIP/TPM 2.0/	PRJ:E5560M0002IN	1898,82	



Fujitsu recommande Windows.

LIFEBOOK E556 Fiches produit : <http://fr.fujitsu.com/lifebook>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
--------	-------------	---------	-----------	--------------------	-----------

Configurations Standards

LIFEBOOK E556 (Suite)

LB E556 NON-VPRO /RS232/15.6' HD/	LB E556 NON-VPRO /RS232/15.6' HD/ I3-6100U/4 GB/WEIGHT SAVER/500GB 7.2K/ INT AC8260 AC+BT/2X MIC & CAM/TPM 2.0/ CK INT/3P AC 19V/65W SL/1ST BATT 63WH/	VFY:E5560M33AOFR	775,29	
LB E556 NON-VPRO /RS232/15.6' HD/	LB E556 NON-VPRO /RS232/15.6' HD/ I5-6200U/8 GB/WEIGHT SAVER/SSD 256GB/ INT AC8260 AC+BT/2X MIC & CAM/CK INT/ 3P AC 19V/65W SL/1ST BATT 63WH/	VFY:E5560M352OFR	1081,18	
LB E556 NON-VPRO /RS232/15.6' HD/	LB E556 NON-VPRO /RS232/15.6' HD/ I5-6200U/4 GB/WEIGHT SAVER/ SSHD 500GB 5.4K/INT AC8260 AC+BT/ 2X MIC & CAM/TPM 2.0/CK INT/	VFY:E5560M35AOFR	881,18	
LB E556 NON-VPRO /RS232/15.6' HD/	LB E556 NON-VPRO /RS232/15.6' HD/ I3-6100U/4 GB/WEIGHT SAVER/500GB 5.4K/ INT AC8260 AC+BT/2X MIC & CAM/TPM 2.0/ CK INT/3P AC 19V/65W SL/1ST BATT 63WH/	VFY:E5560M730OFR	775,29	
LB E556 /RS232/15.6' HD/I5-6200U/4 GB/	LB E556 /RS232/15.6' HD/I5-6200U/4 GB/ WEIGHT SAVER/500GB 5.4K/ INT AC8260 AC+BT/2X MIC & CAM/CK INT/ 3P AC 19V/65W SL/1ST BATT 63WH/	VFY:E5560M750OFR	881,18	
LB E556 /RS232/15.6' HD/I5-6200U/8 GB/	LB E556 /RS232/15.6' HD/I5-6200U/8 GB/ WEIGHT SAVER/SSD 256GB/INT AC8260 AC+BT/ 2X MIC & CAM/CK INT/3P AC 19V/65W SL/ 1ST BATT 63WH/3PIN CABLE EU/	VFY:E5560M752OFR	1081,18	

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
--------	-------------	---------	-----------	--------------------	-----------

Unités de Base

LIFEBOOK E556



Fujitsu recommande Windows.

LIFEBOOK E556

Fiches produit : <http://fr.fujitsu.com/lifebook>

	Modèle Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base	LIFEBOOK E556 (Suite)				
	LIFEBOOK E556 vPro	Base unit, prepared for Intel vPro technology and iAMT 11.0, supports Dual Channel DDR4 2133MHz PC17000 RAM (2 DIMM slots). Modular bay concept for optical drive, 2nd hard disk (S-ATA-II) or weight saver. Mobile Intel® HD520 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit, Realtek High Definition Audio, LED Status display, application buttons, Kensington Lock connector., Interfaces: 1x Smart Card Reader (optional), 1x Lect.cte SD, 1x VGA, 1x Displayport, 3x USB 3.0 (1 with anytime charging functionality), 1x RJ45 for LAN, 1x serial port (optional), 1x audio in, 1x audio out, docking connector., >> Please do not forget to configure the AC Adapter (65W for system; 80 & 90W for portrep), AC Cable & 1st Battery extra., >> Please as well check out the numerous accessories, such as Sleeve Cases, Port replicators, extra batteries, ..., >> Info: vPro logo requires Intel Core i5-63xx or better CPU, Intel 8260 ac W-LAN & TPM module.	S26391-K442-V200	508,24	
	LIFEBOOK E556 non-vPro	Base unit, supports Dual Channel DDR4 2133MHz PC17000 RAM (2 DIMM slots). Modular bay concept for optical drive, 2nd hard disk (S-ATA-II) or weight saver. Mobile Intel® HD520 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit, Realtek High Definition Audio, LED Status display, application buttons, Kensington Lock connector., Interfaces: 1x Smart Card Reader (optional), 1x Lect.cte SD, 1x VGA, 1x Displayport, 3x USB 3.0 (1 with anytime charging functionality), 1x RJ45 for LAN, 1x audio in, 1x audio out, docking connector., >> Please do not forget to configure the AC Adapter (65W for system; 80 & 90W for portrep), AC Cable & 1st Battery extra., >> Please as well check out the numerous accessories, such as Sleeve Cases, Port replicators, extra batteries, ...	S26391-K442-V100	484,71	



Fujitsu recommande Windows.

LIFEBOOK E734

Fiches produit : <http://fr.fujitsu.com/lifebook>

L'ordinateur portable LIFEBOOK E734 de FUJITSU fait partie de la gamme LIFEBOOK E : l'ordinateur portable léger et entièrement équipé, idéal pour une flexibilité accrue. Avec son gabarit réduit, son écran de 33,8 cm (13,3 pouces) et ses fonctionnalités de conception et de sécurité haut de gamme, cet ordinateur portable d'1,6 kg (3,53 livres) constitue le compromis idéal entre mobilité et simplicité d'utilisation.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E734				
LB E734 HM86 /13.3' HD/15-4310M/4 GB/	LB E734 HM86 /13.3' HD/15-4310M/4 GB/ WEIGHT SAVER/SSHD 500GB/ INT N7260 ABGN BT/2MIC + FHD/CK INT./AC/ 1ST BATT 63WH/3PIN CABLE EU/KB B W/O FR/	LKN:E7340M0059FR	1414,12	
LB E734 HM86 /13.3' HD/17-4610M/4 GB/	LB E734 HM86 /13.3' HD/17-4610M/4 GB/ 8 GB/DVD SUPER MULTI/2ND BATT./ SSD 512GB/INT N7260 ABGN BT/2MIC + FHD/ SC SLOT/CK INT./AC/3P AC 19V/90W/	LKN:E7340M0065FR	2117,65	
LB E734 HM86 /13.3' HD/15-4210M/4 GB/	LB E734 HM86 /13.3' HD/15-4210M/4 GB/ DVD SUPER MULTI/500GB 5.4K/ UMTS/LTE READY/UMTS EM8805/ INT N7260 BGN BT/2MIC + FHD/CK DE/AC/	LKN:E7340M0077FR	1700,00	
LB E734 QM87 /13.3' HD/17-4712MQ/8 GB/	LB E734 QM87 /13.3' HD/17-4712MQ/8 GB/ DVD SUPER MULTI/SSD 256GB/ UMTS/LTE READY/LTE EM7305/ INT N7260 AC BT/2MIC + FHD/FP/TPM/	LKN:E7340M0078FR	1978,82	
LB E734 HM86 /13.3' HD/15-4210M/2x4 GB/	LB E734 HM86 /13.3' HD/15-4210M/2x4 GB/ DVD SUPER MULTI/320GB 5.4K/ UMTS/LTE READY/LTE EM7305/ INT N7260 AC BT/2 MIC/CK INT./	LKN:E7340M0079FR	1755,29	
LB E734 HM86 /13.3' HD/13-4100M/4 GB/	LB E734 HM86 /13.3' HD/13-4100M/4 GB/ DVD SUPER MULTI/500GB 7.2K/ INT N7260 ABGN BT/2MIC + FHD/CK INT./ 3P AC 19V/65W SL/3P AC 19V/90W/	LKN:E7340M0081FR	1542,35	
LB E734 HM86 /13.3' HD/13-4100M/4 GB/	LB E734 HM86 /13.3' HD/13-4100M/4 GB/ DVD SUPER MULTI/SSD 256GB/ INT N7260 ABGN BT/2MIC + FHD/CK INT./ 3P AC 19V/65W SL/3P AC 19V/90W/	LKN:E7340M0082FR	1597,65	
LB E734 HM86 /13.3' HD/13-4100M/4 GB/	LB E734 HM86 /13.3' HD/13-4100M/4 GB/ DVD SUPER MULTI/SSD 512GB/ INT N7260 ABGN BT/2MIC + FHD/CK INT./ 3P AC 19V/65W SL/3P AC 19V/90W/	LKN:E7340M0083FR	1764,71	
LB E734 HM86 /13.3' HD/15-4210M/8 GB/	LB E734 HM86 /13.3' HD/15-4210M/8 GB/ DVD SUPER MULTI/SSD 512GB/ INT N7260 ABGN BT/2 MIC/FP/TPM/SC SLOT/ CK INT./3P AC 19V/90W/BATT. 6CELL 72WH/	LKN:E7340M0085FR	1770,59	
LB E734 HM86 /13.3' HD/15-4300M/8 GB/	LB E734 HM86 /13.3' HD/15-4300M/8 GB/ WEIGHT SAVER/SSD 128GB/ INT N7260 ABGN BT/2MIC + FHD/FP/TPM/ SC SLOT/CK INT./3P AC 19V/65W SL/	LKN:E7340M0086FR	1624,71	
LB E734 HM86 /13.3' HD/15-4300M/8 GB/	LB E734 HM86 /13.3' HD/15-4300M/8 GB/ WEIGHT SAVER/SSD 128GB/ INT N7260 ABGN BT/2MIC + FHD/FP/TPM/ SC SLOT/CK INT./3P AC 19V/65W SL/	LKN:E7340M0087FR	1752,94	
LB E734 QM87 /13.3' HD/15-4300M/4 GB/	LB E734 QM87 /13.3' HD/15-4300M/4 GB/ DVD SUPER MULTI/SSD 256GB/ UMTS/LTE READY/LTE EM7305/ INT N7260 AC BT/2MIC + FHD/FP/TPM/	LKN:E7340M0088FR	1934,12	
LB E734 HM86 /13.3' HD/15-4310M/2x8 GB/	LB E734 HM86 /13.3' HD/15-4310M/2x8 GB/ DVD SUPER MULTI/SSD 256GB/ INT N7260 AC BT/2MIC + FHD/CK INT./ 3P AC 19V/65W SL/3P AC 19V/90W/	LKN:E7340M0090FR	1681,18	
LB E734 HM86 /13.3' HD/15-4310M/2x8 GB/	LB E734 HM86 /13.3' HD/15-4310M/2x8 GB/ DVD SUPER MULTI/SSD 512GB/ INT N7260 AC BT/2MIC + FHD/CK INT./ 3P AC 19V/65W SL/3P AC 19V/90W/	LKN:E7340M0091FR	1848,24	
LB E734 QM87 /13.3' HD/17-4712MQ/8 GB/	LB E734 QM87 /13.3' HD/17-4712MQ/8 GB/ DVD SUPER MULTI/SSD 256GB/ UMTS/LTE READY/LTE EM7305/ INT N7260 AC BT/2MIC + FHD/FP/TPM/	LKN:E7340M0093FR	1978,82	



Fujitsu recommande Windows.

LIFEBOOK E734 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
-------------	---------	-----------	--------------------	-----------

Configurations Standards

LIFEBOOK E734 (Suite)

LB E734 HM86 /13.3' HD/15-4310M/4 GB/	LB E734 HM86 /13.3' HD/15-4310M/4 GB/ WEIGHT SAVER/500GB 7.2K/INT N7260 AC BT/ 2MIC + FHD/TPM/CK INT./AC/3P AC 19V/90W/ 1ST BATT 63WH/2x3PIN CABLE EU/PORT REP/	LKN:E7340M0094FR	1670,59	
LB E734 QM87 /13.3' HD/15-4210M/4 GB/	LB E734 QM87 /13.3' HD/15-4210M/4 GB/ DVD SUPER MULTI/SSHD 500GB/ UMTS/LTE READY/UMTS EM8805/ INT N7260 BGN BT/2MIC + FHD/FP/TPM/	VFY:E7340M750BFR	1661,18	
LB E734 QM87 /13.3' HD/17-4712MQ/8 GB/	LB E734 QM87 /13.3' HD/17-4712MQ/8 GB/ DVD SUPER MULTI/SSD 256GB/ UMTS/LTE READY/LTE EM7305/ INT N7260 AC BT/2MIC + FHD/FP/TPM/	VFY:E7340M77APFR	1987,06	

Description	Détails	Référence	Prix Indicatif (€)	Remarques
-------------	---------	-----------	--------------------	-----------

Unités de Base

LIFEBOOK E734

LIFEBOOK E734 HM86	Base unit, Intel HM86 Chipset, supports Dual Channel DDR3L 1600MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drive, 2nd batterie, 2nd hard disk (S-ATA-II) or bay projector. Mobile Intel® HD4600 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 1217V, Intel High Definition Audio, Touchpad with integrated mouse buttons and with Gesture support, LED Status display, application buttons, Kensington Lock connector., Interfaces: 1x Smart Card Reader (optional), 1x Lect.cte SD, 1x VGA, 1x Displayport, 3x USB 3.0 (1 with anytime charging functionality) , 1x RJ45 for LAN, 1x audio in, 1x audio out, docking connector., >> Please do not forget to configure the AC Adapter (65W for system; 80/90W for portrep), AC Cable & 1st Battery extra., >> Please as well check out the numerous accessories, such as Sleeve Cases, Port replicators, extra batteries, ...	S26391-K391-V100	702,35	
LIFEBOOK E734 QM87	Base unit, Intel QM87 Chipset, prepared for vPro technology and iAMT 9.0, supports Dual Channel DDR3L 1600MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drive, 2nd batterie, 2nd hard disk (S-ATA-II) or bay projector. Mobile Intel® HD4600 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 1217 LM, Intel High Definition Audio, Touchpad with integrated mouse buttons and with Gesture support, LED Status display, application buttons, Kensington Lock connector., Interfaces: 1x Smart Card Reader (optional), 1x Lect.cte SD, 1x VGA, 1x Displayport, 3x USB 3.0 (1 with anytime charging functionality) , 1x RJ45 for LAN, 1x audio in, 1x audio out, docking connector., >> Please do not forget to configure the AC Adapter (65W for system; 80 & 90W for portrep), AC Cable & 1st Battery extra., >> Please as well check out the numerous accessories, such as Sleeve Cases, Port replicators, extra batteries, ... >>>> Info: vPro logo requires Intel Core i5-43xx or better CPU, Intel 7260 a,b,g,n W-LAN & TPM module.	S26391-K391-V200	714,12	



Fujitsu recommande Windows.

LIFEBOOK E736

Fiches produit : <http://fr.fujitsu.com/lifebook>

L'ordinateur portable LIFEBOOK E736 de FUJITSU fait partie de la gamme LIFEBOOK E : l'ordinateur portable léger et entièrement équipé, idéal pour une flexibilité accrue. Avec son gabarit réduit, son écran de 33,8 cm (13,3 pouces) et ses fonctionnalités de conception et de sécurité haut de gamme, cet ordinateur portable d'1,6 kg (3,53 livres) constitue le compromis idéal entre mobilité

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E736				
LB E736 NON-VPRO /13.3' HD/I5-6200U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6200U/4GB/ DVD SM/SSHD 500GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/FIP/ TPM V2.0/SC SLOT/CK INT/	LKN:E7360M0001FR	1678,82	
LB E736 NON-VPRO /13.3' HD/I5-6200U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6200U/4GB/ DVD SM/SSD 256GB/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK GB/AC/1ST BATT 63WH/ AC CABLE GB 3-PIN/KB B W/O GB/	LKN:E7360M0001IN	1561,18	
LB E736 NON-VPRO /13.3' HD/I3-6100U/4GB/	LB E736 NON-VPRO /13.3' HD/I3-6100U/4GB/ DVD SM/SSD 128GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ NO TPM/CK INT/3P AC 19V/65W SL/	LKN:E7360M0002FR	1684,71	
LB E736 NON-VPRO /13.3' HD/I5-6200U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6200U/4GB/ DVD SM/SSD 256GB/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/AC/1ST BATT 63WH/ 3PIN CABLE EU/KB B W/O FR/LIC W10 PRO/	LKN:E7360M0002IN	1560,00	



Fujitsu recommande Windows.

LIFEBOOK E736

Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E736 (Suite)				
LB E736 NON-VPRO /13.3' HD/I5-6200U/8GB/	LB E736 NON-VPRO /13.3' HD/I5-6200U/8GB/ 2ND BATT./SSD 128GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/2 MIC/NO TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 77WH/	LKN:E7360M0003FR	1992,94	
LB E736 NON-VPRO /13.3' HD/I5-6200U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6200U/4GB/ DVD SM/SSD 256GB/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK GB/AC/1ST BATT 63WH/ 3PIN CABLE EU/KB B W/O GB/LIC W10 PRO/	LKN:E7360M0003IN	1560,00	
LB E736 NON-VPRO /13.3' HD/I3-6100U/4GB/	LB E736 NON-VPRO /13.3' HD/I3-6100U/4GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ NO TPM/CK INT/3P AC 19V/65W SL/	LKN:E7360M0004FR	1735,29	
LB E736 NON-VPRO /13.3' HD/I3-6100U/4GB/	LB E736 NON-VPRO /13.3' HD/I3-6100U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/2 MIC/ TPM V1.2/CK DE/AC/1ST BATT 63WH/	LKN:E7360M0004IN	1581,18	
LB E736 NON-VPRO /13.3' HD/I3-6100U/4GB/	LB E736 NON-VPRO /13.3' HD/I3-6100U/4GB/ WEIGHT SAVER/HDD 500GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ NO TPM/SC SLOT/CK INT/3P AC 19V/65W SL/	LKN:E7360M0005FR	1518,82	
LB E736 NON-VPRO /13.3' HD/I3-6100U/4GB/	LB E736 NON-VPRO /13.3' HD/I3-6100U/4GB/ DVD SM/HDD 500GB 7.2K/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ NO TPM/SC SLOT/CK INT/AC/3P AC 19V/90W/	LKN:E7360M0006FR	1654,12	



Fujitsu recommande Windows.

LIFEBOOK E736 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E736 (Suite)				
LB E736 NON-VPRO /13.3' HD/I3-6100U/4GB/	LB E736 NON-VPRO /13.3' HD/I3-6100U/4GB/ DVD SM/HDD 500GB 7.2K/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ NO TPM/SC SLOT/CK INT/AC/3P AC 19V/90W/	LKN:E7360M0007FR	1654,12	
LB E736 VPRO /13.3' HD/I7-6600U/2x4GB/	LB E736 VPRO /13.3' HD/I7-6600U/2x4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V1.2/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	LKN:E7360M0008FR	1888,24	
LB E736 NON-VPRO /13.3' HD/I7-6500U/8GB/	LB E736 NON-VPRO /13.3' HD/I7-6500U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ WLAN DUAL 8260/FHD CAM/FIP/TPM V2.0/ CK INT/3P AC 19V/65W SL/3P AC 19V/90W/	LKN:E7360M0009FR	1709,41	
LB E736 NON-VPRO /13.3' HD/I5-6200U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6200U/4GB/ WEIGHT SAVER/SSHD 500GB/WLAN DUAL 8260/ FHD CAM/NO TPM/CK INT/3P AC 19V/65W SL/ BATT. 6CELL 72WH/3PIN CABLE EU/	LKN:E7360M0010FR	1514,12	
LB E736 NON-VPRO /13.3' HD/I5-6200U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6200U/4GB/ DVD SM/SSD 128GB/WLAN DUAL 8260/FHD CAM/ FIP/TPM V2.0/CK INT/3P AC 19V/65W SL/ BATT. 6CELL 72WH/3PIN CABLE EU/	LKN:E7360M0011FR	1395,29	
LB E736 NON-VPRO /13.3' HD/I5-6200U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6200U/4GB/ DVD SM/HDD 500GB 7.2K/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ NO TPM/CK INT/AC/3P AC 19V/90W/	LKN:E7360M0012FR	1734,12	
LB E736 NON-VPRO /13.3' FHD/I5-6200U/	LB E736 NON-VPRO /13.3' FHD/I5-6200U/ 8GB/WEIGHT SAVER/SSD 256GB/ UMTS/LTE READY/LTE EM7305/ WLAN DUAL 8260/FHD CAM/NO TPM/CK INT/AC/	LKN:E7360M0013FR	1898,82	



Fujitsu recommande Windows.

LIFEBOOK E736

Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E736 (Suite)				
LB E736 NON-VPRO /13.3' FHD/I7-6500U/	LB E736 NON-VPRO /13.3' FHD/I7-6500U/ 8GB/DVD SM/SSD 512GB OPAL/ UMTS/LTE READY/LTE EM7305/ WLAN DUAL 8260/FHD CAM/FIP/TPM V2.0/	LKN:E7360M0014FR	2240,00	
LB E736 NON-VPRO /13.3' FHD/I5-6300U/	LB E736 NON-VPRO /13.3' FHD/I5-6300U/ 8GB/WEIGHT SAVER/SSD 256GB/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/3P AC 19V/90W/	LKN:E7360M0015FR	1861,18	
LB E736 NON-VPRO /13.3' HD/I5-6200U/8GB/	LB E736 NON-VPRO /13.3' HD/I5-6200U/8GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/FIP/TPM V2.0/CK INT/ 3P AC 19V/65W SL/3P AC 19V/80W (0W)/	LKN:E7360M0016FR	1744,71	
LB E736 VPRO /13.3' FHD/I7-6600U/2x8GB/	LB E736 VPRO /13.3' FHD/I7-6600U/2x8GB/ WEIGHT SAVER/SSD 512GB OPAL/ WLAN DUAL 8260/FIP/TPM V2.0/SC SLOT/ CK INT/3P AC 19V/65W SL/1ST BATT 77WH/	LKN:E7360M0017FR	2196,47	
LB E736 NON-VPRO /13.3' FHD/I7-6600U/	LB E736 NON-VPRO /13.3' FHD/I7-6600U/ 8GB/WEIGHT SAVER/HDD 500GB 7.2K/ WLAN DUAL 8260/FHD CAM/NO TPM/CK INT/ 3P AC 19V/65W SL/3P AC 19V/90W/	LKN:E7360M0018FR	1860,00	
LB E736 NON-VPRO /13.3' FHD/I7-6500U/	LB E736 NON-VPRO /13.3' FHD/I7-6500U/ 8GB/DVD SM/SSD 512GB OPAL/ UMTS/LTE READY/WLAN DUAL 8260/FHD CAM/ NO TPM/CK INT/3P AC 19V/65W SL/	LKN:E7360M0019FR	2101,18	
LB E736 VPRO /13.3' HD/I7-6600U/2x4GB/	LB E736 VPRO /13.3' HD/I7-6600U/2x4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V1.2/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	LKN:E7360M0020FR	1888,24	



Fujitsu recommande Windows.

LIFEBOOK E736

Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E736 (Suite)				
LB E736 NON-VPRO /13.3' HD/I5-6200U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6200U/4GB/ DVD SM/HDD 500GB 7.2K/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ NO TPM/SC SLOT/CK INT/AC/3P AC 19V/90W/	LKN:E7360M0021FR	1742,35	
LB E736 NON-VPRO /13.3' HD/I5-6200U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6200U/4GB/ DVD SM/HDD 500GB 7.2K/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ NO TPM/SC SLOT/CK INT/AC/3P AC 19V/90W/	LKN:E7360M0022FR	1742,35	
LB E736 VPRO /13.3' FHD/I7-6600U/2x4GB/	LB E736 VPRO /13.3' FHD/I7-6600U/2x4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V1.2/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	LKN:E7360M0023FR	1967,06	
LB E736 NON-VPRO /13.3' HD/I5-6200U/	LB E736 NON-VPRO /13.3' HD/I5-6200U/ 2x4GB/DVD SM/SSD 256GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/ NO TPM/CK INT/AC/3P AC 19V/90W/	LKN:E7360M0024FR	1867,06	
LB E736 NON-VPRO /13.3' HD/I7-6500U/4GB/	LB E736 NON-VPRO /13.3' HD/I7-6500U/4GB/ 8GB/DVD SM/2ND BATT./SSD 512GB OPAL/ WLAN DUAL 8260/FHD CAM/NO TPM/SC SLOT/ CK INT/3P AC 19V/65W SL/3P AC 19V/90W/	LKN:E7360M0025FR	1988,24	
LB E736 NON-VPRO /13.3' HD/I7-6500U/4GB/	LB E736 NON-VPRO /13.3' HD/I7-6500U/4GB/ 8GB/DVD SM/2ND BATT./SSD 512GB OPAL/ WLAN DUAL 8260/FHD CAM/NO TPM/SC SLOT/ CK INT/3P AC 19V/65W SL/3P AC 19V/90W/	LKN:E7360M0026FR	1988,24	
LB E736 VPRO /13.3' HD/I7-6600U/2x4GB/	LB E736 VPRO /13.3' HD/I7-6600U/2x4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V1.2/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	LKN:E7360M0027FR	1888,24	



Fujitsu recommande Windows.

LIFEBOOK E736 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E736 (Suite)				
LB E736 NON-VPRO /13.3' HD/I3-6100U/4GB/	LB E736 NON-VPRO /13.3' HD/I3-6100U/4GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ NO TPM/CK INT/3P AC 19V/65W SL/	LKN:E7360M0028FR	1743,53	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7360M0001IN	1665,88	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7360M0002IN	1652,94	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7360M0003IN	1652,94	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7360M0004IN	1652,94	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7360M0005IN	1652,94	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7360M0006IN	1652,94	



Fujitsu recommande Windows.

LIFEBOOK E736

Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E736 (Suite)				
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7360M0007IN	1652,94	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7360M0008IN	1652,94	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7360M0009IN	1654,12	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7360M0010IN	1665,88	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7360M0011IN	1652,94	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7360M0012IN	1661,18	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7360M0013IN	1652,94	



Fujitsu recommande Windows.

LIFEBOOK E736 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E736 (Suite)				
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7360M0014IN	1652,94	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7360M0015IN	1652,94	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7360M0016IN	1652,94	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7360M0017IN	1652,94	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7360M0018IN	1652,94	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7360M0019IN	1652,94	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7360M0020IN	1654,12	



Fujitsu recommande Windows.

LIFEBOOK E736 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E736 (Suite)				
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7360M0021IN	1652,94	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0022IN	1771,76	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0023IN	1771,76	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0024IN	1771,76	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0025IN	1771,76	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0026IN	1771,76	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0027IN	1771,76	



Fujitsu recommande Windows.

LIFEBOOK E736 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E736 (Suite)				
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0028IN	1772,94	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0029IN	1771,76	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0030IN	1771,76	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0031IN	1771,76	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0032IN	1771,76	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0033IN	1771,76	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0034IN	1771,76	



Fujitsu recommande Windows.

LIFEBOOK E736

Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E736 (Suite)				
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0035IN	1771,76	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0036IN	1771,76	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0037IN	1771,76	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0038IN	1771,76	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0039IN	1751,76	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0040IN	1751,76	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0041IN	1751,76	



Fujitsu recommande Windows.

LIFEBOOK E736 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E736 (Suite)				
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0042IN	1751,76	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0043IN	1751,76	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0044IN	1752,94	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0045IN	1751,76	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0046IN	1751,76	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0047IN	1751,76	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0048IN	1751,76	



Fujitsu recommande Windows.

LIFEBOOK E736

Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E736 (Suite)				
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0049IN	1751,76	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0050IN	1751,76	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0051IN	1751,76	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0052IN	1751,76	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0053IN	1751,76	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0054IN	1751,76	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0055IN	1751,76	



Fujitsu recommande Windows.

LIFEBOOK E736

Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E736 (Suite)				
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0056IN	1771,76	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0057IN	1751,76	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7360M0058IN	1652,94	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7360M0059IN	1656,47	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0060IN	1755,29	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0061IN	1775,29	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7360M0062IN	1654,12	



Fujitsu recommande Windows.

LIFEBOOK E736

Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E736 (Suite)				
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0063IN	1772,94	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0064IN	1752,94	
LB E736 NON-VPRO /13.3' HD/I5-6200U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6200U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/NO TPM/CK INT/3P AC 19V/65W SL/ BATT. 6CELL 72WH/AC CABLE CN/	PRJ:E7360M0065IN	1578,82	
LB E736 NON-VPRO /13.3' HD/I5-6200U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6200U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7360M0066IN	1580,00	
LB E736 NON-VPRO /13.3' HD/I5-6200U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6200U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7360M0067IN	1581,18	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0068IN	1751,76	
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7360M0069IN	1771,76	



Fujitsu recommande Windows.

LIFEBOOK E736

Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E736 (Suite)				
LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/	LB E736 NON-VPRO /13.3' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7360M0070IN	1652,94	
LB E736 NON-VPRO /13.3' FHD/I5-6200U/	LB E736 NON-VPRO /13.3' FHD/I5-6200U/ 8GB/DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/FIP/ TPM V2.0/SC SLOT/CK INT/	VFY:E7360M351BFR	1304,71	
LB E736 NON-VPRO /13.3' FHD/I5-6200U/	LB E736 NON-VPRO /13.3' FHD/I5-6200U/ 8GB/DVD SM/SSHD 500GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/FIP/ TPM V2.0/CK INT/3P AC 19V/65W SL/	VFY:E7360M35ABFR	1210,59	
LB E736 NON-VPRO /13.3' FHD/I7-6500U/	LB E736 NON-VPRO /13.3' FHD/I7-6500U/ 8GB/DVD SM/SSD 256GB OPAL/ UMTS/LTE READY/LTE EM7305/ WLAN DUAL 8260/FHD CAM/FIP/TPM V2.0/	VFY:E7360M37APFR	1469,41	
LB E736 NON-VPRO /13.3' FHD/I5-6200U/	LB E736 NON-VPRO /13.3' FHD/I5-6200U/ 8GB/DVD SM/SSD 256GB/UMTS EM8805/ UMTS/LTE READY/WLAN DUAL 8260/FHD CAM/ FIP/TPM V2.0/SC SLOT/CK INT/	VFY:E7360M751BFR	1304,71	
LB E736 NON-VPRO /13.3' FHD/I5-6200U/	LB E736 NON-VPRO /13.3' FHD/I5-6200U/ 8GB/DVD SM/SSHD 500GB/UMTS EM8805/ UMTS/LTE READY/WLAN DUAL 8260/FHD CAM/ FIP/TPM V2.0/CK INT/3P AC 19V/65W SL/	VFY:E7360M75ABFR	1210,59	
LB E736 NON-VPRO /13.3' FHD/I7-6500U/	LB E736 NON-VPRO /13.3' FHD/I7-6500U/ 8GB/DVD SM/SSD 256GB OPAL/LTE EM7305/ UMTS/LTE READY/WLAN DUAL 8260/FHD CAM/ FIP/TPM V2.0/SC SLOT/CK INT/	VFY:E7360M87APFR	1469,41	



Fujitsu recommande Windows.

LIFEBOOK E736 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
-------------	---------	-----------	--------------------	-----------

Configurations Standards

LIFEBOOK E736 (Suite)

Description	Détails	Référence	Prix Indicatif (€)	Remarques
-------------	---------	-----------	--------------------	-----------

Unités de Base

LIFEBOOK E736

LIFEBOOK E736 non-vPro	Base unit, Chipset integrated in CPU, supports Dual Channel DDR4 2133MHz PC17000 RAM (2 DIMM slots). Modular bay concept for optical drive, 2nd batterie, 2nd hard disk (S-ATA-II) or weight saver. Mobile Intel® HD520 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit LAN Intel 219V, Realtek High Definition Audio, Touchpad with integrated mouse buttons and with Gesture support, LED Status display, application buttons, Kensington Lock connector., Interfaces: 1x Smart Card Reader (optional), 1x Lect.cte SD, 1x VGA, 1x Displayport, 3x USB 3.0 (1 with anytime charging functionality) , 1x RJ45 for LAN, 1x audio in, 1x audio out, docking connector., >> Please do not forget to configure the AC Adapter (65W for system; 80/90W for portrep), AC Cable & 1st Battery extra., >> Please as well check out the numerous accessories, such as Sleeve Cases, Port replicators, extra batteries, ...	S26391-K443-V100	677,65	
------------------------	--	------------------	--------	--



Fujitsu recommande Windows.

LIFEBOOK E736

Fiches produit : <http://fr.fujitsu.com/lifebook>

LIFEBOOK E736 vPro	<p>Base unit, Chipset integrated in CPU, prepared for Intel vPro technology and iAMT 11.0, supports Dual Channel DDR4 2133MHz PC17000 RAM (2 DIMM slots). Modular bay concept for optical drive, 2nd batterie, 2nd hard disk (S-ATA-II) or weight saver. Mobile Intel® HD520 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit LAN Intel 219LM, Realtek High Definition Audio, Touchpad with integrated mouse buttons and with Gesture support, LED Status display, application buttons, Kensington Lock connector., Interfaces: 1x Smart Card Reader (optional), 1x Lect.cte SD, 1x VGA, 1x Displayport, 3x USB 3.0 (1 with anytime charging functionality) , 1x RJ45 for LAN, 1x audio in, 1x audio out, docking connector., >> Please do not forget to configure the AC Adapter (65W for system; 80/90W for portrep), AC Cable & 1st Battery extra., >> Please as well check out the numerous accessories, such as Sleeve Cases, Port replicators, extra batteries, ..., >> Info: vPro logo requires Intel Core i5-63xx or better CPU, Intel 8260 ac W-LAN & TPM module.</p>	S26391-K443-V200	704,71
--------------------	---	------------------	--------



Fujitsu recommande Windows.

LIFEBOOK E744

Fiches produit : <http://fr.fujitsu.com/lifebook>

Appartenant à la gamme LIFEBOOK E de FUJITSU, le LIFEBOOK E744 est le choix idéal si vous avez besoin d'un ordinateur portable élégant et entièrement équipé. Avec son poids plume de 1,7 kg (4,19 livres) et son écran de 35,6 cm (14 pouces) ainsi qu'une interface complète vous assurent un confort d'utilisation maximal. De plus, des fonctionnalités de pointe assurent la sécurité des données de votre entreprise à tout.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E744				
LB E744 HM86 /14.0' HD+/I3-4100M/4 GB/ DVD SUPER MULTI/SSD 256GB/ INT N7260 ABGN BT/2MIC + FHD/SC SLOT/ CK INT./3P AC 19V/65W SL/3P AC 19V/90W/		LKN:E7440M0038FR	1630,59	
LB E744 HM86 /14.0' HD+/I5-4210M/8 GB/ DVD SUPER MULTI/SSD 256GB/ INT N7260 ABGN BT/2MIC + FHD/TPM/ CK INT./3P AC 19V/65W SL/3P AC 19V/90W/		LKN:E7440M0040FR	1604,71	
LB E744 HM86 /14.0' HD+/I5-4210M/8 GB/ DVD SUPER MULTI/SSD 256GB/ INT N7260 ABGN BT/2MIC + FHD/TPM/ CK INT./3P AC 19V/65W SL/3P AC 19V/90W/		LKN:E7440M0041FR	1604,71	
LB E744 HM86 /14.0' HD+/I5-4310M/8 GB/ DVD SUPER MULTI/SSD 512GB/ INT N7260 ABGN BT/2 MIC/FP/TPM/SC SLOT/ CK INT./3P AC 19V/90W/BATT. 6CELL 72WH/		LKN:E7440M0042FR	1970,59	
LB E744 HM86 /14.0' HD+/I5-4210M/8 GB/ DVD SUPER MULTI/SSD 512GB/ INT N7260 ABGN BT/2MIC + FHD/TPM/ CK INT./3P AC 19V/65W SL/3P AC 19V/90W/		LKN:E7440M0043FR	1771,76	
LB E744 QM87 /14.0' HD+/I5-4310M/4 GB/ DVD SUPER MULTI/500GB 5.4K/ UMTS/LTE READY/INT N7260 ABGN BT/ 2MIC + FHD/CK INT./3P AC 19V/90W/		LKN:E7440M0044FR	1591,76	
LB E744 QM87 /14.0' HD+/I5-4210M/4 GB/ DVD SUPER MULTI/SSHD 500GB/ UMTS/LTE READY/UMTS EM8805/ INT N7260 BGN BT/2MIC + FHD/FP/TPM/		VFY:E7440M750BFR	1687,06	
LB E744 QM87 /14.0' HD+/I7-4712MQ/8 GB/ DVD SUPER MULTI/SSD 256GB/ UMTS/LTE READY/LTE EM7305/ INT N7260 AC BT/2MIC + FHD/FP/TPM/		VFY:E7440M77APFR	2012,94	

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
LIFEBOOK E744				



Fujitsu recommande Windows.

LIFEBOOK E744

Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
LIFEBOOK E744 (Suite)				
LIFEBOOK E744 HM86	Base unit, Intel HM86 Chipset, supports Dual Channel DDR3L 1600MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drive, 2nd batterie, 2nd hard disk (S-ATA-II) or bay projector. Mobile Intel® HD4600 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 1217V, Intel High Definition Audio, Touchpad with integrated mouse buttons and with Gesture support, LED Status display, application buttons, Kensington Lock connector., Interfaces: 1x Smart Card Reader (optional), 1x Lect.cte SD, 1x VGA, 1x Displayport, 3x USB 3.0 (1 with anytime charging functionality) , 1x USB 2.0, 1x RJ45 for LAN, 1x audio in, 1x audio out, docking connector., >> Please do not forget to configure the AC Adapter (65W for system; 80 & 90W for portrep), AC Cable & 1st Battery extra., >> Please as well check out the numerous accessories, such as Sleeve Cases, Port replicators, extra batteries, ..	S26391-K392-V100	702,35	
LIFEBOOK E744 QM87	Base unit, Intel QM87 Chipset, prepared for vPro technology and iAMT 9.0, supports Dual Channel DDR3L 1600MHz PC12800 RAM (2 DIMM slots). Modular bay concept for optical drive, 2nd batterie, 2nd hard disk (S-ATA-II) or bay projector. Mobile Intel® HD4600 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 1217 LM, Intel High Definition Audio, Touchpad with integrated mouse buttons and with Gesture support, LED Status display, application buttons, Kensington Lock connector., Interfaces: 1x Smart Card Reader (optional), 1x Lect.cte SD, 1x VGA, 1x Displayport, 3x USB 3.0 (1 with anytime charging functionality) , 1x USB 2.0, 1x RJ45 for LAN, 1x audio in, 1x audio out, docking connector., >> Please do not forget to configure the AC Adapter (65W for system; 80 & 90W for portrep), AC Cable & 1st Battery extra., >> Please as well check out the numerous accessories, such as Sleeve Cases, Port replicators, extra batteries, ..., >>>> Info: vPro logo requires Intel Core i5-43xx or better CPU, Intel 7260 a,b,g,n W-LAN & TPM module.	S26391-K392-V200	714,12	



Fujitsu recommande Windows.

LIFEBOOK E746

Fiches produit : <http://fr.fujitsu.com/lifebook>

Appartenant à la gamme LIFEBOOK E de FUJITSU, le LIFEBOOK E746 est le choix idéal si vous avez besoin d'un ordinateur portable élégant et entièrement équipé. Avec son poids plume de 1,7 kg (4,19 livres) et son écran de 35,6 cm (14 pouces) ainsi qu'une interface complète vous assurent un confort d'utilisation maximal. De plus, des fonctionnalités de pointe assurent la sécurité des données de votre entreprise à tout.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E746				
LB E746 NON-VPRO /14.0' HD/13-6100U/4GB/	LB E746 NON-VPRO /14.0' HD/13-6100U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/NO TPM/CK INT/3P AC 19V/65W SL/ 3P AC 19V/90W/BATT. 6CELL 72WH/	LKN:E7460M0001FR	1609,41	
LB E746 VPRO /14.0' FHD/15-6300U/2x4GB/	LB E746 VPRO /14.0' FHD/15-6300U/2x4GB/ DVD SM/SSD 256GB/WLAN DUAL 8260/ UMTS/LTE READY/LTE EM7305/FHD CAM/ TPM V2.0/SC SLOT/CK INT/	LKN:E7460M0001IN	2049,41	
LB E746 NON-VPRO /14.0' HD/17-6500U/8GB/	LB E746 NON-VPRO /14.0' HD/17-6500U/8GB/ WEIGHT SAVER/2ND BATT./SSD 256GB/ UMTS/LTE READY/WLAN DUAL 8260/FHD CAM/ FIP/TPM V2.0/SC SLOT/SystemLock3/CK INT/	LKN:E7460M0002FR	1688,24	
LB E746 VPRO /14.0' FHD/15-6300U/2x4GB/	LB E746 VPRO /14.0' FHD/15-6300U/2x4GB/ DVD SM/SSD 256GB/WLAN DUAL 8260/ UMTS/LTE READY/LTE EM7305/FHD CAM/ TPM V2.0/SC SLOT/CK INT/	LKN:E7460M0002IN	2049,41	



Fujitsu recommande Windows.

LIFEBOOK E746 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E746 (Suite)				
LB E746 NON-VPRO /14.0' HD/I7-6500U/8GB/	LB E746 NON-VPRO /14.0' HD/I7-6500U/8GB/ WEIGHT SAVER/2ND BATT./SSD 256GB/ UMTS/LTE READY/WLAN DUAL 8260/FHD CAM/ FIP/NO TPM/SC SLOT/SystemLock3/CK INT/	LKN:E7460M0003FR	1683,53	
LB E746 VPRO /14.0' FHD/I5-6300U/2x4GB/	LB E746 VPRO /14.0' FHD/I5-6300U/2x4GB/ DVD SM/SSD 256GB/WLAN DUAL 8260/ UMTS/LTE READY/LTE EM7305/FHD CAM/ TPM V2.0/SC SLOT/CK INT/	LKN:E7460M0003IN	2049,41	
LB E746 VPRO /14.0' FHD/I5-6300U/2x4GB/	LB E746 VPRO /14.0' FHD/I5-6300U/2x4GB/ DVD SM/SSD 256GB/WLAN DUAL 8260/ UMTS/LTE READY/LTE EM7305/FHD CAM/ TPM V2.0/SC SLOT/CK INT/	LKN:E7460M0004FR	2049,41	
LB E746 VPRO /14.0' FHD/I5-6300U/2x4GB/	LB E746 VPRO /14.0' FHD/I5-6300U/2x4GB/ DVD SM/SSD 256GB/WLAN DUAL 8260/ UMTS/LTE READY/LTE EM7305/FHD CAM/ TPM V2.0/SC SLOT/CK INT/	LKN:E7460M0004IN	2049,41	
LB E746 NON-VPRO /14.0' FHD/I5-6200U/	LB E746 NON-VPRO /14.0' FHD/I5-6200U/ 8GB/DVD SM/SSD 512GB OPAL/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/3P AC 19V/90W/	LKN:E7460M0005FR	1843,53	
LB E746 VPRO /14.0' FHD/I5-6300U/2x4GB/	LB E746 VPRO /14.0' FHD/I5-6300U/2x4GB/ DVD SM/SSD 256GB/WLAN DUAL 8260/ UMTS/LTE READY/LTE EM7305/FHD CAM/ TPM V2.0/SC SLOT/CK GB/3P AC 19V/65W SL/	LKN:E7460M0005IN	2051,76	
LB E746 NON-VPRO /14.0' FHD/I5-6300U/	LB E746 NON-VPRO /14.0' FHD/I5-6300U/ 8GB/DVD SM/SSD 512GB OPAL/ UMTS/LTE READY/WLAN DUAL 8260/FHD CAM/ TPM V1.2/SC SLOT/CK INT/	LKN:E7460M0006FR	2071,76	



Fujitsu recommande Windows.

LIFEBOOK E746 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E746 (Suite)				
LB E746 VPRO /14.0' FHD/15-6300U/2x4GB/	LB E746 VPRO /14.0' FHD/I5-6300U/2x4GB/ DVD SM/SSD 256GB/WLAN DUAL 8260/ UMTS/LTE READY/LTE EM7305/FHD CAM/ TPM V2.0/SC SLOT/CK INT/	LKN:E7460M0006IN	2049,41	
LB E746 NON-VPRO /14.0' FHD/15-6200U/	LB E746 NON-VPRO /14.0' FHD/I5-6200U/ 16GB/DVD SM/SSD 512GB OPAL/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/3P AC 19V/90W/	LKN:E7460M0007FR	1904,71	
LB E746 VPRO /14.0' FHD/15-6300U/2x4GB/	LB E746 VPRO /14.0' FHD/I5-6300U/2x4GB/ DVD SM/SSD 256GB/WLAN DUAL 8260/ UMTS/LTE READY/LTE EM7305/FHD CAM/ TPM V2.0/SC SLOT/CK INT/	LKN:E7460M0007IN	2049,41	
LB E746 VPRO /14.0' FHD/15-6300U/2x4GB/	LB E746 VPRO /14.0' FHD/I5-6300U/2x4GB/ DVD SM/SSD 256GB/WLAN DUAL 8260/ UMTS/LTE READY/LTE EM7305/FHD CAM/ TPM V2.0/SC SLOT/CK INT/	LKN:E7460M0008IN	2049,41	
LB E746 VPRO /14.0' FHD/15-6300U/2x4GB/	LB E746 VPRO /14.0' FHD/I5-6300U/2x4GB/ DVD SM/SSD 256GB/WLAN DUAL 8260/ UMTS/LTE READY/LTE EM7305/FHD CAM/ TPM V2.0/SC SLOT/CK INT/	LKN:E7460M0009IN	2049,41	
LB E746 VPRO /14.0' FHD/15-6300U/2x4GB/	LB E746 VPRO /14.0' FHD/I5-6300U/2x4GB/ DVD SM/SSD 256GB/WLAN DUAL 8260/ UMTS/LTE READY/LTE EM7305/FHD CAM/ TPM V2.0/SC SLOT/CK INT/	LKN:E7460M0010IN	2049,41	
LB E746 VPRO /14.0' FHD/15-6300U/2x4GB/	LB E746 VPRO /14.0' FHD/I5-6300U/2x4GB/ DVD SM/SSD 256GB/WLAN DUAL 8260/ UMTS/LTE READY/LTE EM7305/FHD CAM/ TPM V2.0/SC SLOT/CK INT/	LKN:E7460M0011IN	2049,41	



Fujitsu recommande Windows.

LIFEBOOK E746 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E746 (Suite)				
LB E746 VPRO /14.0' FHD/15-6300U/2x4GB/	LB E746 VPRO /14.0' FHD/I5-6300U/2x4GB/ DVD SM/SSD 256GB/WLAN DUAL 8260/ UMTS/LTE READY/LTE EM7305/FHD CAM/ TPM V2.0/SC SLOT/CK INT/	LKN:E7460M0012IN	2049,41	
LB E746 NON-VPRO /14.0' HD/15-6200U/4GB/	LB E746 NON-VPRO /14.0' HD/I5-6200U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/ TPM V2.0/SC SLOT/CK DE/AC/3P AC 19V/90W/	LKN:E7460M0013IN	1803,53	
LB E746 NON-VPRO /14.0' HD/15-6200U/4GB/	LB E746 NON-VPRO /14.0' HD/I5-6200U/4GB/ WEIGHT SAVER/HDD 500GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/ TPM V2.0/SC SLOT/CK DE/AC/3P AC 19V/90W/	LKN:E7460M0014IN	1743,53	
LB E746 NON-VPRO /14.0' HD/15-6200U/4GB/	LB E746 NON-VPRO /14.0' HD/I5-6200U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/SC SLOT/CK DE/AC/ 3P AC 19V/90W/1ST BATT 63WH/	LKN:E7460M0015IN	1684,71	
LB E746 NON-VPRO /14.0' HD/15-6200U/4GB/	LB E746 NON-VPRO /14.0' HD/I5-6200U/4GB/ WEIGHT SAVER/HDD 500GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/SC SLOT/CK DE/AC/ 3P AC 19V/90W/1ST BATT 63WH/	LKN:E7460M0016IN	1624,71	
LB E746 NON-VPRO /14.0' HD/17-6500U/4GB/	LB E746 NON-VPRO /14.0' HD/I7-6500U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/ TPM V2.0/SC SLOT/CK DE/AC/3P AC 19V/90W/	LKN:E7460M0017IN	1891,76	
LB E746 NON-VPRO /14.0' HD/17-6500U/4GB/	LB E746 NON-VPRO /14.0' HD/I7-6500U/4GB/ WEIGHT SAVER/HDD 500GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/ TPM V2.0/SC SLOT/CK DE/AC/3P AC 19V/90W/	LKN:E7460M0018IN	1831,76	



Fujitsu recommande Windows.

LIFEBOOK E746 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E746 (Suite)				
LB E746 NON-VPRO /14.0' HD/I7-6500U/4GB/	LB E746 NON-VPRO /14.0' HD/I7-6500U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/SC SLOT/CK DE/AC/ 3P AC 19V/90W/1ST BATT 63WH/	LKN:E7460M0019IN	1772,94	
LB E746 NON-VPRO /14.0' HD/I7-6500U/4GB/	LB E746 NON-VPRO /14.0' HD/I7-6500U/4GB/ WEIGHT SAVER/HDD 500GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/SC SLOT/CK DE/AC/ 3P AC 19V/90W/1ST BATT 63WH/	LKN:E7460M0020IN	1712,94	
LB E746 NON-VPRO /14.0' HD/I5-6200U/8GB/	LB E746 NON-VPRO /14.0' HD/I5-6200U/8GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/TPM V2.0/SC SLOT/CK DE/AC/3P AC 19V/90W/	LKN:E7460M0021IN	1829,41	
LB E746 NON-VPRO /14.0' HD/I5-6200U/8GB/	LB E746 NON-VPRO /14.0' HD/I5-6200U/8GB/ WEIGHT SAVER/HDD 500GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/TPM V2.0/SC SLOT/CK DE/AC/3P AC 19V/90W/	LKN:E7460M0022IN	1781,18	
LB E746 NON-VPRO /14.0' HD/I5-6200U/8GB/	LB E746 NON-VPRO /14.0' HD/I5-6200U/8GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/SC SLOT/CK DE/AC/ 3P AC 19V/90W/1ST BATT 63WH/	LKN:E7460M0023IN	1710,59	
LB E746 NON-VPRO /14.0' HD/I5-6200U/8GB/	LB E746 NON-VPRO /14.0' HD/I5-6200U/8GB/ WEIGHT SAVER/HDD 500GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/SC SLOT/CK DE/AC/ 3P AC 19V/90W/1ST BATT 63WH/	LKN:E7460M0024IN	1662,35	
LB E746 NON-VPRO /14.0' HD/I7-6500U/8GB/	LB E746 NON-VPRO /14.0' HD/I7-6500U/8GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/TPM V2.0/SC SLOT/CK DE/AC/3P AC 19V/90W/	LKN:E7460M0025IN	1917,65	



Fujitsu recommande Windows.

LIFEBOOK E746 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E746 (Suite)				
LB E746 NON-VPRO /14.0' HD/17-6500U/8GB/	LB E746 NON-VPRO /14.0' HD/17-6500U/8GB/ WEIGHT SAVER/HDD 500GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/ TPM V2.0/SC SLOT/CK DE/AC/3P AC 19V/90W/	LKN:E7460M0026IN	1869,41	
LB E746 NON-VPRO /14.0' HD/17-6500U/8GB/	LB E746 NON-VPRO /14.0' HD/17-6500U/8GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/SC SLOT/CK DE/AC/ 3P AC 19V/90W/1ST BATT 63WH/	LKN:E7460M0027IN	1798,82	
LB E746 NON-VPRO /14.0' HD/17-6500U/8GB/	LB E746 NON-VPRO /14.0' HD/17-6500U/8GB/ WEIGHT SAVER/HDD 500GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/SC SLOT/CK DE/AC/ 3P AC 19V/90W/1ST BATT 63WH/	LKN:E7460M0028IN	1750,59	
LB E746 VPRO /14.0' FHD/15-6300U/2x4GB/	LB E746 VPRO /14.0' FHD/15-6300U/2x4GB/ DVD SM/SSD 256GB/WLAN DUAL 8260/ UMTS/LTE READY/LTE EM7305/FHD CAM/ TPM V2.0/SC SLOT/CK INT/	LKN:E7460M0029IN	2049,41	
LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK DE/3P AC 19V/90W/	LKN:E7460M0030IN	1764,71	
LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK DE/3P AC 19V/90W/	LKN:E7460M0031IN	1764,71	
LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK DE/3P AC 19V/90W/	LKN:E7460M0032IN	1772,94	



Fujitsu recommande Windows.

LIFEBOOK E746 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E746 (Suite)				
LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK DE/3P AC 19V/90W/	LKN:E7460M0033IN	1764,71	
LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK DE/3P AC 19V/90W/	LKN:E7460M0034IN	1772,94	
LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK DE/3P AC 19V/90W/	LKN:E7460M0035IN	1764,71	
LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK DE/3P AC 19V/90W/	LKN:E7460M0036IN	1764,71	
LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK DE/3P AC 19V/90W/	LKN:E7460M0037IN	1764,71	
LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK DE/3P AC 19V/90W/	LKN:E7460M0038IN	1764,71	
LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK DE/3P AC 19V/90W/	LKN:E7460M0039IN	1764,71	



Fujitsu recommande Windows.

LIFEBOOK E746 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E746 (Suite)				
LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK DE/3P AC 19V/90W/	LKN:E7460M0040IN	1764,71	
LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK DE/3P AC 19V/90W/	LKN:E7460M0041IN	1764,71	
LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK DE/3P AC 19V/90W/	LKN:E7460M0042IN	1772,94	
LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK DE/3P AC 19V/90W/	LKN:E7460M0043IN	1772,94	
LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK DE/3P AC 19V/90W/	LKN:E7460M0044IN	1772,94	
LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK DE/3P AC 19V/90W/	LKN:E7460M0045IN	1772,94	
LB E746 VPRO /14.0' FHD/15-6300U/2x4GB/	LB E746 VPRO /14.0' FHD/15-6300U/2x4GB/ DVD SM/SSD 256GB/WLAN DUAL 8260/ UMTS/LTE READY/LTE EM7305/FHD CAM/ TPM V2.0/SC SLOT/CK INT/	LKN:E7460M0046IN	2049,41	



Fujitsu recommande Windows.

LIFEBOOK E746 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E746 (Suite)				
LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK DE/3P AC 19V/90W/	LKN:E7460M0047IN	1765,88	
LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK DE/3P AC 19V/90W/	LKN:E7460M0048IN	1765,88	
LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK GB/3P AC 19V/90W/	LKN:E7460M0049IN	1765,88	
LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK DE/3P AC 19V/90W/	LKN:E7460M0050IN	1764,71	
LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK DE/3P AC 19V/90W/	LKN:E7460M0051IN	1768,24	
LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/90W/	LKN:E7460M0052IN	1774,12	
LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/90W/	LKN:E7460M0053IN	1772,94	



Fujitsu recommande Windows.

LIFEBOOK E746 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E746 (Suite)				
LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/90W/	LKN:E7460M0054IN	1768,24	
LB E746 VPRO /14.0' FHD/15-6300U/2x4GB/	LB E746 VPRO /14.0' FHD/15-6300U/2x4GB/ DVD SM/SSD 256GB/WLAN DUAL 8260/ UMTS/LTE READY/LTE EM7305/FHD CAM/ TPM V2.0/SC SLOT/CK INT/	LKN:E7460M0055IN	2049,41	
LB E746 VPRO /14.0' FHD/15-6300U/2x4GB/	LB E746 VPRO /14.0' FHD/15-6300U/2x4GB/ DVD SM/SSD 256GB/WLAN DUAL 8260/ UMTS/LTE READY/LTE EM7305/FHD CAM/ TPM V2.0/SC SLOT/CK INT/	LKN:E7460M0056IN	2047,06	
LB E746 VPRO /14.0' FHD/15-6300U/2x4GB/	LB E746 VPRO /14.0' FHD/15-6300U/2x4GB/ DVD SM/SSD 256GB/WLAN DUAL 8260/ UMTS/LTE READY/LTE EM7305/FHD CAM/ TPM V2.0/SC SLOT/CK INT/	LKN:E7460M0057IN	2047,06	
LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/90W/	LKN:E7460M0058IN	1772,94	
LB E746 NON-VPRO /14.0' FHD/15-6300U/	LB E746 NON-VPRO /14.0' FHD/15-6300U/ 8GB/DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/90W/	LKN:E7460M0059IN	1843,53	
LB E746 VPRO /14.0' FHD/15-6300U/2x4GB/	LB E746 VPRO /14.0' FHD/15-6300U/2x4GB/ DVD SM/SSD 256GB/WLAN DUAL 8260/ UMTS/LTE READY/LTE EM7305/FHD CAM/ TPM V2.0/SC SLOT/CK INT/	LKN:E7460M0060IN	2049,41	



Fujitsu recommande Windows.

LIFEBOOK E746 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E746 (Suite)				
LB E746 NON-VPRO /14.0' HD/I5-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/I5-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/90W/	LKN:E7460M0061IN	1764,71	
LB E746 VPRO /14.0' FHD/I5-6300U/2x4GB/	LB E746 VPRO /14.0' FHD/I5-6300U/2x4GB/ DVD SM/SSD 256GB/WLAN DUAL 8260/ UMTS/LTE READY/LTE EM7305/FHD CAM/ TPM V2.0/SC SLOT/CK INT/	LKN:E7460M0062IN	2049,41	
LB E746 VPRO /14.0' FHD/I5-6300U/2x4GB/	LB E746 VPRO /14.0' FHD/I5-6300U/2x4GB/ DVD SM/SSD 256GB/WLAN DUAL 8260/ UMTS/LTE READY/LTE EM7305/FHD CAM/ TPM V2.0/SC SLOT/CK GB/3P AC 19V/65W SL/	LKN:E7460M0063IN	2049,41	
LB E746 NON-VPRO /14.0' HD/I5-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/I5-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/90W/	LKN:E7460M0064IN	1764,71	
LB E746 NON-VPRO /14.0' HD/I5-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/I5-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/90W/	LKN:E7460M0065IN	1777,65	
LB E746 NON-VPRO /14.0' HD/I5-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/I5-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/90W/	LKN:E7460M0066IN	1764,71	
LB E746 NON-VPRO /14.0' HD/I5-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/I5-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/90W/	LKN:E7460M0067IN	1764,71	



Fujitsu recommande Windows.

LIFEBOOK E746 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E746 (Suite)				
LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/90W/	LKN:E7460M0068IN	1764,71	
LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/90W/	LKN:E7460M0069IN	1764,71	
LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/90W/	LKN:E7460M0070IN	1764,71	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7460M0001IN	1652,94	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7460M0002IN	1652,94	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7460M0003IN	1652,94	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7460M0004IN	1652,94	



Fujitsu recommande Windows.

LIFEBOOK E746 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E746 (Suite)				
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7460M0005IN	1652,94	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7460M0006IN	1654,12	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7460M0007IN	1652,94	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7460M0008IN	1652,94	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7460M0009IN	1652,94	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7460M0010IN	1652,94	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7460M0011IN	1652,94	



Fujitsu recommande Windows.

LIFEBOOK E746 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E746 (Suite)				
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7460M0012IN	1652,94	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7460M0013IN	1652,94	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7460M0014IN	1652,94	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7460M0015IN	1652,94	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7460M0016IN	1652,94	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7460M0017IN	1652,94	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7460M0018IN	1751,76	



Fujitsu recommande Windows.

LIFEBOOK E746 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E746 (Suite)				
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7460M0019IN	1751,76	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7460M0020IN	1751,76	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7460M0021IN	1751,76	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7460M0022IN	1751,76	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7460M0023IN	1752,94	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7460M0024IN	1751,76	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7460M0025IN	1751,76	



Fujitsu recommande Windows.

LIFEBOOK E746 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E746 (Suite)				
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7460M0026IN	1751,76	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7460M0027IN	1751,76	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7460M0028IN	1751,76	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7460M0029IN	1751,76	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7460M0030IN	1751,76	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7460M0031IN	1751,76	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7460M0032IN	1751,76	



Fujitsu recommande Windows.

LIFEBOOK E746 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E746 (Suite)				
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7460M0033IN	1751,76	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7460M0034IN	1751,76	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7460M0035IN	1751,76	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7460M0036IN	1652,94	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7460M0037IN	1656,47	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7460M0038IN	1755,29	
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7460M0039IN	1654,12	



Fujitsu recommande Windows.

LIFEBOOK E746 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E746 (Suite)				
LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7460M0040IN	1752,94	
LB E746 NON-VPRO /14.0' HD/15-6200U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6200U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/NO TPM/CK INT/3P AC 19V/65W SL/ BATT. 6CELL 72WH/AC CABLE CN/	PRJ:E7460M0041IN	1578,82	
LB E746 NON-VPRO /14.0' HD/15-6200U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6200U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7460M0042IN	1580,00	
LB E746 NON-VPRO /14.0' HD/15-6200U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6200U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7460M0043IN	1680,00	
LB E746 NON-VPRO /14.0' HD/15-6200U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6200U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7460M0044IN	1581,18	
LB E746 NON-VPRO /14.0' HD/15-6200U/4GB/	LB E746 NON-VPRO /14.0' HD/15-6200U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7460M0045IN	1700,00	
LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/	LB E746 NON-VPRO /14.0' HD/15-6300U/8GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/SC SLOT/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7460M0046IN	1688,24	



Fujitsu recommande Windows.

LIFEBOOK E746 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E746 (Suite)				
LB E746 NON-VPRO /14.0' HD/I5-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	PRJ:E7460M0047IN	1751,76	
LB E746 NON-VPRO /14.0' HD/I5-6300U/4GB/	LB E746 NON-VPRO /14.0' HD/I5-6300U/4GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7460M0048IN	1652,94	
LB E746 NON-VPRO /14.0' FHD/I5-6200U/	LB E746 NON-VPRO /14.0' FHD/I5-6200U/ 8GB/DVD SM/SSD 256GB/UMTS EM8805/ UMTS/LTE READY/WLAN DUAL 8260/FHD CAM/ FIP/TPM V2.0/SC SLOT/CK INT/	VFY:E7460M751BFR	1304,71	
LB E746 NON-VPRO /14.0' FHD/I5-6200U/	LB E746 NON-VPRO /14.0' FHD/I5-6200U/ 8GB/DVD SM/SSHD 500GB/UMTS EM8805/ UMTS/LTE READY/WLAN DUAL 8260/FHD CAM/ FIP/TPM V2.0/CK INT/3P AC 19V/65W SL/	VFY:E7460M75ABFR	1210,59	
LB E746 NON-VPRO /14.0' FHD/I7-6500U/	LB E746 NON-VPRO /14.0' FHD/I7-6500U/ 8GB/DVD SM/SSD 256GB OPAL/LTE EM7305/ UMTS/LTE READY/WLAN DUAL 8260/FHD CAM/ FIP/TPM V2.0/SC SLOT/CK INT/	VFY:E7460M87APFR	1469,41	

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
LIFEBOOK E746				



Fujitsu recommande Windows.

LIFEBOOK E746 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
LIFEBOOK E746 (Suite)				
LIFEBOOK E746 non-vPro	Base unit, Chipset integrated in CPU, supports Dual Channel DDR4 2133MHz PC17000 RAM (2 DIMM slots). Modular bay concept for optical drive, 2nd batterie, 2nd hard disk (S-ATA-II) or weight saver. Mobile Intel® HD520 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit LAN Intel 219V, Realtek High Definition Audio, Touchpad with integrated mouse buttons and with Gesture support, LED Status display, application buttons, Kensington Lock connector., Interfaces: 1x Smart Card Reader (optional), 1x Lect.cte SD, 1x VGA, 1x Displayport, 3x USB 3.0 (1 with anytime charging functionality) , 1x USB 2.0, 1x RJ45 for LAN, 1x audio in, 1x audio out, docking connector., >> Please do not forget to configure the AC Adapter (65W for system; 80 & 90W for portrep), AC Cable & 1st Battery extra., >> Please as well check out the numerous accessories, such as Sleeve Cases, Port replicators, extra batteries, ..	S26391-K444-V100	677,65	
LIFEBOOK E746 vPro	Base unit, Chipset integrated in CPU, prepared for Intel vPro technology and iAMT 11.0, supports Dual Channel DDR4 2133MHz PC17000 RAM (2 DIMM slots). Modular bay concept for optical drive, 2nd batterie, 2nd hard disk (S-ATA-II) or weight saver. Mobile Intel® HD520 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit LAN Intel 219LM, Realtek High Definition Audio, Touchpad with integrated mouse buttons and with Gesture support, LED Status display, application buttons, Kensington Lock connector., Interfaces: 1x Smart Card Reader (optional), 1x Lect.cte SD, 1x VGA, 1x Displayport, 3x USB 3.0 (1 with anytime charging functionality) , 1x USB2.0, 1x RJ45 for LAN, 1x audio in, 1x audio out, docking connector., >> Please do not forget to configure the AC Adapter (65W for system; 80/90W for portrep), AC Cable & 1st Battery extra., >> Please as well check out the numerous accessories, such as Sleeve Cases, Port replicators, extra batteries, >> Info: vPro logo requires Intel Core i5-63xx or better CPU, Intel 8260 ac W-LAN & TPM module.	S26391-K444-V200	704,71	



ujitsu recommande Windows.

LIFEBOOK E756

Fiches produit : <http://fr.fujitsu.com/lifebook>

Appartenant à la gamme d'ordinateurs portables LIFEBOOK E de FUJITSU, l'élégant LIFEBOOK E756 est le choix idéal si vous avez besoin d'un ordinateur portable léger réunissant des fonctionnalités supérieures pour votre travail quotidien. Avec son écran de 39,6 cm (15,6 pouces), son faible poids de 1,9 kg (4,19 livres), son interface complète et ses fonctionnalités de sécurité de pointe, cet ordinateur portable modulaire vous offre une flexibilité et un confort d'utilisation optimaux.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E756				
LB E756 NON-VPRO /15.6' HD/I7-6500U/8GB/	LB E756 NON-VPRO /15.6' HD/I7-6500U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ WLAN DUAL 8260/FHD CAM/FIP/TPM V2.0/ CK INT/3P AC 19V/65W SL/	LKN:E7560M0001FR	1717,65	
LB E756 NON-VPRO /15.6' HD/I5-6200U/4GB/	LB E756 NON-VPRO /15.6' HD/I5-6200U/4GB/ DVD SM/HDD 500GB/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK GB/AC/1ST BATT 63WH/ AC CABLE GB 3-PIN/KB B W/O TS 10K GB/	LKN:E7560M0001IN	1502,35	
LB E756 VPRO /15.6' FHD/I5-6300U/8GB/	LB E756 VPRO /15.6' FHD/I5-6300U/8GB/ DVD SM/SSD 256GB/WLAN DUAL 8260/ UMTS/LTE READY/LTE EM7305/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	LKN:E7560M0001SK	1902,35	
LB E756 NON-VPRO /15.6' HD/I3-6100U/4GB/	LB E756 NON-VPRO /15.6' HD/I3-6100U/4GB/ DVD SM/SSD 256GB/FHD CAM/NO TPM/CK INT/ 2x3P AC 19V/80W (0W)/1ST BATT 77WH/ 2x3PIN CABLE EU/PORT REP/	LKN:E7560M0002FR	1635,29	
LB E756 NON-VPRO /15.6' HD/I5-6200U/4GB/	LB E756 NON-VPRO /15.6' HD/I5-6200U/4GB/ DVD SM/HDD 500GB/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK INT/AC/1ST BATT 63WH/ 3PIN CABLE EU/KB B W/O TS 10K FR/	LKN:E7560M0002IN	1501,18	
LB E756 NON-VPRO /15.6' HD/I3-6100U/4GB/	LB E756 NON-VPRO /15.6' HD/I3-6100U/4GB/ BD WRITER/SSD 128GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ NO TPM/CK INT/3P AC 19V/65W SL/	LKN:E7560M0003FR	1736,47	
LB E756 NON-VPRO /15.6' HD/I5-6200U/4GB/	LB E756 NON-VPRO /15.6' HD/I5-6200U/4GB/ DVD SM/HDD 500GB/WLAN DUAL 8260/FHD CAM/ TPM V2.0/CK GB/AC/1ST BATT 63WH/ 3PIN CABLE EU/KB B W/O TS 10K GB/	LKN:E7560M0003IN	1501,18	
LB E756 NON-VPRO /15.6' FHD/I7-6600U/	LB E756 NON-VPRO /15.6' FHD/I7-6600U/ 2x16GB/WEIGHT SAVER/SSD 512GB OPAL/ WLAN DUAL 8260/FHD CAM/FIP/TPM V2.0/ CK INT/3P AC 19V/65W SL/3P AC 19V/90W/	LKN:E7560M0004FR	2262,35	
LB E756 NON-VPRO /15.6' HD/I3-6100U/4GB/	LB E756 NON-VPRO /15.6' HD/I3-6100U/4GB/ WEIGHT SAVER/SSD 256GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/2 MIC/ TPM V1.2/CK DE/AC/1ST BATT 63WH/	LKN:E7560M0004IN	1582,35	



ujitsu recommande Windows.

LIFEBOOK E756 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicateur (€)	Remarques
Configurations Standards				
LIFEBOOK E756 (Suite)				
LB E756 NON-VPRO /15.6' HD/13-6100U/4GB/	LB E756 NON-VPRO /15.6' HD/13-6100U/4GB/ BD WRITER/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ NO TPM/CK INT/3P AC 19V/65W SL/	LKN:E7560M0005FR	1787,06	
LB E756 VPRO /15.6' FHD/15-6300U/8GB/	LB E756 VPRO /15.6' FHD/15-6300U/8GB/ DVD SM/SSD 256GB/WLAN DUAL 8260/ UMTS/LTE READY/LTE EM7305/FHD CAM/ TPM V2.0/CK DE/3P AC 19V/65W SL/	LKN:E7560M0005IN	1902,35	
LB E756 NON-VPRO /15.6' FHD/13-6100U/	LB E756 NON-VPRO /15.6' FHD/13-6100U/ 4GB/DVD SM/HDD 500GB 7.2K/ WLAN DUAL 8260/FHD CAM/NO TPM/SC SLOT/ CK INT/AC/3P AC 19V/90W/1ST BATT 63WH/	LKN:E7560M0006FR	1656,47	
LB E756 VPRO /15.6' FHD/15-6300U/8GB/	LB E756 VPRO /15.6' FHD/15-6300U/8GB/ DVD SM/SSD 256GB/WLAN DUAL 8260/ UMTS/LTE READY/LTE EM7305/FHD CAM/ TPM V2.0/CK DE/3P AC 19V/65W SL/	LKN:E7560M0006IN	1902,35	
LB E756 NON-VPRO /15.6' HD/15-6200U/	LB E756 NON-VPRO /15.6' HD/15-6200U/ 2x4GB/DVD SM/SSD 128GB/WLAN DUAL 8260/ FHD CAM/FIP/NO TPM/SC SLOT/CK INT/ 3P AC 19V/65W SL/3P AC 19V/90W/	LKN:E7560M0007FR	1695,29	
LB E756 NON-VPRO /15.6' FHD/15-6200U/	LB E756 NON-VPRO /15.6' FHD/15-6200U/ 8GB/WEIGHT SAVER/SSD 256GB/ UMTS/LTE READY/LTE EM7305/ WLAN DUAL 8260/FHD CAM/NO TPM/CK INT/	LKN:E7560M0008FR	1789,41	
LB E756 NON-VPRO /15.6' FHD/15-6200U/	LB E756 NON-VPRO /15.6' FHD/15-6200U/ 2x8GB/DVD SM/SSD 512GB OPAL/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL 8260/FHD CAM/FIP/TPM V2.0/	LKN:E7560M0009FR	2412,94	
LB E756 NON-VPRO /15.6' FHD/15-6200U/	LB E756 NON-VPRO /15.6' FHD/15-6200U/ 8GB/DVD SM/SSHD 500GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/FIP/ TPM V2.0/CK INT/3P AC 19V/65W SL/	LKN:E7560M0010FR	1791,76	
LB E756 NON-VPRO /15.6' HD/17-6500U/	LB E756 NON-VPRO /15.6' HD/17-6500U/ 2x8GB/WEIGHT SAVER/SSD 512GB OPAL/ WLAN DUAL 8260/FHD CAM/FIP/NO TPM/ CK INT/3P AC 19V/65W SL/	LKN:E7560M0011FR	1901,18	
LB E756 NON-VPRO /15.6' HD/15-6200U/8GB/	LB E756 NON-VPRO /15.6' HD/15-6200U/8GB/ WEIGHT SAVER/2ND BATT./SSD 128GB/ WLAN DUAL 8260/FHD CAM/NO TPM/CK INT/ 3P AC 19V/65W SL/1ST BATT 77WH/	LKN:E7560M0012FR	1651,76	
LB E756 NON-VPRO /15.6' FHD/15-6200U/	LB E756 NON-VPRO /15.6' FHD/15-6200U/ 4GB/DVD SM/SSD 256GB/WLAN DUAL 8260/ FHD CAM/NO TPM/CK INT/3P AC 19V/65W SL/ 1ST BATT 63WH/3PIN CABLE EU/	LKN:E7560M0013FR	1658,82	
LB E756 NON-VPRO /15.6' FHD/17-6500U/	LB E756 NON-VPRO /15.6' FHD/17-6500U/ 2x8GB/DVD SM/SSD 512GB OPAL/ WLAN DUAL 8260/FHD CAM/NO TPM/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	LKN:E7560M0014FR	2000,00	
LB E756 NON-VPRO /15.6' HD/15-6200U/8GB/	LB E756 NON-VPRO /15.6' HD/15-6200U/8GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ LTE EM7305/WLAN DUAL 8260/FHD CAM/ NO TPM/CK INT/3P AC 19V/65W SL/	LKN:E7560M0015FR	1844,71	



ujitsu recommande Windows.

LIFEBOOK E756 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E756 (Suite)				
LB E756 VPRO /15.6" FHD/15-6300U/8GB/	LB E756 VPRO /15.6" FHD/15-6300U/8GB/ DVD SM/SSD 256GB/WLAN DUAL 8260/ UMTS/LTE READY/LTE EM7305/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/65W SL/	LKN:E7560M0016FR	1902,35	
LB E756 NON-VPRO /15.6" FHD/13-6100U/	LB E756 NON-VPRO /15.6" FHD/13-6100U/ 4GB/DVD SM/HDD 500GB 7.2K/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL 8260/FHD CAM/NO TPM/SC SLOT/	LKN:E7560M0017FR	1755,29	
LB E756 VPRO /15.6" HD/17-6600U/8GB/	LB E756 VPRO /15.6" HD/17-6600U/8GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V1.2/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	LKN:E7560M0018FR	1881,18	
LB E756 VPRO /15.6" HD/17-6600U/8GB/	LB E756 VPRO /15.6" HD/17-6600U/8GB/ WEIGHT SAVER/SSD 256GB/WLAN DUAL 8260/ FHD CAM/TPM V1.2/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	LKN:E7560M0019FR	1887,06	
LB E756 NON-VPRO /15.6" FHD/17-6500U/	LB E756 NON-VPRO /15.6" FHD/17-6500U/ 8GB/DVD SM/SSD 512GB OPAL/ UMTS/LTE READY/LTE EM7305/ WLAN DUAL 8260/FHD CAM/FIP/TPM V2.0/	LKN:E7560M0020FR	2241,18	
LB E756 NON-VPRO /15.6" FHD/17-6500U/	LB E756 NON-VPRO /15.6" FHD/17-6500U/ 8GB/DVD SM/SSD 256GB/UMTS/LTE READY/ WLAN DUAL 8260/FHD CAM/FIP/NO TPM/ CK INT/3P AC 19V/65W SL/3P AC 19V/90W/	LKN:E7560M0021FR	1930,59	
LB E756 VPRO /15.6" FHD/17-6600U/2x16GB/	LB E756 VPRO /15.6" FHD/17-6600U/2x16GB/ BD WRITER/2ND BATT./SSD 512GB OPAL/ WLAN DUAL 8260/UMTS/LTE READY/ LTE EM7305/FHD CAM/FIP/TPM V2.0/SC SLOT/	LKN:E7560M0022FR	3112,94	
LB E756 VPRO /15.6" FHD/17-6600U/2x16GB/	LB E756 VPRO /15.6" FHD/17-6600U/2x16GB/ DVD SM/SSD 512GB OPAL/WLAN DUAL 8260/ UMTS/LTE READY/LTE EM7305/FHD CAM/FIP/ TPM V2.0/SC SLOT/CK INT/3P AC 19V/90W/	LKN:E7560M0023FR	2462,35	
LB E756 NON-VPRO /15.6" HD/15-6300U/8GB/	LB E756 NON-VPRO /15.6" HD/15-6300U/8GB/ DVD SM/HDD 500GB 7.2K/UMTS/LTE READY/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/3P AC 19V/90W/	LKN:E7560M0024FR	1755,29	
LB E756 NON-VPRO /15.6" FHD/17-6600U/	LB E756 NON-VPRO /15.6" FHD/17-6600U/ 2x8GB/DVD SM/SSD 512GB OPAL/ WLAN DUAL 8260/FHD CAM/TPM V1.2/CK INT/ 3P AC 19V/65W SL/3P AC 19V/90W/	LKN:E7560M0025FR	2320,00	
LB E756 NON-VPRO /15.6" HD/13-6100U/8GB/	LB E756 NON-VPRO /15.6" HD/13-6100U/8GB/ DVD SM/SSD 256GB/WLAN DUAL 8260/FHD CAM/ FIP/NO TPM/SC SLOT/CK INT/ 3P AC 19V/80W (0W)/1ST BATT 77WH/	LKN:E7560M0026FR	1569,41	
LB E756 NON-VPRO /15.6" FHD/17-6500U/	LB E756 NON-VPRO /15.6" FHD/17-6500U/ 8GB/DVD SM/2ND BATT./SSD 256GB/ UMTS/LTE READY/LTE EM7305/ WLAN DUAL 8260/FHD CAM/NO TPM/CK INT/	LKN:E7560M0027FR	2130,59	
LB E756 NON-VPRO /15.6" FHD/17-6500U/	LB E756 NON-VPRO /15.6" FHD/17-6500U/ 8GB/DVD SM/2ND BATT./SSD 512GB OPAL/ UMTS/LTE READY/LTE EM7305/ WLAN DUAL 8260/FHD CAM/FIP/TPM V2.0/	LKN:E7560M0028FR	2303,53	
LB E756 NON-VPRO /15.6" FHD/17-6600U/	LB E756 NON-VPRO /15.6" FHD/17-6600U/ 8GB/DVD SM/SSD 512GB OPAL/ UMTS/LTE READY/WLAN DUAL 8260/FHD CAM/ TPM V1.2/SC SLOT/CK INT/	LKN:E7560M0029FR	2257,65	



.jitsu recommande Windows.

LIFEBOOK E756 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E756 (Suite)				
LB E756 NON-VPRO /15.6" FHD/15-6300U/	LB E756 NON-VPRO /15.6" FHD/15-6300U/ 8GB/DVD SM/SSD 512GB OPAL/ UMTS/LTE READY/WLAN DUAL 8260/FHD CAM/ TPM V1.2/SC SLOT/CK INT/	LKN:E7560M0030FR	2072,94	
LB E756 NON-VPRO /15.6" HD/I3-6100U/4GB/	LB E756 NON-VPRO /15.6" HD/I3-6100U/4GB/ DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/ NO TPM/CK INT/3P AC 19V/65W SL/	LKN:E7560M0031FR	1736,47	
LB E756 NON-VPRO /15.6" HD/I3-6100U/4GB/	LB E756 NON-VPRO /15.6" HD/I3-6100U/4GB/ DVD SM/HDD 500GB/WLAN DUAL 8260/FHD CAM/ NO TPM/CK INT/AC/1ST BATT 63WH/ 3PIN CABLE EU/KB B W/ 10K FR/	LKN:E7560M0032FR	1415,29	
LB E756 NON-VPRO /15.6" FHD/15-6300U/	LB E756 NON-VPRO /15.6" FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7560M0001IN	1732,94	
LB E756 NON-VPRO /15.6" FHD/15-6300U/	LB E756 NON-VPRO /15.6" FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7560M0002IN	1732,94	
LB E756 NON-VPRO /15.6" FHD/15-6300U/	LB E756 NON-VPRO /15.6" FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7560M0003IN	1732,94	
LB E756 NON-VPRO /15.6" FHD/15-6300U/	LB E756 NON-VPRO /15.6" FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7560M0004IN	1732,94	
LB E756 NON-VPRO /15.6" FHD/15-6300U/	LB E756 NON-VPRO /15.6" FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7560M0005IN	1732,94	
LB E756 NON-VPRO /15.6" FHD/15-6300U/	LB E756 NON-VPRO /15.6" FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7560M0006IN	1734,12	
LB E756 NON-VPRO /15.6" FHD/15-6300U/	LB E756 NON-VPRO /15.6" FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7560M0007IN	1732,94	
LB E756 NON-VPRO /15.6" FHD/15-6300U/	LB E756 NON-VPRO /15.6" FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7560M0008IN	1732,94	
LB E756 NON-VPRO /15.6" FHD/15-6300U/	LB E756 NON-VPRO /15.6" FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7560M0009IN	1732,94	
LB E756 NON-VPRO /15.6" FHD/15-6300U/	LB E756 NON-VPRO /15.6" FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7560M0010IN	1732,94	



ujitsu recommande Windows.

LIFEBOOK E756 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E756 (Suite)				
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7560M0011IN	1732,94	
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7560M0012IN	1732,94	
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7560M0013IN	1732,94	
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7560M0014IN	1732,94	
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7560M0015IN	1732,94	
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7560M0016IN	1732,94	
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7560M0017IN	1732,94	
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/	PRJ:E7560M0018IN	1831,76	
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/	PRJ:E7560M0019IN	1831,76	
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/	PRJ:E7560M0020IN	1831,76	
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/	PRJ:E7560M0021IN	1831,76	
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/	PRJ:E7560M0022IN	1832,94	



ujitsu recommande Windows.

LIFEBOOK E756 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E756 (Suite)				
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ UMITS/LTE READY/UMTS EM8805/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/	PRJ:E7560M0023IN	1831,76	
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ UMITS/LTE READY/UMTS EM8805/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/	PRJ:E7560M0024IN	1831,76	
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ UMITS/LTE READY/UMTS EM8805/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/	PRJ:E7560M0025IN	1831,76	
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ UMITS/LTE READY/UMTS EM8805/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/	PRJ:E7560M0026IN	1831,76	
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ UMITS/LTE READY/UMTS EM8805/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/	PRJ:E7560M0027IN	1831,76	
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ UMITS/LTE READY/UMTS EM8805/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/	PRJ:E7560M0028IN	1831,76	
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ UMITS/LTE READY/UMTS EM8805/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/	PRJ:E7560M0029IN	1831,76	
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ UMITS/LTE READY/UMTS EM8805/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/	PRJ:E7560M0030IN	1831,76	
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ UMITS/LTE READY/UMTS EM8805/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/	PRJ:E7560M0031IN	1831,76	
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ UMITS/LTE READY/UMTS EM8805/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/	PRJ:E7560M0032IN	1831,76	
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ UMITS/LTE READY/UMTS EM8805/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/	PRJ:E7560M0033IN	1831,76	
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ UMITS/LTE READY/UMTS EM8805/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/	PRJ:E7560M0034IN	1831,76	



ujitsu recommande Windows.

LIFEBOOK E756 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E756 (Suite)				
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ UMITS/LTE READY/UMTS EM8805/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/	PRJ:E7560M0035IN	1831,76	
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7560M0036IN	1732,94	
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7560M0037IN	1736,47	
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ UMITS/LTE READY/UMTS EM8805/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/	PRJ:E7560M0038IN	1835,29	
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7560M0039IN	1734,12	
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ UMITS/LTE READY/UMTS EM8805/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/	PRJ:E7560M0040IN	1832,94	
LB E756 NON-VPRO /15.6' FHD/15-6200U/	LB E756 NON-VPRO /15.6' FHD/15-6200U/ 4GB/WEIGHT SAVER/SSD 256GB/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7560M0041IN	1663,53	
LB E756 NON-VPRO /15.6' FHD/15-6200U/	LB E756 NON-VPRO /15.6' FHD/15-6200U/ 4GB/WEIGHT SAVER/SSD 256GB/ WLAN DUAL 8260/FHD CAM/NO TPM/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7560M0042IN	1658,82	
LB E756 NON-VPRO /15.6' FHD/15-6200U/	LB E756 NON-VPRO /15.6' FHD/15-6200U/ 4GB/WEIGHT SAVER/SSD 256GB/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7560M0043IN	1660,00	
LB E756 NON-VPRO /15.6' FHD/15-6200U/	LB E756 NON-VPRO /15.6' FHD/15-6200U/ 4GB/WEIGHT SAVER/SSD 256GB/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7560M0044IN	1661,18	
LB E756 NON-VPRO /15.6' FHD/15-6200U/	LB E756 NON-VPRO /15.6' FHD/15-6200U/ 4GB/WEIGHT SAVER/SSD 256GB/ UMITS/LTE READY/LTE EM7305/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/	PRJ:E7560M0045IN	1780,00	
LB E756 NON-VPRO /15.6' FHD/15-6200U/	LB E756 NON-VPRO /15.6' FHD/15-6200U/ 4GB/WEIGHT SAVER/SSD 256GB/ UMITS/LTE READY/UMTS EM8805/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/	PRJ:E7560M0046IN	1760,00	



ujitsu recommande Windows.

LIFEBOOK E756 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK E756 (Suite)				
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/	PRJ:E7560M0047IN	1831,76	
LB E756 NON-VPRO /15.6' FHD/15-6300U/	LB E756 NON-VPRO /15.6' FHD/15-6300U/ 4GB/WEIGHT SAVER/SSD 256GB/ WLAN DUAL 8260/FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	PRJ:E7560M0048IN	1732,94	
LB E756 NON-VPRO /15.6' FHD/15-6200U/	LB E756 NON-VPRO /15.6' FHD/15-6200U/ 8GB/DVD SM/SSD 256GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/FIP/ TPM V2.0/SC SLOT/CK INT/	VFY:E7560M351BFR	1304,71	
LB E756 NON-VPRO /15.6' FHD/15-6200U/	LB E756 NON-VPRO /15.6' FHD/15-6200U/ 8GB/DVD SM/SSHD 500GB/UMTS/LTE READY/ UMTS EM8805/WLAN DUAL 8260/FHD CAM/FIP/ TPM V2.0/CK INT/3P AC 19V/65W SL/	VFY:E7560M35ABFR	1210,59	
LB E756 NON-VPRO /15.6' FHD/17-6500U/	LB E756 NON-VPRO /15.6' FHD/17-6500U/ 8GB/DVD SM/SSD 256GB OPAL/ UMTS/LTE READY/LTE EM7305/ WLAN DUAL 8260/FHD CAM/FIP/TPM V2.0/	VFY:E7560M37APFR	1469,41	
LB E756 NON-VPRO /15.6' FHD/15-6200U/	LB E756 NON-VPRO /15.6' FHD/15-6200U/ 8GB/DVD SM/SSD 256GB/UMTS EM8805/ UMTS/LTE READY/WLAN DUAL 8260/FHD CAM/ FIP/TPM V2.0/SC SLOT/CK INT/	VFY:E7560M751BFR	1304,71	
LB E756 NON-VPRO /15.6' FHD/15-6200U/	LB E756 NON-VPRO /15.6' FHD/15-6200U/ 8GB/DVD SM/SSHD 500GB/UMTS EM8805/ UMTS/LTE READY/WLAN DUAL 8260/FHD CAM/ FIP/TPM V2.0/CK INT/3P AC 19V/65W SL/	VFY:E7560M75ABFR	1210,59	
LB E756 NON-VPRO /15.6' FHD/17-6500U/	LB E756 NON-VPRO /15.6' FHD/17-6500U/ 8GB/DVD SM/SSD 256GB OPAL/LTE EM7305/ UMTS/LTE READY/WLAN DUAL 8260/FHD CAM/ FIP/TPM V2.0/SC SLOT/CK INT/	VFY:E7560M87APFR	1469,41	

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
LIFEBOOK E756				



ujitsu recommande Windows.

LIFEBOOK E756 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
LIFEBOOK E756 (Suite)				
LIFEBOOK E756 non-vPro	<p>Base unit, Chipset integrated in CPU, supports Dual Channel DDR4 2133MHz PC17000 RAM (2 DIMM slots). Modular bay concept for optical drive, 2nd batterie, 2nd hard disk (S-ATA-II) or weight saver. Mobile Intel® HD520 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit LAN Intel 219V, Realtek High Definition Audio, Touchpad with integrated mouse buttons and with Gesture support, LED Status display, application buttons, Kensington Lock connector., Interfaces: 1x Smart Card Reader (optional), 1x Lect.cte SD, 1x VGA, 1x Displayport, 3x USB 3.0 (1 with anytime charging functionality), 1x USB 2.0, 1xHDMI, 1x RJ45 for LAN, 1x audio in, 1x audio out, docking connector., >> Please do not forget to configure the AC Adapter (65W for system; 80 & 90W for portrep), AC Cable & 1st Battery extra., >> Please as well check out the numerous accessories, such as Sleeve Cases, Port replicators, extra batteries, ..</p>	S26391-K445-V100	677,65	
LIFEBOOK E756 vPro	<p>Base unit, Chipset integrated in CPU, prepared for Intel vPro technology and iAMT 11.0, supports Dual Channel DDR4 2133MHz PC17000 RAM (2 DIMM slots). Modular bay concept for optical drive, 2nd batterie, 2nd hard disk (S-ATA-II) or weight saver. Mobile Intel® HD520 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit LAN Intel 219LM, Realtek High Definition Audio, Touchpad with integrated mouse buttons and with Gesture support, LED Status display, application buttons, Kensington Lock connector., Interfaces: 1x Smart Card Reader (optional), 1x Lect.cte SD, 1x VGA, 1x Displayport, 3x USB 3.0 (1 with anytime charging functionality) , 1x USB2.0, 1x HDMI, 1x RJ45 for LAN, 1x audio in, 1x audio out, docking connector., >> Please do not forget to configure the AC Adapter (65W for system; 80/90W for portrep), AC Cable & 1st Battery extra., >> Please as well check out the numerous accessories, such as Sleeve Cases, Port replicators, extra batteries, >> Info: vPro logo requires Intel Core i5-63xx or better CPU, Intel 8260 ac W-LAN & TPM module.</p>	S26391-K445-V200	704,71	



Fujitsu recommande Windows.

LIFEBOOK T726

Fiches produit : <http://fr.fujitsu.com/lifebook>

Appartenant à la gamme d'ordinateurs portables LIFEBOOK E de FUJITSU, l'élégant LIFEBOOK T936 est le choix idéal si vous avez besoin d'un ordinateur portable léger réunissant des fonctionnalités supérieures pour votre travail quotidien. Avec son écran de 39,6 cm (15,6 pouces), son faible poids de 1,9 kg (4,19 livres), son interface complète et ses fonctionnalités de sécurité de pointe, cet ordinateur portable modulaire vous offre une flexibilité et un confort

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK T726				
LB T726 /12.5' HD DUAL/I5-6300U/	LB T726 /12.5' HD DUAL/I5-6300U/ 4GB ONBOARD/2ND BATT./500GB/WLAN AC8260/ UMTS EM8805/FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	LKN:T7260M0002FR	1949,42	
LB T726 /12.5' HD DUAL/I5-6200U/	LB T726 /12.5' HD DUAL/I5-6200U/ 4GB ONBOARD/DVD SUPER MULTI/SSD 128GB/ WLAN AC8260/UMTS EM8805/FHD CAM/ FINGERPRINT/TPM V1.2/CK INT/	LKN:T7260M0003FR	1829,42	
LB T726 /12.5' HD DUAL/I5-6300U/	LB T726 /12.5' HD DUAL/I5-6300U/ 4GB+4GB ONB/WEIGHT SAVER/500GB/ WLAN AC8260/FHD CAM/TPM V1.2/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	LKN:T7260M0004FR	1774,12	
LB T726 /12.5' HD DUAL/I5-6300U/	LB T726 /12.5' HD DUAL/I5-6300U/ 4GB+4GB ONB/WEIGHT SAVER/500GB/ WLAN AC8260/UMTS EM8805/FHD CAM/ TPM V1.2/CK INT/3P AC 19V/65W SL/	LKN:T7260M0005FR	1872,94	
LB T726 /12.5' HD DUAL/I5-6300U/	LB T726 /12.5' HD DUAL/I5-6300U/ 4GB ONBOARD/2ND BATT./500GB/WLAN AC8260/ UMTS EM8805/FHD CAM/TPM V2.0/CK INT/ 3P AC 19V/65W SL/BATT. 6CELL 72WH/	VFY:T7260M25ABFR	1949,42	



Fujitsu recommande Windows.

LIFEBOOK T726 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK T726 (Suite)				
LB T726 /12.5' HD DUAL/I5-6200U/	LB T726 /12.5' HD DUAL/I5-6200U/ 4GB ONBOARD/DVD SUPER MULTI/ SSD 256GB OPAL/WLAN AC8260/UMTS EM8805/ FHD CAM/TPM V2.0/CK INT/3P AC 19V/90W/	VFY:T7260M351BFR	1410,59	
LB T726 /12.5' HD DUAL/I5-6200U/	LB T726 /12.5' HD DUAL/I5-6200U/ 4GB ONBOARD/DVD SUPER MULTI/500GB/ WLAN AC8260/UMTS EM8805/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/90W/	VFY:T7260M850BFR	1292,94	
LB T726 /12.5' HD DUAL/I5-6200U/	LB T726 /12.5' HD DUAL/I5-6200U/ 4GB ONBOARD/DVD SUPER MULTI/500GB/ WLAN AC8260/UMTS EM8805/FHD CAM/ TPM V2.0/CK INT/3P AC 19V/90W/	VFY:T7260M851BFR	1796,48	

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
LIFEBOOK T726				
LIFEBOOK T726	Base unit with 31.8cm (12.5") TFT wide-view high-bright HD LED Display with magnesium cover, Wacom® Dual digitizer for pen input plus capacitive multi-touch screen (anti-glare), chipset integrated in CPU, prepared for vPro technology and iAMT 10.0 (depending on CPU), supports maximum 20 GB DDR4 2133MHz RAM. Modular bay concept for optional optical disk drive, 2nd batterie, 2nd HDD (SATA-II) or weight-saver. Mobile Intel® HD 520 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel® LAN, Intel® HD Audio, 2 digital microphones and 2 loudspeakers integrated, touchpad, ambient-light sensor, G-Sensor, E-Compass, Accelleration sensor, fingerprint sensor, LED status indicators, application buttons, Kensington Lock., , Interfaces: Lect.cte SD, VGA, HDMI, 1x USB 3.0 (with Anytime charge function), 1x RJ45 for LAN, optional SIM-Card Reader for UMTS/LTE, audio in/out (microphone, headphones), port replicator connector., , , Tablet pen, cleaning cloth.,	S26391-K447-V100	834,12	



Fujitsu recommande Windows.

LIFEBOOK T936

Fiches produit : <http://fr.fujitsu.com/lifebook>

Appartenant à la gamme d'ordinateurs portables LIFEBOOK E de FUJITSU, l'élégant LIFEBOOK T936 est le choix idéal si vous avez besoin d'un ordinateur portable léger réunissant des fonctionnalités supérieures pour votre travail quotidien. Avec son écran de 39,6 cm (15,6 pouces), son faible poids de 1,9 kg (4,19 livres), son interface complète et ses fonctionnalités de sécurité de pointe, cet ordinateur portable modulaire vous offre une flexibilité et un confort d'utilisation

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK T936				
LB T936 /UB LABEL/13.3' WQHD TCH/	LB T936 /UB LABEL/13.3' WQHD TCH/ I7-6600U/16GB DDR4/SSD 512GB OPAL/ WLAN AC8260/LTE EM7305/2MIC + FHD/ FINGERPRINT/TPM V2.0/SMARTCARD/CK INT/	LKN:T9360M0001FR	3125,89	
LB T936 /UB LABEL/13.3' WQHD TCH/	LB T936 /UB LABEL/13.3' WQHD TCH/ I7-6600U/16GB DDR4/SSD 512GB OPAL/ WLAN AC8260/LTE EM7305/2MIC + FHD/ FINGERPRINT/TPM V2.0/SMARTCARD/CK INT/	LKN:T9360M0002FR	3138,84	
LB T936 /UB LABEL/13.3' FHD TCH/	LB T936 /UB LABEL/13.3' FHD TCH/ I5-6200U/4GB DDR4/SSHD 500GB/ WLAN AC8260/UMTS EM8805/2MIC + FHD/ FINGERPRINT/TPM V2.0/SMARTCARD/CK INT/	VFY:T9360M85ABFR	1598,82	
LB T936 /UB LABEL/13.3' FHD TCH/	LB T936 /UB LABEL/13.3' FHD TCH/ I5-6200U/8GB DDR4/SSD 128GB/WLAN AC8260/ UMTS EM8805/2MIC + FHD/FINGERPRINT/ TPM V2.0/SMARTCARD/CK INT/	VFY:T9360M85BBFR	1634,12	



Fujitsu recommande Windows.

LIFEBOOK T936 Fiches produit : <http://fr.fujitsu.com/lifebook>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK T936 (Suite)				
LB T936 /UB LABEL/13.3' FHD TCH/	LB T936 /UB LABEL/13.3' FHD TCH/ I5-6200U/8GB DDR4/SSD 256GB OPAL/ WLAN AC8260/LTE EM7305/2MIC + FHD/ FINGERPRINT/TPM V2.0/SMARTCARD/CK INT/	VFY:T9360M85CBFR	1704,71	
LB T936 /UB LABEL/13.3' WQHD TCH/	LB T936 /UB LABEL/13.3' WQHD TCH/ I7-6600U/8GB DDR4/SSD 512GB OPAL/ WLAN AC8260/LTE EM7305/2MIC + FHD/ FINGERPRINT/TPM V2.0/SMARTCARD/CK INT/	VFY:T9360M870PFR	2140,00	

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
LIFEBOOK T936				
LIFEBOOK T936	Base unit with 33.8cm (13.3") TFT wide-view bright IGZO Display with hardened glass and magnesium cover, Wacom® Dual digitizer for pen input plus capacitive multi-touch screen, Intel® 6th generation CPU with integrated chipset (single-chip solution) , supports maximum 16GB Single Channel DDR4 2133MHz RAM (1 DIMM slots). User exchangeable batterie, mobile Intel® HD 520 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel® LAN, Intel® HD Audio, 2 digital microphones and 2 loudspeakers integrated, touchpad, ambient-light sensor, G-Sensor, Fingerprint Sensor und Smartcard optional (SmartAccess Fingerprint & Sécurité Software), LED status indicators, LED hinge rotation indicators, application buttons, Kensington Lock, Fujitsu Recovery (Hard Disk Based Recovery)., , Interfaces: Smart Card reader slot, Lect.cte SD, HDMI 1.4a, 2x bootable USB 3.0 (1x with off-charge function), RJ45 for LAN, optional SIM-Card Reader for UMTS/LTE, audio in (line-in, microphone), audio out (line-out, headphones), port replicator connector., , Tablet pen., , , Please do not forget to configure the AC Adapter and AC Cable extra. A 4 cell batterie is already included in the unit but you can configure an additional batterie., , Info: vPro logo requires Intel Core i5-63xx / i7 66xx CPU, Intel 8260 ac W-LAN & TPM module.	S26391-K446-V100	1175,29	



Fujitsu recommande Windows.

LIFEBOOK U745

Fiches produit : <http://fr.fujitsu.com/lifebook>

Le Fujitsu LIFEBOOK U745 Ultrabook™ est la solution idéale pour les professionnels au bureau ou en voyage d'affaire. Complet et soigné, cet ordinateur portable a tout d'un grand malgré un format incroyablement compact & un écran sans cadre de 35,6 cm (14 pouces). Son autonomie exceptionnelle, son niveau de réactivité, ses fonctions de sécurité et la technologie 4G/LTE ou 3G/UMTS intégrée en option permettent d'atteindre des sommets en matière de mobilité. La coque

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
LIFEBOOK U745					
LB U745 /14.0' HD+/I5-5300U/	LB U745 /14.0' HD+/I5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL N7265/HD CAM/TPM/CK DE/	LKN:U7450M0001IN	1894,13		
LB U745 /14.0' HD+/I5-5300U/	LB U745 /14.0' HD+/I5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL N7265/HD CAM/TPM/CK DE/	LKN:U7450M0002IN	1894,13		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I7-5600U/8GB MOD+4GB ONB/SSD 512GB OPAL/ UMTS/LTE READY/LTE EM7305/WLAN N7265/ HD CAM/PALM VEIN/TPM/CK INT/	LKN:U7450M0003FR	2457,66		
LB U745 /14.0' HD+/I5-5300U/	LB U745 /14.0' HD+/I5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL N7265/HD CAM/TPM/CK DE/	LKN:U7450M0003IN	1894,13		
LB U745 /14.0' HD+/I5-5300U/	LB U745 /14.0' HD+/I5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL N7265/HD CAM/TPM/CK DE/	LKN:U7450M0004IN	1894,13		



Fujitsu recommande Windows.

LIFEBOOK U745 Fiches produit : <http://fr.fujitsu.com/lifebook>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
LIFEBOOK U745 (Suite)					
	LB U745 /14.0" FHD/I5-5300U/	LB U745 /14.0" FHD/I5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/LTE EM7305/ WLAN DUAL N7265/HD CAM/TPM 2.0/CK INT/	LKN:U7450M0004SK	1980,01	
	LB U745 /14.0" HD+/I5-5300U/	LB U745 /14.0" HD+/I5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL N7265/HD CAM/TPM/CK DE/	LKN:U7450M0005IN	1894,13	
	LB U745 /14.0" HD+/I5-5300U/	LB U745 /14.0" HD+/I5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL N7265/HD CAM/TPM/CK DE/	LKN:U7450M0006IN	1894,13	
	LB U745 /14.0" HD+/I5-5300U/	LB U745 /14.0" HD+/I5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL N7265/HD CAM/TPM/CK DE/	LKN:U7450M0007IN	1894,13	
	LB U745 /14.0" HD+/I5-5300U/	LB U745 /14.0" HD+/I5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL N7265/HD CAM/TPM/CK DE/	LKN:U7450M0008IN	1894,13	
	LB U745 /14.0" HD+/I5-5300U/	LB U745 /14.0" HD+/I5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL N7265/HD CAM/TPM/CK DE/	LKN:U7450M0009IN	1894,13	
	LB U745 /14.0" HD+/I5-5300U/	LB U745 /14.0" HD+/I5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL N7265/HD CAM/TPM/CK DE/	LKN:U7450M0010IN	1894,13	



Fujitsu recommande Windows.

LIFEBOOK U745 Fiches produit : <http://fr.fujitsu.com/lifebook>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
LIFEBOOK U745 (Suite)					
	LB U745 /14.0" HD+/i5-5300U/	LB U745 /14.0" HD+/i5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL N7265/HD CAM/TPM/CK DE/	LKN:U7450M0011IN	1895,31	
	LB U745 /14.0" HD+/i5-5300U/	LB U745 /14.0" HD+/i5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL N7265/HD CAM/TPM/CK DE/	LKN:U7450M0012IN	1895,31	
	LB U745 /14.0" HD+/i5-5300U/	LB U745 /14.0" HD+/i5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL N7265/HD CAM/TPM/CK GB/	LKN:U7450M0013IN	1895,31	
	LB U745 /14.0" HD+/i5-5300U/	LB U745 /14.0" HD+/i5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL N7265/HD CAM/TPM/CK DE/	LKN:U7450M0014IN	1894,13	
	LB U745 /14.0" HD+/i5-5300U/	LB U745 /14.0" HD+/i5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL N7265/HD CAM/TPM/CK DE/	LKN:U7450M0015IN	1897,66	
	LB U745 /14.0" FHD/i5-5300U/	LB U745 /14.0" FHD/i5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/LTE EM7305/ WLAN DUAL N7265/HD CAM/SC SLOT/TPM 2.0/	LKN:U7450M0016IN	1989,42	
	LB U745 /UB LABEL/14.0" HD+ TCH/	LB U745 /UB LABEL/14.0" HD+ TCH/ I3-5010U/4GB MOD+4GB ONB/SSHD 500GB/ NO LTE/UMTS/WLAN DUAL N7265/HD CAM/FIP/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	LKN:U7450M0017FR	1721,19	



Fujitsu recommande Windows.

LIFEBOOK U745 Fiches produit : <http://fr.fujitsu.com/lifebook>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
LIFEBOOK U745 (Suite)					
	LB U745 /14.0" HD+/I5-5300U/	LB U745 /14.0" HD+/I5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL N7265/HD CAM/TPM/CK INT/	LKN:U7450M0017IN	1895,31	
	LB U745 /UB LABEL/14.0" HD+ TCH/	LB U745 /UB LABEL/14.0" HD+ TCH/ I5-5200U/4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/LTE EM7305/ WLAN DUAL N7265/HD CAM/FIP/TPM/CK INT/	LKN:U7450M0018FR	1989,42	
	LB U745 /14.0" HD+/I5-5300U/	LB U745 /14.0" HD+/I5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL N7265/HD CAM/TPM/CK INT/	LKN:U7450M0018IN	1894,13	
	LB U745 /14.0" HD+/I5-5300U/	LB U745 /14.0" HD+/I5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL N7265/HD CAM/TPM/CK INT/	LKN:U7450M0019IN	1897,66	
	LB U745 /14.0" HD+/I5-5300U/	LB U745 /14.0" HD+/I5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL N7265/HD CAM/TPM/CK INT/	LKN:U7450M0020IN	1894,13	
	LB U745 /14.0" HD+/I5-5200U/	LB U745 /14.0" HD+/I5-5200U/ 4GB MOD+4GB ONB/SSD 256GB/NO LTE/UMTS/ WLAN DUAL N7265/HD CAM/CK INT/ 3P AC 19V/65W SL/1ST BATT 45WH/	LKN:U7450M0021FR	1765,89	
	LB U745 /14.0" HD+/I5-5300U/	LB U745 /14.0" HD+/I5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL N7265/HD CAM/TPM/CK INT/	LKN:U7450M0021IN	1894,13	



Fujitsu recommande Windows.

LIFEBOOK U745 Fiches produit : <http://fr.fujitsu.com/lifebook>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
LIFEBOOK U745 (Suite)					
	LB U745 /14.0' HD+/I5-5200U/	LB U745 /14.0' HD+/I5-5200U/ 4GB MOD+4GB ONB/SSD 256GB/NO LTE/UMTS/ WLAN DUAL N7265/HD CAM/CK INT/ 3P AC 19V/65W SL/3P AC 19V/90W/	LKN:U7450M0022FR	1888,25	
	LB U745 /14.0' HD+/I5-5300U/	LB U745 /14.0' HD+/I5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL N7265/HD CAM/TPM/CK INT/	LKN:U7450M0022IN	1894,13	
	LB U745 /14.0' HD+/I5-5300U/	LB U745 /14.0' HD+/I5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL N7265/HD CAM/TPM/CK INT/	LKN:U7450M0023IN	1894,13	
	LB U745 /14.0' FHD/I5-5300U/	LB U745 /14.0' FHD/I5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/LTE EM7305/ WLAN DUAL N7265/HD CAM/TPM 2.0/CK INT/	LKN:U7450M0024FR	1980,01	
	LB U745 /14.0' HD+/I5-5300U/	LB U745 /14.0' HD+/I5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL N7265/HD CAM/TPM/CK INT/	LKN:U7450M0024IN	1894,13	
	LB U745 /UB LABEL/14.0' HD+/I5-5200U/	LB U745 /UB LABEL/14.0' HD+/I5-5200U/ 4GB MOD+4GB ONB/SSD 256GB/NO LTE/UMTS/ WLAN DUAL N7265/HD CAM/CK INT/ 3P AC 19V/65W SL/1ST BATT 45WH/	LKN:U7450M0025FR	1768,25	
	LB U745 /14.0' HD+/I5-5300U/	LB U745 /14.0' HD+/I5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL N7265/HD CAM/TPM/CK INT/	LKN:U7450M0025IN	1894,13	



Fujitsu recommande Windows.

LIFEBOOK U745 Fiches produit : <http://fr.fujitsu.com/lifebook>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
LIFEBOOK U745 (Suite)					
	LB U745 /UB LABEL/14.0' FHD/I5-5300U/	LB U745 /UB LABEL/14.0' FHD/I5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/LTE EM7305/ WLAN DUAL N7265/HD CAM/PALM VEIN/	LKN:U7450M0026FR	2031,78	
	LB U745 /14.0' HD+/I5-5300U/	LB U745 /14.0' HD+/I5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL N7265/HD CAM/TPM/CK INT/	LKN:U7450M0026IN	1894,13	
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I7-5600U/8GB MOD+4GB ONB/SSD 512GB OPAL/ UMTS/LTE READY/LTE EM7305/ WLAN DUAL N7265/HD CAM/TPM 2.0/CK INT/	LKN:U7450M0027FR	2416,48	
	LB U745 /14.0' HD+/I5-5300U/	LB U745 /14.0' HD+/I5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL N7265/HD CAM/TPM/CK INT/	LKN:U7450M0027IN	1894,13	
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I7-5600U/4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/LTE EM7305/ WLAN DUAL N7265/HD CAM/FIP/SC SLOT/	LKN:U7450M0028FR	2361,19	
	LB U745 /14.0' HD+/I5-5300U/	LB U745 /14.0' HD+/I5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL N7265/HD CAM/TPM/CK INT/	LKN:U7450M0028IN	1894,13	
	LB U745 /14.0' HD+ TCH/I5-5200U/4GB ONB/	LB U745 /14.0' HD+ TCH/I5-5200U/4GB ONB/ SSD 128GB/UMTS/LTE READY/LTE EM7305/ WLAN N7265/HD CAM/FIP/SC SLOT/CK INT/ 3P AC 19V/65W SL/3P AC 19V/80W (0W)/	LKN:U7450M0029FR	2048,26	



Fujitsu recommande Windows.

LIFEBOOK U745 Fiches produit : <http://fr.fujitsu.com/lifebook>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
LIFEBOOK U745 (Suite)					
	LB U745 /14.0' HD+/I5-5300U/	LB U745 /14.0' HD+/I5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL N7265/HD CAM/TPM/CK INT/	LKN:U7450M0029IN	1894,13	
	LB U745 /14.0' HD+ TCH/I7-5600U/	LB U745 /14.0' HD+ TCH/I7-5600U/ 8GB MOD+4GB ONB/SSD 512GB OPAL/ UMTS/LTE READY/LTE EM7305/ WLAN DUAL N7265/HD CAM/PALM VEIN/	LKN:U7450M0030FR	2617,66	
	LB U745 /14.0' FHD/I5-5300U/	LB U745 /14.0' FHD/I5-5300U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/LTE EM7305/ WLAN DUAL N7265/HD CAM/TPM 2.0/CK DE/	LKN:U7450M0030IN	1980,01	
	LB U745 /14.0' FHD/I7-5600U/	LB U745 /14.0' FHD/I7-5600U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/LTE EM7305/ WLAN DUAL N7265/HD CAM/TPM/CK INT/	LKN:U7450M0031FR	2177,66	
	LB U745 /UB LABEL/14.0' FHD/I5-5200U/	LB U745 /UB LABEL/14.0' FHD/I5-5200U/ 4GB MOD+4GB ONB/SSD 256GB/NO LTE/UMTS/ WLAN DUAL N7265/HD CAM/CK INT/ 3P AC 19V/65W SL/3P AC 19V/90W/	LKN:U7450M0032FR	1930,60	
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I7-5600U/4GB MOD+4GB ONB/SSD 512GB OPAL/ UMTS/LTE READY/LTE EM7305/ WLAN DUAL N7265/HD CAM/PALM VEIN/	LKN:U7450M0033FR	2596,48	
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5200U/4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/LTE EM7305/ WLAN DUAL N7265/HD CAM/FIP/TPM/CK INT/	PRJ:U7450M0001FR	1989,42	



Fujitsu recommande Windows.

LIFEBOOK U745 Fiches produit : <http://fr.fujitsu.com/lifebook>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
LIFEBOOK U745 (Suite)					
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0001IN	2027,07	
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0002IN	1928,25	
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0003IN	2027,07	
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0004IN	2027,07	
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0005IN	2027,07	
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0006IN	2027,07	
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0007IN	2027,07	



Fujitsu recommande Windows.

LIFEBOOK U745 Fiches produit : <http://fr.fujitsu.com/lifebook>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
LIFEBOOK U745 (Suite)					
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0008IN	2028,25	
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0009IN	2014,13	
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0010IN	2027,07	
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0011IN	2027,07	
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0012IN	2027,07	
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0013IN	2027,07	
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0014IN	2027,07	



Fujitsu recommande Windows.

LIFEBOOK U745 Fiches produit : <http://fr.fujitsu.com/lifebook>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
LIFEBOOK U745 (Suite)					
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0015IN	2027,07		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0016IN	1928,25		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0017IN	1928,25		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0018IN	1928,25		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0019IN	1928,25		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0020IN	1928,25		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0021IN	1929,42		



Fujitsu recommande Windows.

LIFEBOOK U745 Fiches produit : <http://fr.fujitsu.com/lifebook>

Modèle	Description	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
LIFEBOOK U745 (Suite)				
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/ NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0022IN	1915,31	
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/ NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0023IN	1928,25	
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/ NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0024IN	1928,25	
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/ NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0025IN	1928,25	
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/ NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0026IN	1928,25	
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/ NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0027IN	1928,25	
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/ NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0028IN	1928,25	



Fujitsu recommande Windows.

LIFEBOOK U745 Fiches produit : <http://fr.fujitsu.com/lifebook>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
LIFEBOOK U745 (Suite)					
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/ NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0029IN	1932,95		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/ NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0030IN	1932,95		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/ NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0031IN	1932,95		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/ NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0032IN	1936,48		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/ NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0033IN	1932,95		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/ NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0034IN	1932,95		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/ NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0035IN	1920,01		



Fujitsu recommande Windows.

LIFEBOOK U745 Fiches produit : <http://fr.fujitsu.com/lifebook>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
LIFEBOOK U745 (Suite)					
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/ NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0036IN	1934,13		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/ NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0037IN	1932,95		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/ NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0038IN	1920,01		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/ WLAN DUAL N7265/NO LTE/UMTS/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0039IN	1932,95		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/ NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0040IN	1932,95		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/ NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0041IN	1932,95		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/ NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0042IN	1932,95		



Fujitsu recommande Windows.

LIFEBOOK U745 Fiches produit : <http://fr.fujitsu.com/lifebook>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
LIFEBOOK U745 (Suite)					
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/ NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0043IN	1932,95		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/ NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0044IN	1920,01		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/ NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0045IN	1932,95		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/ NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0046IN	1932,95		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/ NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0047IN	1934,13		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/ NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0048IN	1932,95		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0049IN	2031,78		



Fujitsu recommande Windows.

LIFEBOOK U745 Fiches produit : <http://fr.fujitsu.com/lifebook>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
LIFEBOOK U745 (Suite)					
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0050IN	2031,78	
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0051IN	2032,95	
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0052IN	2031,78	
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0053IN	2035,31	
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0054IN	2031,78	
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0055IN	2018,84	
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0056IN	2031,78	



Fujitsu recommande Windows.

LIFEBOOK U745 Fiches produit : <http://fr.fujitsu.com/lifebook>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
LIFEBOOK U745 (Suite)					
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0057IN	2031,78		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0058IN	2018,84		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0059IN	2031,78		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0060IN	2031,78		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0061IN	2031,78		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0062IN	2031,78		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0063IN	2031,78		



Fujitsu recommande Windows.

LIFEBOOK U745 Fiches produit : <http://fr.fujitsu.com/lifebook>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
LIFEBOOK U745 (Suite)					
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0064IN	2031,78		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0065IN	2031,78		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0066IN	2032,95		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0067IN	2031,78		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/UMTS EM8805/WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0068IN	2031,78		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/NO LTE/UMTS/WLAN DUAL N7265/HD CAM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0069IN	1931,78		
LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/LTE EM7305/ WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0070IN	2052,95		



Fujitsu recommande Windows.

LIFEBOOK U745 Fiches produit : <http://fr.fujitsu.com/lifebook>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
LIFEBOOK U745 (Suite)					
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/ NO LTE/UMTS/WLAN DUAL N7265/HD CAM/TPM/ CK INT/3P AC 19V/65W SL/1ST BATT 45WH/	PRJ:U7450M0071IN	1920,01	
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5300U/4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/UMTS EM8805/ WLAN DUAL N7265/HD CAM/TPM/CK INT/	PRJ:U7450M0072IN	2018,84	
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5200U/4GB ONB/SSHD 500GB/ UMTS/LTE READY/LTE EM7305/ WLAN DUAL N7265/HD CAM/FIP/TPM/CK INT/	VFY:U7450M35ABFR	1175,29	
	LB U745 /14.0' HD+/I5-5200U/4GB ONB/	LB U745 /14.0' HD+/I5-5200U/4GB ONB/ SSD 128GB/UMTS/LTE READY/LTE EM7305/ WLAN DUAL N7265/HD CAM/FIP/TPM/CK INT/ 3P AC 19V/65W SL/1ST BATT 45WH/	VFY:U7450M35BBFR	1175,29	
	LB U745 /14.0' HD+/I5-5200U/	LB U745 /14.0' HD+/I5-5200U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/LTE EM7305/ WLAN DUAL N7265/HD CAM/FIP/TPM/CK INT/	VFY:U7450M35CBFR	1292,94	
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5200U/4GB ONB/SSHD 500GB/ UMTS/LTE READY/LTE EM7305/ WLAN DUAL N7265/HD CAM/FIP/TPM/CK INT/	VFY:U7450M35DBFR	1909,44	
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5200U/4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/LTE EM7305/ WLAN DUAL N7265/HD CAM/FIP/TPM/CK INT/	VFY:U7450M35EBFR	1987,07	



Fujitsu recommande Windows.

LIFEBOOK U745 Fiches produit : <http://fr.fujitsu.com/lifebook>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
LIFEBOOK U745 (Suite)					
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I7-5600U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/LTE EM7305/ WLAN DUAL N7265/HD CAM/PALM VEIN/	VFY:U7450M37APFR	1704,71	
	LB U745 /14.0' HD+/I5-5200U/4GB ONB/	LB U745 /14.0' HD+/I5-5200U/4GB ONB/SSD 128GB/WLAN DUAL N7265/UMTS/LTE READY/LTE EM7305/HD CAM/FIP/ TPM/CK INT/3P AC 19V/65W SL/	VFY:U7450M75ABFR	1175,29	
	LB U745 /14.0' HD+/I5-5200U/4GB ONB/	LB U745 /14.0' HD+/I5-5200U/4GB ONB/SSHD 500GB/WLAN DUAL N7265/UMTS/LTE READY/LTE EM7305/HD CAM/FIP/ TPM/CK INT/3P AC 19V/65W SL/	VFY:U7450M75BBFR	1175,29	
	LB U745 /14.0' HD+/I5-5200U/	LB U745 /14.0' HD+/I5-5200U/ 4GB MOD+4GB ONB/SSD 256GB/ WLAN DUAL N7265/UMTS/LTE READY/ LTE EM7305/HD CAM/FIP/TPM/CK INT/	VFY:U7450M75CBFR	1292,94	
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I7-5600U/4GB MOD+4GB ONB/SSD 256GB/ WLAN DUAL N7265/UMTS/LTE READY/ LTE EM7305/HD CAM/PALM VEIN/TPM/SC SLOT/	VFY:U7450M77APFR	1704,71	
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5200U/4GB ONB/SSHD 500GB/UMTS/LTE READY/LTE EM7305/ WLAN DUAL N7265/HD CAM/FIP/TPM/CK INT/	VFY:U7450M85ABFR	1198,82	
	LB U745 /UB LABEL/14.0' HD+ TCH/	LB U745 /UB LABEL/14.0' HD+ TCH/ I5-5200U/4GB MOD+4GB ONB/SSD 256GB/UMTS/LTE READY/LTE EM7305/ WLAN DUAL N7265/HD CAM/FIP/TPM/CK INT/	VFY:U7450M85BBFR	1292,94	



Fujitsu recommande Windows.

LIFEBOOK U745 Fiches produit : <http://fr.fujitsu.com/lifebook>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
LIFEBOOK U745 (Suite)					
	LB U745 /14.0" FHD/i5-5200U/	LB U745 /14.0" FHD/i5-5200U/ 4GB MOD+4GB ONB/SSD 256GB/ UMTS/LTE READY/WLAN DUAL N7265/HD CAM/ CK INT/3P AC 19V/65W SL/3P AC 19V/90W/	VFY:U7450M85SBIN	1958,84	

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
LIFEBOOK U745					
	LIFEBOOK U745	Base unit, chipset integrated in CPU (Broadwell one-chip), prepared for vPro technology and iAMT 10.0 (depending on CPU), supports dual channel DDR3L 1600MHz PC12800 RAM (1 DIMM slot + 4GB Intég.). Mobile Intel® HD5500 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 218LM, Realtek High Definition Audio, integrated Touchpad with Gesture support and separate mouse buttons, Shock sensor, LED Status display, Eco button, Kensington Lock connector, Interfaces: 1x Smart Card Reader (optional), 1x Lect.cte SD, 1x Displayport, 1x VGA, 3x USB 3.0 (1 with anytime charging functionality) , 1x RJ45 for LAN (pull-out connector), 1x audio in, 1x audio out, docking connector, , Please do not forget to configure the AC Adapter (65W for system; 80W & 90W for portrep) and AC Cable extra.. Info: vPro logo requires Intel Core i5-53xx / i7 56xx CPU, Intel 7265 a/c W-LAN & TPM module., , Ultrabook logo requieres Touch Display for Windows 8.1. No Display limitations on Windows 7	S26391-K403-V100	843,53	



Fujitsu recommande Windows.

Accessoires portables professionnels LIFEBOOK

Fiches produit : <http://fr.fujitsu.com/lifebook>

		LIFEBOOK A544	LIFEBOOK AH564	LIFEBOOK E544	LIFEBOOK E554	LIFEBOOK E734	LIFEBOOK E744	LIFEBOOK E752	LIFEBOOK E754	LIFEBOOK S904	LIFEBOOK S935	LIFEBOOK S936	LIFEBOOK T725	LIFEBOOK T734	LIFEBOOK T904	LIFEBOOK T935	LIFEBOOK T936	LIFEBOOK U745	LIFEBOOK U904	Référence	Prix Indicatif (€)	Remarques	
Catégorie	Description																						
Accessoires (Matrice)																							
Port Replicator (Suite)																							
	Port Rep10-Watt AC Adapter/EU-Cable Kit																			x	S26391-F1347-L110	196,47	
	Portrep90Watt AC Adapter/EU-Cable Kit			x	x								x								S26391-F1387-L100	151,76	
	Port Replicator									x	x									x	S26391-F1557-L100	151,76	
	Port Rep10-Watt AC Adapter/EU-Cable Kit									x	x										S26391-F1557-L110	196,47	
OS/Application-SW																							
	Drivers & Utilitaires DVD (Win 7) Lifebook													x	x						S26361-F2010-L201	16,47	
	DU-DVD (Win8) LIFEBOOK/STYLISTIC 2012							x							x	x					S26361-F2012-L104	16,47	
	Clé de souscription eLux/WES/Scout								x												S26361-F2727-L703	17,65	
	License pour SCOUT 13+								x												S26361-F2727-L705	50,59	
	DeskUpdate Manager	x	x			x	x	x	x	x					x	x				x	S26361-F4040-L200	1587,06	
	DU-DVD (Win7) LIFEBOOK/STYLISTIC 2013					x	x		x							x					S26391-F1800-L801	16,47	
	DU-DVD (Win8+Win8.1) LIFEBOOK/ST 2013					x	x		x	x					x	x				x	S26391-F1800-L802	16,47	
	DU-DVD (Win7) LIFEBOOK/ST2014			x	x																S26391-F1800-L803	16,47	
	DU-DVD (Win8+Win8.1) LIFEBOOK/ST2014			x	x																S26391-F1800-L804	16,47	
	Driver&utilities DVD (Win10) LIFEBOOK			x	x	x	x		x											x	S26391-F1810-L802	16,47	
	DU-DVD (Win7) LIFEBOOK/ST2015												x							x	S26391-F1810-L808	16,47	
	DU-DVD (Win8+Win8.1) LIFEBOOK/ST2015																			x	S26391-F1810-L809	16,47	
Onduleur/Alimentation																							
	1st Battery 6cell 72Wh (6,700mAh)							x													S26391-F1106-L100	107,06	
	Adapter secteur 19V/65W slim et léger					x	x	x	x				x							x	S26391-F1106-L500	41,18	
	AC Adapter 19V/65W w/o cable								x												S26391-F1106-L510	41,18	
	Adap.secteur 3 broches 19V/100W sans câble								x												S26391-F1106-L520	58,82	
	AC Adapter 19V/80W w/o cable								x												S26391-F1106-L530	40,00	
	Adaptateur secteur 19V/65W, sans Câble 3 broches					x	x		x												S26391-F1136-L520	41,18	
	3pin AC Adapter 19V/65W slim and light					x	x		x	x	x	x	x	x	x	x	x	x	x	x	S26391-F1246-L509	41,18	
	3pin AC Adapter 19V/80W (0-Watt)					x	x		x						x	x	x	x	x	x	S26391-F1246-L549	54,12	
	2nd Battery 6cell 28Wh (2,600mAh)									x	x										S26391-F1304-L500	142,35	
	3pin AC Adapter 19V/90W									x	x										S26391-F1306-L500	42,35	
	3pin AC Adapter 19V/80W (0-Watt)									x	x										S26391-F1306-L540	54,12	
	2nd Battery 6cell 28Wh (2,600mAh)					x	x		x					x							S26391-F1314-L509	142,35	
	1st Battery 6cell 72Wh (6,700mAh)			x	x	x	x		x												S26391-F1316-L200	83,53	
	3pin AC Adapter 19V/90W					x	x		x											x	S26391-F1316-L509	42,35	
	Lithium Ion Battery Pack 4cell 45Wh														x	x	x	x			S26391-F1326-L100	87,06	
	2nd Battery 6cell 28Wh (2,600mAh)														x						S26391-F1354-L500	142,35	
	2pin AC Adapter 19V/90W			x	x										x						S26391-F1356-L520	42,35	
	Ext. Battery charger (2pr), w/AC w/o Cab			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F1356-L700	200,00	
	1st Battery 6cell 49Wh (4,500mAh)					x	x														S26391-F1386-L100	54,12	
	2pin AC Adapter 19V/65W					x	x														S26391-F1386-L500	34,12	
	2pin AC Adapter 19V/80W (ECO)					x	x														S26391-F1386-L510	54,12	
	1st Battery 4cell 51Wh (3,550mAh)										x										S26391-F1406-L100	80,00	
	2nd Battery 6cell 28Wh (2,600mAh)																x				S26391-F1554-L500	142,35	
	1st Battery 6cell 77Wh (7,100mAh)																				S26391-F1556-L200	95,29	
	Seconde batterie								x												S26391-F777-L200	152,94	
	AC Adapter 19V/80W (0-Watt technology)																				S26391-F886-L200	54,12	
	1st Battery 6cell 63Wh (5,800mAh)																				S26391-F956-L100	95,29	
	1st Battery 3cell 24Wh (2,200mAh)																				S26391-F1306-L200	54,12	
	1st Battery 6cell 77Wh (7,100mAh)																				S26391-F1306-L100	95,29	
	AC Adapter 19V/65W w/o Cable			x																	S26391-F2128-L865	41,18	
	Première Batterie 6cell 72Wh (6,700mAh)			x	x																S26391-F1246-L200	107,06	
	AC Adapter 19V/90W w/o cable					x															S26391-F2128-L890	42,35	
Sécurité																							
	SCA Express																				S26361-F2432-L720	58,82	
	Advanced Face Recognition, Single License			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-L760	17,65	
	Advanced Face Recognition, Multi License			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-L761	17,65	
	Workplace Manager - Client License			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-L770	30,59	
	SCR Cloud 2700 R																				S26381-F2700-L100	32,94	
	Comfort Sensor CS300																				S26381-F3000-L1	15,29	
	Lecteur SmartCard CARDOS V4.4. (1 pièce)			x	x	x	x	x	x												S26381-F305-L101	25,88	
	Lecteur SmartCard CARDOS V4.4. (2 pièces)			x	x	x	x		x												S26381-F305-L102	47,06	
	Lecteur SmartCard CARDOS V4.4. (10 pièces)			x	x	x	x		x												S26381-F305-L110	215,29	
	USB SCR 3500																				S26381-F350-L100	28,24	
Divers																							
	SSD Declaration			x	x	x	x	x	x	x					x	x				x	S26361-F3840-L100	1,18	
	Digitizer Pen & tether set																x	x			S26391-F1329-L500	28,24	
	Sleeve Case														x		x				S26391-F1439-L600	24,71	
	Digitizer Pen																				S26391-F1529-L500	49,41	
	Digitizer Pen large																				S26391-F1529-L510	76,47	
	Stylus Pen Tips																				S26391-F1529-L520	20,00	
	Styler (2 pieces)																				S26391-F796-L800	57,65	
	Câble adaptateur DisplayPort vers DVI-D																				S26361-F2391-L200	36,47	
Displays																							
	Ecran P27T-7 LED (IPS), câble EU																				S26361-K1442-V140	587,06	
	Ecran B19-7 LED câble EU			x	x	x	x	x	x												S26361-K1471-V140	187,06	
	Ecran B22W-7 LED câble EU			x	x	x	x	x	x												S26361-K1472-V140	197,65	
	DISPLAY B27T-7 LED, EU			x	x	x	x	x	x												S26361-K1478-V141	328,24	
	Ecran E19-7 LED, câble EU			x	x	x	x	x													S26361-K1482-V160	151,76	
	DISPLAY B23T-7 LED, EU			x	x	x	x	x	x												S26361-K1496-V140	230,59	
	DISPLAY B24W-7 LED, EU			x	x	x	x	x	x												S26361-K1497-V140	268,24	
	DISPLAY P24W-7 LED, EU																				S26361-K1498-V140	340,00	
	DISPLAY E20T-7 LED, EU			x	x	x	x	x	x												S26361-K1538-V160	135,29	



Fujitsu recommande Windows.

Accessoires portables professionnels LIFEBOOK

Fiches produit : <http://fr.fujitsu.com/lifebook>

Catégorie	Description	LIFEBOOK A544	LIFEBOOK AH564	LIFEBOOK E544	LIFEBOOK E554	LIFEBOOK E734	LIFEBOOK E744	LIFEBOOK E752	LIFEBOOK E754	LIFEBOOK S904	LIFEBOOK S935	LIFEBOOK S936	LIFEBOOK T725	LIFEBOOK T734	LIFEBOOK T904	LIFEBOOK T935	LIFEBOOK T936	LIFEBOOK U745	LIFEBOOK U904	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)																						
Displays (Suite)																						
	DISPLAY B20T-7 LED proGREEN, EU							x												S26361-K1542-V160	163,53	
	DISPLAY P27T-7 UHD, EU									x		x					x		x	S26361-K1564-V140	622,35	
	Display L27T-1 LED, EU			x	x	x	x	x	x						x					S26361-K1571-V160	234,12	
	Display E24T-7 Pro, EU			x	x	x	x	x	x											S26361-K1573-V160	151,76	
	DISPLAY B24-8 TE Pro, EU			x	x	x	x	x	x											S26361-K1577-V140	198,82	
	DISPLAY B24-8 TS Pro, EU			x	x	x	x	x	x											S26361-K1577-V160	210,59	
	DISPLAY B22T-7 Pro, EU			x	x	x	x	x	x											S26361-K1578-V160	187,06	
	DISPLAY E22T-7 Pro, EU			x	x	x	x	x	x						x					S26361-K1579-V160	128,24	
Clavier /Souris																						
	Blue LED Souris (USB)		x	x	x			x			x	x	x			x	x	x	x	S26381-K438-L100	20,00	
	Bluetooth Souris BT3	x		x	x			x	x	x	x	x	x		x	x	x	x	x	S26381-K445-L100	22,35	
	SOURIS M440 ECO noir			x	x	x	x	x	x							x	x	x	x	S26381-K450-L200	17,65	
	Notebook Souris M410			x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	S26381-K453-L100	10,59	
	Souris Wireless W1610	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	S26381-K460-L100	21,18	
	Wireless Notebook Souris W1200	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	S26381-K462-L100	14,12	
	Souris MC200	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	S26381-K463-L100	12,94	
	Wireless Notebook Souris W1410	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	S26381-K464-L100	16,47	
	Wireless Souris Touch W1910		x	x	x					x	x	x	x	x	x	x	x	x	x	S26381-K465-L100	23,53	
	MOUSE M520 BLACK			x	x	x	x	x	x		x	x				x	x	x	x	S26381-K467-L100	12,94	
	MOUSE M520 GREY			x	x	x	x	x	x		x	x				x	x	x	x	S26381-K467-L101	12,94	
	MOUSE M530 BLACK			x	x	x	x	x	x		x	x				x	x	x	x	S26381-K468-L100	15,29	
	MOUSE M530 GREY			x	x	x	x	x	x		x	x				x	x	x	x	S26381-K468-L101	15,29	
	MOUSE M530 BLACK N			x	x	x	x	x	x		x	x				x	x	x	x	S26381-K468-L102	15,29	
	KB410 USB Black FR																			S26381-K511-L440	18,82	
	Clavier Pro KB900 Noir (USB, Fr)					x	x	x	x	x	x	x				x	x	x	x	S26381-K560-L440	22,35	
	Wireless KB Souris Set LX901 FR	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K565-L440	51,76	
	Bluetooth Clavier LX370 FR					x	x	x	x	x	x					x	x	x	x	S26381-K570-L440	54,12	
	Wireless KB Souris Set LX390 FR					x	x	x	x	x	x					x	x	x	x	S26381-K590-L440	21,18	
Câbles																						
	Câble secteur, Noir, 1,8m, pour EU			x	x			x												T26139-Y2540-V113	9,41	
	Câble secteur, Noir, 1,8 m, pour UK			x	x			x												T26139-Y2540-V213	9,41	
	Câble secteur, Noir, 1,8 m, pour USA			x	x			x												T26139-Y2540-V313	9,41	
	Power cord three-wire DK					x	x	x	x	x	x	x	x		x	x	x	x	x	S26361-F2581-L328	17,65	
	Power cord three-wire US					x	x	x	x	x	x	x	x		x	x	x	x	x	S26361-F2581-L300	17,65	
	Cordon secteur 3P EU					x	x	x	x	x	x	x	x		x	x	x	x	x	S26361-F2581-L310	17,65	
	Power cord three-wire GB					x	x	x	x	x	x	x	x		x	x	x	x	x	S26361-F2581-L320	17,65	
	Power cord three-wire I					x	x	x	x	x	x	x	x		x	x	x	x	x	S26361-F2581-L330	17,65	
Accessories																						
	MicroSaver slim	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1650-L200	45,88	
	Combination Ultra	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1650-L510	35,29	
	Câble antivol Kensington Twin (2xClés/2xSlots)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1650-L600	54,12	
	MicroSaver DS ultrathin	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1650-L900	47,06	
	MiniSaver Mobile Lock	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1650-L910	58,82	
	Câble de charge, Micro-USB B	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-F6007-L900	8,24	
	Sacoche Casual 16 (up to 15.6")	x	x	x	x	x	x	x												S26391-F1191-L107	18,82	
	Prestige Pro Case Midi 14			x	x	x	x			x	x	x	x	x	x	x	x	x	x	S26391-F1191-L80	80,00	
	Casual Top Case 14			x	x	x	x			x	x									S26391-F1192-L120	44,71	
	PRESTIGE TROLLY 17				x		x	x	x											S26391-F1192-L130	116,47	
	Prestige Case Mini 13					x							x	x	x	x				S26391-F1192-L151	54,12	
	Casual Backpack 16	x	x		x		x		x											S26391-F1192-L167	54,12	
	Sleeve Case M									x	x	x					x	x	x	S26391-F1192-L312	51,76	
	Casual eve case						x					x					x			S26391-F1192-L70	45,88	
	Supreme Case (15.6)				x	x	x	x	x						x	x	x		x	S26391-F1192-L900	170,59	
	DICOTA PerfectSkin 15 - 15.6" Sleeve				x	x		x												S26391-F1193-L100	31,76	
	Prestige Backpack 17	x	x		x			x												S26391-F1194-L135	60,00	
	Sportive Backpack 15						x	x												S26391-F1194-L136	52,94	
	Prestige Top Case 15				x	x	x	x	x											S26391-F1194-L50	43,53	
	Prestige Case 15				x	x	x	x	x											S26391-F1194-L60	52,94	
	Prestige Case 16				x	x		x	x											S26391-F1194-L61	64,71	
	Casual Entry Case 16 for projects only	x	x	x	x		x	x	x											S26391-F12-L107	12,94	
	CAR TRUCK POWER ADAPTER 90	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F2613-L610	92,94	
	Car/Air DC Mini Adapter 80	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F2613-L616	56,47	
	Car Adapter USB				x			x		x					x	x				S26391-F2613-L617	15,29	
	Dual USB Quick Charge Adapter							x		x	x	x					x	x		S26391-F2613-L620	27,06	
	USB Port Replicator PR7.1	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F6007-L310	136,47	
	Fujitsu USB 3.0 Port Replicator PR08	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F6007-L400	158,82	
	USB Port Replicator PR8.1	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F6007-L410	176,47	
	MOBILE STARTERKIT 18				x		x	x	x											S26391-F6036-L610	20,00	
	Mobile Travel Pack	x	x	x	x		x	x	x											S26391-F6036-L616	116,47	
	PocketSaver, retractable	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F6045-L100	41,18	
	A-DATA USB3.0 Flash Stick UE700 32GB	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F6048-L332	49,41	
	A-DATA USB3.0 Flash Stick UE700 64GB	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F6048-L364	72,94	
	A-DATA NH13 portable hard drive	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F6048-L420	136,47	
	DP1.2 to HDMI2.0 Adapter				x	x	x	x	x	x	x	x	x							S26391-F6055-L212	40,00	
	DisplayPort vers DisplayPort Cable				x	x	x	x	x	x	x	x	x							S26391-F6055-L220	24,71	
	Câble HDMI vers HDMI	x	x							x	x	x	x	x	x	x	x	x	x	S26391-F6055-L230	17,65	
	Micro HDMI to HDMI cable	x	x							x	x	x								S26391-F6055-L231	20,00	
	DVI-D vers DVI-D Cable									x	x	x								S26391-F6055-L240	20,00	
	Câble HDMI vers DVI-D	x	x	x						x	x	x	x	x	x	x	x	x	x	S26391-F6055-L250	12,94	
	Adaptateur DVI vers VGA									x										S26391-F6055-L260	17,65	



Fujitsu recommande Windows.

Accessoires portables professionnels LIFEBOOK

Fiches produit : <http://fr.fujitsu.com/lifebook>

Catégorie	Description	LIFEBOOK A544	LIFEBOOK AH584	LIFEBOOK E544	LIFEBOOK E554	LIFEBOOK E734	LIFEBOOK E744	LIFEBOOK E752	LIFEBOOK E754	LIFEBOOK S904	LIFEBOOK S935	LIFEBOOK S936	LIFEBOOK T725	LIFEBOOK T734	LIFEBOOK T904	LIFEBOOK T935	LIFEBOOK T936	LIFEBOOK U745	LIFEBOOK U904	Référence	Prix Indicatif (€)	Remarques		
Accessoires (Matrice)																								
Accessoires (Suite)																								
	VGA to VGA cable			x	x	x	x		x	x	x	x	x				x	x			S26391-F6055-L261	10,59		
	DisplayPort vers câble DVI (40cm)		x	x	x	x	x	x	x	x	x	x	x				x	x	x			S26391-F6055-L270	27,06	
	DisplayPort to VGA Adapter			x	x	x	x	x	x	x	x	x	x				x	x	x			S26391-F6055-L280	27,06	
	USB 3.0 certified cable 2m	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26391-F6055-L320	9,41	
	Adaptateur USB-Ethernet	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26391-F6055-L510	25,88	
	USB 3.0 Gigabit LAN Adapter	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26391-F6055-L520	34,12	
	USB vers câble adaptateur série	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26391-F6055-L570	22,35	
	Workplace Connect Gate 2.0	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26391-F6055-L620	252,94	
	Workplace Connect Kit 1.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26391-F6055-L710	481,18	
	Filtere écran confident.3M 35,6cm /14,0" (16:9)			x				x														S26391-F6097-L115	77,65	
	Filtere écran confident. 3M 33,8cm /13.3" (16:9)					x					x	x										S26391-F6097-L134	68,24	
	Filtere écran confidentialité 3M 15,6", 39,6cm				x			x	x													S26391-F6097-L317	82,35	
	Privacy Filter PF LB S9									x	x	x										S26391-F6097-L361	50,59	
	Fujitsu USB 3.0 HUB 4 Ports	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26391-F6099-L304	48,24	
	Adaptateur+ USB DVI	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26391-F6099-L400	58,82	
	USB to UHD DP Adapter	x	x	x	x	x	x	x	x	x			x	x	x	x						S26391-F6099-L500	81,18	
	Enceintes DS E2000 Air (USB)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26391-F7128-L600	29,41	
	Mobile Bluetooth Communication Speaker	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26391-F7128-L700	40,00	
	UC&C USB Headset Stereo H650e	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26391-F7139-L10	74,12	
	UC&C USB Value Headset	x	x	x		x	x	x	x	x	x	x			x	x	x	x	x			S26391-F7139-L20	54,12	
	Communicator Headset			x		x	x		x		x	x			x	x	x	x				S26391-F7139-L51	24,71	
	VGA Conversion Cable	x							x	x	x	x	x	x	x	x	x		x			S26391-F938-L900	62,35	



Fujitsu recommande Windows.

Accessoires portables professionnels LIFEBOOK (suite)

Fiches produit : <http://fr.fujitsu.com/lifebook>

Mémoire		LIFEBOOK A514	LIFEBOOK A555	LIFEBOOK A556	LIFEBOOK E546	LIFEBOOK E556	LIFEBOOK E736	LIFEBOOK E746	LIFEBOOK E756	LIFEBOOK T726	Référence	Prix Indicatif (€)	Remarques
Catégorie	Description												
Accessoires (Matrice)													
Mémoire													
	16 GB DDR4 2133 MHz PC4-17000				x	x	x	x	x		S26391-F1502-L160	210,59	
	4 GB DDR4 2133 MHz PC4-17000				x	x	x	x	x		S26391-F1502-L400	47,06	
	8 GB DDR4 2133 MHz PC4-17000				x	x	x	x	x		S26391-F1502-L800	84,71	
	16 GB DDR4 2133 MHz PC4-17000									x	S26391-F1532-L160	210,59	
	4 GB DDR4 2133 MHz PC4-17000									x	S26391-F1532-L400	47,06	
	8 GB DDR4 2133 MHz PC4-17000									x	S26391-F1532-L800	84,71	
	4 GB DDR3 1600 MHz PC3-12800		x								S26391-F2133-L400	74,12	
	8 GB DDR3 1600 MHz PC3-12800		x								S26391-F2133-L800	131,76	
	4 GB DDR4 2133 MHz			x							S26391-F2153-L400	47,06	
	8 GB DDR4 2133 MHz			x							S26391-F2153-L800	84,71	
	2 GB DDR3 1600 MHz PC3-12800	x									S26391-F2123-L200	52,94	
	4 GB DDR3 1600 MHz PC3-12800	x									S26391-F2123-L400	74,12	
	8 GB DDR3 1600 MHz PC3-12800	x									S26391-F2123-L800	131,76	
Supports amovibles													
	Cache baie pour module vide				x	x	x	x	x	x	S26391-F1244-L400	17,65	
	2nd HDD bay module (without HDD)				x	x	x	x	x	x	S26391-F1244-L709	34,12	
	DVD Super multi (reader/writer)				x	x	x	x	x		S26391-F1504-L200	65,88	
	Blu-ray Triple Writer incl. Playback SW						x	x	x		S26391-F1504-L300	143,53	
	DVD Super Multi (reader/writer)									x	S26391-F1534-L200	65,88	
	DVD Super multi (reader/writer)	x									S26391-F2127-L100	65,88	
	DVD Super multi (reader/writer)		x								S26391-F2137-L100	65,88	
	DVD Super multi (reader/writer)			x							S26391-F2157-L100	65,88	
Hard Disks													
	HDD 500GB 5.4k 7mm				x	x	x	x	x		S26391-F1503-L500	123,53	
	SSHD 500GB / 8GB SSD Cache 5.4k				x	x	x	x	x		S26391-F1503-L508	151,76	
	SSD SATA 256GB FDE				x	x	x	x	x		S26391-F1503-L835	285,88	
	SSD SATA 512GB FDE						x	x	x		S26391-F1503-L840	540,00	
	HDD 500GB 5.4k 7mm									x	S26391-F1533-L500	123,53	
Communication/Réseau													
	UMTS upgrade kit (technicians only)						x	x	x		S26391-F1335-L520	115,29	
	LTE upgrade kit (technicians only)						x	x	x		S26391-F1335-L530	135,29	
	UMTS upgrade kit (technicians only)				x	x					S26391-F1385-L520	115,29	
	LTE Upp. Kit (technicians only)				x	x					S26391-F1385-L530	135,29	
Port Replicator													
	Port Rep0-Watt AC Adapter\EU-Cable Kit				x	x	x	x	x	x	S26391-F1317-L119	151,76	
	Port Replicator				x	x	x	x	x	x	S26391-F1337-L109	128,24	
OS/Application-SW													
	DeskUpdate Manager	x	x	x							S26361-F4040-L200	1587,06	
	Driver&utilities DVD (Win10) LIFEBOOK				x	x	x	x	x	x	S26391-F1810-L802	16,47	
	DU-DVD (Win7) LIFEBOOK/ST2015				x	x	x	x	x	x	S26391-F1810-L808	16,47	
	DU-DVD (Win8+Win8.1) LIFEBOOK/ST2015				x	x	x	x	x	x	S26391-F1810-L809	16,47	
Onduleur/Alimentation													
	3pin AC Adapter 19V/65W slim and light				x	x	x	x	x	x	S26391-F1246-L509	41,18	
	3pin AC Adapter 19V/80W (0-Watt)				x	x	x	x	x	x	S26391-F1246-L549	54,12	
	2nd Battery 6cell 28Wh (2,600mAh)						x	x	x	x	S26391-F1314-L509	142,35	



Fujitsu recommande Windows.

Accessoires portables professionnels LIFEBOOK (suite) Fiches produit : <http://fr.fujitsu.com/lifebook>

Catégorie	Description	LIFEBOOK A514	LIFEBOOK A555	LIFEBOOK A556	LIFEBOOK E546	LIFEBOOK E556	LIFEBOOK E736	LIFEBOOK E746	LIFEBOOK E756	LIFEBOOK T726	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)													
Onduleur/Alimentation (Suite)													
	1st Battery 6cell 72Wh (6,700mAh)				x	x	x	x	x		S26391-F1316-L200	83,53	
	3pin AC Adapter 19V/90W				x	x	x	x	x		S26391-F1316-L509	42,35	
	Ext. Battery charger (2pr), w/AC w/o Cab				x	x	x	x	x	x	S26391-F1356-L700	200,00	
	1st Battery 6cell 49Wh (4,500mAh)				x	x					S26391-F1386-L100	54,12	
	1st Battery 6cell 77Wh (7,100mAh)						x	x	x		S26391-F1306-L100	95,29	
	AC Adapter 19V/65W w/o Cable	x									S26391-F2128-L865	41,18	
	Première Batterie 6cell 72Wh (6,700mAh)	x									S26391-F1246-L200	107,06	
	AC Adapter 19V/90W w/o cable		x	x							S26391-F2128-L890	42,35	
Sécurité													
	Advanced Face Recognition, Single License				x	x	x	x	x	x	S26361-F2727-L760	17,65	
	Advanced Face Recognition, Multi License				x	x	x	x	x	x	S26361-F2727-L761	17,65	
	Workplace Manager - Client License				x	x	x	x	x	x	S26361-F2727-L770	30,59	
	Lecteur SmartCard CARDOS V4.4. (1 pièce)	x	x	x			x	x	x	x	S26381-F305-L101	25,88	
	USB SCR 3500	x	x	x						x	S26381-F350-L100	28,24	
Divers													
	Sleeve Case									x	S26391-F1439-L600	24,71	
	Digitizer Pen large									x	S26391-F1529-L510	76,47	
	Stylus Pen Tips									x	S26391-F1529-L520	20,00	
Displays													
	Ecran P27T-7 LED (IPS), câble EU				x	x	x	x	x		S26361-K1442-V140	587,06	
	Ecran B19-7 LED câble EU					x	x	x	x		S26361-K1471-V140	187,06	
	Ecran B22W-7 LED câble EU	x	x	x	x	x	x	x	x		S26361-K1472-V140	197,65	
	DISPLAY B27T-7 LED, EU	x	x	x	x	x	x	x	x		S26361-K1478-V141	328,24	
	DISPLAY B23T-7 LED, EU	x	x	x	x	x	x	x	x		S26361-K1496-V140	230,59	
	DISPLAY B24W-7 LED, EU	x	x	x	x	x	x	x	x		S26361-K1497-V140	268,24	
	DISPLAY P24W-7 LED, EU				x	x	x	x	x		S26361-K1498-V140	340,00	
	DISPLAY E20T-7 LED, EU	x	x	x							S26361-K1538-V160	135,29	
	DISPLAY P27T-7 UHD, EU				x	x	x	x	x		S26361-K1564-V140	622,35	
	DISPLAY B24-8 TE Pro, EU	x	x	x	x	x	x	x	x		S26361-K1577-V140	198,82	
	DISPLAY B24-8 TS Pro, EU	x	x	x	x	x	x	x	x		S26361-K1577-V160	210,59	
	DISPLAY B22T-7 Pro, EU	x	x	x	x	x	x	x	x		S26361-K1578-V160	187,06	
	DISPLAY E22T-7 Pro, EU	x	x	x	x	x	x	x	x		S26361-K1579-V160	128,24	
Clavier /Souris													
	Blue LED Souris (USB)	x	x	x	x	x	x	x	x	x	S26381-K438-L100	20,00	
	Bluetooth Souris BT3	x	x	x	x	x	x	x	x	x	S26381-K445-L100	22,35	
	SOURIS M440 ECO noir		x	x	x	x	x	x	x	x	S26381-K450-L200	17,65	
	Notebook Souris M410	x	x	x	x	x	x	x	x	x	S26381-K453-L100	10,59	
	Souris Wireless WI610	x	x	x	x	x	x	x	x	x	S26381-K460-L100	21,18	
	Wireless Notebook Souris WI200	x	x	x	x	x	x	x	x	x	S26381-K462-L100	14,12	
	Souris MC200	x	x	x	x	x	x	x	x	x	S26381-K463-L100	12,94	
	Wireless Notebook Souris WI410	x	x	x	x	x	x	x	x	x	S26381-K464-L100	16,47	
	Wireless Souris Touch WI910	x	x	x	x	x	x	x	x	x	S26381-K465-L100	23,53	
	MOUSE M520 BLACK		x	x	x	x	x	x	x	x	S26381-K467-L100	12,94	
	MOUSE M520 GREY		x	x	x	x	x	x	x	x	S26381-K467-L101	12,94	
	MOUSE M530 BLACK	x	x	x	x	x	x		x	x	S26381-K468-L100	15,29	
	MOUSE M530 GREY	x	x	x	x	x	x	x	x	x	S26381-K468-L101	15,29	
	MOUSE M530 BLACK N	x	x	x	x	x	x	x	x	x	S26381-K468-L102	15,29	
	KB410 USB Black FR			x						x	S26381-K511-L440	18,82	
	Clavier Pro KB900 Noir (USB, Fr)			x	x	x	x	x	x	x	S26381-K560-L440	22,35	
	Wireless KB Souris Set LX901 FR	x	x	x	x	x	x	x	x	x	S26381-K565-L440	51,76	
	Bluetooth Clavier LX370 FR	x	x				x	x	x		S26381-K570-L440	54,12	
	Wireless KB Souris Set LX390 FR			x	x	x	x	x	x	x	S26381-K590-L440	21,18	
Câbles													
	Power cord three-wire DK				x	x	x	x	x	x	S26361-F2581-L328	17,65	
	Power cord three-wire US				x	x	x	x	x	x	S26361-F2581-L300	17,65	



Fujitsu recommande Windows.

Accessoires portables professionnels LIFEBOOK (suite) Fiches produit : <http://fr.fujitsu.com/lifebook>

Catégorie	Description	LIFEBOOK A514	LIFEBOOK A555	LIFEBOOK A556	LIFEBOOK E546	LIFEBOOK E556	LIFEBOOK E736	LIFEBOOK E746	LIFEBOOK E756	LIFEBOOK T726	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)													
Câbles (Suite)													
	Cordon secteur 3P EU				x	x	x	x	x	x	S26361-F2581-L310	17,65	
	Power cord three-wire GB				x	x	x	x	x	x	S26361-F2581-L320	17,65	
	Power cord three-wire I				x	x	x	x	x	x	S26361-F2581-L330	17,65	
Accessories													
	MicroSaver slim	x	x	x	x	x	x	x	x	x	S26361-F1650-L200	45,88	
	Combination Ultra	x	x	x	x	x	x	x	x	x	S26361-F1650-L510	35,29	
	Câble antivolt Kensington Twin (2xClés/2xSlots)	x	x	x	x	x	x	x	x	x	S26361-F1650-L600	54,12	
	MicroSaver DS ultrathin	x	x	x	x	x	x	x	x	x	S26361-F1650-L900	47,06	
	MiniSaver Mobile Lock	x	x	x		x	x	x	x	x	S26361-F1650-L910	58,82	
	Câble de charge, Micro-USB B	x	x	x			x	x	x	x	S26381-F6007-L900	8,24	
	Sacoche Casual 16 (up to 15,6")	x	x	x	x	x			x	x	S26391-F1191-L107	18,82	
	Prestige Pro Case Midi 14				x			x			S26391-F1191-L80	80,00	
	Casual Top Case 14				x		x	x			S26391-F1192-L120	44,71	
	PRESTIGE TROLLY 17				x	x				x	S26391-F1192-L130	116,47	
	Prestige Case Mini 13						x				S26391-F1192-L151	54,12	
	Casual Backpack 16	x	x	x	x	x					S26391-F1192-L167	54,12	
	Casual eve case						x				S26391-F1192-L70	45,88	
	Supreme Case (15.6)				x	x		x	x	x	S26391-F1192-L900	170,59	
	DICOTA PerfectSkin 15 - 15.6" Sleeve	x	x	x	x	x		x	x		S26391-F1193-L100	31,76	
	Prestige Backpack 17		x	x		x			x		S26391-F1194-L135	60,00	
	Sportive Backpack 15		x	x	x	x		x	x	x	S26391-F1194-L136	52,94	
	Prestige Top Case 15		x	x	x	x		x	x	x	S26391-F1194-L50	43,53	
	Prestige Case 15	x	x	x	x	x		x	x	x	S26391-F1194-L60	52,94	
	Prestige Case 16		x	x	x	x		x	x		S26391-F1194-L61	64,71	
	Casual Entry Case 16 for projects only	x	x	x	x	x		x	x		S26391-F12-L107	12,94	
	CAR TRUCK POWER ADAPTER 90	x	x	x			x	x	x	x	S26391-F2613-L610	92,94	
	Car/Air DC Mini Adapter 80	x	x	x			x	x	x	x	S26391-F2613-L616	56,47	
	Dual USB Quick Charge Adapter									x	S26391-F2613-L620	27,06	
	USB Port Replicator PR7.1	x	x	x			x	x	x	x	S26391-F6007-L310	136,47	
	Fujitsu USB 3.0 Port Replicator PR08	x	x	x			x	x	x	x	S26391-F6007-L400	158,82	
	USB Port Replicator PR8.1	x	x	x			x	x	x	x	S26391-F6007-L410	176,47	
	MOBILE STARTERKIT 18	x	x		x	x		x	x	x	S26391-F6036-L610	20,00	
	Mobile Travel Pack	x	x	x	x	x		x	x	x	S26391-F6036-L616	116,47	
	PocketSaver, retractable		x	x	x	x	x	x	x	x	S26391-F6045-L100	41,18	
	A-DATA USB3.0 Flash Stick UE700 32GB	x	x	x	x	x	x	x	x	x	S26391-F6048-L332	49,41	
	A-DATA USB3.0 Flash Stick UE700 64GB	x	x	x	x	x	x	x	x	x	S26391-F6048-L364	72,94	
	A-DATA NH13 portable hard drive	x	x	x	x	x	x	x	x	x	S26391-F6048-L420	136,47	
	DP1.2 to HDMI2.0 Adapter				x	x	x	x	x	x	S26391-F6055-L212	40,00	
	DisplayPort vers DisplayPort Cable				x	x	x	x	x	x	S26391-F6055-L220	24,71	
	Câble HDMI vers HDMI	x	x	x						x	S26391-F6055-L230	17,65	
	Micro HDMI to HDMI cable	x	x	x							S26391-F6055-L231	20,00	
	DVI-D vers DVI-D Cable								x	x	S26391-F6055-L240	20,00	
	Câble HDMI vers DVI-D	x	x	x					x	x	S26391-F6055-L250	12,94	
	Adaptateur DVI vers VGA								x	x	S26391-F6055-L260	17,65	
	VGA to VGA cable	x	x	x				x	x	x	S26391-F6055-L261	10,59	
	DisplayPort vers câble DVI (40cm)						x	x	x	x	S26391-F6055-L270	27,06	
	DisplayPort to VGA Adapter						x	x	x	x	S26391-F6055-L280	27,06	
	USB 3.0 certified cable 2m	x	x	x			x	x	x	x	S26391-F6055-L320	9,41	
	Adaptateur USB-Ethernet	x	x	x			x	x	x	x	S26391-F6055-L510	25,88	
	USB 3.0 Gigabit LAN Adapter	x	x	x			x	x	x	x	S26391-F6055-L520	34,12	
	USB vers câble adaptateur série	x	x	x			x	x	x	x	S26391-F6055-L570	22,35	
	Workplace Connect Gate 2.0	x	x	x			x	x	x	x	S26391-F6055-L620	252,94	
	Workplace Connect Kit 1.0	x	x	x			x	x	x	x	S26391-F6055-L710	481,18	
	Filtre écran confident. 3M 35,6cm /14,0" (16:9)					x		x			S26391-F6097-L115	77,65	
	Filtre écran confident. 3M 33,8cm /13.3" (16:9)						x				S26391-F6097-L134	68,24	



Fujitsu recommande Windows.

Accessoires portables professionnels LIFEBOOK (suite) Fiches produit : <http://fr.fujitsu.com/lifebook>

Catégorie	Description	LIFEBOOK A514	LIFEBOOK A555	LIFEBOOK A556	LIFEBOOK E546	LIFEBOOK E556	LIFEBOOK E736	LIFEBOOK E746	LIFEBOOK E756	LIFEBOOK T726	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)													
Accessoires (Suite)													
	Filtre écran confidentialité 3M 15,6", 39,6cm	x	x	x					x		S26391-F6097-L317	82,35	
	Fujitsu USB 3.0 HUB 4 Ports	x	x	x			x	x	x	x	S26391-F6099-L304	48,24	
	Adaptateur+ USB DVI	x	x	x			x	x	x	x	S26391-F6099-L400	58,82	
	USB to UHD DP Adapter	x	x	x			x	x	x		S26391-F6099-L500	81,18	
	Enceintes DS E2000 Air (USB)	x	x	x	x	x	x	x	x	x	S26391-F7128-L600	29,41	
	Mobile Bluetooth Communication Speaker	x	x	x	x	x	x	x	x	x	S26391-F7128-L700	40,00	
	UC&C USB Headset Stereo H650e	x	x	x	x	x	x	x	x	x	S26391-F7139-L10	74,12	
	UC&C USB Value Headset	x	x	x	x	x	x	x	x	x	S26391-F7139-L20	54,12	
	Communicator Headset	x	x	x	x	x	x	x	x	x	S26391-F7139-L51	24,71	
	VGA Conversion Cable	x	x	x					x	x	S26391-F938-L900	62,35	



Fujitsu recommande Windows.

Accessoires Tablet PC STYLITIC

Fiches produit : <http://fr.fujitsu.com/stylistic>

Catégorie	Description	STYLISTIC Q555	STYLISTIC Q616	STYLISTIC Q665	STYLISTIC Q704	STYLISTIC Q736	STYLISTIC Q775	STYLISTIC R726	Référence	Prix Indicatif (€)	Remarques
Communication/Réseau											
	LTE Upg. Kit (technicians only)							x	S26391-F2166-L100	135,29	
	UMTS upgrade kit (technicians only)							x	S26391-F2166-L200	115,29	
Port Replicator											
	Cradle	x	x	x		x	x		S26391-F1467-L100	155,29	
	Cradle w/AC Adapter w/o cable							x	S26391-F2167-L100	157,65	
OS/Application-SW											
	DU-DVD (Win10) LIFEBOOK/ST2015							x	S26361-F2007-L919	16,47	
	DeskUpdate Manager				x				S26361-F4040-L200	1587,06	
	DU-DVD (Win8+Win8.1) LIFEBOOK/ST 2013				x				S26391-F1800-L802	16,47	
	DU-DVD (Win8+Win8.1) STYLITIC 2014	x							S26391-F1800-L807	16,47	
	Driver&utilities DVD (Win10) LIFEBOOK		x			x			S26391-F1810-L802	16,47	
	DU-DVD (Win8+Win8.1) LIFEBOOK/ST2015		x			x			S26391-F1810-L809	16,47	
Onduleur/Alimentation											
	Ext. Battery charger (2pr), w/AC w/o Cab					x	x		S26391-F1356-L700	200,00	
	3pin AC Adapter 19V/65W (w/o cable)		x	x	x	x			S26391-F1366-L500	41,18	
	AC Adapter (w/o cable)	x							S26391-F1376-L521	40,00	
	AC Adapter 19V/65W w/o Cable							x	S26391-F2168-L802	41,18	
Sécurité											
	Lecteur SmartCard CARDOS V4.4. (1 pièce)	x							S26381-F305-L101	25,88	
	USB SCR 3500	x						x	S26381-F350-L100	28,24	
Divers											
	SSD Declaration				x				S26361-F3840-L100	1,18	
	Digitizer Pen & tether set			x	x		x		S26391-F1329-L500	28,24	
	Digitizer Pen large				x				S26391-F1379-L510	49,41	
	VGA Conversion Cable	x	x	x		x	x		S26391-F1418-L810	31,76	
	LAN Conversion Cable	x	x	x		x	x		S26391-F1418-L840	25,88	
	Digitizer Pen small	x							S26391-F1419-L500	30,59	
	Digitizer Pen large	x							S26391-F1419-L510	43,53	
	Pen tether	x	x	x		x	x		S26391-F1419-L520	14,12	
	Digitizer Pen						x		S26391-F1529-L500	49,41	
	Digitizer Pen large						x		S26391-F1529-L510	76,47	
	Stylus Pen Tips		x						S26391-F1529-L520	20,00	
	Active pen (incl. Battery)							x	S26391-F2169-L100	38,82	
	Pen Tips							x	S26391-F2169-L110	20,00	
	Pen Holder							x	S26391-F2169-L120	14,12	
	AG Display Protection Foil							x	S26391-F2169-L130	20,00	
	VGA conversion cable (miniDP to VGA)							x	S26391-F2169-L200	31,76	
	HDMI conversion cable (miniDP to HDMI)							x	S26391-F2169-L300	31,76	
	LAN Conversion cable (USB to LAN)							x	S26391-F2169-L400	37,65	
	Styllet (2 pieces)			x			x		S26391-F796-L800	57,65	
Clavier /Souris											
	Blue LED Souris (USB)	x		x			x	x	S26381-K438-L100	20,00	
	Bluetooth Souris BT3	x	x	x	x	x	x	x	S26381-K445-L100	22,35	
	SOURIS M440 ECO noir							x	S26381-K450-L200	17,65	
	Notebook Souris M410	x		x	x		x	x	S26381-K453-L100	10,59	
	Souris Wireless WI610	x		x	x		x	x	S26381-K460-L100	21,18	
	Wireless Notebook Souris WI200	x		x	x		x	x	S26381-K462-L100	14,12	
	Souris MC200	x		x	x			x	S26381-K463-L100	12,94	
	Wireless Notebook Souris WI410	x		x	x		x	x	S26381-K464-L100	16,47	
	Wireless Souris Touch WI910	x		x	x		x	x	S26381-K465-L100	23,53	
	MOUSE M520 BLACK							x	S26381-K467-L100	12,94	
	Clavier Pro KB900 Noir (USB, Fr)			x	x			x	S26381-K560-L440	22,35	
	Wireless KB Souris Set LX901 FR	x	x	x	x	x	x	x	S26381-K565-L440	51,76	
	Bluetooth Clavier LX370 FR	x		x	x		x	x	S26381-K570-L440	54,12	
	Wireless KB Souris Set LX390 FR	x		x			x	x	S26381-K590-L440	21,18	



Fujitsu recommande Windows.

Accessoires Tablet PC STYLITIC

Fiches produit : <http://fr.fujitsu.com/stylistic>

Catégorie	Description	STYLISTIC Q555	STYLISTIC Q616	STYLISTIC Q665	STYLISTIC Q704	STYLISTIC Q736	STYLISTIC Q775	STYLISTIC R726	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)											
Clavier /Souris (Suite)											
	Slim Clavier FR	x							S26391-F1288-L222	162,35	
	Clavier dock FR					x	x		S26391-F1289-L222	289,41	
	Clavier dock w/ batterie FR					x	x		S26391-F1289-L322	334,12	
	Slim Clavier FR		x	x					S26391-F1293-L222	212,94	
	Magnetic Clavier FR							x	S26391-F2114-L222	114,12	
Câbles											
	Câble secteur, Noir, 1,8m, pour EU	x	x	x		x	x	x	T26139-Y2540-V113	9,41	
	Câble secteur, Noir, 1,8 m, pour UK	x	x	x		x	x	x	T26139-Y2540-V213	9,41	
	Câble secteur, Noir, 1,8 m, pour USA	x	x	x		x	x	x	T26139-Y2540-V313	9,41	
	Power cord three-wire DK		x	x	x	x			S26361-F2581-L328	17,65	
	Power cord three-wire US		x	x	x	x			S26361-F2581-L300	17,65	
	Cordon secteur 3P EU		x	x	x	x			S26361-F2581-L310	17,65	
	Power cord three-wire GB		x	x	x	x			S26361-F2581-L320	17,65	
	Power cord three-wire I		x	x	x	x			S26361-F2581-L330	17,65	
Accessories											
	Câble de charge, Micro-USB B	x			x		x		S26381-F6007-L900	8,24	
	Tablet Sleeve 11	x	x	x					S26391-F1191-L311	40,00	
	Prestige Pro Case Midi 14			x	x	x	x	x	S26391-F1191-L80	80,00	
	Casual Top Case 14		x			x	x	x	S26391-F1192-L120	44,71	
	Prestige Case Mini 13							x	S26391-F1192-L151	54,12	
	Sleeve Case M	x	x			x		x	S26391-F1192-L312	51,76	
	Casual eve case	x	x	x		x		x	S26391-F1192-L70	45,88	
	Supreme Case (15.6)				x	x		x	S26391-F1192-L900	170,59	
	HAND STRAP STYLISTIC Q584/Q704 SmartCard				x				S26391-F1193-L12	29,41	
	SHOULDER STRAP STYLISTIC	x	x	x	x	x	x		S26391-F1193-L13	31,76	
	VESA MOUNT STYLISTIC Q704 SmartCard				x				S26391-F1193-L21	29,41	
	FOLIO CASE STYLISTIC Q555	x							S26391-F1193-L30	55,29	
	TPU COVER STYLISTIC Q555	x							S26391-F1193-L31	103,53	
	FOLIO CASE STYLISTIC Q775						x		S26391-F1193-L40	55,29	
	TPU Cover STYLISTIC Q775						x		S26391-F1193-L41	77,65	
	FOLIO CASE STYLISTIC Q736					x			S26391-F1193-L43	61,18	
	TPU Cover STYLISTIC Q736					x			S26391-F1193-L44	172,94	
	FOLIO CASE STYLISTIC Q665		x	x					S26391-F1193-L50	49,41	
	TPU Cover STYLISTIC Q665		x	x					S26391-F1193-L51	75,29	
	VESA MOUNT STYLISTIC	x				x	x		S26391-F1419-L900	29,41	
	HAND STRAP STYLISTIC	x				x	x		S26391-F1419-L930	29,41	
	CAR TRUCK POWER ADAPTER 90	x	x	x	x	x	x	x	S26391-F2613-L610	92,94	
	Car/Air DC Mini Adapter 80	x	x	x	x	x	x	x	S26391-F2613-L616	56,47	
	Car Adapter USB	x	x	x	x	x	x		S26391-F2613-L617	15,29	
	Dual USB Quick Charge Adapter	x							S26391-F2613-L620	27,06	
	USB Port Replicator PR7.1	x			x		x		S26391-F6007-L310	136,47	
	Fujitsu USB 3.0 Port Replicator PR08	x			x		x		S26391-F6007-L400	158,82	
	USB Port Replicator PR8.1	x			x		x		S26391-F6007-L410	176,47	
	A-DATA USB3.0 Flash Stick UE700 32GB						x	x	S26391-F6048-L332	49,41	
	A-DATA USB3.0 Flash Stick UE700 64GB						x	x	S26391-F6048-L364	72,94	
	A-DATA NH13 portable hard drive					x	x	x	S26391-F6048-L420	136,47	
	Câble HDMI vers HDMI						x		S26391-F6055-L230	17,65	
	Micro HDMI to HDMI cable	x	x	x		x	x		S26391-F6055-L231	20,00	
	Câble HDMI vers DVI-D						x		S26391-F6055-L250	12,94	
	USB 3.0 certified cable 2m				x		x		S26391-F6055-L320	9,41	
	Adaptateur USB-Ethernet				x		x		S26391-F6055-L510	25,88	
	USB 3.0 Gigabit LAN Adapter	x			x		x		S26391-F6055-L520	34,12	
	USB vers câble adaptateur série	x			x		x		S26391-F6055-L570	22,35	
	Workplace Connect Gate 2.0	x			x				S26391-F6055-L620	252,94	
	Workplace Connect Kit 1.0	x			x		x		S26391-F6055-L710	481,18	



Fujitsu recommande Windows.

Accessoires Tablet PC STYLITIC

Fiches produit : <http://fr.fujitsu.com/stylistic>

Catégorie	Description	STYLITIC Q555	STYLITIC Q616	STYLITIC Q665	STYLITIC Q704	STYLITIC Q736	STYLITIC Q775	STYLITIC R726	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)											
Accessoires (Suite)											
	Filtere écran confident. 3M 33,8cm /13.3" (16:9)						x		S26391-F6097-L134	68,24	
	Fujitsu USB 3.0 HUB 4 Ports	x			x		x		S26391-F6099-L304	48,24	
	Adaptateur+ USB DVI	x			x		x		S26391-F6099-L400	58,82	
	USB to UHD DP Adapter	x			x		x		S26391-F6099-L500	81,18	
	Enceintes DS E2000 Air (USB)	x			x		x	x	S26391-F7128-L600	29,41	
	Mobile Bluetooth Communication Speaker	x	x		x	x	x	x	S26391-F7128-L700	40,00	
	UC&C USB Headset Stereo H650e	x			x		x	x	S26391-F7139-L10	74,12	
	UC&C USB Value Headset	x			x		x	x	S26391-F7139-L20	54,12	
	Communicator Headset	x			x		x	x	S26391-F7139-L51	24,71	

Fujitsu recommends Windows.

Computing for the Modern Office

FUJITSU Desktop ESPRIMO



Fujitsu	ALL-ROUND				ADVANCED			SUPERIOR		
	ESPRIMO Q556	ESPRIMO A525-L	ESPRIMO D556	ESPRIMO P556	ESPRIMO D756	ESPRIMO P756	ESPRIMO Q956	ESPRIMO X956/ X956/T	ESPRIMO D956	ESPRIMO P956
Form factor	Mini PC	Thin PC	Small form factor	Microtower	Small form factor	Microtower	Mini PC	All-in-one	Small form factor	Microtower
Operating system	Windows 10 Pro Windows 10 Home Windows 8.1 Pro Windows 8.1 Windows 7 Professional Windows 7 Professional 64-bit 32-bit	Windows 10 Pro Windows 10 Home Windows 8.1 Pro Windows 8.1 Windows 7 Professional Windows 7 Professional 64-bit 32-bit	Windows 10 Pro Windows 10 Home Windows 8.1 Pro Windows 8.1 Windows 7 Professional Windows 7 Professional 64-bit 32-bit	Windows 10 Pro Windows 10 Home Windows 8.1 Pro Windows 8.1 Windows 7 Professional Windows 7 Professional 64-bit 32-bit	Windows 10 Pro Windows 10 Home Windows 8.1 Pro Windows 8.1 Windows 7 Professional Windows 7 Professional 64-bit 32-bit	Windows 10 Pro Windows 10 Home Windows 8.1 Pro Windows 8.1 Windows 7 Professional Windows 7 Professional 64-bit 32-bit	Windows 10 Pro Windows 10 Home Windows 8.1 Pro Windows 8.1 Windows 7 Professional Windows 7 Professional 64-bit 32-bit	Windows 10 Pro Windows 10 Home Windows 8.1 Pro Windows 8.1 Windows 7 Professional Windows 7 Professional 64-bit 32-bit	Windows 10 Pro Windows 10 Home Windows 8.1 Pro Windows 8.1 Windows 7 Professional Windows 7 Professional 64-bit 32-bit	Windows 10 Pro Windows 10 Home Windows 8.1 Pro Windows 8.1 Windows 7 Professional Windows 7 Professional 64-bit 32-bit
Chipset	Intel® H110	AMD G-series	Intel® H110	Intel® H110	Intel® Q150	Intel® Q150	Intel® Core™ i7 Intel® Core™ i5	Intel® Core™ i7 Intel® Core™ i5	Intel® Core™ i7 Intel® Core™ i5	Intel® Core™ i7 Intel® Core™ i5
Processor	Intel® Core™ i7 Intel® Core™ i5	AMD Embedded G-Series SOC (EKabmt)	Intel® Core™ i7 Intel® Core™ i5	Intel® Core™ i7 Intel® Core™ i5	Intel® Core™ i7 Intel® Core™ i5	Intel® Core™ i7 Intel® Core™ i5	Intel® Core™ i7 Intel® Core™ i5	Intel® Core™ i7 Intel® Core™ i5	Intel® Core™ i7 Intel® Core™ i5	Intel® Core™ i7 Intel® Core™ i5
Manageability	DeskView	-	DeskView	DeskView	Intel® Standard Manageability	Intel® Standard Manageability	Intel® vPro™ technology	Intel® vPro™ technology	Intel® vPro™ technology	Intel® vPro™ technology
USB 2.0 total	2x USB rear	4x USB rear	2x USB rear, 2x USB front, 2x USB internal	2x USB rear, 2x USB front, 2x USB internal	2x USB rear, 2x USB front, 2x USB internal	2x USB rear, 2x USB front, 2x USB internal	2x USB rear, 2x USB front, 2x USB internal	2x USB rear, 2x USB front, 2x USB internal	2x USB rear, 2x USB front, 2x USB internal	2x USB rear, 2x USB front, 2x USB internal
USB 3.0 total	2x USB front, 2x USB rear	2x USB front	2x USB front, 2x USB rear	2x USB front, 2x USB rear	2x USB front, 4x USB rear	2x USB front, 4x USB rear	2x USB front, 4x USB rear	2x USB front, 4x USB rear	2x USB front, 4x USB rear	2x USB front, 4x USB rear
Slots	-	-	1x PCI-Express x1 1x PCI-Express 2.0 x4 (mech x16) 1x PCI-Express 3.0 x16	1x PCI-Express x1 1x PCI-Express 2.0 x4 (mech x16) 1x PCI-Express 3.0 x16	2x PCI-Express x1 1x PCI-Express 2.0 x4 (mech x16) 1x PCI-Express 3.0 x16	2x PCI-Express x1 1x PCI-Express 2.0 x4 (mech x16) 1x PCI-Express 3.0 x16	-	-	2x PCI-Express x1 1x PCI-Express 2.0 x4 (mech x16) 1x PCI-Express 3.0 x16	2x PCI-Express x1 1x PCI-Express 2.0 x4 (mech x16) 1x PCI-Express 3.0 x16
Weight	approx. 1.6 kg	approx. 1.3 kg	approx. 8 kg	approx. 9 kg	approx. 8 kg	approx. 11 kg	approx. 1.6 kg	approx. 8.6 kg	approx. 8 kg	approx. 11 kg
Dimensions (W x D x H)	186 x 191 x 55 mm	53 x 179 x 250 mm	332 x 338 x 89 mm	175 x 425 x 353 mm	332 x 338 x 89 mm	175 x 419 x 395 mm	186 x 191 x 59 mm	533 x 224 x 419 mm	332 x 338 x 89 mm	175 x 419 x 395 mm
Volume	2.0 liters	2.4 liters	10 liters	26 liters	10 liters	29 liters	2.0 liters	-	10 liters	29 liters
Optical drive	1	-	1	2	1	2	1	-	1	2
Hard disk drive /SSD	1	1	2	2	3	4	2	2	3	4
EraseDisk option	-	-	-	-	-	-	-	-	-	-
Zero Noise PC option	-	-	-	-	-	-	-	-	-	-
Common software load	-	-	-	-	-	-	-	-	-	-
ENERGY STAR®	-	-	-	-	-	-	-	-	-	-
EPEAT	-	-	-	-	-	-	-	-	-	-
Blue Angel	-	-	-	-	-	-	-	-	-	-
Lifecycle	in progress	in progress	in progress	in progress	in progress	in progress	in progress	in progress	in progress	in progress
Embedded security	up to 12 months	up to 24 months	up to 12 months	up to 12 months	up to 18 months	up to 18 months	up to 18 months	up to 24 months	up to 18 months	up to 24 months
TPM 2.0	TPM 2.0	optional	TPM 2.0	TPM 2.0	TPM 2.0	TPM 2.0	TPM 2.0	TPM 2.0	TPM 2.0	TPM 2.0
Power supply efficiency	up to 92%	up to 88%	up to 90%	up to 90%	up to 94%	up to 94%	up to 92%	up to 94%	up to 94%	up to 94%
Service contracts	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years



Fujitsu recommande Windows.

ESPRIMO E420

Fiches produit : <http://fr.fujitsu.com/esprimo>

Les PC ESPRIMO E de Fujitsu vous offrent le meilleur en termes d'administration, de performances et d'évolutivité. Grâce à l'efficacité de 96 % de l'alimentation, vous allez également réaliser des économies sur les factures d'électricité. L'utilisation de composants identiques au sein de la gamme de produits offre une parfaite compatibilité avec votre infrastructure. Lors de la mise hors service de votre matériel, l'option EraseDisk, unique en son genre, supprime vos données en toute sécurité.

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO E420					
ESP E420 E85+ /CORE I3-4170/	ESP E420 E85+ /CORE I3-4170/ 4GB DDR3-1600/DVD SM/500GB SATA III/ CK F/KB410 USB BLACK FR/NO OS/		LKN:E0420P0029FR	520,00	
ESP E420 E85+ /CORE I3-4170/	ESP E420 E85+ /CORE I3-4170/ 4GB DDR3-1600/DVD SM/500GB SATA III/ CK F/KB410PS2FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/		VFY:E0420P735OFR	670,59	
ESP E420 E85+ /CORE I3-4170/	ESP E420 E85+ /CORE I3-4170/ 4GB DDR3-1600/DVD SM/SSD 128GB/CK F/ KB410PS2FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/		VFY:E0420P736OFR	685,88	



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

Les PC ESPRIMO D de Fujitsu vous offrent le meilleur en termes d'administration, de performances et d'évolutivité. Grâce à l'efficacité de 96 % de l'alimentation, vous allez également réaliser des économies sur les factures d'électricité. L'utilisation de composants identiques au sein de la gamme de produits offre une parfaite compatibilité avec votre infrastructure. Lors de la mise hors service de votre matériel, l'option EraseDisk, unique en son genre, supprime vos

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO D556					
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 4GB DDR4-2133/DVD SM TRAY/ 500GB SATA III/GBIT DS/CK EU EU+/NO OS/ OPT USB BLK/	LKN:D0556P0001IN	534,12	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 4GB DDR4-2133/DVD SM TRAY/ 500GB SATA III/GBIT DS/CK EU EU+/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0556P0002IN	691,76	
	ESP D556/E85+ /P G4500/4GB DDR4-2133/	ESP D556/E85+ /P G4500/4GB DDR4-2133/ DVD SM TRAY/SSHD 1000GB/CK F/KB410PS2FR/ DUDVD WIN10/DU DVD WIN7+8/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:D0556P0004FR	682,35	
	ESP D556/E85+ /CORE I5-6400/	ESP D556/E85+ /CORE I5-6400/ 4GB DDR4-2133/VGA EXT CARD/DVD SM TRAY/ MCR 24IN1/1000GB SATA III/CK MY/ GERMANY STICKER/KB410 USB BLACK US/	LKN:D0556P0004IN	795,29	
	ESP D556/E85+ /CORE I5-6500/	ESP D556/E85+ /CORE I5-6500/ 8GB DDR4-2133/SSD 256GB MAIN/CK F/ KB410 USB BLACK FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:D0556P0005FR	874,12	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 4GB DDR4-2133/VGA EXT CARD/DVD SM TRAY/ 500GB SATA III/GBIT DS/CK EU EU+/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0556P0005IN	708,24	
	ESP D556/E85+ /CORE I5-6500/	ESP D556/E85+ /CORE I5-6500/ 4GB DDR4-2133/DVD SM TRAY/ SSD 256GB SED MAIN/CK F/ KB410 USB BLACK FR/LIC W10 PRO/	LKN:D0556P0006FR	870,59	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 4GB DDR4-2133/VGA EXT CARD/DVD SM TRAY/ 500GB SATA III/GBIT DS/CK EU EU+/NO OS/ OPT USB BLK/	LKN:D0556P0006IN	550,59	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK D/KB410 USB BLACK DE/ DUDVD WIN10/LIC W10 PRO/W10 PRO64 MAIN/	LKN:D0556P0007IN	771,76	
	ESP D556/E85+ /CORE I5-6400/	ESP D556/E85+ /CORE I5-6400/ 4GB DDR4-2133/DVD SM TRAY/ 500GB SATA III/CK F/KB410 USB BLACK FR/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0556P0008FR	775,29	



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO D556 (Suite)					
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK D/KB410 USB BLACK BE/ DUDVD WIN10/LIC W10 PRO/W10 PRO64 MAIN/	LKN:D0556P0008IN	771,76	
	ESP D556/E85+ /CORE I5-6400/	ESP D556/E85+ /CORE I5-6400/ 8GB DDR4-2133/VGA EXT CARD/DVD SM TRAY/ SSD 256GB MAIN/DUAL SERIAL/CK F/ KB410PS2FR/DUDVD WIN10/DU DVD WIN7+8/	LKN:D0556P0009FR	902,35	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK D/KB410 USB BLACK PL/ DUDVD WIN10/LIC W10 PRO/W10 PRO64 MAIN/	LKN:D0556P0009IN	771,76	
	ESP D556/E85+ /CORE I5-6500/	ESP D556/E85+ /CORE I5-6500/ 8GB DDR4-2133/GF605 DP 1GB LP/DP CABLE/ DVD SM TRAY/500GB SATA III/CK F/ KB410PS2FR/LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0556P0010FR	900,00	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK D/KB410 USB BL NORD/ DUDVD WIN10/LIC W10 PRO/W10 PRO64 MAIN/	LKN:D0556P0010IN	771,76	
	ESP D556/E85+ /P G4400/4GB DDR4-2133/	ESP D556/E85+ /P G4400/4GB DDR4-2133/ DVD SM TRAY/500GB SATA III/CK F/ KB410PS2FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO64/	LKN:D0556P0011FR	604,71	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK D/KB410 USB BLACK FR/ DUDVD WIN10/LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0556P0011IN	771,76	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK D/KB410 USB BLACK DE/ DUDVD WIN10/LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0556P0012IN	771,76	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK D/KB410 USB BLACK DE/ DUDVD WIN10/LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0556P0013IN	771,76	
	ESP D556/E85+ /CORE I5-6400/	ESP D556/E85+ /CORE I5-6400/ 8GB DDR4-2133/GF GTX 745 LP/DP CABLE/ DVD SM TRAY/MCR 24IN1/500GB SATA III/ CK F/KB900FR/DUDVD WIN10/DU DVD WIN7+8/	LKN:D0556P0014FR	941,18	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK D/KB410 USB BLACK HU/ DUDVD WIN10/LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0556P0014IN	771,76	



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

ESP D556/E85+ /P G4400/4GB DDR4-2133/	ESP D556/E85+ /P G4400/4GB DDR4-2133/ DVD SM TRAY/SSHD 1000GB/CK F/KB410PS2FR/ DUDVD WIN10/DU DVD WIN7+8/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:D0556P0015FR	667,06
ESP D556/E85+ /CORE I3- 6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4- 2133/DVD SM TRAY/ SSD 256GB MAIN/CK D/KB410 USB BLACK ES/ DUDVD WIN10/LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0556P0015IN	771,76



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO D556 (Suite)					
	ESP D556/E85+ /CORE I7-6700/	ESP D556/E85+ /CORE I7-6700/ 8GB DDR4-2133/SSD 256GB MAIN/CK F/ KB410PS2FR/NO OS/OPT USB BLK/	LKN:D0556P0016FR	881,18	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK D/KB410 USB BL RU/US/ DUDVD WIN10/LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0556P0016IN	771,76	
	ESP D556/E85+ /CEL G3900/	ESP D556/E85+ /CEL G3900/ 2x4GB DDR4-2133/VGA EXT CARD/ DVD SM TRAY/500GB SATA III/DUAL SERIAL/ CK F/KB410 USB BLACK FR/LIC W10 PRO/	LKN:D0556P0017FR	625,88	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK D/KB410 USB BLACK IT/ DUDVD WIN10/LIC W10 PRO/W10 PRO64 MAIN/	LKN:D0556P0017IN	771,76	
	ESP D556/E85+ /CORE I5-6400/	ESP D556/E85+ /CORE I5-6400/ 8GB DDR4-2133/VGA EXT CARD/DVD SM TRAY/ SSD 256GB MAIN/CK F/KEYBOARD KB521 FR/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0556P0018FR	883,53	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK D/KB410 USB BLACK FR/ DUDVD WIN10/LIC W10 PRO/W10 PRO64 MAIN/	LKN:D0556P0018IN	771,76	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK D/KB410 USB BL TR/Q/ DUDVD WIN10/LIC W10 PRO/W10 PRO64 MAIN/	LKN:D0556P0019IN	771,76	
	ESP D556/E85+ /P G4400/4GB DDR4-2133/	ESP D556/E85+ /P G4400/4GB DDR4-2133/ DVD SM TRAY/500GB SATA III/DUAL SERIAL/ CK F/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/OPT USB BLK/	LKN:D0556P0020FR	614,12	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK D/KB410 USB BLACK RO/ DUDVD WIN10/LIC W10 PRO/W10 PRO64 MAIN/	LKN:D0556P0020IN	771,76	
	ESP D556/E85+ /P G4500/4GB DDR4-2133/	ESP D556/E85+ /P G4500/4GB DDR4-2133/ 2x1000GB BC/HDD SSD CABLE/CK F/ KB410 USB BLACK FR/LINUX/OPT USB BLK/	LKN:D0556P0021FR	715,29	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK D/KB410 USB BLACK US/ DUDVD WIN10/LIC W10 PRO/W10 PRO64 MAIN/	LKN:D0556P0021IN	771,76	
	ESP D556/E85+ /CORE I7-6700/	ESP D556/E85+ /CORE I7-6700/ 2x8GB DDR4-2133/VGA EXT CARD/ SSD 512GB MAIN/CAGE EASY CHANGE/CK F/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0556P0022FR	1217,66	



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK GB/INT/ KB410 USB BL AR/GB/DUDVD WIN10/	LKN:D0556P0022IN	771,76
ESP D556/E85+ /CORE I5-6500/	ESP D556/E85+ /CORE I5-6500/ 4GB DDR4-2133/VGA EXT CARD/DVD SM TRAY/ 500GB SATA III/CK F/KB410 USB BLACK FR/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0556P0023FR	832,94



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO D556 (Suite)					
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK GB/INT/ KB410 USB BLACK GB/DUDVD WIN10/	LKN:D0556P0023IN	771,76	
	ESP D556/E85+ /P G4400/4GB DDR4-2133/	ESP D556/E85+ /P G4400/4GB DDR4-2133/ VGA EXT CARD/500GB SATA III/CK F/ DUDVD WIN10/DU DVD WIN7+8/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/NO MOUSE/	LKN:D0556P0024FR	570,60	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK GB/INT/ KB410 USB BLACK GB/DUDVD WIN10/	LKN:D0556P0024IN	771,76	
	ESP D556/E85+ /CORE I5-6500/	ESP D556/E85+ /CORE I5-6500/ 8GB DDR4-2133/VGA EXT CARD/DVD SM TRAY/ 500GB SATA III/CK F/KB410 USB BLACK FR/ DU DVD WIN7+8/LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0556P0025FR	849,41	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK CH/KB410 USB BLACK CH/ DUDVD WIN10/LIC W10 PRO/W10 PRO64 MAIN/	LKN:D0556P0025IN	771,76	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/GF605 DP 1GB LP/DP CABLE/ DVD SM TRAY/500GB SATA III/CK F/ KEYBOARD KB521 FR/LIC W10 PRO/	LKN:D0556P0026FR	780,00	
	ESP D556/E85+ /CCC/CORE I3-6100/	ESP D556/E85+ /CCC/CORE I3-6100/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK CHN/ KB410 USB BLACK CN/DUDVD WIN10/	LKN:D0556P0026IN	771,78	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 4GB DDR4-2133/VGA EXT CARD/ SSD 128GB SED MAIN/CK F/ KB410 USB BLACK FR/LIC W10 PRO/	LKN:D0556P0027FR	690,59	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 4GB DDR4-2133/VGA EXT CARD/DVD SM TRAY/ 500GB SATA III/DUAL SERIAL/CK EU EU+/ NO OS/OPT USB BLK/	LKN:D0556P0027IN	557,65	
	ESP D556/E85+ /CORE I5-6400/	ESP D556/E85+ /CORE I5-6400/ 4GB DDR4-2133/8GB DDR4-2133/ VGA EXT CARD/500GB SATA III/CK F/ KB410 USB BLACK FR/LIC W10 PRO/	LKN:D0556P0028FR	803,53	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 4GB DDR4-2133/VGA EXT CARD/DVD SM TRAY/ 500GB SATA III/CK EU EU+/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:D0556P0028IN	677,65	
	ESP D556/E85+ /CORE I5-6400/	ESP D556/E85+ /CORE I5-6400/ 8GB DDR4-2133/VGA EXT CARD/ SSD 256GB SED MAIN/CK F/ KB410 USB BLACK FR/LIC W10 PRO/	LKN:D0556P0029FR	849,41	



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 4GB DDR4-2133/VGA EXT CARD/DVD SM TRAY/ 500GB SATA III/DUAL SERIAL/CK EU EU+/ LIC W10 PRO/W10 PRO64 MAIN/OPT USB BLK/	LKN:D0556P0029IN	701,18
------------------------------	--	------------------	--------



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO D556 (Suite)					
	ESP D556/E85+ /CEL G3900/4GB DDR4-2133/	ESP D556/E85+ /CEL G3900/4GB DDR4-2133/ VGA EXT CARD/500GB SATA III/CK F/ KB410 USB BLACK FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:D0556P0030FR	547,06	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK F/KB410 USB BLACK FR/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:D0556P0030IN	769,41	
	ESP D556/E85+ /CEL G3900/8GB DDR4-2133/	ESP D556/E85+ /CEL G3900/8GB DDR4-2133/ VGA EXT CARD/DVD SM TRAY/500GB SATA III/ DUAL SERIAL/CK F/KB410 USB BLACK FR/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0556P0031FR	623,53	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK EU NON EU/ KB410 USB BL RU/US/DUDVD WIN10/	LKN:D0556P0031IN	771,76	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK E/P/ KB410 USB BLACK ES/DUDVD WIN10/	LKN:D0556P0032IN	771,76	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 4GB DDR4-2133/DVD SM TRAY/ 500GB SATA III/CK IND/KB410PS2US/NO OS/ OPT USB BLK/	LKN:D0556P0033FR	529,41	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK EU EU+/ KB410 USB BLACK HU/DUDVD WIN10/	LKN:D0556P0033IN	771,76	
	ESP D556/E85+ /CEL G3900/4GB DDR4-2133/	ESP D556/E85+ /CEL G3900/4GB DDR4-2133/ 500GB SATA III/CK F/KB410 USB BLACK FR/ LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/OPT USB BLK/	LKN:D0556P0034FR	530,59	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK B/NL/ KB410 USB BLACK BE/DUDVD WIN10/	LKN:D0556P0034IN	771,76	
	ESP D556/E85+ /CEL G3900/4GB DDR4-2133/	ESP D556/E85+ /CEL G3900/4GB DDR4-2133/ VGA EXT CARD/DVD SM TRAY/500GB SATA III/ CK F/KB410PS2FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:D0556P0035FR	575,29	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK I/KB410 USB BLACK IT/ DUDVD WIN10/LIC W10 PRO/W10 PRO64 MAIN/	LKN:D0556P0035IN	771,76	
	ESP D556/E85+ /CORE I5-6400/	ESP D556/E85+ /CORE I5-6400/ 4GB DDR4-2133/VGA EXT CARD/DP CABLE/ DVD SM TRAY/500GB SATA III/CK F/KB900FR/ NERO 2014/DUDVD WIN10/DU DVD WIN7+8/	LKN:D0556P0036FR	814,12	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK PL/KB410 USB BLACK PL/ DUDVD WIN10/LIC W10 PRO/W10 PRO64 MAIN/	LKN:D0556P0036IN	771,76	



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

ESP D556/E85+ /CORE I5-6500/	ESP D556/E85+ /CORE I5-6500/ 8GB DDR4-2133/VGA EXT CARD/DVD SM TRAY/ 500GB SATA III/CK F/KB410 USB BLACK FR/ DU DVD WIN7+8/LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0556P0037FR	851,76
------------------------------	---	------------------	--------



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO D556 (Suite)					
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK EU EU+/KB410 USB BLACK RO/DUDVD WIN10/	LKN:D0556P0037IN	771,76	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/GF605 DP 1GB LP/DP CABLE/ DVD SM TRAY/500GB SATA III/CK B/NL/ KEYBOARD KB521 BE/LIC W10 PRO/	LKN:D0556P0038FR	780,00	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK NORDICS/ KB410 USB BL NORD/DUDVD WIN10/	LKN:D0556P0038IN	771,76	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/SSHD 500GB/CK F/ KB410 USB BLACK FR/NO OS/OPT USB BLK/	LKN:D0556P0039FR	548,24	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK EU NON EU/ KB410 USB BLACK EE/DUDVD WIN10/	LKN:D0556P0039IN	771,76	
	ESP D556/E85+ /P G4400/4GB DDR4-2133/	ESP D556/E85+ /P G4400/4GB DDR4-2133/ DVD SM TRAY/500GB SATA III/DUAL SERIAL/ CK F/KB410PS2FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:D0556P0040FR	624,71	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK TR/KB410 USB BL TR/F/ DUDVD WIN10/LIC W10 PRO/W10 PRO64 MAIN/	LKN:D0556P0040IN	771,76	
	ESP D556/E85+ /CORE I5-6500/	ESP D556/E85+ /CORE I5-6500/ 8GB DDR4-2133/GF605 DP 1GB LP/DP CABLE/ DVD SM TRAY/500GB SATA III/CK F/ KB410PS2FR/LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0556P0041FR	905,88	
	ESP D556/E85+ /P G4400/4GB DDR4-2133/	ESP D556/E85+ /P G4400/4GB DDR4-2133/ DVD SM TRAY/500GB SATA III/CK F/ KB410PS2FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO64/	LKN:D0556P0042FR	598,82	
	ESP D556/E85+ /CORE I5-6400/	ESP D556/E85+ /CORE I5-6400/ 2x4GB DDR4-2133/VGA EXT CARD/ DVD SM TRAY/1000GB SATA III/CK F/ KB410 USB BLACK FR/NO OS/OPT USB BLK/	LKN:D0556P0043FR	660,00	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 4GB DDR4-2133/DVD SM TRAY/ 500GB SATA III/DUAL SERIAL/CK F/ KB410 USB BLACK FR/LIC W10 PRO/	LKN:D0556P0044FR	703,53	
	ESP D556/E85+ /P G4400/4GB DDR4-2133/	ESP D556/E85+ /P G4400/4GB DDR4-2133/ 1000GB SATA III/CK F/KB410 USB BLACK FR/ LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/OPT USB BLK/	LKN:D0556P0045FR	574,12	



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 4GB DDR4-2133/SSD 128GB ENTRY/CK F/ KB410 USB BLACK FR/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:D0556P0046FR	658,82
------------------------------	--	------------------	--------



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO D556 (Suite)					
	ESP D556/E85+ /CORE I5-6400/	ESP D556/E85+ /CORE I5-6400/ 4GB DDR4-2133/DVD SM TRAY/ 500GB SATA III/CK F/KB410 USB BLACK FR/ LIC W10 PRO/W10 PRO64 MAIN/OPT USB BLK/	LKN:D0556P0047FR	752,94	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 8GB DDR4-2133/SSD 128GB ENTRY/CK F/ KB410 USB BLACK FR/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:D0556P0048FR	684,71	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 2x4GB DDR4-2133/GF605 DP 1GB LP/ DP CABLE/BD WRITER/500GB SATA III/CK F/ KB410 USB BLACK FR/LIC W10 PRO/	PRJ:D0556P0001FR	832,94	
	ESP D556/E85+ /CORE I5-6600/	ESP D556/E85+ /CORE I5-6600/ 4GB DDR4-2133/DVD SM TRAY/SSHD 500GB/ CK INT/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/NO MOUSE/	PRJ:D0556P0001IN	838,84	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 4GB DDR4-2133/VGA EXT CARD/ SSD 128GB SED MAIN/CK F/ KB410 USB BLACK FR/LIC W10 PRO/	PRJ:D0556P0002FR	690,59	
	ESP D556/E85+ /CEL G3900/4GB DDR4-2133/	ESP D556/E85+ /CEL G3900/4GB DDR4-2133/ DVD SM TRAY/SSHD 500GB/CK INT/ LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/NO MOUSE/	PRJ:D0556P0002IN	549,42	
	ESP D556/E85+ /CORE I5-6400/	ESP D556/E85+ /CORE I5-6400/ 8GB DDR4-2133/VGA EXT CARD/ SSD 256GB SED MAIN/CK F/ KB410 USB BLACK FR/LIC W10 PRO/	PRJ:D0556P0003FR	849,41	
	ESP D556/E85+ /CORE I5-6600/	ESP D556/E85+ /CORE I5-6600/ 4GB DDR4-2133/DVD SM TRAY/SSHD 500GB/ CK INT/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/NO MOUSE/	PRJ:D0556P0003IN	838,84	
	ESP D556/E85+ /CEL G3900/4GB DDR4-2133/	ESP D556/E85+ /CEL G3900/4GB DDR4-2133/ 500GB SATA III/CK F/KB410 USB BLACK FR/ LIC W10 PRO/W10 PRO64 MAIN/OPT USB BLK/	PRJ:D0556P0004FR	528,24	
	ESP D556/E85+ /CORE I5-6600/	ESP D556/E85+ /CORE I5-6600/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK INT/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/NO MOUSE/	PRJ:D0556P0004IN	903,54	
	ESP D556/E85+ /P G4400/4GB DDR4-2133/	ESP D556/E85+ /P G4400/4GB DDR4-2133/ VGA EXT CARD/DVD SM TRAY/500GB SATA III/ CK F/KB410 USB BLACK FR/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	VFY:D0556P328OFR	434,12	
	ESP D556/E85+ /P G4500/4GB DDR4-2133/	ESP D556/E85+ /P G4500/4GB DDR4-2133/ SSD 128GB ENTRY/CK F/KB410 USB BLACK FR/ LIC W10 PRO/W10 PRO64 MAIN/ RDVD W10 PRO64/OPT USB BLK/	VFY:D0556P32AOFR	445,88	



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 4GB DDR4-2133/VGA EXT CARD/DVD SM TRAY/ 500GB SATA III/CK F/KB410 USB BLACK FR/ LIC W10 PRO/W10 PRO64 MAIN/	VFY:D0556P335OFR	516,47
------------------------------	--	------------------	--------



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO D556 (Suite)					
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 4GB DDR4-2133/SSD 128GB ENTRY/CK F/ KB410 USB BLACK FR/LIC W10 PRO/ W10 PRO64 MAIN/OPT USB BLK/	VFY:D0556P33AOFR	528,24	
	ESP D556/E85+ /CORE I5-6400/	ESP D556/E85+ /CORE I5-6400/ 4GB DDR4-2133/VGA EXT CARD/DVD SM TRAY/ 500GB SATA III/CK F/KB410 USB BLACK FR/ LIC W10 PRO/W10 PRO64 MAIN/	VFY:D0556P351OFR	575,29	
	ESP D556/E85+ /CORE I5-6400/	ESP D556/E85+ /CORE I5-6400/ 8GB DDR4-2133/SSD 256GB MAIN/CK F/ KB410 USB BLACK FR/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	VFY:D0556P35AOFR	645,88	
	ESP D556/E85+ /CORE I7-6700/	ESP D556/E85+ /CORE I7-6700/ 8GB DDR4-2133/SSD 256GB MAIN/CK F/ KB410 USB BLACK FR/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	VFY:D0556P37AOFR	787,06	
	ESP D556/E85+ /P G4400/4GB DDR4-2133/	ESP D556/E85+ /P G4400/4GB DDR4-2133/ VGA EXT CARD/DVD SM TRAY/500GB SATA III/ CK F/KB410PS2FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:D0556P728OFR	434,12	
	ESP D556/E85+ /P G4500/4GB DDR4-2133/	ESP D556/E85+ /P G4500/4GB DDR4-2133/ SSD 128GB ENTRY/CK F/KB410PS2FR/ LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:D0556P72AOFR	445,88	
	ESP D556/E85+ /P G4400/4GB DDR4-2133/	ESP D556/E85+ /P G4400/4GB DDR4-2133/ 500GB SATA III/DUAL SERIAL/CK F/ KB410 USB BLACK FR/NO OS/OPT USB BLK/	VFY:D0556P72B5FR	448,24	
	ESP D556/E85+ /P G4400/4GB DDR4-2133/	ESP D556/E85+ /P G4400/4GB DDR4-2133/ 500GB SATA III/DUAL SERIAL/CK F/ KB410 USB BLACK FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:D0556P72BOFR	605,88	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 4GB DDR4-2133/VGA EXT CARD/DVD SM TRAY/ 500GB SATA III/CK F/KB410PS2FR/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:D0556P735OFR	516,47	
	ESP D556/E85+ /CORE I3-6100/	ESP D556/E85+ /CORE I3-6100/ 4GB DDR4-2133/SSD 128GB ENTRY/CK F/ KB410PS2FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:D0556P73AOFR	528,24	
	ESP D556/E85+ /CORE I5-6400/	ESP D556/E85+ /CORE I5-6400/ 4GB DDR4-2133/VGA EXT CARD/DVD SM TRAY/ 500GB SATA III/CK F/KB410PS2FR/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:D0556P751OFR	575,29	
	ESP D556/E85+ /CORE I5-6400/	ESP D556/E85+ /CORE I5-6400/ 8GB DDR4-2133/SSD 256GB MAIN/CK F/ KB410PS2FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:D0556P75AOFR	645,88	



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

ESP D556/E85+ /CORE I5-6500/	ESP D556/E85+ /CORE I5-6500/ 8GB DDR4-2133/VGA EXT CARD/DVD SM TRAY/ 500GB SATA III/CK F/KB410 USB BLACK FR/ DU DVD WIN7+8/LIC W10 PRO/W7 PRO64 MAIN/	VFY:D0556P75BOFR	849,41
------------------------------	---	------------------	--------



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO D556 (Suite)					
	ESP D556/E85+ /CORE I7-6700/	ESP D556/E85+ /CORE I7-6700/ 4GB DDR4-2133/VGA EXT CARD/DVD SM TRAY/ 1000GB SATA III/CK F/KB410PS2FR/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:D0556P771OFR	728,24	
	ESP D556/E85+ /CORE I7-6700/	ESP D556/E85+ /CORE I7-6700/ 8GB DDR4-2133/SSD 256GB MAIN/CK F/ KB410PS2FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:D0556P77AOFR	787,06	
	ESP D556/E85+ /CORE I5-6400/	ESP D556/E85+ /CORE I5-6400/ 4GB DDR4-2133/DVD SM TRAY/ 500GB SATA III/CK F/KB410 USB BLACK FR/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:D0556P85AOFR	775,29	
ESPRIMO D756					
	ESP D756/E85+ /P G4500/4GB DDR4-2133/	ESP D756/E85+ /P G4500/4GB DDR4-2133/ DVD SM TRAY/500GB SATA III/DUAL SERIAL/ PARALLEL INTERF/CK F/DU DVD WIN7+8/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0756P0001FR	744,71	
	ESP D756/E85+ /CORE I5-6500/	ESP D756/E85+ /CORE I5-6500/ 2x4GB DDR4-2133/VGA EXT CARD/ SSD 128GB ENTRY/GBIT DS/CK D/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0756P0002IN	941,18	
	ESP D756/E90+ /CORE I5-6500/	ESP D756/E90+ /CORE I5-6500/ 8GB DDR4-2133/DP CABLE/500GB SATA III/ CK F/KB410 USB BLACK FR/NO OS/ OPT USB BLK/	LKN:D0756P0003FR	791,76	
	ESP D756/E85+ /CORE I5-6500/	ESP D756/E85+ /CORE I5-6500/ 2x4GB DDR4-2133/VGA EXT CARD/ SSD 128GB ENTRY/GBIT DS/CK B/NL/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0756P0003IN	941,18	
	ESP D756/E85+ /P G4400/4GB DDR4-2133/	ESP D756/E85+ /P G4400/4GB DDR4-2133/ VGA EXT CARD/500GB SATA III/DUAL SERIAL/ 2ND SERIAL REAR/CK F/KB410 USB BLACK FR/ NO OS/OPT USB BLK/	LKN:D0756P0004FR	585,88	
	ESP D756/E85+ /CORE I5-6500/	ESP D756/E85+ /CORE I5-6500/ 2x4GB DDR4-2133/VGA EXT CARD/ SSD 128GB ENTRY/GBIT DS/CK D/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0756P0004IN	941,18	
	ESP D756/E90+ /CORE I5-6500/	ESP D756/E90+ /CORE I5-6500/ 2x4GB DDR4-2133/GF605 DP 1GB LP/ DP CABLE/SSD 256GB MAIN/CK F/ KB410 USB BLACK FR/NO OS/OPT USB BLK/	LKN:D0756P0005FR	920,00	
	ESP D756/E85+ /CORE I5-6500/	ESP D756/E85+ /CORE I5-6500/ 2x4GB DDR4-2133/VGA EXT CARD/ SSD 128GB ENTRY/GBIT DS/CK NORDICS/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0756P0005IN	941,18	
	ESP D756/E85+ /CORE I7-6700/	ESP D756/E85+ /CORE I7-6700/ 4GB DDR4-2133/VGA EXT CARD/DVD SM TRAY/ 500GB SATA III/CK F/KB410PS2FR/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0756P0006FR	1094,12	



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

ESP D756/E85+ /CORE I5-6500/	ESP D756/E85+ /CORE I5-6500/ 2x4GB DDR4-2133/VGA EXT CARD/ SSD 128GB ENTRY/GBIT DS/CK F/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0756P0006IN	941,18
ESP D756/E85+ /P G4500/4GB DDR4-2133/	ESP D756/E85+ /P G4500/4GB DDR4-2133/ VGA EXT CARD/500GB SATA III/DUAL SERIAL/ 2ND SERIAL REAR/CK F/KB410 USB BLACK FR/ NO OS/OPT USB BLK/	LKN:D0756P0007FR	612,94



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO D756 (Suite)					
	ESP D756/E85+ /CORE I5-6500/	ESP D756/E85+ /CORE I5-6500/ 2x4GB DDR4-2133/VGA EXT CARD/ SSD 128GB ENTRY/GBIT DS/CK PL/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0756P0007IN	941,18	
	ESP D756/E85+ /CORE I7-6700/	ESP D756/E85+ /CORE I7-6700/ 2x8GB DDR4-2133/SSD 256GB MAIN/CK F/ KB410 USB BLACK FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:D0756P0008FR	1195,29	
	ESP D756/E85+ /CORE I5-6500/	ESP D756/E85+ /CORE I5-6500/ 2x4GB DDR4-2133/VGA EXT CARD/ SSD 128GB ENTRY/GBIT DS/CK E/P/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0756P0008IN	941,18	
	ESP D756/E85+ /P G4400/2x4GB DDR4-2133/	ESP D756/E85+ /P G4400/2x4GB DDR4-2133/ VGA EXT CARD/DVD SM TRAY/500GB SATA III/ DUAL SERIAL/PARALLEL INTERF/CK F/ DU DVD WIN7+8/LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0756P0009FR	762,35	
	ESP D756/E85+ /CORE I5-6500/	ESP D756/E85+ /CORE I5-6500/ 2x4GB DDR4-2133/VGA EXT CARD/ SSD 128GB ENTRY/GBIT DS/CK CH/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0756P0009IN	941,18	
	ESP D756/E85+ /P G4400/2x4GB DDR4-2133/	ESP D756/E85+ /P G4400/2x4GB DDR4-2133/ DVD SM TRAY/500GB SATA III/DUAL SERIAL/ PARALLEL INTERF/CK F/ DU DVD WIN7+8/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0756P0010FR	745,88	
	ESP D756/E85+ /P G4400/4GB DDR4-2133/	ESP D756/E85+ /P G4400/4GB DDR4-2133/ 500GB SATA III/CK INT/ KB410 USB BLACK FR/NO OS/USB M510 GREY/ INT. SPEAKER/	LKN:D0756P0011FR	538,82	
	ESP D756/E85+ /CORE I5-6500/	ESP D756/E85+ /CORE I5-6500/ 8GB DDR4-2133/DP CABLE/DVD SM TRAY/ SSD 256GB MAIN/CK F/KB410 USB BLACK FR/ NO OS/OPT USB BLK/INT. SPEAKER/	LKN:D0756P0012FR	876,47	
	ESP D756/E90+ /CORE I5-6500/	ESP D756/E90+ /CORE I5-6500/ 8GB DDR4-2133/DP CABLE/500GB SATA III/ CK F/KB410 USB BLACK FR/NO OS/ OPT USB BLK/INT. SPEAKER/	LKN:D0756P0013FR	797,65	
	ESP D756/E85+ /P G4400/4GB DDR4-2133/	ESP D756/E85+ /P G4400/4GB DDR4-2133/ 500GB SATA III/CK INT/NO OS/OPT USB BLK/ INT. SPEAKER/	LKN:D0756P0014FR	522,35	
	ESP D756/E85+ /P G4400/4GB DDR4-2133/	ESP D756/E85+ /P G4400/4GB DDR4-2133/ VGA EXT CARD/DVD SM TRAY/500GB SATA III/ PARALLEL INTERF/2ND SERIAL REAR/CK F/ KB410 USB BLACK FR/LIC W10 PRO/	LKN:D0756P0015FR	748,24	
	ESP D756/E90+ /CORE I5-6500/	ESP D756/E90+ /CORE I5-6500/ 8GB DDR4-2133/DP CABLE/2x500GB SATA III/ HDD SSD CABLE/CK F/KB410 USB BLACK FR/ DUDVD WIN10/LIC W10 PRO/W10 PRO64 MAIN/	LKN:D0756P0016FR	1008,24	
	ESP D756/E90+ /CORE I5-6500/	ESP D756/E90+ /CORE I5-6500/ 4GB DDR4-2133/DP CABLE/2x500GB SATA III/ HDD SSD CABLE/CK F/KB410 USB BLACK FR/ DUDVD WIN10/DU DVD WIN7+8/LIC W10 PRO/	LKN:D0756P0017FR	996,47	



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

ESP D756/E90+ /CORE I5-6500/	ESP D756/E90+ /CORE I5-6500/ 4GB DDR4-2133/DP CABLE/2x500GB SATA III/ HDD SSD CABLE/CK F/KB410 USB BLACK FR/ DUDVD WIN10/DU DVD WIN7+8/LIC W10 PRO/	LKN:D0756P0018FR	998,82
------------------------------	---	------------------	--------



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO D756 (Suite)					
	ESP D756/E85+ /P G4500/4GB DDR4-2133/	ESP D756/E85+ /P G4500/4GB DDR4-2133/ VGA EXT CARD/DVD SM TRAY/500GB SATA III/ PARALLEL INTERF/2ND SERIAL REAR/CK F/ KB410 USB BLACK FR/DUDVD WIN10/	LKN:D0756P0019FR	729,41	
	ESP D756/E90+ /CORE I5-6500/	ESP D756/E90+ /CORE I5-6500/ 8GB DDR4-2133/DP CABLE/500GB SATA III/ CK F/KB410 USB BLACK FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:D0756P0020FR	945,88	
	ESP D756/E85+ /CORE I5-6500/	ESP D756/E85+ /CORE I5-6500/ 4GB DDR4-2133/DVD SM TRAY/500GB BC/CK F/ KB410 USB BLACK FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:D0756P0021FR	969,41	
	ESP D756/E90+ /CORE I5-6500/	ESP D756/E90+ /CORE I5-6500/ 2x8GB DDR4-2133/DP CABLE/ 2x500GB SATA III/HDD SSD CABLE/CK F/ KB410 USB BLACK FR/DUDVD WIN10/	LKN:D0756P0022FR	1067,06	
	ESP D756/E85+ /CORE I5-6600/	ESP D756/E85+ /CORE I5-6600/ 8GB DDR4-2133/NVS 315 LP/2ND NVS 315 LP/ 2xLH59/2XDVI-I/SSD 512GB SED MAIN/ GBIT DS/WLAN 2X2 LP/CK F/KB900FR/	LKN:D0756P0023FR	1421,18	
	ESP D756/E85+ /CORE I5-6500/	ESP D756/E85+ /CORE I5-6500/ 8GB DDR4-2133/VGA EXT CARD/DVD SM TRAY/ SSD 256GB M.2/PARALLEL INTERF/ 2ND SERIAL REAR/CK F/KB410PS2FR/	LKN:D0756P0024FR	1031,76	
	ESP D756/E85+ /CEL G3900/4GB DDR4-2133/	ESP D756/E85+ /CEL G3900/4GB DDR4-2133/ 500GB SATA III/CK INT/NO OS/OPT USB BLK/ INT. SPEAKER/	LKN:D0756P0025FR	484,71	
	ESP D756/E85+ /P G4500/4GB DDR4-2133/	ESP D756/E85+ /P G4500/4GB DDR4-2133/ 2x1000GB BC/HDD SSD CABLE/CK F/ KEYBOARD KB521 FR/NO OS/OPT USB BLK/ INT. SPEAKER/	LKN:D0756P0026FR	815,29	
	ESP D756/E85+ /CORE I7-6700/	ESP D756/E85+ /CORE I7-6700/ 2x8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK D/KEYBOARD KB521 DE/ LIC W10 PRO/W10 PRO64 MAIN/OPT USB BLK/	PRJ:D0756P0001IN	1214,12	
	ESP D756/E85+ /CORE I7-6700/	ESP D756/E85+ /CORE I7-6700/ 2x8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK D/KEYBOARD KB521 DE/ LIC W10 PRO/W10 PRO64 MAIN/OPT USB BLK/	PRJ:D0756P0002IN	1214,12	
	ESP D756/E85+ /CORE I5-6500/	ESP D756/E85+ /CORE I5-6500/ 2x4GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK D/KEYBOARD KB521 DE/ LIC W10 PRO/W10 PRO64 MAIN/OPT USB BLK/	PRJ:D0756P0003IN	1003,53	
	ESP D756/E85+ /CORE I5-6500/	ESP D756/E85+ /CORE I5-6500/ 2x4GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK D/KEYBOARD KB521 DE/ LIC W10 PRO/W10 PRO64 MAIN/OPT USB BLK/	PRJ:D0756P0004IN	1003,53	



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

ESP D756/E90+ /CORE I5-6500/	ESP D756/E90+ /CORE I5-6500/ 8GB DDR4-2133/SSD 256GB M.2/CK F/ KB900FR/DUDVD WIN10/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	VFY:D0756P354BFR	798,82
------------------------------	--	------------------	--------



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO D756 (Suite)					
	ESP D756/E90+ /CORE I5-6500/	ESP D756/E90+ /CORE I5-6500/ 8GB DDR4-2133/DVD SM TRAY/SSHD 500GB/ CK F/KB900FR/DUDVD WIN10/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	VFY:D0756P35ABFR	728,24	
	ESP D756/E90+ /CORE I5-6500/	ESP D756/E90+ /CORE I5-6500/ 8GB DDR4-2133/DVD SM TRAY/SSHD 1000GB/ CK F/KB900FR/DUDVD WIN10/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	VFY:D0756P35BBFR	775,29	
	ESP D756/E90+ /CORE I5-6500/	ESP D756/E90+ /CORE I5-6500/ 8GB DDR4-2133/SSD 256GB M.2/CK F/ KEYBOARD KB521 FR/DUDVD WIN10/ DU DVD WIN7+8/LIC W10 PRO/W7 PRO64 MAIN/	VFY:D0756P754BFR	798,82	
	ESP D756/E90+ /CORE I5-6500/	ESP D756/E90+ /CORE I5-6500/ 8GB DDR4-2133/DVD SM TRAY/SSHD 500GB/ CK F/KEYBOARD KB521 FR/DUDVD WIN10/ DU DVD WIN7+8/LIC W10 PRO/W7 PRO64 MAIN/	VFY:D0756P85ABFR	728,24	
	ESP D756/E90+ /CORE I5-6500/	ESP D756/E90+ /CORE I5-6500/ 8GB DDR4-2133/DVD SM TRAY/SSHD 1000GB/ CK F/KEYBOARD KB521 FR/DUDVD WIN10/ DU DVD WIN7+8/LIC W10 PRO/W7 PRO64 MAIN/	VFY:D0756P85BBFR	775,29	
ESPRIMO D956					
	ESP D956/E85+ /CORE I5-6600/	ESP D956/E85+ /CORE I5-6600/ 2x4GB DDR4-2133/VGA EXT CARD/ DVD SM TRAY/SSD 256GB M.2/CK F/KB900FR/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0956P0001FR	1174,12	
	ESP D956/E85+ /CORE I7-6700/	ESP D956/E85+ /CORE I7-6700/ 2x16GB DDR4-2133/VGA EXT CARD/ DVD SM TRAY/MCR 24IN1/ 2xSSD 512GB SED MAIN/CAGE EASY CHANGE/	LKN:D0956P0002FR	1880,01	
	ESP D956/E94+ /CORE I7-6700/	ESP D956/E94+ /CORE I7-6700/ 2x4GB DDR4-2133/VGA EXT CARD/ SSD 256GB SED MAIN/2000GB SATA III/ HDD SSD CABLE/WLAN 2X2 + BT/CK F/	LKN:D0956P0003FR	1490,59	
	ESP D956/E85+ /CORE I5-6600/	ESP D956/E85+ /CORE I5-6600/ 2x4GB DDR4-2133/GF605 DP 1GB LP/ DP CABLE/SSD 256GB M.2/CK F/KB900FR/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0956P0004FR	1210,59	
	ESP D956/E94+ /CORE I5-6600/	ESP D956/E94+ /CORE I5-6600/ 8GB DDR4-2133/GF GTX 745 LP/2xDP CABLE/ SSD 512GB MAIN/CK F/KB900FR/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:D0956P0005FR	1483,53	
	ESP D956/E85+ /CORE I5-6600/	ESP D956/E85+ /CORE I5-6600/ 2x4GB DDR4-2133/GF605 DP 1GB LP/ DP CABLE/DVD SM TRAY/SSD 256GB M.2/CK F/ KB900FR/LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0956P0006FR	1232,94	



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

ESP D956/E85+ /CORE I5-6600/	ESP D956/E85+ /CORE I5-6600/ 8GB DDR4-2133/GF GTX 745 LP/DP CABLE/ DVI/VGA/DVD SM TRAY/500GB SATA III/CK F/ DUDVD WIN10/LIC W10 PRO/W10 PRO64 MAIN/	LKN:D0956P0007FR	1224,71
ESP D956/E85+ /CORE I5-6600/	ESP D956/E85+ /CORE I5-6600/ 8GB DDR4-2133/GF GTX 745 LP/DVI/VGA/ DVD SM TRAY/500GB SATA III/CK F/ KB410 USB BLACK FR/LIC W10 PRO/	LKN:D0956P0008FR	1218,82



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO D956 (Suite)					
	ESP D956/E85+ /CORE I5-6500/	ESP D956/E85+ /CORE I5-6500/ 4GB DDR4-2133/DVD SM TRAY/SSHD 500GB/ GBIT DS/CK F/KB410 USB BLACK FR/ DU DVD WIN7+8/LIC W10 PRO/W7 PRO64 MAIN/	LKN:D0956P0009FR	1070,59	
	ESP D956/E94+ /CORE I5-6600/	ESP D956/E94+ /CORE I5-6600/ 2x4GB DDR4-2133/DVD SM TRAY/ SSD 256GB M.2/CK F/KB900FR/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	VFY:D0956P35AGFR	916,47	
	ESP D956/E94+ /CORE I5-6600/	ESP D956/E94+ /CORE I5-6600/ 2x4GB DDR4-2133/DVD SM TRAY/SSHD 1000GB/ CK F/KB900FR/DUDVD WIN10/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	VFY:D0956P35BGFR	881,18	
	ESP D956/E94+ /CORE I7-6700/	ESP D956/E94+ /CORE I7-6700/ 2x4GB DDR4-2133/DVD SM TRAY/MCR 24IN1/ SSD 256GB M.2/2000GB SATA III/CK F/ KB900FR/DUDVD WIN10/LIC W10 PRO/	VFY:D0956P37AGFR	1116,47	
	ESP D956/E94+ /CORE I7-6700/	ESP D956/E94+ /CORE I7-6700/ 2x4GB DDR4-2133/DVD SM TRAY/MCR 24IN1/ SSHD 1000GB/CK F/KB900FR/NERO 2016/ DUDVD WIN10/LIC W10 PRO/W10 PRO64 MAIN/	VFY:D0956P37APFR	1034,12	
	ESP D956/E94+ /CORE I5-6600/	ESP D956/E94+ /CORE I5-6600/ 2x4GB DDR4-2133/DVD SM TRAY/ SSD 256GB M.2/CK F/KB410PS2FR/ DUDVD WIN10/DU DVD WIN7+8/LIC W10 PRO/	VFY:D0956P85AGFR	916,47	
	ESP D956/E94+ /CORE I5-6600/	ESP D956/E94+ /CORE I5-6600/ 2x4GB DDR4-2133/DVD SM TRAY/SSHD 1000GB/ CK F/KB410PS2FR/DUDVD WIN10/ DU DVD WIN7+8/LIC W10 PRO/W7 PRO64 MAIN/	VFY:D0956P85BGFR	881,18	
	ESP D956/E94+ /CORE I7-6700/	ESP D956/E94+ /CORE I7-6700/ 2x4GB DDR4-2133/DVD SM TRAY/MCR 24IN1/ SSD 256GB M.2/2000GB SATA III/CK F/ KB410PS2FR/DUDVD WIN10/DU DVD WIN7+8/	VFY:D0956P87AGFR	1116,47	
	ESP D956/E94+ /CORE I7-6700/	ESP D956/E94+ /CORE I7-6700/ 2x4GB DDR4-2133/DVD SM TRAY/MCR 24IN1/ SSHD 1000GB/CK F/KB900FR/NERO 2014/ DUDVD WIN10/DU DVD WIN7+8/LIC W10 PRO/	VFY:D0956P87APFR	1034,12	
	ESP D956/E94+ /CORE I7-6700/	ESP D956/E94+ /CORE I7-6700/ 2x4GB DDR4-2133/DVD SM TRAY/MCR 24IN1/ SSD 256GB M.2/2000GB SATA III/CK F/ KB900FR/NERO 2014/DUDVD WIN10/	VFY:D0956P87BPFR	1494,12	

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

ESPRIMO D556

ESP D556/E85+ / GEZE	CZK:1186V300-GZE02 incl. DVL	CZK:1186V300-GZE02	1452432,81	
----------------------	------------------------------	--------------------	------------	--



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
ESPRIMO D556 (Suite)					
	ESP D556/E85+ / CZK:1186V300-KDN19	Base unit: ; Mainboard type ; Chipset , max. , slots ; ; Graphics: :: ; ; Audio: ; LAN: ; Slots: , Drive bays: ; x ; Max. output of single power supply; ; ; Interfaces: N/A, N/A,	CZK:1186V300-KDN19	1452432,81	
	ESPRIMO D556/E85+	ESPRIMO D556/E85+, BASE UNIT with Mainboard D3430 (proprietary); , CHIPSET: Intel®H110; MEMORY: 2 DIMM slots (DDR4, 2133 MHz) with max. 32 GB, dual channel support (for dual channel performance 2 memory modules have to be ordered, capacity per channel has to be the same); GRAPHICS Intég.: Intel® HD Graphics 530, Intel® HD Graphics 510; , AUDIO: Realtek ALC671; LAN: 10/100/1000 Mbit/s, Realtek RTL8111G; , SLOTS: 1x PCIe 2.0 x1, 1x PCIe 2.0 x4 (mech. x16), 1x PCIe 3.0 x16, DRIVE bays: 1x 3.5-inch external, 1x 3.5-inch internal, 1x slim drive, 3.5-inch bay usable with adapter as 2x 2.5-inch bays; , POWER SUPPLY: 280W max output; INTERFACES: , Front: 1x Audio headphone, 1x Audio microphone, 2x USB 2.0, 2x USB 3.0; , Rear: 1x DisplayPort, 1x DVI-D, 2x USB 2.0, 2x USB 3.0, 1x LAN(RJ45), 2x PS2; 1x Audio line-in, 1x Audio line-out, 1x VGA via PCIe adapter card optional; , Internal: 2x USB 2.0; 1x eSATA (optional); , Fujitsu DeskView Client, Fujitsu DeskView Instant BIOS management; Fujitsu Workplace Protect, Fujitsu Workplace power and communication settings, Optional: , intrusion switch, integrated cabinet lock, mouse, keyboard;	S26361-K1186-V300	225,88	



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
ESPRIMO D556 (Suite)					
	ESPRIMO D556/E90+	<p>ESPRIMO D556/E90+, BASE UNIT with Mainboard D3430 (proprietary); , CHIPSET: Intel®H110; MEMORY: 2 DIMM slots (DDR4, 2133 MHz) with max. 32 GB, dual channel support (for dual channel performance 2 memory modules have to be ordered, capacity per channel has to be the same); GRAPHICS Intég.: Intel® HD Graphics 530, Intel® HD Graphics 510; , AUDIO: Realtek ALC671; LAN: 10/100/1000 Mbit/s, Realtek RTL8111G; , SLOTS: 1x PCIe 2.0 x1, 1x PCIe 2.0 x4 (mech. x16), 1x PCIe 3.0 x16, DRIVE bays: 1x 3.5-inch external, 1x 3.5-inch internal, 1x slim drive, 3.5-inch bay usable with adapter as 2x 2.5-inch bays; , POWER SUPPLY: 280W max output; INTERFACES: , Front: 1x Audio headphone, 1x Audio microphone, 2x USB 2.0, 2x USB 3.0; , Rear: 1x DisplayPort, 1x DVI-D, 2x USB 2.0, 2x USB 3.0, 1x LAN(RJ45), 2x PS2; 1x Audio line-in, 1x Audio line-out, 1x VGA via PCIe adapter card optional; , Internal: 2x USB 2.0; 1x eSATA (optional); , Fujitsu DeskView Client, Fujitsu DeskView Instant BIOS management; Fujitsu Workplace Protect, Fujitsu Workplace power and communication settings, Optional: , intrusion switch, integrated cabinet lock, mouse, keyboard;</p>	S26361-K1186-V310	237,65	
	ESPRIMO D556/E94+ PPC	<p>ESPRIMO D556/E94+ PPC Celeron, BASE UNIT with Mainboard D3420-C (proprietary); , CHIPSET: Intel®H110; MEMORY: 2 DIMM slots (DDR4, 2133 MHz) with max. 16 GB, dual channel support (for dual channel performance 2 memory modules have to be ordered, capacity per channel has to be the same); GRAPHICS Intég.: Intel® HD Graphics 510; , AUDIO: Realtek ALC671; LAN: 10/100/1000 Mbit/s, Realtek RTL8111G; , SLOTS: 1x PCIe 2.0 x1, 1x PCIe 2.0 x4 (mech. x16), 1x PCIe 3.0 x16, DRIVE bays: 1x 3.5-inch external, 1x 3.5-inch internal, 1x slim drive, 3.5-inch bay usable with adapter as 2x 2.5-inch bays; , POWER SUPPLY: 280W max output; INTERFACES: , Front: 1x Audio headphone, 1x Audio microphone, 2x USB 3.0; , Rear: 1x DisplayPort, 1x DVI-D, 2x USB 2.0, 2x USB 3.0, 1x LAN(RJ45), 2x PS2; 1x Audio line-in, 1x Audio line-out;</p>	S26361-K1186-V355	254,12	



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
--------	-------------	---------	-----------	--------------------	-----------

Unités de Base

ESPRIMO D556 (Suite)

ESPRIMO D556/E94+ PPC	ESPRIMO D556/E94+ PPC, BASE UNIT with Mainboard D3420-D (proprietary); , CHIPSET: Intel®H110; MEMORY: 2 DIMM slots (DDR4, 2133 MHz) with max. 16 GB, dual channel support (for dual channel performance 2 memory modules have to be ordered, capacity per channel has to be the same); GRAPHICS Intég.: Intel® HD Graphics 510; Intel® HD Graphics 530; , AUDIO: Realtek ALC671; LAN: 10/100/1000 Mbit/s, Realtek RTL8111G; , SLOTS: 1x PCIe 2.0 x1, 1x PCIe 2.0 x4 (mech. x16), 1x PCIe 3.0 x16, DRIVE bays: 1x 3.5-inch external, 1x 3.5-inch internal, 1x slim drive, 3.5-inch bay usable with adapter as 2x 2.5-inch bays; , POWER SUPPLY: 280W max output; , INTERFACES: , Front: 1x Audio headphone, 1x Audio microphone, 2x USB 3.0; , Rear: 1x DisplayPort, 1x DVI-D, 2x USB 2.0, 2x USB 3.0, 1x LAN(RJ45), 2x PS2; 1x Audio line-in, 1x Audio line-out;	S26361-K1186-V356	254,12	
-----------------------	--	-------------------	--------	--

ESPRIMO D756

ESP D756/E90+ / CZK:1186V210-BMI26		CZK:1186V210-BMI26	1452432,81	
ESP D756/E90+ / DVD SM TRAY / CK D	Base unit: ; Mainboard type ; Chipset , max. , slots ; ; Graphics: :: ; ; Audio: ; LAN: ; Slots: , Drive bays: ; x ; Max. output of single power supply; ; ; Interfaces: N/A, N/A,	CZK:1186V210-JLU03	1452432,81	
ESPRIMO D756/E90+ /CZK:1186V210-JLU12	Base unit: ; Mainboard type ; Chipset , max. , slots ; ; Graphics: :: ; ; Audio: ; LAN: ; Slots: , Drive bays: ; x ; Max. output of single power supply; ; ; Interfaces: N/A, N/A,	CZK:1186V210-JLU12	1452432,81	



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
ESPRIMO D756 (Suite)					
	ESPRIMO D756/E85+	<p>ESPRIMO D756/E85+, BASE UNIT with Mainboard D3431 (proprietary); , CHIPSET: Intel®Q150; MEMORY: 4 DIMM slots (DDR4, 2133 MHz) with max. 64 GB, dual channel support (for dual channel performance 2 memory modules have to be ordered, capacity per channel has to be the same); GRAPHICS Intég.: Intel® HD Graphics 530, Intel® HD Graphics 510; , AUDIO: Realtek ALC671; LAN: 10/100/1000 Mbit/s, Intel® I219V;; SLOTS: 2x PCIe 2.0 x1, 1x PCIe 2.0 x4 (mech. x16), 1x PCIe 3.0 x16, DRIVE bays: 1x 3.5-inch external, 1x 3.5-inch internal, 1x slim drive, 3.5-inch bay usable with adapter as 2x 2.5-inch bays; 1x M.2 Intég.;, POWER SUPPLY: 280W max output;; INTERFACES: , Front: 1x Audio headphone, 1x Audio microphone, 2x USB 2.0, 2x USB 3.0;; Rear: 2x DisplayPort, 1x DVI-D, 2x USB 2.0, 4x USB 3.0, 1x LAN(RJ45), 2x PS2; 1x Audio line-in, 1x Audio line-out, 1x serial port, 2nd serial port optional, 1x parallel port optional, 1x VGA via PCIe adapter card optional;; Internal: 2x USB 2.0; 1x eSATA (optional);, Fujitsu DeskView Client, Fujitsu DeskView Instant BIOS management; Fujitsu Workplace Protect, Fujitsu Workplace power and communication settings;; Optional:; intrusion switch, integrated cabinet lock, mouse, keyboard;</p>	S26361-K1186-V200	334,12	



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

<p>ESPRIMO D756/E90+</p>	<p>ESPRIMO D756/E90+, BASE UNIT with Mainboard D3431 (proprietary); , CHIPSET: Intel®Q150; MEMORY: 4 DIMM slots (DDR4, 2133 MHz) with max. 64 GB, dual channel support (for dual channel performance 2 memory modules have to be ordered, capacity per channel has to be the same); GRAPHICS Intég.: Intel® HD Graphics 530, Intel® HD Graphics 510; , AUDIO: Realtek ALC671; LAN: 10/100/1000 Mbit/s, Intel® I219V;; SLOTS: 2x PCIe 2.0 x1, 1x PCIe 2.0 x4 (mech. x16), 1x PCIe 3.0 x16, DRIVE bays: 1x 3.5-inch external, 1x 3.5-inch internal, 1x slim drive, 3.5-inch bay usable with adapter as 2x 2.5-inch bays; 1x M.2 Intég.;, POWER SUPPLY: 280W max output;,, INTERFACES: , Front: 1x Audio headphone, 1x Audio microphone, 2x USB 2.0, 2x USB 3.0;; Rear: 2x DisplayPort, 1x DVI-D, 2x USB 2.0, 4x USB 3.0, 1x LAN(RJ45), 2x PS2; 1x Audio line-in, 1x Audio line-out, 1x serial port, 2nd serial port optional, 1x parallel port optional, 1x VGA via PCIe adapter card optional;; Internal: 2x USB 2.0; 1x eSATA (optional);, Fujitsu DeskView Client, Fujitsu DeskView Instant BIOS management; Fujitsu Workplace Protect, Fujitsu Workplace power and communication settings;; Optional: intrusion switch, integrated cabinet lock, mouse, keyboard;</p>	<p>S26361-K1186-V210</p>	<p>345,88</p>
--------------------------	---	--------------------------	---------------



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
ESPRIMO D756 (Suite)					
	ESPRIMO D756/E94+	<p>ESPRIMO D756/E94+, BASE UNIT with Mainboard D3431 (proprietary); , CHIPSET: Intel®Q150; MEMORY: 4 DIMM slots (DDR4, 2133 MHz) with max. 64 GB, dual channel support (for dual channel performance 2 memory modules have to be ordered, capacity per channel has to be the same); GRAPHICS Intég.: Intel® HD Graphics 530, Intel® HD Graphics 510; , AUDIO: Realtek ALC671; LAN: 10/100/1000 Mbit/s, Intel® I219V;; SLOTS: 2x PCIe 2.0 x1, 1x PCIe 2.0 x4 (mech. x16), 1x PCIe 3.0 x16, DRIVE bays: 1x 3.5-inch external, 1x 3.5-inch internal, 1x slim drive, 3.5-inch bay usable with adapter as 2x 2.5-inch bays; 1x M.2 Intég.;, POWER SUPPLY: 280W max output;; INTERFACES: , Front: 1x Audio headphone, 1x Audio microphone, 2x USB 2.0, 2x USB 3.0;; Rear: 2x DisplayPort, 1x DVI-D, 2x USB 2.0, 4x USB 3.0, 1x LAN(RJ45), 2x PS2; 1x Audio line-in, 1x Audio line-out, 1x serial port, 2nd serial port optional, 1x parallel port optional, 1x VGA via PCIe adapter card optional;; Internal: 2x USB 2.0; 1x eSATA (optional);, Fujitsu DeskView Client, Fujitsu DeskView Instant BIOS management; Fujitsu Workplace Protect, Fujitsu Workplace power and communication settings;; Optional:; intrusion switch, integrated cabinet lock, mouse, keyboard;</p>	S26361-K1186-V220	362,35	
ESPRIMO D956					



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

<p>ESPRIMO D956/E85+</p>	<p>ESPRIMO D956/E85+, Intel® vPro Logo with Core i5 and Core i7 processor;, BASE UNIT with Mainboard D3432 (proprietary); , CHIPSET: Intel®Q170; MEMORY: 4 DIMM slots (DDR4, 2133 MHz) with max. 64 GB, dual channel support (for dual channel performance 2 memory modules have to be ordered, capacity per channel has to be the same); GRAPHICS Intég.: Intel® HD Graphics 530, Intel® HD Graphics 510; , AUDIO: Realtek ALC671; LAN: 10/100/1000 Mbit/s, Intel® I219LM;; SLOTS: 2x PCIe 2.0 x1, 1x PCIe 2.0 x4 (mech. x16), 1x PCIe 3.0 x16, DRIVE bays: 1x 3.5-inch external, 1x 3.5-inch internal, 1x slim drive, 3.5-inch bay usable with adapter as 2x 2.5-inch bays; 1x M.2 Intég.;, POWER SUPPLY: 280W max output;, INTERFACES: , Front: 1x Audio headphone, 1x Audio microphone, 2x USB 2.0, 2x USB 3.0;; Rear: 2x DisplayPort, 1x DVI-D, 2x USB 2.0, 4x USB 3.0, 1x LAN(RJ45), 2x PS2; 1x Audio line-in, 1x Audio line-out, 1x serial port, 2nd serial port optional, 1x parallel port optional, 1x VGA via PCIe adapter card optional;; Internal: 2x USB 2.0; 1x eSATA (optional);, Fujitsu DeskView Client, Fujitsu DeskView Instant BIOS management; Fujitsu Workplace Protect, Fujitsu Workplace power and communication settings;; Optional:; intrusion switch, integrated cabinet lock, mouse, keyboard;</p>	<p>S26361-K1186-V100</p>	<p>455,29</p>
--------------------------	--	--------------------------	---------------



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
--------	-------------	---------	-----------	--------------------	-----------

Unités de Base

ESPRIMO D956 (Suite)

ESPRIMO D956/E90+	ESPRIMO D956/E90+, Intel® vPro Logo with Core i5 and Core i7 processor;, BASE UNIT with Mainboard D3432 (proprietary); , CHIPSET: Intel®Q170; MEMORY: 4 DIMM slots (DDR4, 2133 MHz) with max. 64 GB, dual channel support (for dual channel performance 2 memory modules have to be ordered, capacity per channel has to be the same); GRAPHICS Intég.: Intel® HD Graphics 530, Intel® HD Graphics 510; , AUDIO: Realtek ALC671; LAN: 10/100/1000 Mbit/s, Intel® I219LM;; SLOTS: 2x PCIe 2.0 x1, 1x PCIe 2.0 x4 (mech. x16), 1x PCIe 3.0 x16, DRIVE bays: 1x 3.5-inch external, 1x 3.5-inch internal, 1x slim drive, 3.5-inch bay usable with adapter as 2x 2.5-inch bays; 1x M.2 Intég.;; POWER SUPPLY: 280W max output;; INTERFACES: , Front: 1x Audio headphone, 1x Audio microphone, 2x USB 2.0, 2x USB 3.0;; Rear: 2x DisplayPort, 1x DVI-D, 2x USB 2.0, 4x USB 3.0, 1x LAN(RJ45), 2x PS2; 1x Audio line-in, 1x Audio line-out, 1x serial port, 2nd serial port optional, 1x parallel port optional, 1x VGA via PCIe adapter card optional;; Internal: 2x USB 2.0; 1x eSATA (optional);, Fujitsu DeskView Client, Fujitsu DeskView Instant BIOS management; Fujitsu Workplace Protect, Fujitsu Workplace power and communication settings;; Optional:; intrusion switch, integrated cabinet lock, mouse, keyboard;	S26361-K1186-V110	467,06	
-------------------	---	-------------------	--------	--



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

<p>ESPRIMO D956/E94+</p>	<p>ESPRIMO D956/E94+, Intel® vPro Logo with Core i5 and Core i7 processor;, BASE UNIT with Mainboard D3432 (proprietary); , CHIPSET: Intel®Q170; MEMORY: 4 DIMM slots (DDR4, 2133 MHz) with max. 64 GB, dual channel support (for dual channel performance 2 memory modules have to be ordered, capacity per channel has to be the same); GRAPHICS Intég.: Intel® HD Graphics 530, Intel® HD Graphics 510; , AUDIO: Realtek ALC671; LAN: 10/100/1000 Mbit/s, Intel® I219LM;; SLOTS: 2x PCIe 2.0 x1, 1x PCIe 2.0 x4 (mech. x16), 1x PCIe 3.0 x16, DRIVE bays: 1x 3.5-inch external, 1x 3.5-inch internal, 1x slim drive, 3.5-inch bay usable with adapter as 2x 2.5-inch bays; 1x M.2 Intég.;, POWER SUPPLY: 280W max output;, INTERFACES: , Front: 1x Audio headphone, 1x Audio microphone, 2x USB 2.0, 2x USB 3.0;; Rear: 2x DisplayPort, 1x DVI-D, 2x USB 2.0, 4x USB 3.0, 1x LAN(RJ45), 2x PS2; 1x Audio line-in, 1x Audio line-out, 1x serial port, 2nd serial port optional, 1x parallel port optional, 1x VGA via PCIe adapter card optional;; Internal: 2x USB 2.0; 1x eSATA (optional);, Fujitsu DeskView Client, Fujitsu DeskView Instant BIOS management; Fujitsu Workplace Protect, Fujitsu Workplace power and communication settings;; Optional:; intrusion switch, integrated cabinet lock, mouse, keyboard;</p>	<p>S26361-K1186-V120</p>	<p>490,59</p>
--------------------------	--	--------------------------	---------------



Fujitsu recommande Windows.

ESPRIMO D556 & D956

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
ESPRIMO D956 (Suite)					
ESPRIMO D956/LL					
	ESPRIMO D956/LL	<p>ESPRIMO D956/LL, Intel® vPro Logo with Core i5 and Core i7 processor;, BASE UNIT with Mainboard D3432 (proprietary); , CHIPSET: Intel®Q170; MEMORY: 4 DIMM slots (DDR4, 2133 MHz) with max. 64 GB, dual channel support (for dual channel performance 2 memory modules have to be ordered, capacity per channel has to be the same); GRAPHICS Intég.: Intel® HD Graphics 530, Intel® HD Graphics 510; , AUDIO: Realtek ALC671; LAN: 10/100/1000 Mbit/s, Intel® I219LM; , SLOTS: 2x PCIe 2.0 x1, 1x PCIe 2.0 x4 (mech. x16), 1x PCIe 3.0 x16, DRIVE bays: 1x 3.5-inch external, 1x 3.5-inch internal, 1x slim drive, 3.5-inch bay usable with adapter as 2x 2.5-inch bays; 1x M.2 Intég.;, POWER SUPPLY: 280W max output;, INTERFACES: , Front: 1x Audio headphone, 1x Audio microphone, 2x USB 2.0, 2x USB 3.0; , Rear: 2x DisplayPort, 1x DVI-D, 2x USB 2.0, 4x USB 3.0, 1x LAN(RJ45), 2x PS2; 1x Audio line-in, 1x Audio line-out, 1x serial port, 2nd serial port optional, 1x parallel port optional, 1x VGA via PCIe adapter card optional; , Internal: 2x USB 2.0; 1x eSATA (optional);, Fujitsu DeskView Client, Fujitsu DeskView Instant BIOS management; Fujitsu Workplace Protect, Fujitsu Workplace power and communication settings; , Optional: , intrusion switch, integrated cabinet lock, mouse, keyboard; , ***base uni with extended availability in roadmap***</p>	S26361-K1186-V115	515,29	



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

Les PC ESPRIMO P de Fujitsu vous offrent le meilleur en termes d'administration, de performances et d'évolutivité. Grâce à l'efficacité de 96 % de l'alimentation, vous allez également réaliser des économies sur les factures d'électricité. L'utilisation de composants identiques au sein de la gamme de produits offre une parfaite compatibilité avec votre infrastructure. Lors de la mise hors service de votre matériel, l'option EraseDisk, unique en son genre, supprime vos

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO P520					
	ESP P520 E85+ /CORE I7-4790/	ESP P520 E85+ /CORE I7-4790/ 2x8GB DDR3-1600/DVD SM/2xSSD 256GB/ HDD SSD CABLE/CK F/KB410PS2FR/ DUDVD WIN10/LIC W10 PRO/W7 PRO64 MAIN/	LKN:P0520P0026FR	1274,12	
	ESP P520 E85+ /CORE I7-4790/	ESP P520 E85+ /CORE I7-4790/ 4x8GB DDR3-1600/DVD SM/SSD 256GB/ SSD 512GB/HDD SSD CABLE/CK F/KB410PS2FR/ DUDVD WIN10/LIC W10 PRO/W7 PRO64 MAIN/	LKN:P0520P0027FR	1617,65	
ESPRIMO P556					
	ESP P556/E85+ /P G4500/4GB DDR4-2133/	ESP P556/E85+ /P G4500/4GB DDR4-2133/ VGA EXT CARD/DVD SM/500GB SATA III/ CK EU EU+/KB410 USB BL BG/US/ DUDVD WIN10/DU DVD WIN7+8/NO OS/	LKN:P0556P0001CA	472,94	
	ESP P556/E85+ /CORE I7-6700/	ESP P556/E85+ /CORE I7-6700/ 8GB DDR4-2133/DP CABLE/GF GTX 745 FH/ DVD SM/HDD SSD CABLE/SSD 256GB MAIN/ 1000GB BC/CK F/KB900FR/LIC W10 PRO/	LKN:P0556P0001FR	1348,24	
	ESP P556/E85+ /CORE I5-6400/	ESP P556/E85+ /CORE I5-6400/ 4GB DDR4-2133/DP CABLE/DVD SM/ 500GB SATA III/CK GB/INT/ KEYBOARD KB521 GB/LIC W10 PRO/	LKN:P0556P0001IN	780,00	
	ESP P556/E85+ /P G4400/4GB DDR4-2133/	ESP P556/E85+ /P G4400/4GB DDR4-2133/ 500GB SATA III/CK F/NO OS/OPT USB BLK/	LKN:P0556P0002FR	401,18	
	ESP P556/E85+ /CORE I5-6400/	ESP P556/E85+ /CORE I5-6400/ 4GB DDR4-2133/DP CABLE/DVD SM/ 500GB SATA III/CK F/KEYBOARD KB521 FR/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:P0556P0002IN	780,00	
	ESP P556/E85+ /CORE I5-6600/	ESP P556/E85+ /CORE I5-6600/ 8GB DDR4-2133/BD WRITER/ SSD 256GB SED MAIN/CK F/ KB410 USB BLACK FR/LIC W10 PRO/	LKN:P0556P0004FR	989,41	
	ESP P556/E85+ /CORE I5-6400/	ESP P556/E85+ /CORE I5-6400/ 4GB DDR4-2133/DVD SM/1000GB SATA III/ CK MY/KB410 USB BLACK US/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:P0556P0004IN	754,12	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 4GB DDR4-2133/DVD SM/500GB SATA III/ CK F/KB410 USB BLACK FR/DU DVD WIN7+8/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:P0556P0005FR	684,71	
	ESP P556/E85+ /CORE I7-6700/	ESP P556/E85+ /CORE I7-6700/ 16GB DDR4-2133/DVD SM/1000GB SATA III/ CK MY/KB410 USB BLACK US/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:P0556P0005IN	1041,18	



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO P556 (Suite)					
	ESP P556/E85+ /CORE I7-6700/	ESP P556/E85+ /CORE I7-6700/ 4GB DDR4-2133/GF GTX 745 FH/DVD SM/ 1000GB SATA III/CK MY/ KB410 USB BLACK US/LIC W10 PRO/	LKN:P0556P0006IN	1094,12	
	ESP P556/E85+ /CORE I7-6700/	ESP P556/E85+ /CORE I7-6700/ 8GB DDR4-2133/GF GTX 745 FH/ 1000GB SATA III/HDD SSD CABLE/CK F/ KEYBOARD KB521 FR/LIC W10 PRO/	LKN:P0556P0007FR	1080,00	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK D/KB410 USB BLACK DE/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0007IN	770,59	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK D/KB410 USB BLACK BE/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0008IN	770,59	
	ESP P556/E85+ /CORE I7-6700/	ESP P556/E85+ /CORE I7-6700/ 2x16GB DDR4-2133/MCR 24IN1/ SSD 512GB MAIN/1000GB SATA III/ HDD SSD CABLE/CK F/KB900FR/DUDVD WIN10/	LKN:P0556P0009FR	1267,06	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK D/KB410 USB BLACK BE/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0009IN	770,59	
	ESP P556/E85+ /CEL G3900/4GB DDR4-2133/	ESP P556/E85+ /CEL G3900/4GB DDR4-2133/ 500GB SATA III/CK F/KB410 USB BLACK FR/ LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/OPT USB BLK/	LKN:P0556P0010FR	523,53	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK D/KB410 USB BLACK PL/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0010IN	770,59	
	ESP P556/E85+ /CORE I5-6400/	ESP P556/E85+ /CORE I5-6400/ 4GB DDR4-2133/DVD SM/SSD 128GB ENTRY/ CK F/KB410PS2FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:P0556P0011FR	754,12	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK D/KB410 USB BL NORD/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0011IN	770,59	
	ESP P556/E85+ /CORE I5-6400/	ESP P556/E85+ /CORE I5-6400/ 2x8GB DDR4-2133/VGA EXT CARD/ SSD 256GB SED MAIN/CK F/KB410PS2FR/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:P0556P0012FR	897,65	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK D/KB410 USB BLACK BE/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0012IN	770,59	



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

ESP P556/E85+ /CORE I7-6700/	ESP P556/E85+ /CORE I7-6700/ 2x8GB DDR4-2133/VGA EXT CARD/DVD ROM/ SSD 256GB MAIN/CK F/KB410 USB BLACK FR/ DUDVD WIN10/DU DVD WIN7+8/LIC W10 PRO/	LKN:P0556P0013FR	1114,12
------------------------------	---	------------------	---------



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO P556 (Suite)					
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK D/KB410 USB BLACK BE/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0013IN	770,59	
	ESP P556/E85+ /CORE I5-6400/	ESP P556/E85+ /CORE I5-6400/ 4GB DDR4-2133/VGA EXT CARD/DVD SM/ MCR 24IN1/500GB SATA III/CK F/ KB410 USB BLACK FR/OEM H+B 2016/	LKN:P0556P0014FR	1036,47	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK D/KB410 USB BLACK BE/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0014IN	770,59	
	ESP P556/E85+ /CORE I5-6400/	ESP P556/E85+ /CORE I5-6400/ 2x4GB DDR4-2133/VGA EXT CARD/DVD SM/ MCR 24IN1/SSD 256GB MAIN/CK F/ KB410 USB BLACK FR/LIC W10 PRO/	LKN:P0556P0015FR	872,94	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK D/KB410 USB BLACK BE/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0015IN	770,59	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 4GB DDR4-2133/VGA EXT CARD/DVD SM/ 500GB SATA III/CK F/KEYBOARD KB521 FR/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0016FR	682,35	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK D/KB410 USB BLACK BE/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0016IN	770,59	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 4GB DDR4-2133/VGA EXT CARD/DVD SM/ SSD 256GB MAIN/CK F/KEYBOARD KB521 FR/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0017FR	750,59	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK D/KB410 USB BLACK PL/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0017IN	770,59	
	ESP P556/E85+ /CORE I5-6400/	ESP P556/E85+ /CORE I5-6400/ 2x8GB DDR4-2133/DVD SM/SSHD 1000GB/CK F/ KB410 USB BLACK FR/DU DVD WIN7+8/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:P0556P0018FR	894,12	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK D/KB410 USB BL NORD/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0018IN	770,59	



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

ESP P556/E85+ /P G4400/4GB DDR4-2133/	ESP P556/E85+ /P G4400/4GB DDR4-2133/ 500GB SATA III/CK F/KB410 USB BLACK FR/ LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/OPT USB BLK/	LKN:P0556P0019FR	561,18
ESP P556/E85+ /CORE I3- 6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4- 2133/DVD SM/SSD 256GB MAIN/ CK D/KB410 USB BLACK FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:P0556P0019IN	768,24



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO P556 (Suite)					
	ESP P556/E85+ /CORE I5-6400/	ESP P556/E85+ /CORE I5-6400/ 4GB DDR4-2133/DVD SM/500GB SATA III/ CK F/KB410 USB BLACK FR/LIC W10 PRO/ W10 PRO64 MAIN/OPT USB BLK/	LKN:P0556P0020FR	745,88	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK D/KB410 USB BLACK DE/DUDVD WIN10/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:P0556P0020IN	770,59	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK D/KB410 USB BLACK DE/DUDVD WIN10/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:P0556P0021IN	764,71	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK D/KB410 USB BLACK HU/DUDVD WIN10/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:P0556P0022IN	770,59	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK D/KB410 USB BLACK ES/DUDVD WIN10/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:P0556P0023IN	770,59	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK D/KB410 USB BL RU/US/DUDVD WIN10/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:P0556P0024IN	770,59	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK D/KB410 USB BL RU/US/DUDVD WIN10/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:P0556P0025IN	770,59	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK D/KB410 USB BLACK IT/DUDVD WIN10/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:P0556P0026IN	764,71	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK D/KB410 USB BLACK FR/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0027IN	770,59	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK D/KB410 USB BLACK IT/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0028IN	770,59	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK D/KB410 USB BL TR/Q/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0029IN	770,59	



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK D/KB410 USB BLACK RO/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0030IN	770,59
ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK D/KB410 USB BLACK US/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0031IN	770,59



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO P556 (Suite)					
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK GB/INT/KB410 USB BL AR/GB/ DUDVD WIN10/LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0032IN	770,59	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK GB/INT/KB410 USB BLACK GB/ DUDVD WIN10/LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0033IN	770,59	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK GB/INT/KB410 USB BLACK GB/ DUDVD WIN10/LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0034IN	770,59	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK CH/KB410 USB BLACK CH/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0035IN	770,59	
	ESP P556/E85+ /CCC/CORE I3-6100/	ESP P556/E85+ /CCC/CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK CHN/KB410 USB BLACK CN/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/OPT USB BLK/	LKN:P0556P0036IN	770,60	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK EU NON EU/KB410 USB BL RU/US/ DUDVD WIN10/LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0037IN	770,59	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK E/P/KB410 USB BLACK ES/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0038IN	770,59	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK EU EU+/KB410 USB BLACK HU/ DUDVD WIN10/LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0039IN	770,59	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK B/NL/KB410 USB BLACK BE/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0040IN	770,59	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK F/KB410 USB BLACK FR/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0041IN	770,59	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK I/KB410 USB BLACK IT/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0042IN	770,59	



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK PL/KB410 USB BLACK PL/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0043IN	770,59
ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK EU EU+/KB410 USB BLACK RO/ DUDVD WIN10/LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0044IN	770,59



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO P556 (Suite)					
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK NORDICS/KB410 USB BL NORD/ DUDVD WIN10/LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0045IN	770,59	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK EU NON EU/KB410 USB BLACK EE/ DUDVD WIN10/LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0046IN	770,59	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK TR/KB410 USB BL TR/F/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0556P0047IN	770,59	
	ESP P556/E85+ /CEL G3900/4GB DDR4-2133/	ESP P556/E85+ /CEL G3900/4GB DDR4-2133/ 500GB SATA III/CK F/KB410 USB BLACK FR/ LIC W10 PRO/W10 PRO64 MAIN/OPT USB BLK/	PRJ:P0556P0001FR	521,18	
	ESP P556/E85+ /CEL G3900/4GB DDR4-2133/	ESP P556/E85+ /CEL G3900/4GB DDR4-2133/ DVD ROM/SSHD 500GB/CK INT/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/NO MOUSE/	PRJ:P0556P0001IN	537,66	
	ESP P556/E85+ /CEL G3900/4GB DDR4-2133/	ESP P556/E85+ /CEL G3900/4GB DDR4-2133/ 500GB SATA III/CK F/KB410PS2FR/ LIC W10 PRO/W10 PRO64 MAIN/OPT USB BLK/	VFY:P0556P21AOFR	521,18	
	ESP P556/E85+ /P G4400/4GB DDR4-2133/	ESP P556/E85+ /P G4400/4GB DDR4-2133/ VGA EXT CARD/DVD SM/500GB SATA III/CK F/ KB410 USB BLACK FR/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	VFY:P0556P328OFR	434,12	
	ESP P556/E85+ /P G4500/4GB DDR4-2133/	ESP P556/E85+ /P G4500/4GB DDR4-2133/ SSD 128GB ENTRY/CK F/KB410 USB BLACK FR/ LIC W10 PRO/W10 PRO64 MAIN/ RDVD W10 PRO64/OPT USB BLK/	VFY:P0556P32AOFR	445,88	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 4GB DDR4-2133/VGA EXT CARD/DVD SM/ 500GB SATA III/CK F/KB410 USB BLACK FR/ LIC W10 PRO/W10 PRO64 MAIN/	VFY:P0556P335OFR	481,18	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 4GB DDR4-2133/SSD 128GB ENTRY/CK F/ KB410 USB BLACK FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:P0556P33AOFR	528,24	
	ESP P556/E85+ /CORE I5-6400/	ESP P556/E85+ /CORE I5-6400/ 4GB DDR4-2133/VGA EXT CARD/DVD SM/ 500GB SATA III/CK F/KB410 USB BLACK FR/ LIC W10 PRO/W10 PRO64 MAIN/	VFY:P0556P351OFR	575,29	
	ESP P556/E85+ /CORE I5-6400/	ESP P556/E85+ /CORE I5-6400/ 4GB DDR4-2133/SSD 128GB ENTRY/CK F/ KB410 USB BLACK FR/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	VFY:P0556P35AOFR	587,06	



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

ESP P556/E85+ /CORE I5-6400/	ESP P556/E85+ /CORE I5-6400/ 8GB DDR4-2133/SSD 256GB MAIN/CK F/ KB410 USB BLACK FR/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	VFY:P0556P35BOFR	645,88
------------------------------	--	------------------	--------



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO P556 (Suite)					
	ESP P556/E85+ /CORE I7-6700/	ESP P556/E85+ /CORE I7-6700/ 8GB DDR4-2133/SSD 256GB MAIN/ UPGR USB 3.0/CK F/KB410 USB BLACK FR/ LIC W10 PRO/W10 PRO64 MAIN/	VFY:P0556P37AOFR	787,06	
	ESP P556/E85+ /P G4400/4GB DDR4-2133/	ESP P556/E85+ /P G4400/4GB DDR4-2133/ VGA EXT CARD/DVD SM/500GB SATA III/CK F/ KB410PS2FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:P0556P728OFR	434,12	
	ESP P556/E85+ /P G4500/4GB DDR4-2133/	ESP P556/E85+ /P G4500/4GB DDR4-2133/ SSD 128GB ENTRY/CK F/KB410PS2FR/ LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:P0556P72AOFR	445,88	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 4GB DDR4-2133/VGA EXT CARD/DVD SM/ 500GB SATA III/CK F/KB410PS2FR/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:P0556P735OFR	481,18	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 4GB DDR4-2133/SSD 128GB ENTRY/CK F/ KB410PS2FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:P0556P73AOFR	528,24	
	ESP P556/E85+ /CORE I3-6100/	ESP P556/E85+ /CORE I3-6100/ 4GB DDR4-2133/DVD SM/500GB SATA III/ CK F/KB410PS2FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:P0556P73OOFR	704,71	
	ESP P556/E85+ /CORE I5-6400/	ESP P556/E85+ /CORE I5-6400/ 4GB DDR4-2133/VGA EXT CARD/DVD SM/ 500GB SATA III/CK F/KB410PS2FR/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:P0556P751OFR	575,29	
	ESP P556/E85+ /CORE I5-6400/	ESP P556/E85+ /CORE I5-6400/ 4GB DDR4-2133/SSD 128GB ENTRY/CK F/ KB410PS2FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:P0556P75AOFR	587,06	
	ESP P556/E85+ /CORE I5-6400/	ESP P556/E85+ /CORE I5-6400/ 8GB DDR4-2133/SSD 256GB MAIN/CK F/ KB410PS2FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:P0556P75BOFR	645,88	
	ESP P556/E85+ /CORE I5-6400/	ESP P556/E85+ /CORE I5-6400/ 4GB DDR4-2133/DVD SM/500GB SATA III/ CK F/KB410PS2FR/OEM H+B 2016/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:P0556P75OOFR	787,06	
	ESP P556/E85+ /CORE I7-6700/	ESP P556/E85+ /CORE I7-6700/ 4GB DDR4-2133/VGA EXT CARD/DVD SM/ 1000GB SATA III/UPGR USB 3.0/CK F/ KB410PS2FR/LIC W10 PRO/W7 PRO64 MAIN/	VFY:P0556P771OFR	716,47	
	ESP P556/E85+ /CORE I7-6700/	ESP P556/E85+ /CORE I7-6700/ 8GB DDR4-2133/SSD 256GB MAIN/ UPGR USB 3.0/CK F/KB410PS2FR/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:P0556P77AOFR	787,06	



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

ESPRIMO P720

ESP P720 E90+ /CORE I5-4590/	ESP P720 E90+ /CORE I5-4590/ 2x4GB DDR3-1600/DVD SM/500GB SATA III/ CK F/KB410 USB BLACK CH/NO OS/	LKN:P0720P0054FR	791,76
------------------------------	--	------------------	--------



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO P720 (Suite)					
	ESP P720 E90+ /CORE I5-4590/	ESP P720 E90+ /CORE I5-4590/ 2x4GB DDR3-1600/DVD SM/500GB SATA III/ CK F/KB410PS2FR/NO OS/	LKN:P0720P0055FR	791,76	
	ESP P720 E85+ /CORE I5-4590/	ESP P720 E85+ /CORE I5-4590/ 4GB DDR3-1600/GF605 DP 1GB FH/DP CABLE/ DVD SM/500GB SATA III/CK F/ KB410 USB BLACK FR/LIC W10 PRO/	LKN:P0720P0061FR	972,94	
	ESP P720 E90+ /CORE I5-4690/	ESP P720 E90+ /CORE I5-4690/ 8GB DDR3-1600/DVD SM/SSD 256GB/CK F/ KB410 USB BLACK FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:P0720P75SBFR	1042,35	
ESPRIMO P720 E90 + unité de base: type de carte mère ATX D3221; Chipset Intel Q85, max. 32 Go, 4 emplacements DIMM (DDR3) 1600 MHz, support Dual channel. Pour des performances double-canal, un minimum de 2 modules de mémoire doivent être commandés. La cap					
	ESP P720 E90+ /CORE I5-4690/	ESP P720 E90+ /CORE I5-4690/ 4GB DDR3-1600/DVD SM/MCR 24IN1/ SSHD 1000GB/UPGR USB 3.0/CK F/KB900FR/ NERO 2014/LIC W10 PRO/W7 PRO64 MAIN/	VFY:P0720P750PFR	1062,35	
ESPRIMO P756					
	ESP P756/E85+ /P G4400/4GB DDR4-2133/	ESP P756/E85+ /P G4400/4GB DDR4-2133/ GF605 DP 1GB FH/DVD SM/500GB SATA III/ CK F/KB410 USB BLACK FR/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	LKN:P0756P0001FR	774,12	
	ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 2x4GB DDR4-2133/DP CABLE/DVD SM/ SSD 256GB MAIN/CK B/NL/KB900US/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:P0756P0001IN	1034,12	
	ESP P756/E85+ /CORE I7-6700/	ESP P756/E85+ /CORE I7-6700/ 2x8GB DDR4-2133/DVD SM/SSHD 1000GB/ SSD 128GB M.2/CK F/KB410 USB BLACK FR/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:P0756P0002FR	1287,06	
	ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 2x4GB DDR4-2133/DP CABLE/DVD SM/ SSD 256GB MAIN/CK I/KB900IT/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:P0756P0002IN	1034,12	
	ESP P756/E85+ /P G4400/8GB DDR4-2133/	ESP P756/E85+ /P G4400/8GB DDR4-2133/ DVD SM/2x500GB SATA III/ MOUNT 3.5' DRIVE/CK F/ KB410 USB BLACK FR/DU DVD WIN7+8/	LKN:P0756P0003FR	801,18	
	ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 2x4GB DDR4-2133/DP CABLE/DVD SM/ SSD 256GB MAIN/CK E/P/KB900ES/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:P0756P0003IN	1034,12	
	ESP P756/E85+ /P G4400/8GB DDR4-2133/	ESP P756/E85+ /P G4400/8GB DDR4-2133/ DVD SM/2x500GB SATA III/ MOUNT 3.5' DRIVE/CK F/ KB410 USB BLACK FR/NO OS/OPT USB BLK/	LKN:P0756P0004FR	650,59	



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 2x4GB DDR4-2133/DP CABLE/DVD SM/ SSD 256GB MAIN/CK F/KB900FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:P0756P0004IN	1034,12
------------------------------	--	------------------	---------



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO P756 (Suite)					
	ESP P756/E85+ /CORE I7-6700/	ESP P756/E85+ /CORE I7-6700/ 2x4GB DDR4-2133/GF GTX 745 FH/DP CABLE/ DVD ROM/SSD 128GB ENTRY/500GB SATA III/ CK F/KB410 USB BLACK FR/LIC W10 PRO/	LKN:P0756P0005FR	1295,29	
	ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 2x4GB DDR4-2133/DP CABLE/DVD SM/ SSD 256GB MAIN/CK GB/INT/KB900GB/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:P0756P0005IN	1034,12	
	ESP P756/E85+ /P G4400/8GB DDR4-2133/	ESP P756/E85+ /P G4400/8GB DDR4-2133/ DVD SM/500GB SATA III/CK F/ KB410 USB BLACK FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:P0756P0006FR	732,94	
	ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 2x4GB DDR4-2133/DP CABLE/DVD SM/ SSD 256GB MAIN/CK NORDICS/KB900NORD/ LIC W10 PRO/W7 PRO64 NORD/	LKN:P0756P0006IN	1034,12	
	ESP P756/E85+ /CORE I5-6600/	ESP P756/E85+ /CORE I5-6600/ 2x16GB DDR4-2133/DVD SM/MCR 24IN1/ 2xSSD 256GB MAIN/1000GB BC/ MOUNT 2.5' DRIVE/CK F/	LKN:P0756P0007FR	1523,53	
	ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 2x4GB DDR4-2133/DP CABLE/DVD SM/ SSD 256GB MAIN/CK EU EU+/KB900H/ LIC W10 PRO/W7 PRO64 SEE/RDVD W10 PRO64/	LKN:P0756P0007IN	1034,12	
	ESP P756/E85+ /P G4400/4GB DDR4-2133/	ESP P756/E85+ /P G4400/4GB DDR4-2133/ DVD SM/500GB SATA III/CK F/ KB410 USB BLACK FR/DU DVD WIN7+8/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:P0756P0008FR	721,18	
	ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 2x4GB DDR4-2133/DP CABLE/DVD SM/ SSD 256GB MAIN/CK TR/KB900TRQ/ LIC W10 PRO/W7 PRO64 EM-SE/	LKN:P0756P0008IN	1034,12	
	ESP P756/E85+ /CORE I5-6500/	ESP P756/E85+ /CORE I5-6500/ 4GB DDR4-2133/VGA EXT CARD/DVD SM/ 500GB SATA III/CK F/KB410PS2FR/NO OS/ OPT USB BLK/INT. SPEAKER/	LKN:P0756P0009FR	792,94	
	ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 2x4GB DDR4-2133/DP CABLE/DVD SM/ SSD 256GB MAIN/CK PL/KB900US/ LIC W10 PRO/W7 PRO64 IBER-NE/	LKN:P0756P0009IN	1034,12	
	ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 2x4GB DDR4-2133/DP CABLE/DVD SM/ SSD 256GB MAIN/CK F/KB900FR/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	LKN:P0756P0010FR	1034,12	
	ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 2x4GB DDR4-2133/DP CABLE/DVD SM/ SSD 256GB MAIN/CK B/NL/KB900B/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:P0756P0010IN	1034,12	



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

ESP P756/E85+ /CORE I5-6600/	ESP P756/E85+ /CORE I5-6600/ 2x4GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK F/KB410 USB BLACK FR/NO OS/ OPT USB BLK/INT. SPEAKER/	LKN:P0756P0011FR	895,29
ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 2x4GB DDR4-2133/DP CABLE/DVD SM/ SSD 256GB MAIN/CK CH/KB900CH/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:P0756P0011IN	1034,12



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO P756 (Suite)					
	ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 2x4GB DDR4-2133/DP CABLE/DVD SM/ SSD 256GB MAIN/CK EU EU+/KB900CZSK/ LIC W10 PRO/W7 PRO64 IBERNE/	LKN:P0756P0012IN	1034,12	
	ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 2x4GB DDR4-2133/DP CABLE/DVD SM/ SSD 256GB MAIN/CK EU EU+/KB900GRUS/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:P0756P0013IN	1034,12	
	ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 2x4GB DDR4-2133/DP CABLE/DVD SM/ SSD 256GB MAIN/CK E/P/KB900PT/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:P0756P0014IN	1034,12	
	ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 2x4GB DDR4-2133/DP CABLE/DVD SM/ SSD 256GB MAIN/CK EU EU+/KB900EE/ LIC W10 PRO/W7 PRO64 SEE/RDVD W10 PRO64/	LKN:P0756P0015IN	1034,12	
	ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 2x4GB DDR4-2133/DP CABLE/DVD SM/ SSD 256GB MAIN/CK PL/KB900US/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:P0756P0016IN	1034,12	
	ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 2x4GB DDR4-2133/DP CABLE/DVD SM/ SSD 256GB MAIN/CK CH/KB900CH/ LIC W10 PRO/W10 PRO64 MAIN/OPT USB BLK/	LKN:P0756P0017IN	1031,76	
	ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 2x4GB DDR4-2133/DP CABLE/DVD SM/ SSD 256GB MAIN/CK EU EU+/KB900EE/ LIC W10 PRO/W10 PRO64 SEE/OPT USB BLK/	LKN:P0756P0018IN	1031,76	
	ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 2x4GB DDR4-2133/DP CABLE/DVD SM/ SSD 256GB MAIN/CK D/KB900ES/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	LKN:P0756P0019IN	1034,12	
	ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 2x4GB DDR4-2133/DP CABLE/DVD SM/ SSD 256GB MAIN/CK TR/KB900TRQ/ LIC W10 PRO/W10 PRO64 SEE/	LKN:P0756P0020IN	1034,12	
	ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 2x4GB DDR4-2133/DP CABLE/DVD SM/ SSD 256GB MAIN/CK GB/INT/KB900GB/ LIC W10 PRO/W10 PRO64 MAIN/OPT USB BLK/	LKN:P0756P0021IN	1031,76	
	ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 2x4GB DDR4-2133/DP CABLE/DVD SM/ SSD 256GB MAIN/CK EU EU+/KB900H/ LIC W10 PRO/W10 PRO64 SEE/OPT USB BLK/	LKN:P0756P0022IN	1031,76	
	ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 8GB DDR4-2133/SSD 256GB M.2/CK F/ KB900FR/DUDVD WIN10/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	VFY:P0756P354BFR	798,82	



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 8GB DDR4-2133/DVD SM/SSHD 500GB/CK F/ KB900FR/DUDVD WIN10/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	VFY:P0756P35ABFR	704,71
ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 8GB DDR4-2133/DVD SM/MCR 24IN1/ SSHD 1000GB/CK F/KB900FR/NERO 2016/ DUDVD WIN10/LIC W10 PRO/W10 PRO64 MAIN/	VFY:P0756P35APFR	775,29



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO P756 (Suite)					
	ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 8GB DDR4-2133/SSD 256GB M.2/CK F/ KEYBOARD KB521 FR/DUDVD WIN10/ DU DVD WIN7+8/LIC W10 PRO/W7 PRO64 MAIN/	VFY:P0756P754BFR	798,82	
	ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 8GB DDR4-2133/DVD SM/SSHD 500GB/CK F/ KEYBOARD KB521 FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:P0756P85ABFR	704,71	
	ESP P756/E90+ /CORE I5-6500/	ESP P756/E90+ /CORE I5-6500/ 8GB DDR4-2133/DVD SM/MCR 24IN1/ SSHD 1000GB/CK F/KB900FR/NERO 2014/ DUDVD WIN10/DU DVD WIN7+8/LIC W10 PRO/	VFY:P0756P85APFR	775,29	
ESPRIMO P956					
	ESP P956/E90+ /CORE I7-6700/	ESP P956/E90+ /CORE I7-6700/ 2x4GB DDR4-2133/DVD SM/SSHD 1000GB/CK F/ KB900FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO64/	LKN:P0956P0002FR	1332,94	
	ESP P956/E94+ /CORE I7-6700/	ESP P956/E94+ /CORE I7-6700/ 8GB DDR4-2133/GF605 DP 1GB FH/BD WRITER/ SSD 512GB SED MAIN/1000GB SATA III/CK F/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:P0956P0003FR	1644,71	
	ESP P956/E94+ /CORE I5-6600/	ESP P956/E94+ /CORE I5-6600/ 2x4GB DDR4-2133/DVD SM/MCR 24IN1/ SSHD 1000GB/CK F/KB900FR/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	VFY:P0956P35ABFR	881,18	
	ESP P956/E94+ /CORE I5-6600/	ESP P956/E94+ /CORE I5-6600/ 2x4GB DDR4-2133/DVD SM/MCR 24IN1/ SSD 256GB M.2/CK F/KB900FR/NERO 2016/ DUDVD WIN10/LIC W10 PRO/W10 PRO64 MAIN/	VFY:P0956P35APFR	916,47	
	ESP P956/E94+ /CORE I7-6700/	ESP P956/E94+ /CORE I7-6700/ 2x4GB DDR4-2133/DVD SM/MCR 24IN1/ SSD 256GB M.2/2000GB SATA III/CK F/ KB900FR/NERO 2016/DUDVD WIN10/	VFY:P0956P37APFR	1116,47	
	ESP P956/E94+ /CORE I7-6700/	ESP P956/E94+ /CORE I7-6700/ 2x4GB DDR4-2133/DVD SM/SSHD 1000GB/CK F/ KB900FR/NERO 2016/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	VFY:P0956P37BPFR	1034,12	
	ESP P956/E94+ /CORE I5-6600/	ESP P956/E94+ /CORE I5-6600/ 2x4GB DDR4-2133/DVD SM/MCR 24IN1/ SSHD 1000GB/CK F/KB410PS2FR/DUDVD WIN10/ DU DVD WIN7+8/LIC W10 PRO/W7 PRO64 MAIN/	VFY:P0956P85ABFR	881,18	
	ESP P956/E94+ /CORE I5-6600/	ESP P956/E94+ /CORE I5-6600/ 2x4GB DDR4-2133/DVD SM/MCR 24IN1/ SSD 256GB M.2/CK F/KB900FR/NERO 2014/ DUDVD WIN10/DU DVD WIN7+8/LIC W10 PRO/	VFY:P0956P85APFR	916,47	



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

ESP P956/E94+ /CORE I7-6700/	ESP P956/E94+ /CORE I7-6700/ 2x4GB DDR4-2133/MCR 24IN1/DVD SM/ 2000GB SATA III/SSD 256GB M.2/CK F/ KB900FR/LIC W10 PRO/W7 PRO64 MAIN/	VFY:P0956P87APFR	1116,47
ESP P956/E94+ /CORE I7-6700/	ESP P956/E94+ /CORE I7-6700/ 2x4GB DDR4-2133/DVD SM/SSHD 1000GB/CK F/ KB900FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:P0956P87BPFR	1034,12



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO P956 (Suite)					
ESPRIMO PH556					
	ESP PH556 /P G4400/4GB DDR4-2133/DVD SM/	ESP PH556 /P G4400/4GB DDR4-2133/DVD SM/ MCR 24IN1/500GB SATA III/CK EU EU+/ GERMANY STICKER/LIC W10 HOME ML/ W10 HOME64 MAIN/RDVD W10 HOME64/	VFY:PH556P82ACIN	536,47	
	ESP PH556 /CORE I3-6100/8GB DDR4-2133/	ESP PH556 /CORE I3-6100/8GB DDR4-2133/ DVD SM/MCR 24IN1/SSD 256GB MAIN/ UPGR USB 3.0/CK EU EU+/GERMANY STICKER/ LIC W10 HOME ML/W10 HOME64 MAIN/	VFY:PH556P83ACIN	740,00	
	ESP PH556 /CORE I5-6400/8GB DDR4-2133/	ESP PH556 /CORE I5-6400/8GB DDR4-2133/ GF GTX 745 FH/DVD SM/MCR 24IN1/ SSD 256GB MAIN/UPGR USB 3.0/CK EU EU+/ GERMANY STICKER/LIC W10 HOME ML/	VFY:PH556P85ACIN	941,18	
	ESP PH556 /CORE I5-6400/8GB DDR4-2133/	ESP PH556 /CORE I5-6400/8GB DDR4-2133/ GF GTX 745 FH/DVD SM/MCR 24IN1/ SSD 256GB MAIN/1000GB SATA III/ HDD SSD CABLE/UPGR USB 3.0/CK EU EU+/	VFY:PH556P85GCIN	1009,41	
	ESP PH556 /CORE I7-6700/16GB DDR4-2133/	ESP PH556 /CORE I7-6700/16GB DDR4-2133/ GF GTX 745 FH/DVD SM/MCR 24IN1/ SSD 256GB MAIN/1000GB SATA III/ HDD SSD CABLE/UPGR USB 3.0/CK EU EU+/	VFY:PH556P87GCIN	1270,59	

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
ESPRIMO P556					
	ESP P556/E85+ / GEZE	CZK:1502V100-GZE03 incl. DVL	CZK:1502V100-GZE03	1452432,81	
	ESP P556/E90+ / CZK:1502V110-BMI27		CZK:1502V110-BMI27	1452432,81	



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
ESPRIMO P556 (Suite)					
ESPRIMO P556/E85+	ESPRIMO P556/E85+, BASE UNIT with Mainboard D3400 (µATX); , CHIPSET: Intel®H110; MEMORY: 2 DIMM slots (DDR4, 2133 MHz) with max. 32 GB, dual channel support (for dual channel performance 2 memory modules have to be ordered, capacity per channel has to be the same); GRAPHICS Intég.: Intel® HD Graphics 530, Intel® HD Graphics 510; , AUDIO: Realtek ALC671; LAN: 10/100/1000 Mbit/s, Realtek RTL8111G; , SLOTS: 2x PCIe 2.0 x1, 1x PCIe 3.0 x16, DRIVE bays: 1x 3.5-inch external, 2x 3.5-inch internal, 1x 5.25-inch external; , POWER SUPPLY: 280W max output;, INTERFACES: , Front: 1x Audio headphone, 1x Audio microphone, 2x USB 2.0 and/or 2x USB 3.0 (optional);, Rear: 1x DisplayPort, 1x DVI-D, 2x USB 2.0, 2x USB 3.0, 1x LAN(RJ45), 2x PS2; 1x Audio line-in, 1x Audio line-out, 1x VGA via adapter card optional; , Internal: 2x USB 2.0; 1x eSATA (optional);, Fujitsu DeskView Client, Fujitsu DeskView Instant BIOS management; Fujitsu Workplace Protect, Fujitsu Workplace power and communication settings, Optional: , mouse, keyboard;	S26361-K1502-V100	218,82		
ESPRIMO P556/E90+	ESPRIMO P556/E90+, BASE UNIT with Mainboard D3400 (µATX); , CHIPSET: Intel®H110; MEMORY: 2 DIMM slots (DDR4, 2133 MHz) with max. 32 GB, dual channel support (for dual channel performance 2 memory modules have to be ordered, capacity per channel has to be the same); GRAPHICS Intég.: Intel® HD Graphics 530, Intel® HD Graphics 510; , AUDIO: Realtek ALC671; LAN: 10/100/1000 Mbit/s, Realtek RTL8111G; , SLOTS: 2x PCIe 2.0 x1, 1x PCIe 3.0 x16, DRIVE bays: 1x 3.5-inch external, 2x 3.5-inch internal, 1x 5.25-inch external; , POWER SUPPLY: 280W max output;, INTERFACES: , Front: 1x Audio headphone, 1x Audio microphone, 2x USB 3.0; , Rear: 1x DisplayPort, 1x DVI-D, 2x USB 2.0, 2x USB 3.0, 1x LAN(RJ45), 2x PS2; 1x Audio line-in, 1x Audio line-out, 1x VGA via adapter card optional; , Internal: 4x USB 2.0; 1x eSATA (optional);, Fujitsu DeskView Client, Fujitsu DeskView Instant BIOS management; Fujitsu Workplace Protect, Fujitsu Workplace power and communication settings, Optional: , mouse, keyboard;	S26361-K1502-V110	237,65		

ESPRIMO P720



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

ESP P720 E85+ / CZK:1018V210-KDN17	Base unit: ; Mainboard type ; Chipset , max. , slots , ; Graphics: :: ; ; Audio: ; LAN: ; Slots: , Drive bays: ; x ; Max. output of single power supply; ; ; Interfaces: N/A, N/A,	CZK:1018V210-KDN17	1452432,81
ESP P720 E85+ / CZK:1018V210-KDN18	Base unit: ; Mainboard type ; Chipset , max. , slots , ; Graphics: :: ; ; Audio: ; LAN: ; Slots: , Drive bays: ; x ; Max. output of single power supply; ; ; Interfaces: N/A, N/A,	CZK:1018V210-KDN18	1452432,81



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
ESPRIMO P720 (Suite)					
	ESPRIMO P720 E90+	ESPRIMO P720 E90 + unité de base: type de carte mère ATX D3221; Chipset Intel Q85, max. 32 Go, 4 emplacements DIMM (DDR3) 1600 MHz, support Dual channel. Pour des performances double-canal, un minimum de 2 modules de mémoire doivent être commandés. La cap	S26361-K1018-V200	341,18	
	ESPRIMO P720 E85+	ESPRIMO P720 E85 + unité de base: type de carte mère µATX D3221; Chipset Intel Q85, max. 32 Go, 4 emplacements DIMM (DDR3) 1600 MHz, support Dual channel. Pour des performances double-canal, un minimum de 2 modules de mémoire doivent être commandés. La ca	S26361-K1018-V210	329,41	
ESPRIMO P756					
	ESP P756/E90+ / CZK:1501V210-BMI24		CZK:1501V210-BMI24	1452432,81	
	ESP P756/E90+ / DVD ROM / CK D	Base unit: ; Mainboard type ; Chipset , max. , slots ; ; Graphics: :: ; ; ; Audio: ; LAN: ; Slots: , Drive bays: ; x ; Max. output of single power supply; ; ; Interfaces: N/A, N/A,	CZK:1501V210-JLU01	1452432,81	
	ESP P756/E90+ / DVD ROM / CK D	Base unit: ; Mainboard type ; Chipset , max. , slots ; ; Graphics: :: ; ; ; Audio: ; LAN: ; Slots: , Drive bays: ; x ; Max. output of single power supply; ; ; Interfaces: N/A, N/A,	CZK:1501V210-JLU02	1452432,81	
	ESP P756/E90+/CZK:1501V210-JLU11	Base unit: ; Mainboard type ; Chipset , max. , slots ; ; Graphics: :: ; ; ; Audio: ; LAN: ; Slots: , Drive bays: ; x ; Max. output of single power supply; ; ; Interfaces: N/A, N/A,	CZK:1501V210-JLU11	1452432,81	



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
ESPRIMO P756 (Suite)					
	ESPRIMO P756/E85+	<p>ESPRIMO P756/E85+, BASE UNIT with Mainboard D3401 (µATX); , CHIPSET: Intel®Q150; MEMORY: 4 DIMM slots (DDR4, 2133 MHz) with max. 64 GB, dual channel support (for dual channel performance 2 memory modules have to be ordered, capacity per channel has to be the same); GRAPHICS Intég.: Intel® HD Graphics 530, Intel® HD Graphics 510; , AUDIO: Realtek ALC671; LAN: 10/100/1000 Mbit/s, Intel® I219V; , SLOTS: 2x PCIe 2.0 x1, 1x PCIe 2.0 x4 (mech. x16), 1x PCIe 3.0 x16, DRIVE bays: 2x 3.5-inch external, 2x 3.5-inch internal, 1x 2.5-inch internal, 2x 5.25-inch external; 1x M.2 Intég.;, POWER SUPPLY: 280W max output; , INTERFACES: , Front: 1x Audio headphone, 1x Audio microphone, 2x USB 2.0, 2x USB 3.0; , Rear: 2x DisplayPort, 1x DVI-D, 2x USB 2.0, 4x USB 3.0, 1x LAN(RJ45), 2x PS2; 1x Audio line-in, 1x Audio line-out, 1x serial port, 2nd serial port optional, 1x parallel port optional, 1x VGA via PCIe adapter card optional; , Internal: 2x USB 2.0; 1x eSATA (optional);, Fujitsu DeskView Client, Fujitsu DeskView Instant BIOS management; Fujitsu Workplace Protect, Fujitsu Workplace power and communication settings; , Optional: , intrusion switch, integrated cabinet lock, mouse, keyboard;</p>	S26361-K1501-V200	334,12	



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

<p>ESPRIMO P756/E90+</p>	<p>ESPRIMO P756/E90+, BASE UNIT with Mainboard D3401 (µATX); , CHIPSET: Intel®Q150; MEMORY: 4 DIMM slots (DDR4, 2133 MHz) with max. 64 GB, dual channel support (for dual channel performance 2 memory modules have to be ordered, capacity per channel has to be the same); GRAPHICS Intég.: Intel® HD Graphics 530, Intel® HD Graphics 510; , AUDIO: Realtek ALC671; LAN: 10/100/1000 Mbit/s, Intel® I219V; , SLOTS: 2x PCIe 2.0 x1, 1x PCIe 2.0 x4 (mech. x16), 1x PCIe 3.0 x16, DRIVE bays: 2x 3.5-inch external, 2x 3.5-inch internal, 1x 2.5-inch internal, 2x 5.25-inch external; 1x M.2 Intég.;, POWER SUPPLY: 280W max output;; INTERFACES: , Front: 1x Audio headphone, 1x Audio microphone, 2x USB 2.0, 2x USB 3.0;; Rear: 2x DisplayPort, 1x DVI-D, 2x USB 2.0, 4x USB 3.0, 1x LAN(RJ45), 2x PS2; 1x Audio line-in, 1x Audio line-out, 1x serial port, 2nd serial port optional, 1x parallel port optional, 1x VGA via PCIe adapter card optional;; Internal: 2x USB 2.0; 1x eSATA (optional);, Fujitsu DeskView Client, Fujitsu DeskView Instant BIOS management; Fujitsu Workplace Protect, Fujitsu Workplace power and communication settings;; Optional.: intrusion switch, integrated cabinet lock, mouse, keyboard;</p>	<p>S26361-K1501-V210</p>	<p>345,88</p>
--------------------------	---	--------------------------	---------------



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
ESPRIMO P756 (Suite)					
ESPRIMO P756/E94+	ESPRIMO P756/E94+, BASE UNIT with Mainboard D3401 (µATX); , CHIPSET: Intel®Q150; MEMORY: 4 DIMM slots (DDR4, 2133 MHz) with max. 64 GB, dual channel support (for dual channel performance 2 memory modules have to be ordered, capacity per channel has to be the same); GRAPHICS Intég.: Intel® HD Graphics 530, Intel® HD Graphics 510; , AUDIO: Realtek ALC671; LAN: 10/100/1000 Mbit/s, Intel® I219V; , SLOTS: 2x PCIe 2.0 x1, 1x PCIe 2.0 x4 (mech. x16), 1x PCIe 3.0 x16, DRIVE bays: 2x 3.5-inch external, 2x 3.5-inch internal, 1x 2.5-inch internal, 2x 5.25-inch external; 1x M.2 Intég.;, POWER SUPPLY: 280W max output; , INTERFACES: , Front: 1x Audio headphone, 1x Audio microphone, 2x USB 2.0, 2x USB 3.0; , Rear: 2x DisplayPort, 1x DVI-D, 2x USB 2.0, 4x USB 3.0, 1x LAN(RJ45), 2x PS2; 1x Audio line-in, 1x Audio line-out, 1x serial port, 2nd serial port optional, 1x parallel port optional, 1x VGA via PCIe adapter card optional; , Internal: 2x USB 2.0; 1x eSATA (optional); , Fujitsu DeskView Client, Fujitsu DeskView Instant BIOS management; Fujitsu Workplace Protect, Fujitsu Workplace power and communication settings; , Optional: , intrusion switch, integrated cabinet lock, mouse, keyboard;	S26361-K1501-V220	362,35		
ESPRIMO P956					



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

<p>ESPRIMO P956/E85+</p>	<p>ESPRIMO P956/E85+, Intel® vPro Logo with Core i5 and Core i7 processor;, BASE UNIT with Mainboard D3402 (µATX); , CHIPSET: Intel®Q170; MEMORY: 4 DIMM slots (DDR4, 2133 MHz) with max. 64 GB, dual channel support (for dual channel performance 2 memory modules have to be ordered, capacity per channel has to be the same); GRAPHICS Intég.: Intel® HD Graphics 530, Intel® HD Graphics 510; , AUDIO: Realtek ALC671; LAN: 10/100/1000 Mbit/s, Intel® I219LM; , SLOTS: 2x PCIe 2.0 x1, 1x PCIe 2.0 x4 (mech. x16), 1x PCIe 3.0 x16, DRIVE bays: 2x 3.5-inch external, 2x 3.5-inch internal, 1x 2.5-inch internal, 2x 5.25-inch external; 1x M.2 Intég.;, POWER SUPPLY: 280W max output; , INTERFACES: , Front: 1x Audio headphone, 1x Audio microphone, 2x USB 2.0, 2x USB 3.0; , Rear: 2x DisplayPort, 1x DVI-D, 2x USB 2.0, 4x USB 3.0, 1x LAN(RJ45), 2x PS2; 1x Audio line-in, 1x Audio line-out, 1x serial port, 2nd serial port optional, 1x parallel port optional, 1x VGA via PCIe adapter card optional; , Internal: 2x USB 2.0; 1x eSATA (optional);, Fujitsu DeskView Client, Fujitsu DeskView Instant BIOS management; Fujitsu Workplace Protect, Fujitsu Workplace power and communication settings;, Optional.: intrusion switch, integrated cabinet lock, mouse, keyboard;</p>	<p>S26361-K1501-V100</p>	<p>472,94</p>
--------------------------	---	--------------------------	---------------



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
ESPRIMO P956 (Suite)					
	ESPRIMO P956/E90+	<p>ESPRIMO P956/E90+, Intel® vPro Logo with Core i5 and Core i7 processor;, BASE UNIT with Mainboard D3402 (µATX); , CHIPSET: Intel®Q170; MEMORY: 4 DIMM slots (DDR4, 2133 MHz) with max. 64 GB, dual channel support (for dual channel performance 2 memory modules have to be ordered, capacity per channel has to be the same); GRAPHICS Intég.: Intel® HD Graphics 530, Intel® HD Graphics 510; , AUDIO: Realtek ALC671; LAN: 10/100/1000 Mbit/s, Intel® I219LM; , SLOTS: 2x PCIe 2.0 x1, 1x PCIe 2.0 x4 (mech. x16), 1x PCIe 3.0 x16, DRIVE bays: 2x 3.5-inch external, 2x 3.5-inch internal, 1x 2.5-inch internal, 2x 5.25-inch external; 1x M.2 Intég.;, POWER SUPPLY: 280W max output; , INTERFACES: , Front: 1x Audio headphone, 1x Audio microphone, 2x USB 2.0, 2x USB 3.0; , Rear: 2x DisplayPort, 1x DVI-D, 2x USB 2.0, 4x USB 3.0, 1x LAN(RJ45), 2x PS2; 1x Audio line-in, 1x Audio line-out, 1x serial port, 2nd serial port optional, 1x parallel port optional, 1x VGA via PCIe adapter card optional; , Internal: 2x USB 2.0; 1x eSATA (optional);, Fujitsu DeskView Client, Fujitsu DeskView Instant BIOS management; Fujitsu Workplace Protect, Fujitsu Workplace power and communication settings; , Optional: , intrusion switch, integrated cabinet lock, mouse, keyboard;</p>	S26361-K1501-V110	484,71	



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

<p>ESPRIMO P956/E94+</p>	<p>ESPRIMO P956/E94+, Intel® vPro Logo with Core i5 and Core i7 processor;, BASE UNIT with Mainboard D3402 (µATX); , CHIPSET: Intel®Q170; MEMORY: 4 DIMM slots (DDR4, 2133 MHz) with max. 64 GB, dual channel support (for dual channel performance 2 memory modules have to be ordered, capacity per channel has to be the same); GRAPHICS Intég.: Intel® HD Graphics 530, Intel® HD Graphics 510; , AUDIO: Realtek ALC671; LAN: 10/100/1000 Mbit/s, Intel® I219LM; , SLOTS: 2x PCIe 2.0 x1, 1x PCIe 2.0 x4 (mech. x16), 1x PCIe 3.0 x16, DRIVE bays: 2x 3.5-inch external, 2x 3.5-inch internal, 1x 2.5-inch internal, 2x 5.25-inch external; 1x M.2 Intég.;, POWER SUPPLY: 280W max output; , INTERFACES: , Front: 1x Audio headphone, 1x Audio microphone, 2x USB 2.0, 2x USB 3.0; , Rear: 2x DisplayPort, 1x DVI-D, 2x USB 2.0, 4x USB 3.0, 1x LAN(RJ45), 2x PS2; 1x Audio line-in, 1x Audio line-out, 1x serial port, 2nd serial port optional, 1x parallel port optional, 1x VGA via PCIe adapter card optional; , Internal: 2x USB 2.0; 1x eSATA (optional);, Fujitsu DeskView Client, Fujitsu DeskView Instant BIOS management; Fujitsu Workplace Protect, Fujitsu Workplace power and communication settings;, Optional: , intrusion switch, integrated cabinet lock, mouse, keyboard;</p>	<p>S26361-K1501-V120</p>	<p>508,24</p>
--------------------------	--	--------------------------	---------------

ESPRIMO P956/LL



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
ESPRIMO P956/LL (Suite)					
	ESPRIMO P956/LL	<p>ESPRIMO P956/LL, Intel® vPro Logo with Core i5 and Core i7 processor;, BASE UNIT with Mainboard D3402 (µATX); , CHIPSET: Intel®Q170; MEMORY: 4 DIMM slots (DDR4, 2133 MHz) with max. 64 GB, dual channel support (for dual channel performance 2 memory modules have to be ordered, capacity per channel has to be the same); GRAPHICS Intég.: Intel® HD Graphics 530, Intel® HD Graphics 510; , AUDIO: Realtek ALC671; LAN: 10/100/1000 Mbit/s, Intel® I219LM; , SLOTS: 2x PCIe 2.0 x1, 1x PCIe 2.0 x4 (mech. x16), 1x PCIe 3.0 x16, DRIVE bays: 2x 3.5-inch external, 2x 3.5-inch internal, 1x 2.5-inch internal, 2x 5.25-inch external; 1x M.2 Intég.;, POWER SUPPLY: 280W max output;, INTERFACES: , Front: 1x Audio headphone, 1x Audio microphone, 2x USB 2.0, 2x USB 3.0; , Rear: 2x DisplayPort, 1x DVI-D, 2x USB 2.0, 4x USB 3.0, 1x LAN(RJ45), 2x PS2; 1x Audio line-in, 1x Audio line-out, 1x serial port, 2nd serial port optional, 1x parallel port optional, 1x VGA via PCIe adapter card optional; , Internal: 2x USB 2.0; 1x eSATA (optional);, Fujitsu DeskView Client, Fujitsu DeskView Instant BIOS management; Fujitsu Workplace Protect, Fujitsu Workplace power and communication settings;, Optional: , intrusion switch, integrated cabinet lock, mouse, keyboard;, ***base unti with extended availability in roadmap***</p>	S26361-K1501-V115	515,29	
ESPRIMO PH556					



Fujitsu recommande Windows.

ESPRIMO P420 & P520 & P720 & P910 & P920

Fiches produit : <http://fr.fujitsu.com/esprimo>

ESPRIMO PH556	<p>ESPRIMO PH556/E85+, BASE UNIT with Mainboard D3400 (µATX); , CHIPSET: Intel®H110; MEMORY: 2 DIMM slots (DDR4, 2133 MHz) with max. 32 GB, dual channel support (for dual channel performance 2 memory modules have to be ordered, capacity per channel has to be the same); GRAPHICS Intég.: Intel® HD Graphics 530, Intel® HD Graphics 510; , AUDIO: Realtek ALC671; LAN: 10/100/1000 Mbit/s, Realtek RTL8111G; , SLOTS: 2x PCIe 2.0 x1, 1x PCIe 3.0 x16, DRIVE bays: 1x 3.5-inch external, 2x 3.5-inch internal, 1x 5.25-inch external; , POWER SUPPLY: 280W max output; , INTERFACES: , Front: 1x Audio headphone, 1x Audio microphone, 2x USB 2.0 and/or 2x USB 3.0 (optional);, Rear: 1x DisplayPort, 1x DVI-D, 2x USB 2.0, 2x USB 3.0, 1x LAN(RJ45), 2x PS2; 1x Audio line-in, 1x Audio line-out, 1x VGA via adapter card optional; , Internal: 2x USB 2.0; 1x eSATA (optional);, Fujitsu DeskView Instant BIOS management; Fujitsu Workplace Protect, Fujitsu Workplace power and communication settings, Optional: , mouse, keyboard;</p>	S26361-K1502-V120	212,94
---------------	---	-------------------	--------



Fujitsu recommande Windows.

ESPRIMO Q556 & Q920 & Q956

Fiches produit : <http://fr.fujitsu.com/esprimo>

Le PC ESPRIMO Q520/ Q920 de FUJITSU, offre toutes les fonctionnalités d'un PC de bureau complet dans un boîtier compact et élégant : il ne passera pas inaperçu sur votre bureau. La toute dernière génération de processeurs Intel® Core™ offre les performances requises pour vos applications de bureau quotidiennes. La fonctionnalité Zero Noise assure un fonctionnement silencieux. Une alimentation

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO Q556					
	ESP Q556 /CORE I5-6400T/4GB DDR4-2133/	ESP Q556 /CORE I5-6400T/4GB DDR4-2133/ 500 GB SATA III/CK EU/INT/ KB410 USB BLACK FR/DUDVD WIN10/ DU DVD WIN7+8/LIC W10 PRO/	LKN:Q0556P0001FR	803,53	
	ESP Q556 /P G4400T/4GB DDR4-2133/	ESP Q556 /P G4400T/4GB DDR4-2133/ DVD SM TRAY/SSHD 500GB/CK EU/INT/ LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/NO MOUSE/	LKN:Q0556P0001IN	664,71	
	ESP Q556 /CORE I5-6500T/4GB DDR4-2133/	ESP Q556 /CORE I5-6500T/4GB DDR4-2133/ DVD SM TRAY/SSD 256GB SED MAIN/ CK EU/INT/KB410 USB BLACK FR/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:Q0556P0002FR	930,59	
	ESP Q556 /CORE I5-6400T/4GB DDR4-2133/	ESP Q556 /CORE I5-6400T/4GB DDR4-2133/ DVD SM TRAY/SSHD 500GB/CK ESP Q (D)/ KB410 USB BLACK DE/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:Q0556P0002IN	842,35	
	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/CK ESP Q (D)/ KB410 USB BLACK DE/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:Q0556P0003IN	831,76	
	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/CK ESP Q (D)/ KB410 USB BLACK BE/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:Q0556P0004IN	831,76	



Fujitsu recommande Windows.

ESPRIMO Q556 & Q920 & Q956 Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO Q556 (Suite)					
	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/CK ESP Q (D)/ KB410 USB BLACK PL/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:Q0556P0005IN	831,76	
	ESP Q556 /CORE I5-6500T/8GB DDR4-2133/	ESP Q556 /CORE I5-6500T/8GB DDR4-2133/ DP CABLE/DVD SM TRAY/SSD 256GB MAIN/ CK EU/INT/KB410 USB BLACK FR/NO OS/ OPT USB BLK/INT. SPEAKER/	LKN:Q0556P0006FR	828,24	
	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/CK ESP Q (D)/ KB410 USB BL NORD/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:Q0556P0006IN	831,76	
	ESP Q556 /CORE I5-6400T/8GB DDR4-2133/	ESP Q556 /CORE I5-6400T/8GB DDR4-2133/ 500GB SATA/CK EU/INT/KB410 USB BLACK FR/ LIC W10 PRO/W10 PRO64 MAIN/ RDVD W10 PRO64/OPT USB BLK/	LKN:Q0556P0007FR	818,82	
	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/CK ESP Q (D)/ KB410 USB BLACK FR/DUDVD WIN10/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:Q0556P0007IN	831,76	
	ESP Q556 /P G4400T/4GB DDR4-2133/	ESP Q556 /P G4400T/4GB DDR4-2133/ SSHD 500GB/CK EU/INT/KB410 USB BLACK FR/ LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/OPT USB BLK/VESA/	LKN:Q0556P0008FR	667,06	
	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/CK ESP Q (D)/ KB410 USB BLACK DE/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:Q0556P0008IN	829,41	
	ESP Q556 /CORE I5-6400T/8GB DDR4-2133/	ESP Q556 /CORE I5-6400T/8GB DDR4-2133/ DVD SM TRAY/500 GB SATA III/CK EU/INT/ KB410 USB BLACK FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:Q0556P0009FR	847,06	
	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/ BD WRITER/SSD 256GB MAIN/CK ESP Q (D)/ KB410 USB BLACK HU/DUDVD WIN10/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:Q0556P0009IN	885,88	



Fujitsu recommande Windows.

ESPRIMO Q556 & Q920 & Q956 Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO Q556 (Suite)					
	ESP Q556 /CORE I3-6100T/4GB DDR4-2133/	ESP Q556 /CORE I3-6100T/4GB DDR4-2133/ DVD SM TRAY/500GB SATA/M.2 WLAN+BT/ CK EU/INT/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	LKN:Q0556P0010FR	756,47	
	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/ BD WRITER/SSD 256GB MAIN/CK ESP Q (D)/ KB410 USB BLACK ES/DUDVD WIN10/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:Q0556P0010IN	885,88	
	ESP Q556 /CORE I5-6500T/8GB DDR4-2133/	ESP Q556 /CORE I5-6500T/8GB DDR4-2133/ SSD 256GB MAIN/M.2 WLAN+BT/CK EU/INT/ KB410 USB BLACK FR/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:Q0556P0011FR	949,41	
	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/CK ESP Q (D)/ KB410 USB BL RU/US/DUDVD WIN10/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:Q0556P0011IN	831,76	
	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/CK ESP Q (D)/ KB410 USB BLACK IT/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:Q0556P0012IN	829,41	
	ESP Q556 /CORE I5-6400T/4GB DDR4-2133/	ESP Q556 /CORE I5-6400T/4GB DDR4-2133/ DVD SM TRAY/SSHD 500GB/CK EU/INT/ LIC W10 PRO/W10 PRO64 MAIN/OPT USB BLK/ VESA/	LKN:Q0556P0013FR	831,76	
	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/CK ESP Q (D)/ KB410 USB BLACK FR/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:Q0556P0013IN	831,76	
	ESP Q556 /CORE I5-6500T/8GB DDR4-2133/	ESP Q556 /CORE I5-6500T/8GB DDR4-2133/ DP CABLE/DVD SM TRAY/SSD 256GB MAIN/ M.2 WLAN+BT/CK EU/INT/ KB410 USB BLACK FR/LIC W10 PRO/	LKN:Q0556P0014FR	995,29	
	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/CK ESP Q (D)/ KB410 USB BLACK IT/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:Q0556P0014IN	831,76	



Fujitsu recommande Windows.

ESPRIMO Q556 & Q920 & Q956 Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO Q556 (Suite)					
	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/CK ESP Q (D)/ KB410 USB BL TR/Q/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:Q0556P0015IN	831,76	
	ESP Q556 /CORE I3-6100T/4GB DDR4-2133/	ESP Q556 /CORE I3-6100T/4GB DDR4-2133/ DP CABLE/DVD SM TRAY/500 GB SATA III/ CK EU/INT/KB410 USB BLACK FR/ DUDVD WIN10/DU DVD WIN7+8/LIC W10 PRO/	LKN:Q0556P0016FR	771,76	
	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/CK ESP Q (D)/ KB410 USB BLACK RO/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:Q0556P0016IN	831,76	
	ESP Q556 /CORE I5-6400T/8GB DDR4-2133/	ESP Q556 /CORE I5-6400T/8GB DDR4-2133/ SSD 128GB ENTRY/CK EU/INT/KB900FR/ DU DVD WIN7+8/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO64/	LKN:Q0556P0017FR	830,59	
	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/CK ESP Q (D)/ KB410 USB BLACK US/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:Q0556P0017IN	831,76	
	ESP Q556 /CORE I3-6100T/4GB DDR4-2133/	ESP Q556 /CORE I3-6100T/4GB DDR4-2133/ SSHD 500GB/CK EU/INT/KB410 USB BLACK FR/ NO OS/OPT USB BLK/	LKN:Q0556P0018FR	582,35	
	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/CK I/ KB410 USB BL AR/GB/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:Q0556P0018IN	831,76	
	ESP Q556 /CORE I5-6500T/8GB DDR4-2133/	ESP Q556 /CORE I5-6500T/8GB DDR4-2133/ DVD SM TRAY/SSD 128GB ENTRY/CK EU/INT/ KEYBOARD KB521 FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:Q0556P0019FR	889,41	
	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/CK GB/INT/ KB410 USB BLACK GB/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:Q0556P0019IN	831,76	



Fujitsu recommande Windows.

ESPRIMO Q556 & Q920 & Q956 Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO Q556 (Suite)					
	ESP Q556 /CORE I7-6700T/8GB DDR4-2133/	ESP Q556 /CORE I7-6700T/8GB DDR4-2133/ DVD SM TRAY/SSD 128GB ENTRY/CK EU/INT/ KEYBOARD KB521 FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:Q0556P0020FR	1048,24	
	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/CK CH/ KB410 USB BLACK CH/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:Q0556P0020IN	831,76	
	ESP Q556 /P G4400T/4GB DDR4-2133/	ESP Q556 /P G4400T/4GB DDR4-2133/ SSD 128GB ENTRY/CK EU/INT/NO OS/ NO MOUSE/	LKN:Q0556P0021FR	472,95	
	ESP Q556 /CCC/CORE I3-6100T/	ESP Q556 /CCC/CORE I3-6100T/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK ESP Q CN/ KB410 USB BLACK CN/DUDVD WIN10/	LKN:Q0556P0021IN	831,78	
	ESP Q556 /P G4400T/8GB DDR4-2133/	ESP Q556 /P G4400T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/CK EU/INT/ KEYBOARD KB521 FR/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	LKN:Q0556P0022FR	755,29	
	ESP Q556 /CORE I5-6400T/8GB DDR4-2133/	ESP Q556 /CORE I5-6400T/8GB DDR4-2133/ SSD 128GB ENTRY/CK ESP Q (D)/ LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/OPT USB BLK/INT. SPEAKER/	LKN:Q0556P0022IN	814,12	
	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/ DVD SM TRAY/SSHD 500GB/M.2 WLAN+BT/ CK ESP Q PVC/KEYBOARD KB521 FR/NO OS/ OPT USB BLK/VESA/	LKN:Q0556P0023FR	655,29	
	ESP Q556 /CORE I5-6400T/8GB DDR4-2133/	ESP Q556 /CORE I5-6400T/8GB DDR4-2133/ SSD 128GB ENTRY/CK NORDICS/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/ OPT USB BLK/INT. SPEAKER/	LKN:Q0556P0023IN	814,12	
	ESP Q556 /CORE I5-6400T/8GB DDR4-2133/	ESP Q556 /CORE I5-6400T/8GB DDR4-2133/ SSD 128GB ENTRY/CK CH/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/ OPT USB BLK/INT. SPEAKER/	LKN:Q0556P0024IN	814,12	



Fujitsu recommande Windows.

ESPRIMO Q556 & Q920 & Q956 Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO Q556 (Suite)					
	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/CK EU/INT/ KB410 USB BLACK ES/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	LKN:Q0556P0025IN	829,41	
	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/CK EU/INT/ KB410 USB BLACK HU/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	LKN:Q0556P0026IN	829,41	
	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/CK EU/INT/ KB410 USB BL AR/GB/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:Q0556P0027IN	831,76	
	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/CK EU/INT/ KB410 USB BLACK BE/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:Q0556P0028IN	831,76	
	ESP Q556 /CCC/CORE I3-6100T/	ESP Q556 /CCC/CORE I3-6100T/ 8GB DDR4-2133/DVD SM TRAY/ SSD 256GB MAIN/CK ESP Q CN/ KB410 USB BLACK CN/DUDVD WIN10/	LKN:Q0556P0029IN	829,42	
	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/CK EU/INT/ KB410 USB BLACK FR/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:Q0556P0030IN	837,65	
	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/CK I/ KB410 USB BLACK IT/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:Q0556P0031IN	831,76	
	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/CK EU/INT/ KB410 USB BLACK PL/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:Q0556P0032IN	831,76	
	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/CK EU/INT/ KB410 USB BLACK RO/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:Q0556P0033IN	831,76	



Fujitsu recommande Windows.

ESPRIMO Q556 & Q920 & Q956 Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO Q556 (Suite)					
	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/CK NORDICS/ KB410 USB BL NORD/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:Q0556P0034IN	831,76	
	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/CK EU/INT/ KB410 USB BLACK EE/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:Q0556P0035IN	831,76	
	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/CK EU/INT/ KB410 USB BL TR/F/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:Q0556P0036IN	831,76	
	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/	ESP Q556 /CORE I3-6100T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/CK EU/INT/ KB410 USB BL RU/US/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:Q0556P0037IN	831,76	
	ESP Q556 /P G4400T/4GB DDR4-2133/	ESP Q556 /P G4400T/4GB DDR4-2133/ DVD SM TRAY/SSHD 500GB/CK EU/INT/ LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/NO MOUSE/	PRJ:Q0556P0001IN	664,72	
	ESP Q556 /CORE I3-6100T/4GB DDR4-2133/	ESP Q556 /CORE I3-6100T/4GB DDR4-2133/ DVD SM TRAY/500 GB SATA III/M.2 WLAN+BT/ CK EU/INT/DUDVD WIN10/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	VFY:Q0556P333OFR	563,53	
	ESP Q556 /CORE I5-6400T/8GB DDR4-2133/	ESP Q556 /CORE I5-6400T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK EU/INT/DUDVD WIN10/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	VFY:Q0556P351OFR	763,53	
	ESP Q556 /CORE I5-6400T/4GB DDR4-2133/	ESP Q556 /CORE I5-6400T/4GB DDR4-2133/ DVD SM TRAY/SSHD 500GB/M.2 WLAN+BT/ CK EU/INT/DUDVD WIN10/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	VFY:Q0556P35AOFR	634,12	



Fujitsu recommande Windows.

ESPRIMO Q556 & Q920 & Q956 Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO Q556 (Suite)					
	ESP Q556 /CORE I3-6100T/4GB DDR4-2133/	ESP Q556 /CORE I3-6100T/4GB DDR4-2133/ DVD SM TRAY/500 GB SATA III/M.2 WLAN+BT/ CK EU/INT/DUDVD WIN10/DU DVD WIN7+8/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:Q0556P733OFR	563,53	
	ESP Q556 /CORE I5-6400T/8GB DDR4-2133/	ESP Q556 /CORE I5-6400T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK EU/INT/DUDVD WIN10/DU DVD WIN7+8/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:Q0556P751OFR	763,53	
	ESP Q556 /CORE I5-6400T/4GB DDR4-2133/	ESP Q556 /CORE I5-6400T/4GB DDR4-2133/ DVD SM TRAY/SSHD 500GB/M.2 WLAN+BT/ CK EU/INT/DUDVD WIN10/DU DVD WIN7+8/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:Q0556P85AOFR	634,12	
ESPRIMO Q956					
	ESP Q956 /CORE I7-6700T/8GB DDR4-2133/	ESP Q956 /CORE I7-6700T/8GB DDR4-2133/ 500 GB SATA III/CK EU/INT/ KB410 USB BLACK FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:Q0956P0001FR	1236,47	
	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK EU/INT/KB900ES/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:Q0956P0001IN	1188,24	
	ESP Q956 /CORE I7-6700T/8GB DDR4-2133/	ESP Q956 /CORE I7-6700T/8GB DDR4-2133/ SSD 256GB MAIN/CK EU/INT/ KB410 USB BLACK FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:Q0956P0002FR	1298,82	
	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK EU/INT/KB900US/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:Q0956P0002IN	1188,24	
	ESP Q956 /CORE I7-6700T/16GB DDR4-2133/	ESP Q956 /CORE I7-6700T/16GB DDR4-2133/ SSD 256GB M.2/CK EU/INT/KB900FR/ LIC W10 PRO/W10 PRO64 MAIN/ RDVD W10 PRO64/OPT USB BLK/	LKN:Q0956P0003FR	1361,18	



Fujitsu recommande Windows.

ESPRIMO Q556 & Q920 & Q956 Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO Q956 (Suite)					
	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK I/KB900IT/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/INT. SPEAKER/	LKN:Q0956P0003IN	1188,24	
	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK EU/INT/KB900FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:Q0956P0004IN	1188,24	
	ESP Q956 /P G4400T/4GB DDR4-2133/	ESP Q956 /P G4400T/4GB DDR4-2133/ DVD SM TRAY/500GB SATA/CK EU/INT/ KB410 USB BLACK FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:Q0956P0005FR	888,24	
	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK GB/INT/KB900GB/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:Q0956P0005IN	1188,24	
	ESP Q956 /CORE I5-6500T/8GB DDR4-2133/	ESP Q956 /CORE I5-6500T/8GB DDR4-2133/ DP CABLE/BD WRITER/SSD 128GB M.2/ CK ESP Q PVC/DUDVD WIN10/DU DVD WIN7+8/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:Q0956P0006FR	1172,94	
	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK NORDICS/KB900NORD/LIC W10 PRO/ W7 PRO64 NORD/RDVD W10 PRO64/	LKN:Q0956P0006IN	1188,24	
	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK EU/INT/KB900H/LIC W10 PRO/ W7 PRO64 SEE/RDVD W10 PRO64/	LKN:Q0956P0007IN	1188,24	
	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK EU/INT/KB900TRQ/LIC W10 PRO/ W7 PRO64 EM-SE/RDVD W10 PRO64/	LKN:Q0956P0008IN	1188,24	



Fujitsu recommande Windows.

ESPRIMO Q556 & Q920 & Q956 Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO Q956 (Suite)					
	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK EU/INT/KB900FR/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/NO MOUSE/	LKN:Q0956P0009FR	1188,25	
	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK EU/INT/KB900US/LIC W10 PRO/ W7 PRO64 IBER-NE/RDVD W10 PRO64/	LKN:Q0956P0009IN	1188,24	
	ESP Q956 /CORE I3-6100T/4GB DDR4-2133/	ESP Q956 /CORE I3-6100T/4GB DDR4-2133/ DVD SM TRAY/SSD 128GB M.2/CK EU/INT/ KB410PS2FR/LIC W10 HOME ML/ W10 HOME64 MAIN/OPT USB BLK/FOOT STAND/	LKN:Q0956P0010FR	935,29	
	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK EU/INT/KB900B/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:Q0956P0010IN	1188,24	
	ESP Q956 /CORE I3-6100T/4GB DDR4-2133/	ESP Q956 /CORE I3-6100T/4GB DDR4-2133/ DVD SM TRAY/SSD 128GB M.2/CK EU/INT/ KB410 USB BLACK FR/LIC W10 HOME ML/ W10 HOME64 MAIN/OPT USB BLK/FOOT STAND/	LKN:Q0956P0011FR	935,29	
	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK CH/KB900CH/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/INT. SPEAKER/	LKN:Q0956P0011IN	1188,24	
	ESP Q956 /CORE I3-6100T/4GB DDR4-2133/	ESP Q956 /CORE I3-6100T/4GB DDR4-2133/ DVD SM TRAY/SSD 128GB M.2/CK EU/INT/ KB410 USB BLACK FR/LIC W10 HOME ML/ W10 HOME64 MAIN/OPT USB BLK/FOOT STAND/	LKN:Q0956P0012FR	949,41	
	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK EU/INT/KB900CZSK/LIC W10 PRO/ W7 PRO64 IBER-NE/RDVD W10 PRO64/	LKN:Q0956P0012IN	1188,24	



Fujitsu recommande Windows.

ESPRIMO Q556 & Q920 & Q956 Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO Q956 (Suite)					
	ESP Q956 /CORE I3-6100T/4GB DDR4-2133/	ESP Q956 /CORE I3-6100T/4GB DDR4-2133/ DVD SM TRAY/SSD 128GB M.2/CK EU/INT/ KB410PS2FR/LIC W10 HOME ML/ W10 HOME64 MAIN/OPT USB BLK/FOOT STAND/	LKN:Q0956P0013FR	949,41	
	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK EU/INT/KB900GRUS/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:Q0956P0013IN	1188,24	
	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK EU/INT/KB900PT/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:Q0956P0014IN	1188,24	
	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK EU/INT/KB900EE/LIC W10 PRO/ W7 PRO64 SEE/RDVD W10 PRO64/	LKN:Q0956P0015IN	1188,24	
	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK EU/INT/KB900US/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	LKN:Q0956P0016IN	1192,94	
	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK EU/INT/KB900B/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	LKN:Q0956P0017IN	1192,94	
	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK EU/INT/KB900CZSK/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	LKN:Q0956P0018IN	1192,94	
	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK EU/INT/KB900FR/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	LKN:Q0956P0019IN	1192,94	



Fujitsu recommande Windows.

ESPRIMO Q556 & Q920 & Q956 Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO Q956 (Suite)					
	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK EU/INT/KB900GRUS/LIC W10 PRO/ W10 PRO64 SEE/RDVD W10 PRO64/	LKN:Q0956P0020IN	1192,94	
	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK I/KB900IT/LIC W10 PRO/W10 PRO64 MAIN/ RDVD W10 PRO64/OPT USB BLK/INT. SPEAKER/	LKN:Q0956P0021IN	1192,94	
	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK NORDICS/KB900NORD/LIC W10 PRO/ W10 PRO64 NEE/RDVD W10 PRO64/	LKN:Q0956P0022IN	1192,94	
	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK EU/INT/KB900PT/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	LKN:Q0956P0023IN	1192,94	
	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK CH/KB900CH/LIC W10 PRO/ W10 PRO64 MAIN/OPT USB BLK/INT. SPEAKER/	LKN:Q0956P0024IN	1190,59	
	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK EU/INT/KB900EE/LIC W10 PRO/ W10 PRO64 SEE/OPT USB BLK/INT. SPEAKER/	LKN:Q0956P0025IN	1190,59	
	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK EU/INT/KB900ES/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	LKN:Q0956P0026IN	1192,94	
	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK EU/INT/KB900TRQ/LIC W10 PRO/ W10 PRO64 SEE/RDVD W10 PRO64/	LKN:Q0956P0027IN	1192,94	



Fujitsu recommande Windows.

ESPRIMO Q556 & Q920 & Q956 Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO Q956 (Suite)					
	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK GB/INT/KB900GB/LIC W10 PRO/ W10 PRO64 MAIN/OPT USB BLK/INT. SPEAKER/	LKN:Q0956P0028IN	1190,59	
	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/	ESP Q956 /CORE I5-6500T/2x4GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK EU/INT/KB900H/LIC W10 PRO/ W10 PRO64 SEE/OPT USB BLK/INT. SPEAKER/	LKN:Q0956P0029IN	1190,59	
	ESP Q956 /CORE I5-6500T/8GB DDR4-2133/	ESP Q956 /CORE I5-6500T/8GB DDR4-2133/ SSD 256GB MAIN/M.2 WLAN+BT/CK EU/INT/ GERMANY STICKER/DUDVD WIN10/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/PALM VEIN/	LKN:Q0956P0030IN	1227,06	
	ESP Q956 /CORE I5-6500T/8GB DDR4-2133/	ESP Q956 /CORE I5-6500T/8GB DDR4-2133/ DVD SM TRAY/SSD PCIE 256GB M.2/ M.2 WLAN+BT/CK ESP Q (D)/ KEYBOARD KB521 DE/LIC W10 PRO/	PRJ:Q0956P0001IN	1277,65	
	ESP Q956/MRE /CORE I5-6500T/	ESP Q956/MRE /CORE I5-6500T/ 4GB DDR4-2133/DVD SM TRAY/ SSD 128GB ENTRY/M.2 WLAN+BT/CK EU/INT/ KB410PS2FR/LIC W10 PRO/W10 PRO64 MAIN/	VFY:Q0956P2MR1FR	1140,00	
	ESP Q956 /CORE I5-6500T/8GB DDR4-2133/	ESP Q956 /CORE I5-6500T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK EU/INT/DUDVD WIN10/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	VFY:Q0956P354BFR	904,71	
	ESP Q956 /CORE I7-6700T/8GB DDR4-2133/	ESP Q956 /CORE I7-6700T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK EU/INT/NERO 2016/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	VFY:Q0956P370PFR	1057,65	
	ESP Q956 /CORE I5-6500T/8GB DDR4-2133/	ESP Q956 /CORE I5-6500T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK EU/INT/DUDVD WIN10/DU DVD WIN7+8/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:Q0956P754BFR	904,71	



Fujitsu recommande Windows.

ESPRIMO Q556 & Q920 & Q956 Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
ESPRIMO Q956 (Suite)					
	ESP Q956 /CORE I7-6700T/8GB DDR4-2133/	ESP Q956 /CORE I7-6700T/8GB DDR4-2133/ DVD SM TRAY/SSD 256GB MAIN/M.2 WLAN+BT/ CK EU/INT/NERO 2014/DUDVD WIN10/ DU DVD WIN7+8/LIC W10 PRO/W7 PRO64 MAIN/	VFY:Q0956P770PFR	1057,65	
	ESP Q956/MRE /CORE I5-6500T/	ESP Q956/MRE /CORE I5-6500T/ 4GB DDR4-2133/SSD 128GB ENTRY/ M.2 WLAN+BT/CK EU/INT/LIC W10 PRO/RDVD W10 PRO64/W10 PRO64 MAIN/	VFY:Q0956PXMRIIN	1107,07	
	ESP Q956/MRE /CORE I5-6500T/	ESP Q956/MRE /CORE I5-6500T/ 4GB DDR4-2133/SSD 128GB ENTRY/CK EU/INT/ LIC W10 PRO/RDVD W10 PRO64/ W10 PRO64 MAIN/DUDVD WIN10/NO MOUSE/	VFY:Q0956PXMRLIN	1088,25	

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
ESPRIMO Q556					
	ESP Q556 / GEZE	CZK:1012V100-GZE04 incl. DVL	CZK:1012V100-GZE04	1452432,81	
	ESP Q556/D / M.2 WLAN+BT / CK ESP Q (D)	Base unit: ; Mainboard type ; Chipset , max. , slots ; ; Graphics: :: ; ; ; Audio: ; LAN: ; Slots: , Drive bays: ; x ; Max. output of single power supply; ; ; Interfaces: N/A, N/A,	CZK:1012V110-JLU04	1452432,81	
	ESPRIMO Q556/D /CZK:1012V110-JLU13	Base unit: ; Mainboard type ; Chipset , max. , slots ; ; Graphics: :: ; ; ; Audio: ; LAN: ; Slots: , Drive bays: ; x ; Max. output of single power supply; ; ; Interfaces: N/A, N/A,	CZK:1012V110-JLU13	1452432,81	



Fujitsu recommande Windows.

ESPRIMO Q556 & Q920 & Q956 Fiches produit : <http://fr.fujitsu.com/esprimo>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
ESPRIMO Q556 (Suite)					
ESPRIMO Q556		<p>ESPRIMO Q556, Base unit including Mainboard type D3403 (proprietary) ; Chipset Intel® H110, , Mémoire: 2 DIMM (DDR4) slots 2133 MHz, max. 32 GB, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same; , Graphics: Intel® HD Graphics 510, Intel® HD Graphics 530; Audio: Realtek ALC671; LAN: 10/100/1,000 MBit/s Realtek RTL8111GN; , Slots: Drive bays: 1x 5.25-inch external bays; 2x Serial ATA III (6 Gbit) NCQ AHCI; , Power supply: 65 W Max. output of single power supply (integrated in system);, DeskView Client, DeskView Instant BIOS Management; , Interfaces: 1x Audio: line-in / microphone, 2x Audio: line-out / headphone, 1x DisplayPort, 1 (DVI-D) x DVI, 4x USB 3.0 total, 2x USB 2.0 total, 2x 3.0 x USB front, 2x 2.0 and 2x 3.0 x USB rear, 1x Kensington Lock support, 1x Ethernet (RJ-45), (PS/2) Clavier (with PC on/off function on Pin6) , 1x Serial (RS-232) 9pin, 16 byte FIFO, 16550 compatible, Integrated WLAN (optional, with Bluetooth together) , Bluetooth (optional, with WLAN together)</p>	S26361-K1012-V100	285,88	
ESPRIMO Q956					
ESP Q956 / CZK:1012V200-BMI25			CZK:1012V200-BMI25	1452432,81	



Fujitsu recommande Windows.

ESPRIMO Q556 & Q920 & Q956 Fiches produit : <http://fr.fujitsu.com/esprimo>

	Modèle Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
ESPRIMO Q956 (Suite)					
	ESPRIMO Q956	<p>ESPRIMO Q956 , Base unit including Mainboard type D3413 (proprietary) Chipset Intel® Q170, Intel® vPro™ Logo with Core i5 and i7 processors, Mémoire: 2 DIMM (DDR4) slots 2133 MHz max. 32 GB, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same ; , Graphics: Intel® HD Graphics 510 Intel® HD Graphics 530; , Audio: Realtek ALC671; LAN: 10/100/1,000 MBit/s Intel® I219LM; , Slots: Drive bays: 1 x 5.25-inch external bays; 2 x Serial ATA III (6 Gbit) NCQ AHCI; , Power supply: Max. output of single power supply 65 W (integrated in system) Max ; , DeskView Client, DeskView Instant BIOS Management; , Interfaces: 1 x Audio: line-in / microphone, 2 x Audio: line-out / headphone, 2 x DisplayPort, 1 (DVI-D) x DVI, 6 x USB 3.0 total, 2 x USB 2.0 total, 2x 3.0 x USB front, 2x 2.0 and 4x 3.0 x USB rear, 1 x USB internal, 1 x Kensington Lock support, 1 x Ethernet (RJ-45), , 1x (PS/2) optional (with PC on/off function on Pin6) for Clavier, 1 x Serial (RS-232) 9pin, 16 byte FIFO, 16550 compatible, Integrated WLAN (optional with Bluetooth together) , Bluetooth (optional with WLAN together)</p>	S26361-K1012-V200	497,65	



Fujitsu recommande Windows.

ESPRIMO Q556 & Q920 & Q956		Fiches produit : http://fr.fujitsu.com/esprimo	
ESPRIMO Q956/MRE	<p>ESPRIMO Q956 , Base unit including Mainboard type D3413 (proprietary) Chipset Intel® Q170, Intel® vPro™ Logo with Core i5 and i7 processors, Mémoire: 2 DIMM (DDR4) slots 2133 MHz max. 32 GB, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same ; , Graphics: Intel® HD Graphics 510 Intel® HD Graphics 530; , Audio: Realtek ALC671; LAN: 10/100/1,000 MBit/s Intel® I219LM; , Slots: Drive bays: 1 x 5.25-inch external bays; 2 x Serial ATA III (6 Gbit) NCQ AHCI; , Power supply: Max. output of single power supply 65 W (integrated in system) Max ; , DeskView Client, DeskView Instant BIOS Management; , Interfaces: 1 x Audio: line-in / microphone, 2 x Audio: line-out / headphone, 2 x DisplayPort, 1 (DVI-D) x DVI, 6 x USB 3.0 total, 2 x USB 2.0 total, 2x 3.0 x USB front, 2x 2.0 and 4x 3.0 x USB rear, 1 x USB internal, 1 x Kensington Lock support, 1 x Ethernet (RJ-45), , 1x (PS/2) optional (with PC on/off function on Pin6) for Clavier, 1 x Serial (RS-232) 9pin, 16 byte FIFO, 16550 compatible, Integrated WLAN (optional with Bluetooth together) , Bluetooth (optional with WLAN together)</p>	S26361-K1012-V220	515,29



Fujitsu recommande Windows.

Accessoires PC ESPRIMO A

Fiches produit : <http://fr.fujitsu.com/esprimo>

Mémoire Modules

Description	ESPRIMO A525-L	Référence	Prix Indicatif (€)	Remarques
Description				
Accessoires (Matrice)				
Mémoire Modules				
4GB DDR3-1600 LV SODIMM	x	S26361-F4600-L3	76,47	
8 GB DDR3-1600 SODIMM	x	S26361-F4600-L4	121,18	
Graphics				
Adaptateur DVI/VGA	x	S26361-F2391-L1	20,00	
Hard Disks				
Disque SSD 128Go High Speed SATA III	x	S26361-F3679-L128	163,53	
Disque dur 320Go 5.4k 2.5"	x	S26361-F3658-L320	100,00	
Disque dur 500Go 5.4k AF SATA II (2.5")	x	S26361-F3658-L500	128,24	
Communication/Réseau				
2nd LAN/PoE module	x	S26361-F3466-L3	45,88	
OS/Application-SW				
DeskUpdate Manager	x	S26361-F4040-L200	1587,06	
Drivers&Utilitaires DVD (W7 + W8) ESPR	x	S26361-F2007-L901	16,47	
Sécurité				
Advanced Face Recognition, Single License	x	S26361-F2727-L760	17,65	
Advanced Face Recognition, Multi License	x	S26361-F2727-L761	17,65	
Workplace Manager - Client License	x	S26361-F2727-L770	30,59	
Lecteur SmartCard CARDOS V4.4. (2 pièces)	x	S26381-F305-L102	47,06	
Lecteur SmartCard CARDOS V4.4. (10 pièces)	x	S26381-F305-L110	215,29	
Divers				
VESA Kit w/o subadapter S720/920	x	S26361-F2601-L520	30,59	
Universal Monitor Stand	x	S26361-F2601-L700	104,71	
SSD Declaration	x	S26361-F3840-L100	1,18	
Câble court DVI/DVI pour kit de montage	x	S26361-F2581-L11	32,94	
Câble adaptateur DisplayPort vers DVI-D	x	S26361-F2391-L200	36,47	
Displays				
Ecran B19-7 LED câble EU	x	S26361-K1471-V140	187,06	
Ecran B22W-7 LED câble EU	x	S26361-K1472-V140	197,65	
DISPLAY B27T-7 LED, EU	x	S26361-K1478-V141	328,24	
Ecran E19-7 LED, câble EU	x	S26361-K1482-V160	151,76	
DISPLAY B23T-7 LED, EU	x	S26361-K1496-V140	230,59	
DISPLAY B24W-7 LED, EU	x	S26361-K1497-V140	268,24	
DISPLAY E20T-7 LED, EU	x	S26361-K1538-V160	135,29	
DISPLAY B20T-7 LED proGREEN, EU	x	S26361-K1542-V160	163,53	
Display L27T-1 LED, EU	x	S26361-K1571-V160	234,12	
Display E24T-7 Pro, EU	x	S26361-K1573-V160	151,76	
DISPLAY B24-8 TE Pro, EU	x	S26361-K1577-V140	198,82	
DISPLAY B24-8 TS Pro, EU	x	S26361-K1577-V160	210,59	
DISPLAY B22T-7 Pro, EU	x	S26361-K1578-V160	187,06	
DISPLAY E22T-7 Pro, EU	x	S26361-K1579-V160	128,24	
Clavier /Souris				
Clavier Pro PX ECO GreenIT (USB&PS/2, Fr)	x	S26381-K341-L140	37,65	
Blue LED Souris (USB)	x	S26381-K438-L100	20,00	
SOURIS M440 ECO noir	x	S26381-K450-L200	17,65	
Notebook Souris M410	x	S26381-K453-L100	10,59	



Fujitsu recommande Windows.

Accessoires PC ESPRIMO A

Fiches produit : <http://fr.fujitsu.com/esprimo>

Description	ESPRIMO A525-L	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)				
Clavier /Souris (Suite)				
Souris Wireless WI610	x	S26381-K460-L100	21,18	
Wireless Notebook Souris WI200	x	S26381-K462-L100	14,12	
Souris MC200	x	S26381-K463-L100	12,94	
Wireless Notebook Souris WI410	x	S26381-K464-L100	16,47	
Wireless Souris Touch WI910	x	S26381-K465-L100	23,53	
MOUSE M520 BLACK	x	S26381-K467-L100	12,94	
MOUSE M520 GREY	x	S26381-K467-L101	12,94	
MOUSE M530 BLACK	x	S26381-K468-L100	15,29	
MOUSE M530 GREY	x	S26381-K468-L101	15,29	
MOUSE M530 BLACK N	x	S26381-K468-L102	15,29	
KB410 USB Black FR	x	S26381-K511-L440	18,82	
Clavier KB521 FR	x	S26381-K521-L140	21,18	
Clavier Pro KB900 Noir (USB, Fr)	x	S26381-K560-L440	22,35	
Wireless KB Souris Set LX390 FR	x	S26381-K590-L440	21,18	
Accessories				
Combination Ultra	x	S26361-F1650-L510	35,29	
MicroSaver DS ultrathin	x	S26361-F1650-L900	47,06	
MiniSaver Mobile Lock	x	S26361-F1650-L910	58,82	
PocketSaver, retractable	x	S26391-F6045-L100	41,18	
A-DATA USB3.0 Flash Stick UE700 32GB	x	S26391-F6048-L332	49,41	
A-DATA USB3.0 Flash Stick UE700 64GB	x	S26391-F6048-L364	72,94	
A-DATA NH13 portable hard drive	x	S26391-F6048-L420	136,47	
DisplayPort to VGA Adapter	x	S26391-F6055-L280	27,06	
UC&C USB Headset Stereo H650e	x	S26391-F7139-L10	74,12	
Communicator Headset	x	S26391-F7139-L51	24,71	



Fujitsu recommande Windows.

Accessoires PC ESPRIMO C Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO C720	ESPRIMO C910-L	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)						
Mémoire						
	Mémoire 4Go DDR3-1600		x	S26361-F3384-L3	64,71	
	Mémoire 8Go DDR3-1600		x	S26361-F3384-L4	121,18	
	Mémoire 4Go DDR3-1600	x		S26361-F3386-L3	64,71	
	Mémoire 8Go DDR3-1600	x		S26361-F3386-L4	121,18	
Graphics						
	NVIDIA GeForce 605 DisplayPort 1Go LP	x	x	S26361-F3000-L605	81,18	
	NVIDIA GeForce GT630 DisplayPort 2Go LP	x	x	S26361-F3000-L631	140,00	
	NVIDIA NVS 315 1GB PCIe x16 LP	x	x	S26361-F2748-L319	116,47	
	Adaptateur DVI/VGA	x	x	S26361-F2391-L1	20,00	
	Câble adaptateur LFH59/ 2x DVI-I	x	x	S26361-F2391-L101	32,94	
	Câble adaptateur LFH59/ 2x DP	x	x	S26361-F2391-L102	35,29	
Supports amovibles						
	Graveur Blu-ray (BD-RW DVD-RW CD-RW) Slim	x	x	S26361-F3716-L100	163,53	
	Graveur DVD SuperMulti (DVD-RW CD-RW) Slim	x	x	S26361-F3429-L510	42,35	
Hard Disks						
	Disque SSD 512Go Premium SATA III	x		S26361-F3682-L512	681,18	
	SSD SATA III 128Go high speed SED	x	x	S26361-F3771-L128	169,41	
	SSHD SATA III 1000Go 7.2k 3.5'	x	x	S26361-F3836-L100	187,06	
	Disque dur 500Go 7.2k SATA III	x	x	S26361-F3660-L500	118,82	
	Disque dur 1000Go 7.2k SATA III	x	x	S26361-F3660-L100	134,12	
	Disque dur 2000Go 7.2k AF SATA III	x	x	S26361-F3660-L200	222,35	
	Mounting frame for 2.5' HDDs/SSDs	x		S26361-F4035-L80	18,82	
	Disque dur 500Go 7.2k SATA II BusinessCritical		x	S26361-F3497-L100	158,82	
Communication/Réseau						
	Carte Gigabit Ethernet (PCIe x1, DS)	x	x	S26361-F3067-L60	32,94	
	Interface Parallèle LP		x	S26361-F2542-L30	12,94	
	Interface Parallèle (Parallel)	x		S26361-F2542-L60	12,94	
	Interface Parallèle FH		x	S26361-F2542-L34	12,94	
	Interface eSATA (SATA)	x	x	S26361-F2542-L40	12,94	
	Interface eSATA (SATA, FH)		x	S26361-F2542-L70	20,00	
	Carte Série Dual Port (PCIe x1)	x	x	S26361-F3316-L6	38,82	
	Carte Série Dual Port (PCIe x1), alimentée		x	S26361-F3316-L7	40,00	
OS/Application-SW						
	Drivers&Utilities DVD (Win10) ESPRIMO DT	x	x	S26361-F2007-L917	16,47	
	DeskUpdate Manager	x	x	S26361-F4040-L200	1587,06	
	Drivers&Utilitaires DVD (XP) ESPRIMO DT		x	S26361-F2007-L910	16,47	
	Drivers&Utilitaires DVD (W7 + W8) ESPR	x	x	S26361-F2007-L901	16,47	
Sécurité						
	SmartCase SCR USB (interne USB)	x	x	S26361-F1260-L521	27,06	
	Advanced Face Recognition, Single License	x	x	S26361-F2727-L760	17,65	
	Advanced Face Recognition, Multi License	x	x	S26361-F2727-L761	17,65	
	Workplace Manager - Client License	x	x	S26361-F2727-L770	30,59	
	SCR Cloud 2700 R	x	x	S26381-F2700-L100	32,94	



Fujitsu recommande Windows.

Accessoires PC ESPRIMO C Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO C720	ESPRIMO C910-L	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)						
Sécurité (Suite)						
	Comfort Sensor CS300	x	x	S26381-F3000-L1	15,29	
	Lecteur SmartCard CARDOS V4.4. (1 pièce)	x	x	S26381-F305-L101	25,88	
	Lecteur SmartCard CARDOS V4.4. (2 pièces)	x	x	S26381-F305-L102	47,06	
	Lecteur SmartCard CARDOS V4.4. (10 pièces)	x	x	S26381-F305-L110	215,29	
	USB SCR 3500	x	x	S26381-F350-L100	28,24	
Divers						
	4 Pieds caoutchouc (Pour position verticale)		x	S26361-F2542-L480	14,12	
	SSD Declaration	x	x	S26361-F3840-L100	1,18	
	Kit Pieds pour position verticale		x	S26361-F2542-L200	16,47	
	Cache baie + cage 3.5", 6 pcs.		x	S26361-F2542-L329	21,18	
	Câble adaptateur DisplayPort vers DVI-D	x	x	S26361-F2391-L200	36,47	
Displays						
	DISPLAY B24-8 TE PRO, CHN		x	BDL:K1577V140-CHN	237,65	
	Ecran B19-7 LED câble EU	x	x	S26361-K1471-V140	187,06	
	Ecran B22W-7 LED câble EU	x	x	S26361-K1472-V140	197,65	
	DISPLAY B27T-7 LED, EU	x	x	S26361-K1478-V141	328,24	
	Ecran E19-7 LED, câble EU	x	x	S26361-K1482-V160	151,76	
	DISPLAY B23T-7 LED, EU	x	x	S26361-K1496-V140	230,59	
	DISPLAY B24W-7 LED, EU	x	x	S26361-K1497-V140	268,24	
	DISPLAY E20T-7 LED, EU	x	x	S26361-K1538-V160	135,29	
	DISPLAY B20T-7 LED proGREEN, EU	x	x	S26361-K1542-V160	163,53	
	Display L27T-1 LED, EU	x	x	S26361-K1571-V160	234,12	
	Display E24T-7 Pro, EU	x	x	S26361-K1573-V160	151,76	
	DISPLAY B24-8 TE Pro, EU	x	x	S26361-K1577-V140	198,82	
	DISPLAY B24-8 TS Pro, EU	x	x	S26361-K1577-V160	210,59	
	DISPLAY B22T-7 Pro, EU	x	x	S26361-K1578-V160	187,06	
	DISPLAY E22T-7 Pro, EU	x	x	S26361-K1579-V160	128,24	
Clavier /Souris						
	Clavier Pro E Ergonomique (USB, Fr)		x	S26381-K261-L740	52,94	
	Clavier Pro PX ECO GreenIT (USB&PS/2, Fr)	x	x	S26381-K341-L140	37,65	
	Blue LED Souris (USB)	x	x	S26381-K438-L100	20,00	
	SOURIS M440 ECO noir	x	x	S26381-K450-L200	17,65	
	Notebook Souris M410	x	x	S26381-K453-L100	10,59	
	Souris Wireless WI610	x	x	S26381-K460-L100	21,18	
	Wireless Notebook Souris WI200	x	x	S26381-K462-L100	14,12	
	Souris MC200	x	x	S26381-K463-L100	12,94	
	Wireless Notebook Souris WI410	x	x	S26381-K464-L100	16,47	
	Wireless Souris Touch WI910	x	x	S26381-K465-L100	23,53	
	MOUSE M520 BLACK	x	x	S26381-K467-L100	12,94	
	MOUSE M520 GREY	x	x	S26381-K467-L101	12,94	
	MOUSE M530 BLACK	x	x	S26381-K468-L100	15,29	
	MOUSE M530 GREY	x	x	S26381-K468-L101	15,29	
	MOUSE M530 BLACK N	x	x	S26381-K468-L102	15,29	



Fujitsu recommande Windows.

Accessoires PC ESPRIMO C Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO C720	ESPRIMO C910-L	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)						
Clavier /Souris (Suite)						
	KB410 USB Black FR	x	x	S26381-K511-L440	18,82	
	KB410 PS2 NOIR FR	x	x	S26381-K515-L440	20,00	
	Clavier KB521 FR	x	x	S26381-K521-L140	21,18	
	KB SCR2 FR	x	x	S26381-K538-L140	40,00	
	KB SCR2 FR black	x	x	S26381-K538-L440	40,00	
	Clavier Pro KB900 Noir (USB, Fr)	x	x	S26381-K560-L440	22,35	
	Wireless KB Souris Set LX901 FR	x	x	S26381-K565-L440	51,76	
	Wireless KB Souris Set LX390 FR	x	x	S26381-K590-L440	21,18	
	Clavier KB500 USB (N) & cordon secteur EU	x	x	S26361-F2542-L276	23,53	
	Clavier KB500 USB (S/FIN) & cordon secteur EU	x	x	S26361-F2542-L278	23,53	
	Clavier KB500 USB (DK) & cordon secteur	x	x	S26361-F2542-L279	23,53	
Câbles						
	Cordon secteur pour connexion écran/PC directe		x	S26361-F2542-L57	15,29	
Accessories						
	MicroSaver slim	x	x	S26361-F1650-L200	45,88	
	Combination Ultra	x	x	S26361-F1650-L510	35,29	
	Câble antivol Kensington Twin (2xClés/2xSlots)	x	x	S26361-F1650-L600	54,12	
	MicroSaver DS ultrathin	x	x	S26361-F1650-L900	47,06	
	MiniSaver Mobile Lock	x	x	S26361-F1650-L910	58,82	
	Câble de charge, Micro-USB B	x	x	S26381-F6007-L900	8,24	
	USB Port Replicator PR7.1	x	x	S26391-F6007-L310	136,47	
	Fujitsu USB 3.0 Port Replicator PR08	x	x	S26391-F6007-L400	158,82	
	USB Port Replicator PR8.1	x	x	S26391-F6007-L410	176,47	
	PocketSaver, retractable	x	x	S26391-F6045-L100	41,18	
	A-DATA USB3.0 Flash Stick UE700 32GB	x	x	S26391-F6048-L332	49,41	
	A-DATA USB3.0 Flash Stick UE700 64GB	x	x	S26391-F6048-L364	72,94	
	A-DATA NH13 portable hard drive	x	x	S26391-F6048-L420	136,47	
	DP1.2 to HDMI2.0 Adapter	x	x	S26391-F6055-L212	40,00	
	DisplayPort vers DisplayPort Cable	x	x	S26391-F6055-L220	24,71	
	DVI-D vers DVI-D Cable	x	x	S26391-F6055-L240	20,00	
	Câble HDMI vers DVI-D	x	x	S26391-F6055-L250	12,94	
	Adaptateur DVI vers VGA	x	x	S26391-F6055-L260	17,65	
	VGA to VGA cable	x	x	S26391-F6055-L261	10,59	
	DisplayPort vers câble DVI (40cm)	x	x	S26391-F6055-L270	27,06	
	DisplayPort to VGA Adapter	x	x	S26391-F6055-L280	27,06	
	USB vers câble adaptateur série	x	x	S26391-F6055-L570	22,35	
	Workplace Connect Gate 2.0	x	x	S26391-F6055-L620	252,94	
	Workplace Connect Kit 1.0	x	x	S26391-F6055-L710	481,18	
	Filtre écran confidentialité 3M 22", 55,9 cm		x	S26391-F6097-L321	141,18	
	Filtre écran confidentialité 3M 24", 61,0 cm		x	S26391-F6097-L322	148,24	
	Fujitsu USB 3.0 HUB 4 Ports	x	x	S26391-F6099-L304	48,24	
	Adaptateur+ USB DVI	x	x	S26391-F6099-L400	58,82	
	USB to UHD DP Adapter	x	x	S26391-F6099-L500	81,18	



Fujitsu recommande Windows.

Accessoires PC ESPRIMO C

Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO C720	ESPRIMO C910-L	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)						
Accessoires (Suite)						
	Enceintes DS E2000 Air (USB)	x	x	S26391-F7128-L600	29,41	
	UC&C USB Headset Stereo H650e	x	x	S26391-F7139-L10	74,12	
	UC&C USB Value Headset	x	x	S26391-F7139-L20	54,12	
	Communicator Headset	x	x	S26391-F7139-L51	24,71	
	VGA Conversion Cable	x	x	S26391-F938-L900	62,35	
Additional Software						
	OPENFT-CR (Unix systems) V12.0		x	U10987-C599	12,94	
	OPENFT-SW-CD (Unix systems) V12.0		x	U10987-C600	31,76	
	OPENFT-1 (Unix systems) V12.0		x	U10987-C601	1189,41	
	OPENFT-FTAM-1 (Unix systems) V12.0		x	U10987-C613	1189,41	
	OPENFT-FTP-1 (Unix systems) V12.0		x	U10987-C625	485,88	
	OPENFT-CR (WINDOWS) V12.0		x	U11081-C399	12,94	
	OPENFT-SW-CD (WINDOWS) V12.0		x	U11081-C400	27,06	
	OPENFT-1 (WINDOWS) V12.0		x	U11081-C401	1189,41	
	OPENFT-FTAM-1 (WINDOWS) V12.0		x	U11081-C411	1189,41	
	OPENFT-FTP-1 (WINDOWS) V12.0		x	U11081-C421	485,88	
	OPENFT-1 (WINDOWS) V11.0		x	U11081-C301	1081,18	
	OPENFT-FTAM-1 (WINDOWS) V11.0		x	U11081-C311	1081,18	
	OPENFT-SW-CD (WINDOWS) V11.0		x	U11081-C300	27,06	
	OPENFT-CR (WINDOWS) V11.0		x	U11081-C299	12,94	
	OPENFT-1 (UNIX systems) V11.0		x	U10987-C501	1081,18	
	OPENFT-FTAM-1 (UNIX systems) V11.0		x	U10987-C513	1081,18	
	OPENFT-SW-CD (UNIX systems) V11.0		x	U10987-C500	31,76	
	OPENFT-CR (UNIX systems) V11.0		x	U10987-C499	12,94	



Fujitsu recommande Windows.

Accessoires PC ESPRIMO D

Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO D556	ESPRIMO D756	ESPRIMO D956	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)							
Mémoire							
	4GB DDR4-2133	x	x	x	S26361-F3392-L3	52,94	
	4GB DDR4-2133 (25 pcs./box)	x	x	x	S26361-F3392-L350	723,53	
	8GB DDR4-2133	x	x	x	S26361-F3392-L4	96,47	
	8GB DDR4-2133 (25 pcs./box)	x	x	x	S26361-F3392-L450	1370,59	
	16GB DDR4-2133	x	x	x	S26361-F3392-L5	212,94	
Graphics							
	NVIDIA GeForce 605 DisplayPort 1Go LP	x	x	x	S26361-F3000-L605	81,18	
	NVIDIA GeForce GTX 745 2GB LP	x	x	x	S26361-F3000-L745	163,53	
	NVIDIA NVS 315 1GB PCIe x16 LP	x	x	x	S26361-F2748-L319	116,47	
	VGA extension card	x	x	x	S26361-F2391-L220	31,76	
	VGA extension card (20 pcs./box)	x	x	x	S26361-F2391-L225	252,94	
	Adaptateur DVI/VGA		x	x	S26361-F2391-L1	20,00	
	Câble adaptateur LFH59/ 2x DVI-I	x	x	x	S26361-F2391-L101	32,94	
	Câble adaptateur LFH59/ 2x DP	x	x	x	S26361-F2391-L102	35,29	
Supports amovibles							
	MultiCard Reader 24in1 USB 2.0 3.5"	x	x	x	S26361-F3077-L50	27,06	
	DVD SuperMulti SATA slim (tray)	x	x	x	S26361-F3927-L110	42,35	
	BD Triple Writer SATA slim (tray)	x	x	x	S26361-F3927-L310	163,53	
Hard Disks							
	SSD SATA III 128GB	x	x	x	S26361-F3912-L128	140,00	
	HDD SATA III 1000GB 7.2k BC	x	x	x	S26361-F3924-L100	210,59	
	Mounting frame for 2x 2.5' HDDs/SSDs	x	x	x	S26361-F4035-L85	22,35	
	SSD SATA III 128GB M.2		x	x	S26361-F3931-L128	161,18	
	SSD SATA III 256GB	x	x	x	S26361-F3915-L256	258,82	
	SSD SATA III 256GB M.2		x	x	S26361-F3931-L256	256,47	
	SSD SATA III 512GB	x	x	x	S26361-F3915-L512	523,53	
	SSD PCIe 128GB M.2 Highend		x	x	S26361-F3932-L128	245,88	
	SSD PCIe 256GB M.2 Highend		x	x	S26361-F3932-L256	341,18	
	SSD PCIe 512GB M.2 Highend		x	x	S26361-F3932-L512	664,71	
	SSHD SATA III 500GB 2.5"	x	x	x	S26361-F3918-L500	151,76	
	SSHD SATA III 1000GB 3.5'	x	x	x	S26361-F3920-L100	187,06	
	HDD SATA III 500GB 7.2k	x	x	x	S26361-F3921-L500	118,82	
	HDD SATA III 1000GB 7.2k	x	x	x	S26361-F3921-L100	134,12	



Fujitsu recommande Windows.

Accessoires PC ESPRIMO D Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO D556	ESPRIMO D756	ESPRIMO D956	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)							
Hard Disks (Suite)							
	HDD SATA III 2000GB 7.2k	x	x	x	S26361-F3921-L200	222,35	
	10x Kit for 2nd 3.5"	x	x	x	S26361-F4035-L22	20,00	
Communication/Réseau							
	Parallel Interface LP		x	x	S26361-F2542-L62	12,94	
	Carte Gigabit Ethernet (PCIe x1, DS)	x	x	x	S26361-F3067-L60	32,94	
	WLAN 802.11ac (2x2) PCIe x1 FH / LP	x	x	x	S26361-F3108-L28	48,24	
	DbI.cte.série PCIe x1	x	x	x	S26361-F3316-L9	38,82	
	2nd Serial port (rear wall)		x	x	S26361-F3317-L2	23,53	
	Interface eSATA (SATA)	x	x	x	S26361-F2542-L40	12,94	
OS/Application-SW							
	Drivers&Utilities DVD (Win10) ESPRIMO DT	x	x	x	S26361-F2007-L917	16,47	
	DeskUpdate Manager	x	x	x	S26361-F4040-L200	1587,06	
	Drivers&Utilitaires DVD (W7 + W8) ESPR	x	x	x	S26361-F2007-L901	16,47	
Sécurité							
	SmartCase SCR USB (interne USB)	x	x	x	S26361-F1260-L521	27,06	
	SmartCard Reader	x	x	x	S26361-F1260-L540	30,59	
	Advanced Face Recognition, Single License	x	x	x	S26361-F2727-L760	17,65	
	Advanced Face Recognition, Multi License	x	x	x	S26361-F2727-L761	17,65	
	Workplace Manager - Client License	x	x	x	S26361-F2727-L770	30,59	
	SCR Cloud 2700 R	x	x	x	S26381-F2700-L100	32,94	
	Comfort Sensor CS300	x	x	x	S26381-F3000-L1	15,29	
	Lecteur SmartCard CARDOS V4.4. (1 pièce)	x	x	x	S26381-F305-L101	25,88	
	Lecteur SmartCard CARDOS V4.4. (2 pièces)	x	x	x	S26381-F305-L102	47,06	
	Lecteur SmartCard CARDOS V4.4. (10 pièces)	x	x	x	S26381-F305-L110	215,29	
	Dual SmartCard Reader D321 (Int.USB)	x	x	x	S26381-F321-L100	48,24	
	USB SCR 3500	x	x	x	S26381-F350-L100	28,24	
Divers							
	Feet for vertical position (2 pcs.)	x	x	x	S26361-F2542-L203	20,00	
	Blanking Plate 5.25' drive bays, 10 pcs.	x	x	x	S26361-F2542-L320	17,65	
	SSD Declaration	x	x	x	S26361-F3840-L100	1,18	
	Câble adaptateur DisplayPort vers DVI-D		x	x	S26361-F2391-L200	36,47	
Displays							
	DISPLAY B24-8 TE PRO, CHN	x	x	x	BDL:K1577V140-CHN	237,65	
	Ecran B19-7 LED câble EU	x	x	x	S26361-K1471-V140	187,06	
	Ecran B22W-7 LED câble EU	x	x	x	S26361-K1472-V140	197,65	
	DISPLAY B27T-7 LED, EU	x	x	x	S26361-K1478-V141	328,24	
	Ecran E19-7 LED, câble EU	x	x	x	S26361-K1482-V160	151,76	
	DISPLAY B23T-7 LED, EU	x	x	x	S26361-K1496-V140	230,59	
	DISPLAY B24W-7 LED, EU	x	x	x	S26361-K1497-V140	268,24	
	DISPLAY P24W-7 LED, EU			x	S26361-K1498-V140	340,00	
	DISPLAY E20T-7 LED, EU	x	x	x	S26361-K1538-V160	135,29	
	DISPLAY B20T-7 LED proGREEN, EU	x	x	x	S26361-K1542-V160	163,53	
	Display L27T-1 LED, EU	x	x	x	S26361-K1571-V160	234,12	



Fujitsu recommande Windows.

Accessoires PC ESPRIMO D Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO D556	ESPRIMO D756	ESPRIMO D956	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)							
Displays (Suite)							
	Display E24T-7 Pro, EU	x	x	x	S26361-K1573-V160	151,76	
	DISPLAY B24-8 TE Pro, EU	x	x		S26361-K1577-V140	198,82	
	DISPLAY B24-8 TS Pro, EU	x	x		S26361-K1577-V160	210,59	
	DISPLAY B22T-7 Pro, EU	x	x		S26361-K1578-V160	187,06	
	DISPLAY E22T-7 Pro, EU	x			S26361-K1579-V160	128,24	
Clavier /Souris							
	Clavier Pro E Ergonomique (USB, Fr)	x	x	x	S26381-K261-L740	52,94	
	KB NUM CALC D	x		x	S26381-K272-L420	23,53	
	Clavier Pro PX ECO GreenIT (USB&PS/2, Fr)	x	x	x	S26381-K341-L140	37,65	
	Blue LED Souris (USB)	x	x	x	S26381-K438-L100	20,00	
	SOURIS M440 ECO noir	x	x	x	S26381-K450-L200	17,65	
	Notebook Souris M410	x	x	x	S26381-K453-L100	10,59	
	Souris Wireless WI610	x	x	x	S26381-K460-L100	21,18	
	Wireless Notebook Souris WI200	x	x	x	S26381-K462-L100	14,12	
	Souris MC200	x	x	x	S26381-K463-L100	12,94	
	Wireless Notebook Souris WI410	x	x	x	S26381-K464-L100	16,47	
	Wireless Souris Touch WI910	x	x	x	S26381-K465-L100	23,53	
	MOUSE M520 BLACK	x	x	x	S26381-K467-L100	12,94	
	MOUSE M520 GREY	x	x	x	S26381-K467-L101	12,94	
	MOUSE M530 BLACK	x	x	x	S26381-K468-L100	15,29	
	MOUSE M530 GREY	x	x	x	S26381-K468-L101	15,29	
	MOUSE M530 BLACK N	x	x	x	S26381-K468-L102	15,29	
	KB410 USB Black FR	x	x	x	S26381-K511-L440	18,82	
	KB410 PS2 NOIR FR	x	x	x	S26381-K515-L440	20,00	
	Clavier KB521 FR	x	x	x	S26381-K521-L140	21,18	
	KB SCR2 FR	x	x	x	S26381-K538-L140	40,00	
	KB SCR2 FR black	x	x	x	S26381-K538-L440	40,00	
	Clavier Pro KB900 Noir (USB, Fr)	x	x	x	S26381-K560-L440	22,35	
	Wireless KB Souris Set LX901 FR	x	x	x	S26381-K565-L440	51,76	
	Wireless KB Souris Set LX390 FR	x	x	x	S26381-K590-L440	21,18	
	Clavier KB500 USB (N) & cordon secteur EU	x	x	x	S26361-F2542-L276	23,53	
	Clavier KB500 USB (S/FIN) & cordon secteur EU	x	x	x	S26361-F2542-L278	23,53	
	Clavier KB500 USB (DK) & cordon secteur	x	x	x	S26361-F2542-L279	23,53	
Câbles							
	Cordon secteur pour connexion écran/PC directe	x	x	x	S26361-F2542-L57	15,29	
Accessories							
	MicroSaver slim	x	x	x	S26361-F1650-L200	45,88	
	Combination Ultra	x	x	x	S26361-F1650-L510	35,29	
	Câble antivol Kensington Twin (2xClés/2xSlots)	x	x	x	S26361-F1650-L600	54,12	
	MicroSaver DS ultrathin	x		x	S26361-F1650-L900	47,06	
	MiniSaver Mobile Lock	x	x	x	S26361-F1650-L910	58,82	
	Câble de charge, Micro-USB B	x	x	x	S26381-F6007-L900	8,24	
	USB Port Replicator PR7.1	x	x	x	S26391-F6007-L310	136,47	



Fujitsu recommande Windows.

Accessoires PC ESPRIMO D

Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO D556	ESPRIMO D756	ESPRIMO D956	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)							
Accessoires (Suite)							
	Fujitsu USB 3.0 Port Replicator PR08	x	x	x	S26391-F6007-L400	158,82	
	USB Port Replicator PR8.1	x	x	x	S26391-F6007-L410	176,47	
	PocketSaver, retractable	x	x	x	S26391-F6045-L100	41,18	
	A-DATA USB3.0 Flash Stick UE700 32GB	x	x	x	S26391-F6048-L332	49,41	
	A-DATA USB3.0 Flash Stick UE700 64GB	x	x	x	S26391-F6048-L364	72,94	
	A-DATA NH13 portable hard drive	x	x	x	S26391-F6048-L420	136,47	
	DP1.2 to HDMI2.0 Adapter	x	x	x	S26391-F6055-L212	40,00	
	DisplayPort to VGA Adapter	x	x	x	S26391-F6055-L280	27,06	
	Filtre écran confidentialité 3M 22", 55,9 cm	x	x	x	S26391-F6097-L321	141,18	
	Filtre écran confidentialité 3M 24", 61,0 cm	x	x	x	S26391-F6097-L322	148,24	
	Fujitsu USB 3.0 HUB 4 Ports	x	x	x	S26391-F6099-L304	48,24	
	Adaptateur+ USB DVI	x	x	x	S26391-F6099-L400	58,82	
	USB to UHD DP Adapter	x	x	x	S26391-F6099-L500	81,18	
	Enceintes DS E2000 Air (USB)	x	x	x	S26391-F7128-L600	29,41	
	Mobile Bluetooth Communication Speaker	x	x	x	S26391-F7128-L700	40,00	
	UC&C USB Headset Stereo H650e	x	x	x	S26391-F7139-L10	74,12	
	UC&C USB Value Headset	x	x	x	S26391-F7139-L20	54,12	
	Communicator Headset	x	x	x	S26391-F7139-L51	24,71	
Additional Software							
	OPENFT-CR (Unix systems) V12.0	x	x	x	U10987-C599	12,94	
	OPENFT-SW-CD (Unix systems) V12.0	x	x	x	U10987-C600	31,76	
	OPENFT-1 (Unix systems) V12.0	x	x	x	U10987-C601	1189,41	
	OPENFT-FTAM-1 (Unix systems) V12.0	x	x	x	U10987-C613	1189,41	
	OPENFT-FTP-1 (Unix systems) V12.0	x	x	x	U10987-C625	485,88	
	OPENFT-CR (WINDOWS) V12.0	x	x	x	U11081-C399	12,94	
	OPENFT-SW-CD (WINDOWS) V12.0	x	x	x	U11081-C400	27,06	
	OPENFT-1 (WINDOWS) V12.0	x	x	x	U11081-C401	1189,41	
	OPENFT-FTAM-1 (WINDOWS) V12.0	x	x	x	U11081-C411	1189,41	
	OPENFT-FTP-1 (WINDOWS) V12.0	x	x	x	U11081-C421	485,88	
	OPENFT-1 (WINDOWS) V11.0	x	x	x	U11081-C301	1081,18	
	OPENFT-FTAM-1 (WINDOWS) V11.0	x	x	x	U11081-C311	1081,18	
	OPENFT-SW-CD (WINDOWS) V11.0	x	x	x	U11081-C300	27,06	
	OPENFT-CR (WINDOWS) V11.0	x	x	x	U11081-C299	12,94	
	OPENFT-1 (UNIX systems) V11.0	x	x	x	U10987-C501	1081,18	
	OPENFT-FTAM-1 (UNIX systems) V11.0	x	x	x	U10987-C513	1081,18	
	OPENFT-SW-CD (UNIX systems) V11.0	x	x	x	U10987-C500	31,76	
	OPENFT-CR (UNIX systems) V11.0	x	x	x	U10987-C499	12,94	



Fujitsu recommande Windows.

Accessoires PC ESPRIMO E Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO E420	ESPRIMO E520	ESPRIMO E720	ESPRIMO E920	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)								
Mémoire								
	Mémoire 2Go DDR3-1600	x				S26361-F3384-L2	43,53	
	Mémoire 4Go DDR3-1600	x				S26361-F3384-L3	64,71	
	Mémoire 8Go DDR3-1600	x				S26361-F3384-L4	121,18	
	Mémoire 4Go DDR3-1600		x	x	x	S26361-F3386-L3	64,71	
	Mémoire 8Go DDR3-1600		x	x	x	S26361-F3386-L4	121,18	
Graphics								
	NVIDIA GeForce 605 DisplayPort 1Go LP	x	x	x	x	S26361-F3000-L605	81,18	
	NVIDIA GeForce GTX 745 2GB LP	x	x	x	x	S26361-F3000-L745	163,53	
	NVIDIA GeForce GT630 DisplayPort 2Go LP	x	x	x	x	S26361-F3000-L631	140,00	
	NVIDIA NVS 315 1GB PCIe x16 LP			x	x	S26361-F2748-L319	116,47	
	DisplayPort extension card		x	x	x	S26361-F2391-L210	35,29	
	Adaptateur DVI/VGA	x	x	x	x	S26361-F2391-L1	20,00	
	Câble adaptateur LFH59/ 2x DVI-I		x	x	x	S26361-F2391-L101	32,94	
	Câble adaptateur LFH59/ 2x DP		x	x	x	S26361-F2391-L102	35,29	
Supports amovibles								
	MultiCard Reader 24in1 USB 2.0 3.5"	x	x	x	x	S26361-F3077-L50	27,06	
	Graveur Blu-ray (BD-RW DVD-RW CD-RW) Slim	x	x	x	x	S26361-F3716-L100	163,53	
	Lecteur DVD SATA (DVD-R CD-RW)	x	x	x	x	S26361-F3418-L510	32,94	
	Graveur DVD SuperMulti SATA	x	x	x	x	S26361-F3420-L510	42,35	
Hard Disks								
	Disque SSD 512Go Premium SATA III			x	x	S26361-F3682-L512	681,18	
	SSD SATA III 128Go high speed SED	x	x	x	x	S26361-F3771-L128	169,41	
	SSHD SATA III 1000Go 7.2k 3.5'	x	x	x	x	S26361-F3836-L100	187,06	
	Disque dur 500Go 7.2k SATA III	x	x	x	x	S26361-F3660-L500	118,82	
	Disque dur 1000Go 7.2k SATA III	x	x	x	x	S26361-F3660-L100	134,12	
	Disque dur 2000Go 7.2k AF SATA III	x	x	x	x	S26361-F3660-L200	222,35	
	Mounting frame for 2.5' HDDs/SSDs	x	x	x	x	S26361-F4035-L80	18,82	
	Disque dur 500Go 7.2k SATA II BusinessCritical			x	x	S26361-F3497-L100	158,82	
Communication/Réseau								
	Carte Gigabit Ethernet (PCIe x1, DS)	x	x	x	x	S26361-F3067-L60	32,94	
	Interface Parallèle LP		x	x	x	S26361-F2542-L30	12,94	
	Interface eSATA (SATA)		x	x	x	S26361-F2542-L40	12,94	
	Carte Série Dual Port (PCIe x1)	x	x	x	x	S26361-F3316-L6	38,82	
OS/Application-SW								
	Drivers&Utilities DVD (Win10) ESPRIMO DT	x	x	x	x	S26361-F2007-L917	16,47	
	DeskUpdate Manager	x	x	x	x	S26361-F4040-L200	1587,06	
	Drivers&Utilitaires DVD (W7 + W8) ESPR	x	x	x	x	S26361-F2007-L901	16,47	
Sécurité								
	SmartCase SCR USB (interne USB)	x	x	x	x	S26361-F1260-L521	27,06	
	Advanced Face Recognition, Single License		x	x	x	S26361-F2727-L760	17,65	
	Advanced Face Recognition, Multi License		x	x	x	S26361-F2727-L761	17,65	
	Workplace Manager - Client License		x	x	x	S26361-F2727-L770	30,59	
	SCR Cloud 2700 R	x	x	x	x	S26381-F2700-L100	32,94	
	Comfort Sensor CS300	x	x	x	x	S26381-F3000-L1	15,29	
	Lecteur SmartCard CARDOS V4.4. (2 pièces)	x	x	x	x	S26381-F305-L102	47,06	
	Lecteur SmartCard CARDOS V4.4. (10 pièces)	x	x	x	x	S26381-F305-L110	215,29	
	Dual SmartCard Reader D321 (Int.USB)			x	x	S26381-F321-L100	48,24	
	USB SCR 3500	x	x	x	x	S26381-F350-L100	28,24	
Divers								



Fujitsu recommande Windows.

Accessoires PC ESPRIMO E Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO E420	ESPRIMO E520	ESPRIMO E720	ESPRIMO E920	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)								
Divers (Suite)								
	4 Pieds caoutchouc (Pour position verticale)	x	x	x	x	S26361-F2542-L480	14,12	
	SSD Declaration	x	x	x	x	S26361-F3840-L100	1,18	
	Kit Pieds pour position verticale	x	x	x	x	S26361-F2542-L200	16,47	
	Cache baie 5.25", 10 pcs.	x	x			S26361-F2542-L326	17,65	
	Cache baie 3.5", 10 pcs.	x	x			S26361-F2542-L327	17,65	
	Cache baie + cage 3.5", 6 pcs.	x	x	x	x	S26361-F2542-L329	21,18	
	Câble adaptateur DisplayPort vers DVI-D	x	x	x	x	S26361-F2391-L200	36,47	
Displays								
	DISPLAY B24-8 TE PRO, CHN	x	x	x	x	BDL:K1577V140-CHN	237,65	
	Ecran B19-7 LED câble EU	x	x	x	x	S26361-K1471-V140	187,06	
	Ecran B22W-7 LED câble EU	x	x	x	x	S26361-K1472-V140	197,65	
	DISPLAY B27T-7 LED, EU	x	x	x	x	S26361-K1478-V141	328,24	
	Ecran E19-7 LED, câble EU	x	x	x	x	S26361-K1482-V160	151,76	
	DISPLAY B23T-7 LED, EU	x	x	x	x	S26361-K1496-V140	230,59	
	DISPLAY B24W-7 LED, EU	x	x	x	x	S26361-K1497-V140	268,24	
	DISPLAY P24W-7 LED, EU				x	S26361-K1498-V140	340,00	
	DISPLAY E20T-7 LED, EU	x	x	x	x	S26361-K1538-V160	135,29	
	DISPLAY B20T-7 LED proGREEN, EU	x	x	x	x	S26361-K1542-V160	163,53	
	Display L27T-1 LED, EU	x	x	x	x	S26361-K1571-V160	234,12	
	Display E24T-7 Pro, EU	x	x	x	x	S26361-K1573-V160	151,76	
	DISPLAY B24-8 TE Pro, EU	x	x	x	x	S26361-K1577-V140	198,82	
	DISPLAY B24-8 TS Pro, EU	x	x	x	x	S26361-K1577-V160	210,59	
	DISPLAY B22T-7 Pro, EU	x	x	x	x	S26361-K1578-V160	187,06	
	DISPLAY E22T-7 Pro, EU	x	x	x	x	S26361-K1579-V160	128,24	
Clavier /Souris								
	Clavier Pro E Ergonomique (USB, Fr)		x	x	x	S26381-K261-L740	52,94	
	KB NUM CALC D	x	x		x	S26381-K272-L420	23,53	
	Clavier Pro PX ECO GreenIT (USB&PS/2, Fr)	x	x	x	x	S26381-K341-L140	37,65	
	Blue LED Souris (USB)	x	x	x	x	S26381-K438-L100	20,00	
	SOURIS M440 ECO noir	x	x	x	x	S26381-K450-L200	17,65	
	Notebook Souris M410	x	x	x	x	S26381-K453-L100	10,59	
	Souris Wireless WI610	x	x	x	x	S26381-K460-L100	21,18	
	Wireless Notebook Souris WI200	x	x	x	x	S26381-K462-L100	14,12	
	Souris MC200	x	x	x	x	S26381-K463-L100	12,94	
	Wireless Notebook Souris WI410	x	x	x	x	S26381-K464-L100	16,47	
	Wireless Souris Touch WI910	x	x	x	x	S26381-K465-L100	23,53	
	MOUSE M520 BLACK	x	x	x	x	S26381-K467-L100	12,94	
	MOUSE M520 GREY	x	x	x	x	S26381-K467-L101	12,94	
	MOUSE M530 BLACK	x	x	x	x	S26381-K468-L100	15,29	
	MOUSE M530 GREY	x	x	x	x	S26381-K468-L101	15,29	
	MOUSE M530 BLACK N	x	x	x	x	S26381-K468-L102	15,29	
	KB410 USB Black FR		x	x	x	S26381-K511-L440	18,82	
	KB410 PS2 NOIR FR	x	x	x	x	S26381-K515-L440	20,00	
	Clavier KB521 FR	x	x	x	x	S26381-K521-L140	21,18	
	KB SCR2 FR	x	x	x	x	S26381-K538-L140	40,00	
	KB SCR2 FR black	x	x	x	x	S26381-K538-L440	40,00	
	Clavier Pro KB900 Noir (USB, Fr)	x	x	x	x	S26381-K560-L440	22,35	
	Wireless KB Souris Set LX901 FR	x	x	x	x	S26381-K565-L440	51,76	
	Wireless KB Souris Set LX390 FR	x	x	x	x	S26381-K590-L440	21,18	



Fujitsu recommande Windows.

Accessoires PC ESPRIMO E Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO E420	ESPRIMO E520	ESPRIMO E720	ESPRIMO E920	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)								
Clavier /Souris (Suite)								
	Clavier KB500 USB (N) & cordon secteur EU	x	x	x	x	S26361-F2542-L276	23,53	
	Clavier KB500 USB (S/FIN) & cordon secteur EU	x	x	x	x	S26361-F2542-L278	23,53	
	Clavier KB500 USB (DK) & cordon secteur	x	x	x	x	S26361-F2542-L279	23,53	
Câbles								
	Cordon secteur pour connexion écran/PC directe			x	x	S26361-F2542-L57	15,29	
Accessories								
	MicroSaver slim	x	x	x	x	S26361-F1650-L200	45,88	
	Combination Ultra	x	x	x	x	S26361-F1650-L510	35,29	
	Câble antivol Kensington Twin (2xClés/2xSlots)	x	x	x	x	S26361-F1650-L600	54,12	
	MicroSaver DS ultrathin	x	x		x	S26361-F1650-L900	47,06	
	MiniSaver Mobile Lock	x	x	x	x	S26361-F1650-L910	58,82	
	Câble de charge, Micro-USB B	x	x	x	x	S26381-F6007-L900	8,24	
	USB Port Replicator PR7.1	x	x	x	x	S26391-F6007-L310	136,47	
	Fujitsu USB 3.0 Port Replicator PR08	x	x	x	x	S26391-F6007-L400	158,82	
	USB Port Replicator PR8.1	x	x	x	x	S26391-F6007-L410	176,47	
	PocketSaver, retractable	x	x	x	x	S26391-F6045-L100	41,18	
	A-DATA USB3.0 Flash Stick UE700 32GB	x	x	x	x	S26391-F6048-L332	49,41	
	A-DATA USB3.0 Flash Stick UE700 64GB	x	x	x	x	S26391-F6048-L364	72,94	
	A-DATA NH13 portable hard drive	x	x	x	x	S26391-F6048-L420	136,47	
	DP1.2 to HDMI2.0 Adapter		x	x	x	S26391-F6055-L212	40,00	
	DisplayPort to VGA Adapter		x	x	x	S26391-F6055-L280	27,06	
	Workplace Connect Gate 2.0	x	x	x	x	S26391-F6055-L620	252,94	
	Workplace Connect Kit 1.0	x	x	x	x	S26391-F6055-L710	481,18	
	Filtre écran confidentialité 3M 22", 55,9 cm	x	x	x	x	S26391-F6097-L321	141,18	
	Filtre écran confidentialité 3M 24", 61,0 cm	x	x	x	x	S26391-F6097-L322	148,24	
	Fujitsu USB 3.0 HUB 4 Ports	x	x	x	x	S26391-F6099-L304	48,24	
	Adaptateur+ USB DVI	x	x	x	x	S26391-F6099-L400	58,82	
	USB to UHD DP Adapter	x	x	x	x	S26391-F6099-L500	81,18	
	Enceintes DS E2000 Air (USB)	x	x	x	x	S26391-F7128-L600	29,41	
	Mobile Bluetooth Communication Speaker	x	x	x	x	S26391-F7128-L700	40,00	
	UC&C USB Headset Stereo H650e	x	x	x	x	S26391-F7139-L10	74,12	
	UC&C USB Value Headset	x	x	x	x	S26391-F7139-L20	54,12	
	Communicator Headset	x	x	x	x	S26391-F7139-L51	24,71	
Additional Software								
	OPENFT-CR (Unix systems) V12.0	x	x	x	x	U10987-C599	12,94	
	OPENFT-SW-CD (Unix systems) V12.0	x	x	x	x	U10987-C600	31,76	
	OPENFT-1 (Unix systems) V12.0	x	x	x	x	U10987-C601	1189,41	
	OPENFT-FTAM-1 (Unix systems) V12.0	x	x	x	x	U10987-C613	1189,41	
	OPENFT-FTP-1 (Unix systems) V12.0	x	x	x	x	U10987-C625	485,88	
	OPENFT-CR (WINDOWS) V12.0	x	x	x	x	U11081-C399	12,94	
	OPENFT-SW-CD (WINDOWS) V12.0	x	x	x	x	U11081-C400	27,06	
	OPENFT-1 (WINDOWS) V12.0	x	x	x	x	U11081-C401	1189,41	
	OPENFT-FTAM-1 (WINDOWS) V12.0	x	x	x	x	U11081-C411	1189,41	
	OPENFT-FTP-1 (WINDOWS) V12.0	x	x	x	x	U11081-C421	485,88	
	OPENFT-1 (WINDOWS) V11.0	x	x	x	x	U11081-C301	1081,18	
	OPENFT-FTAM-1 (WINDOWS) V11.0	x	x	x	x	U11081-C311	1081,18	
	OPENFT-SW-CD (WINDOWS) V11.0	x	x	x	x	U11081-C300	27,06	
	OPENFT-CR (WINDOWS) V11.0	x	x	x	x	U11081-C299	12,94	
	OPENFT-1 (UNIX systems) V11.0	x	x	x	x	U10987-C501	1081,18	



Fujitsu recommande Windows.

Accessoires PC ESPRIMO E Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO E420	ESPRIMO E520	ESPRIMO E720	ESPRIMO E920	Référence	Prix Indicatif (€)	Remarques
-----------	-------------	--------------	--------------	--------------	--------------	-----------	--------------------	-----------

Accessoires (Matrice)

Additional Software (Suite)

OPENFT-FTAM-1 (UNIX systems) V11.0	x	x	x	x	U10987-C513	1081,18	
OPENFT-SW-CD (UNIX systems) V11.0	x	x	x	x	U10987-C500	31,76	
OPENFT-CR (UNIX systems) V11.0	x	x	x	x	U10987-C499	12,94	



Fujitsu recommande Windows.

Accessoires PC ESPRIMO P

Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO P420	ESPRIMO P520	ESPRIMO P556	ESPRIMO P720	ESPRIMO P756	ESPRIMO P920	ESPRIMO P956	ESPRIMO PH556	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)												
Mémoire												
	4GB DDR4-2133			x		x		x	x	S26361-F3392-L3	52,94	
	4GB DDR4-2133 (25 pcs./box)			x		x		x		S26361-F3392-L350	723,53	
	8GB DDR4-2133			x		x		x	x	S26361-F3392-L4	96,47	
	8GB DDR4-2133 (25 pcs./box)			x		x		x		S26361-F3392-L450	1370,59	
	16GB DDR4-2133			x		x		x	x	S26361-F3392-L5	212,94	
	Mémoire 2Go DDR3-1600	x								S26361-F3384-L2	43,53	
	Mémoire 4Go DDR3-1600	x								S26361-F3384-L3	64,71	
	Mémoire 8Go DDR3-1600	x								S26361-F3384-L4	121,18	
	Mémoire 4Go DDR3-1600		x		x		x			S26361-F3386-L3	64,71	
	Mémoire 8Go DDR3-1600		x		x		x			S26361-F3386-L4	121,18	
Graphics												
	ATI Radeon R9 255 2Go FH	x	x	x	x	x	x	x	x	S26361-F3535-L925	175,29	
	NVIDIA GeForce 605 DisplayPort 1Go FH	x	x	x	x	x	x	x	x	S26361-F3000-L607	81,18	
	NVIDIA GeForce GTX 745 2GB FH	x	x	x	x	x	x	x	x	S26361-F3000-L747	163,53	
	NVIDIA GeForce GT630 DisplayPort 2Go FH	x	x		x		x			S26361-F3000-L633	140,00	
	NVIDIA NVS 315 1GB PCIe x16	x	x	x	x	x	x	x	x	S26361-F2748-L316	116,47	
	DisplayPort extension card		x		x		x			S26361-F2391-L210	35,29	
	VGA extension card					x			x	S26361-F2391-L220	31,76	
	VGA extension card			x						S26361-F2391-L222	30,59	
	VGA extension card (20 pcs./box)					x			x	S26361-F2391-L221	258,82	
	VGA extension card (20 pcs./box)			x						S26361-F2391-L223	235,29	
	Adaptateur DVI/VGA		x	x	x	x	x	x	x	S26361-F2391-L1	20,00	
	Câble adaptateur LFH59/ 2x DVI-I		x	x	x	x	x	x	x	S26361-F2391-L101	32,94	
	Câble adaptateur LFH59/ 2x DP		x	x	x	x	x	x	x	S26361-F2391-L102	35,29	
Supports amovibles												
	MultiCard Reader 24in1 USB 2.0 3.5"	x	x	x	x	x	x	x	x	S26361-F3077-L50	27,06	
	Graveur Blu-ray (BD-RW DVD-RW CD-RW) Slim	x	x	x	x	x	x	x	x	S26361-F3716-L100	163,53	
	Lecteur DVD SATA (DVD-R CD-RW)	x	x	x	x	x	x	x	x	S26361-F3418-L510	32,94	
	Graveur DVD SuperMulti SATA	x	x	x	x	x	x	x	x	S26361-F3420-L510	42,35	
Hard Disks												
	SSD SATA III 128GB			x		x		x		S26361-F3912-L128	140,00	
	HDD SATA III 1000GB 7.2k BC			x		x		x	x	S26361-F3924-L100	210,59	
	Disque SSD 256Go High Speed SATA III				x		x			S26361-F3681-L256	258,82	
	Disque SSD 512Go Premium SATA III				x		x			S26361-F3682-L512	681,18	
	SSD SATA III 128Go high speed SED	x	x							S26361-F3771-L128	169,41	
	SSD SATA III 128Go SED				x		x			S26361-F3772-L128	169,41	
	SSHD SATA III 1000Go 7.2k 3.5'	x	x		x		x			S26361-F3836-L100	187,06	
	Disque dur 500Go 7.2k SATA III	x	x		x		x			S26361-F3660-L500	118,82	
	Disque dur 1000Go 7.2k SATA III	x	x		x		x			S26361-F3660-L100	134,12	
	Disque dur 2000Go 7.2k AF SATA III	x	x		x		x			S26361-F3660-L200	222,35	
	SSD SATA III 128GB M.2					x		x		S26361-F3931-L128	161,18	
	Kit de montage pour disque 2.5" SSD				x		x			S26361-F3706-L100	17,65	
	Kit de montage pour second DD 3.5'				x		x			S26361-F4035-L10	20,00	
	Mounting frame for 2.5" HDDs/SSDs	x	x		x		x			S26361-F4035-L80	18,82	
	SSD SATA III 256GB			x		x		x		S26361-F3915-L256	258,82	
	SSD SATA III 256GB M.2					x		x		S26361-F3931-L256	256,47	
	Disque dur 500Go 7.2k SATA II BusinessCritical				x		x			S26361-F3497-L100	158,82	
	SSD SATA III 512GB			x		x		x		S26361-F3915-L512	523,53	
	SSD PCIe 128GB M.2 Highend					x		x		S26361-F3932-L128	245,88	
	SSD PCIe 256GB M.2 Highend					x		x		S26361-F3932-L256	341,18	
	SSD PCIe 512GB M.2 Highend					x		x		S26361-F3932-L512	664,71	
	SSHD SATA III 500GB 2.5"			x		x		x		S26361-F3918-L500	151,76	
	SSHD SATA III 1000GB 3.5'			x		x		x		S26361-F3920-L100	187,06	
	HDD SATA III 500GB 7.2k			x		x		x		S26361-F3921-L500	118,82	
	HDD SATA III 1000GB 7.2k			x		x		x		S26361-F3921-L100	134,12	



Fujitsu recommande Windows.

Accessoires PC ESPRIMO P Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO P420	ESPRIMO P520	ESPRIMO P556	ESPRIMO P720	ESPRIMO P756	ESPRIMO P920	ESPRIMO P956	ESPRIMO PH556	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)												
Hard Disks (Suite)												
	HDD SATA III 2000GB 7.2k			x		x		x		S26361-F3921-L200	222,35	
	10x Kit for 2nd 3.5' and 2.5' drive		x							S26361-F4035-L20	20,00	
	10x Kit for 2nd 3.5' drive					x		x		S26361-F4035-L21	40,00	
	10x Kit for 2.5' drive in 2.5' bay					x		x		S26361-F4035-L30	40,00	
	10x Kit for 2.5' drive in 3.5' bay					x		x		S26361-F4035-L31	62,35	
Communication/Réseau												
	Carte Gigabit Ethernet (PCIe x1, DS)	x	x	x	x	x	x	x	x	S26361-F3067-L60	32,94	
	WLAN 802.11ac (2x2) PCIe x1 FH / LP			x		x		x		S26361-F3108-L28	48,24	
	Dbl.cte.série PCIe x1			x		x		x	x	S26361-F3316-L9	38,82	
	Interface Parallèle FH		x		x	x	x	x		S26361-F2542-L34	12,94	
	Interface eSATA (SATA, FH)		x	x	x	x	x	x	x	S26361-F2542-L70	20,00	
	Carte Série Dual Port (PCIe x1)	x	x		x		x			S26361-F3316-L6	38,82	
OS/Application-SW												
	Drivers&Utilities DVD (Win10) ESPRIMO DT	x	x		x		x	x	x	S26361-F2007-L917	16,47	
	DeskUpdate Manager	x	x	x	x	x	x	x	x	S26361-F4040-L200	1587,06	
	Drivers&Utilitaires DVD (W7 + W8) ESPR	x	x	x	x	x	x	x	x	S26361-F2007-L901	16,47	
Sécurité												
	SmartCase SCR USB (interne USB)	x	x	x	x	x	x	x	x	S26361-F1260-L521	27,06	
	SmartCard Reader			x		x		x		S26361-F1260-L540	30,59	
	Advanced Face Recognition, Single License		x	x	x	x	x	x	x	S26361-F2727-L760	17,65	
	Advanced Face Recognition, Multi License		x	x	x	x	x	x	x	S26361-F2727-L761	17,65	
	Workplace Manager - Client License		x	x	x	x	x	x	x	S26361-F2727-L770	30,59	
	SCR Cloud 2700 R	x	x	x	x	x	x	x	x	S26381-F2700-L100	32,94	
	Comfort Sensor CS300	x	x	x	x	x	x	x	x	S26381-F3000-L1	15,29	
	Lecteur SmartCard CARDOS V4.4. (1 pièce)			x		x		x		S26381-F305-L101	25,88	
	Lecteur SmartCard CARDOS V4.4. (2 pièces)	x	x	x	x	x	x	x	x	S26381-F305-L102	47,06	
	Lecteur SmartCard CARDOS V4.4. (10 pièces)	x	x	x	x	x	x	x	x	S26381-F305-L110	215,29	
	Dual SmartCard Reader D321 (Int.USB)		x	x	x	x	x	x	x	S26381-F321-L100	48,24	
	USB SCR 3500	x	x	x	x	x	x	x	x	S26381-F350-L100	28,24	
Divers												
	SSD Declaration	x	x	x	x	x	x	x	x	S26361-F3840-L100	1,18	
	Cache baie 5.25", 10 pcs.	x	x	x	x	x	x	x	x	S26361-F2542-L326	17,65	
	Cache baie 3.5", 10 pcs.	x	x	x	x	x	x	x	x	S26361-F2542-L327	17,65	
	Câble adaptateur DisplayPort vers DVI-D		x	x	x	x	x	x	x	S26361-F2391-L200	36,47	
Displays												
	DISPLAY B24-8 TE PRO, CHN	x	x	x	x	x	x	x	x	BDL:K1577V140-CHN	237,65	
	Ecran B19-7 LED câble EU	x	x	x	x	x	x	x	x	S26361-K1471-V140	187,06	
	Ecran B22W-7 LED câble EU	x	x	x	x	x	x	x	x	S26361-K1472-V140	197,65	
	DISPLAY B27T-7 LED, EU	x	x	x	x	x	x	x	x	S26361-K1478-V141	328,24	
	Ecran E19-7 LED, câble EU	x	x	x	x	x	x	x	x	S26361-K1482-V160	151,76	
	DISPLAY B23T-7 LED, EU	x	x	x	x	x	x	x	x	S26361-K1496-V140	230,59	
	DISPLAY B24W-7 LED, EU	x	x	x	x	x	x	x	x	S26361-K1497-V140	268,24	
	DISPLAY P24W-7 LED, EU						x	x		S26361-K1498-V140	340,00	
	DISPLAY E20T-7 LED, EU	x	x	x	x	x	x	x	x	S26361-K1538-V160	135,29	
	DISPLAY B20T-7 LED proGREEN, EU	x	x	x	x	x	x	x	x	S26361-K1542-V160	163,53	
	Display L27T-1 LED, EU	x	x	x	x	x	x	x	x	S26361-K1571-V160	234,12	
	Display E24T-7 Pro, EU	x	x	x	x	x	x	x	x	S26361-K1573-V160	151,76	
	DISPLAY B24-8 TE Pro, EU	x	x	x	x	x				S26361-K1577-V140	198,82	
	DISPLAY B24-8 TS Pro, EU	x	x	x	x	x				S26361-K1577-V160	210,59	
	DISPLAY B22T-7 Pro, EU	x	x	x	x	x				S26361-K1578-V160	187,06	
	DISPLAY E22T-7 Pro, EU	x	x	x	x		x		x	S26361-K1579-V160	128,24	
Clavier /Souris												
	Clavier Pro E Ergonomique (USB, Fr)		x	x	x	x	x	x	x	S26381-K261-L740	52,94	
	KB NUM CALC D		x	x			x	x	x	S26381-K272-L420	23,53	
	Clavier Pro PX ECO GreenIT (USB&PS/2, Fr)	x	x	x	x	x	x	x	x	S26381-K341-L140	37,65	



Fujitsu recommande Windows.

Accessoires PC ESPRIMO P Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO P420	ESPRIMO P520	ESPRIMO P556	ESPRIMO P720	ESPRIMO P756	ESPRIMO P920	ESPRIMO P956	ESPRIMO PH556	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)												
Clavier /Souris (Suite)												
	Blue LED Souris (USB)	x	x	x	x	x	x	x	x	S26381-K438-L100	20,00	
	SOURIS M440 ECO noir	x	x	x	x	x	x	x	x	S26381-K450-L200	17,65	
	Notebook Souris M410	x	x	x	x	x	x	x	x	S26381-K453-L100	10,59	
	Souris Wireless WI610	x	x	x	x	x	x	x	x	S26381-K460-L100	21,18	
	Wireless Notebook Souris WI200	x	x	x	x	x	x	x	x	S26381-K462-L100	14,12	
	Souris MC200	x	x	x	x	x	x	x	x	S26381-K463-L100	12,94	
	Wireless Notebook Souris WI410	x	x	x	x	x	x	x		S26381-K464-L100	16,47	
	Wireless Souris Touch WI910	x	x	x	x	x	x	x	x	S26381-K465-L100	23,53	
	MOUSE M520 BLACK	x	x	x	x	x	x	x	x	S26381-K467-L100	12,94	
	MOUSE M520 GREY	x	x	x	x	x	x	x	x	S26381-K467-L101	12,94	
	MOUSE M530 BLACK	x	x	x	x	x	x	x		S26381-K468-L100	15,29	
	MOUSE M530 GREY	x	x	x	x	x	x	x	x	S26381-K468-L101	15,29	
	MOUSE M530 BLACK N	x	x	x	x	x	x	x		S26381-K468-L102	15,29	
	KB410 USB Black FR		x	x	x	x	x	x	x	S26381-K511-L440	18,82	
	KB410 PS2 NOIR FR	x	x	x	x	x	x	x	x	S26381-K515-L440	20,00	
	Clavier KB521 FR	x	x	x	x	x	x	x	x	S26381-K521-L140	21,18	
	KB SCR2 FR		x	x	x	x	x	x	x	S26381-K538-L140	40,00	
	KB SCR2 FR black	x	x	x	x	x	x	x	x	S26381-K538-L440	40,00	
	Clavier Pro KB900 Noir (USB, Fr)	x	x	x	x	x	x	x	x	S26381-K560-L440	22,35	
	Wireless KB Souris Set LX901 FR	x	x	x	x	x	x	x	x	S26381-K565-L440	51,76	
	Wireless KB Souris Set LX390 FR	x	x	x	x	x	x	x	x	S26381-K590-L440	21,18	
	Clavier KB500 USB (N) & cordon secteur EU	x	x	x	x	x	x	x	x	S26361-F2542-L276	23,53	
	Clavier KB500 USB (S/FIN) & cordon secteur EU	x	x	x	x	x	x	x	x	S26361-F2542-L278	23,53	
	Clavier KB500 USB (DK) & cordon secteur	x	x	x	x	x	x	x	x	S26361-F2542-L279	23,53	
Câbles												
	Cordon secteur pour connexion écran/PC directe				x	x	x	x		S26361-F2542-L57	15,29	
	Câble pour 2x USB				x	x	x	x		S26361-F2581-L10	22,35	
Accessories												
	MicroSaver slim	x	x	x	x	x	x	x	x	S26361-F1650-L200	45,88	
	Combination Ultra	x	x	x	x	x	x	x	x	S26361-F1650-L510	35,29	
	Câble antivolt Kensington Twin (2xClés/2xSlots)	x	x	x	x	x	x	x	x	S26361-F1650-L600	54,12	
	MicroSaver DS ultrathin	x	x	x	x	x	x	x	x	S26361-F1650-L900	47,06	
	MiniSaver Mobile Lock	x	x	x	x	x	x	x	x	S26361-F1650-L910	58,82	
	Câble de charge, Micro-USB B	x	x	x	x	x	x	x	x	S26381-F6007-L900	8,24	
	USB Port Replicator PR7.1	x	x	x	x	x	x	x	x	S26391-F6007-L310	136,47	
	Fujitsu USB 3.0 Port Replicator PR08	x	x	x	x	x	x	x	x	S26391-F6007-L400	158,82	
	USB Port Replicator PR8.1	x	x	x	x	x	x	x	x	S26391-F6007-L410	176,47	
	PocketSaver, retractable	x	x	x	x	x	x	x	x	S26391-F6045-L100	41,18	
	A-DATA USB3.0 Flash Stick UE700 32GB	x	x	x	x	x	x	x	x	S26391-F6048-L332	49,41	
	A-DATA USB3.0 Flash Stick UE700 64GB	x	x	x	x	x	x	x	x	S26391-F6048-L364	72,94	
	A-DATA NH13 portable hard drive	x	x	x	x	x	x	x	x	S26391-F6048-L420	136,47	
	DP1.2 to HDMI2.0 Adapter		x	x	x	x	x	x	x	S26391-F6055-L212	40,00	
	DisplayPort to VGA Adapter		x	x	x	x	x	x	x	S26391-F6055-L280	27,06	
	Workplace Connect Gate 2.0	x	x		x		x			S26391-F6055-L620	252,94	
	Workplace Connect Kit 1.0	x	x		x		x			S26391-F6055-L710	481,18	
	Filtre écran confidentialité 3M 22", 55,9 cm	x	x	x	x	x	x	x	x	S26391-F6097-L321	141,18	
	Filtre écran confidentialité 3M 24", 61,0 cm	x		x	x	x	x			S26391-F6097-L322	148,24	
	Fujitsu USB 3.0 HUB 4 Ports	x	x	x	x	x	x	x	x	S26391-F6099-L304	48,24	
	Adaptateur+ USB DVI	x	x	x	x	x	x	x	x	S26391-F6099-L400	58,82	
	USB to UHD DP Adapter	x	x	x	x	x	x	x	x	S26391-F6099-L500	81,18	
	Enceintes DS E2000 Air (USB)	x	x	x	x	x	x	x	x	S26391-F7128-L600	29,41	
	Mobile Bluetooth Communication Speaker	x	x	x	x	x	x	x	x	S26391-F7128-L700	40,00	
	UC&C USB Headset Stereo H650e	x	x	x	x	x	x	x	x	S26391-F7139-L10	74,12	
	UC&C USB Value Headset	x	x	x	x	x	x	x	x	S26391-F7139-L20	54,12	
	Communicator Headset	x	x	x	x	x	x			S26391-F7139-L51	24,71	



Fujitsu recommande Windows.

Accessoires PC ESPRIMO P Fiches produit : <http://fr.fujitsu.com/esprimo>

		ESPRIMO P420	ESPRIMO P520	ESPRIMO P556	ESPRIMO P720	ESPRIMO P756	ESPRIMO P920	ESPRIMO P956	ESPRIMO PH556	Référence	Prix Indicatif (€)	Remarques
Catégorie	Description											
Accessoires (Matrice)												
Accessoires (Suite)												
Additional Software												
	OPENFT-1 (WINDOWS) V12.0	x								U11081-C401	1189,41	
	OPENFT-1 (WINDOWS) V11.0	x								U11081-C301	1081,18	



Fujitsu recommande Windows.

Accessoires PC ESPRIMO Q Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO Q520	ESPRIMO Q556	ESPRIMO Q920	ESPRIMO Q956	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)								
Mémoire								
	4GB DDR4-2133		x		x	S26361-F3393-L3	52,94	
	4GB DDR4-2133 (25 pcs./box)		x		x	S26361-F3393-L350	723,53	
	8GB DDR4-2133		x		x	S26361-F3393-L4	96,47	
	8GB DDR4-2133 (25 pcs./box)		x		x	S26361-F3393-L450	1370,59	
	16GB DDR4-2133		x		x	S26361-F3393-L5	212,94	
	Mémoire 2Go DDR3-1600	x		x		S26361-F4553-L2	43,53	
	Mémoire 4Go DDR3-1600	x		x		S26361-F4553-L3	64,71	
	Mémoire 8Go DDR3-1600	x		x		S26361-F4553-L4	121,18	
Supports amovibles								
	DVD SuperMulti SATA Slot-in slim	x		x		S26361-F3741-L200	75,29	
	DVD SuperMulti SATA ultra slim (tray)		x		x	S26361-F3927-L100	42,35	
Hard Disks								
	SSD SATA III 256GB	x		x		S26361-F3840-L256	258,82	
	SSD SATA III 128GB		x		x	S26361-F3912-L128	140,00	
	Disque SSD 128Go High Speed SATA III	x		x		S26361-F3679-L128	163,53	
	Disque SSD 512Go Premium SATA III	x				S26361-F3682-L512	681,18	
	Disque dur 320Go 5.4k 2.5"	x		x		S26361-F3658-L320	100,00	
	Disque dur 500Go 5.4k AF SATA II (2.5")	x		x		S26361-F3658-L500	128,24	
	SSD SATA III 128GB M.2				x	S26361-F3931-L128	161,18	
	SSD SATA III 256GB		x		x	S26361-F3915-L256	258,82	
	SSD SATA III 256GB M.2				x	S26361-F3931-L256	256,47	
	SSD SATA III 512GB		x		x	S26361-F3915-L512	523,53	
	SSD PCIe 128GB M.2 Highend				x	S26361-F3932-L128	245,88	
	SSD PCIe 256GB M.2 Highend				x	S26361-F3932-L256	341,18	
	SSD PCIe 512GB M.2 Highend				x	S26361-F3932-L512	664,71	
	SSHD SATA III 500GB 2.5"		x		x	S26361-F3918-L500	151,76	
	HDD SATA II 1000GB 5.4k 2.5'		x		x	S26361-F3923-L100	164,71	
OS/Application-SW								
	Drivers&Utilities DVD (Win10) ESPRIMO DT	x		x		S26361-F2007-L917	16,47	
	DeskUpdate Manager	x	x	x	x	S26361-F4040-L200	1587,06	
	Drivers&Utilitaires DVD (W7 + W8) ESPR	x	x	x	x	S26361-F2007-L901	16,47	
Sécurité								
	Advanced Face Recognition, Single License	x	x	x	x	S26361-F2727-L760	17,65	
	Advanced Face Recognition, Multi License	x	x	x	x	S26361-F2727-L761	17,65	
	Workplace Manager - Client License	x	x	x	x	S26361-F2727-L770	30,59	
	SCR Cloud 2700 R	x	x	x	x	S26381-F2700-L100	32,94	
	Comfort Sensor CS300	x	x	x	x	S26381-F3000-L1	15,29	
	Lecteur SmartCard CARDOS V4.4. (1 pièce)	x	x	x	x	S26381-F305-L101	25,88	
	Lecteur SmartCard CARDOS V4.4. (2 pièces)	x	x	x	x	S26381-F305-L102	47,06	
	Lecteur SmartCard CARDOS V4.4. (10 pièces)	x	x	x	x	S26381-F305-L110	215,29	
	USB SCR 3500	x		x		S26381-F350-L100	28,24	
Divers								
	Foot stand		x		x	S26361-F2542-L204	17,65	
	Cover lock		x		x	S26361-F2542-L345	10,59	
	VESA Cover		x			S26361-F2542-L442	18,82	
	VESA Subadapter Velcro® strap	x	x	x	x	S26361-F2601-L200	20,00	
	Universal Monitor Stand		x		x	S26361-F2601-L700	104,71	
	SSD Declaration	x	x	x	x	S26361-F3840-L100	1,18	
	Lock plate ESPRIMO Q	x		x		S26361-F2542-L438	15,29	



Fujitsu recommande Windows.

Accessoires PC ESPRIMO Q Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO Q520	ESPRIMO Q556	ESPRIMO Q920	ESPRIMO Q956	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)								
Divers (Suite)								
	Câble court DVI/DVI pour kit de montage	x	x	x	x	S26361-F2581-L11	32,94	
	Câble adaptateur DisplayPort vers DVI-D	x	x	x	x	S26361-F2391-L200	36,47	
Displays								
	DISPLAY B24-8 TE PRO, CHN	x		x		BDL:K1577V140-CHN	237,65	
	Ecran P27T-7 LED (IPS), câble EU	x	x	x	x	S26361-K1442-V140	587,06	
	Ecran B19-7 LED câble EU	x	x	x	x	S26361-K1471-V140	187,06	
	Ecran B22W-7 LED câble EU	x	x	x	x	S26361-K1472-V140	197,65	
	DISPLAY B27T-7 LED, EU	x	x	x	x	S26361-K1478-V141	328,24	
	Ecran E19-7 LED, câble EU	x	x	x	x	S26361-K1482-V160	151,76	
	DISPLAY B23T-7 LED, EU	x	x	x	x	S26361-K1496-V140	230,59	
	DISPLAY B24W-7 LED, EU	x	x	x	x	S26361-K1497-V140	268,24	
	DISPLAY P24W-7 LED, EU	x	x	x	x	S26361-K1498-V140	340,00	
	DISPLAY E20T-7 LED, EU	x	x	x	x	S26361-K1538-V160	135,29	
	DISPLAY B20T-7 LED proGREEN, EU	x	x	x	x	S26361-K1542-V160	163,53	
	Display L27T-1 LED, EU	x		x		S26361-K1571-V160	234,12	
	Display E24T-7 Pro, EU	x		x		S26361-K1573-V160	151,76	
	DISPLAY B24-8 TE Pro, EU	x	x	x	x	S26361-K1577-V140	198,82	
	DISPLAY B24-8 TS Pro, EU	x	x	x	x	S26361-K1577-V160	210,59	
	DISPLAY B22T-7 Pro, EU	x	x	x	x	S26361-K1578-V160	187,06	
	DISPLAY E22T-7 Pro, EU	x		x		S26361-K1579-V160	128,24	
Clavier /Souris								
	Clavier Pro PX ECO GreenIT (USB&PS/2, Fr)	x	x	x	x	S26381-K341-L140	37,65	
	Blue LED Souris (USB)	x	x	x	x	S26381-K438-L100	20,00	
	Bluetooth Souris BT3	x		x		S26381-K445-L100	22,35	
	SOURIS M440 ECO noir	x	x	x	x	S26381-K450-L200	17,65	
	Notebook Souris M410	x	x	x	x	S26381-K453-L100	10,59	
	Souris Wireless WI610	x	x	x	x	S26381-K460-L100	21,18	
	Wireless Notebook Souris WI200	x	x	x	x	S26381-K462-L100	14,12	
	Souris MC200	x	x	x	x	S26381-K463-L100	12,94	
	Wireless Notebook Souris WI410	x	x	x	x	S26381-K464-L100	16,47	
	Wireless Souris Touch WI910	x	x	x	x	S26381-K465-L100	23,53	
	MOUSE M520 BLACK	x	x	x	x	S26381-K467-L100	12,94	
	MOUSE M520 GREY	x	x	x	x	S26381-K467-L101	12,94	
	MOUSE M530 BLACK	x	x	x	x	S26381-K468-L100	15,29	
	MOUSE M530 GREY	x	x	x	x	S26381-K468-L101	15,29	
	MOUSE M530 BLACK N	x	x	x	x	S26381-K468-L102	15,29	
	KB410 USB Black FR	x		x		S26381-K511-L440	18,82	
	KB410 PS2 NOIR FR		x		x	S26381-K515-L440	20,00	
	Clavier KB521 FR	x	x	x	x	S26381-K521-L140	21,18	
	KB SCR2 FR	x		x		S26381-K538-L140	40,00	
	KB SCR2 FR black	x	x	x	x	S26381-K538-L440	40,00	
	Clavier Pro KB900 Noir (USB, Fr)	x	x	x	x	S26381-K560-L440	22,35	
	Wireless KB Souris Set LX901 FR	x	x	x	x	S26381-K565-L440	51,76	
	Wireless KB Souris Set LX390 FR	x	x	x	x	S26381-K590-L440	21,18	
Accessories								
	MicroSaver slim	x	x	x	x	S26361-F1650-L200	45,88	
	Combination Ultra	x	x	x	x	S26361-F1650-L510	35,29	
	Câble antiviol Kensington Twin (2xClés/2xSlots)	x	x	x	x	S26361-F1650-L600	54,12	
	MicroSaver DS ultrathin	x	x	x	x	S26361-F1650-L900	47,06	



Fujitsu recommande Windows.

Accessoires PC ESPRIMO Q Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO Q520	ESPRIMO Q556	ESPRIMO Q920	ESPRIMO Q956	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)								
Accessoires (Suite)								
	MiniSaver Mobile Lock	x	x	x	x	S26361-F1650-L910	58,82	
	Câble de charge, Micro-USB B	x		x		S26381-F6007-L900	8,24	
	USB Port Replicator PR7.1	x	x	x	x	S26391-F6007-L310	136,47	
	Fujitsu USB 3.0 Port Replicator PR08	x	x	x	x	S26391-F6007-L400	158,82	
	USB Port Replicator PR8.1	x	x	x	x	S26391-F6007-L410	176,47	
	PocketSaver, retractable	x		x		S26391-F6045-L100	41,18	
	A-DATA USB3.0 Flash Stick UE700 32GB	x	x	x	x	S26391-F6048-L332	49,41	
	A-DATA USB3.0 Flash Stick UE700 64GB	x	x	x	x	S26391-F6048-L364	72,94	
	A-DATA NH13 portable hard drive	x	x	x	x	S26391-F6048-L420	136,47	
	DP1.2 to HDMI2.0 Adapter	x	x	x		S26391-F6055-L212	40,00	
	DisplayPort vers DisplayPort Cable		x			S26391-F6055-L220	24,71	
	DisplayPort to VGA Adapter	x	x	x	x	S26391-F6055-L280	27,06	
	USB 3.0 certified cable 2m	x		x		S26391-F6055-L320	9,41	
	Workplace Connect Gate 2.0	x		x		S26391-F6055-L620	252,94	
	Workplace Connect Kit 1.0	x		x		S26391-F6055-L710	481,18	
	Filtre écran confidentialité 3M 22", 55,9 cm	x		x		S26391-F6097-L321	141,18	
	Filtre écran confidentialité 3M 24", 61,0 cm	x		x		S26391-F6097-L322	148,24	
	Fujitsu USB 3.0 HUB 4 Ports	x		x		S26391-F6099-L304	48,24	
	Adaptateur+ USB DVI	x		x		S26391-F6099-L400	58,82	
	USB to UHD DP Adapter	x		x		S26391-F6099-L500	81,18	
	Enceintes DS E2000 Air (USB)	x	x	x	x	S26391-F7128-L600	29,41	
	Mobile Bluetooth Communication Speaker	x		x		S26391-F7128-L700	40,00	
	UC&C USB Headset Stereo H650e	x	x	x	x	S26391-F7139-L10	74,12	
	UC&C USB Value Headset	x	x	x	x	S26391-F7139-L20	54,12	
	Communicator Headset	x	x	x	x	S26391-F7139-L51	24,71	
Additional Software								
	OPENFT-CR (Unix systems) V12.0	x		x		U10987-C599	12,94	
	OPENFT-SW-CD (Unix systems) V12.0	x		x		U10987-C600	31,76	
	OPENFT-1 (Unix systems) V12.0	x		x		U10987-C601	1189,41	
	OPENFT-FTAM-1 (Unix systems) V12.0	x		x		U10987-C613	1189,41	
	OPENFT-FTP-1 (Unix systems) V12.0	x		x		U10987-C625	485,88	
	OPENFT-CR (WINDOWS) V12.0	x		x		U11081-C399	12,94	
	OPENFT-SW-CD (WINDOWS) V12.0	x		x		U11081-C400	27,06	
	OPENFT-1 (WINDOWS) V12.0	x		x		U11081-C401	1189,41	
	OPENFT-FTAM-1 (WINDOWS) V12.0	x		x		U11081-C411	1189,41	
	OPENFT-FTP-1 (WINDOWS) V12.0	x		x		U11081-C421	485,88	
	OPENFT-1 (WINDOWS) V11.0	x		x		U11081-C301	1081,18	
	OPENFT-FTAM-1 (WINDOWS) V11.0	x		x		U11081-C311	1081,18	
	OPENFT-SW-CD (WINDOWS) V11.0	x		x		U11081-C300	27,06	
	OPENFT-CR (WINDOWS) V11.0	x		x		U11081-C299	12,94	
	OPENFT-1 (UNIX systems) V11.0	x		x		U10987-C501	1081,18	
	OPENFT-FTAM-1 (UNIX systems) V11.0	x		x		U10987-C513	1081,18	
	OPENFT-SW-CD (UNIX systems) V11.0	x		x		U10987-C500	31,76	
	OPENFT-CR (UNIX systems) V11.0	x		x		U10987-C499	12,94	



Fujitsu recommande Windows.

Accessoires PC ESPRIMO X Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO X923	ESPRIMO X923-T	ESPRIMO X956	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)							
OS/Application-SW							
	Drivers&Utilities DVD (Win10) ESPRIMO DT	x	x	x	S26361-F2007-L917	16,47	
Sécurité							
	SCR Cloud 2700 R	x	x	x	S26381-F2700-L100	32,94	
	Comfort Sensor CS300	x	x	x	S26381-F3000-L1	15,29	
	Lecteur SmartCard CARDOS V4.4. (1 pièce)	x	x	x	S26381-F305-L101	25,88	
	Lecteur SmartCard CARDOS V4.4. (2 pièces)	x	x	x	S26381-F305-L102	47,06	
	Lecteur SmartCard CARDOS V4.4. (10 pièces)	x	x	x	S26381-F305-L110	215,29	
Clavier /Souris							
	Clavier Pro PX ECO GreenIT (USB&PS/2, Fr)	x	x	x	S26381-K341-L140	37,65	
	Blue LED Souris (USB)	x	x	x	S26381-K438-L100	20,00	
	SOURIS M440 ECO noir	x	x	x	S26381-K450-L200	17,65	
	Notebook Souris M410	x	x	x	S26381-K453-L100	10,59	
	Souris Wireless WI610	x	x	x	S26381-K460-L100	21,18	
	Wireless Notebook Souris WI200	x	x	x	S26381-K462-L100	14,12	
	Souris MC200	x	x	x	S26381-K463-L100	12,94	
	Wireless Notebook Souris WI410	x	x	x	S26381-K464-L100	16,47	
	Wireless Souris Touch WI910	x	x	x	S26381-K465-L100	23,53	
	MOUSE M520 BLACK	x	x		S26381-K467-L100	12,94	
	MOUSE M530 BLACK	x	x	x	S26381-K468-L100	15,29	
	MOUSE M530 GREY	x	x	x	S26381-K468-L101	15,29	
	MOUSE M530 BLACK N	x	x	x	S26381-K468-L102	15,29	
	Clavier KB521 FR	x	x		S26381-K521-L140	21,18	
	KB SCR2 FR	x	x		S26381-K538-L140	40,00	
	KB SCR2 FR black			x	S26381-K538-L440	40,00	
	Clavier Pro KB900 Noir (USB, Fr)	x	x	x	S26381-K560-L440	22,35	
	Wireless KB Souris Set LX901 FR	x	x	x	S26381-K565-L440	51,76	
	Wireless KB Souris Set LX390 FR	x	x	x	S26381-K590-L440	21,18	
Accessories							
	MicroSaver slim	x	x	x	S26361-F1650-L200	45,88	
	Combination Ultra	x	x	x	S26361-F1650-L510	35,29	
	Câble antivol Kensington Twin (2xClés/2xSlots)	x	x	x	S26361-F1650-L600	54,12	
	MicroSaver DS ultrathin	x	x	x	S26361-F1650-L900	47,06	
	MiniSaver Mobile Lock	x	x	x	S26361-F1650-L910	58,82	
	Câble de charge, Micro-USB B	x	x		S26381-F6007-L900	8,24	
	USB Port Replicator PR7.1	x	x	x	S26391-F6007-L310	136,47	
	Fujitsu USB 3.0 Port Replicator PR08			x	S26391-F6007-L400	158,82	
	USB Port Replicator PR8.1			x	S26391-F6007-L410	176,47	
	PocketSaver, retractable	x	x		S26391-F6045-L100	41,18	
	A-DATA USB3.0 Flash Stick UE700 32GB			x	S26391-F6048-L332	49,41	
	A-DATA USB3.0 Flash Stick UE700 64GB			x	S26391-F6048-L364	72,94	
	A-DATA NH13 portable hard drive	x	x	x	S26391-F6048-L420	136,47	
	DisplayPort to VGA Adapter			x	S26391-F6055-L280	27,06	
	USB 3.0 certified cable 2m	x	x		S26391-F6055-L320	9,41	



Fujitsu recommande Windows.

Accessoires PC ESPRIMO X Fiches produit : <http://fr.fujitsu.com/esprimo>

Catégorie	Description	ESPRIMO X923	ESPRIMO X923-T	ESPRIMO X956	Référence	Prix Indicatif (€)	Remarques
-----------	-------------	--------------	----------------	--------------	-----------	--------------------	-----------

Accessoires (Matrice)

Accessoires (Suite)

Adaptateur USB-Ethernet	x	x		S26391-F6055-L510	25,88	
USB 3.0 Gigabit LAN Adapter	x	x		S26391-F6055-L520	34,12	
USB vers câble adaptateur série	x	x		S26391-F6055-L570	22,35	
Workplace Connect Gate 2.0	x	x		S26391-F6055-L620	252,94	
Workplace Connect Kit 1.0	x	x		S26391-F6055-L710	481,18	
Filtre écran confidentialité 3M 24", 61,0 cm	x	x		S26391-F6097-L322	148,24	
Fujitsu USB 3.0 HUB 4 Ports	x	x		S26391-F6099-L304	48,24	
Adaptateur+ USB DVI	x	x		S26391-F6099-L400	58,82	
USB to UHD DP Adapter	x	x		S26391-F6099-L500	81,18	
Enceintes DS E2000 Air (USB)	x	x	x	S26391-F7128-L600	29,41	
UC&C USB Headset Stereo H650e	x	x	x	S26391-F7139-L10	74,12	
UC&C USB Value Headset			x	S26391-F7139-L20	54,12	
Communicator Headset	x	x	x	S26391-F7139-L51	24,71	

DESKTOP WORKSTATIONS		RACK WORKSTATIONS	
Series	CELSIUS M	CELSIUS R	CELSIUS C
Model	M740	R940	C740
Form Factor	Mid Tower	Big Tower	TU
Weight / liter	36 liter - single processor Whisper quiet: 20 dB(A)	49 liter - dual processor Whisper quiet: 23 dB(A)	Single processor
Noise emission			
Processor (incl. cores & frequency)	Intel® Xeon® processor E5-2600 v3 family (max. 18 cores / 3.50 GHz) Intel® Xeon® processor E5-1600 v3 family (max. 8 cores / 3.70 GHz)	Intel® Xeon® processor E5-2600 v3 family (max. 2x18 cores / 3.50 GHz)	Intel® Xeon® processor E5-2600 v3 family (max. 18 cores / 3.50 GHz) Intel® Xeon® processor E5-1600 v3 family (max. 8 cores / 3.70 GHz)
Operating System	Windows 10 Pro, Windows 8.1 Pro, Windows 7 Professional 64-bit	Windows 10 Pro, Windows 8.1 Pro, Windows 7 Professional 64-bit	Windows 10 Pro, Windows 8.1 Pro, Windows 7 Professional 64-bit
Memory	Up to 256 GB, 8 Memory slots DDR4-2133 MHz, ECC	Up to 1024 GB, 16 Memory slots DDR4-2133 MHz, ECC	Up to 256 GB, 8 Memory slots DDR4-2133 MHz, ECC
Professional Graphic Cards	NVIDIA® NVS®: up to 510 NVIDIA® Quadro®: up to M6000 AMD FirePro™: up to W9100	NVIDIA® NVS®: up to 510 NVIDIA® Quadro®: up to M6000 AMD FirePro™: up to W9100	NVIDIA® NVS®: up to 510 NVIDIA® Quadro®: up to M6000 AMD FirePro™: up to W9100
Compute Cards	NVIDIA® GRID™ (actively cooled): K1 and K2 NVIDIA® Tesla® K40 Coprorocessor Intel® Xeon Phi™: up to 5100P	NVIDIA® GRID™ (actively cooled): K1 and K2 NVIDIA® Tesla®: up to K80 Coprorocessor Intel® Xeon Phi™: up to 5100P	NVIDIA® GRID™ (passively cooled): K2 NVIDIA® Tesla®: up to K80 Coprorocessor Intel® Xeon Phi™: up to 5100P
Storage	SSD PCIe (incl. Highend card, High Endurance) SSD SATA (incl. Premium) SSHD HDD SAS	SSD PCIe (incl. Highend card, High Endurance) SSD SATA (incl. Premium) SSHD HDD SAS	SSD PCIe (incl. Highend card, M.2 Highend) SSD SATA (incl. High Endurance, Premium, SED) DOM SATA HDD SAS
Drive bays	12 in total (8x internal, 4x external)	12 in total (8x internal, 4x external)	5 in total (4x internal, 1x external)
Slots	7 in total: 1x PCIe 3.0 x4 (mech. x8) 1x PCIe 3.0 x4 (mech. x16) 2x PCIe 3.0 x16 1x PCIe 2.0 x4 (mech. x16) 2x PCIe 2.0 x1 (mech. x8)	8 in total: 1x PCIe 3.0 x8 4x PCIe 3.0 x16 1x PCIe 2.0 x4 (mech. x16) 1x PCIe 2.0 x1 (mech. x8) 1x PCIe 3.0 x8 (internal)	3 in total: 1 x PCI-Express 3.0 x8 (mech. x16) (single slot density) and 1 x PCI-Express 3.0 x16 (double slot density) or 1 x PCI-Express 3.0 x8 (mech. x16) (single slot density) and 2x PCIe 3.0 x16 (single slot density)
USB	13 in total (9x USB 2.0, 4x USB 3.0)	13 in total (9x USB 2.0, 4x USB 3.0)	4 in total (2x USB 2.0, 2x USB 3.0)
Serial ATA	10	10	6
Interface cards	Gigabit Ethernet PCIe x1, DS eSATA Interface Dual serial card PCIe x1 Dual 10Gigabit Ethernet PCIe x8	Gigabit Ethernet PCIe x1, DS eSATA Interface Dual serial card PCIe x1 Dual 10Gigabit Ethernet PCIe x8	Gigabit Ethernet PCIe x1, DS Dual 10Gigabit Ethernet PCIe x8
Power Supply	M740: 90% efficiency - 600 W M740power: 90% efficiency - 1000 W	M740: 90% efficiency - 1000 W R940power: 90% efficiency - 1300 W	94% efficiency - 800 W
Others	M740power: Medical EMC standard IEC60601-1-2 Made in Germany	Made in Germany	Made in Germany



Fujitsu recommande Windows.

CELSIUS H760

Fiches produit : <http://fr.fujitsu.com/celsius>

Equipée des derniers processeurs Intel® Xeon® et cartes graphiques professionnelles, la station de travail CELSIUS H760 a été conçue pour offrir une productivité, des performances et une flexibilité exceptionnelles. Ce système est idéal pour les secteurs professionnels tels que le traitement graphique 3D, les prévisions financières et la création de contenu numérique ; vous disposez ainsi des performances nécessaires pour accroître votre productivité.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
CELSIUS H760				
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M2000M/32GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 512GB/ DUAL WLAN AC8260/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0001FR	3544,71	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0001IN	2531,76	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/8GB DDR4/DVD SM/ HDD 500GB 5.4K/DUAL WLAN AC8260/ MIC + WEBCAM/CK INT/AC/BATT 6CELL/	LKN:H7600W0002FR	2670,59	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0002IN	2531,76	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/DUAL WLAN AC8260/ MIC + WEBCAM/CK DE/AC/BATT 6CELL/	LKN:H7600W0003FR	2715,29	



Fujitsu recommande Windows.

CELSIUS H760

Fiches produit : <http://fr.fujitsu.com/celsius>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
CELSIUS H760 (Suite)				
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0003IN	2531,76	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ E3-1505MV5 M2000M/16GB DDR4 ECC/ WEIGHT SAVER/SSHD 500GB 5.4K/ M.2 SSD PCIE 256GB/DUAL WLAN AC8260/	LKN:H7600W0004FR	3244,71	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0004IN	2531,76	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ E3-1505MV5 M2000M/16GB DDR4 ECC/DVD SM/ 2ND BATT/SSHD 1000GB 5.4K/ M.2 SSD PCIE 512GB/DUAL WLAN AC8260/	LKN:H7600W0005FR	3948,24	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0005IN	2531,76	
CELS H760 /15.6' UHD LED/	CELS H760 /15.6' UHD LED/ I7-6820HQ W/ M1000M/32GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0006FR	3296,47	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0006IN	2531,76	



Fujitsu recommande Windows.

CELSIUS H760

Fiches produit : <http://fr.fujitsu.com/celsius>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
CELSIUS H760 (Suite)				
CELS H760 /15.6' UHD LED/	CELS H760 /15.6' UHD LED/ I7-6820HQ W/ M2000M/32GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0007FR	3561,18	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0007IN	2531,76	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/8GB DDR4/DVD SM/ HDD 500GB 5.4K/DUAL WLAN AC8260/ MIC + WEBCAM/TPM 2.0/CK INT/AC/	LKN:H7600W0008FR	2263,53	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0008IN	2531,76	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M2000M/8GB DDR4/16GB DDR4/ DVD SM/2ND BATT/SSD 256GB FDE/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0009FR	3243,53	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0009IN	2531,76	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ 2ND BATT/SSD 256GB FDE/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/CK INT/	LKN:H7600W0010FR	2924,71	



Fujitsu recommande Windows.

CELSIUS H760

Fiches produit : <http://fr.fujitsu.com/celsius>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
CELSIUS H760 (Suite)				
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0010IN	2531,76	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/MIC + WEBCAM/ TPM 2.0/CK DE/AC/BATT 6CELL/	LKN:H7600W0011IN	2344,71	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/MIC + WEBCAM/ TPM 2.0/CK DE/AC/BATT 6CELL/	LKN:H7600W0012IN	2344,71	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/MIC + WEBCAM/ TPM 2.0/CK DE/AC/BATT 6CELL/	LKN:H7600W0013IN	2344,71	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/MIC + WEBCAM/ TPM 2.0/CK DE/AC/BATT 6CELL/	LKN:H7600W0014IN	2344,71	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/MIC + WEBCAM/ TPM 2.0/CK DE/AC/BATT 6CELL/	LKN:H7600W0015IN	2344,71	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/MIC + WEBCAM/ TPM 2.0/CK DE/AC/BATT 6CELL/	LKN:H7600W0016IN	2344,71	



Fujitsu recommande Windows.

CELSIUS H760

Fiches produit : <http://fr.fujitsu.com/celsius>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
CELSIUS H760 (Suite)				
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/MIC + WEBCAM/ TPM 2.0/CK DE/AC/BATT 6CELL/	LKN:H7600W0017IN	2330,59	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/MIC + WEBCAM/ TPM 2.0/CK DE/AC/BATT 6CELL/	LKN:H7600W0018IN	2344,71	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0019IN	2507,06	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0020IN	2507,06	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0021IN	2507,06	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0022IN	2507,06	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0023IN	2507,06	



Fujitsu recommande Windows.

CELSIUS H760

Fiches produit : <http://fr.fujitsu.com/celsius>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
CELSIUS H760 (Suite)				
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0024IN	2507,06	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0025IN	2507,06	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0026IN	2507,06	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0027IN	2507,06	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0028IN	2507,06	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0029IN	2507,06	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0030IN	2507,06	



Fujitsu recommande Windows.

CELSIUS H760

Fiches produit : <http://fr.fujitsu.com/celsius>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
CELSIUS H760 (Suite)				
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0031IN	2508,24	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0032IN	2507,06	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0033IN	2510,59	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/MIC + WEBCAM/ TPM 2.0/CK DE/AC/BATT 6CELL/	LKN:H7600W0034IN	2344,71	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0035IN	2532,94	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0036IN	3225,88	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0037IN	3225,88	



Fujitsu recommande Windows.

CELSIUS H760

Fiches produit : <http://fr.fujitsu.com/celsius>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
CELSIUS H760 (Suite)				
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0038IN	3215,29	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0039IN	3215,29	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0040IN	3215,29	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0041IN	3215,29	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0042IN	3215,29	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0043IN	3215,29	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0044IN	3215,29	



Fujitsu recommande Windows.

CELSIUS H760 Fiches produit : <http://fr.fujitsu.com/celsius>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
CELSIUS H760 (Suite)				
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0045IN	3215,29	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0046IN	3215,29	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0047IN	3215,29	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0048IN	3215,29	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0049IN	3215,29	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0050IN	3215,29	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0051IN	3215,29	



Fujitsu recommande Windows.

CELSIUS H760

Fiches produit : <http://fr.fujitsu.com/celsius>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
CELSIUS H760 (Suite)				
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0052IN	3215,29	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0053IN	3215,29	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0054IN	2531,76	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0055IN	2510,59	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0056IN	2507,06	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0057IN	3215,29	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0058IN	3215,29	



Fujitsu recommande Windows.

CELSIUS H760

Fiches produit : <http://fr.fujitsu.com/celsius>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
CELSIUS H760 (Suite)				
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0059IN	3215,29	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0060IN	3215,29	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0061IN	3215,29	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0062IN	3215,29	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0063IN	3215,29	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0064IN	3215,29	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0065IN	3215,29	



Fujitsu recommande Windows.

CELSIUS H760

Fiches produit : <http://fr.fujitsu.com/celsius>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
CELSIUS H760 (Suite)				
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0066IN	3215,29	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0067IN	3215,29	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0068IN	3215,29	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0069IN	3215,29	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0070IN	2531,76	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0071IN	2508,24	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0072IN	2507,06	



Fujitsu recommande Windows.

CELSIUS H760

Fiches produit : <http://fr.fujitsu.com/celsius>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
CELSIUS H760 (Suite)				
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0073IN	2508,24	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0074IN	2507,06	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/16GB DDR4/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD PCIE 256GB/ DUAL WLAN AC8260/LTE SIERRA EM7305/	LKN:H7600W0075IN	3215,29	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0076IN	2507,06	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0077IN	2507,06	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0078IN	2507,06	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0079IN	2507,06	



Fujitsu recommande Windows.

CELSIUS H760

Fiches produit : <http://fr.fujitsu.com/celsius>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
CELSIUS H760 (Suite)				
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0080IN	2507,06	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/2x8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	LKN:H7600W0081IN	2507,06	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M1000M/8GB DDR4/DVD SM/ SSD 256GB FDE/DUAL WLAN AC8260/ MIC + WEBCAM/TPM 2.0/CK DE/AC/	LKN:H7600W0082IN	2352,94	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I5-6440HQ W/ M600M/8GB DDR4/DVD SM/ SSHD 500GB 5.4K/DUAL WLAN AC8260/ MIC + WEBCAM/TPM 2.0/CK INT/AC/	Vfy:H7600W250GFR	1645,88	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/8GB DDR4/DVD SM/ SSD 256GB FDE/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	Vfy:H7600W270BFR	2069,41	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ I7-6820HQ W/ M1000M/8GB DDR4/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	Vfy:H7600W27ABFR	2760,00	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ E3-1505MV5 M1000M/16GB DDR4 ECC/DVD SM/ SSD 256GB/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	Vfy:H7600W280PFR	2351,76	



Fujitsu recommande Windows.

CELSIUS H760 Fiches produit : <http://fr.fujitsu.com/celsius>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
-------------	---------	-----------	--------------------	-----------

Configurations Standards

CELSIUS H760 (Suite)				
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ E3-1505MV5 M2000M/16GB DDR4 ECC/DVD SM/ SSD 512GB FDE/DUAL WLAN AC8260/ LTE SIERRA EM7305/MIC + WEBCAM/TPM 2.0/	VFY:H7600W280UFR	2469,41	
CELS H760 /15.6' FHD LED/	CELS H760 /15.6' FHD LED/ E3-1535MV5 M2000M/32GB DDR4 ECC/DVD SM/ SSHD 1000GB 5.4K/M.2 SSD 256GB FDE/ DUAL WLAN AC8260/LTE SIERRA EM7305/	VFY:H7600W281UFR	2822,35	

Description	Détails	Référence	Prix Indicatif (€)	Remarques
-------------	---------	-----------	--------------------	-----------

Unités de Base

CELSIUS H760



Fujitsu recommande Windows.

CELSIUS H760

Fiches produit : <http://fr.fujitsu.com/celsius>

<p>CELSIUS H760</p>	<p>Base unit, Mobile Intel® CM236 (Xeon CPU) or QM170 (Core i CPU) Chipset, supports vPro, supports Quad Channel DDR4 2133MHz RAM (ECC only with Xeon CPU) memory (4 DIMM slots). Modular bay concept for optical drives, 2nd Battery, 2nd hard disk, serial ATA HDD interface, M.2 interface PCIe or SATA, 10/100/1000 MBit Intel (w/ AMT), Intel High Definition Audio and 2 Microphones integrated, 1x Smart Card reader, Lect.cte SD, integrated Touchpad, 3 mouse buttons, LED-Status display, connector for Kensington Lock, Interfaces:, 1x VGA, 1x Displayport, 1x USB Type-C (USB 3.1, DP 1.2, Thunderbolt 3, Power Delivery 15W), 2x USB 3.0, 1x USB 2.0, RJ45 for LAN, 1x audio in, 1x audio out, 1x Réplicateurs connector, , AC Adapter 19V, 150W. Li-Ion batterie 6.700mAh/72Wh Modular bay concept for optical drives, second batterie, second hard disk drive. Please configure 2nd-HDD-bay-module and respective drive from options. Please be aware, that vPro logo requires i5/i7 processors, Intel W-LAN & TPM module. Front interfaces: - , Left side interfaces: 1 x AC adapter, 1 x RJ45 for LAN, 1 x VGA, 1 x DisplayPort, 1x USB Type-C (USB 3.1, DP 1.2, Thunderbolt 3, Power Delivery 15W), 2x USB 3.0, 1 x Smartcard reader slot, 1 x memory card slot, 1 x audio in, 1 x audio out , Right side interfaces: 1 x multi bay (ODD, 2nd HD, 2nd Battery, weight saver), 1 x USB 2.0, 1 x Kensington , Rear interfaces: - , Interfaces in batterie bay: SIM card holder , Interfaces in lower part: 1 x docking connector, 1 x batterie bay, 1x HDD bay, 1 x Mémoire bay</p>	<p>S26391-K450-V100</p>	<p>881,18</p>
---------------------	--	-------------------------	---------------



Fujitsu recommande Windows.

CELSIUS J550

Fiches produit : <http://fr.fujitsu.com/celsius>

Equippée des derniers processeurs Intel® Xeon® et cartes graphiques professionnelles, la station de travail CELSIUS J550 a été conçue pour offrir une productivité, des performances et une flexibilité exceptionnelles. Ce système est idéal pour les secteurs professionnels tels que le traitement graphique 3D, les prévisions financières et la création de contenu numérique ; vous disposez ainsi des performances nécessaires pour accroître votre

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
CELSIUS J550				
CELS J550 /XEON E3-1220V5/	CELS J550 /XEON E3-1220V5/ 2x4GB DDR4-2133/Q K1200/1000GB SATA III/ RISER PCIE+PCIE/CK F/KB410PS2FR/ DU DVD WIN7+8/DUDVD WIN10/LIC W10 PRO/	LKN:J5500W0001FR	1409,41	
CELS J550 /CORE I3-6100/4GB DDR4-2133/	CELS J550 /CORE I3-6100/4GB DDR4-2133/ SSD 128GB ENTRY/2ND SERIAL REAR/ RISER PCIE+PCIE/CK D/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:J5500W0001IN	867,06	
CELS J550 /XEON E3-1220V5/	CELS J550 /XEON E3-1220V5/ 2x4GB DDR4-2133/Q K1200/DVD SM TRAY/ 1000GB SATA III/RISER PCIE+PCIE/CK F/ GERMANY STICKER/KB410PS2FR/	LKN:J5500W0002FR	1432,94	
CELS J550 /CORE I7-6700/2x8GB DDR4-2133/	CELS J550 /CORE I7-6700/2x8GB DDR4-2133/ DP CABLE/Q K2200/DVD SM TRAY/ SSD 256GB MAIN/RISER PCIE+PCIE/CK F/ KB900FR/DU DVD WIN7+8/DUDVD WIN10/	LKN:J5500W0003FR	1860,00	
CELS J550 /CORE I7-6700/8GB DDR4-2133/	CELS J550 /CORE I7-6700/8GB DDR4-2133/ Q K620/DVD SM TRAY/SSD 256GB M.2/ SSD 256GB MAIN/2000GB SATA III/ HDD SSD CABLE/RISER PCIE+PCIE/CK F/	LKN:J5500W0004FR	1708,24	



Fujitsu recommande Windows.

CELSIUS J550

Fiches produit : <http://fr.fujitsu.com/celsius>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
CELSIUS J550 (Suite)				
CELS J550 /ESTAR/XEON E3-1240V5/	CELS J550 /ESTAR/XEON E3-1240V5/ 8GB DDR4-2133/Q K620/SSD 256GB MAIN/ RISER PCIE+PCIE/CK F/KB410 USB BLACK FR/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:J5500W0005FR	1377,66	
CELS J550 /CORE I5-6500/4GB DDR4-2133/	CELS J550 /CORE I5-6500/4GB DDR4-2133/ DVD SM TRAY/MCR 24IN1/500GB SATA III/ RISER PCIE+PCIE/CK F/KB900FR/ DUDVD WIN10/LIC W10 PRO/W10 PRO64 MAIN/	VFY:J5500W350BFR	763,53	
CELS J550 /CORE I7-6700/8GB DDR4-2133/	CELS J550 /CORE I7-6700/8GB DDR4-2133/ DVD SM TRAY/MCR 24IN1/SSD 256GB M.2/ RISER PCIE+PCIE/CK F/KB900FR/ DUDVD WIN10/LIC W10 PRO/W10 PRO64 MAIN/	VFY:J5500W37ABFR	998,82	
CELS J550 /XEON E3-1245V5/8GB 2133 ECC/	CELS J550 /XEON E3-1245V5/8GB 2133 ECC/ DVD SM TRAY/MCR 24IN1/1000GB SATA III/ RISER PCIE+PCIE/CK F/KB900FR/ DUDVD WIN10/LIC W10 PRO/W10 PRO64 MAIN/	VFY:J5500W380BFR	975,29	
CELS J550 /XEON E3-1240V5/8GB 2133 ECC/	CELS J550 /XEON E3-1240V5/8GB 2133 ECC/ Q K620/DVD SM TRAY/MCR 24IN1/ 1000GB SATA III/RISER PCIE+PCIE/CK F/ KB900FR/DUDVD WIN10/LIC W10 PRO/	VFY:J5500W381BFR	1057,65	
CELS J550 /CORE I5-6500/4GB DDR4-2133/	CELS J550 /CORE I5-6500/4GB DDR4-2133/ MCR 24IN1/DVD SM TRAY/500GB SATA III/ RISER PCIE+PCIE/CK F/KB900FR/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:J5500W750BFR	763,53	
CELS J550 /XEON E3-1245V5/8GB 2133 ECC/	CELS J550 /XEON E3-1245V5/8GB 2133 ECC/ MCR 24IN1/DVD SM TRAY/1000GB SATA III/ RISER PCIE+PCIE/CK F/KB900FR/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:J5500W780BFR	975,29	
CELS J550 /XEON E3-1240V5/8GB 2133 ECC/	CELS J550 /XEON E3-1240V5/8GB 2133 ECC/ Q K620/DVD SM TRAY/MCR 24IN1/ 1000GB SATA III/RISER PCIE+PCIE/CK F/ KB900FR/DU DVD WIN7+8/DUDVD WIN10/	VFY:J5500W781BFR	1057,65	



Fujitsu recommande Windows.

CELSIUS J550 Fiches produit : <http://fr.fujitsu.com/celsius>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
CELSIUS J550 (Suite)				
CELS J550 /CORE I7-6700/8GB DDR4-2133/	CELS J550 /CORE I7-6700/8GB DDR4-2133/ DVD SM TRAY/MCR 24IN1/SSD 256GB M.2/ RISER PCIE+PCIE/CK F/KB900FR/ DU DVD WIN7+8/DUDVD WIN10/LIC W10 PRO/	VFY:J5500W87ABFR	998,82	
CELS J550 /XEON E3-1240V5/8GB DDR4-2133/	CELS J550 /XEON E3-1240V5/8GB DDR4-2133/ DP CABLE/Q K620/DVD SM TRAY/MCR 24IN1/ SSD 256GB M.2/RISER PCIE+PCIE/CK F/ KB900FR/DU DVD WIN7+8/DUDVD WIN10/	VFY:J5500W88ABFR	1436,47	

Description	Détails	Référence	Prix Indicatif (€)	Remarques
-------------	---------	-----------	--------------------	-----------

Unités de Base

CELSIUS J550				
CELS J550 / CZK:1515V110-BMI23		CZK:1515V110-BMI23	1452432,81	
CELSIUS J550	Base unit, system board D3427, 280 W wide range power supply; Chipset: Intel C236., , Slots: , 4 DIMM-sockets (max. 64 GB, DDR4-2133, ECC or non-ECC, dual channel), 2 slots: [1x PCIe 3.0 x16 and 1x PCIe 3.0 x4 (mechanical x16)] or [1x PCIe 3.0 x16 and 1x PCI], 1x M.2 socket for PCIe or SATA SSD., , Onboard I/O-devices: , Intel® HD Graphics P530 or HD Graphics 530 (depending on CPU), network controller Intel L219LM, Serial ATA controller (6 Ports – SATA III; RAID 0, 1 or 5 for HDDs) and HD-audio Realtek ALC671., , Bays:, Up to 5 (1x 5.25" externally accessible and [1x 3.5" externally accessible or 1x 3.5" internal HDD bay or 2x 2.5" internal HDD/SSD-bays], [1x 3.5" internal HDD-bay or 2x 2.5" internal HDD/SSD-bays])., , Front interfaces:, 2x USB 3.0, 1x audio out, 1x audio in., , Rear interfaces:, 2x DisplayPort 1.2, 1x DVI-D, 1x LAN RJ45, 6x USB 3.0, 1x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial., , Internal interfaces:, 2x USB 2.0, 1x USB 3.0 with standard connector., , Embedded security (TPM 1.2), Disable / Hide TPM option	S26361-K1515-V110	421,18	



Fujitsu recommande Windows.

CELSIUS M740

Fiches produit : <http://fr.fujitsu.com/celsius>

Equipée des derniers processeurs Intel® Xeon® et cartes graphiques professionnelles, la station de travail CELSIUS M740 a été conçue pour offrir une productivité, des performances et une flexibilité exceptionnelles. Ce système est idéal pour les secteurs professionnels tels que le traitement graphique 3D, les prévisions financières et la création de contenu numérique ; vous disposez ainsi des performances nécessaires pour accroître votre productivité.

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
CELSIUS M740B					
CELS M740 /ESTAR/XEON E5-1620V4/	CELS M740 /ESTAR/XEON E5-1620V4/	16GB 2400 RG ECC/NVS 510/2ND NVS 510/ DVD SM/500GB SATA III/RAILS 2X HDD 3.5'/ CK D/KEYBOARD KB521 DE/LIC W10 PRO/	PRJ:M7400W0001IN	2524,72	
<p>System board D3348, Chipset: Intel C612; Fujitsu Teutates system management controller, 600 W wide range power supply; , prepared for rack mounting (rack mount kit optionally available), EraseDisk and DeskView license included., , Slots: , 8 DIMM-slots, 4 channels (up to DDR4 2400MHz depending on CPU); , 7 expansion slots: 2x PCIe Gen3 x16, 1x PCIe Gen3 x4 (mechanical PCIe x16), 2x PCIe Gen2 x1 (mechanical PCIe x8), 1x PCIe Gen3 x4 (mechanical x8), 1x PCIe Gen2 x4 (mechanical x16), , Onboard I/O devices: , 1x 1Gbit network controller Intel I317, SATA controller (10x SATAIII 6Gbit/s), HD-Audio Codec, , Bays: , 1x 5,25" and 2x 3,5" FlexiBays externally accessible, , , 4x 3,5" internal HDD bays or [2x 3,5" internal HDD bays and 2x 2,5" internal HDD/SSD bays] or [8x 2,5" internal HDD/SSD bays] , , - all internal HDD bays accessible from the front., , Front interfaces: 2x USB 2.0, 2x USB 3.0, 1x audio out, 1x audio in, , Rear interfaces: 1x LAN RJ45, 2x USB 3.0, 4x USB 2.0 2x audio in, 1x audio out, , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector (e.g. Dongle), , Embedded security (TPM 2.0) , , Disable / Hide TPM option, , EraseDisk,</p>					



Fujitsu recommande Windows.

CELSIUS M740 Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
CELSIUS M740B (Suite)					
CELS M740 /ESTAR/XEON E5-1650V3/	CELS M740 /ESTAR/XEON E5-1650V3/ 4x8GB 2400 RG ECC/4xDP CABLE/Q M4000/ DVD SM/SSD 256GB MS BAY/1000GB SATA III/ 3xRAILS 2X HDD 3.5'/RAILS 2X HDD 2.5'/	LKN:M7400W0064FR	3582,36		
CELS M740 /ESTAR/XEON E5-1630V3/	CELS M740 /ESTAR/XEON E5-1630V3/ 2x16GB 2400 RG ECC/NO GRAPHICS/DVD SM/ SSD 256GB MS/2000GB SATA III/ RAILS 2X HDD 3.5'/RAILS 2X HDD 2.5'/	LKN:M7400W0065FR	2034,13		
CELS M740 /ESTAR/XEON E5-1630V3/	CELS M740 /ESTAR/XEON E5-1630V3/ 2x16GB 2400 RG ECC/NO GRAPHICS/DVD SM/ SSD 256GB MS/2000GB SATA III/ RAILS 2X HDD 3.5'/RAILS 2X HDD 2.5'/	LKN:M7400W0066FR	2052,95		
CELS M740 /ESTAR/XEON E5-1620V4/	CELS M740 /ESTAR/XEON E5-1620V4/ 2x16GB 2400 RG ECC/Q M2000/DVD SM/ SSD 256GB MS/RAILS 2X HDD 2.5'/CK F/ KB900FR/LIC W10 PRO/W10 PRO64 MAIN/SCR/	LKN:M7400W0067FR	2461,19		
CELS M740 /XEON E5-1607V4/	CELS M740 /XEON E5-1607V4/ 8GB 2400 RG ECC/NO GRAPHICS/ 1000GB SATA III/2xRAILS 2X HDD 3.5'/ 2xRAILS 2X HDD 2.5'/CK F/DUDVD WIN10/	VFY:M7400W380BFR	1257,65		
CELS M740 /XEON E5-1620V4/	CELS M740 /XEON E5-1620V4/ 2x8GB 2400 RG ECC/Q M2000/DVD SM TRAY/ MCR 24IN1/BOOT SSD 256GB MS/ 2xRAILS 2X HDD 3.5'/2xRAILS 2X HDD 2.5'/	VFY:M7400W382PFR	1998,82		
CELS M740 /ESTAR/XEON E5-1650V4/	CELS M740 /ESTAR/XEON E5-1650V4/ 2x16GB 2400 RG ECC/Q M4000/DVD SM TRAY/ SSD 256GB MS BAY/1000GB SATA III/ RAILS 2X HDD 3.5'/CK F/DUDVD WIN10/	VFY:M7400W38SBFR	2822,35		

CELSIUS M740Bpower



Fujitsu recommande Windows.

CELSIUS M740

Fiches produit : <http://fr.fujitsu.com/celsius>

	Modèle Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
CELSIUS M740Bpower (Suite)					
	CELS M740POWER /ESTAR/XEON E5-1650V4/	CELS M740POWER /ESTAR/XEON E5-1650V4/ 2x16GB 2400 RG ECC/Q M4000/BD WRITER/ SSD 1024GB MAIN/SSD PCIE 256GB/ 2xRAILS 2X HDD 3.5'/2xRAILS 2X HDD 2.5'/	LKN:M7400W0061FR	4422,36	



Fujitsu recommande Windows.

CELSIUS M740

Fiches produit : <http://fr.fujitsu.com/celsius>

	Modèle Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
CELSIUS M740B (Suite)					
	CELSIUS M740	System board D3348, Chipset: Intel C612; Fujitsu Teutates system management controller, 600 W wide range power supply;, , prepared for rack mounting (rack mount kit optionally available), EraseDisk and DeskView license included., , Slots:;, , 8 DIMM-slots, 4 channels (up to DDR4 2400MHz depending on CPU);;, , 7 expansion slots: 2x PCIe Gen3 x16, 1x PCIe Gen3 x4 (mechanical PCIe x16), 2x PCIe Gen2 x1 (mechanical PCIe x8), 1x PCIe Gen3 x4 (mechanical x8), 1x PCIe Gen2 x4 (mechanical x16), , Onboard I/O devices:;, , 1x 1Gbit network controller Intel I317, SATA controller (10x SATAIII 6Gbit/s), HD-Audio Codec, , Bays:;, , 1x 5,25" and 2x 3,5" FlexiBays externally accessible, , , 4x 3,5" internal HDD bays or [2x 3,5" internal HDD bays and 2x 2,5" internal HDD/SSD bays] or [8x 2,5" internal HDD/SSD bays] , , - all internal HDD bays accessible from the front., , Front interfaces: 2x USB 2.0, 2x USB 3.0, 1x audio out, 1x audio in, , Rear interfaces: 1x LAN RJ45, 2x USB 3.0, 4x USB 2.0 2x audio in, 1x audio out, , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector (e.g. Dongle), , Embedded security (TPM 2.0) , , Disable / Hide TPM option, , EraseDisk,	S26361-K1447-V355	704,71	
CELSIUS M740B-L					



Fujitsu recommande Windows.

CELSIUS M740

Fiches produit : <http://fr.fujitsu.com/celsius>

	Modèle Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
CELSIUS M740B-L (Suite)					
	CELSIUS M740-L	System board D3348, Long lifecycle base unit, EOL end of 2018, Chipset: Intel C612; Fujitsu Teutates system management controller, 600 W wide range power supply;, , prepared for rack mounting (rack mount kit optionally available), EraseDisk and DeskView license included., , Slots:;, , 8 DIMM-slots, 4 channels (up to DDR4 2400MHz depending on CPU);;, , 7 expansion slots: 2x PCIe Gen3 x16, 1x PCIe Gen3 x4 (mechanical PCIe x16), 2x PCIe Gen2 x1 (mechanical PCIe x8), 1x PCIe Gen3 x4 (mechanical x8), 1x PCIe Gen2 x4 (mechanical x16), , Onboard I/O devices: , , 1x 1Gbit network controller Intel I317, SATA controller (10x SATAIII 6Gbit/s), HD-Audio Codec, , Bays:;, , 1x 5,25" and 2x 3,5" FlexiBays externally accessible, , , 4x 3,5" internal HDD bays or [2x 3,5" internal HDD bays and 2x 2,5" internal HDD/SSD bays] or [8x 2,5" internal HDD/SSD bays] , , - all internal HDD bays accessible from the front., , Front interfaces: 2x USB 2.0, 2x USB 3.0, 1x audio out, 1x audio in, , Rear interfaces: 1x LAN RJ45, 2x USB 3.0, 4x USB 2.0 2x audio in, 1x audio out, , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector (e.g. Dongle), , Embedded security (TPM 2.0) , , Disable / Hide TPM option, , EraseDisk,	S26361-K1447-V350	787,06	
CELSIUS M740Bpower					
	CELSIUS M740power	Base unit:;, , System board D3348, Chipset: Intel C612; Fujitsu Teutates system management controller, 1000 W wide range power supply;, , , prepared for rack mounting (rack mount kit optionally available), EraseDisk and DeskView license included., , Slots:;, , 8 DIMM-slots, 4 channels (DDR4 2400Mhz) ; , , 7 expansion slots: 2x PCIe Gen3 x16, 1x PCIe Gen3 x4 (mechanical PCIe x16), 2x PCIe Gen2 x1 (mechanical PCIe x8), 1x PCIe Gen3 x4 (mechanical x8), 1x PCIe Gen2 x4 (mechanical x16), , Onboard I/O devices: , , 1x 1Gbit network controller Intel I317, SATA controller (10x SATAIII 6Gbit/s), HD-Audio Codec, , , Bays: , , , 1x 5,25" and 2x 3,5" FlexiBays externally accessible, , , 4x 3,5" internal HDD bays or [2x 3,5" internal HDD bays and 2x 2,5" internal HDD/SSD bays] or [8x 2,5" internal HDD/SSD bays] , , - all internal HDD bays accessible from the front., , , Front interfaces: 2x USB 2.0, 2x USB 3.0, 1x audio out, 1x audio in, , , Rear interfaces: 1x LAN RJ45, 2x USB 3.0, 4x USB 2.0, 2x audio in, 1x audio out, , , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector (e.g. Dongle), , , Embedded security (TPM 2.0) , , , Disable / Hide TPM option, , , EraseDisk,	S26361-K1447-V455	738,82	



Fujitsu recommande Windows.

CELSIUS R940

Fiches produit : <http://fr.fujitsu.com/celsius>

Fujitsu's CELSIUS R940 is designed to surpass all your expectations. Achieving first-class benchmark results, this reliable, high-end dual processor workstation is individually configurable and optimized for extremely demanding and memory intensive multi-threaded applications in a 24/7 operating environment. Offering the latest NVIDIA GRID™ graphics virtualization cards, the CELSIUS R940 is your reliable partner for graphics virtualization and High Performance Computing.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
CELSIUS R940B				
CELS R940 /ESTAR/XEON E5-2620V4/	CELS R940 /ESTAR/XEON E5-2620V4/ 2x8GB 2400 RG ECC/2xDP CABLE/Q M2000/ BD WRITER/MCR 24IN1/SSD 512GB MS/ 2xRAILS 2X HDD 3.5/2xRAILS 2X HDD 2.5/	LKN:R9400W0050FR	3160,01	
CELS R940 /ESTAR/XEON E5-2620V4/	CELS R940 /ESTAR/XEON E5-2620V4/ 2ND XEON E5-2620V4/2x16GB 2400 RG ECC/ Q M2000/BD WRITER/MCR 24IN1/ BOOT HDD 1000GB/SSD 256GB MS/	LKN:R9400W0051FR	3925,89	
<p>Base unit,, System board D3358, Chipset: Intel C612; Fujitsu Teutates system management controller, 1000 W wide range power supply,, prepared for rack mounting (rack mount kit optionally available), EraseDisk and DeskView license included., , Slots:, , 16 DIMM-slots (8 Slots per CPU), 8 channels (4 per CPU); , , 7 expansion slots: 4x PCIe Gen3 x16, 1x PCIe x8 Gen3, 1x PCIe x4 Gen2, 1x PCIe x1 Gen2, , 1 internal expansion slot: PCIe x8 Gen3, , 2nd CPU (CPU1) is needed for the usage of three or four PCIe x16 add on cards and internal expansion slot., , Onboard I/O devices: , , 2x 1Gbit network controller Intel I217LM und I210, SATA controller (10x SATAIII 6Gbit/s), HD-Audio Codec, , , Bays: , , 2x 5,25" und 2x 3,5" FlexiBays externally accessible, , , 4x 3,5" internal HDD bays or [2x 3,5" internal HDD bays and 2x 2,5" internal HDD/SSD bays] or [8x 2,5" internal HDD/SSD bays] , , - all internal HDD bays accessible from the front., , Front interfaces: 2x USB 2.0, 2x USB 3.0, 1x audio out, 1x audio in, , Rear interfaces: 2x LAN RJ45, 2x USB 3.0, 4x USB 2.0, 1x audio in, 2x audio out , , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector (e.g. Dongle), , Embedded security (TPM 2.0) – Infineon, , , Disable / Hide TPM option, , EraseDisk,</p>				
CELS R940 /ESTAR/XEON E5-2630V4/	CELS R940 /ESTAR/XEON E5-2630V4/ 2x16GB 2400 RG ECC/NO GRAPHICS/ DVD SM TRAY/MCR 24IN1/BOOT SSD 512GB MS/ 2xRAILS 2X HDD 3.5/2xRAILS 2X HDD 2.5/	LKN:R9400W0048FR	3137,66	
CELS R940 /ESTAR/XEON E5-2630V4/	CELS R940 /ESTAR/XEON E5-2630V4/ 2x64GB 2400 ECC/NO GRAPHICS/DVD SM TRAY/ MCR 24IN1/BOOT SSD 1024GB MS/ 2xRAILS 2X HDD 3.5/2xRAILS 2X HDD 2.5/	LKN:R9400W0049FR	6658,84	
CELS R940 /ESTAR/XEON E5-2643V4/	CELS R940 /ESTAR/XEON E5-2643V4/ 2ND XEON E5-2643V4/4x16GB 2400 RG ECC/ 2xDP CABLE/Q M4000/BOOT SSD 512GB MS/ 1000GB SATA III/RAILS 2X HDD 3.5/CK F/	LKN:R9400W0052FR	8445,89	
CELS R940 /ESTAR/XEON E5-2620V4/	CELS R940 /ESTAR/XEON E5-2620V4/ 2ND XEON E5-2620V4/4x8GB 2400 RG ECC/ NVS 315/LFH59/2XDVI-/DVD SM TRAY/ SSD 512GB MS/2000GB SATA III/	LKN:R9400W0053FR	3487,07	
CELS R940 /ESTAR/XEON E5-2620V4/	CELS R940 /ESTAR/XEON E5-2620V4/ 2ND XEON E5-2620V4/4x16GB 2400 RG ECC/ NO GRAPHICS/DVD SM TRAY/MCR 24IN1/ BOOT SSD 256GB MS/2xRAILS 2X HDD 3.5/	VFY:R9400W380PFR	2822,35	
CELS R940 /ESTAR/XEON E5-2630V4/	CELS R940 /ESTAR/XEON E5-2630V4/ 2x8GB 2400 RG ECC/NO GRAPHICS/ DVD SM TRAY/MCR 24IN1/SSD 256GB MS BAY/ 2xRAILS 2X HDD 2.5/CK F/LIC W10 PRO/	VFY:R9400W38ABFR	2784,72	



Fujitsu recommande Windows.

CELSIUS R940 Fiches produit : <http://fr.fujitsu.com/celsius>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
CELSIUS R940B (Suite)				
CELS R940 /ESTAR/XEON E5-2630V4/	CELS R940 /ESTAR/XEON E5-2630V4/2ND XEON E5-2630V4/2x8GB 2400 RG ECC/ NO GRAPHICS/DVD SM/MCR 24IN1/SSD 256GB MS BAY/2xRAILS 2X HDD 2.5/	VFY:R9400W38SBFR	3292,94	
CELSIUS R940Bpower				
Base unit,, System board D3358, Chipset: Intel C612; Fujitsu Teutates system management controller, 1300 W wide range power supply,, prepared for rack mounting (rack mount kit optionally available), EraseDisk and DeskView license included,, Slots,, 16 DIMM-slots (8 Slots per CPU), 8 channels (4 per CPU);,, 7 expansion slots: 4x PCIe Gen3 x16, 1x PCIe x8 Gen3, 1x PCIe x4 Gen2, 1x PCIe x1 Gen2,, 1 internal expansion slot: PCIe x8 Gen3,, 2nd CPU (CPU1) is needed for the usage of three or four PCIe x16 add on cards and internal expansion slot,, Onboard I/O devices:,, 2x 1Gbit network controller Intel I217LM und I210, SATA controller (10x SATAIII 6Gbit/s), HD-Audio Codec,, Bays:,, 2x 5,25" und 2x 3,5" FlexBays externally accessible,, 4x 3,5" internal HDD bays or [2x 3,5" internal HDD bays and 2x 2,5" internal HDD/SSD bays] or [8x 2,5" internal HDD/SSD bays] , - all internal HDD bays accessible from the front,, Front interfaces: 2x USB 2.0, 2x USB 3.0, 1x audio out, 1x audio in,, Rear interfaces: 2x LAN RJ45, 2x USB 3.0, 4x USB 2.0, 1x audio in, 2x audio out,, Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector (e.g. Dongle),,, Embedded security (TPM 2.0) – Infineon,, Disable / Hide TPM option,, EraseDisk,				
CELS R940POWER /XEON E5-2667V4/	CELS R940POWER /XEON E5-2667V4/ 2x16GB 2400 RG ECC/DP CABLE/DVI/VGA/ Q M6000/DVD SM TRAY/MCR 24IN1/ 2ND SSD 512GB MS/600GB SAS 15K/	LKN:R9400W0046FR	12062,35	

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
CELSIUS R940B				
CELSIUS R940	Base unit,, System board D3358, Chipset: Intel C612; Fujitsu Teutates system management controller, 1000 W wide range power supply,, prepared for rack mounting (rack mount kit optionally available), EraseDisk and DeskView license included,, Slots,, 16 DIMM-slots (8 Slots per CPU), 8 channels (4 per CPU);,, 7 expansion slots: 4x PCIe Gen3 x16, 1x PCIe x8 Gen3, 1x PCIe x4 Gen2, 1x PCIe x1 Gen2,, 1 internal expansion slot: PCIe x8 Gen3,, 2nd CPU (CPU1) is needed for the usage of three or four PCIe x16 add on cards and internal expansion slot,, Onboard I/O devices:,, 2x 1Gbit network controller Intel I217LM und I210, SATA controller (10x SATAIII 6Gbit/s), HD-Audio Codec,, Bays:,, 2x 5,25" und 2x 3,5" FlexBays externally accessible,, 4x 3,5" internal HDD bays or [2x 3,5" internal HDD bays and 2x 2,5" internal HDD/SSD bays] or [8x 2,5" internal HDD/SSD bays] , - all internal HDD bays accessible from the front,, Front interfaces: 2x USB 2.0, 2x USB 3.0, 1x audio out, 1x audio in,, Rear interfaces: 2x LAN RJ45, 2x USB 3.0, 4x USB 2.0, 1x audio in, 2x audio out,, Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector (e.g. Dongle),,, Embedded security (TPM 2.0) – Infineon,, Disable / Hide TPM option,, EraseDisk,	S26361-K1449-V355	1174,12	
CELSIUS R940Bpower				
CELSIUS R940power	Base unit,, System board D3358, Chipset: Intel C612; Fujitsu Teutates system management controller, 1300 W wide range power supply,, prepared for rack mounting (rack mount kit optionally available), EraseDisk and DeskView license included,, Slots,, 16 DIMM-slots (8 Slots per CPU), 8 channels (4 per CPU);,, 7 expansion slots: 4x PCIe Gen3 x16, 1x PCIe x8 Gen3, 1x PCIe x4 Gen2, 1x PCIe x1 Gen2,, 1 internal expansion slot: PCIe x8 Gen3,, 2nd CPU (CPU1) is needed for the usage of three or four PCIe x16 add on cards and internal expansion slot,, Onboard I/O devices:,, 2x 1Gbit network controller Intel I217LM und I210, SATA controller (10x SATAIII 6Gbit/s), HD-Audio Codec,, Bays:,, 2x 5,25" und 2x 3,5" FlexBays externally accessible,, 4x 3,5" internal HDD bays or [2x 3,5" internal HDD bays and 2x 2,5" internal HDD/SSD bays] or [8x 2,5" internal HDD/SSD bays] , - all internal HDD bays accessible from the front,, Front interfaces: 2x USB 2.0, 2x USB 3.0, 1x audio out, 1x audio in,, Rear interfaces: 2x LAN RJ45, 2x USB 3.0, 4x USB 2.0, 1x audio in, 2x audio out,, Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector (e.g. Dongle),,, Embedded security (TPM 2.0) – Infineon,, Disable / Hide TPM option,, EraseDisk,	S26361-K1449-V455	1358,82	



Fujitsu recommande Windows.

CELSIUS W530

Fiches produit : <http://fr.fujitsu.com/celsius>

Equipée des derniers processeurs Intel® Xeon® et cartes graphiques professionnelles, la station de travail CELSIUS W530 a été conçue pour offrir une productivité, des performances et une flexibilité exceptionnelles. Ce système est idéal pour les secteurs professionnels tels que le traitement graphique 3D, les prévisions financières et la création de contenu numérique ; vous disposez ainsi des performances nécessaires pour accroître votre productivité.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
CELSIUS W530				
CELS W530 /CORE I5-4590/2x8GB DDR3-1600/	CELS W530 /CORE I5-4590/2x8GB DDR3-1600/ Q K2200/DVD SM/SSHD 500GB/CK EU EU+/ KB410 USB BLACK FR/NO OS/	LKN:W5300W0121FR	1487,06	
CELS W530 /XEON E3-1246V3/	CELS W530 /XEON E3-1246V3/ 2x8GB DDR3-1600/NVS 310/DVD SM/ SSD 256GB/2x1000GB SATA III/CK F/ KB410PS2FR/NO OS/	LKN:W5300W0166FR	1407,06	
CELS W530 /XEON E3-1226V3/	CELS W530 /XEON E3-1226V3/ 2x4GB DDR3-1600/Q K620/DVD SM/SSD 128GB/ 1000GB SATA III/CK F/KB410PS2FR/NO OS/	LKN:W5300W0170FR	1236,47	
CELS W530 /XEON E3-1276V3/	CELS W530 /XEON E3-1276V3/ 4x8GB 1600 ECC/DVI/VGA/Q K620/DVD SM/ 1000GB SATA III/ESATA/CK F/KB900FR/ NO OS/LASER MOUSE/MAC-ADDRESS/	LKN:W5300W0198FR	1729,41	
CELS W530 /XEON E3-1246V3/	CELS W530 /XEON E3-1246V3/ 2x4GB DDR3-1600/NVS 310/DP CABLE/DVD SM/ MCR 24IN1/SSD 256GB/CK F/KB900FR/ DU DVD WIN7+8/DUDVD WIN10/LIC W10 PRO/	LKN:W5300W0211FR	1410,59	
CELS W530 /CORE I7-4790/2x8GB DDR3-1600/	CELS W530 /CORE I7-4790/2x8GB DDR3-1600/ 2xDP CABLE/DVI/VGA/Q K2200/DVD SM/ MCR 24IN1/SSD 256GB/CK F/ KEYBOARD KB521 FR/LIC W10 PRO/	LKN:W5300W0212FR	1897,65	
CELS W530 /CORE I7-4790/2x8GB DDR3-1600/	CELS W530 /CORE I7-4790/2x8GB DDR3-1600/ Q K2200/DVD SM/1000GB SATA III/CK F/ LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO64/	LKN:W5300W0219FR	1770,59	
CELS W530 /CORE I7-4790/8GB DDR3-1600/	CELS W530 /CORE I7-4790/8GB DDR3-1600/ FIREPRO W2100/DP CABLE/DVD SM/ SSHD 500GB/CK F/KB900FR/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:W5300W0220FR	1397,65	
CELS W530 /CORE I7-4790/2x4GB DDR3-1600/	CELS W530 /CORE I7-4790/2x4GB DDR3-1600/ DVD SM/SSD 256GB/CK F/KB900FR/ DU DVD WIN7+8/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO64/	LKN:W5300W0225FR	1292,94	
CELS W530 /XEON E3-1241V3/	CELS W530 /XEON E3-1241V3/ 4x8GB 1600 ECC/DP CABLE/DVI/VGA/Q K2200/ DVD SM/1000GB SATA III/CK IND/ KEYBOARD KB521 US/DU DVD WIN7+8/NO OS/	VFY:W5300W58B5IN	1910,59	
CELS W530 /CORE I7-4790/2x8GB DDR3-1600/	CELS W530 /CORE I7-4790/2x8GB DDR3-1600/ DP CABLE/Q K620/DVD SM/3000GB BC/CK IND/ KB410 USB BL US/INT/DU DVD WIN7+8/NO OS/	VFY:W5300W67A5IN	1636,47	
CELS W530 /CORE I5-4590/4GB DDR3-1600/	CELS W530 /CORE I5-4590/4GB DDR3-1600/ DVD SM/MCR 24IN1/500GB SATA III/CK F/ KB900FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/RDVD W7 PRO32/	VFY:W5300W750BFR	1048,24	
CELS W530 /XEON E3-1246V3/	CELS W530 /XEON E3-1246V3/ 2x4GB 1600 ECC/DVD SM/MCR 24IN1/ 1000GB SATA III/CK F/KB900FR/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:W5300W780BFR	1307,06	
CELS W530 /CORE I7-4790/4x8GB DDR3-1600/	CELS W530 /CORE I7-4790/4x8GB DDR3-1600/ DP CABLE/DVI/VGA/Q K2200/BD WRITER/ 2x2000GB SATA III AF/CK IND/ KB410 USB BL US/INT/NERO 2014/	VFY:W5300W87CBIN	2195,29	
CELS W530 /XEON E3-1220V3/8GB 1600 ECC/	CELS W530 /XEON E3-1220V3/8GB 1600 ECC/ DP CABLE/Q K2200/DVD SM/1000GB SATA III/ CK IND/KEYBOARD KB521 US/NO OS/LOCK/	VFY:W5300W88A5IN	1515,29	
CELS W530 /XEON E3-1281V3/	CELS W530 /XEON E3-1281V3/ 4x8GB DDR3-1600/DP CABLE/Q K620/DVD SM/ SSD 256GB/1000GB BC/CK IND/ KB410 USB BLACK US/NO OS/	VFY:W5300W88B5IN	2216,47	
CELS W530 /XEON E3-1241V3/8GB 1600 ECC/	CELS W530 /XEON E3-1241V3/8GB 1600 ECC/ DP CABLE/Q K2200/DVD SM/1000GB SATA III/ CK IND/KEYBOARD KB521 US/DU DVD WIN7+8/ NO OS/LOCK/	VFY:W5300W88BBIN	1647,06	



Fujitsu recommande Windows.

CELSIUS W530 Fiches produit : <http://fr.fujitsu.com/celsius>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
CELSIUS W530 (Suite)				
CELS W530 /XEON E3-1226V3/	CELS W530 /XEON E3-1226V3/ 2x8GB DDR3-1600/FIREPRO W2100/DP CABLE/ 1000GB BC/CK IND/KB410 USB BLACK US/ DU DVD WIN7+8/NO OS/MOUSE M440 ECO/	VFY:W5300W88C5IN	1256,47	
CELSIUS W530power				
CELS W530POWER /XEON E3-1241V3/	CELS W530POWER /XEON E3-1241V3/ 2x8GB DDR3-1600/DP CABLE/DVI/VGA/ Q K4200/SSD 256GB/CK F/KB410PS2US/ LIC W10 PRO/W7 PRO64 SEE/RDVD W10 PRO64/	LKN:W5300W0209FR	2336,47	
CELS W530POWER /CORE I7-4790/	CELS W530POWER /CORE I7-4790/ 4GB DDR3-1600/8GB DDR3-1600/DP CABLE/ DVI/VGA/Q K620/DVD SM/MCR 24IN1/ SSD 256GB/CK F/KB900FR/LIC W10 PRO/	LKN:W5300W0210FR	1590,59	
CELS W530POWER /CORE I7-4790/	CELS W530POWER /CORE I7-4790/ 4x8GB DDR3-1600/DP CABLE/Q K4200/DVD SM/ SSD 512GB/CK F/KB900FR/DU DVD WIN7+8/ DUDVD WIN10/LIC W10 PRO/W7 PRO64 MAIN/	LKN:W5300W0218FR	2760,00	
CELS W530POWER /CORE I7-4790/	CELS W530POWER /CORE I7-4790/ 4x8GB DDR3-1600/DP CABLE/Q K4200/DVD SM/ SSD 512GB/CK F/DU DVD WIN7+8/ DUDVD WIN10/LIC W10 PRO/W7 PRO64 MAIN/	LKN:W5300W0223FR	2761,18	

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
CELSIUS W530				
CELSIUS W530	Base unit, system board D3227, 300 W wide range power supply, optical USB tilt scroll mouse; Chipset: Intel C226., , Slots: , 4 DIMM-sockets (max. 32 GB, DDR3-1600, ECC or non-ECC, dual channel), 4 slots: 1x PCIe 3.0 x16, 1x PCIe 2.0 x4 (mechanical x16), 2x PCIe x1., , Onboard I/O-devices: , Intel® HD Graphics 4600or HD Graphics P4600 (depending on CPU), network controller Intel L217LM, Serial ATA controller (6 Ports – SATA III; RAID 0, 1 or 5 for HDDs) and HD-audio Realtek ALC671., , Bays:, 7 (2x 5,25" and 2x 3,5" externally accessible, 2x 3,5"/2.5" internal HDD-bays, 1x 2,5" internal HDD/SSD-bays)., , Front interfaces:, 2x USB 3.0, 2x USB 2.0, 1x audio out, 1x audio in., , Rear interfaces:, 1x DisplayPort 1.2, 1x DVI-D, 1x VGA, 1x LAN RJ45, 2x USB 3.0, 4x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial., , Internal interfaces:, 2x USB 2.0, 1x USB 2.0 with standard connector., , Embedded security (TPM 1.2), Disable / Hide TPM option	S26361-K1445-V115	461,18	
CELSIUS W530power				



Fujitsu recommande Windows.

CELSIUS W530		Fiches produit : http://fr.fujitsu.com/celsius	
CELSIUS W530power	Base unit, system board D3227, 500 W wide range power supply, optical USB tilt scroll mouse; Chipset: Intel C226., , Slots: , 4 DIMM-sockets (max. 32 GB, DDR3-1600, ECC or non-ECC, dual channel), 4 slots: 1x PCIe 3.0 x16, 1x PCIe 2.0 x4 (mechanical x16), 2x PCIe x1., , Onboard I/O-devices: , Intel® HD Graphics 4600or HD Graphics P4600 (depending on CPU), network controller Intel L217LM, Serial ATA controller (6 Ports – SATA III; RAID 0, 1 or 5 for HDDs) and HD-audio Realtek ALC671., , Bays:, 9 (2x 5,25" and 2x 3,5" externally accessible, 4x 3,5"/2.5" internal HDD-bays, 1x 2,5" internal HDD/SSD-bays)., , Front interfaces:, 2x USB 3.0, 2x USB 2.0, 1x audio out, 1x audio in., , Rear interfaces:, 1x DisplayPort 1.2, 1x DVI-D, 1x VGA, 1x LAN RJ45, 2x USB 3.0, 4x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial., , Internal interfaces:, 2x USB 2.0, 1x USB 2.0 with standard connector., , Embedded security (TPM 1.2), Disable / Hide TPM option	S26361-K1445-V215	516,47



Fujitsu recommande Windows.

CELSIUS W550

Fiches produit : <http://fr.fujitsu.com/celsius>

Equipée des derniers processeurs Intel® Xeon® et cartes graphiques professionnelles, la station de travail CELSIUS W550 a été conçue pour offrir une productivité, des performances et une flexibilité exceptionnelles. Ce système est idéal pour les secteurs professionnels tels que le traitement graphique 3D, les prévisions financières et la création de contenu numérique ; vous disposez ainsi des performances nécessaires pour accroître votre productivité.

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
CELSIUS W550					
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 256GB MAIN/2000GB SATA III/CK B/NL/ KB900US/LIC W10 PRO/W7 PRO64 MAIN/	LKN:W5500W0001IN	2008,24	
	CELS W550 /XEON E3-1275V5/	CELS W550 /XEON E3-1275V5/ 2x8GB 2133 ECC/Q K2200/SSD 256GB MAIN/ CK EU EU+/POWER DVD12/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:W5500W0001SK	1963,53	
	CELS W550 /CORE I7-6700/2x4GB DDR4-2133/	CELS W550 /CORE I7-6700/2x4GB DDR4-2133/ FIREPRO W2100/2xDP CABLE/DVD SM/ MCR 24IN1/500GB EA/ESATA/CK F/KB900FR/ DU DVD WIN7+8/DUDVD WIN10/LIC W10 PRO/	LKN:W5500W0002FR	1444,71	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 256GB MAIN/2000GB SATA III/CK I/ KB900IT/LIC W10 PRO/W7 PRO64 MAIN/	LKN:W5500W0002IN	2008,24	
	CELS W550 /XEON E3-1275V5/	CELS W550 /XEON E3-1275V5/ 2x8GB 2133 ECC/Q K2200/SSD 256GB MAIN/ GE PCIE X1, DS/CK EU EU+/POWER DVD12/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:W5500W0002SK	1982,35	



Fujitsu recommande Windows.

CELSIUS W550

Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
CELSIUS W550 (Suite)					
	CELS W550 /CORE I7-6700/2x4GB DDR4-2133/	CELS W550 /CORE I7-6700/2x4GB DDR4-2133/ FIREPRO W4100/4xDP CABLE/DVD SM/ MCR 24IN1/500GB EA/ESATA/CK F/KB900FR/ DU DVD WIN7+8/DUDVD WIN10/LIC W10 PRO/	LKN:W5500W0003FR	1581,18	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 256GB MAIN/2000GB SATA III/CK E/P/ KB900ES/LIC W10 PRO/W7 PRO64 MAIN/	LKN:W5500W0003IN	2008,24	
	CELS W550 /XEON E3-1270V5/	CELS W550 /XEON E3-1270V5/ 2x4GB DDR4-2133/4xDP CABLE/ FIREPRO W5100/MCR 24IN1/DVD SM/ 1000GB SATA III/SSD PCIE 128GB M.2/CK F/	LKN:W5500W0004FR	2088,24	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 256GB MAIN/2000GB SATA III/CK F/ KB900FR/LIC W10 PRO/W7 PRO64 MAIN/	LKN:W5500W0004IN	2008,24	
	CELS W550 /XEON E3-1240V5/	CELS W550 /XEON E3-1240V5/ 2x8GB DDR4-2133/Q K2200/DVD SM/ SSD PCIE 256GB M.2/500GB SATA III/CK F/ KB410 USB BLACK FR/LIC W10 PRO/	LKN:W5500W0005FR	1974,12	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 256GB MAIN/2000GB SATA III/ CK GB/INT/KB900GB/LIC W10 PRO/	LKN:W5500W0005IN	2008,24	
	CELS W550 /XEON E3-1280V5/	CELS W550 /XEON E3-1280V5/ 4x4GB DDR4-2133/Q K2200/DVD SM/ SSD 256GB SED MAIN/500GB SATA III/ MOUNT FOR 2.5/CK F/KB410 USB BLACK FR/	LKN:W5500W0006FR	2483,53	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 256GB MAIN/2000GB SATA III/ CK NORDICS/KB900NORD/LIC W10 PRO/	LKN:W5500W0006IN	2008,24	



Fujitsu recommande Windows.

CELSIUS W550

Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
CELSIUS W550 (Suite)					
	CELS W550 /XEON E3-1245V5/	CELS W550 /XEON E3-1245V5/ 2x4GB DDR4-2133/Q K620/DVD ROM/ 2xSSHD 1000GB/CK F/KB900FR/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:W5500W0007FR	1601,18	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 256GB MAIN/2000GB SATA III/CK INT/ KB900H/LIC W10 PRO/W7 PRO64 SEE/	LKN:W5500W0007IN	2008,24	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 256GB MAIN/2000GB SATA III/CK TR/ KB900TRQ/LIC W10 PRO/W7 PRO64 EM-SE/	LKN:W5500W0008IN	2008,24	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 256GB MAIN/2000GB SATA III/CK PL/ KB900US/LIC W10 PRO/W7 PRO64 IBER-NE/	LKN:W5500W0009IN	2008,24	
	CELS W550 /XEON E3-1220V5/	CELS W550 /XEON E3-1220V5/ 2x4GB DDR4-2133/FIREPRO W4100/DVD SM/ 1000GB SATA III/CK F/GERMANY STICKER/ KB410PS2FR/DU DVD WIN7+8/DUDVD WIN10/	LKN:W5500W0010FR	1324,71	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 256GB MAIN/2000GB SATA III/CK B/NL/ KB900B/LIC W10 PRO/W7 PRO64 MAIN/	LKN:W5500W0010IN	2008,24	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 256GB MAIN/2000GB SATA III/CK CH/ KB900CH/LIC W10 PRO/W7 PRO64 MAIN/	LKN:W5500W0011IN	2008,24	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 256GB MAIN/2000GB SATA III/ CK EU EU+/KB900CZSK/LIC W10 PRO/	LKN:W5500W0012IN	2008,24	



Fujitsu recommande Windows.

CELSIUS W550

Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
CELSIUS W550 (Suite)					
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 512GB MAIN/2000GB SATA III/CK D/ KB900D/LIC W10 PRO/W7 PRO64 MAIN/	LKN:W5500W0013IN	2137,65	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 512GB MAIN/2000GB SATA III/CK B/NL/ KB900N/LIC W10 PRO/W7 PRO64 MAIN/	LKN:W5500W0014IN	2137,65	
	CELS W550 /XEON E3-1275V5/	CELS W550 /XEON E3-1275V5/ 2x8GB 2133 ECC/Q K2200/SSD 256GB MAIN/ CK EU EU+/POWER DVD12/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:W5500W0015FR	1963,53	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 512GB MAIN/2000GB SATA III/CK I/ KB900IT/LIC W10 PRO/W7 PRO64 MAIN/	LKN:W5500W0015IN	2137,65	
	CELS W550 /XEON E3-1275V5/	CELS W550 /XEON E3-1275V5/ 2x8GB 2133 ECC/Q K2200/SSD 256GB MAIN/ GE PCIE X1, DS/CK EU EU+/POWER DVD12/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:W5500W0016FR	1982,35	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 512GB MAIN/2000GB SATA III/CK E/P/ KB900ES/LIC W10 PRO/W7 PRO64 MAIN/	LKN:W5500W0016IN	2137,65	
	CELS W550 /CORE I7-6700/8GB DDR4-2133/	CELS W550 /CORE I7-6700/8GB DDR4-2133/ DVD SM TRAY/SSHD 1000GB/CK EU EU+/ KB410 USB BLACK GB/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:W5500W0017FR	1321,18	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK GB/INT/KB900GB/LIC W10 PRO/	LKN:W5500W0017IN	2137,65	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK NORDICS/KB900NORD/LIC W10 PRO/	LKN:W5500W0018IN	2137,65	



Fujitsu recommande Windows.

CELSIUS W550

Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
CELSIUS W550 (Suite)					
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK EU EU+/KB900H/LIC W10 PRO/	LKN:W5500W0019IN	2137,65	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 512GB MAIN/2000GB SATA III/CK F/ KB900FR/LIC W10 PRO/W7 PRO64 MAIN/	LKN:W5500W0020IN	2137,65	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 512GB MAIN/2000GB SATA III/CK TR/ KB900TRQ/LIC W10 PRO/W7 PRO64 EM-SE/	LKN:W5500W0021IN	2137,65	
	CELS W550 /CORE I7-6700/	CELS W550 /CORE I7-6700/ 2x16GB DDR4-2133/DVI/VGA/Q K2200/DVD SM/ SSD 512GB MAIN/2000GB BC/GE PCIE X1, DS/ CK EU EU+/KEYBOARD KB521 FR/LIC W10 PRO/	LKN:W5500W0022FR	2409,41	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 512GB MAIN/2000GB SATA III/CK B/NL/ KB900B/LIC W10 PRO/W7 PRO64 MAIN/	LKN:W5500W0022IN	2137,65	
	CELS W550 /XEON E3-1240V5/8GB DDR4-2133/	CELS W550 /XEON E3-1240V5/8GB DDR4-2133/ 2xDP CABLE/Q K1200/DVD SM/ SSD 256GB MAIN/2000GB SATA III/ GE PCIE X1, DS/CK GB/INT/KB900GB/	LKN:W5500W0023FR	1848,24	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 512GB MAIN/2000GB SATA III/CK PL/ KB900US/LIC W10 PRO/W7 PRO64 IBER-NE/	LKN:W5500W0023IN	2137,65	
	CELS W550 /XEON E3-1245V5/	CELS W550 /XEON E3-1245V5/ 2x4GB DDR4-2133/NVS 315/2xDVI/VGA/ LFH59/2XDVI-I/DVD SM TRAY/ 2xSSD 256GB MAIN/MOUNT FOR 2.5'/	LKN:W5500W0024FR	1580,00	



Fujitsu recommande Windows.

CELSIUS W550

Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
CELSIUS W550 (Suite)					
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 512GB MAIN/2000GB SATA III/CK CH/ KB900CH/LIC W10 PRO/W7 PRO64 MAIN/	LKN:W5500W0024IN	2137,65	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 2x8GB DDR4-2133/DVD SM/MCR 24IN1/ SSD 256GB MAIN/CK F/KEYBOARD KB521 FR/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:W5500W0025FR	1257,65	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK EU EU+/KB900CZSK/LIC W10 PRO/	LKN:W5500W0025IN	2137,65	
	CELS W550 /CORE I7-6700/16GB DDR4-2133/	CELS W550 /CORE I7-6700/16GB DDR4-2133/ NVS 315/LFH59/2XDP/DVD SM/ SSD 512GB MAIN/CK F/KB410 USB BLACK FR/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:W5500W0026FR	1602,35	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK EU EU+/KB900GRUS/LIC W10 PRO/	LKN:W5500W0026IN	2137,65	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 512GB MAIN/2000GB SATA III/CK E/P/ KB900PT/LIC W10 PRO/W7 PRO64 MAIN/	LKN:W5500W0027IN	2137,65	
	CELS W550 /XEON E3-1220V5/8GB DDR4-2133/	CELS W550 /XEON E3-1220V5/8GB DDR4-2133/ NVS 315/LFH59/2XDVI-I/DVD SM/ 2xSSHD 1000GB/2X1GB ETH/CK F/ KB410 USB BLACK FR/DU DVD WIN7+8/	LKN:W5500W0029FR	1484,71	
	CELS W550 /CORE I5-6600/2x8GB DDR4-2133/	CELS W550 /CORE I5-6600/2x8GB DDR4-2133/ DP CABLE/DVI/VGA/Q K620/2xDVD SM/ OD CABLE/500GB SATA III/CK F/KB900FR/ DU DVD WIN7+8/DUDVD WIN10/LIC W10 PRO/	LKN:W5500W0030FR	1400,00	



Fujitsu recommande Windows.

CELSIUS W550

Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
CELSIUS W550 (Suite)					
CELS W550 /ESTAR/XEON E3-1240V5/	CELS W550 /ESTAR/XEON E3-1240V5/ 2x8GB DDR4-2133/DP CABLE/Q K2200/DVD SM/ SSD 256GB MAIN/CK F/KB410 USB BLACK FR/ DU DVD WIN7+8/LIC W10 PRO/W7 PRO64 MAIN/		LKN:W5500W0032FR	1836,48	
CELS W550 /CORE I7-6700/16GB DDR4-2133/	CELS W550 /CORE I7-6700/16GB DDR4-2133/ DVI/VGA/Q K620/DVD ROM/1000GB SATA III/ CK EU EU+/KB410PS2FR/DU DVD WIN7+8/ DUDVD WIN10/LIC W10 PRO/W7 PRO64 MAIN/		LKN:W5500W0034FR	1491,76	
CELS W550 /ESTAR/XEON E3-1240V5/	CELS W550 /ESTAR/XEON E3-1240V5/ 2x8GB DDR4-2133/Q K2200/DVD SM/ SSHD 500GB/CK F/KB900FR/NO OS/ OPT USB BLK/INT. SPEAKER/		LKN:W5500W0037FR	1624,72	
CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 512GB MAIN/2000GB SATA III/CK F/ KB900FR/LIC W10 PRO/W10 PRO64 MAIN/		LKN:W5500W0038FR	2137,65	
CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK EU EU+/KB900EE/LIC W10 PRO/		LKN:W5500W0038IN	2137,65	
CELS W550 /XEON E3-1240V5/	CELS W550 /XEON E3-1240V5/ 4x16GB DDR4-2133/DP CABLE/DVI/VGA/ Q K620/DVD SM/SSD 256GB MAIN/ 1000GB SATA III/CK F/KB410PS2FR/		LKN:W5500W0039FR	1945,88	
CELS W550 /ESTAR/XEON E3-1270V5/	CELS W550 /ESTAR/XEON E3-1270V5/ 8GB DDR4-2133/DP CABLE/DVI/VGA/Q K620/ DVD SM/2x500GB EA/MOUNT FOR 2.5'/ GE PCIE X1, DS/CK EU EU+/		LKN:W5500W0040FR	1878,84	
CELS W550 /ESTAR/XEON E3-1270V5/	CELS W550 /ESTAR/XEON E3-1270V5/ 8GB DDR4-2133/DP CABLE/DVI/VGA/Q K620/ DVD SM/2x500GB EA/MOUNT FOR 2.5'/ GE PCIE X1, DS/CK EU EU+/		LKN:W5500W0041FR	1876,48	



Fujitsu recommande Windows.

CELSIUS W550

Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
CELSIUS W550 (Suite)					
	CELS W550 /ESTAR/CORE I5-6600/	CELS W550 /ESTAR/CORE I5-6600/ 8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ CK F/KB410 USB BLACK FR/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:W5500W0042FR	1177,66	
	CELS W550 /XEON E3-1240V5/8GB DDR4-2133/	CELS W550 /XEON E3-1240V5/8GB DDR4-2133/ DP CABLE/DVI/VGA/Q K620/DVD SM/ 500GB SATA III/GE PCIE X1, DS/CK F/ KB410 USB BLACK FR/LIC W10 PRO/	LKN:W5500W0043FR	1414,12	
	CELS W550 /XEON E3-1240V5/	CELS W550 /XEON E3-1240V5/ 2x4GB DDR4-2133/NVS 315/LFH59/2XDVI-I/ DVD SM/1000GB SATA III/GE PCIE X1, DS/ CK CDN/J/US/KB410 USB BLACK GB/	LKN:W5500W0044FR	1332,94	
	CELS W550 /ESTAR/XEON E3-1245V5/	CELS W550 /ESTAR/XEON E3-1245V5/ 2x8GB DDR4-2133/DP CABLE/BD WRITER/ SSD 512GB MAIN/WLAN 2X2 + BT/2X1GB ETH/ CK F/KB410 USB BLACK FR/DU DVD WIN7+8/	LKN:W5500W0045FR	1701,19	
	CELS W550 /ESTAR/XEON E3-1275V5/	CELS W550 /ESTAR/XEON E3-1275V5/ 2x8GB 2133 ECC/Q K2200/SSD 256GB MAIN/ CK D/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/OPT USB BLK/INT. SPEAKER/	LKN:W5500W0045IN	1963,54	
	CELS W550 /ESTAR/XEON E3-1275V5/	CELS W550 /ESTAR/XEON E3-1275V5/ 2x8GB 2133 ECC/Q K2200/SSD 256GB MAIN/ GE PCIE X1, DS/CK D/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/	LKN:W5500W0046IN	1982,36	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 512GB MAIN/2000GB SATA III/CK B/NL/ KB900NL/LIC W10 PRO/W10 PRO64 MAIN/	LKN:W5500W0073IN	2137,65	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK NORDICS/KB900NORD/LIC W10 PRO/	LKN:W5500W0074IN	2137,65	



Fujitsu recommande Windows.

CELSIUS W550

Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
CELSIUS W550 (Suite)					
CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 512GB MAIN/2000GB SATA III/CK PL/ KB900US/LIC W10 PRO/W10 PRO64 MAIN/		LKN:W5500W0075IN	2135,29	
CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 512GB MAIN/2000GB SATA III/CK E/P/ KB900PT/LIC W10 PRO/W10 PRO64 MAIN/		LKN:W5500W0076IN	2135,29	
CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 512GB MAIN/2000GB SATA III/CK CH/ KB900CH/LIC W10 PRO/W10 PRO64 MAIN/		LKN:W5500W0077IN	2135,29	
CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK EU EU+/KB900EE/LIC W10 PRO/		LKN:W5500W0078IN	2135,29	
CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 512GB MAIN/2000GB SATA III/CK E/P/ KB900ES/LIC W10 PRO/W10 PRO64 MAIN/		LKN:W5500W0080IN	2137,65	
CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 512GB MAIN/2000GB SATA III/CK TR/ KB900TRQ/LIC W10 PRO/W10 PRO64 SEE/		LKN:W5500W0081IN	2135,29	
CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK GB/INT/KB900GB/LIC W10 PRO/		LKN:W5500W0082IN	2135,29	
CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q K2200/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK EU EU+/KB900H/LIC W10 PRO/		LKN:W5500W0083IN	2135,29	
CELS W550 /XEON E3-1275V5/	CELS W550 /XEON E3-1275V5/ 2x8GB 2133 ECC/Q K2200/SSD 256GB MAIN/ CK D/POWER DVD12/LIC W10 PRO/ W7 PRO64 MAIN/RDVD W10 PRO64/		LKN:W5500W0084IN	1963,53	



Fujitsu recommande Windows.

CELSIUS W550

Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
CELSIUS W550 (Suite)					
	CELS W550 /XEON E3-1275V5/	CELS W550 /XEON E3-1275V5/ 2x8GB 2133 ECC/Q K2200/SSD 256GB MAIN/ GE PCIE X1, DS/CK D/POWER DVD12/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:W5500W0085IN	1982,35	
	CELS W550 /XEON E3-1275V5/	CELS W550 /XEON E3-1275V5/ 2x8GB DDR4-2133/Q M2000/SSD 256GB MAIN/ GE PCIE X1, DS/CK D/POWER DVD12/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:W5500W0086IN	1949,41	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q M2000/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK EU EU+/KB900B/LIC W10 PRO/	LKN:W5500W0087IN	2147,06	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q M2000/DVD SM/ SSD 512GB MAIN/2000GB SATA III/CK CH/ KB900CH/LIC W10 PRO/W10 PRO64 MAIN/	LKN:W5500W0088IN	2147,06	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q M2000/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK EU EU+/KB900CZSK/LIC W10 PRO/	LKN:W5500W0089IN	2147,06	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q M2000/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK EU EU+/KB900ES/LIC W10 PRO/	LKN:W5500W0090IN	2147,06	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q M2000/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK EU EU+/KB900FR/LIC W10 PRO/	LKN:W5500W0091IN	2147,06	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q M2000/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK GB/INT/KB900GB/LIC W10 PRO/	LKN:W5500W0092IN	2147,06	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q M2000/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK EU EU+/KB900GRUS/LIC W10 PRO/	LKN:W5500W0093IN	2147,06	



Fujitsu recommande Windows.

CELSIUS W550

Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
CELSIUS W550 (Suite)					
CELS W550 /XEON E3-1225V5/		CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q M2000/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK EU EU+/KB900H/LIC W10 PRO/	LKN:W5500W0094IN	2147,06	
CELS W550 /XEON E3-1225V5/		CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q M2000/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK EU EU+/KB900IT/LIC W10 PRO/	LKN:W5500W0095IN	2147,06	
CELS W550 /XEON E3-1225V5/		CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q M2000/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK EU EU+/KB900NL/LIC W10 PRO/	LKN:W5500W0096IN	2147,06	
CELS W550 /XEON E3-1225V5/		CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q M2000/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK EU EU+/KB900NORD/LIC W10 PRO/	LKN:W5500W0097IN	2147,06	
CELS W550 /XEON E3-1225V5/		CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q M2000/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK EU EU+/KB900US/LIC W10 PRO/	LKN:W5500W0098IN	2147,06	
CELS W550 /XEON E3-1225V5/		CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q M2000/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK EU EU+/KB900US/LIC W10 PRO/	LKN:W5500W0099IN	2147,06	
CELS W550 /XEON E3-1225V5/		CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q M2000/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK EU EU+/KB900TRQ/LIC W10 PRO/	LKN:W5500W0100IN	2147,06	
CELS W550 /XEON E3-1225V5/		CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q M2000/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK EU EU+/KB900US/LIC W10 PRO/	PRJ:W5500W0001IN	2147,06	
CELS W550 /XEON E3-1225V5/		CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q M2000/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK EU EU+/KB900TRQ/LIC W10 PRO/	PRJ:W5500W0002IN	2147,06	



Fujitsu recommande Windows.

CELSIUS W550

Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
CELSIUS W550 (Suite)					
CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q M2000/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK EU EU+/KB900H/LIC W10 PRO/	PRJ:W5500W0003IN	2147,06	
CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q M2000/DVD SM/ SSD 512GB MAIN/2000GB SATA III/CK CH/ KB900CH/LIC W10 PRO/W10 PRO64 MAIN/	PRJ:W5500W0004IN	2147,06	
CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q M2000/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK GB/INT/KB900GB/LIC W10 PRO/	PRJ:W5500W0005IN	2147,06	
CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q M2000/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK EU EU+/KB900ES/LIC W10 PRO/	PRJ:W5500W0006IN	2147,06	
CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q M2000/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK EU EU+/KB900FR/LIC W10 PRO/	PRJ:W5500W0007IN	2147,06	
CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q M2000/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK EU EU+/KB900IT/LIC W10 PRO/	PRJ:W5500W0008IN	2147,06	
CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q M2000/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK EU EU+/KB900NL/LIC W10 PRO/	PRJ:W5500W0009IN	2147,06	
CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q M2000/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK EU EU+/KB900B/LIC W10 PRO/	PRJ:W5500W0010IN	2147,06	
CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q M2000/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK EU EU+/KB900CZSK/LIC W10 PRO/	PRJ:W5500W0011IN	2147,06	



Fujitsu recommande Windows.

CELSIUS W550

Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
CELSIUS W550 (Suite)					
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q M2000/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK EU EU+/KB900NORD/LIC W10 PRO/	PRJ:W5500W0012IN	2147,06	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q M2000/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK EU EU+/KB900US/LIC W10 PRO/	PRJ:W5500W0013IN	2147,06	
	CELS W550 /XEON E3-1225V5/	CELS W550 /XEON E3-1225V5/ 4x8GB DDR4-2133/Q M2000/DVD SM/ SSD 512GB MAIN/2000GB SATA III/ CK EU EU+/KB900GRUS/LIC W10 PRO/	PRJ:W5500W0014IN	2147,06	
	CELS W550 /XEON E3-1245V5/8GB 2133 ECC/	CELS W550 /XEON E3-1245V5/8GB 2133 ECC/ DVD SM/MCR 24IN1/1000GB SATA III/CK F/ KB900FR/DUDVD WIN10/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/	VFY:W5500W380BFR	975,29	
	CELS W550 /ESTAR/XEON E3-1275V5/	CELS W550 /ESTAR/XEON E3-1275V5/ 8GB 2133 ECC/Q M2000/DVD SM TRAY/ MCR 24IN1/SSD PCIE 256GB/ 1000GB SATA III/CK F/DUDVD WIN10/	VFY:W5500W38ABFR	1645,88	
	CELS W550 /ESTAR/XEON E3-1275V5/	CELS W550 /ESTAR/XEON E3-1275V5/ 2x8GB 2133 ECC/Q M2000/DVD SM TRAY/ MCR 24IN1/SSD PCIE 256GB/ 2000GB SATA III/CK F/DUDVD WIN10/	VFY:W5500W38BPFR	1881,18	
	CELS W550 /ESTAR/CORE I5-6500/	CELS W550 /ESTAR/CORE I5-6500/ 8GB DDR4-2133/SSHD 500GB/CK F/ DUDVD WIN10/LIC W10 PRO/W10 PRO64 MAIN/ RDVD W10 PRO64/OPT USB BLK/INT. SPEAKER/	VFY:W5500W38CBFR	798,82	
	CELS W550 /ESTAR/XEON E3-1240V5/	CELS W550 /ESTAR/XEON E3-1240V5/ 8GB 2133 ECC/DP CABLE/Q K1200/DVD SM/ SSD 256GB MAIN/SSHD 500GB/ MOUNT FOR 2.5/CK F/KB900FR/DUDVD WIN10/	VFY:W5500W38DBFR	1281,18	



Fujitsu recommande Windows.

CELSIUS W550

Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
CELSIUS W550 (Suite)					
	CELS W550 /CORE I5-6500/4GB DDR4-2133/	CELS W550 /CORE I5-6500/4GB DDR4-2133/ DVD SM/MCR 24IN1/500GB SATA III/CK F/ KB900FR/DU DVD WIN7+8/DUDVD WIN10/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:W5500W750BFR	763,53	
	CELS W550 /XEON E3-1245V5/8GB 2133 ECC/	CELS W550 /XEON E3-1245V5/8GB 2133 ECC/ DVD SM/MCR 24IN1/1000GB SATA III/CK F/ KB900FR/DU DVD WIN7+8/DUDVD WIN10/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:W5500W780BFR	975,29	
	CELS W550 /XEON E3-1270V5/8GB DDR4-2133/	CELS W550 /XEON E3-1270V5/8GB DDR4-2133/ Q K2200/DVD SM/MCR 24IN1/SSD 256GB MAIN/ 1000GB SATA III/CK F/KB900FR/ DU DVD WIN7+8/DUDVD WIN10/LIC W10 PRO/	VFY:W5500W780PFR	1575,29	
	CELS W550 /CORE I7-6700/8GB DDR4-2133/	CELS W550 /CORE I7-6700/8GB DDR4-2133/ FIREPRO W2100/500GB SATA III/CK IND/ KB410 USB BL US/INT/DU DVD WIN7+8/ DUDVD WIN10/LIC W10 PRO/W7 PRO64 MAIN/	VFY:W5500W87ABIN	1361,18	
	CELS W550 /XEON E3-1240V5/8GB DDR4-2133/	CELS W550 /XEON E3-1240V5/8GB DDR4-2133/ DP CABLE/Q K1200/DVD SM/SSD 256GB MAIN/ CK F/KB900FR/DU DVD WIN7+8/DUDVD WIN10/ LIC W10 PRO/W7 PRO64 MAIN/	VFY:W5500W882BFR	1281,18	
	CELS W550 /XEON E3-1240V5/16GB 2133 ECC/	CELS W550 /XEON E3-1240V5/16GB 2133 ECC/ DP CABLE/Q K2200/DVD SM/SSHD 1000GB/ CK IND/GERMANY STICKER/ KEYBOARD KB521 US/DU DVD WIN7+8/	VFY:W5500W88ABIN	1883,53	
CELSIUS W550power					
	CELS W550POWER /XEON E3-1270V5/	CELS W550POWER /XEON E3-1270V5/ 2x4GB DDR4-2133/2x8GB DDR4-2133/ FIREPRO W7100/DP CABLE/DVD ROM/ SSD 256GB MAIN/CK F/KB900FR/	LKN:W5500W0009FR	2494,12	



Fujitsu recommande Windows.

CELSIUS W550

Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
CELSIUS W550power (Suite)					
	CELS W550POWER /CORE I7-6700/	CELS W550POWER /CORE I7-6700/ 4x8GB DDR4-2133/FIREPRO W7100/DP CABLE/ DVD SM/MCR 24IN1/SSD 256GB MAIN/ 4000GB BC/CK F/KB410 USB BLACK FR/	LKN:W5500W0012FR	2931,76	
	CELS W550POWER /CORE I7-6700/	CELS W550POWER /CORE I7-6700/ 2x8GB DDR4-2133/DVD ROM/ SSD 512GB SED MAIN/1000GB EA/ 2xMOUNT FOR 2.5'/GE PCIE X1, DS/CK F/	LKN:W5500W0013FR	1708,24	
	CELS W550POWER /XEON E3-1225V5/	CELS W550POWER /XEON E3-1225V5/ 2x4GB 2133 ECC/DVD SM/2x2000GB BC/CK F/ KB410PS2FR/NERO 2014/DU DVD WIN7+8/ DUDVD WIN10/LIC W10 PRO/W7 PRO64 MAIN/	LKN:W5500W0014FR	1740,00	
	CELS W550POWER /CORE I7-6700/	CELS W550POWER /CORE I7-6700/ 4x8GB DDR4-2133/4xDP CABLE/Q M4000/ DVD SM/SSD 256GB MAIN/1000GB SATA III/ MOUNT FOR 2.5'/CK F/KB410PS2FR/	LKN:W5500W0018FR	2675,29	
	CELS W550POWER /CORE I7-6700/	CELS W550POWER /CORE I7-6700/ 4x8GB DDR4-2133/2xDP CABLE/Q K2200/ DVD SM/SSD 256GB MAIN/1000GB SATA III/ MOUNT FOR 2.5'/CK F/KB410PS2FR/	LKN:W5500W0019FR	2132,94	
	CELS W550POWER /CORE I7-6700/	CELS W550POWER /CORE I7-6700/ 16GB DDR4-2133/DP CABLE/DVI/VGA/Q K620/ DVD SM/SSD 256GB MAIN/MOUNT FOR 2.5'/ CK F/KB410PS2FR/LIC W10 PRO/	LKN:W5500W0020FR	1630,59	
	CELS W550POWER /CORE I7-6700/	CELS W550POWER /CORE I7-6700/ 16GB DDR4-2133/DP CABLE/DVI/VGA/Q K620/ DVD SM/SSD 256GB MAIN/SSHD 1000GB/ MOUNT FOR 2.5'/CK F/KB410PS2FR/	LKN:W5500W0021FR	1745,88	
	CELS W550POWER /CORE I7-6700/	CELS W550POWER /CORE I7-6700/ 16GB DDR4-2133/4xDP CABLE/Q M4000/ SSD 512GB SED MAIN/CK F/ KB410 USB BLACK FR/LIC W10 PRO/	LKN:W5500W0027FR	2618,82	



Fujitsu recommande Windows.

CELSIUS W550

Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
CELSIUS W550power (Suite)				
CELS W550POWER /CORE I7-6700/	CELS W550POWER /CORE I7-6700/ 2x8GB DDR4-2133/DVD SM/SSD 256GB MAIN/ 1000GB SATA III/CK F/KB410 USB BLACK FR/ DU DVD WIN7+8/DUDVD WIN10/LIC W10 PRO/	LKN:W5500W0028FR	1494,12	
CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK D/KB410 USB BLACK DE/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:W5500W0028IN	2243,54	
CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK D/KB410 USB BLACK BE/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:W5500W0029IN	2208,25	
CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK D/KB410 USB BLACK PL/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:W5500W0030IN	2208,25	
CELS W550POWER /CORE I7-6700/	CELS W550POWER /CORE I7-6700/ 2x8GB DDR4-2133/DVD SM/500GB EA/CK F/ KB900FR/LIC W10 PRO/W7 PRO64 MAIN/ RDVD W10 PRO64/OPT USB BLK/	LKN:W5500W0031FR	1351,76	
CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK D/KB410 USB BL NORD/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:W5500W0031IN	2208,25	
CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK D/KB410 USB BLACK FR/ LIC W10 PRO/W7 PRO64 MAIN/	LKN:W5500W0032IN	2208,25	
CELS W550POWER /XEON E3-1270V5/	CELS W550POWER /XEON E3-1270V5/ 2x8GB DDR4-2133/2xDP CABLE/Q M4000/ DVD SM/SSD 256GB MAIN/CK F/ KB410 USB BLACK FR/DU DVD WIN7+8/	LKN:W5500W0033FR	2537,65	



Fujitsu recommande Windows.

CELSIUS W550

Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
CELSIUS W550power (Suite)					
CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK D/KB410 USB BLACK HU/ LIC W10 PRO/W7 PRO64 MAIN/		LKN:W5500W0033IN	2208,25	
CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK D/KB410 USB BLACK ES/ LIC W10 PRO/W7 PRO64 MAIN/		LKN:W5500W0034IN	2208,25	
CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK D/KB410 USB BL RU/US/ LIC W10 PRO/W7 PRO64 MAIN/		LKN:W5500W0035IN	2208,25	
CELS W550POWER /ESTAR/XEON E3-1275V5/	CELS W550POWER /ESTAR/XEON E3-1275V5/ 8GB DDR4-2133/DVI/VGA/Q K2200/DVD SM/ 3x1000GB EA/2xMOUNT FOR 2.5/CK F/ KB900FR/LIC W10 PRO/W7 PRO64 MAIN/		LKN:W5500W0036FR	2251,78	
CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK D/KB410 USB BLACK IT/ LIC W10 PRO/W7 PRO64 MAIN/		LKN:W5500W0036IN	2208,25	
CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK D/KB410 USB BL TR/Q/ LIC W10 PRO/W7 PRO64 MAIN/		LKN:W5500W0037IN	2208,25	
CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK D/KB410 USB BLACK RO/ LIC W10 PRO/W7 PRO64 MAIN/		LKN:W5500W0039IN	2208,25	
CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK D/KB410 USB BLACK US/ LIC W10 PRO/W7 PRO64 MAIN/		LKN:W5500W0040IN	2208,25	



Fujitsu recommande Windows.

CELSIUS W550

Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
CELSIUS W550power (Suite)					
CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK GB/INT/KB410PS2ARGB/ LIC W10 PRO/W7 PRO64 MAIN/		LKN:W5500W0041IN	2208,25	
CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK GB/INT/ KB410 USB BLACK GB/LIC W10 PRO/		LKN:W5500W0042IN	2208,25	
CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK CH/KB410 USB BLACK CH/ LIC W10 PRO/W7 PRO64 MAIN/		LKN:W5500W0043IN	2208,25	
CELS W550POWER /CCC/CORE I5-6500/	CELS W550POWER /CCC/CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK CHN/ KB410 USB BLACK CN/LIC W10 PRO/		LKN:W5500W0044IN	2210,61	
CELS W550POWER /ESTAR/XEON E3-1245V5/	CELS W550POWER /ESTAR/XEON E3-1245V5/ 16GB DDR4-2133/FIREPRO W7100/DP CABLE/ SSD 128GB ENTRY/500GB SATA III/CK F/ KB900FR/LIC W10 PRO/W7 PRO64 MAIN/		LKN:W5500W0046FR	2338,84	
CELS W550POWER /ESTAR/XEON E3-1245V5/	CELS W550POWER /ESTAR/XEON E3-1245V5/ 16GB DDR4-2133/FIREPRO W7100/DP CABLE/ DVD SM/SSD 128GB ENTRY/500GB SATA III/ CK F/KB900FR/LIC W10 PRO/W7 PRO64 MAIN/		LKN:W5500W0047FR	2361,19	
CELS W550POWER /ESTAR/CORE I5-6500/	CELS W550POWER /ESTAR/CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK GB/INT/KB410PS2ARGB/ LIC W10 PRO/W10 PRO64 MAIN/		LKN:W5500W0047IN	2208,26	
CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK B/NL/KB410PS2BE/ LIC W10 PRO/W10 PRO64 MAIN/		LKN:W5500W0048IN	2208,25	



Fujitsu recommande Windows.

CELSIUS W550

Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
CELSIUS W550power (Suite)					
	CELS W550POWER /CCC/CORE I5-6500/	CELS W550POWER /CCC/CORE I5-6500/ 8GB DDR4-2133/Q M4000/SSD 256GB MAIN/ CK CHN/KB410PS2CN/LIC W10 PRO/ W10 PRO64 MAIN/RDVD W10 PRO64/NO MOUSE/	LKN:W5500W0049IN	2188,26	
	CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK F/KB410PS2FR/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:W5500W0050IN	2208,25	
	CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK I/KB410PS2IT/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:W5500W0051IN	2208,25	
	CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK PL/KB410PS2PL/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:W5500W0052IN	2208,25	
	CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK EU NON EU/ KB410PS2RUUS/LIC W10 PRO/W10 PRO64 MAIN/	LKN:W5500W0053IN	2208,25	
	CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK E/P/KB410PS2ES/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:W5500W0054IN	2208,25	
	CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK EU EU+/KB410PS2HU/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:W5500W0055IN	2208,25	
	CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK B/NL/ KB410 USB BLACK BE/LIC W10 PRO/	LKN:W5500W0056IN	2208,25	
	CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK F/KB410 USB BLACK FR/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:W5500W0057IN	2208,25	



Fujitsu recommande Windows.

CELSIUS W550

Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
CELSIUS W550power (Suite)				
CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK I/KB410 USB BLACK IT/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:W5500W0058IN	2208,25	
CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK PL/KB410 USB BLACK PL/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:W5500W0059IN	2208,25	
CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK EU NON EU/ KB410 USB BL RU/US/LIC W10 PRO/	LKN:W5500W0060IN	2208,25	
CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK E/P/ KB410 USB BLACK ES/LIC W10 PRO/	LKN:W5500W0061IN	2208,25	
CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK EU EU+/ KB410 USB BLACK HU/LIC W10 PRO/	LKN:W5500W0062IN	2208,25	
CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK TR/KB410 USB BL TR/F/ LIC W10 PRO/W10 PRO64 MAIN/	LKN:W5500W0063IN	2208,25	
CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK EU EU+/ KB410 USB BLACK RO/LIC W10 PRO/	LKN:W5500W0064IN	2208,25	
CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK EU NON EU/ KB410 USB BLACK US/LIC W10 PRO/	LKN:W5500W0065IN	2208,25	
CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK NORDICS/ KB410 USB BL NORD/LIC W10 PRO/	LKN:W5500W0066IN	2208,25	



Fujitsu recommande Windows.

CELSIUS W550

Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
CELSIUS W550power (Suite)					
CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK CDN/J/US/ KB410 USB BL AR/GB/LIC W10 PRO/		LKN:W5500W0067IN	2208,25	
CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK GB/INT/ KB410 USB BLACK GB/LIC W10 PRO/		LKN:W5500W0068IN	2208,25	
CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK CH/KB410 USB BLACK CH/ LIC W10 PRO/W10 PRO64 MAIN/		LKN:W5500W0069IN	2208,25	
CELS W550POWER /CCC/CORE I5-6500/	CELS W550POWER /CCC/CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK CHN/ KB410 USB BLACK CN/LIC W10 PRO/		LKN:W5500W0070IN	2210,61	
CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK D/KB410 USB BLACK DE/ LIC W10 PRO/W10 PRO64 MAIN/		LKN:W5500W0071IN	2208,25	
CELS W550POWER /CCC/CORE I5-6500/	CELS W550POWER /CCC/CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK CHN/ KB410 USB BLACK CN/LIC W10 PRO/		LKN:W5500W0072IN	2208,26	
CELS W550POWER /CORE I5-6500/	CELS W550POWER /CORE I5-6500/ 8GB DDR4-2133/Q M4000/DVD SM/ SSD 256GB MAIN/CK INT/ KB410 USB BLACK GB/LIC W10 PRO/		LKN:W5500W0079IN	2208,25	
CELS W550POWER /CORE I7-6700/	CELS W550POWER /CORE I7-6700/ 8GB DDR4-2133/DVD SM TRAY/MCR 24IN1/ SSD PCIE 256GB M.2/CK F/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/		VFY:W5500W371PFR	1057,65	
CELS W550POWER /CORE I7-6700/	CELS W550POWER /CORE I7-6700/ 8GB DDR4-2133/DVD SM/MCR 24IN1/ 1000GB SATA III/CK F/KB900FR/ DUDVD WIN10/LIC W10 PRO/W10 PRO64 MAIN/		VFY:W5500W37ABFR	975,29	



Fujitsu recommande Windows.

CELSIUS W550

Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
CELSIUS W550power (Suite)					
	CELS W550POWER /ESTAR/XEON E3-1275V5/	CELS W550POWER /ESTAR/XEON E3-1275V5/ 2x8GB 2133 ECC/DVD SM TRAY/MCR 24IN1/ SSD PCIE 256GB M.2/CK F/DUDVD WIN10/ LIC W10 PRO/W10 PRO64 MAIN/	VFY:W5500W383UFR	1281,18	
	CELS W550POWER /CORE I7-6700/	CELS W550POWER /CORE I7-6700/ 8GB DDR4-2133/DVD SM/MCR 24IN1/ 1000GB SATA III/CK F/KB900FR/ DU DVD WIN7+8/DUDVD WIN10/LIC W10 PRO/	VFY:W5500W77ABFR	975,29	
	CELS W550POWER /CORE I7-6700/	CELS W550POWER /CORE I7-6700/ 8GB DDR4-2133/DVD SM/MCR 24IN1/ SSD 256GB MAIN/CK F/KB900FR/ DU DVD WIN7+8/DUDVD WIN10/LIC W10 PRO/	VFY:W5500W87PBFR	1022,35	
	CELS W550POWER /XEON E3-1225V5/	CELS W550POWER /XEON E3-1225V5/ 8GB DDR4-2133/DP CABLE/Q K620/BD WRITER/ 2000GB SATA III/GE PCIE X1, DS/CK IND/ DU DVD WIN7+8/NO OS/OPT USB BLK/	VFY:W5500W88A5IN	1401,18	
CELSIUS W550power-L					
	CELS W550POW-L /CORE I3-6100/	CELS W550POW-L /CORE I3-6100/ 4GB DDR4-2133/NVS 510/4xDP CABLE/DVD SM/ 500GB SATA III/CK EU EU+/KB521 AR/GB/ DU DVD WIN7+8/DUDVD WIN10/LIC W10 PRO/	LKN:W5500W0001FR	1587,06	
Unités de Base					
CELSIUS W550					



Fujitsu recommande Windows.

CELSIUS W550

Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
CELSIUS W550 (Suite)				
CELSIUS W550	Base unit, system board D3417, 300 W wide range power supply; Chipset: Intel C236. , , Slots: , 4 DIMM-sockets (max. 64 GB, DDR4-2133, ECC or non-ECC, dual channel), 4 slots: 1x PCIe 3.0 x16, 1x PCIe 3.0 x4 (mechanical x16), 2x PCIe 3.0 x1, 1x M.2 socket for PCIe SSD., , Onboard I/O-devices: , Intel® HD Graphics P530 or HD Graphics 530 (depending on CPU), network controller Intel L219LM, Serial ATA controller (6 Ports – SATA III; RAID 0, 1 or 5 for HDDs) and HD-audio Realtek ALC671., , Bays:, 7 (2x 5,25" and 2x 3,5" externally accessible, 2x 3,5"/2,5" internal HDD-bays, 1x 2,5" internal HDD/SSD-bays), , Front interfaces:, 2x USB 3.0, 2x USB 2.0, 1x audio out, 1x audio in., , Rear interfaces:, 2x DisplayPort 1.2, 1x DVI-D, 1x LAN RJ45, 4x USB 3.0, 2x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial., , Internal interfaces:, 2x USB 2.0, 1x USB 3.0 with standard connector., , Embedded security (TPM 2.0), Disable / Hide TPM option	S26361-K1445-V315	470,59	
CELSIUS W550power				
CELS W550POWER / GEZE	CZK:1445V415-GZE01 incl. DVL	CZK:1445V415-GZE01	1452432,81	



Fujitsu recommande Windows.

CELSIUS W550

Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
CELSIUS W550power (Suite)				
CELSIUS W550power	Base unit, system board D3417, 500 W wide range power supply; Chipset: Intel C236. , Slots: , 4 DIMM-sockets (max. 64 GB, DDR4-2133, ECC or non-ECC, dual channel), 4 slots: 1x PCIe 3.0 x16, 1x PCIe 3.0 x4 (mechanical x16), 2x PCIe 3.0 x1, 1 M.2 socket for PCIe SSD., Onboard I/O-devices: , Intel® HD Graphics P530 or HD Graphics 530 (depending on CPU), network controller Intel L219LM, Serial ATA controller (6 Ports – SATA III; RAID 0, 1 or 5 for HDDs) and HD-audio Realtek ALC671., , Bays:, 9 (2x 5,25" and 2x 3,5" externally accessible, 4x 3,5"/2,5" internal HDD-bays, 1x 2,5" internal HDD/SSD-bays), , Front interfaces:, 2x USB 3.0, 2x USB 2.0, 1x audio out, 1x audio in., , Rear interfaces:, 2x DisplayPort 1.2, 1x DVI-D, 1x LAN RJ45, 4x USB 3.0, 2x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial., , Internal interfaces:, 2x USB 2.0, 1x USB 3.0 with standard connector., , Embedded security (TPM 2.0), Disable / Hide TPM option	S26361-K1445-V415	527,06	



Fujitsu recommande Windows.

CELSIUS W550

Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
CELSIUS W550power (Suite)				
CELSIUS W550power SAG	Base unit, system board D3417, 500 W wide range power supply; Chipset: Intel C236, , Slots: , 4 DIMM-sockets (max. 64 GB, DDR4-2133, ECC or non-ECC, dual channel), 4 slots: 1x PCIe 3.0 x16, 1x PCIe 3.0 x4 (mechanical x16), 2x PCIe 3.0 x1, 1 M.2 socket for PCIe SSD., , Onboard I/O-devices: , Intel® HD Graphics P530 or HD Graphics 530 (depending on CPU), network controller Intel L219LM, Serial ATA controller (6 Ports – SATA III; RAID 0, 1 or 5 for HDDs) and HD-audio Realtek ALC671., , Bays: 9 (2x 5,25" and 2x 3,5" externally accessible, 4x 3,5"/2,5" internal HDD-bays, 1x 2,5" internal HDD/SSD-bays), , Front interfaces: 2x USB 3.0, 2x USB 2.0, 1x audio out, 1x audio in., , Rear interfaces: 2x DisplayPort 1.2, 1x DVI-D, 1x LAN RJ45, 4x USB 3.0, 2x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial., , Internal interfaces: 2x USB 2.0, 1x USB 3.0 with standard connector., , Embedded security (TPM 2.0), Disable / Hide TPM option	S26361-K1445-V489	527,06	
CELSIUS W550power-L				
CELSIUS W550power-L	Base unit, system board D3417, 500 W wide range power supply; Chipset: Intel C236, , ***Long lifecycle base unit, EOL end of 2018***, , Slots: , 4 DIMM-sockets (max. 64 GB, DDR4-2133, ECC or non-ECC, dual channel), 4 slots: 1x PCIe 3.0 x16, 1x PCIe 3.0 x4 (mechanical x16), 2x PCIe 3.0 x1, 1 M.2 socket for PCIe SSD., , Onboard I/O-devices: , Intel® HD Graphics P530 or HD Graphics 530 (depending on CPU), network controller Intel L219LM, Serial ATA controller (6 Ports – SATA III; RAID 0, 1 or 5 for HDDs) and HD-audio Realtek ALC671., , Bays: 9 (2x 5,25" and 2x 3,5" externally accessible, 4x 3,5"/2,5" internal HDD-bays, 1x 2,5" internal HDD/SSD-bays), , Front interfaces: 2x USB 3.0, 2x USB 2.0, 1x audio out, 1x audio in., , Rear interfaces: 2x DisplayPort 1.2, 1x DVI-D, 1x LAN RJ45, 4x USB 3.0, 2x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial., , Internal interfaces: 2x USB 2.0, 1x USB 3.0 with standard connector., , Embedded security (TPM 2.0), Disable / Hide TPM option	S26361-K1445-V420	609,41	



Fujitsu recommande Windows.

Accessoires stations de travail CELSIUS

Fiches produit : <http://fr.fujitsu.com/celsius>

Description	CELSIUS C620	CELSIUS J550	CELSIUS M730	CELSIUS M740	CELSIUS R940	CELSIUS W530	CELSIUS W550	CELSIUS C740	CELSIUS H760	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)												
Processor												
2nd Xeon E5-2660v3 2.60GHz 25MB TB					x					S26361-F	2703,53	
2nd Xeon E5-2698v3 2.30GHz 40MB TB					x					S26361-F	5881,18	
Mémoire												
4GB DDR4-2133		x					x			S26361-F	52,94	
8GB DDR4-2133		x					x			S26361-F	96,47	
16GB DDR4-2133		x					x			S26361-F	212,94	
4GB DDR4 2.133MHz(1 mod.) for i5/i7								x		S26391-F	47,06	
8GB DDR4 2.133MHz(1 mod.) for i5/i7								x		S26391-F	84,71	
16GB DDR4 2.133MHz(1 mod.) for i5/i7								x		S26391-F	210,59	
8GB DDR4 2.133MHz ECC(1 mod.) for Xeon								x		S26391-F	144,71	
16GB DDR4 2.133MHz ECC(1 mod.) for Xeon								x		S26391-F	214,12	
Mémoire 2Go DDR3-1600	x									S26361-F	43,53	
Mémoire 4Go DDR3-1600	x									S26361-F	64,71	
Mémoire 8Go DDR3-1600	x									S26361-F	121,18	
Mémoire 4Go DDR3-1600						x				S26361-F	64,71	
Mémoire 8Go DDR3-1600						x				S26361-F	121,18	
Mémoire 4Go DDR3-1600			x							S26361-F	64,71	
32GB DDR4-2133 rg ECC				x	x			x		S26361-F	790,59	
Mémoire 4Go DDR3-1600 ECC	x									S26361-F	90,59	
Mémoire 8Go DDR3-1600 ECC	x									S26361-F	144,71	
Mémoire 4Go DDR3-1600 ECC						x				S26361-F	90,59	
Mémoire 8Go DDR3-1600 ECC						x				S26361-F	144,71	
4GB DDR4-2133 ECC		x					x			S26361-F	90,59	
8GB DDR4-2133 ECC		x					x			S26361-F	144,71	
16GB DDR4-2133 ECC		x					x			S26361-F	214,12	
4GB DDR4-2133 rg ECC				x	x			x		S26361-F	114,12	
8GB DDR4-2133 rg ECC				x	x			x		S26361-F	158,82	
16GB DDR4-2133 rg ECC				x	x			x		S26361-F	322,35	
Graphics												
NVIDIA Quadro NVS 310 512Mo	x		x			x		x		S26361-F	116,47	
NVIDIA NVS 315 1GB PCIe x16		x	x	x	x	x	x	x		S26361-F	116,47	
NVIDIA Quadro NVS 510 2Go	x	x	x	x	x	x	x	x		S26361-F	468,24	
Riser card PCIe x16 + PCIe x4		x								S26361-F	34,12	
Riser card PCIe x16 + PCI		x								S26361-F	41,18	
NVIDIA Quadro K420 2GB		x		x	x		x			S26361-F	124,71	
NVIDIA Quadro K620 2GB	x	x		x	x	x	x	x		S26361-F	210,59	
NVIDIA Quadro K1200 4GB		x		x	x		x	x		S26361-F	392,94	
NVIDIA Quadro K2200 4GB	x	x		x	x	x	x	x		S26361-F	545,88	
NVIDIA Quadro K4200 4GB	x			x	x			x		S26361-F	1057,65	
NVIDIA Quadro M2000 4GB		x						x		S26361-F	557,65	
NVIDIA Quadro M4000 8GB				x	x			x		S26361-F	1087,06	
NVIDIA Quadro M5000 8GB				x	x			x		S26361-F	2622,35	
NVIDIA Quadro M6000 12GB				x	x			x		S26361-F	6704,71	
NVIDIA Quadro Sync				x	x					S26361-F	1127,06	
AMD FirePro W2100 2GB		x		x	x	x	x	x		S26361-F	151,76	
AMD FirePro W4100 2GB		x		x	x	x	x	x		S26361-F	248,24	
AMD FirePro W4300 4GB		x						x		S26361-F	396,47	
AMD FirePro W5100 4GB		x		x	x	x	x	x		S26361-F	538,82	
AMD FirePro W7100 8GB				x	x					S26361-F	1081,18	
AMD FirePro W9100 16GB				x	x			x		S26361-F	4040,00	
CELSIUS RemoteAccess double connexion	x		x	x	x	x	x	x		S26361-F	295,29	
CELSIUS RemoteAccess Quad Card	x		x	x	x	x	x	x		S26361-F	531,76	
DisplayPort extension card								x		S26361-F	35,29	
VGA extension card								x		S26361-F	31,76	
VGA extension card (20 pcs./box)								x		S26361-F	258,82	
Mini Display Port câble / adaptateur DVI-D.	x		x	x	x	x	x	x		S26361-F	38,82	
Adaptateur DVI/VGA	x	x	x	x	x	x	x	x		S26361-F	20,00	
DVI display cable, 3m	x	x	x	x	x	x	x	x		S26361-F	29,41	
Câble adaptateur LFH59/ 2x DVI-I		x	x	x	x	x	x			S26361-F	32,94	
Câble adaptateur LFH59/ 2x DP		x	x	x	x	x	x			S26361-F	35,29	
SLI bridge pour graphique NVIDIA				x	x	x				S26361-F	83,53	
Câble d'alimentation pour carte graphique				x						S26361-F	29,41	
Power cable set for graphics card (8Pin)				x	x					S26361-F	29,41	
Personal Supercomputing												
Intel Xeon Phi Coprozessor 3120A			x		x			x		S26361-F	2758,82	
NVIDIA Tesla K40								x		S26361-F	5174,12	
NVIDIA Tesla K40				x	x					S26361-F	5174,12	
NVIDIA Tesla K80								x		S26361-F	7232,94	



Fujitsu recommande Windows.

Accessoires stations de travail CELSIUS

Fiches produit : <http://fr.fujitsu.com/celsius>

Description	CELSIUS C620	CELSIUS J550	CELSIUS M730	CELSIUS M740	CELSIUS R940	CELSIUS W530	CELSIUS W550	CELSIUS C740	CELSIUS H760	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)												
Personal Supercomputing (Suite)												
Supports amovibles												
MultiCard Reader 24in1 USB 2.0 3.5"			x	x	x	x	x			S26361-F	27,06	
Graveur Blu-ray (BD-RW DVD-RW CD-RW) Slim			x	x	x	x	x			S26361-F	163,53	
DVD SuperMulti SATA slim (tray)		x								S26361-F	42,35	
BD Triple Writer SATA slim (tray)		x								S26361-F	163,53	
DVD SuperMulti SATA ultra slim				x	x			x		S26361-F	42,35	
Weight saver for modular bay									x	S26391-F	17,65	
DVD Super Multi (reader/writer)									x	S26391-F	57,65	
Blu-ray Triple Writer									x	S26391-F	143,53	
Lecteur DVD SATA (DVD-R CD-RW)			x	x	x	x	x			S26361-F	32,94	
Graveur DVD SuperMulti SATA			x	x	x	x	x			S26361-F	42,35	
Graveur DVD SuperMulti (DVD-RW CD-RW) Slim	x									S26361-F	42,35	
Hard Disks												
HDD SATA III 6000GB 7.2k BC				x	x					S26361-F	852,94	
HDD SAS 300GB 10k 6G 2.5'								x		S26361-F	264,71	
HDD SAS 600GB 10k 6G 2.5'								x		S26361-F	534,12	
HDD SAS 900GB 10k 6G 2.5'								x		S26361-F	669,41	
SSD SATA III 128Go high speed			x	x	x					S26361-F	163,53	
SSD SATA III 128GB								x		S26361-F	163,53	
SSD SATA III 256Go high speed			x	x	x					S26361-F	258,82	
SSD SATA III 256GB								x		S26361-F	258,82	
SSD SATA III 512Go Premium			x	x	x					S26361-F	681,18	
SSD SATA III 256GB SED								x		S26361-F	264,71	
SSD SATA III 1024GB								x		S26361-F	790,59	
SSD SATA III 128GB high speed SED								x		S26361-F	169,41	
SSD PCIe 1x256GB Highend card	x						x			S26361-F	352,94	
SSD PCIe 1x512GB Highend card	x						x			S26361-F	664,71	
SSD SATA III 128GB	x							x		S26361-F	140,00	
HDD SATA III 1000GB 7.2k BC	x						x			S26361-F	210,59	
HDD SATA III 1TB 7.2k 2.5' BC	x		x	x	x		x			S26361-F	381,18	
HDD SATA III 2TB 7.2k 2.5' BC	x		x	x	x		x			S26361-F	656,47	
HDD SATA III 1000GB 7.2k 2.5' EA								x		S26361-F	169,41	
HDD SATA III 500GB 7.2k 2.5' EA								x		S26361-F	118,82	
Kit de connexion HDD/SSD,			x	x	x					S26361-F	57,65	
Mounting frame for 2x 2.5' HDDs/SSDs	x									S26361-F	22,35	
HDD SAS 1200GB 10k 12G 2.5'								x		S26361-F	935,29	
2nd HDD bay module (without HDD)								x		S26391-F	34,12	
SSHD 1000GB / 8GB 5.4k 9mm								x		S26391-F	234,12	
HDD SATA II 500GB 5.4k								x		S26391-F	123,53	
SSHD 500GB / 8GB SSD Cache 5.4k								x		S26391-F	151,76	
SSD SATA III 256GB								x		S26391-F	285,88	
SSD SATA III 512GB								x		S26391-F	540,00	
SSD SATA 6G 128GB DOM N H-P								x		S26361-F	217,65	
4x HDD/SSD Easy Rail Kit 3.5'			x	x	x					S26361-F	30,59	
4x HDD/SSD Easy Rail Kit 2.5'			x	x	x					S26361-F	30,59	
SSD SATA III 128Go high speed			x	x	x					S26361-F	163,53	
Disque SSD 256Go High Speed SATA III							x	x		S26361-F	258,82	
SSD SATA III 256Go high speed			x	x	x					S26361-F	258,82	
Disque SSD 512Go Premium SATA III							x	x		S26361-F	681,18	
SSD SATA III 512GB Premium								x		S26361-F	681,18	
SSD SATA III 512Go Premium bay			x	x	x					S26361-F	681,18	
SSD SATA III 256GB SED bay			x	x	x					S26361-F	264,71	
SSD PCIe 2x256GB Highend card										S26361-F	723,53	
SSD PCIe 1x256GB Highend card								x		S26361-F	352,94	
SSHD SATA III 1000Go 7.2k 3.5'				x	x	x				S26361-F	187,06	
SSD PCIe 2x512GB Highend card				x	x					S26361-F	1296,47	
SSD PCIe 1x512GB Highend card				x	x			x		S26361-F	664,71	
SSD PCIe 256GB M.2 Highend								x		S26361-F	341,18	
SSD PCIe 512GB M.2 Highend								x		S26361-F	664,71	
Disque dur 500Go 7.2k SATA III			x	x	x	x				S26361-F	118,82	
Disque dur 1000Go 7.2k SATA III			x	x	x	x				S26361-F	134,12	
Disque dur 2000Go 7.2k AF SATA III				x	x	x				S26361-F	222,35	
SSD SATA III 128GB M.2		x								S26361-F	161,18	
Kit de montage pour disque 2.5" SSD							x	x		S26361-F	17,65	
Cadre de fixation pour DD/SSDs 2.5'							x	x		S26361-F	22,35	
SSD SATA III 256GB		x						x		S26361-F	258,82	
SSD SATA III 256GB M.2		x								S26361-F	256,47	
Disque dur 500Go 7.2k SATA II BusinessCritical			x			x				S26361-F	158,82	



Fujitsu recommande Windows.

Accessoires stations de travail CELSIUS

Fiches produit : <http://fr.fujitsu.com/celsius>

Description	CELSIUS C620	CELSIUS J550	CELSIUS M730	CELSIUS M740	CELSIUS R940	CELSIUS W530	CELSIUS W550	CELSIUS C740	CELSIUS H760	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)												
Hard Disks (Suite)												
SSD SATA III 512GB		x					x			S26361-F	523,53	
Disque dur 1000Go 7.2k SATA II BusinessCritical			x	x	x	x				S26361-F	202,35	
HDD SATA III 2000GB 7.2k BC			x	x	x	x				S26361-F	295,29	
SSD SATA III 1024GB		x		x	x		x			S26361-F	790,59	
Disque dur SATA III 3000Go 7.2k BC			x	x	x	x				S26361-F	401,18	
Disque dur SATA III 4000Go 7.2k BC,			x	x	x	x				S26361-F	498,82	
SSD SATA III 240GB High Endurance		x					x			S26361-F	304,71	
SSD SATA III 480GB High Endurance		x					x			S26361-F	542,35	
SSD PCIe 128GB M.2 Highend		x						x		S26361-F	245,88	
SSD PCIe 256GB M.2 Highend		x						x		S26361-F	341,18	
SSD PCIe 256GB M.2 NVMe Highend		x						x		S26361-F	#####	
SSD PCIe 1x256GB M.2 NVMe Highend card		x						x		S26361-F	#####	
SSD PCIe 512GB M.2 Highend		x						x		S26361-F	664,71	
SSD PCIe 512GB M.2 NVMe Highend		x						x		S26361-F	#####	
SSD PCIe 1x512GB M.2 NVMe Highend card		x						x		S26361-F	#####	
SSD PCIe 1024GB M.2 NVMe Highend		x						x		S26361-F	#####	
SSD PCIe 1x1024GB NVMe Highend card		x						x		S26361-F	#####	
SSHD SATA III 500GB 2.5"		x						x		S26361-F	151,76	
SSHD SATA III 1000GB 3.5"		x						x		S26361-F	187,06	
HDD SATA III 500GB 7.2k		x						x		S26361-F	118,82	
HDD SATA III 1000GB 7.2k		x						x		S26361-F	134,12	
HDD SATA III 2000GB 7.2k		x						x		S26361-F	222,35	
HDD SATA III 500GB 7.2k 2.5" EA		x		x	x			x		S26361-F	118,82	
HDD SATA III 1000GB 7.2k 2.5" EA		x		x	x			x		S26361-F	169,41	
HDD SATA III 2000GB 7.2k BC								x		S26361-F	656,47	
Disque dur SATA III 500Go 10k BC 2.5"			x	x	x					S26361-F	158,82	
10x Kit for 2nd 3.5"		x								S26361-F	20,00	
10x Kit for 2.5" drive in 2.5" bay								x		S26361-F	40,00	
10x Kit for 2.5" drive in 3.5" bay								x		S26361-F	62,35	
Disque dur SAS 300Go 15k 6G 2.5"				x	x					S26361-F	464,71	
SSD SATA III 300Go à haute vitesse			x	x	x					S26361-F	264,71	
Disque dur SAS 600Go 10k 6G 2.5"			x	x	x					S26361-F	534,12	
Mounting Kit for internal 2.5" SSD bay			x	x	x					S26361-F	22,35	
HDD SAS 600GB 15k 12G 2.5"										S26361-F	582,35	
HDD SAS 900GB 10k 6G 2.5"			x	x	x					S26361-F	669,41	
HDD SAS 1200GB 10k 12G 2.5"				x	x					S26361-F	935,29	
SCSI/RAID/SAS controller												
RAID Ctrl SAS 6G 0/1 (D2607)		x		x						S26361-F	201,18	
RAID Ctrl SAS 6G 5/6 512MB (D2616)		x		x						S26361-F	331,76	
PRAID EP400i 12G 5/6 (D3216)				x	x			x		S26361-F	432,94	
PSAS CP400i 12G 0/1 (D3327)				x	x			x		S26361-F	229,41	
RAID Ctrl SAS 6G 0/1 (D2607-B)		x		x	x	x		x		S26361-F	201,18	
Flash Backup Unit (FBU + TFM)						x				S26361-F	300,00	
Mounting Kit PCIe3.0x8 internal slot						x				S26361-F	34,12	
Communication/Réseau												
Carte Gigabit Ethernet (PCIe x1, DS)		x		x	x	x	x	x		S26361-F	32,94	
WLAN 802.11ac (2x2) PCIe x1 FH / LP			x		x	x		x		S26361-F	48,24	
DbL.cte.série PCIe x1			x					x		S26361-F	38,82	
LTE upgrade kit									x	S26391-F	135,29	
Contrôleur Infiniband 56Gb 1 port FDR						x				S26361-F	1004,71	
Carte 10 Gigabit Ethernet Dual (PCIe x8)		x		x	x	x		x		S26361-F	547,06	
Intel 2x1Gb Ethernet Adapter I350-T2		x		x	x	x		x	x	S26361-F	141,18	
Interface Parallèle FH								x	x	S26361-F	12,94	
Interface eSATA (SATA, FH)				x	x	x	x	x		S26361-F	20,00	
Carte Série Dual Port (PCIe x1)				x	x	x	x			S26361-F	38,82	
Carte Série Dual Port (PCIe x1), alimentée				x			x	x		S26361-F	40,00	
Rack-Infrastructure												
Kit de montage Rack CELSIUS (5U)				x	x	x				S26361-F	261,18	
Rack Mount Kit F1 CMA QRL LV		x							x	S26361-F	98,82	
Kit Rack F1 S7 LV		x							x	S26361-F	98,82	
Port Replicator												
Port Replicator									x	S26391-F	128,24	
Port Rep w/ 150W AC + EU cable									x	S26391-F	187,06	
PRIMERGY-Software												
eLCM Activation Pack									x	BDL:ELC	36,47	
iRMC S4 advanced pack (NL)									x	S26361-F	315,29	
OS/Application-SW												
Drivers&Utilitaires DVD (XP) CELSIUS		x		x						S26361-F	22,35	



Fujitsu recommande Windows.

Accessoires stations de travail CELSIUS

Fiches produit : <http://fr.fujitsu.com/celsius>

Description	CELSIUS C620	CELSIUS J550	CELSIUS M730	CELSIUS M740	CELSIUS R940	CELSIUS W530	CELSIUS W550	CELSIUS C740	CELSIUS H760	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)												
OS/Application-SW (Suite)												
Drivers&Utilities DVD (Win10) CELSIUS	x	x		x	x		x	x		S26361-F	22,35	
DeskUpdate Manager	x		x	x	x	x	x			S26361-F	1587,06	
Drivers&Utilities DVD MobileH Win10									x	S26391-F	16,47	
Drivers&Utilitaires DVD (W7 + W8) CELS	x		x	x	x	x		x		S26361-F	22,35	
Onduleur/Alimentation												
Adaptateur secteur 19V/150W trois broches									x	S26391-F	89,41	
Ext. Battery charger (2pr), w/AC w/o Cab									x	S26391-F	200,00	
2nd Battery 6cell 28Wh (2,600mAh)									x	S26391-F	141,18	
Battery 6cell 6700mAh									x	S26391-F	104,71	
Sécurité												
SmartCase SCR USB (interne USB)		x	x	x	x	x	x			S26361-F	27,06	
SmartCard Reader		x				x	x			S26361-F	30,59	
Advanced Face Recognition, Single License	x	x	x	x	x	x	x	x		S26361-F	17,65	
Advanced Face Recognition, Multi License	x	x	x	x	x	x	x	x		S26361-F	17,65	
Workplace Manager - Client License	x	x	x	x	x	x	x	x		S26361-F	30,59	
SCR Cloud 2700 R	x	x	x	x	x	x	x			S26381-F	32,94	
Lecteur SmartCard CARDOS V4.4. (1 pièce)	x	x	x	x	x	x	x			S26381-F	25,88	
Lecteur SmartCard CARDOS V4.4. (2 pièces)			x	x	x	x				S26381-F	47,06	
Lecteur SmartCard CARDOS V4.4. (10 pièces)			x	x	x	x				S26381-F	215,29	
Dual SmartCard Reader D321 (Int.USB)		x	x	x	x	x	x			S26381-F	48,24	
Divers												
Feet for vertical position (2 pcs.)		x								S26361-F	20,00	
Blanking Plate 5.25" drive bays, 10 pcs.		x								S26361-F	17,65	
Cable powercord rack, 2.5m	x							x		S26361-F	24,71	
Cache baie 5.25", 10 pcs.						x	x			S26361-F	17,65	
Cache baie 3.5", 10 pcs.						x	x			S26361-F	17,65	
Câble adaptateur DisplayPort vers DVI-D	x	x	x	x	x	x	x	x		S26361-F	36,47	
Displays												
DISPLAY B24-8 TE PRO, CHN	x				x			x		BDL:K157	237,65	
Ecran P27T-7 LED (IPS), câble EU	x		x	x	x	x	x	x	x	S26361-K	587,06	
DISPLAY B27T-7 LED, EU	x			x	x	x	x	x	x	S26361-K	328,24	
DISPLAY B24W-7 LED, EU	x			x	x	x	x	x	x	S26361-K	268,24	
DISPLAY P24W-7 LED, EU	x	x	x	x	x	x	x	x	x	S26361-K	340,00	
DISPLAY P27T-7 UHD, EU	x	x	x	x	x	x	x	x	x	S26361-K	622,35	
DISPLAY B24-8 TE Pro, EU	x			x	x	x	x	x	x	S26361-K	198,82	
DISPLAY B24-8 TS Pro, EU	x			x	x	x	x	x	x	S26361-K	210,59	
Clavier /Souris												
Clavier Pro E Ergonomique (USB, Fr)			x	x	x	x				S26381-K	52,94	
Clavier Pro PX ECO GreenIT (USB&PS/2, Fr)	x		x	x	x	x	x	x		S26381-K	37,65	
Blue LED Souris (USB)	x	x	x	x	x	x	x	x	x	S26381-K	20,00	
SOURIS M440 ECO noir	x	x	x	x	x	x	x	x	x	S26381-K	17,65	
SpaceSouris(TM) Pro	x	x	x	x	x	x	x	x	x	S26381-K	340,00	
Souris Wireless W1610	x	x	x	x	x	x	x	x	x	S26381-K	21,18	
Wireless Notebook Souris W1200	x	x	x	x	x	x	x	x	x	S26381-K	14,12	
Souris MC200	x	x	x	x	x	x	x	x	x	S26381-K	12,94	
Wireless Notebook Souris W1410	x	x	x	x	x	x	x	x		S26381-K	16,47	
Wireless Souris Touch W1910	x	x	x	x	x	x	x	x	x	S26381-K	23,53	
MOUSE M520 BLACK	x	x	x	x	x	x	x	x	x	S26381-K	12,94	
MOUSE M520 GREY	x	x	x	x	x	x	x	x	x	S26381-K	12,94	
MOUSE M530 BLACK	x					x	x	x	x	S26381-K	15,29	
MOUSE M530 GREY	x	x	x	x	x	x	x	x	x	S26381-K	15,29	
MOUSE M530 BLACK N	x	x	x	x	x	x	x	x	x	S26381-K	15,29	
KB410 PS2 NOIR FR						x	x			S26381-K	20,00	
Clavier KB521 FR	x		x	x	x	x	x	x		S26381-K	21,18	
KB SCR2 FR	x					x	x			S26381-K	40,00	
KB SCR2 FR black	x		x	x	x					S26381-K	40,00	
Clavier Pro KB900 Noir (USB, Fr)	x		x	x	x	x	x	x	x	S26381-K	22,35	
Wireless KB Souris Set LX901 FR	x		x	x	x	x	x	x	x	S26381-K	51,76	
Wireless KB Souris Set LX390 FR	x		x	x	x	x			x	S26381-K	21,18	
Clavier KB500 USB (N) & cordon secteur EU	x		x	x	x	x	x	x		S26361-F	23,53	
Clavier KB500 USB (S/FIN) & cordon secteur EU	x		x	x	x	x	x	x		S26361-F	23,53	
Clavier KB500 USB (DK) & cordon secteur	x		x	x	x	x	x	x		S26361-F	23,53	
Câbles												
Câble secteur rack, 4m, gris	x								x	T26139-Y	15,29	
Cordon secteur pour connexion écran/PC directe									x	S26361-F	15,29	
Câble pour 2x USB			x	x	x	x	x			S26361-F	22,35	
Accessories												
MicroSaver slim	x	x	x	x	x	x	x			S26361-F	45,88	



Fujitsu recommande Windows.

Accessoires stations de travail CELSIUS

Fiches produit : <http://fr.fujitsu.com/celsius>

Description	CELSIUS C620	CELSIUS J550	CELSIUS M730	CELSIUS M740	CELSIUS R940	CELSIUS W530	CELSIUS W550	CELSIUS C740	CELSIUS H760	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)												
Accessoires (Suite)												
Combination Ultra	x		x	x	x	x		x		S26361-F	35,29	
Câble antivol Kensington Twin (2xClés/2xSlots)	x	x	x	x	x	x	x	x		S26361-F	54,12	
MicroSaver DS ultrathin	x		x	x	x	x		x		S26361-F	47,06	
MiniSaver Mobile Lock	x		x	x	x	x		x		S26361-F	58,82	
Sacoche Casual 16 (up to 15.6")									x	S26391-F	18,82	
PRESTIGE TROLLY 17									x	S26391-F	116,47	
Supreme Case (15.6)									x	S26391-F	170,59	
DICOTA PerfectSkin 15 - 15.6" Sleeve									x	S26391-F	31,76	
Prestige Backpack 17									x	S26391-F	60,00	
Sportive Backpack 15									x	S26391-F	52,94	
Prestige Top Case 15									x	S26391-F	43,53	
Prestige Case 15									x	S26391-F	52,94	
Prestige Case 16									x	S26391-F	64,71	
Casual Entry Case 16 for projects only									x	S26391-F	12,94	
Fujitsu USB 3.0 Port Replicator PR08				x	x					S26391-F	158,82	
USB Port Replicator PR8.1				x	x					S26391-F	176,47	
MOBILE STARTERKIT 18									x	S26391-F	20,00	
Mobile Travel Pack									x	S26391-F	116,47	
PocketSaver, retractable	x		x	x	x	x			x	S26391-F	41,18	
A-DATA USB3.0 Flash Stick UE700 32GB				x	x	x			x	S26391-F	49,41	
A-DATA USB3.0 Flash Stick UE700 64GB				x	x	x			x	S26391-F	72,94	
A-DATA NH13 portable hard drive			x	x	x	x		x	x	S26391-F	136,47	
DP1.2 to HDMI2.0 Adapter				x	x	x			x	S26391-F	40,00	
DisplayPort vers DisplayPort Cable				x	x	x				S26391-F	24,71	
DisplayPort to VGA Adapter				x						S26391-F	27,06	
USB 3.0 certified cable 2m	x			x	x	x				S26391-F	9,41	
Workplace Connect Gate 2.0				x	x	x				S26391-F	252,94	
Workplace Connect Kit 1.0				x	x	x				S26391-F	481,18	
Filtre écran confidentialité 3M 22", 55,9 cm				x	x	x				S26391-F	141,18	
Filtre écran confidentialité 3M 24", 61,0 cm				x	x	x				S26391-F	148,24	
Fujitsu USB 3.0 HUB 4 Ports				x	x	x				S26391-F	48,24	
Adaptateur+ USB DVI									x	S26391-F	58,82	
USB to UHD DP Adapter									x	S26391-F	81,18	
UC&C USB Headset Stereo H650e				x	x	x				S26391-F	74,12	
UC&C USB Value Headset				x	x	x				S26391-F	54,12	
Communicator Headset				x	x	x		x	x	S26391-F	24,71	
Additional Software												
OPENFT-CR (Unix systems) V12.0						x				U10987-C	12,94	
OPENFT-SW-CD (Unix systems) V12.0						x				U10987-C	31,76	
OPENFT-1 (Unix systems) V12.0						x				U10987-C	1189,41	
OPENFT-FTAM-1 (Unix systems) V12.0						x				U10987-C	1189,41	
OPENFT-FTP-1 (Unix systems) V12.0						x				U10987-C	485,88	
OPENFT-CR (WINDOWS) V12.0						x				U11081-C	12,94	
OPENFT-SW-CD (WINDOWS) V12.0						x				U11081-C	27,06	
OPENFT-1 (WINDOWS) V12.0						x				U11081-C	1189,41	
OPENFT-FTAM-1 (WINDOWS) V12.0						x				U11081-C	1189,41	
OPENFT-FTP-1 (WINDOWS) V12.0						x				U11081-C	485,88	
OPENFT-1 (WINDOWS) V11.0						x				U11081-C	1081,18	
OPENFT-FTAM-1 (WINDOWS) V11.0						x				U11081-C	1081,18	
OPENFT-SW-CD (WINDOWS) V11.0						x				U11081-C	27,06	
OPENFT-CR (WINDOWS) V11.0						x				U11081-C	12,94	
OPENFT-1 (UNIX systems) V11.0						x				U10987-C	1081,18	
OPENFT-FTAM-1 (UNIX systems) V11.0						x				U10987-C	1081,18	
OPENFT-SW-CD (UNIX systems) V11.0						x				U10987-C	31,76	
OPENFT-CR (UNIX systems) V11.0						x				U10987-C	12,94	



Fujitsu recommande Windows.

Accessoires stations de travail CELSIUS H Fiches produit : <http://fr.fujitsu.com/celsius>

Catégorie	Description	CELSIUS H730	CELSIUS H920	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)						
Mémoire						
	4GB DDR3L-1600 PC3-12800	x		S26391-F1332-L400	74,12	
	8GB DDR3L-1600 PC3-12800	x		S26391-F1332-L800	131,76	
Supports amovibles						
	Weight saver for modular bay	x		S26391-F1334-L100	17,65	
	DVD Super Multi (reader/writer)	x		S26391-F1334-L200	57,65	
	Blu-ray Triple Writer	x		S26391-F1334-L300	143,53	
Hard Disks						
	SSHD 1000GB / 8GB 5.4k 9mm	x		S26391-F1333-L108	234,12	
	HDD SATA II 500GB 5.4k	x		S26391-F1333-L400	123,53	
	SSHD 500GB / 8GB SSD Cache	x		S26391-F1333-L508	151,76	
	SSD SATA III 128GB	x		S26391-F1333-L810	163,53	
	SSD SATA III 256GB	x		S26391-F1333-L820	258,82	
	SSD SATA III 512GB	x		S26391-F1333-L830	504,71	
	2nd HDD bay module (without HDD)	x		S26391-F1334-L600	34,12	
Communication/Réseau						
	UMTS upgrade kit (technicians only)	x		S26391-F1335-L520	115,29	
	LTE upgrade kit (technicians only)	x		S26391-F1335-L530	135,29	
Port Replicator						
	Port Replicator	x		S26391-F1337-L109	128,24	
	Port Rep w/ 150W AC + EU cable	x		S26391-F1337-L110	187,06	
OS/Application-SW						
	Drivers&Utilities DVD MobileH Win7/8/8.1	x	x	S26361-F2012-L103	16,47	
	DeskUpdate Manager	x	x	S26361-F4040-L200	1587,06	
Onduleur/Alimentation						
	Batterie 6cell 6700mAh	x		S26391-F1166-L100	104,71	
	Adaptateur secteur 19V/150W trois broches	x		S26391-F1166-L220	89,41	
	2nd Battery 6cell 28Wh (2,600mAh)	x		S26391-F1334-L500	141,18	
	Ext. Battery charger (2pr), w/AC w/o Cab	x		S26391-F1356-L700	200,00	
Sécurité						
	Advanced Face Recognition, Single License	x	x	S26361-F2727-L760	17,65	
	Advanced Face Recognition, Multi License	x	x	S26361-F2727-L761	17,65	
	Workplace Manager - Client License	x	x	S26361-F2727-L770	30,59	
	SCR Cloud 2700 R	x	x	S26381-F2700-L100	32,94	
	Lecteur SmartCard CARDOS V4.4. (1 pièce)	x	x	S26381-F305-L101	25,88	
	Lecteur SmartCard CARDOS V4.4. (2 pièces)	x	x	S26381-F305-L102	47,06	
	Lecteur SmartCard CARDOS V4.4. (10 pièces)	x	x	S26381-F305-L110	215,29	
	USB SCR 3500	x		S26381-F350-L100	28,24	
Divers						
	SSD Declaration	x	x	S26361-F3840-L100	1,18	
	Câble adaptateur DisplayPort vers DVI-D		x	S26361-F2391-L200	36,47	
Displays						
	Ecran P27T-7 LED (IPS), câble EU	x	x	S26361-K1442-V140	587,06	
	DISPLAY B27T-7 LED, EU	x		S26361-K1478-V141	328,24	



Fujitsu recommande Windows.

Accessoires stations de travail CELSIUS H Fiches produit : <http://fr.fujitsu.com/celsius>

Catégorie	Description	CELSIUS H730	CELSIUS H920	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)						
Displays (Suite)						
	DISPLAY B24W-7 LED, EU	x		S26361-K1497-V140	268,24	
	DISPLAY P24W-7 LED, EU	x	x	S26361-K1498-V140	340,00	
	DISPLAY P27T-7 UHD, EU	x		S26361-K1564-V140	622,35	
	DISPLAY B24-8 TE Pro, EU	x		S26361-K1577-V140	198,82	
	DISPLAY B24-8 TS Pro, EU	x		S26361-K1577-V160	210,59	
Clavier /Souris						
	Clavier Pro PX ECO GreenIT (USB&PS/2, Fr)		x	S26381-K341-L140	37,65	
	Blue LED Souris (USB)	x	x	S26381-K438-L100	20,00	
	SOURIS M440 ECO noir	x	x	S26381-K450-L200	17,65	
	Notebook Souris M410		x	S26381-K453-L100	10,59	
	SpaceSouris(TM) Pro	x	x	S26381-K459-L100	340,00	
	Souris Wireless WI610	x	x	S26381-K460-L100	21,18	
	Wireless Notebook Souris WI200	x	x	S26381-K462-L100	14,12	
	Souris MC200	x	x	S26381-K463-L100	12,94	
	Wireless Souris Touch WI910	x	x	S26381-K465-L100	23,53	
	MOUSE M520 BLACK	x	x	S26381-K467-L100	12,94	
	MOUSE M520 GREY	x	x	S26381-K467-L101	12,94	
	MOUSE M530 BLACK	x		S26381-K468-L100	15,29	
	MOUSE M530 GREY	x		S26381-K468-L101	15,29	
	MOUSE M530 BLACK N	x		S26381-K468-L102	15,29	
	Clavier KB521 FR		x	S26381-K521-L140	21,18	
	KB SCR2 FR		x	S26381-K538-L140	40,00	
	KB SCR2 FR black		x	S26381-K538-L440	40,00	
	Clavier Pro KB900 Noir (USB, Fr)	x	x	S26381-K560-L440	22,35	
	Wireless KB Souris Set LX901 FR	x	x	S26381-K565-L440	51,76	
	Wireless KB Souris Set LX390 FR	x	x	S26381-K590-L440	21,18	
Câbles						
	Cable powercord (CHN), 1.8m, black		x	T26139-Y1751-L10	25,88	
	Câble secteur (D), 1.8m, gris		x	T26139-Y1740-V10	3,53	
	Cable Powercord (UK), 1.8m, black		x	T26139-Y1744-V10	3,53	
	Power cord three-wire US	x		S26361-F2581-L300	17,65	
	Cordon secteur 3P EU	x		S26361-F2581-L310	17,65	
	Power cord three-wire GB	x		S26361-F2581-L320	17,65	
	Power cord three-wire I	x		S26361-F2581-L330	17,65	
Accessories						
	MicroSaver slim	x	x	S26361-F1650-L200	45,88	
	Combination Ultra	x		S26361-F1650-L510	35,29	
	Câble antivol Kensington Twin (2xClés/2xSlots)	x	x	S26361-F1650-L600	54,12	
	MicroSaver DS ultrathin	x		S26361-F1650-L900	47,06	
	MiniSaver Mobile Lock	x	x	S26361-F1650-L910	58,82	
	Sacoche Casual 16 (up to 15,6")	x		S26391-F1191-L107	18,82	
	PRESTIGE TROLLY 17	x		S26391-F1192-L130	116,47	
	Casual Backpack 16	x		S26391-F1192-L167	54,12	



Fujitsu recommande Windows.

Accessoires stations de travail CELSIUS H Fiches produit : <http://fr.fujitsu.com/celsius>

Catégorie	Description	CELSIUS H730	CELSIUS H920	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)						
Accessoires (Suite)						
	DICOTA PerfectSkin 15 - 15.6" Sleeve	x		S26391-F1193-L100	31,76	
	Prestige Backpack 17	x	x	S26391-F1194-L135	60,00	
	Sportive Backpack 15	x		S26391-F1194-L136	52,94	
	Prestige Case 15	x		S26391-F1194-L60	52,94	
	Prestige Case 16	x		S26391-F1194-L61	64,71	
	Casual Entry Case 16 for projects only	x		S26391-F12-L107	12,94	
	Mobile Travel Pack	x		S26391-F6036-L616	116,47	
	PocketSaver, retractable	x		S26391-F6045-L100	41,18	
	A-DATA USB3.0 Flash Stick UE700 32GB	x	x	S26391-F6048-L332	49,41	
	A-DATA USB3.0 Flash Stick UE700 64GB	x	x	S26391-F6048-L364	72,94	
	A-DATA NH13 portable hard drive	x		S26391-F6048-L420	136,47	
	DP1.2 to HDMI2.0 Adapter	x	x	S26391-F6055-L212	40,00	
	DisplayPort vers DisplayPort Cable	x	x	S26391-F6055-L220	24,71	
	USB 3.0 certified cable 2m	x		S26391-F6055-L320	9,41	
	Workplace Connect Gate 2.0	x		S26391-F6055-L620	252,94	
	Workplace Connect Kit 1.0	x		S26391-F6055-L710	481,18	
	Filtre écran confidentialité 3M 15,6", 39,6cm	x		S26391-F6097-L317	82,35	
	Fujitsu USB 3.0 HUB 4 Ports	x	x	S26391-F6099-L304	48,24	
	UC&C USB Headset Stereo H650e	x	x	S26391-F7139-L10	74,12	
	UC&C USB Value Headset	x		S26391-F7139-L20	54,12	
	Communicator Headset	x		S26391-F7139-L51	24,71	

Reliable Computing without any Restrictions

Fujitsu FUTRO Thin Clients



Software features	eLux® RL	eLux® RT	Windows® Embedded Compact 7	Windows® Embedded Standard 7
Applications				
ICA / RDP / VMware® View Client	Yes	Yes	Yes (without VMware®)	Yes
MS-Explorer	No	No	Limited	Full version
Media / Firefox	Full version	Full version	No	Possible
Java	Yes	No	No	Possible
X11	Yes	Yes	No	No
MediaPlayer	Adobe® Flash Player / Native Player	Supported	Windows® Media-Player	Windows® Media-Player
PDF reader	Adobe® Acrobat Reader	Supported	Microsoft® PDF Viewer	Adobe® Acrobat Reader
Printing	ThinPrint	No	No	ThinPrint (possible)
Need of resources / cost	Low	Low	Low	High
Security				
File security	Write-protected file system	Write-protected file system	Write-protected file system	Enhanced write filter
SmartCard	Yes	Yes	Yes	Yes
User authentication	LDAP, ADO, SMB	ADO	ADO	ADO
Network security	Cisco® VPN Client	VPN Client (optional)	Microsoft® VPN Client	Microsoft® VPN Client
Manageability				
SCOUT Enterprise	Yes	Yes	Yes	Yes
Virtualization				
Clone®	Yes	Yes	Yes	Yes
VMware®	Yes	Yes	No	Yes

Do you need maintenance and service support?

- Link: www.fujitsu.com/itc/remotepositioning
- Link: www.fujitsu.com/itc/remotepositioning (access requires registration)



Hardware features	SUPERIOR			ADVANCED		ALL-ROUND
	LIFEBOOK S/E751 P701	ES-PRIMO X913-T	FUTRO X913 / X913-T	FUTRO S900	FUTRO S700	FUTRO A300
Processor	Intel® Core™ i3-2310 Intel® Celeron™ B810	up to Intel® Core™ i7-2600	AMD G-Series G-T44R	AMD G-Series G-T44R	AMD G-Series G-T44R	VIA Eden™ UV 1 GHz
RAM	up to 8 GB	up to 32 GB	4 GB	4 GB	2 GB	1 GB
Storage	160 GB HDD 128 GB SSD	160 GB HDD 128 GB SSD mSATA - up to 16 GB	mSATA - up to 16 GB	mSATA - up to 16 GB	mSATA - up to 4 GB	CF module 1 GB
Operating system	eLux® RL Microsoft® Windows® Embedded Standard 7	eLux® RL Microsoft® Windows® Embedded Standard 7	eLux® RL Microsoft® Windows® Embedded Standard 7	eLux® RL Microsoft® Windows® Embedded Standard 7	eLux® RL Microsoft® Windows® Embedded Standard 7	eLux® RL Microsoft® Windows® Embedded Compact 7
Graphics	On board (Intel® HD Graphics 2000)	On board (Intel® HD Graphics 2000)	Integrated AMD® Radeon™ HD6250	Integrated AMD® Radeon™ HD6250	Integrated AMD® Radeon™ HD6250	VIA V1900
Audio	On board	On board	On board	On board	On board	On board
LAN	10/100/1000 Mbit/s	10/100/1000 Mbit/s	10/100/1000 Mbit/s	10/100/1000 Mbit/s	10/100/1000 Mbit/s	10/100/1000 Mbit/s
VOI ready	Yes	Yes	Yes	Yes	Yes	Yes
Remote power-on	No	Yes	Yes ¹⁾	Yes	Yes ¹⁾	Yes ¹⁾

1) Fujitsu FUTRO S132-T / S200 / S700 requires a Fujitsu keyboard with power button. Fujitsu FUTRO A100 supports key-combinator press-etc.

Copyright

© Fujitsu Technology Solutions 2012
 All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability for the data and illustrations are complete, actual or constructive is excluded. Designations may be trademarks and/or copyright of the respective manufacturers. For further information see www.fujitsu.com/itc

Contact

Email: ups.info@itc.fujitsu.com
 Website: www.fujitsu.com/itc/itcinfo
 Partner: itcpartners.itc.fujitsu.com/itcinfo
 2012-11-05-EN



Fujitsu recommande Windows.

FUTRO

Fiches produit : <http://fr.fujitsu.com/celsius>

La gamme de FUTRO de Fujitsu sont des clients légers rentables et faciles d'utilisation, pour des solutions informatiques hautement sécurisées de type client-serveur ou virtualisation du poste de travail. Votre coût total de possession est réduit jusqu'à 80 % par rapport à un parc de PCs standards, cela grâce à un matériel peu onéreux, une efficacité énergétique optimale et un minimum. L'encombrement réduit de nos clients légers et leur fonctionnement

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
FUTRO L420					
FUTRO L420	FUTRO L420	FUTRO L420, Teradici TERA2321, RAM: 512 Mo, Interfaces: 2x DVI (1x DVI-I et DVI-D 1x; VGA intégré peut être utilisé avec adaptateur DVI-VGA), 1 RJ-45, 2x sortie audio, 1x entrée micro, 4x USB 2.0. Câble d'alimentation EU (incl.), autres options : Alimentation externe, câble Dual link DVI, Adaptateur DVI / VGA	S26361-K1062-V200	447,06	
FUTRO L420	FUTRO L420	FUTRO L420	VFY:L0420P5105IN	351,76	
FUTRO L620					
FUTRO L620	FUTRO L620	FUTRO L620	VFY:L0620P5105IN	528,24	
FUTRO S520					
FUTRO S520 /AMD GX-210HA/2GB/DVI/VGA/	FUTRO S520 /AMD GX-210HA/2GB/DVI/VGA/	FUTRO S520 /AMD GX-210HA/2GB/DVI/VGA/ CK EU/INT/ELUX RP LIC/NO MOUSE/	LKN:S0520P0002FR	372,95	
FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK ESP Q (D)/KB410 USB BLACK DE/ NO OS/OPT USB BLK/	LKN:S0520P0002IN	369,41	
FUTRO S520 /AMD GX-210HA/2GB/DVI/VGA/	FUTRO S520 /AMD GX-210HA/2GB/DVI/VGA/	FUTRO S520 /AMD GX-210HA/2GB/DVI/VGA/ CK EU/INT/KB410 USB BLACK FR/ ELUX RP LIC/OPT USB BLK/	LKN:S0520P0003FR	391,76	
FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK ESP Q (D)/KB410 USB BLACK BE/ NO OS/OPT USB BLK/	LKN:S0520P0003IN	375,29	
FUTRO S520 /AMD GX-210HA/4GB/NO ADAP/	FUTRO S520 /AMD GX-210HA/4GB/NO ADAP/	FUTRO S520 /AMD GX-210HA/4GB/NO ADAP/ CK ESP Q PVC/GERMANY STICKER/ LIC ELUX RP+SC/REC DVD RP/NO MOUSE/	LKN:S0520P0004FR	428,26	
FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK ESP Q (D)/KB410 USB BLACK PL/ NO OS/OPT USB BLK/	LKN:S0520P0004IN	375,29	
FUTRO S520 /AMD GX-210HA 16GB/2GB/	FUTRO S520 /AMD GX-210HA 16GB/2GB/	FUTRO S520 /AMD GX-210HA 16GB/2GB/ DVI/VGA/CK EU/INT/KB410 USB BLACK FR/ LIC WS7P/PRE OPEN WS7P/USB M510 GREY/	LKN:S0520P0005FR	508,25	
FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK ESP Q (D)/KB410 USB BL NORD/ NO OS/OPT USB BLK/	LKN:S0520P0005IN	375,29	



Fujitsu recommande Windows.

FUTRO Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
FUTRO S520 (Suite)					
	FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK EU/INT/KB410PS2FR/ ELUX RP5 LIC/OPT USB BLK/	LKN:S0520P0006FR	392,94	
	FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK ESP Q (D)/KB410 USB BLACK FR/ NO OS/OPT USB BLK/	LKN:S0520P0006IN	375,29	
	FUTRO S520 /AMD GX-212ZC 16GB/4GB/	FUTRO S520 /AMD GX-212ZC 16GB/4GB/ DVI/VGA/CK EU/INT/KB410PS2FR/ ELUX RP5 LIC/OPT USB BLK/	LKN:S0520P0007FR	429,41	
	FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK ESP Q (D)/KB410 USB BLACK HU/ NO OS/OPT USB BLK/	LKN:S0520P0007IN	375,29	
	FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK ESP Q (D)/KB410 USB BLACK ES/ NO OS/OPT USB BLK/	LKN:S0520P0008IN	375,29	
	FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK ESP Q (D)/KB410 USB BL RU/US/ NO OS/OPT USB BLK/	LKN:S0520P0009IN	375,29	
	FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK ESP Q (D)/KB410 USB BLACK IT/ NO OS/OPT USB BLK/	LKN:S0520P0010IN	375,29	
	FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK ESP Q (D)/KB410 USB BL TR/Q/ NO OS/OPT USB BLK/	LKN:S0520P0011IN	375,29	
	FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK ESP Q (D)/KB410 USB BLACK RO/ NO OS/OPT USB BLK/	LKN:S0520P0012IN	375,29	
	FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK ESP Q (D)/KB410 USB BLACK US/ NO OS/OPT USB BLK/	LKN:S0520P0013IN	375,29	
	FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK I/KB410 USB BL AR/GB/NO OS/ OPT USB BLK/	LKN:S0520P0014IN	375,29	
	FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK I/KB410 USB BLACK GB/NO OS/ OPT USB BLK/	LKN:S0520P0015IN	375,29	
	FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK CH/KB410 USB BLACK CH/NO OS/ OPT USB BLK/	LKN:S0520P0016IN	375,29	
	FUTRO S520 /CCC/AMD GX-212ZC 4GB/2GB/	FUTRO S520 /CCC/AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK ESP Q CN/KB410 USB BLACK CN/ NO OS/OPT USB BLK/	LKN:S0520P0017IN	375,31	
	FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK EU/INT/KB410 USB BL AR/GB/ NO OS/OPT USB BLK/	LKN:S0520P0018IN	375,29	
	FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK EU/INT/KB410 USB BLACK BE/ NO OS/OPT USB BLK/	LKN:S0520P0019IN	375,29	



Fujitsu recommande Windows.

FUTRO Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
FUTRO S520 (Suite)					
	FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK EU/INT/KB410 USB BLACK FR/ NO OS/OPT USB BLK/	LKN:S0520P0020IN	375,29	
	FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK GB/INT/KB410 USB BLACK GB/ NO OS/OPT USB BLK/	LKN:S0520P0021IN	375,29	
	FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK I/KB410 USB BLACK IT/NO OS/ OPT USB BLK/	LKN:S0520P0022IN	375,29	
	FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK EU/INT/KB410 USB BLACK PL/ NO OS/OPT USB BLK/	LKN:S0520P0023IN	375,29	
	FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK EU/INT/KB410 USB BLACK RO/ NO OS/OPT USB BLK/	LKN:S0520P0024IN	375,29	
	FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK NORDICS/KB410 USB BL NORD/ NO OS/OPT USB BLK/	LKN:S0520P0025IN	375,29	
	FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK EU/INT/KB410 USB BLACK US/ NO OS/OPT USB BLK/	LKN:S0520P0026IN	375,29	
	FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK EU/INT/KB410 USB BLACK ES/ NO OS/OPT USB BLK/	LKN:S0520P0027IN	375,29	
	FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK EU/INT/KB410 USB BL TR/F/ NO OS/OPT USB BLK/	LKN:S0520P0028IN	375,29	
	FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK EU/INT/KB410 USB BL RU/US/ NO OS/OPT USB BLK/	LKN:S0520P0029IN	375,29	
	FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK EU/INT/KB410 USB BLACK HU/ NO OS/OPT USB BLK/	LKN:S0520P0030IN	375,29	
Base unit: FUTRO S520; mainboard type: reduced miniITX; Chipset: AMD Embedded G-Series System-on-Chip (SOC); Flash memory type: microSSD with MLC technology; Audio: Realtek ALC 671; LAN: Realtek RTL8111G 10/100/1000Mbit/s; , Front interfaces: 2 x USB 3.0, 2 x audio (1 x microphone, 1 x headphone);, Rear interfaces: 1 x DVI-I, 1 x DVI-D, 2 x USB 2.0, 2 x audio (1 x line in, 1 x line out), 2 x PS/2, 1 x Ethernet (RJ-45);, Internal interfaces: 1 x SO-DIMM socket, 1 x MiniCard;,, Accessories included: AC-Adapter 19-20V/40W; Stand for vertical or horizontal operation;					
	FUTRO S520 /AMD GX-212ZC 4GB/2GB/	FUTRO S520 /AMD GX-212ZC 4GB/2GB/ DVI/VGA/CK EU/INT/ELUX RP LIC/ OPT USB BLK/	VFY:S0520P700OFR	292,94	
FUTRO S720					
	FUTRO S720 /AMD GX-217GA/2GB/DVI/VGA/	FUTRO S720 /AMD GX-217GA/2GB/DVI/VGA/ 4GB MSATA SLC/INTEL WLAN AC7260/ CK EU/INT/ELUX RP5 SC/AC 20V/40W/ OPT USB BLK/	LKN:S0720P0004IN	578,82	



Fujitsu recommande Windows.

FUTRO Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
FUTRO S720 (Suite)					
	FUTRO S720 /AMD GX-217GA/2GB/DVI/VGA/	FUTRO S720 /AMD GX-217GA/2GB/DVI/VGA/ 4GB MSATA SLC/INTEL WLAN AC7260/ CK ESP Q ZA IN/ELUX RP5 SC/AC 20V/40W/ OPT USB BLK/	LKN:S0720P0005IN	578,82	
	FUTRO S720 /AMD GX-217GA/2GB/DVI/VGA/	FUTRO S720 /AMD GX-217GA/2GB/DVI/VGA/ 2GB MSATA SLC/CK EU/INT/ELUX RP W/O LIC/ AC 20V/40W/NO MOUSE/	LKN:S0720P0009FR	462,36	
	FUTRO S720 /AMD GX-217GA/2GB/DVI/VGA/	FUTRO S720 /AMD GX-217GA/2GB/DVI/VGA/ 4GB MSATA SLC/CK EU/INT/ KB410 USB BLACK FR/ELUX RP LIC/ AC 19V/65W/OPT USB BLK/	LKN:S0720P0015FR	521,18	
	FUTRO S720 /AMD GX-217GA/2GB/DVI/VGA/	FUTRO S720 /AMD GX-217GA/2GB/DVI/VGA/ 2GB MSATA SLC/SPEAKER/CK EU/INT/ KB410 USB BLACK FR/ELUX RP LIC/ AC 20V/40W/OPT USB BLK/	LKN:S0720P0017FR	518,82	
	FUTRO S720 /AMD GX-217GA/4GB/NO ADAP/	FUTRO S720 /AMD GX-217GA/4GB/NO ADAP/ 16GB MSATA MLC/CK EU/INT/ KB410 USB BLACK FR/LIC WS7P/ PRE OPEN WS7P/AC 20V/40W/OPT USB BLK/	LKN:S0720P0021FR	620,02	
	FUTRO S720 /AMD GX-217GA/2GB/DVI/VGA/	FUTRO S720 /AMD GX-217GA/2GB/DVI/VGA/ 8GB MSATA MLC/CK EU/INT/ KB410 USB BLACK FR/ELUX RP LIC/ AC 20V/40W/USB M510 GREY/	LKN:S0720P0023FR	514,12	
	FUTRO S720 /AMD GX-217GA/2GB/DVI/VGA/	FUTRO S720 /AMD GX-217GA/2GB/DVI/VGA/ 16GB MSATA MLC/CK EU/INT/ KB410 USB BLACK FR/LIC WS7P/ PRE OPEN WS7P/AC 20V/40W/USB M510 GREY/	LKN:S0720P0024FR	620,01	
	FUTRO S720 /AMD GX-222GC/2GB/NO ADAP/	FUTRO S720 /AMD GX-222GC/2GB/NO ADAP/ 8GB MSATA MLC/CK EU/INT/ KB410 USB BLACK FR/ELUX RP LIC/ AC 20V/40W/OPT USB BLK/	LKN:S0720P0027FR	497,66	
	FUTRO S720 /AMD GX-222GC/2GB/NO ADAP/	FUTRO S720 /AMD GX-222GC/2GB/NO ADAP/ 8GB MSATA MLC/CK EU/INT/ KB410 USB BLACK FR/LIC WS7P/ PRE OPEN WS7P/AC 20V/40W/OPT USB BLK/	LKN:S0720P0028FR	583,55	
	FUTRO S720 /AMD GX-222GC/4GB/DP CABLE/	FUTRO S720 /AMD GX-222GC/4GB/DP CABLE/ 32GB MSATA MLC/CK EU/INT/ KB410 USB BLACK FR/LIC WS7P/ PRE OPEN WS7P/RDVD WS7P/AC 20V/40W/	LKN:S0720P0030FR	670,60	
	FUTRO S720 /AMD GX-222GC/2GB/DVI/VGA/	FUTRO S720 /AMD GX-222GC/2GB/DVI/VGA/ 2GB MSATA SLC/CK ESP Q (D)/ KEYBOARD KB521 DE/ELUX RP LIC/ REC DVD RP/AC 20V/40W/OPT USB BLK/	PRJ:S0720P0001IN	498,82	
FUTRO S720, Unité de base: carte mère: miniITX; Jeu de puces: AMD intégré G-Series System-on-Chip (SOC); Audio: Realtek ALC 671; LAN: Realtek RTL8111G 10/100/1000Mbit/s;, , Interfaces avant: 2 x USB 3.0, 2 x audio (1 x microphone, 1 x casque);, Interfaces					
	FUTRO S720 /AMD GX-217GA/2GB/DVI/VGA/	FUTRO S720 /AMD GX-217GA/2GB/DVI/VGA/ 4GB MSATA SLC/CK EU/INT/ KEYBOARD KB521 FR/ELUX RP LIC/ AC 19V/65W/OPT USB BLK/	LKN:S0720P0007FR	520,00	



Fujitsu recommande Windows.

FUTRO Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
FUTRO S720 (Suite)					
	FUTRO S720 /AMD GX-217GA/2GB/DVI/VGA/	FUTRO S720 /AMD GX-217GA/2GB/DVI/VGA/ DP CABLE/16GB MSATA MLC/CK EU/INT/ KB900FR/LIC ELUX RP+SC/AC 20V/40W/ OPT USB BLK/	LKN:S0720P0013FR	601,18	
	FUTRO S720 /AMD GX-217GA/2GB/DVI/VGA/	FUTRO S720 /AMD GX-217GA/2GB/DVI/VGA/ 16GB MSATA MLC/CK EU/INT/ KEYBOARD KB521 FR/LIC WS7P/ PRE OPEN WS7P/AC 19V/65W/OPT USB BLK/	LKN:S0720P0026FR	621,19	
	FUTRO S720 /AMD GX-222GC/4GB/NO ADAP/	FUTRO S720 /AMD GX-222GC/4GB/NO ADAP/ 16GB MSATA MLC/CK CH/KB900FR/ PRE OPEN WS7P/LIC WS7P/AC 19V/65W/ ECO M440 BLACK/	LKN:S0720P0029FR	675,31	
	FUTRO S720 /AMD GX-222GC/2GB/DVI/VGA/	FUTRO S720 /AMD GX-222GC/2GB/DVI/VGA/ 2GB MSATA SLC/CK EU/INT/REC DVD RP/ ELUX RP LIC/AC 20V/40W/OPT USB BLK/	VFY:S0720P700BFR	340,00	
	FUTRO S720 /AMD GX-222GC/4GB/DVI/VGA/	FUTRO S720 /AMD GX-222GC/4GB/DVI/VGA/ 16GB MSATA MLC/CK EU/INT/LIC WS7P/ PRE OPEN WS7P/RDVD WS7P/AC 20V/40W/ OPT USB BLK/	VFY:S0720P702BFR	410,59	
FUTRO S920					
	FUTRO S920 /AMD GX-415GA/4GB/DP CABLE/	FUTRO S920 /AMD GX-415GA/4GB/DP CABLE/ DVI/VGA/8GB MSATA SLC/SPEAKER/ PARALLEL PORT/CK EU/INT/LIC ELUX RP+SC/ REC DVD RP/AC 20V/40W/SCRR/NO MOUSE/	LKN:S0920P0003FR	747,07	
FUTRO S920, Unité de base: carte mère: miniITX; Jeu de puces: AMD intégré G-Series System-on-Chip (SOC); Audio: Realtek ALC 671; LAN: Realtek RTL8111G 10/100/1000Mbit/s; , Interfaces avant: 2 x USB 3.0, 2 x audio (1 x microphone, 1 x casque), lecteur de					
	FUTRO S920 /AMD GX-415GA/4GB/DVI/VGA/	FUTRO S920 /AMD GX-415GA/4GB/DVI/VGA/ 8GB MSATA MLC/CK EU/INT/LIC WS7P/ PRE OPEN WS7P/RDVD WS7P/AC 20V/40W/ USB M510 GREY/	LKN:S0920P0007FR	657,66	
FUTRO X923					
	FUTRO X923 /AMD GX-415GA/2GB DDR3-1600/	FUTRO X923 /AMD GX-415GA/2GB DDR3-1600/ DVI/VGA/8GB MSATA MLC/NO PRES SENS/ CK X9 EU+/KB410 USB BLACK FR/ LIC ELUX RP+SC/REC DVD RP/	LKN:F9230P0001FR	969,42	
	FUTRO X923 /AMD GX-415GA/2GB DDR3-1600/	FUTRO X923 /AMD GX-415GA/2GB DDR3-1600/ 2GB MSATA SLC/NO PRES SENS/CK X9 EU+/ KB900FR/ELUX RP LIC/OPT USB BLK/	LKN:F9230P0002FR	904,72	
FUTRO X923-T					
	FUTRO X923-T /AMD GX-415GA/	FUTRO X923-T /AMD GX-415GA/ 4GB DDR3-1600/8GB MSATA SLC/ NO PRES SENS/CK X9 EU+/KB900FR/LIC WS7P/ PRE OPEN WS7P/RDVD 1 WS7P/	LKN:F923TP0001FR	1251,79	
FUTRO Z220					
	FUTRO Z220 /CK FUTRO Z EU+/ELUX RT LIC/	FUTRO Z220 /CK FUTRO Z EU+/ELUX RT LIC/ AC 20V/40W/CABLE DE/ECO M440 BLACK/	LKN:Z0220P0002FR	277,65	



Fujitsu recommande Windows.

FUTRO Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
--------	-------------	---------	-----------	--------------------	-----------

Configurations Standards

FUTRO Z220 (Suite)

FUTRO Z220 /DVI/VGA/CK FUTRO Z EU+/ FUTRO Z EU+/ FUTRO Z EU+/ FUTRO Z EU+/ FUTRO Z220 /DVI/VGA/SPEAKER/ FUTRO Z EU+/ FUTRO Z EU+/ FUTRO Z EU+/ FUTRO Z EU+/ FUTRO Z220 /DVI/VGA/SPEAKER/	FUTRO Z220 /DVI/VGA/CK ELUX RT LIC/AC 20V/40W/CABLE DE/ OPT USB BLK/ FUTRO Z220 /DVI/VGA/CK ELUX RT LIC/AC 20V/40W/CABLE DE/ NO MOUSE/ FUTRO Z220 /DVI/VGA/CK KB410 USB BLACK FR/LIC ELUX RT+SC/ AC 20V/40W/CABLE DE/OPT USB BLK/ FUTRO Z220 /DVI/VGA/CK KB410 USB BLACK FR/ELUX RT LIC/ AC 20V/40W/CABLE DE/OPT USB BLK/ VESA KIT FUT Z/ FUTRO Z220 /DVI/VGA/SPEAKER/ CK FUTRO Z EU+LIC ELUX RT+SC/ AC 20V/40W/CABLE DE/USB M510 GREY/	LKN:Z0220P0003FR LKN:Z0220P0005FR LKN:Z0220P0006FR LKN:Z0220P0007FR PRJ:Z0220P0001FR	276,47 271,76 337,65 295,29 348,24	
--	--	--	--	--

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
--------	-------------	---------	-----------	--------------------	-----------

Unités de Base

FUTRO S520

FUTRO S520 / GEZE FUTRO S520	CZK:1077V520-GZE05 incl. DVL Base unit: FUTRO S520; mainboard type: reduced miniITX; Chipset: AMD Embedded G- Series System-on-Chip (SOC); Flash memory type: microSSD with MLC technology; Audio: Realtek ALC 671; LAN: Realtek RTL8111G 10/100/1000Mbit/s;, , Front interfaces: 2 x USB 3.0, 2 x audio (1 x microphone, 1 x headphone);, Rear interfaces: 1 x DVI-I, 1 x DVI-D, 2 x USB 2.0, 2 x audio (1 x line in, 1 x line out), 2 x PS/2, 1 x Ethernet (RJ-45);, Internal interfaces: 1 x SO- DIMM socket, 1 x MiniCard;,, Accessories included: AC-Adapter 19-20V/40W; Stand for vertical or horizontal operation;	CZK:1077V520-GZE05 S26361-K1077-V520	1452432,81 252,94	
---------------------------------	--	---	----------------------	--

FUTRO S720

FUTRO S720	FUTRO S720, Unité de base: carte mère: miniITX; Jeu de puces: AMD intégré G-Series System-on-Chip (SOC); Audio: Realtek ALC 671; LAN: Realtek RTL8111G 10/100/1000Mbit/s;, , Interfaces avant: 2 x USB 3.0, 2 x audio (1 x microphone, 1 x casque);, Interfaces	S26361-K1040-V720	285,88	
------------	--	-------------------	--------	--

FUTRO S920



Fujitsu recommande Windows.

FUTRO Fiches produit : <http://fr.fujitsu.com/celsius>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
FUTRO S920 (Suite)					
	FUTRO S920	FUTRO S920, Unité de base: carte mère: miniITX; Jeu de puces: AMD intégré G-Series System-on-Chip (SOC); Audio: Realtek ALC 671; LAN: Realtek RTL8111G 10/100/1000Mbit/s;; , Interfaces avant: 2 x USB 3.0, 2 x audio (1 x microphone, 1 x casque), lecteur de	S26361-K1050-V920	321,18	
FUTRO X923					
	FUTRO X923	Base unit: FUTRO X923; mainboard type: proprietary with Intég. power supply; , Chipset: AMD Embedded G-Series System-on-Chip (SOC); Audio: Realtek ALC 671; LAN: Realtek RTL8111G 10/100/1000Mbit/s;; , Left side interfaces: 2 x USB 3.0, 2 x audio (1 x microphone, 1 x headphone), optional SmartCard reader;; Rear interfaces: 1 x DVI-I, 4 x USB 2.0, 1 x PS/2, 1 x Ethernet (RJ-45), 3-pin AC-connector, connector for 2 COM (RS232) interfaces and second PS/2 interface;; Internal interfaces: 1 x SO-DIMM socket, 1 x mSATA, 1 x MiniCard, 1 x USB 2.0, connector for Power-over-Ethernet module;	S26361-K1066-V220	681,18	
FUTRO X923-T					
	FUTRO X923-T	Base unit: FUTRO X923-T; mainboard type: proprietary with Intég. power supply; , Chipset: AMD Embedded G-Series System-on-Chip (SOC); Audio: Realtek ALC 671; LAN: Realtek RTL8111G 10/100/1000Mbit/s;; , Left side interfaces: 2 x USB 3.0, 2 x audio (1 x microphone, 1 x headphone), optional SmartCard reader;; Rear interfaces: 1 x DVI-I, 4 x USB 2.0, 1 x PS/2, 1 x Ethernet (RJ-45), 3-pin AC-connector, connector for 2 COM (RS232) interfaces and second PS/2 interface;; Internal interfaces: 1 x SO-DIMM socket, 1 x mSATA, 1 x MiniCard, 1 x USB 2.0, connector for Power-over-Ethernet module;	S26361-K1066-V320	875,29	
FUTRO Z220					
	FUTRO Z220	FUTRO unité de base Z220: carte mère D3252-A1, max. 1 Go, DDR3 sur carte mère . Graphique, Audio: Texas Instruments TLV320AIC3105; LAN: 10/100/1000 Mbit / s Realtek RTL8211E; Slots;; Interfaces: 1 x audio Avant: casque, 1 sortie audio avant x: entrée ligne / microphone, 1 x DC-in, 2 (1x DVI-I et DVI-D 1x; VGA intégré peut être utilisé avec adaptateur DVI-VGA) x DVI, 4 x USB 2.0 au total, 2 x USB en façade, 2 x USB à l'arrière, 1 (sur mini-connecteur PCIe) x USB interne, 2 x emplacement Kensington, 1 x Ethernet (RJ-45), 802.11a/b/g/n (en option) x WLAN intégré,,	S26361-K1051-V100	234,12	



Fujitsu recommande Windows.

Accessoires FUTRO

Fiches produit : <http://fr.fujitsu.com/futro>

Catégorie	Description	FUTRO L420	FUTRO L620	FUTRO S700	FUTRO S900	FUTRO X913	FUTRO Z220	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)										
Mémoire Modules										
	Mémoire 2Go DDR3-1066 SODIMM			x	x			S26361-F4408-L2	54,12	
Graphics										
	Dual Link DVI cable	x						S26361-F2391-L9	22,35	
	CELSIUS RemoteAccess double connexion	x	x					S26361-F3565-L2	295,29	
	CELSIUS RemoteAccess Quad Card	x	x					S26361-F3565-L4	531,76	
	Mini Display Port câble / adaptateur DVI-D.	x	x					S26361-F2391-L8	38,82	
	Adaptateur DVI/VGA			x	x	x	x	S26361-F2391-L1	20,00	
Communication/Réseau										
	Carte Série Dual (PCI)				x			S26361-F3465-L4	40,00	
	2nd LAN/PoE module			x	x			S26361-F3466-L1	45,88	
Power supply										
	MICROSEMI PD-9501G:			x	x	x		S26361-F1744-L10	170,59	
	Injecteur PoE 12x (MICROSEMI PD-9512G)			x	x	x		S26361-F1744-L20	1540,00	
OS/Application-SW										
	Clé de souscription eLux/WES/Scout			x	x	x	x	S26361-F2727-L703	17,65	
	License pour SCOUT 13+			x	x	x	x	S26361-F2727-L705	50,59	
	License for eLux RP			x	x	x		S26361-F2727-L755	21,18	
	License pour PowerTerm WBT			x	x	x		S26361-F2600-L144	29,41	
Sécurité										
	SCR Cloud 2700 R			x	x	x		S26381-F2700-L100	32,94	
	Comfort Sensor CS300			x	x	x		S26381-F3000-L1	15,29	
	Lecteur SmartCard CARDOS V4.4. (1 pièce)			x	x	x		S26381-F305-L101	25,88	
	Lecteur SmartCard CARDOS V4.4. (2 pièces)	x	x	x	x	x		S26381-F305-L102	47,06	
	Lecteur SmartCard CARDOS V4.4. (10 pièces)	x	x	x	x	x		S26381-F305-L110	215,29	
	USB SCR 3500					x		S26381-F350-L100	28,24	
Divers										
	Kit de montage VESA FUTRO Z-Series						x	S26361-F1051-L10	14,12	
	AC-Adapter 20V/40W						x	S26361-F1051-L20	22,35	
	Adaptateur secteur 20V (40W)			x	x			S26361-F2542-L14	22,35	
	Riser Card PCI				x			S26361-F2542-L19	29,41	
	VESA Subadapter Velcro® strap	x		x	x			S26361-F2601-L200	20,00	
	Kit VESA FUTRO S			x	x			S26361-F2601-L550	47,06	
	Universal Monitor Stand	x						S26361-F2601-L700	104,71	
	Câble DVI pour Kit de montage VESA,	x					x	S26361-F2601-L541	15,29	
	Cache USB	x	x	x	x	x	x	S26361-F2542-L291	17,65	
	Kit de montage VESA FUTRO L-Series	x						S26361-F1051-L15	23,53	
	Câble adaptateur DisplayPort vers DVI-D			x	x			S26361-F2391-L200	36,47	
Displays										
	Ecran B19-7 LED câble EU	x	x				x	S26361-K1471-V140	187,06	
	Ecran B22W-7 LED câble EU	x	x				x	S26361-K1472-V140	197,65	
	Ecran E19-7 LED, câble EU	x	x				x	S26361-K1482-V160	151,76	
	DISPLAY B23T-7 LED, EU	x	x				x	S26361-K1496-V140	230,59	
	DISPLAY B24W-7 LED, EU	x	x				x	S26361-K1497-V140	268,24	
	DISPLAY E20T-7 LED, EU	x	x				x	S26361-K1538-V160	135,29	
	DISPLAY B20T-7 LED proGREEN, EU			x	x		x	S26361-K1542-V160	163,53	
	Display L27T-1 LED, EU	x	x				x	S26361-K1571-V160	234,12	
	Display E24T-7 Pro, EU	x	x				x	S26361-K1573-V160	151,76	
	DISPLAY E22T-7 Pro, EU	x	x				x	S26361-K1579-V160	128,24	
Clavier /Souris										



Fujitsu recommande Windows.

Accessoires FUTRO

Fiches produit : <http://fr.fujitsu.com/futro>

Catégorie	Description	FUTRO L420	FUTRO L620	FUTRO S700	FUTRO S900	FUTRO X913	FUTRO Z220	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)										
Clavier /Souris (Suite)										
	Clavier Pro PX ECO GreenIT (USB&PS/2, Fr)	x	x	x	x		x	S26381-K341-L140	37,65	
	Blue LED Souris (USB)			x	x	x	x	S26381-K438-L100	20,00	
	SOURIS M440 ECO noir			x	x	x	x	S26381-K450-L200	17,65	
	Souris Wireless WI610			x	x	x	x	S26381-K460-L100	21,18	
	Wireless Notebook Souris WI200			x	x	x	x	S26381-K462-L100	14,12	
	Souris MC200			x	x	x	x	S26381-K463-L100	12,94	
	Wireless Notebook Souris WI410			x	x	x	x	S26381-K464-L100	16,47	
	Wireless Souris Touch WI910			x	x	x	x	S26381-K465-L100	23,53	
	MOUSE M520 BLACK	x	x		x		x	S26381-K467-L100	12,94	
	MOUSE M520 GREY	x	x		x		x	S26381-K467-L101	12,94	
	MOUSE M530 BLACK	x	x		x		x	S26381-K468-L100	15,29	
	MOUSE M530 GREY	x	x	x	x		x	S26381-K468-L101	15,29	
	MOUSE M530 BLACK N	x	x		x		x	S26381-K468-L102	15,29	
	KB410 PS2 NOIR FR			x	x			S26381-K515-L440	20,00	
	Clavier KB521 FR	x	x	x	x		x	S26381-K521-L140	21,18	
	KB SCR2 FR			x	x		x	S26381-K538-L140	40,00	
	KB SCR2 FR black			x	x	x	x	S26381-K538-L440	40,00	
	Clavier Pro KB900 Noir (USB, Fr)	x	x	x	x	x	x	S26381-K560-L440	22,35	
	Wireless KB Souris Set LX901 FR			x	x	x	x	S26381-K565-L440	51,76	
	Wireless KB Souris Set LX390 FR			x	x	x	x	S26381-K590-L440	21,18	
Câbles										
	Câble secteur, Noir, 1,8m, pour EU	x	x	x	x		x	T26139-Y2540-V113	9,41	
	Câble secteur, Noir,1,8 m, pour UK	x	x	x	x		x	T26139-Y2540-V213	9,41	
	Câble secteur, Noir, 1,8 m, pour USA	x	x	x	x		x	T26139-Y2540-V313	9,41	
	Standard-LAN-câble, RJ45, 10Base T 5m	x	x	x	x	x	x	T26139-Y2425-M5	10,59	
	Standard-LAN-câble, RJ45, 10 Base T 10M	x	x	x	x	x	x	T26139-Y2425-M10	15,29	
Accessories										
	MicroSaver slim	x	x	x	x	x	x	S26361-F1650-L200	45,88	
	Combination Ultra	x	x	x	x	x	x	S26361-F1650-L510	35,29	
	Câble antivol Kensington Twin (2xClés/2xSlots)			x	x	x	x	S26361-F1650-L600	54,12	
	MicroSaver DS ultrathin	x		x	x	x	x	S26361-F1650-L900	47,06	
	MiniSaver Mobile Lock			x	x	x	x	S26361-F1650-L910	58,82	
	PocketSaver, retractable	x	x	x	x	x	x	S26391-F6045-L100	41,18	
	A-DATA USB3.0 Flash Stick UE700 32GB			x	x		x	S26391-F6048-L332	49,41	
	A-DATA USB3.0 Flash Stick UE700 64GB			x	x		x	S26391-F6048-L364	72,94	
	DP1.2 to HDMI2.0 Adapter			x	x			S26391-F6055-L212	40,00	
	DisplayPort to VGA Adapter			x	x			S26391-F6055-L280	27,06	
	USB 3.0 certified cable 2m	x	x	x	x		x	S26391-F6055-L320	9,41	
	USB vers câble adaptateur série			x	x	x	x	S26391-F6055-L570	22,35	
	Workplace Connect Gate 2.0	x	x	x	x		x	S26391-F6055-L620	252,94	
	Workplace Connect Kit 1.0	x	x	x	x		x	S26391-F6055-L710	481,18	
	Filtre écran confidentialité 3M 24", 61,0 cm					x		S26391-F6097-L322	148,24	
	Enceintes DS E2000 Air (USB)	x	x			x	x	S26391-F7128-L600	29,41	
	UC&C USB Headset Stereo H650e	x	x			x	x	S26391-F7139-L10	74,12	
	Communicator Headset	x	x		x		x	S26391-F7139-L51	24,71	

A Feast for Your Eyes

Fujitsu Displays



Display	SUPERIOR					ADVANCED					ALL-ROUND				
	P27E-6 IPS	P24W-6 IPS	P23T-6 IPS	B24W-5 ECO	B23T-6 LED	B22W-6 LED	B22W-6 LED pG	B22W-5 ECO	B19-6 LED	E23T-6 LED	E22W-6 LED	E19W-5	E19-6 LED		
Diagonal Size	68.6 cm (27-inch)	61 cm (24-inch)	58.4 cm (23-inch)	61 cm (24-inch)	58.4 cm (23-inch)	55.9 cm (22-inch)	55.9 cm (22-inch)	55.9 cm (22-inch)	48.3 cm (19-inch)	58.4 cm (23-inch)	55.9 cm (22-inch)	48.1 cm (19-inch)	48.3 cm (19-inch)		
Panel and backlight	IPS/CCFL	IPS/CCFL	IPS/LED	TN/CCFL	TN/LED	TN/LED	TN/LED	TN/CCFL	TN/LED	TN/LED	TN/LED	TN/CCFL	TN/LED		
Aspect ratio	16:9	16:10	16:9	16:10	16:10	16:10	16:10	16:10	5:4	16:9	16:10	16:10	5:4		
Max. Resolution	2560 x 1440 pixel	1920 x 1200 pixel	1920 x 1080 pixel	1920 x 1200 pixel	1920 x 1080 pixel	1680 x 1050 pixel	1680 x 1050 pixel	1680 x 1050 pixel	1280 x 1024 pixel	1920 x 1080 pixel	1680 x 1050 pixel	1440 x 900 pixel	1280 x 1024 pixel		
Brightness - typical	350 cd/m ²	400 cd/m ²	250 cd/m ²	300 cd/m ²	250 cd/m ²	250 cd/m ²	250 cd/m ²	250 cd/m ²	250 cd/m ²	250 cd/m ²	250 cd/m ²	300 cd/m ²	250 cd/m ²		
Contrast - typical	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1		
Contrast - advanced	20,000:1	20,000:1	2,000,000:1	10,000:1	2,000,000:1	2,000,000:1	2,000,000:1	10,000:1	2,000,000:1	2,000,000:1	10,000:1	10,000:1	2,000,000:1		
Response time typ	6 ms (gtg)	5 ms (gtg)	5 ms (gtg)	5 ms	5 ms	5 ms	5 ms	5 ms	5 ms	5 ms	5 ms	5 ms	5 ms		
Viewing angle (H/V) - typical	178°/178° CR10:1	178°/178° CR10:1	178°/178° CR10:1	170°/170° CR5:1	170°/170° CR5:1	170°/170° CR5:1	170°/170° CR5:1	170°/170° CR5:1	170°/170° CR5:1	170°/170° CR5:1	170°/170° CR5:1	170°/170°	170°/170° CR5:1		
Connectivity															
USB	4 x USB 2.0	4 x USB 2.0	4 x USB 2.0	4 x USB 2.0	4 x USB 2.0	4 x USB 2.0	4 x USB 2.0	4 x USB 2.0							
Video Input	1 x DisplayPort 2 x HDMI 1 x DualLink DVI 1 x D-SUB	1 x DisplayPort 1 x DVI (HDCP) 1 x D-SUB	1 x DisplayPort 1 x DVI (HDCP) 1 x D-SUB	1 x DVI (HDCP) 1 x D-SUB	1 x DisplayPort 1 x DVI (HDCP) 1 x D-SUB	1 x DisplayPort 1 x DVI (HDCP) 1 x D-SUB	1 x DVI (HDCP) 1 x D-SUB	1 x DVI (HDCP) 1 x D-SUB	1 x DVI (HDCP) 1 x D-SUB	1 x DVI (HDCP) 1 x D-SUB	1 x DVI (HDCP) 1 x D-SUB	1 x DVI (HDCP) 1 x D-SUB	1 x DVI (HDCP) 1 x D-SUB	1 x DVI (HDCP) 1 x D-SUB	
Stand															
Rotation to portrait	90° (AutoPivot)	90° (AutoPivot)	90° (AutoPivot)		90°	90°	90°	90°	90°						
Height adjust range	125 mm	100 mm	120 mm	110 mm	120 mm	110 mm	110 mm	110 mm	110 mm						
Swivel angle	340°	340°	340°	90°	340°	340°	90°	90°	340°						
Tilt angle	-3° / +35°	-3° / +35°	-3° / +35°	-5° / +20°	-5° / +35°	-5° / +35°	-5° / +35°	-5° / +20°	-5° / +35°	-5° / +20°	-5° / +20°	-5° / +20°	-5° / +15°		
Picture over desk	55 mm (min)	50 mm (min)	50 mm (min)	70 mm (min)	50 mm (min)	55 mm (min)	85 mm (min)	55 mm (min)	55 mm (min)						
Special Features															
0 wait mode	•	•	•	•	•	•	•	•	•	•	•	•	•		
ECO System	•	•	•	•	•	•	•	•	•	•	•	•	•		
ABC	•	•	•	•	•	•	•	•	•	•	•	•	•		
Compliance															
Global	TCO03 ISO9241-307 (Pixel fault class I)	TCO03 ISO9241-307 (Pixel fault class I)	TCO Displays 5.1 ENERGY STAR® 5.0 EPEAT® in progress ISO9241-307 (Pixel fault class I)	TCO Displays 5.0 ENERGY STAR® 5.0 EPEAT® Silver ISO9241-307 (Pixel fault class I)	TCO Displays 5.1 ENERGY STAR® 5.0 EPEAT® in progress ISO9241-307 (Pixel fault class I)	TCO Displays 5.1 ENERGY STAR® 5.0 EPEAT® in progress ISO9241-307 (Pixel fault class I)	TCO Displays 5.0 ENERGY STAR® 5.0 EPEAT® Silver ISO9241-307 (Pixel fault class I)	TCO Displays 5.1 ENERGY STAR® 5.0 EPEAT® in progress ISO9241-307 (Pixel fault class I)	TCO Displays 5.1 ENERGY STAR® 5.0 EPEAT® in progress ISO9241-307 (Pixel fault class I)	TCO Displays 5.1 ENERGY STAR® 5.0 EPEAT® in progress ISO9241-307 (Pixel fault class I)	TCO Displays 5.0 ENERGY STAR® 5.0 EPEAT® in progress ISO9241-307 (Pixel fault class I)	TCO Displays 5.1 ENERGY STAR® 5.0 EPEAT® in progress ISO9241-307 (Pixel fault class I)	TCO Displays 5.1 ENERGY STAR® 5.0 EPEAT® in progress ISO9241-307 (Pixel fault class I)		
Order information															
SZ6361...	...K1372-V140	...K1371-V140	...K1370-V140	...K1334-V140	...K1388-V140	...K1375-V140	...K1320-V140	...K1374-V140	...K1374-V140	...K1377-V160	...K1331-V160	...K1376-V160	...K1376-V160		
EAN (4049699...)	...293528	...293511	...293504	...111394	...350085	...310652	...361654	...310645	...310645	...393150	...109232	...393143	...393143		



Moniteurs

Fiches produit : <http://fr.fujitsu.com/moniteurs>

Un plaisir pour vos yeux et un réel plaisir de travailler, nos écrans cristaux liquides vous permettront de disposer d'un environnement de travail confortable et agréable,

Gamme économique de 17 à 26 pouces, gamme business, gamme performance avec mode économie d'énergie (zéro watt en mode veille) ou gamme design, vous trouverez nécessairement l'écran en adéquation avec votre activité et votre environnement de travail.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Périphériques				
Displays				
DISPLAY E19-7 LED, ohne Netzkabel	DISPLAY E19-7 LED, ohne Netzkabel E-Line 48,3cm(19")wide Display LED Backlight, matt schwarz DVI, VGA, tilt stand	BDL:K1482V160-INT	152,94	
DISPLAY B23T-7 LED(ID via PT. Metrodata)	DISPLAY B23T-7 LED(ID via PT. Metrodata) Business Line 58.4cm(23")wide Display Ultra Wide View,LED,marble grey DisplayPort,DVI,VGA,USB, 4-in-1 Stand	BDL:K1496V140-IDM	235,29	
DISPLAY E20T-7 LED, UK	DISPLAY E20T-7 LED, UK E-Line 49.53cm (19.5")wide Display VGA, DVI, matt black LED backlit	BDL:K1538V160-UK	148,24	
DY B20T-7 LED PROGREEN, China	DY B20T-7 LED PROGREEN, China B-Line 49.53cm(19.5")wide Display LED Backlight, matt black DVI,VGA 4-in-1 stand	BDL:K1542V160-CHN	187,06	
Display E22 Touch, UK	Display E22 Touch, UK E-Line 54,6cm (21,5"), wide Display HDMI, DVI, VGA, USB 3.0 hub, black Anti-Glare 10-finger PCT touch	BDL:K1544V160-UK	348,24	
DISPLAY B24T-1L, UK	DISPLAY B24T-1L, UK Business Line 61cm(24")wide Display LED Backlight, matt black housing HDMI,DVI,VGA,Height adjust	BDL:K1558V160-UK	218,82	
DISPLAY P27T-7 UHD, UK	DISPLAY P27T-7 UHD, UK Premium Line 69cm(27")wide Display IPS Panel, LED Backlight, marble grey DP,HDMI,MHL,USB, 4-in-1 stand	BDL:K1564V140-UK	723,53	
Display L27T-1 LED, UK	Display L27T-1 LED, UK 68.5cm (27"), FHD, wide screen display HDMI, DVI, VGA, ultra wide view matt black, USB hub, stereo speaker	BDL:K1571V160-UK	257,65	
Display E24T-7 Pro UK	Display E24T-7 Pro UK 60.5cm (24") wide display, matt black HDMI, DVI, VGA, ultra wide view speaker 2 x 2W	BDL:K1573V160-UK	175,29	
DISPLAY B24-8 TE PRO, CHN	DISPLAY B24-8 TE PRO, CHN Business Line 60,5cm(23.8")wide Display Ultra Wide View, LED, marble grey DisplayPort,DVI,VGA,USB, 4-in-1 stand	BDL:K1577V140-CHN	237,65	
DISPLAY B24-8 TE Pro, UK	DISPLAY B24-8 TE Pro, UK Business Line 60,5cm(23.8")wide Display Ultra Wide View, LED, marble grey DisplayPort,DVI,VGA,USB, 4-in-1 stand	BDL:K1577V140-UK	235,29	
DISPLAY B24-8 TS PRO, CHN	DISPLAY B24-8 TS PRO, CHN Business Line 60,5cm(23.8")wide Display Ultra Wide View, LED, matt black HDMI,DVI,VGA,USB, 4-in-1 stand	BDL:K1577V160-CHN	237,65	
DISPLAY B24-8 TS Pro, UK	DISPLAY B24-8 TS Pro, UK Business Line 60,5cm(23.8")wide Display Ultra Wide View, LED, matt black HDMI,DVI,VGA,USB, 4-in-1 stand	BDL:K1577V160-UK	235,29	
DISPLAY B22T-7 Pro, CHN	DISPLAY B22T-7 Pro, CHN Business Line 54.6cm(21.5")wide Display Ultra Wide View, LED, matt black HDMI,DVI,VGA,USB, 4-in-1 stand	BDL:K1578V160-CHN	207,06	
DISPLAY B22T-7 Pro, INT	DISPLAY B22T-7 Pro, INT Business Line 54.6cm(21.5")wide Display Ultra Wide View, LED, matt black HDMI,DVI,VGA,USB, 4-in-1 stand	BDL:K1578V160-INT	192,94	
DISPLAY B22T-7 PRO, UK	DISPLAY B22T-7 PRO, UK Business Line 54.6cm(21.5")wide Display Ultra Wide View, LED, matt black HDMI,DVI,VGA,USB, 4-in-1 stand	BDL:K1578V160-UK	204,71	
DISPLAY E22T-7 PRO, w/o power cable	DISPLAY E22T-7 PRO, w/o power cable E-Line 54.6cm(21,5")wide Display HDMI, dvi, vga, ultra wide view matt black, speaker 2x 1.5W	BDL:K1579V160-INT	144,71	
DISPLAY E22T-7 Pro UK	DISPLAY E22T-7 Pro UK E-Line 54.6cm(21,5")wide Display HDMI, dvi, vga, ultra wide view matt black, speaker 2x 1.5W	BDL:K1579V160-UK	156,47	
DISPLAY P24-8 TE Pro, INT w/o powercord	DISPLAY P24-8 TE Pro, INT w/o powercord P Line 60.5cm(23.8")wide Display Presence sens.,ABC,Lync,marble gray DP,DVI,USB, 4-in-1 stand	BDL:K1593V140-INT	228,24	
DISPLAY B27T-7 Pro INT	DISPLAY B27T-7 Pro INT Business Line 69cm(27") Display IPS,LED,marble grey,4-in-1 stand DisplayPort,DVI,VGA,USB	BDL:K1597V140-INT	297,65	



Moniteurs

Fiches produit : <http://fr.fujitsu.com/moniteurs>

DISPLAY B27T-7 Pro UK	DISPLAY B27T-7 Pro UK Business Line 69cm(27") Display IPS,LED,marble grey,4-in-1 stand DisplayPort,DVI,VGA,USB	BDL:K1597V140-UK	309,41	
Câble Ecran DVI-D	Câble Ecran DVI-D DVI single link 1.8m. Mminimum de commande 100 pcs.	S26361-F1115-V1	5,88	



Moniteurs Fiches produit : <http://fr.fujitsu.com/moniteurs>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Périphériques				
Displays (Suite)				
Ecran P27T-7 LED (IPS), câble EU	DISPLAY P27T-7 LED (IPS), EU cable, Premium Line 69cm(27")wide Display, IPS Panel, LED Backlight, marble grey, DP,HDMI,DVI,VGA,USB, 4-in-1 stand	S26361-K1442-V140	587,06	
Ecran B19-7 LED câble EU	DISPLAY B19-7 LED EU cable, Business Line 48,3cm(19') Display, WVA Panel, LED Backlight, marble grey, DVI,VGA,4-in-1 stand	S26361-K1471-V140	187,06	
Ecran B22W-7 LED câble EU	Ecran B22W-7 LED câble EU 55,9 cm (22 ") large affichage, TN Panel, rétroéclairage LED, marbre gris DisplayPort, DVI, VGA, 4 x USB, 4-en-1	S26361-K1472-V140	197,65	
DISPLAY B27T-7 LED, EU	DISPLAY B27T-7 LED EU cable, Business Line 69cm(27") Display, Ultra Wide View, LED, marble grey, DisplayPort,DVI,VGA,4-in-1 stand	S26361-K1478-V141	328,24	
Ecran E19-7 LED, câble EU	DISPLAY E19-7 LED, EU cable, E-Line 48,3cm(19") Display, WVA Panel, LED Backlight, matt black, DVI, VGA, tilt stand	S26361-K1482-V160	151,76	
DISPLAY B23T-7 LED, EU	DISPLAY B23T-7 LED, EU cable, Business Line 58.4cm(23")wide Display, Ultra Wide View,LED,marble grey, DisplayPort,DVI,VGA,USB, 4-in-1 Stand	S26361-K1496-V140	230,59	
DISPLAY B24W-7 LED, EU	DISPLAY B24W-7 LED, EU cable, Business Line 61cm(24")wide Display, Ultra Wide View,LED,marble grey, DisplayPort,DVI,VGA,USB, 4-in-1 Stand	S26361-K1497-V140	268,24	
DISPLAY P24W-7 LED, EU	DISPLAY P24W-7 LED, EU cable, Business Line 61cm(24")wide Display, Ultra Wide View,LED,marble grey, HDMI,MHL,DVI,VGA,USB, 4-in-1 Stand	S26361-K1498-V140	340,00	
DISPLAY E20T-7 LED, EU	DISPLAY E20T-7 LED, EU, E-Line 49.53cm (19.5")wide Display, VGA, DVI, matt black, LED backlit	S26361-K1538-V160	135,29	
DISPLAY B20T-7 LED proGREEN, EU	DISPLAY B20T-7 LED proGREEN, EU Cable, B-Line 49.53cm(19.5")wide Display, LED Backlight, matt black, DVI,VGA 4-in-1 stand	S26361-K1542-V160	163,53	
DISPLAY P27T-7 UHD, EU	DISPLAY P27T-7 UHD, EU cable, Premium Line 69cm(27")wide Display, IPS Panel, LED Backlight, marble grey, DP,HDMI,MHL,USB, 4-in-1 stand	S26361-K1564-V140	622,35	
Display L27T-1 LED, EU	Display L27T-1 LED, EU cable	S26361-K1571-V160	234,12	
Display E24T-7 Pro, EU	DISPLAY E24T-7 Pro, EU, E-Line 60.5cm(23.8')wide Display, Ultra Wide View,LED, matt black, HDMI, DVI, VGA, tilt stand	S26361-K1573-V160	151,76	
DISPLAY B24-8 TE Pro, EU	DISPLAY B24-8 TE Pro, EU cable, Business Line 60,5cm(23.8")wide Display, Ultra Wide View, LED, marble grey, DisplayPort,DVI,VGA,USB, 4-in-1 stand	S26361-K1577-V140	198,82	
DISPLAY B24-8 TS Pro, EU	DISPLAY B24-8 TS Pro, EU cable, Business Line 60,5cm(23.8")wide Display, Ultra Wide View, LED, matt black, HDMI,DVI,VGA,USB, 4-in-1 stand	S26361-K1577-V160	210,59	
DISPLAY B22T-7 Pro, EU	DISPLAY B22T-7 Pro, EU cable, Business Line 54.6cm(21.5")wide Display, Ultra Wide View, LED, matt black, HDMI,DVI,VGA,USB, 4-in-1 stand	S26361-K1578-V160	187,06	
DISPLAY E22T-7 Pro, EU	DISPLAY E22T-7 Pro, EU, E-Line 54.6cm(21.5")wide Display, Ultra Wide View,LED, matt black, HDMI, DVI, VGA, tilt stand	S26361-K1579-V160	128,24	
DISPLAY P24-8 TE Pro, EU	DISPLAY P24-8 TE Pro, EU, P Line 60.5cm(23.8")wide Display, Presence sens.,ABC,Lync,marble gray, DP,DVI,USB, 4-in-1 stand,	S26361-K1593-V140	223,53	
DISPLAY P27-8 TS Pro, EU	DISPLAY P27-8 TS Pro, EU, P Line 68,5cm(27")wide Display, Presence sens.ABC,matt black, DP,DP Out,HDMI,DVI,USB, 4-in-1 stand	S26361-K1594-V160	458,82	
DISPLAY B27T-7 Pro EU	DISPLAY B27T-7 Pro EU, Business Line 69cm(27") Display, IPS, LED, marble grey, DisplayPort,DVI,VGA,4-in-1 stand	S26361-K1597-V140	292,94	
DISPLAY B22T-7 Pro, EU	DISPLAY B22T-7 Pro, EU, Business Line 54.6cm(21.5")wide Display, Ultra Wide View, LED, matt black, HDMI,DVI,VGA,USB, 4-in-1 stand,	VFY:B22T7DXSP1EU	167,06	



Moniteurs

Fiches produit : <http://fr.fujitsu.com/moniteurs>

DISPLAY B24-8 TS Pro, EU	DISPLAY B24-8 TS Pro, EU, Business Line 60,5cm(23.8")wide Display, Ultra Wide View, LED, matt black, HDMI,DVI,VGA,USB, 4-in-1 stand,	VFY:B248TDXSP1EU	195,29	
--------------------------	--	------------------	--------	--



Imprimantes

Les imprimantes matricielles de FUJITSU sont le choix idéal pour les tâches d'impression intensives, par exemple pour les factures, les bons de commande, la correspondance et autres travaux en plusieurs exemplaires. Ces imprimantes à plat utilise plusieurs chemins de papier. Elle constitue l'outil idéal pour toutes les applications nécessitant des copies carbone et sans carbone. En plus de ses excellentes fonctions de gestion du papier, ces imprimantes matricielles offre une vitesse d'impression élevée.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Périphériques				
Printer				
Printer Ribbon DL6600Pro MOQ 20	"Black, FJ Printer Ribbon, Cartridge for, DL6400 / DL6400PRO, DL6600 / DL6600PRO, MOQ: 20 units	CA02460-D115	17,65	
PRINTER RIBBON Replacement DL7600 MOQ 50	Black, FJ Printer Ribbon replacement, no cartridge, for DL7600	CA05463-D877	10,00	
DMP RIBBON PREMIUM DL3x50+,7400,7400Pro	Black, FJ Printer Ribbon Premium, Cartridge for, DL3750+, DL3850+, DL7400, DL7400PRO, DL3700 PRO, DL3800 PRO, DL9300, DL9400	KA02086-C802	10,59	
PRINTER RIBBON Premium DL7600Pro/DL7600	Black, FJ Printer Ribbon Premium, Cartridge for, DL7600 / DL7600Pro	KA02087-D811	18,82	
DOT MATRIX PRINTER DL3850+ PAR/USB EU	"EU, CENTRONIX / USB Variant, , - 136 column , - Auto Tear off , - Auto Load , - Print Head Protection , - Barcode Printing , , - Auto Switching between interface on multiple I/F versions , , High-speed printing., , At 10 cpi, print speed ranges from 113 cps for letter quality to 448 cps for high-speed draft quality. , , Bar Code printing as standard. , , The printer has built in support for Barcode printing, 8 industry standard codes without 3rd party boxes or software (EAN13,EAN8,Codabar,Code 3 of 9,UPC,Matrix 2 of 5,Interleaved 2 of 5, Industrial 2 of 5) , , Software compatibility. , , This printer, uses the Fujitsu DPL24C PLUS command set, but is also compatible with the IBM Proprinter XL24E command set and the Epson ESC/P2 command set. , , Multiple fonts. , , The printer has nineteen resident fonts: Ten bitmap fonts - Courier 10, Pica 10, Prestige Elite 12, Boldface PS, OCR-B, OCR-A, Correspondence, Compressed, Draft, and High-speed Draft and nine outline fonts - Timeless, Nimbus Sans, and Courier, each in upright, italic, and bold. , , Large print buffer. , , 128K bytes are available in total for storing input data and downloading fonts. A large input data buffer allows you to send files to the printer and return quickly to your application. , , Simple switching of paper types. , , "Parking" continuous forms makes it easy to switch between continuous forms and single sheets. , , Multiple Paper paths. , , With the optional 2nd tractor, two different continuous forms may be loaded & selected from the front panel or the host computer in addition to the cut sheet paper , , Auto tearoff. , , Continuous forms are fed automatically up to the tear-off position at the end of each job. "	S26391-F1051-L100	496,47	



Imprimantes				
Description	Détails	Référence	Prix Indicatif (€)	Remarques
Périphériques				
Printer (Suite)				
DOT MATRIX PRINTER DL3850+ PAR/SER EU	EU, CENTRONICS / RS232 Variant, , - 136 column , - Auto Tear off , - Auto Load , - Print Head Protection , - Barcode Printing , , - Auto Switching between interface on multiple I/F versions , , High-speed printing., , At 10 cpi, print speed ranges from 113 cps for letter quality to 448 cps for high-speed draft quality. , , Bar Code printing as standard. , , The printer has built in support for Barcode printing, 8 industry standard codes without 3rd party boxes or software (EAN13,EAN8,Codabar,Code 3 of 9,UPC,Matrix 2 of 5,Interleaved 2 of 5, Industrial 2 of 5) , , Software compatibility. , , This printer, uses the Fujitsu DPL24C PLUS command set, but is also compatible with the IBM Proprinter XL24E command set and the Epson ESC/P2 command set. , , Multiple fonts. , , The printer has nineteen resident fonts: Ten bitmap fonts - Courier 10, Pica 10, Prestige Elite 12, Boldface PS, OCR-B, OCR-A, Correspondence, Compressed, Draft, and High-speed Draft and nine outline fonts - Timeless, Nimbus Sans, and Courier, each in upright, italic, and bold. , , Large print buffer., , 128K bytes are available in total for storing input data and downloading fonts. A large input data buffer allows you to send files to the printer and return quickly to your application. , , Simple switching of paper types. , , "Parking" continuous forms makes it easy to switch between continuous forms and single sheets. , , Multiple Paper paths. , , With the optional 2nd tractor, two different continuous forms may be loaded & selected from the front panel or the host computer in addition to the cut sheet paper , , Auto tearoff. , , Continuous forms are fed automatically up to the tear-off position at the end of each job.	S26391-F1051-L102	570,00	
DOT MATRIX PRINTER DL3750+ PAR/USB EU	EU, CENTRONICS / USB Variant, , - 80 column , - Auto Tear off , - Auto Load , - Print Head Protection , - Barcode Printing , , - Auto Switching between interface on multiple I/F versions , , High-speed printing., , At 10 cpi, print speed ranges from 113 cps for letter quality to 400 cps for high-speed draft quality. , , Bar Code printing as standard. , , The printer has built in support for Barcode printing, 8 industry standard codes without 3rd party boxes or software (EAN13, EAN8, Codabar, Code 3 of 9, UPC, Matrix 2 of 5, Interleaved 2 of 5, Industrial 2 of 5) , , Software compatibility. , , This printer, uses the Fujitsu DPL24C PLUS command set, but is also compatible with the IBM Proprinter XL24E command set and the Epson ESC/P2 command set. , , Multiple fonts. , , The printer has nineteen resident fonts: Ten bitmap fonts - Courier 10, Pica 10, Prestige Elite 12, Boldface PS, OCR-B, OCR-A, Correspondence, Compressed, Draft, and High-speed Draft and nine outline fonts - Timeless, Nimbus Sans, and Courier, each in upright, italic, and bold. , , Large print buffer., , 128K bytes are available in total for storing input data and downloading fonts. A large input data buffer allows you to send files to the printer and return quickly to your application. , , Simple switching of paper types. , , "Parking" continuous forms makes it easy to switch between continuous forms and single sheets. , , Multiple Paper paths. , , With the optional 2nd tractor, two different continuous forms may be loaded & selected from the front panel or the host computer in addition to the cut sheet paper , , Auto tearoff. , , Continuous forms are fed automatically up to the tear-off position at the end of each job.	S26391-F1051-L200	500,00	



Imprimantes

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Périphériques				
Printer (Suite)				
DOT MATRIX PRINTER DL3750+ PAR/SER EU	EU, CENTRONICS / RS232C Variant, , - 80 column , - Auto Tear off , - Auto Load , - Print Head Protection , - Barcode Printing , , - Auto Switching between interface on multiple I/F versions , , High-speed printing., , At 10 cpi, print speed ranges from 113 cps for letter quality to 400 cps for high-speed draft quality. , , Bar Code printing as standard. , , The printer has built in support for Barcode printing, 8 industry standard codes without 3rd party boxes or software (EAN13, EAN8, Codabar, Code 3 of 9, UPC, Matrix 2 of 5, Interleaved 2 of 5, Industrial 2 of 5) , , Software compatibility. , , This printer, uses the Fujitsu DPL24C PLUS command set, but is also compatible with the IBM Proprinter XL24E command set and the Epson ESC/P2 command set. , , Multiple fonts. , , The printer has nineteen resident fonts: Ten bitmap fonts - Courier 10, Pica 10, Prestige Elite 12, Boldface PS, OCR-B, OCR-A, Correspondence, Compressed, Draft, and High-speed Draft and nine outline fonts - Timeless, Nimbus Sans, and Courier, each in upright, italic, and bold. , , Large print buffer., , 128K bytes are available in total for storing input data and downloading fonts. A large input data buffer allows you to send files to the printer and return quickly to your application. , , Simple switching of paper types. , , "Parking" continuous forms makes it easy to switch between continuous forms and single sheets. , , Multiple Paper paths. , , With the optional 2nd tractor, two different continuous forms may be loaded & selected from the front panel or the host computer in addition to the cut sheet paper , , Auto tearoff. , Continuous forms are fed automatically up to the tear-off position at the end of each job.	S26391-F1051-L202	555,71	
LAN BOARD DL3x50+ / DL7400	LAN BOARD DL3x50+ / DL7400	S26391-F1051-L900	128,24	
CUT SHEET FEEDER DL7x00	CUT SHEET FEEDER DL7x00	S26391-F1051-L902	330,59	
TRACTOR UNIT DL7x00	TRACTOR UNIT DL7x00	S26391-F1051-L903	54,12	
LARGE CUT SHEET TABLE DL7x00	LARGE CUT SHEET TABLE DL7x00	S26391-F1051-L904	45,88	
SMALL CUT SHEET TABLE DL7x00	SMALL CUT SHEET TABLE DL7x00	S26391-F1051-L905	45,88	
REAR STACKER DL7x00	REAR STACKER DL7x00	S26391-F1051-L906	31,76	
PRINT HEAD DL3x50+	PRINT HEAD DL3x50+	S26391-F1051-L907	217,65	
PRINT HEAD DL7400	PRINT HEAD DL7400	S26391-F1051-L908	217,65	
PRINT HEAD DL7600	PRINT HEAD DL7600	S26391-F1051-L909	332,94	
PRINT HEAD DL9x00	PRINT HEAD DL9x00	S26391-F1051-L916	224,71	

Accessories - Storage

Product Overview CELVIN NAS Server



More information:
http://its.fujitsu.com/it/celvin_nas_server

	CELVIN NAS Server 0600	CELVIN NAS Server 0700	CELVIN NAS Server 0800
Type	1-drive	2-drive	4-drive
Interfaces			
Hard disk capacity	1 x 3.5" SATA VIII HDD	Up to 2 x 3.5" SATA VIII HDD	Up to 4 x 2.5-inch or 3.5-inch SATA VIII HDD
Required interface	USB 2.0 / eSATA / Ethernet	USB 2.0 / Ethernet	USB 2.0 / eSATA / Ethernet
LCD-Displays Instant Setup			
iSCSI Target/Initiator			
Failover/Load Balancing			
VMWare/Citrix/HyperV			
Thin Provisioning			
End 2-End Back Up-Server			
One-button back up + Client back up software			
Raid Level		0/1/BOD	0/1/5/6/5+HS/BOD
Remote Replication			
All-in-one Business Server			
FTP and File Server			
WEB Server			
Printer Server			
SQL Server			
Surveillance Station	x2	x2	x4
Remote Access and System Management			
Media Server			
Multimedia Server			
Download Station			
Order information			
Order code	526341-F103-L100, 2000GB 526341-F103-L160, without HDD 526341-F103-L97, 500GB 526341-F103-L98, 1000GB	526341-F103-L170, without HDD 526341-F103-L101, 2x500GB 526341-F103-L102, 2x1000GB 526341-F103-L104, 2x2000GB VFY-C0700X010IN, 2x1TB	526341-F103-L800, 4 trays w/6 HDD 526341-F103-L842, 4 trays 4x 2TB 526341-F103-L840, 4 trays 4x1TB 526341-F103-L822, 4 trays 2x2TB 526341-F103-L820, 4 trays 2x1TB



CELVIN NAS Server

La gamme de serveurs FUJITSU CELVIN® NAS est une gamme de serveurs NAS tout-en-un haute performance. Le serveur NAS CELVIN® Q802 est la solution idéale pour le partage de fichiers, les options de sauvegarde de bout en bout et l'intégration SAN (Storage Area Network) pour les PME. Il permet en effet de gérer les données de façon centralisée pour un coût

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
Q805				
CELVIN NAS Q805 w/out HDD 4trays	, w/o HDD, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	S26341-F105-L805	634,12	
CELVIN NAS Q805 4x2TB NAS HDD	Dedicated NAS HDDs for highest NAS RAID stability and 24x7 usage, 4x2 TB, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	S26341-F105-L812	1069,41	
CELVIN NAS Q805 4x3TB NAS HDD	Dedicated NAS HDDs for highest NAS RAID stability and 24x7 usage, 4x3 TB, EU-plug, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	S26341-F105-L813	1129,41	



CELVIN NAS Server

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
Q805 (Suite)				
CELVIN NAS Q805 4x4TB NAS HDD	Dedicated NAS HDDs for highest NAS RAID stability and 24x7 usage, 4x4 TB, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	S26341-F105-L814	1387,06	
CELVIN NAS Q805 4x6TB NAS HDD	Dedicated NAS HDDs for highest NAS RAID stability and 24x7 usage, 4x6 TB, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	S26341-F105-L816	1882,35	
CELVIN NAS Q805 w/out HDD 4trays INT	, w/o HDD, EU/UK plug, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	S26341-F105-L820	629,41	



CELVIN NAS Server			
CELVIN NAS Q805 w/4x2TB NAS HDD INT	NAS HDD with 4x2 TB for 24x7 usage, , EU/UK plug, , Centralized Storage and File sharing, Backup Center for business users, NAS, iSCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	S26341-F105-L822	1062,35



CELVIN NAS Server

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
Q805 (Suite)				
CELVIN NAS Q805 w/4x4TB NAS HDD INT	NAS HDD with 4x4 TB for 24x7 usage, , EU/UK plug, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	S26341-F105-L824	1309,41	
CELVIN NAS Q805 4x3TB BC HDD EU	Business Critical HDDs for highest NAS RAID stability and 24x7 usage, 4x3 TB, EU-plug, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	S26341-F105-L873	1522,35	
CELVIN NAS Q805 4x4TB BC HDD EU	Business Critical HDDs for highest NAS RAID stability and 24x7 usage, 4x4 TB, EU-plug, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	S26341-F105-L874	1651,76	



CELVIN NAS Server

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
Q805 (Suite)				
CELVIN NAS Q805 4x2TB NAS HDD	Dedicated NAS HDDs for highest NAS RAID stability and 24x7 usage, 4x2 TB, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	VFY:CQ805XX020E1	1023,53	
CELVIN NAS Q805 4x4TB NAS HDD	Dedicated NAS HDDs for highest NAS RAID stability and 24x7 usage, 4x4 TB, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	VFY:CQ805XX040E1	1152,94	
CELVIN NAS Q805 4x6TB NAS HDD	Dedicated NAS HDDs for highest NAS RAID stability and 24x7 usage, 4x6 TB, , Centralized Storage and File sharing, Backup Center for business users, NAS, ISCSI / IP-SAN solution for server virtualization, BIOS for VT-x virtualization station support, Hardware Transcoding Support (H.264, MPEG2, MVC, VC-1, VP8, MJPEG), Multiple security features, Multiple NAS software applications, Cloud storage for ease of deployment, Private cloud, Energy-efficient and Eco friendly, 4x GBit LAN, 3x USB3.0, 2x USB2.0, HDMI out (1080p, v1.4a) XBMC v12/v13 and Chrome Web Browser (Download), Backup Button, Power Button, Reset-Button, Hot-swappable Trays, LED Display for System Setup, Intel® Celeron® Processor J1900 (2M Cache, up to 2.42 GHz), Mémoire: 2 GB DDR3L RAM, 512 MB Flash on DOM, fan, Formfactor: Tower, Optional Top-Up Services	VFY:CQ805XX060E1	1847,06	



Positionnement serveurs tour PRIMERGY



**PRIMERGY
TX1310**

Vous recherchez un système silencieux, écoénergétique et offrant les performances d'un serveur au prix d'un PC ? Le PRIMERGY TX1310 est le système le mieux adapté à votre entreprise. Grâce à son niveau sonore particulièrement faible, le PRIMERGY TX1310 est le système idéal pour tous les environnements bureautiques. Les composants certifiés serveur sont la garantie d'une fiabilité permanente..



**PRIMERGY
TX1320**

Le serveur PRIMERGY TX1320 de FUJITSU est conçu pour les environnements où l'espace, les fonctionnalités et le fonctionnement silencieux sont déterminants. Ce serveur tour ultra-compact est idéal pour les bureaux, les filiales ou les domaines où des réglementations juridiques strictes sont en place, notamment dans les services médicaux, juridiques ou financiers. Avec ses fonctionnalités de serveur complètes, ce système s'intègre facilement aux infrastructures informatiques existantes ou peut être géré à distance. Malgré sa taille, le serveur PRIMERGY TX1320 offre les performances de la gamme Intel® Xeon® E3, jusqu'à quatre disques de stockage et la possibilité de prendre en charge un périphérique de sauvegarde en option. Cette combinaison unique en fait le serveur idéal pour tous les environnements exigeants où l'espace est limité. .



**PRIMERGY
TX1330**

Le PRIMERGY TX1330 est un serveur économique et fiable pour les petites et moyennes entreprises (PME) ou les filiales. Il propose les meilleures performances de la gamme Intel® Xeon® E3 et une grande évolutivité grâce à ses disques de stockage hot-plug. L'alimentation redondante en option et le choix de plusieurs contrôleurs RAID garantissent une disponibilité et une sécurité accrues. Son châssis compact et son niveau de bruit extrêmement faible en font le serveur idéal pour les environnements de bureau ou les lieux d'exposition, où il pourra être positionné sous un bureau. La prise en charge des adaptateurs PCI hérités fait du PRIMERGY TX1330 le serveur idéal pour les solutions spécifiques, notamment les systèmes de téléphonie ou de sécurité. De plus, la suite logicielle ServerView® de Fujitsu offre une assistance aux administrateurs lors de l'installation, du déploiement et de l'administration du serveur. Le PRIMERGY TX1330 : un excellent investissement sur le long terme.



**PRIMERGY
TX2540**

Le PRIMERGY TX2540 de Fujitsu est le serveur tour idéal aussi bien pour les petites et moyennes entreprises (PME) que pour les filiales. Il prend en charge jusqu'à deux processeurs issus de la gamme Intel® Xeon™ E5-2400v2, alliant performances et évolutivité à un prix attractif. Sa capacité maximale de 24 disques durs et de 192 Go de RAM en fait un serveur idéal pour la virtualisation, les bases de données et la communication. De plus, la redondance proposée en option garantit un fonctionnement stable et fiable. En outre, le bruit de fonctionnement réduit au minimum convient parfaitement à un environnement de travail. Vous pouvez par exemple placer votre serveur sous votre bureau. De plus, la suite logicielle ServerView® de Fujitsu offre une assistance aux



**PRIMERGY
TX2560**

Le PRIMERGY TX2560 de Fujitsu offre des performances optimales, une évolutivité accrue et une disponibilité élevée, sans compromis. Les filiales, les datacenters ainsi que les PME peuvent bénéficier des performances offertes avec les deux processeurs Intel® Xeon® E5 associés à 1 536 Go de mémoire DDR4. Jusqu'à 10 slots d'extension et jusqu'à 32 disques durs 2,5" offrent des options d'évolution exceptionnelles. Grâce à une alimentation et des ventilateurs redondants, et à une sélection de différents contrôleurs RAID, le serveur tour garantit des niveaux de disponibilité élevés et une certaine « tranquillité d'esprit ». Le serveur est donc idéal pour les applications les plus exigeantes en ressources, les solutions de virtualisation et les applications nécessitant des capacités de stockage conséquentes.



Serveurs tour PRIMERGY

Fiche produit : <http://fr.fujitsu.com/primergy>



Modèle	TX1310 M1	TX1320 M2	TX1330 M2	TX2540 M1	TX2560 M2
Nb socket	1 socket	1 socket	1 socket	2 sockets	2 sockets
Processeur Intel®	Xeon® E3-1226v3 (4C) /1246v3 (4C) (Celeron® G1820, Core™ i3-4330, Pentium® G3420)	Xeon® E3-1220v5 (4C) /1230v5 (4C) / 1240Lv5 (4C) / 1240v5 (4C) / 1260Lv5 (4C) / 1270v5 (4C) / 1280v5 (4C) (Core™ i3-6100, Pentium® G4400)	Xeon® E3-1220v5 (4C) /1230v5 (4C) / 1240Lv5 (4C) / 1240v5 (4C) / 1270v5 (4C) / 1280v5 (4C) (Core™ i3-6100, Pentium® G4400)	Xeon® 2403v2 (4C) / 2407v2 (4C) / 2420v2 (6C) / 2430v2 (6C) / 2430Lv2 (6C) / 2440v2 (8C) / 2450v2 (8C) /2470v2 (10C)	Xeon® E5-2603v4(6C) /2609v4(8C)/2620v4(8C)/2623v4(4C)/2630v4(10C)/2630Lv4(10C)/2637v4(4C)/2640v4(10C)/2643v4(6C)/2650v4(12C)/2650Lv4(14C)/2660v4(14C)/2667v4(8C)/2680v4(14C)/2683v4(16C)/2690v4(14C)/2695v4(18C)/2697v4(18C)/2697Av4(16C)/2697v4(18C)/2698v4(20C)/2699v4(22C)
Mémoire	2 à 32 Go DDR-3 4 Slots	4 à 64 Go DDR4 4 Slots	4 à 64 Go DDR4 4 Slots	4 à 192 Go DDR-3 12 Slots	8 à 1536 Go DDR-4 24 Slots
Lecteur optique	DVD ou DVD-RW	DVD ou DVD-RW	DVD ou DVD-RW	DVD ou DVD-RW	DVD ou DVD-RW
Disques durs (Go)	4x 3.5" SATA	2x 3.5" SATA non Hot-Plug 6x 2.5" SAS/SATA Hot-Plug	12x 3.5" SAS/SATA 24x 2.5" SAS/SATA	8x 3.5" SAS/SATA 24x 2.5" SAS/SATA	12x 3.5" SAS/SATA 32x 2.5" SAS/SATA
Contrôleur RAID	RAID 0/1/10 : 4 ports SATA interne	RAID 0/1/10 : 4 ports SATA interne	RAID 0/1 intégré ou RAID SAS 3.0 1/2Go (opt)	RAID 0/1/10 : 6 ports SATA	Ctrl RAID en opt
Slots PCI (I/O)	2x PCIe Gen3 + 1x PCIe Gen2 2x Gigabit	3x PCIe Gen3 2x Gigabit	4x PCIe Gen3 2x Gigabit	4x PCIe Gen3 + 1x PCIe Gen2 + 1 PCI 2x Gigabit	12x PCIe Gen3 DynamicLOM
Ctrl LAN intégré		1x Gigabit - administration	1x Gigabit - administration	1x Gigabit - administration 1 x VGA	1x Gigabit - administration 2 x VGA
Ctrl graphique intégré	1 x VGA			1 x VGA	2 x VGA
Port Série	1 x RS232-C	1 x RS232-C	1 x RS232-C	1 x RS232-C	1 x RS232-C
Ports USB	2 (avant), 6 (arrière), 1 (interne)	2 (avant), 6 (arrière), 2 (interne)	2 (avant), 6 (arrière), 2 (interne)	2 (avant), 4 (arrière), 3 (interne)	2 (avant), 4 (arrière), 2 (interne)
Alimentation	250W (non hot plug)	250W (non hot plug)	300W (Std - 90%) 450W (hot-plug - 94%)	450W/800W (hot-plug)	450W (94%) 800W (hot-plug 94% & 96%)
Standard	PRIMERGY ServerView	PRIMERGY ServerView	PRIMERGY ServerView	PRIMERGY ServerView	PRIMERGY ServerView
Systèmes d'exploitation supportés	WindowsServer 2012 R2 Red Hat; SuSe Linux	WindowsServer 2012 R2 Red Hat; SuSe Linux Hyper-V Server 2012 R2	WindowsServer 2012 R2 Red Hat; SuSe Linux Hyper-V Server 2012 R2 VMware vSphere™	WindowsServer 2012 R2 Red Hat; SuSe Linux Hyper-V Server 2012 R2 VMware vSphere, Citrix XenServer	WindowsServer 2012 R2 Red Hat; SuSe Linux Hyper-V Server 2012 R2 VMware vSphere, Citrix XenServer
Garantie std.	1 an sur site	1 an sur site	1 an sur site	3 ans sur site	3 ans sur site


PRIMERGY TX1310 M1

 Fiches produit : <http://fr.fujitsu.com/primergy>

Le Fujitsu PRIMERGY TX1310 M1 constitue un choix idéal de premier serveur pour les PME. Avec suffisamment de mémoire RAM et un processeur Intel® Xeon®, il offre plus de performances que nécessaire pour toutes les tâches de serveur classiques comme les services de fichiers, l'impression, le Web ou encore les applications de bureautique. Ce petit serveur tour est conçu pour fonctionner de façon fiable 24 h/24, 7 j/7 et garantit une bonne sécurité des données grâce à ses fonctionnalités haut de gamme, notamment mémoire ECC et contrôleur intégré RAID. Grâce à son châssis sans vis et ses rails Easy Rails Fujitsu pour les disques durs, ce serveur est facile à entretenir. De plus, le PRIMERGY TX1310 M1 est extrêmement silencieux, ce qui en fait le choix parfait pour tous les environnements de travail.

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
PRIMERGY TX1310 M1					
	PY TX1310M1/LFF/STANDARD PSU /	PY TX1310M1/LFF/STANDARD PSU / CORE I3-4330/4 GB/DVD-RW SM/4xHD 500GB/ KIT/WS2012R2 STD 2 OEM/POW.CORD/	LKN:T1311S0001IN	2491,76	
	PY TX1310M1/LFF/STANDARD PSU /	PY TX1310M1/LFF/STANDARD PSU / CORE I3-4330/4 GB/DVD-RW SM/4xHD 500GB/ KIT/WS2012R2 STD 2 OEM/ WS08R2SP1STD DG/DE/POW.CORD/	LKN:T1311S0002IN	2528,24	
	PY TX1310M1/LFF/STANDARD PSU /	PY TX1310M1/LFF/STANDARD PSU / XEON E3-1226V3/3x8 GB/DVD-RW SM/ 2xHD 1TB/KIT/NO POWERCORD/	LKN:T1311S0003FR	1829,41	
	PY TX1310M1/LFF/STANDARD PSU /	PY TX1310M1/LFF/STANDARD PSU / CORE I3-4330/4 GB/DVD-RW SM/4xHD 500GB/ KIT/WS2012R2 STD 2 OEM/POW.CORD/	LKN:T1311S0003IN	2261,18	
	PY TX1310M1/LFF/STANDARD PSU /	PY TX1310M1/LFF/STANDARD PSU / XEON E3-1226V3/8 GB/DVD-ROM/2xHD 500GB/ KIT/WS2012 FND OEM/POW.CORD/	LKN:T1311S0007FR	1724,71	
	PY TX1310M1/LFF/STANDARD PSU /	PY TX1310M1/LFF/STANDARD PSU / CORE I3-4330/8 GB/DVD-ROM/2xHD 500GB/ KIT/WS2012 FND OEM/POW.CORD/	LKN:T1311S0008FR	1621,18	
	PY TX1310M1/LFF/STANDARD PSU /	PY TX1310M1/LFF/STANDARD PSU / XEON E3-1226V3/8 GB/DVD-RW SM/HD 500GB/ KIT/KEYBOARD KB521 FR/POW.CORD/	LKN:T1311S0010FR	1223,53	
	PY TX1310M1/LFF/STANDARD PSU /	PY TX1310M1/LFF/STANDARD PSU / CORE I3-4330/8 GB/2xHD 1TB/KIT/POW.CORD/	LKN:T1311S0013FR	1336,47	
	PY TX1310M1/LFF/STANDARD PSU /	PY TX1310M1/LFF/STANDARD PSU / CORE I3-4330/8 GB/HD 500GB/ 2x1X1GBIT PCIE/KIT/POW.CORD/	LKN:T1311S0014FR	1163,53	
	PY TX1310M1/LFF/STANDARD PSU /	PY TX1310M1/LFF/STANDARD PSU / XEON E3-1246V3/2x8 GB/2xHD 500GB/KIT/ KEYBOARD KB521 FR/NO POWERCORD/ MOUSEM520EBLACK/	LKN:T1311S0015FR	1594,12	
	PY TX1310M1/LFF/STANDARD PSU /	PY TX1310M1/LFF/STANDARD PSU / XEON E3-1246V3/2x8 GB/DVD-RW SM/ 3xHD 500GB/1X1GBIT PCIE/KIT/POW.CORD/	LKN:T1311S0016FR	2040,00	


PRIMERGY TX1310 M1

 Fiches produit : <http://fr.fujitsu.com/primergy>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
PRIMERGY TX1310 M1 (Suite)					
PY TX1310M1/LFF/STANDARD PSU /	PY TX1310M1/LFF/STANDARD PSU / XEON E3-1226V3/8 GB/DVD-RW SM/HD 500GB/ KIT/KEYBOARD KB521 FR/POW.CORD/ MOUSEM520EGREY/		LKN:T1311S0017FR	1229,41	
PY TX1310M1/LFF/STANDARD PSU /	PY TX1310M1/LFF/STANDARD PSU / XEON E3-1246V3/8 GB/DVD-RW SM/2xHD 1TB/ KIT EUROPE/WS2012R2 STD 2 OEM/ WS08R2SP1STD DG/DE/POW.CORD/		LKN:T1311S0018FR	2345,88	
PY TX1310M1/LFF/STANDARD PSU /	PY TX1310M1/LFF/STANDARD PSU / XEON E3-1226V3/4 GB/DVD-RW SM/HD 500GB/ KIT/NO POWERCORD/		VFY:T1311SC010IN	615,56	
PY TX1310M1/LFF/STANDARD PSU /	PY TX1310M1/LFF/STANDARD PSU / XEON E3-1226V3/8 GB/DVD-RW SM/HD 1TB/ KIT/NO POWERCORD/		VFY:T1311SC020IN	1260,00	
PY TX1310M1/LFF/STANDARD PSU /	PY TX1310M1/LFF/STANDARD PSU / XEON E3-1246V3/8 GB/DVD-RW SM/2xHD 2TB/ KIT/NO POWERCORD/		VFY:T1311SC030IN	1068,74	
PY TX1310M1/LFF/STANDARD PSU /	PY TX1310M1/LFF/STANDARD PSU / XEON E3-1226V3/8 GB/DVD-RW SM/2xHD 1TB/ KIT/CCC/INDIA/WS2012R2 FND OEM/ NO POWERCORD/		VFY:T1311SC040IN	940,00	
PY TX1310M1/LFF/STANDARD PSU /	PY TX1310M1/LFF/STANDARD PSU / XEON E3-1226V3/8 GB/DVD-RW SM/2xHD 1TB/ KIT/CCC/NO POWERCORD/		VFY:T1311SC050IN	775,29	
PY TX1310M1/LFF/STANDARD PSU /	PY TX1310M1/LFF/STANDARD PSU / XEON E3-1226V3/8 GB/DVD-RW SM/ 2xHD 500GB/KIT/CCC/INDIA/NO POWERCORD/		VFY:T1311SC060IN	669,41	
PY TX1310M1-EE/LFF/STANDARD PSU /	PY TX1310M1-EE/LFF/STANDARD PSU / CELERON G1820/4 GB/HD 1TB/KIT/ NO POWERCORD/		VFY:T1311SC140IN	748,24	
PY TX1310M1-EE/LFF/STANDARD PSU /	PY TX1310M1-EE/LFF/STANDARD PSU / PENTIUM G3420/4 GB/HD 1TB/KIT/ NO POWERCORD/		VFY:T1311SC150IN	821,18	
PY TX1310M1-EE/LFF/STANDARD PSU /	PY TX1310M1-EE/LFF/STANDARD PSU / PENTIUM G3420/4 GB/DVD-RW SM/HD 500GB/ KIT/KEYBOARD KB521 US/NO POWERCORD/ MOUSEM520EBLACK/		VFY:T1311SC990IN	838,82	

**PRIMERGY TX1310 M1**Fiches produit : <http://fr.fujitsu.com/primergy>

	Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base						
PRIMERGY TX1310 M1 (Suite)						
	PY TX1310M1/LFF/Standard PSU	"Floorstand BU without processor and RAM, incl. standard power supply module, standard fan; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 UDIMM; Intel pGfx Ctrl.; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD + Backup) and 2x1 Gbit Ethernet LAN Intég.; 4 drive bays for easy change 3.5" SATA HDDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates., "		S26361-K1488-V101	392,94	
	PY TX1310M1-EE/LFF/Standard PSU	"Floorstand BU Essential Edition (EE) without processor and RAM, incl. standard power supply module, standard fan; systemboard for Dual Core Pentium/Celeron Processor and DDR3 UDIMM; Intel pGfx Ctrl.; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD + Backup) and 2x1 Gbit Ethernet LAN Intég.; 4 drive bays for easy change 3.5" SATA HDDs; ServerView Suite Software Pack incl. Installation Manager, ServerBooks, Management software and updates., "		S26361-K1488-V201	351,76	



PRIMERGY TX1330 M2

Fiches produit : <http://fr.fujitsu.com/primergy>

Le PRIMERGY TX1330 M2 de FUJITSU est un serveur économique, évolutif et fiable conçu pour les petites et moyennes entreprises (PME) ou les filiales. Il propose les meilleures performances de la gamme Intel® Xeon® E3 et une grande évolutivité en offrant jusqu'à 24 disques de stockage hot-plug. Les fonctionnalités de redondance en option et le choix de plusieurs contrôleurs RAID garantissent une disponibilité et une sécurité accrues. Son châssis compact et son faible niveau de bruit en font le serveur idéal pour les lieux d'exposition ou les environnements de bureau, où il pourra être placé sous un meuble. La prise en charge des adaptateurs PCI hérités fait du PRIMERGY TX1330 M2 le serveur idéal pour les solutions spécifiques, notamment les systèmes de

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
PRIMERGY TX1330 M2				
PY TX1330M2/F/RED. PSU /XEON E3-1270V5/	PY TX1330M2/F/RED. PSU /XEON E3-1270V5/ 2x16 GB U 2133 2R/DVD-ROM/ BASIC 2.5' KIT (8X)/2xHD SAS 12G 600GB/ 2xHD SAS 12G 300GB 15K HOT PL 2.5' EP/	LKN:T1332S0001FR	5575,29	
PY TX1330M2/F/RED. PSU /XEON E3-1220V5/	PY TX1330M2/F/RED. PSU /XEON E3-1220V5/ 8 GB U 2133 2R/BASIC 2.5' KIT (8X)/ 2xHD SAS 12G 300GB/PRAID CP400I/KIT/ KEYBOARD KB521 FR/IRMC S4 ADV. PACK/	LKN:T1332S0018FR	3394,12	
PY TX1330M2/F/RED. PSU /ADV. THERMAL/	PY TX1330M2/F/RED. PSU /ADV. THERMAL/ XEON E3-1220V5/2x8 GB U 2133 2R/ MEDIUM 3.5' KIT (8X)/4xHD SATA 500GB/ 4xHD SATA 4TB 7.2K/RAID 12G 1GB/KIT/	LKN:T1332S0028FR	5618,82	
PY TX1330M2/R/RED. PSU /XEON E3-1220V5/	PY TX1330M2/R/RED. PSU /XEON E3-1220V5/ 16 GB U 2133 2R/TAPEKIT LTO5HH SAS/ BASIC 3.5' KIT (4X)/CP400I FOR LTO/ 2xHD SATA 1TB/RMK F2 S7 LV/	LKN:T1332S0039FR	4865,88	
PY TX1330M2/F/RED. PSU /ADV. THERMAL/	PY TX1330M2/F/RED. PSU /ADV. THERMAL/ XEON E3-1220V5/16 GB U 2133 2R/ BASIC 3.5' KIT (4X)/2xHD SAS 300GB/ PRAID CP400I/KIT/KEYBOARD KB521 FR/	LKN:T1332S0058FR	3460,00	
PY TX1330M2/F/RED. PSU /PENTIUM G4400/	PY TX1330M2/F/RED. PSU /PENTIUM G4400/ 4 GB U 2133 1R/MAXIMUM 3.5' KIT (12X)/ RAID 12G 1GB/FBU 55CM CABLE/TFM MODULE/ D2755 / F3629/KIT/WSS2012R2 ST 2 OEM/	VFY:T1332SC060IN	3400,00	
PY TX1330M2/F/RED. PSU /PENTIUM G4400/	PY TX1330M2/F/RED. PSU /PENTIUM G4400/ 4 GB U 2133 1R/MAXIMUM 3.5' KIT (12X)/ 4xHD SATA 2TB 7.2K/RAID 12G 1GB/ FBU 55CM CABLE/TFM MODULE/D2755 / F3629/	VFY:T1332SC070IN	5075,29	
PY TX1330M2/F/RED. PSU /PENTIUM G4400/	PY TX1330M2/F/RED. PSU /PENTIUM G4400/ 4 GB U 2133 1R/MAXIMUM 3.5' KIT (12X)/ 12xHD SATA 6TB/RAID 12G 1GB/ FBU 55CM CABLE/TFM MODULE/D2755 / F3629/	VFY:T1332SC080IN	14397,65	



PRIMERGY TX1330 M2 Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
PRIMERGY TX1330 M2 (Suite)				
Tower base unit without HDD cage, processor and RAM, incl. 1 standard power supply module 300W, 2 lockable front covers, 1 standard fan 120mm; systemboard D3373 based on Intel C236 PCH, Socket for Dual Core Pentium/Core i3, Quad Core Xeon Processor and 4x Sockets for DDR4 UDIMM; iRMC S4 Intég. server management incl. graphics controller and Service LAN port; 6 port SATA controller (for 4x SATA HDD + DVD) and 2x1 Gbit Ethernet LAN Intég.; space for one HDD cage supporting 4x3.5" or 8x2.5" hot plug SATA/SAS HDs; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW				
PY TX1330M/F/STANDARD PSU /	PY TX1330M/F/STANDARD PSU / XEON E3-1220V5/8 GB U 2133 2R/DVD-RW SM/ BASIC 3.5' KIT (4X)/4xHD SAS 300GB/ RAID 12G 1GB/FBU 55CM CABLE/TFM MODULE/	LKN:T1332S0001IN	4443,53	
PY TX1330M/F/STANDARD PSU /	PY TX1330M/F/STANDARD PSU / XEON E3-1220V5/8 GB U 2133 2R/DVD-RW SM/ BASIC 2.5' KIT (8X)/2xHD SATA 6G 1TBBC/ 4xHD SAS 300GB/RAID 12G 1GB/	LKN:T1332S0002IN	5271,76	
PY TX1330M/F/STANDARD PSU /	PY TX1330M/F/STANDARD PSU / XEON E3-1220V5/8 GB U 2133 2R/DVD-RW SM/ BASIC 2.5' KIT (8X)/4xHD SAS 12G 300GB/ RAID 12G 1GB/FBU 55CM CABLE/TFM MODULE/	LKN:T1332S0003IN	3605,88	
PY TX1330M/F/STANDARD PSU /	PY TX1330M/F/STANDARD PSU / XEON E3-1220V5/8 GB U 2133 2R/DVD-RW SM/ BASIC 2.5' KIT (8X)/4xHD SAS 12G 300GB/ 2xHD SATA 1TB/RAID 12G 1GB/	LKN:T1332S0004IN	4382,35	
PY TX1330M/F/STANDARD PSU /	PY TX1330M/F/STANDARD PSU / XEON E3-1220V5/4 GB U 2133 1R/DVD-RW SM/ BASIC 2.5' KIT (8X)/4xHD SAS 12G 300GB/ RAID 12G 1GB/FBU 55CM CABLE/TFM MODULE/	LKN:T1332S0005IN	3564,71	
PY TX1330M/F/STANDARD PSU /	PY TX1330M/F/STANDARD PSU / XEON E3-1220V5/4 GB U 2133 1R/DVD-RW SM/ BASIC 2.5' KIT (8X)/2xHD SATA 500GB/ 4xHD SAS 12G 300GB/RAID 12G 1GB/	LKN:T1332S0006IN	4091,76	
PY TX1330M/F/STANDARD PSU /	PY TX1330M/F/STANDARD PSU / XEON E3-1220V5/8 GB U 2133 2R/DVD-ROM/ BASIC 3.5' KIT (4X)/3xHD SAS 300GB/ RAID 12G 1GB/KIT/KEYBOARD KB521 FR/	LKN:T1332S0008FR	2951,76	
PY TX1330M/F/STANDARD PSU /	PY TX1330M/F/STANDARD PSU / XEON E3-1220V5/4x8 GB U 2133 2R/DVD-ROM/ BASIC 2.5' KIT (8X)/2xHD SAS 900GB/ 2xHD SAS 300GB/PRAID CP400I/KIT/	LKN:T1332S0010FR	3967,06	
PY TX1330M/F/STANDARD PSU /	PY TX1330M/F/STANDARD PSU / XEON E3-1220V5/4 GB U 2133 1R/ 2x8 GB U 2133 2R/DVD-RW SM/ BASIC 3.5' KIT (4X)/2xHD SAS 600GB/	LKN:T1332S0011FR	2502,35	
PY TX1330M/F/STANDARD PSU /	PY TX1330M/F/STANDARD PSU / XEON E3-1220V5/8 GB U 2133 2R/DVD-ROM/ BASIC 3.5' KIT (4X)/3xHD SAS 300GB/ RAID 12G 1GB/KIT/KEYBOARD KB521 FR/	LKN:T1332S0012FR	3914,12	
PY TX1330M/F/STANDARD PSU /	PY TX1330M/F/STANDARD PSU / XEON E3-1220V5/8 GB U 2133 2R/ DVD-RW SM SLIM/BASIC 2.5' KIT (8X)/ MOUNTKIT LSD/3xHD SAS 12G 300GB/	LKN:T1332S0014FR	2277,65	



PRIMERGY TX1330 M2 Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
PRIMERGY TX1330 M2 (Suite)				
PY TX1330M/F/STANDARD PSU /	PY TX1330M/F/STANDARD PSU / XEON E3-1230V5/8 GB U 2133 2R/ DVD-RW SM SLIM/BASIC 2.5' KIT (8X)/ MOUNTKIT LSD/3xHD SAS 12G 300GB/	LKN:T1332S0017FR	2361,18	
PY TX1330M/F/STANDARD PSU /	PY TX1330M/F/STANDARD PSU / XEON E3-1230V5/8 GB U 2133 2R/ DVD-RW SM SLIM/BASIC 2.5' KIT (8X)/ MOUNTKIT LSD/3xHD SAS 12G 300GB/	LKN:T1332S0021FR	2562,35	
PY TX1330M/F/STANDARD PSU /	PY TX1330M/F/STANDARD PSU / XEON E3-1230V5/8 GB U 2133 2R/DVD-RW SM/ BASIC 2.5' KIT (8X)/2xHD SAS 600GB/ RAID 12G 1GB/FBU 55CM CABLE/TFM MODULE/	LKN:T1332S0035FR	3660,00	
PY TX1330M/F/STANDARD PSU /	PY TX1330M/F/STANDARD PSU / XEON E3-1230V5/3x8 GB U 2133 2R/DVD-ROM/ BASIC 2.5' KIT (8X)/3xHD SAS 12G 300GB/ 2xSSD SATA 120GB/RAID 12G 1GB/	LKN:T1332S0037FR	4085,88	
PY TX1330M/F/STANDARD PSU /	PY TX1330M/F/STANDARD PSU / XEON E3-1220V5/8 GB U 2133 2R/DVD-ROM/ BASIC 3.5' KIT (4X)/3xHD SAS 300GB/ PRAID CP400I/KIT/WS2012R2 FND OEM/	LKN:T1332S0043FR	2670,59	
PY TX1330M/F/STANDARD PSU /	PY TX1330M/F/STANDARD PSU / XEON E3-1220V5/8 GB U 2133 2R/DVD-ROM/ BASIC 3.5' KIT (4X)/4xHD SATA 2TB 7.2K/ PRAID CP400I/KIT/POW.CORD/	LKN:T1332S0056FR	2963,53	
PY TX1330M/F/STANDARD PSU /ADV. THERMAL/	PY TX1330M/F/STANDARD PSU /ADV. THERMAL/ XEON E3-1220V5/8 GB U 2133 2R/DVD-RW SM/ BASIC 3.5' KIT (4X)/HD SATA 2TB 7.2K/ KIT/KEYBOARD KB521 FR/IRMC S4 ADV. PACK/	LKN:T1332S0064FR	1842,35	
PY TX1330M/F/STANDARD PSU /	PY TX1330M/F/STANDARD PSU / XEON E3-1220V5/8 GB U 2133 2R/DVD-RW SM/ BASIC 3.5' KIT (4X)/KIT/NO POWERCORD/	VFY:T1332SC010IN	695,29	
PY TX1330M/F/STANDARD PSU /	PY TX1330M/F/STANDARD PSU / XEON E3-1220V5/8 GB U 2133 2R/DVD-RW SM/ BASIC 2.5' KIT (8X)/KIT/NO POWERCORD/	VFY:T1332SC050IN	738,82	
Tower base unit without HDD cage, processor and RAM, incl. 1 hot plug power supply module 450W, 2 lockable front covers, 2 redundant fans 120mm; systemboard D3373 based on Intel C236 PCH, Socket for Dual Core Pentium/Core i3, Quad Core Xeon Processor and 4x Sockets for DDR4 UDIMM; iRMC S4 Intég. server management incl. graphics controller and Service LAN port; 6 port SATA controller (for 4x SATA HDD + DVD) and 2x1 Gbit Ethernet LAN Intég.; space for up to three HDD cages supporting up to 12x3,5" or 24x2.5" hot plug SATA/SAS HDs; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW				
PY TX1330M2/F/RED. PSU /XEON E3-1270V5/	PY TX1330M2/F/RED. PSU /XEON E3-1270V5/ 2x8 GB U 2133 2R/DVD-RW SM SLIM/ RDX USB3.0 5.25"/BASIC 2.5' KIT (8X)/ MOUNTKIT LSD/	LKN:T1332S0003FR	3195,29	
PY TX1330M2/F/RED. PSU /XEON E3-1270V5/	PY TX1330M2/F/RED. PSU /XEON E3-1270V5/ 2x8 GB U 2133 2R/DVD-RW SM SLIM/ RDX USB3.0 5.25"/BASIC 2.5' KIT (8X)/ MOUNTKIT LSD/	LKN:T1332S0004FR	3801,18	
PY TX1330M2/F/RED. PSU /XEON E3-1270V5/	PY TX1330M2/F/RED. PSU /XEON E3-1270V5/ 8 GB U 2133 2R/DVD-RW SM SLIM/ RDX USB3.0 5.25"/BASIC 2.5' KIT (8X)/ MOUNTKIT LSD/HD SAS 12G 300GB/	LKN:T1332S0005FR	2370,59	



PRIMERGY TX1330 M2 Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
PRIMERGY TX1330 M2 (Suite)				
PY TX1330M2/F/RED. PSU /XEON E3-1270V5/	PY TX1330M2/F/RED. PSU /XEON E3-1270V5/ 8 GB U 2133 2R/DVD-RW SM SLIM/ RDX USB3.0 5.25"/BASIC 2.5" KIT (8X)/ MOUNTKIT LSD/2xHD SAS 12G 300GB/	LKN:T1332S0006FR	2629,41	
PY TX1330M2/F/RED. PSU /XEON E3-1220V5/	PY TX1330M2/F/RED. PSU /XEON E3-1220V5/ 2x8 GB U 2133 2R/DVD-RW SM/ BASIC 3.5" KIT (4X)/2xHD SAS 300GB/ RAID 12G 1GB/KIT/KEYBOARD KB521 FR/	LKN:T1332S0007FR	3061,18	
PY TX1330M2/F/RED. PSU /XEON E3-1230V5/	PY TX1330M2/F/RED. PSU /XEON E3-1230V5/ 2x8 GB U 2133 2R/DVD-RW/ MAXIMUM 3.5" KIT (12X)/3xHD SAS 450GB/ RAID 12G 1GB/FBU 55CM CABLE/TFM MODULE/	LKN:T1332S0009FR	4963,53	
PY TX1330M2/F/RED. PSU /XEON E3-1220V5/	PY TX1330M2/F/RED. PSU /XEON E3-1220V5/ 3x8 GB U 2133 2R/DVD-RW SM/ BASIC 3.5" KIT (4X)/4xHD SAS 300GB/ RAID 12G 1GB/FBU 55CM CABLE/TFM MODULE/	LKN:T1332S0013FR	4594,12	
PY TX1330M2/F/RED. PSU /XEON E3-1270V5/	PY TX1330M2/F/RED. PSU /XEON E3-1270V5/ 2x8 GB U 2133 2R/DVD-RW SM SLIM/ RDX USB3.0 5.25"/BASIC 3.5" KIT (4X)/ MOUNTKIT LSD/2xHD SAS 600GB/	LKN:T1332S0015FR	4518,82	
PY TX1330M2/F/RED. PSU /XEON E3-1270V5/	PY TX1330M2/F/RED. PSU /XEON E3-1270V5/ 2x8 GB U 2133 2R/DVD-RW SM SLIM/ LTO4HH SAS/BASIC 3.5" KIT (4X)/ MOUNTKIT LSD/CP400I FOR LTO/	LKN:T1332S0016FR	6552,94	
PY TX1330M2/F/RED. PSU /XEON E3-1270V5/	PY TX1330M2/F/RED. PSU /XEON E3-1270V5/ 2x8 GB U 2133 2R/DVD-RW SM SLIM/ LTO4HH SAS/BASIC 3.5" KIT (4X)/ MOUNTKIT LSD/CP400I FOR LTO/	LKN:T1332S0019FR	6571,76	
PY TX1330M2/F/RED. PSU /XEON E3-1270V5/	PY TX1330M2/F/RED. PSU /XEON E3-1270V5/ 2x8 GB U 2133 2R/DVD-RW SM SLIM/ RDX USB3.0 5.25"/BASIC 3.5" KIT (4X)/ MOUNTKIT LSD/2xHD SAS 600GB/	LKN:T1332S0020FR	4537,65	
PY TX1330M2/F/RED. PSU /XEON E3-1240LV5/	PY TX1330M2/F/RED. PSU /XEON E3-1240LV5/ 2x8 GB U 2133 2R/DVD-RW SM/ BASIC 2.5" KIT (8X)/2xHD SAS 300GB/ RAID 12G 1GB/KIT/PSU 450W HP/2xPOW.CORD/	LKN:T1332S0022FR	3223,53	
PY TX1330M2/F/RED. PSU /XEON E3-1230V5/	PY TX1330M2/F/RED. PSU /XEON E3-1230V5/ 8 GB U 2133 2R/DVD-RW SM/ BASIC 2.5" KIT (8X)/2xHD SAS 300GB/ RAID 12G 1GB/FBU 55CM CABLE/TFM MODULE/	LKN:T1332S0023FR	3787,06	
PY TX1330M2/F/RED. PSU /XEON E3-1230V5/	PY TX1330M2/F/RED. PSU /XEON E3-1230V5/ 8 GB U 2133 2R/DVD-RW SM/ BASIC 2.5" KIT (8X)/3xHD SAS 300GB/ RAID 12G 1GB/FBU 55CM CABLE/TFM MODULE/	LKN:T1332S0024FR	4268,24	
PY TX1330M2/F/RED. PSU /XEON E3-1230V5/	PY TX1330M2/F/RED. PSU /XEON E3-1230V5/ 8 GB U 2133 2R/DVD-RW SM/ BASIC 2.5" KIT (8X)/2xHD SAS 450GB/ RAID 12G 1GB/FBU 55CM CABLE/TFM MODULE/	LKN:T1332S0025FR	4264,71	



PRIMERGY TX1330 M2 Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
PRIMERGY TX1330 M2 (Suite)				
PY TX1330M2/F/RED. PSU /XEON E3-1230V5/	PY TX1330M2/F/RED. PSU /XEON E3-1230V5/ 8 GB U 2133 2R/DVD-RW SM/ BASIC 2.5' KIT (8X)/3xHD SAS 450GB/ RAID 12G 1GB/FBU 55CM CABLE/TFM MODULE/	LKN:T1332S0026FR	4984,71	
PY TX1330M2/F/RED. PSU /XEON E3-1240LV5/	PY TX1330M2/F/RED. PSU /XEON E3-1240LV5/ 2x8 GB U 2133 2R/DVD-RW SM/ BASIC 2.5' KIT (8X)/2xHD SAS 300GB/ RAID 12G 1GB/PLAN CP 2X1GB/KIT/	LKN:T1332S0027FR	3467,06	
PY TX1330M2/F/RED. PSU /XEON E3-1270V5/	PY TX1330M2/F/RED. PSU /XEON E3-1270V5/ 3x8 GB U 2133 2R/DVD-RW SM SLIM/ BASIC 2.5' KIT (8X)/MOUNTKIT LSD/ 4xHD SAS 300GB/RAID 12G 1GB/KIT/	LKN:T1332S0029FR	4784,71	
PY TX1330M2/F/RED. PSU /XEON E3-1230V5/	PY TX1330M2/F/RED. PSU /XEON E3-1230V5/ 8 GB U 2133 2R/DVD-RW SM/ BASIC 3.5' KIT (4X)/HD SATA 1TB 3.5"/ 2xHD SATA 500GB/PRAID CP400I/KIT/	LKN:T1332S0030FR	2080,00	
PY TX1330M2/F/RED. PSU /XEON E3-1220V5/	PY TX1330M2/F/RED. PSU /XEON E3-1220V5/ 8 GB U 2133 2R/DVD-RW SM SLIM/ BASIC 2.5' KIT (8X)/MOUNTKIT LSD/ 3xHD SAS 600GB/PRAID CP400I/KIT/	LKN:T1332S0031FR	3390,59	
PY TX1330M2/F/RED. PSU /XEON E3-1220V5/	PY TX1330M2/F/RED. PSU /XEON E3-1220V5/ 8 GB U 2133 2R/DVD-ROM/ BASIC 3.5' KIT (4X)/3xHD SAS 300GB/ RAID 12G 1GB/KIT/KEYBOARD KB521 FR/	LKN:T1332S0032FR	3122,35	
PY TX1330M2/F/RED. PSU /XEON E3-1270V5/	PY TX1330M2/F/RED. PSU /XEON E3-1270V5/ 4x8 GB U 2133 2R/DVD-RW SM SLIM/ TAPEKIT LTO5HH SAS/BASIC 3.5' KIT (4X)/ MOUNTKIT LSD/CP400I FOR LTO/	LKN:T1332S0033FR	7856,47	
PY TX1330M2/F/RED. PSU /XEON E3-1225V5/	PY TX1330M2/F/RED. PSU /XEON E3-1225V5/ 4x16 GB U 2133 2R/DVD-RW SM/ BASIC 2.5' KIT (8X)/HD SATA 6G 2TBBC/ 3xHD SAS 12G 300GB/PRAID CP400I/KIT/	LKN:T1332S0036FR	4174,12	
PY TX1330M2/F/RED. PSU /XEON E3-1225V5/	PY TX1330M2/F/RED. PSU /XEON E3-1225V5/ 4 GB U 2133 1R/16 GB U 2133 2R/DVD-ROM/ RDX USB3.0 5.25"/BASIC 3.5' KIT (4X)/ 2xHD SAS 600GB/PRAID CP400I/KIT/	LKN:T1332S0040FR	3167,06	
PY TX1330M2/F/RED. PSU /XEON E3-1230V5/	PY TX1330M2/F/RED. PSU /XEON E3-1230V5/ 8 GB U 2133 2R/DVD-ROM/ BASIC 2.5' KIT (8X)/2xHD SAS 1.2TB/ RAID 12G 1GB/FBU 55CM CABLE/TFM MODULE/	LKN:T1332S0041FR	4070,59	
PY TX1330M2/F/RED. PSU /XEON E3-1220V5/	PY TX1330M2/F/RED. PSU /XEON E3-1220V5/ 3x8 GB U 2133 2R/DVD-ROM/ BASIC 3.5' KIT (4X)/4xHD SATA 1TB 3.5"/ KIT/PSU 450W HP/2xPOW.CORD/	LKN:T1332S0042FR	2500,00	
PY TX1330M2/F/RED. PSU /XEON E3-1220V5/	PY TX1330M2/F/RED. PSU /XEON E3-1220V5/ 16 GB U 2133 2R/DVD-RW SM/ BASIC 3.5' KIT (4X)/HD SAS 450GB/ PRAID CP400I/KIT/NO POWERCORD/PSU DUMMY/	LKN:T1332S0044FR	2300,00	
PY TX1330M2/F/RED. PSU /XEON E3-1270V5/	PY TX1330M2/F/RED. PSU /XEON E3-1270V5/ 3x8 GB U 2133 2R/DVD-ROM/ BASIC 2.5' KIT (8X)/3xHD SAS 600GB/ PRAID CP400I/PLAN CP 4X1GB/KIT/	LKN:T1332S0045FR	4505,88	



PRIMERGY TX1330 M2 Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
PRIMERGY TX1330 M2 (Suite)				
PY TX1330M2/F/RED. PSU /XEON E3-1225V5/	PY TX1330M2/F/RED. PSU /XEON E3-1225V5/ 4x16 GB U 2133 2R/DVD-RW SM/ BASIC 3.5' KIT (8X)/HD SATA 6G 2TBBC/ 4xHD SAS 600GB/PRAID CP400I/KIT/	LKN:T1332S0046FR	5322,35	
PY TX1330M2/F/RED. PSU /XEON E3-1220V5/	PY TX1330M2/F/RED. PSU /XEON E3-1220V5/ 2x8 GB U 2133 2R/DVD-RW SM/ BASIC 3.5' KIT (4X)/2xHD SAS 300GB/ PRAID CP400I/KIT/KEYBOARD KB521 FR/	LKN:T1332S0047FR	2860,00	
PY TX1330M2/F/RED. PSU /XEON E3-1230V5/	PY TX1330M2/F/RED. PSU /XEON E3-1230V5/ 3x4 GB U 2133 1R/DVD-ROM/ BASIC 3.5' KIT (4X)/2xHD SAS 450GB/ PRAID CP400I/KIT/KEYBOARD KB521 FR/	LKN:T1332S0049FR	3411,76	
PY TX1330M2/F/RED. PSU /XEON E3-1220V5/	PY TX1330M2/F/RED. PSU /XEON E3-1220V5/ 8 GB U 2133 2R/DVD-RW SM/ BASIC 3.5' KIT (4X)/3xHD SATA 500GB/ RAID 12G 1GB/CCC/KIT/NO POWERCORD/	LKN:T1332S0050FR	2180,00	
PY TX1330M2/F/RED. PSU /XEON E3-1230V5/	PY TX1330M2/F/RED. PSU /XEON E3-1230V5/ 4 GB U 2133 1R/16 GB U 2133 2R/ DVD-RW SM/MEDIUM 3.5' KIT (8X)/ HD SATA 4TB 7.2K/2xHD SATA 1TB/	LKN:T1332S0051FR	3651,76	
PY TX1330M2/F/RED. PSU /XEON E3-1230V5/	PY TX1330M2/F/RED. PSU /XEON E3-1230V5/ 3x8 GB U 2133 2R/DVD-ROM/ BASIC 2.5' KIT (8X)/3xHD SAS 12G 300GB/ PRAID CP400I/KIT/KEYBOARD KB521 FR/	LKN:T1332S0052FR	3238,82	
PY TX1330M2/F/RED. PSU /XEON E3-1220V5/	PY TX1330M2/F/RED. PSU /XEON E3-1220V5/ 8 GB U 2133 2R/DVD-ROM/ BASIC 3.5' KIT (4X)/HD SATA 1TB/ 2xHD SAS 300GB/PRAID CP400I/KIT/	LKN:T1332S0053FR	2489,41	
PY TX1330M2/F/RED. PSU /XEON E3-1220V5/	PY TX1330M2/F/RED. PSU /XEON E3-1220V5/ 2x8 GB U 2133 2R/DVD-RW SM/ BASIC 3.5' KIT (4X)/4xHD SATA 1TB 3.5' KIT/KEYBOARD KB521 FR/PSU 450W HP/	LKN:T1332S0054FR	2398,82	
PY TX1330M2/F/RED. PSU /XEON E3-1225V5/	PY TX1330M2/F/RED. PSU /XEON E3-1225V5/ 2x16 GB U 2133 2R/DVD-RW SM SLIM/ MEDIUM 3.5' KIT (8X)/MOUNTKIT LSD/ 2xHD SAS 2TB/2xHD SAS 4TB/	LKN:T1332S0055FR	5447,06	
PY TX1330M2/F/RED. PSU /XEON E3-1270V5/	PY TX1330M2/F/RED. PSU /XEON E3-1270V5/ 2x16 GB U 2133 2R/DVD-RW SM/ BASIC 2.5' KIT (8X)/2xSSD SATA 240GB/ PRAID CP400I/KIT/KEYBOARD KB521 FR/	LKN:T1332S0057FR	3356,47	
PY TX1330M2/F/RED. PSU /XEON E3-1270V5/	PY TX1330M2/F/RED. PSU /XEON E3-1270V5/ 2x16 GB U 2133 2R/DVD-RW SM/ BASIC 2.5' KIT (8X)/3xSSD SATA 240GB/ PRAID CP400I/KIT/KEYBOARD KB521 FR/	LKN:T1332S0061FR	3837,65	
PY TX1330M2/F/RED. PSU /XEON E3-1230V5/	PY TX1330M2/F/RED. PSU /XEON E3-1230V5/ 2x16 GB U 2133 2R/DVD-RW SM/ BASIC 2.5' KIT (8X)/4xHD SAS 12G 300GB/ RAID 12G 2GB/FBU 55CM CABLE/TFM MODULE/	LKN:T1332S0062FR	6454,12	
PY TX1330M2/F/RED. PSU /XEON E3-1230V5/	PY TX1330M2/F/RED. PSU /XEON E3-1230V5/ 16 GB U 2133 2R/DVD-ROM/ BASIC 2.5' KIT (8X)/4xHD SAS 12G 1.2TB/ D3216-B/FBU 55CM CABLE/TFM MODULE/KIT/	LKN:T1332S0063FR	6222,35	



PRIMERGY TX1330 M2 Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
PRIMERGY TX1330 M2 (Suite)				
PY TX1330M2/F/RED. PSU /XEON E3-1230V5/	PY TX1330M2/F/RED. PSU /XEON E3-1230V5/ 2x8 GB U 2133 2R/DVD-ROM/ MEDIUM 3.5' KIT (8X)/4xHD SATA 1TB/ PRAID CP400I/KIT/KEYBOARD KB521 FR/	LKN:T1332S0065FR	3381,18	
PY TX1330M2/F/RED. PSU /XEON E3-1270V5/	PY TX1330M2/F/RED. PSU /XEON E3-1270V5/ 2x16 GB U 2133 2R/DVD-RW SM SLIM/ BASIC 2.5' KIT (8X)/MOUNTKIT LSD/ 2xHD SAS 1.2TB/PRAID CP400I/	LKN:T1332S0066FR	4160,00	
PY TX1330M2/F/RED. PSU /XEON E3-1220V5/	PY TX1330M2/F/RED. PSU /XEON E3-1220V5/ 8 GB U 2133 2R/DVD-RW SM/ BASIC 3.5' KIT (4X)/KIT/NO POWERCORD/ PSU DUMMY/	VFY:T1332SC020IN	951,76	
PY TX1330M2/F/RED. PSU /XEON E3-1220V5/	PY TX1330M2/F/RED. PSU /XEON E3-1220V5/ 8 GB U 2133 2R/DVD-RW SM/ BASIC 2.5' KIT (8X)/KIT/NO POWERCORD/ PSU DUMMY/	VFY:T1332SC030IN	951,76	
PY TX1330M2/F/RED. PSU /XEON E3-1220V5/	PY TX1330M2/F/RED. PSU /XEON E3-1220V5/ 8 GB U 2133 2R/DVD-RW SM/ BASIC 3.5' KIT (4X)/ 2xHD SATA 6G 1TB 7.2K HOT PL 3.5' BC/	VFY:T1332SC040IN	1163,53	
PY TX1330M2/F/RED. PSU /XEON E3-1230V5/	PY TX1330M2/F/RED. PSU /XEON E3-1230V5/ 2x16 GB U 2133 2R/DVD-RW SM/ BASIC 2.5' KIT (8X)/4xHD SAS 12G 600GB/ RAID 12G 1GB/KIT/PSU 450W HP/	VFY:T1332SC500IN	4349,41	
PY TX1330M2/F/RED. PSU /XEON E3-1220V5/	PY TX1330M2/F/RED. PSU /XEON E3-1220V5/ 8 GB U 2133 2R/DVD-RW SM/ MEDIUM 3.5' KIT (8X)/ 2xHD SAS 12G 300GB 15K HOT PL 3.5' EP/	VFY:T1332SX090FR	1881,18	
PY TX1330M2/F/RED. PSU /XEON E3-1220V5/	PY TX1330M2/F/RED. PSU /XEON E3-1220V5/ 2x8 GB U 2133 2R/DVD-RW SM/ MEDIUM 3.5' KIT (8X)/PRAID CP400I/KIT/ NO POWERCORD/PSU DUMMY/	VFY:T1332SX100FR	1163,53	
<p>Rack (4U) base unit without HDD cage, processor and RAM, incl. 1 hot plug power supply module 450W, 2 lockable front covers, 2 redundant fans 120mm; systemboard D3373 based on Intel C236 PCH, Socket for Dual Core Pentium/Core i3, Quad Core Xeon Processor and 4x Sockets for DDR4 UDIMM; iRMC S4 Intég. server management incl. graphics controller and Service LAN port; 6 port SATA controller (for 4x SATA HDD + DVD) and 2x1 Gbit Ethernet LAN Intég.; space for up to three HDD cages supporting up to 12x3.5" or 24x2.5" hot plug SATA/SAS HDs; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW</p>				
PY TX1330M2/R/RED. PSU /XEON E3-1270V5/	PY TX1330M2/R/RED. PSU /XEON E3-1270V5/ 3x16 GB U 2133 2R/DVD-ROM/ MIXED KIT (8X 2.5', 4X 3.5')/ 2xHD SAS 12G 900GB 10K 512E HOT PL 2.5'	LKN:T1332S0002FR	6045,88	
PY TX1330M2/R/RED. PSU /XEON E3-1220V5/	PY TX1330M2/R/RED. PSU /XEON E3-1220V5/ 2x16 GB U 2133 2R/DVD-ROM/ RDX USB3.0 5.25"/BASIC 2.5' KIT (8X)/ 2xHD SAS 600GB/PRAID CP400I/	LKN:T1332S0034FR	3432,94	
PY TX1330M2/R/RED. PSU /XEON E3-1220V5/	PY TX1330M2/R/RED. PSU /XEON E3-1220V5/ 16 GB U 2133 2R/DVD-RW SM SLIM/ TAPEKIT LTO5HH SAS/BASIC 2.5' KIT (8X)/ MOUNTKIT LSD/CP400I FOR LTO/	LKN:T1332S0038FR	5540,00	
PY TX1330M2/R/RED. PSU /XEON E3-1230V5/	PY TX1330M2/R/RED. PSU /XEON E3-1230V5/ 3x4 GB U 2133 1R/DVD-ROM/ BASIC 3.5' KIT (4X)/2xHD SAS 450GB/ PRAID CP400I/RMK F2 S7 LV/	LKN:T1332S0048FR	3502,35	



PRIMERGY TX1330 M2 Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
PRIMERGY TX1330 M2 (Suite)				
PY TX1330M2/R/RED. PSU /XEON E3-1230V5/	PY TX1330M2/R/RED. PSU /XEON E3-1230V5/ 2x8 GB U 2133 2R/DVD-ROM/ MEDIUM 3.5' KIT (8X)/4xHD SAS 300GB/ RAID 12G 1GB/RMK F2 S7 LV/	LKN:T1332S0059FR	3412,94	
PY TX1330M2/R/RED. PSU /XEON E3-1240LV5/	PY TX1330M2/R/RED. PSU /XEON E3-1240LV5/ 3x16 GB U 2133 2R/DVD-ROM/ TAPEKIT LTO5HH SAS/BASIC 2.5' KIT (8X)/ CP400I FOR LTO/3xHD SAS 12G 600GB/	LKN:T1332S0060FR	8903,53	

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
PRIMERGY TX1330 M2				
PY TX1330M2/f/Standard PSU	Tower base unit without HDD cage, processor and RAM, incl. 1 standard power supply module 300W, 2 lockable front covers, 1 standard fan 120mm; systemboard D3373 based on Intel C236 PCH, Socket for Dual Core Pentium/Core i3, Quad Core Xeon Processor and 4x Sockets for DDR4 UDIMM; iRMC S4 Intég. server management incl. graphics controller and Service LAN port; 6 port SATA controller (for 4x SATA HDD + DVD) and 2x1 Gbit Ethernet LAN Intég.; space for one HDD cage supporting 4x3.5" or 8x2.5" hot plug SATA/SAS HDs; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW	S26361-K1552-V101	444,71	
PY TX1330M2/f/Red. PSU	Tower base unit without HDD cage, processor and RAM, incl. 1 hot plug power supply module 450W, 2 lockable front covers, 2 redundant fans 120mm; systemboard D3373 based on Intel C236 PCH, Socket for Dual Core Pentium/Core i3, Quad Core Xeon Processor and 4x Sockets for DDR4 UDIMM; iRMC S4 Intég. server management incl. graphics controller and Service LAN port; 6 port SATA controller (for 4x SATA HDD + DVD) and 2x1 Gbit Ethernet LAN Intég.; space for up tp three HDD cages supporting up to 12x3,5" or 24x2.5" hot plug SATA/SAS HDs; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW	S26361-K1552-V201	610,59	
PY TX1330M2/r/Red. PSU	Rack (4U) base unit without HDD cage, processor and RAM, incl. 1 hot plug power supply module 450W, 2 lockable front covers, 2 redundant fans 120mm; systemboard D3373 based on Intel C236 PCH, Socket for Dual Core Pentium/Core i3, Quad Core Xeon Processor and 4x Sockets for DDR4 UDIMM; iRMC S4 Intég. server management incl. graphics controller and Service LAN port; 6 port SATA controller (for 4x SATA HDD + DVD) and 2x1 Gbit Ethernet LAN Intég.; space for up tp three HDD cages supporting up to 12x3,5" or 24x2.5" hot plug SATA/SAS HDs; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW	S26361-K1552-V601	610,59	



PRIMERGY TX2540 M1

Fiches produit : <http://fr.fujitsu.com/primergy>

Le PRIMERGY TX2540 M1 de Fujitsu est le serveur tour idéal aussi bien pour les petites et moyennes entreprises (PME) que pour les filiales. Il prend en charge jusqu'à deux processeurs issus de la gamme Intel® Xeon™ E5-2400V2, alliant performances et évolutivité à un prix attractif. Sa capacité maximale de 24 disques durs et de 192 Go de RAM en fait un serveur idéal pour la virtualisation, les bases de données et la communication. De plus, la redondance proposée en option garantit un fonctionnement stable et fiable. En outre, le bruit de fonctionnement réduit au minimum convient parfaitement à un environnement de travail. Vous pouvez par exemple placer votre serveur sous votre bureau. De plus, la suite logicielle ServerView® de Fujitsu offre une assistance aux administrateurs lors de l'installation, du déploiement et de l'administration du serveur.

Description	Détails	Référence	Prix indicatif (€)	Remarques
Configurations Standards				
PRIMERGY TX2540 M1				
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 6x8 GB RG 1600 1R/DVD-RW SM/SSD SATA 6G/ 2xHD 1TB/D3116C/KIT/	LKN:T2541S0008FR	5530,59	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2430V2/INDEPENDENT MODE/ 16 GB RG 1600 2R/DVD-RW SM SLIM/MOUNTKIT LSD/5xHD SAS 600G/RAID 6G 0/1/	LKN:T2541S0009FR	5117,65	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / 2xXEON E5-2407V2/2xINDEPENDENT MODE/ 4x8 GB RG 1600 1R/DVD-ROM/3xHD 300GB/ RAID 6G 5/6 512MB/KIT/KEYBOARD KB521 FR/	LKN:T2541S0012FR	5862,35	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2450V2/2xINDEPENDENT MODE/ 4x8 GB RG 1600 1R/DVD-RW SM SLIM/MOUNTKIT LSD/3xHD SAS 300G/	LKN:T2541S0014FR	7020,00	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 8 GB RG 1600 1R/2x16 GB RG 1600 2R/ DVD-RW SM SLIM/MKIT DVD(SL)/2xHD 1TB/	LKN:T2541S0016FR	6402,35	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2407V2/INDEPENDENT MODE/ 2x4GB RG 1600 1R/DVD-ROM/ 2xHD SAS 6G 1TB/RAID 6G 0/1/KIT/	LKN:T2541S0018FR	4007,06	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 8 GB RG 1600 1R/DVD-RW SM/ 2xHD SAS 6G 1.2TB/RAID 6G 0/1/KIT/	LKN:T2541S0020FR	3847,06	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 4x8 GB RG 1600 1R/DVD-ROM/4xHD 300GB/ RAID 6G 5/6 512MB/KIT/	LKN:T2541S0023FR	6222,35	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 3x16 GB RG 1600 2R/DVD-RW SM SLIM/MKIT DVD(SL)/2xHD 1TB/2xHD 2TB/HD 3TB/	LKN:T2541S0028FR	6531,76	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 8 GB RG 1600 1R/16 GB RG 1600 2R/ DVD-RW SM/3xHD 3TB/RAID 6G 5/6 512MB/	LKN:T2541S0029FR	5137,65	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2403V2/INDEPENDENT MODE/ 16 GB RG 1600 2RMOUNTKIT LSD/ 6xHD 146GB/D3116C/TFM MODULE/FBU/KIT/	LKN:T2541S0032FR	4509,41	
PY TX2540 M1 R/SFF/RED. PSU /	PY TX2540 M1 R/SFF/RED. PSU / XEON E5-2450V2/INDEPENDENT MODE/ 6x16 GB RG 1600 2R/DVD-ROM/ UP KIT 16X 2.5 HD/3xHD SAS 300G/	LKN:T2541S0034FR	10169,41	
PY TX2540 M1 R/SFF/RED. PSU /	PY TX2540 M1 R/SFF/RED. PSU / XEON E5-2407V2/INDEPENDENT MODE/ 2x8 GB RG 1600 1R/DVD-ROM/5xHD 1TB/ D3116C/RMK F2 S7 LV/RACK MOUNT 1U SYM/	LKN:T2541S0037FR	5316,47	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 6x8 GB RG 1600 1R/DVD-ROM/ TAPEKIT LTO9HH SAS/4xHD SAS 600G/	LKN:T2541S0038FR	8817,65	
PY TX2540 M1 R/SFF/RED. PSU /	PY TX2540 M1 R/SFF/RED. PSU / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 4x8 GB RG 1600 1R/DVD-RW SM/ 8xHD SAS 300G/D3116C/TFM MODULE/FBU/KIT/	LKN:T2541S0040FR	6962,35	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 3x8 GB RG 1600 1R/DVD-RW SM/4x300 GB/ RAID 6G 5/6 512MB/KIT/2xPSU 450W HP/	LKN:T2541S0051FR	4954,12	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2430V2/PERFORMANCE MODE/ 3x8 GB RG 1600 1R/DVD-RW SM SLIM/ MKIT DVD(SL)/4xHD 300GB/	LKN:T2541S0055FR	4747,06	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2420V2/PERFORMANCE MODE/ 3x8 GB RG 1600 1R/DVD-RW SM/ 4xHD SAS 600G/D3116C/TFM MODULE/FBU/KIT/	LKN:T2541S0056FR	5264,71	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / 2xXEON E5-2407V2/2xINDEPENDENT MODE/ 3x8 GB RG 1600 1R/DVD-RW SM/2xHD 1TB/ KIT/WS2012R2 STD 2 OEM/2xPSU 450W HP/	LKN:T2541S0062FR	3992,94	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2420V2/PERFORMANCE MODE/ 3x8 GB RG 1600 1R/DVD-RW SM SLIM/ MKIT DVD(SL)/3xHD 300GB/D3116C/	LKN:T2541S0066FR	6801,18	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2407V2/2xINDEPENDENT MODE/ 2x8 GB RG 1600 1R/DVD-ROM/ RDX 1000 5.25/USB3.0 CARD/2xHD 500GB/	LKN:T2541S0071FR	4764,71	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 2x8 GB RG 1600 1R/DVD-RW SM SLIM/ MKIT DVD(SL)/4xHD 3TB/RAID 6G 5/6 512MB/	LKN:T2541S0074FR	5080,00	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2420V2/2xPERFORMANCE MODE/ 6x8 GB RG 1600 1R/3xHD SAS 6G 1.2TB/ D3116C/TFM MODULE/FBU/PLAN CP 4X1GB/KIT/	LKN:T2541S0078FR	7569,41	



PRIMERGY TX2540 M1 Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Référence	Prix indicatif (€)	Remarques
Configurations Standards				
PRIMERGY TX2540 M1 (Suite)				
PY TX2540 M1 F/FF/RED. PSU /	PY TX2540 M1 F/FF/RED. PSU / 2xXEON E5-2407V2/2xINDEPENDENT MODE/ 3x8 GB RG 1600 1R/DVD-RW SM/2xHD 2TB/ KIT/WS2012R2 STD 2 OEM/2xPSU 450W HP/	LKN:T2541S0079FR	4322,35	
PY TX2540 M1 F/FF/RED. PSU /	PY TX2540 M1 F/FF/RED. PSU / XEON E5-2440V2/INDEPENDENT MODE/ 2x8 GB RG 1600 1R/DVD-RW SM SLIM/ TAPEKIT LTO5HH SAS/MOUNTKIT LSD/	LKN:T2541S0087FR	7242,35	
PY TX2540 M1 R/SFF/RED. PSU /	PY TX2540 M1 R/SFF/RED. PSU / XEON E5-2430V2/INDEPENDENT MODE/ 3x16 GB RG 1600 2R/DVD-RW SM/ UP KIT 16X 2.5' HDD/2xHD 1TB/4x300 GB/	LKN:T2541S0097FR	13887,06	
PY TX2540 M1 F/FF/RED. PSU /	PY TX2540 M1 F/FF/RED. PSU / XEON E5-2430L2/INDEPENDENT MODE/ 3x8 GB RG 1600 1R/DVD-RW SM/2xHD 3TB/ HD SATA 6G 4TBRAID 6G 5.6 512MB/KIT/	LKN:T2541S0098FR	4908,24	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 3x8 GB RG 1600 1R/DVD-RW SM 3xHD SAS 450G/D3116C/TFM MODULE/FBU/KIT/	LKN:T2541S0100FR	4590,59	
PY TX2540 M1 F/FF/RED. PSU /	PY TX2540 M1 F/FF/RED. PSU / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 8x16 GB RG 1600 2R/DVD-RW SM SLIM/ MKIT DVD(SLJ)/5xHD 2TB/2xHD 300GB/D3116C/	LKN:T2541S0102FR	10980,00	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 2x16 GB RG 1600 1R/DVD-RW SM SLIM/ RDX 1000 5.25/ MOUNTKIT LSD/	LKN:T2541S0108FR	7081,18	
PY TX2540 M1 R/SFF/RED. PSU /	PY TX2540 M1 R/SFF/RED. PSU / 2xXEON E5-2407V2/2xINDEPENDENT MODE/ 4x8 GB RG 1600 1R/DVD-RW SM/LTO6HH SAS/ UP KIT 16X 2.5' HDD/8xHD 500GB/2x300 GB/	LKN:T2541S0110FR	10384,71	
PY TX2540 M1 R/SFF/RED. PSU /	PY TX2540 M1 R/SFF/RED. PSU / 2xXEON E5-2407V2/2xPERFORMANCE MODE/ 6x4GB RG 1600 1R/DVD-RW SM/LTO6HH SAS/ UP KIT 16X 2.5' HDD/14xHD 500GB/	LKN:T2541S0111FR	12036,47	
PY TX2540 M1 F/FF/RED. PSU /	PY TX2540 M1 F/FF/RED. PSU / XEON E5-2420V2/PERFORMANCE MODE/ 3x8 GB RG 1600 1R/DVD-RW SM SLIM/ MKIT DVD(SLJ)	LKN:T2541S0112FR	6189,41	
PY TX2540 M1 R/SFF/RED. PSU /	PY TX2540 M1 R/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 4x8 GB RG 1600 1R/DVD-RW SM/ 3xHD SAS 450G/D3116C/TFM MODULE/FBU/	LKN:T2541S0116FR	4902,35	
PY TX2540 M1 F/FF/STANDARD PSU /	PY TX2540 M1 F/FF/STANDARD PSU / XEON E5-2403V2/INDEPENDENT MODE/ 8 GB RG 1600 1R/DVD-ROM/2xHD 500GB/KIT/ POW_CORD/	LKN:T2541S0124FR	1942,35	
PY TX2540 M1 F/FF/STANDARD PSU /	PY TX2540 M1 F/FF/STANDARD PSU / XEON E5-2420V2/PERFORMANCE MODE/ 6x8 GB RG 1600 1R/DVD-RW SM/ 4xHD SAS 6G 300GB 15K HOT PL 3.5' EP/	LKN:T2541S0130FR	5292,94	
PY TX2540 M1 F/FF/RED. PSU /	PY TX2540 M1 F/FF/RED. PSU / XEON E5-2403V2/INDEPENDENT MODE/ 2x8 GB RG 1600 1R/DVD-RW SM SLIM/ MOUNTKIT LSD/	LKN:T2541S0133FR	4469,41	
PY TX2540 M1 R/SFF/RED. PSU /	PY TX2540 M1 R/SFF/RED. PSU / 2xXEON E5-2430V2/2xINDEPENDENT MODE/ 4x16 GB RG 1600 2R/DVD-ROM/ 4xHD SAS 6G 1.2TB/2xHD 500GB/D3116C/	LKN:T2541S0134FR	9478,82	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2440V2/INDEPENDENT MODE/ 8 GB RG 1600 1R/3x16 GB RG 1600 2R/ DVD-ROM/RDX USB3.0 5.25'/USB3.0 CARD/	LKN:T2541S0135FR	6945,88	
PY TX2540 M1 R/SFF/RED. PSU /	PY TX2540 M1 R/SFF/RED. PSU / XEON E5-2430V2/PERFORMANCE MODE/ 3x16 GB RG 1600 2R/DVD-RW SM SLIM/LTO6HH SAS/UP KIT 16X 2.5' HDD/	LKN:T2541S0137FR	11590,59	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 4x16 GB RG 1600 2R/DVD-RW SM/2xHD 146GB/ 4xHD SAS 6G 600GB 15K HOT PL 2.5' EP/	LKN:T2541S0143FR	9260,00	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 4x16 GB RG 1600 2R/DVD-ROM/ 4xHD SAS 600G/D3116C/PLAN CP 2X1GB/KIT/	LKN:T2541S0146FR	6555,29	
PY TX2540 M1 R/SFF/RED. PSU /	PY TX2540 M1 R/SFF/RED. PSU / XEON E5-2430V2/PERFORMANCE MODE/ 3x8 GB RG 1600 1R/DVD-RW SM SLIM/LTO6HH SAS/UP KIT 16X 2.5' HDD/	LKN:T2541S0147FR	11202,35	
PY TX2540 M1 F/FF/RED. PSU /	PY TX2540 M1 F/FF/RED. PSU / 2xXEON E5-2407V2/2xINDEPENDENT MODE/ 2x16 GB RG 1600 2R/ 4xHD SAS 6G 300GB 15K HOT PL 3.5' EP/	LKN:T2541S0158FR	5481,18	
PY TX2540 M1 R/SFF/RED. PSU /	PY TX2540 M1 R/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 2x8 GB RG 1600 1R/LTO6HH SAS/ UP KIT 16X 2.5' HDD/2xHD 500GB/	LKN:T2541S0162FR	11088,24	
PY TX2540 M1 R/SFF/RED. PSU /	PY TX2540 M1 R/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 2x8 GB RG 1600 1R/UP KIT 16X 2.5' HDD/ 2xHD 500GB/10xHD 1TB/D3116C/TFM MODULE/	LKN:T2541S0163FR	8312,94	
PY TX2540 M1 R/SFF/RED. PSU /	PY TX2540 M1 R/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 3x16 GB RG 1600 2R/DVD-ROM/ 6xHD SAS 600G/D3116C/TFM MODULE/FBU/	LKN:T2541S0164FR	6808,24	
PY TX2540 M1 F/FF/RED. PSU /	PY TX2540 M1 F/FF/RED. PSU / 2xXEON E5-2430V2/2xINDEPENDENT MODE/ 3x16 GB RG 1600 2R/DVD-ROM/ RDX USB3.0 5.25'/USB3.0 CARD/	LKN:T2541S0165FR	8445,88	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 4x8 GB RG 1600 1R/DVD-ROM/ TAPEKIT LTO5HH SAS/UP KIT 16X 2.5' HDD/	LKN:T2541S0167FR	13383,53	
PY TX2540 M1 R/SFF/RED. PSU /	PY TX2540 M1 R/SFF/RED. PSU / 2xXEON E5-2430V2/2xPERFORMANCE MODE/ 6x8 GB RG 1600 1R/DVD-RW SM/ UP KIT 16X 2.5' HDD/2xHD 146GB/	LKN:T2541S0171FR	9071,76	



PRIMERGY TX2540 M1		Fiches produit : http://fr.fujitsu.com/primergy		
Description	Détails	Référence	Prix indicatif (€)	Remarques
Configurations Standards				
PRIMERGY TX2540 M1 (Suite)				
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2420V2/2xPERFORMANCE MODE/ 6x8 GB RG 1600 1R/DVD-RW SM/ 3xHD SAS 600G/D3116C/TFM MODULE/FBU/	LKN:T2541S0172FR	6182,35	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 2x16 GB RG 1600 2R/DVD-ROM/ 2xHD SAS 600G/ 15K HOT PL 3.5" EP/	LKN:T2541S0173FR	5184,71	
PY TX2540 M1 R/LFF/RED. PSU /	PY TX2540 M1 R/LFF/RED. PSU / XEON E5-2440V2/INDEPENDENT MODE/ 2x8 GB RG 1600 1R/DVD-RW SM SLIM/ MKIT DVD(SL)/	LKN:T2541S0174FR	6502,35	
PY TX2540 M1 R/SFF/RED. PSU /	PY TX2540 M1 R/SFF/RED. PSU / 2xXEON E5-2430V2/2xPERFORMANCE MODE/ 6x8 GB RG 1600 1R/DVD-RW SM/ UP KIT 16X 2.5" HDD/UP KIT 24X 2.5" HDD/	LKN:T2541S0175FR	12750,59	
PY TX2540 M1 R/LFF/RED. PSU /	PY TX2540 M1 R/LFF/RED. PSU / XEON E5-2450V2/INDEPENDENT MODE/ 2x8 GB RG 1600 1R/DVD-RW SM SLIM/ MKIT DVD(SL)/	LKN:T2541S0177FR	6860,00	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 4x16 GB RG 1600 2R/DVD-ROM/ 2xHD SAS 450G/RAID 6G 5/6 512MB/KIT/	LKN:T2541S0178FR	4240,00	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 8x8 GB RG 1600 1R/DVD-ROM/8xHD SAS 300G/ D3116C/TFM MODULE/FBU/KIT/	LKN:T2541S0179FR	7237,65	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2407V2/2xINDEPENDENT MODE/ 6x8 GB RG 1600 1R/DVD-RW SM SLIM/ MKIT DVD(SL)/	LKN:T2541S0180FR	9312,94	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 3x16 GB RG 1600 2R/DVD-RW SM/4x300 GB/ D3116C/KIT/2xPSU 450W HP/2xPOW. CORD/	LKN:T2541S0181FR	5342,35	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 2x16 GB RG 1600 2R/DVD-ROM/ RDX 1000 5.25"/USB3.0 CARD/	LKN:T2541S0182FR	5581,18	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2430V2/PERFORMANCE MODE/ 3x8 GB RG 1600 1R/DVD-ROM/2xHD SAS 600G/ 2xHD 1TB/D3116C/TFM MODULE/FBU/	LKN:T2541S0183FR	5948,24	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2407V2/2xINDEPENDENT MODE/ 2x8 GB RG 1600 1R/DVD-RW SM/ TAPEKIT LTO5HH SAS/4x300 GB/SAS KEY/	LKN:T2541S0184FR	7467,06	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2420V2/2xPERFORMANCE MODE/ 9x8 GB RG 1600 1R/DVD-ROM/ TAPEKIT LTO5HH SAS/4HD SAS 600G/	LKN:T2541S0185FR	10381,18	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 18 GB RG 1600 2R/DVD-RW SM/2xHD 500GB/ 2xHD 2TB/KIT/2xPSU 450W HP/2xPOW. CORD/	LKN:T2541S0186FR	3650,59	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 2x16 GB RG 1600 2R/DVD-ROM/ 2xHD SAS 450G/2x300 GB/PRAID CP400V/	LKN:T2541S0187FR	6351,76	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2430L2/2xPERFORMANCE MODE/ 6x8 GB RG 1600 1R/DVD-ROM/6xHD SAS 300G/ D3116C/TFM MODULE/FBU/PLAN CP 4X1GB/KIT/	LKN:T2541S0189FR	7488,24	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2407V2/INDEPENDENT MODE/ 2x16 GB RG 1600 2R/DVD-ROM/ 3xHD SAS 6G 450GB 15K HOT PL 3.5" EP/	LKN:T2541S0190FR	5663,53	
PY TX2540 M1 R/SFF/RED. PSU /	PY TX2540 M1 R/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 2x8 GB RG 1600 1R/DVD-ROM/ TAPEKIT LTO5HH SAS/	LKN:T2541S0192FR	10727,06	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 4x16 GB RG 1600 2R/DVD-RW SM/3xHD 300GB/ D3116C/TFM MODULE/FBU/KIT/2xPSU 450W HP/	LKN:T2541S0194FR	4907,06	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2420V2/2xPERFORMANCE MODE/ 6x8 GB RG 1600 1R/DVD-ROM/ RDX 1000 5.25"/USB3.0 CARD/	LKN:T2541S0195FR	6403,53	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2420V2/2xPERFORMANCE MODE/ 9x8 GB RG 1600 1R/DVD-ROM/ RDX USB3.0 5.25"/USB3.0 CARD/	LKN:T2541S0196FR	8290,59	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2403V2/INDEPENDENT MODE/ 4x8 GB RG 1600 1R/DVD-RW SM SLIM/ MOUNT/KIT L3D/	LKN:T2541S0198FR	5345,88	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2420V2/PERFORMANCE MODE/ 3x8 GB RG 1600 1R/DVD-ROM/4xHD SAS 300G/ RAID 6G 5/6 512MB/PLAN CP 4X1GB/KIT/	LKN:T2541S0201FR	4863,53	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2430V2/PERFORMANCE MODE/ 3x8 GB RG 1600 1R/DVD-RW SM SLIM/ MKIT DVD(SL)/USB3.0 CARD/	LKN:T2541S0202FR	5917,65	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2403V2/2xPERFORMANCE MODE/ 6x8 GB RG 1600 1R/DVD-ROM/4xHD SAS 600G/ 2xHD SAS 125 300GB/PRAID CP400V/	LKN:T2541S0203FR	6647,06	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2440V2/PERFORMANCE MODE/ 3x16 GB RG 1600 2R/DVD-ROM/ 3xHD SAS 450G/RAID 6G 5/6 512MB/	LKN:T2541S0204FR	6634,12	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2430V2/2xPERFORMANCE MODE/ 6x8 GB RG 1600 1R/DVD-ROM/LTO4HH SAS/ 4x300 GB/SAS KEY/D3116C/TFM MODULE/FBU/	LKN:T2541S0208FR	9295,29	



PRIMERGY TX2540 M1		Fiches produit : http://fr.fujitsu.com/primergy	
Description	Détails	Référence	Prix indicatif (€)
Configurations Standards			
PRIMERGY TX2540 M1 (Suite)			
PY TX2540 M1 FLFF/STANDARD PSU /	PY TX2540 M1 FLFF/STANDARD PSU / XEON E5-2420V2/INDEPENDENT MODE/ 2x8 GB RG 1600 1R/DVD-ROM/ 3xHD SAS 6G 450GB 15K HOT PL 3.5" EP/	LKN:T2541S0209FR	5887,06
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2420V2/2xPERFORMANCE MODE/ 6x8 GB RG 1600 1R/DVD-ROM/ 4xHD SAS 12G 300GB/D3116C/TFM MODULE/	LKN:T2541S0210FR	6272,94
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2430V2/2xPERFORMANCE MODE/ 6x8 GB RG 1600 1R/DVD-ROM/LTO4HH SAS/ 4x300 GB/SAS KEY/D3116C/TFM MODULE/FBU/	LKN:T2541S0211FR	9295,29
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2420V2/2xPERFORMANCE MODE/ 6x16 GB RG 1600 2R/DVD-ROM/ 2xSSD SATA 6G 120GB READ-INTEN 2.5" H-P	LKN:T2541S0212FR	8463,53
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 6x16 GB RG 1600 2R/DVD-RW SM/UP KIT 16X 2.5" HDD/	LKN:T2541S0213FR	9901,18
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 6x16 GB RG 1600 2R/DVD-RW SM/UP KIT 16X 2.5" HDD/	LKN:T2541S0214FR	10252,94
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2430L/2xINDEPENDENT MODE/ 6x8 GB RG 1600 1R/DVD-RW SM/ 4xHD SAS 600G/PRAID CP4000/KIT/	LKN:T2541S0215FR	6685,88
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2430V2/2xINDEPENDENT MODE/ 4x8 GB RG 1600 1R/DVD-ROM/ RDX USB3.0 5.25"/USB3.0 CARD/6x300 GB/	LKN:T2541S0216FR	7872,94
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2430V2/PERFORMANCE MODE/ 6x8 GB RG 1600 1R/DVD-RW SM/ RDX USB3.0 5.25"/USB3.0 CARD/	LKN:T2541S0217FR	6250,59
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2407V2/PERFORMANCE MODE/ 3x4GB RG 1600 1R/DVD-RW SM/ RDX USB3.0 5.25"/USB3.0 CARD/	LKN:T2541S0218FR	4335,29
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 2x8 GB RG 1600 1R/DVD-RW SM SLIM/MOUNTKIT L5D/3xHD SATA 6G 4TB/	LKN:T2541S0219FR	4690,59
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 6x16 GB RG 1600 2R/DVD-RW SM/UP KIT 16X 2.5" HDD/	LKN:T2541S0220FR	7830,59
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 2x16 GB RG 1600 2R/DVD-ROM/ 6xHD SAS 300G/D3116C/TFM MODULE/FBU/KIT/	LKN:T2541S0221FR	5362,35
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2430V2/INDEPENDENT MODE/ 2x16 GB RG 1600 2R/DVD-RW SM/ RDX USB3.0 5.25"/USB3.0 CARD/	LKN:T2541S0222FR	5189,41
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 4x8 GB RG 1600 1R/DVD-ROM/5xHD SAS 300G/ D3116C/TFM MODULE/FBU/PLAN CP 4X1GB/KIT/	LKN:T2541S0223FR	5552,94
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2470V2/INDEPENDENT MODE/ 2x16 GB RG 1600 2R/DVD-RW SM SLIM/ MKIT DVD(SL)/	LKN:T2541S0224FR	10382,35
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2430L/2xINDEPENDENT MODE/ 2x16 GB RG 1600 2R/DVD-RW SM/UP KIT 16X 2.5" HDD/	LKN:T2541S0225FR	9627,06
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2440V2/2xPERFORMANCE MODE/ 12x8 GB RG 1600 1R/DVD-RW SM/ 8xHD SAS 12G 600GB/D3116C/	LKN:T2541S0226FR	11308,24
PY TX2540 M1 R/SFF/RED. PSU /	PY TX2540 M1 R/SFF/RED. PSU / XEON E5-2440V2/INDEPENDENT MODE/ 2x16 GB RG 1600 2R/3xHD SAS 600G/D3116C/ TFM MODULE/FBU/RMK F2 87 LV/	LKN:T2541S0227FR	5658,82
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2430V2/INDEPENDENT MODE/ 4x8 GB RG 1600 1R/DVD-RW SM/ 3xHD SAS 6G 450GB 15K HOT PL 2.5" EP/	LKN:T2541S0228FR	5200,00
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 4x16 GB RG 1600 2R/DVD-RW SM/ 4xHD SAS 600G/D3116C/PLAN CP 4X1GB/KIT/	LKN:T2541S0229FR	6870,59
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2430V2/2xINDEPENDENT MODE/ 4x16 GB RG 1600 2R/DVD-ROM/ TAPEKIT LTO9HH SAS/4x300 GB/SAS KEY/	LKN:T2541S0230FR	9770,59
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 4x8 GB RG 1600 1R/DVD-ROM/4xHD SAS 300G/ RAID 6G 512MB/PLAN CP 4X1GB/KIT/	LKN:T2541S0231FR	5021,18
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2430L/2xPERFORMANCE MODE/ 3x8 GB RG 1600 1R/DVD-RW SM SLIM/ MKIT DVD(SL)/USB3.0 CARD/	LKN:T2541S0232FR	5741,18
PY TX2540 M1 R/LFF/RED. PSU /	PY TX2540 M1 R/LFF/RED. PSU / XEON E5-2430V2/PERFORMANCE MODE/ 3x8 GB RG 1600 1R/DVD-RW SM SLIM/ MKIT DVD(SL)/USB3.0 CARD/	LKN:T2541S0233FR	7135,29
PY TX2540 M1 R/LFF/RED. PSU /	PY TX2540 M1 R/LFF/RED. PSU / XEON E5-2430V2/PERFORMANCE MODE/ 3x8 GB RG 1600 1R/DVD-RW SM SLIM/ MKIT DVD(SL)/USB3.0 CARD/	LKN:T2541S0234FR	7583,53
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 4x8 GB RG 1600 1R/DVD-RW SM SLIM/ MKIT DVD(SL)/2xHD 3TB/4xHD 300GB/D3116C/	LKN:T2541S0235FR	6028,24
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 2x16 GB RG 1600 2R/DVD-ROM/LTO6HH SAS/UP KIT 16X 2.5" HDD/2xHD SAS 6G 1.2TB/	LKN:T2541S0236FR	12316,47



PRIMERGY TX2540 M1		Fiches produit : http://fr.fujitsu.com/primergy		
Description	Détails	Reference	Prix indicatif (€)	Remarques
Configurations Standards				
PRIMERGY TX2540 M1 (Suite)				
PY TX2540 M1 R/SFF/RED. PSU /	PY TX2540 M1 R/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 2x16 GB RG 1600 2R/DVD-ROM/6x300 GB/D3116C/TFM MODULE/FBU/RMK F2 S7 LV/	LKN:T2541S0237FR	6821,18	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2420V2/INDEPENDENT MODE/ 4x8 GB RG 1600 1R/DVD-RW SM TAPEKIT LT05HH SAS/UP KIT 16X 2.5 100D/	LKN:T2541S0238FR	11457,65	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2420V2/INDEPENDENT MODE/ 2x8 GB RG 1600 1R/2x16 GB RG 1600 2R/ PGRA NVS 1GB/DVD-ROM/RDX USB3.0 5.25'/	LKN:T2541S0239FR	13009,41	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 4x16 GB RG 1600 2R/DVD-RW SM SLIM/ MKT DVD/SLV/3xHD SAS 600GB/HD 2TB/	LKN:T2541S0240FR	7960,00	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 8 GB RG 1600 1R/2x4HD SAS 300GB/ 2xHD SAS 2TB/RAID 6G 5/6 1/1KIT/	LKN:T2541S0241FR	4187,06	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2440V2/INDEPENDENT MODE/ 2x16 GB RG 1600 2R/DVD-RW SM SLIM/ MKT DVD/SLV/4xHD SAS 600GB/D3116C/	LKN:T2541S0242FR	7614,12	
PY TX2540 M1 R/SFF/RED. PSU /	PY TX2540 M1 R/SFF/RED. PSU / 2xXEON E5-2420V2/INDEPENDENT MODE/ 2x8 GB RG 1600 1R/2x16 GB RG 1600 2R/ PGRA NVS 1GB/DVD-RW SM/RDX USB3.0 5.25'/	LKN:T2541S0243FR	13160,00	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / 2xXEON E5-2407V2/2xPERFORMANCE MODE/ 6x8 GB RG 1600 1R/DVD-RW SM SLIM/ MKT DVD/SLV/2xHD SAS 450GB/	LKN:T2541S0244FR	8490,59	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2407V2/2xINDEPENDENT MODE/ 4x16 GB RG 1600 2R/DVD-RW SM/ UP KIT 16X 2.5/2xHD 146GB/10x300 GB/	LKN:T2541S0245FR	11164,71	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / 2xXEON E5-2407V2/2xPERFORMANCE MODE/ 6x8 GB RG 1600 1R/DVD-RW SM SLIM/ MKT DVD/SLV/2xHD SAS 450GB/	LKN:T2541S0246FR	7765,88	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 6x8 GB RG 1600 1R/DVD-ROM/4xHD SAS 300G/ RAID 6G 5/6 512MB/PLAN CP 4X1GB/KIT/	LKN:T2541S0247FR	5374,12	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2450V2/INDEPENDENT MODE/ 4x16 GB RG 1600 2R/DVD-RW SM SLIM/ MKT DVD/SLV/D3116C/TFM MODULE/FBU/	LKN:T2541S0248FR	5431,76	
PY TX2540 M1 R/SFF/RED. PSU /	PY TX2540 M1 R/SFF/RED. PSU / 2xXEON E5-2420V2/INDEPENDENT MODE/ 4x8 GB RG 1600 1R/DVD-ROM/ UP KIT 16X 2.5/UP KIT 24X 2.5/	LKN:T2541S0249FR	10834,12	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2407V2/INDEPENDENT MODE/ 2x16 GB RG 1600 2R/DVD-RW SM 4xHD SAS 300G/D3116C/TFM MODULE/FBU/KIT/	LKN:T2541S0250FR	4521,18	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 2x16 GB RG 1600 2R/DVD-RW SM SLIM/ MKT DVD/SLV/2xHD SAS 600GB/	LKN:T2541S0251FR	7058,82	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 4x16 GB RG 1600 2R/DVD-RW SM/ UP KIT 16X 2.5/UP KIT 24X 2.5/	LKN:T2541S0252FR	8807,06	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 2x8 GB RG 1600 1R/DVD-ROM/ RDX USB3.0 5.25'/USB3.0 CARD/	LKN:T2541S0253FR	4270,59	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 6x8 GB RG 1600 1R/DVD-RW SM SLIM/ MKT DVD/SLV/3xHD 2TB/4xHD 300GB/D3116C/	LKN:T2541S0254FR	7156,47	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 2x8 GB RG 1600 1R/DVD-ROM/ 3xHD SAS 6G 2TB/D3116C/TFM MODULE/FBU/	LKN:T2541S0255FR	5220,00	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2430V2/2xPERFORMANCE MODE/ 8x8 GB RG 1600 1R/DVD-ROM/6xHD SAS 600G/ D3116C/TFM MODULE/FBU/PLAN CP 4X1GB/KIT/	LKN:T2541S0256FR	9387,06	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 4x8 GB RG 1600 1R/DVD-ROM/ 4xHD SAS 12G 600GB/D3116C/TFM MODULE/	LKN:T2541S0257FR	5880,00	
PY TX2540 M1 FLFF/STANDARD PSU /	PY TX2540 M1 FLFF/STANDARD PSU / XEON E5-2420V2/INDEPENDENT MODE/ 2x16 GB RG 1600 2R/DVD-RW SM/4xHD 300GB/ RAID 6G 5/6 512MB/KIT/KEYBOARD KB521 FR/	LKN:T2541S0258FR	3935,29	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 2x16 GB RG 1600 2R/DVD-RW SM/4xHD 300GB/ RAID 6G 5/6 512MB/KIT/KEYBOARD KB521 FR/	LKN:T2541S0259FR	4437,65	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 4x16 GB RG 1600 2R/DVD-RW SM 2xHD SAS 600GB/2xHD SAS 6G 2TB/	LKN:T2541S0260FR	6804,71	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 4x8 GB RG 1600 1R/DVD-ROM/6xHD SAS 450G/ RAID 6G 5/6 512MB/PLAN CP 4X1GB/KIT/	LKN:T2541S0261FR	6388,24	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 4x8 GB RG 1600 1R/DVD-RW SM/2xHD 146GB/ RAID 6G 5/6 512MB/PLAN CP 4X1GB/KIT/	LKN:T2541S0262FR	4769,41	



PRIMERGY TX2540 M1		Fiches produit : http://fr.fujitsu.com/primergy	
Description	Détails	Référence	Prix indicatif (€)
Configurations Standards			
PRIMERGY TX2540 M1 (Suite)			
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 2x8 GB RG 1600 1R/DVD-RW SM/ UP KIT 16X 2.5/7x4D SAS 450G/	LKN:T2541S0263FR	7018,82
PY TX2540 M1 FILFF/RED. PSU /	PY TX2540 M1 FILFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 16 GB RG 1600 2R/DVD SAS 2TB/ RAID 6G 0/1/KIT/KEYBOARD K8521 FR/	LKN:T2541S0264FR	3354,12
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 2x16 GB RG 1600 2R/DVD-ROM/ RDX 1000 5.25/USB3.0 CARD/	LKN:T2541S0265FR	5143,53
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 6x16 GB RG 1600 2R/DVD-RW SM/ UP KIT 16X 2.5/2xSSD SATA 120GB/	LKN:T2541S0266FR	10216,47
PY TX2540 M1 FILFF/RED. PSU /	PY TX2540 M1 FILFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 2x16 GB RG 1600 2R/DVD-RW SM/ TAPEKIT LT05HH SAS3xHD SAS 600GB/	LKN:T2541S0267FR	8362,35
PY TX2540 M1 FILFF/RED. PSU /	PY TX2540 M1 FILFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 3x16 GB RG 1600 2R/DVD-RW SM SLIM/ MKIT DVD(SL)2xHD 2TB/4xHD 300GB/D3116C/	LKN:T2541S0268FR	6023,53
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2407V2/INDEPENDENT MODE/ 3x8 GB RG 1600 1R/DVD-RW SM SLIM/ MOUNTKIT LSD/4x300 GB/PRAID CP400KIT/	LKN:T2541S0269FR	4771,76
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2430L2/INDEPENDENT MODE/ 3x8 GB RG 1600 1R/DVD-RW SM SLIM/ MOUNTKIT LSD/4x300 GB/D3116C/KIT/	LKN:T2541S0270FR	6225,88
PY TX2540 M1 FILFF/RED. PSU /	PY TX2540 M1 FILFF/RED. PSU / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 2x16 GB RG 1600 2R/MKIT DVD(SL) 2xHD 500GB/2xHD 2TB/HD 3TB/RAID 6G 0/1/	LKN:T2541S0271FR	5107,06
PY TX2540 M1 FILFF/RED. PSU /	PY TX2540 M1 FILFF/RED. PSU / XEON E5-2407V2/INDEPENDENT MODE/ 2x8 GB RG 1600 1R/DVD-RW SM 3xHD SAS 6G 1TB/RAID 6G 5/6 512MB/KIT/	LKN:T2541S0272FR	3603,53
PY TX2540 M1 FILFF/RED. PSU /	PY TX2540 M1 FILFF/RED. PSU / 2xXEON E5-2407V2/2xINDEPENDENT MODE/ 2x8 GB RG 1600 1R/DVD-RW SM SLIM/ MKIT DVD(SL)USB3.0 CARD/2xHD SAS 300GB/	LKN:T2541S0273FR	6320,00
PY TX2540 M1 FILFF/RED. PSU /	PY TX2540 M1 FILFF/RED. PSU / XEON E5-2430V2/INDEPENDENT MODE/ 2x8 GB RG 1600 1R/DVD-RW SM/ 4xHD SAS 450GB/D3116C/TFM MODULE/FBU/	LKN:T2541S0274FR	8268,24
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 3x16 GB RG 1600 2R/DVD-RW SM/ RDX 500 5.25/2xHD SAS 900G/	LKN:T2541S0275FR	6336,47
PY TX2540 M1 R/SFF/RED. PSU /	PY TX2540 M1 R/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 3x16 GB RG 1600 2R/DVD-RW SM/ RDX 500 5.25/2xHD SAS 900G/	LKN:T2541S0276FR	6508,24
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 4x8 GB RG 1600 1R/DVD-RW SM/ TAPEKIT LT05HH SAS3xHD SAS 600G/	LKN:T2541S0277FR	8203,53
PY TX2540 M1 R/SFF/RED. PSU /	PY TX2540 M1 R/SFF/RED. PSU / 2xXEON E5-2430V2/2xINDEPENDENT MODE/ 4x16 GB RG 1600 2R/DVD-ROM/2xHD 146GB/ 5x300 GB/D3116C/RMK F2 S7 LV/	LKN:T2541S0278FR	7869,41
PY TX2540 M1 FILFF/RED. PSU /	PY TX2540 M1 FILFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 3x8 GB RG 1600 1R/DVD-RW SM SLIM/ MKIT DVD(SL)2xHD 3TB/4xHD 300GB/D3116C/	LKN:T2541S0279FR	5851,76
PY TX2540 M1 FILFF/RED. PSU /	PY TX2540 M1 FILFF/RED. PSU / XEON E5-2420V2/PERFORMANCE MODE/ 3x8 GB RG 1600 1R/DVD-RW SM/ RDX USB3.0 5.25/USB3.0 CARD/	LKN:T2541S0280FR	5869,41
PY TX2540 M1 FILFF/RED. PSU /	PY TX2540 M1 FILFF/RED. PSU / XEON E5-2420V2/PERFORMANCE MODE/ 3x8 GB RG 1600 1R/DVD-RW SM/ RDX USB3.0 5.25/USB3.0 CARD/	LKN:T2541S0281FR	5685,88
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2407V2/2xPERFORMANCE MODE/ 6x8 GB RG 1600 1R/DVD-ROM/ 3xHD SAS 6G 1.2TB/RAID 6G 5/6 512MB/	LKN:T2541S0282FR	6740,00
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2420V2/2xPERFORMANCE MODE/ 6x8 GB RG 1600 1R/DVD-RW SM/ 2xHD SAS 12G 1.2TB/2xHD SAS 12G 300GB/	LKN:T2541S0283FR	6702,35
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 8x8 GB RG 1600 1R/DVD-RW SM/ RDX USB3.0 5.25/USB3.0 CARD/	LKN:T2541S0284FR	7298,82
PY TX2540 M1 FILFF/RED. PSU /	PY TX2540 M1 FILFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 8 GB RG 1600 1R/DVD-RW SM/2xHD SAS 2TB/ RAID 6G 0/1/KIT/KEYBOARD K8521 FR/	LKN:T2541S0285FR	3281,18
PY TX2540 M1 FILFF/RED. PSU /	PY TX2540 M1 FILFF/RED. PSU / XEON E5-2450V2/INDEPENDENT MODE/ 3x16 GB RG 1600 2R/DVD-RW SM SLIM/ MKIT DVD(SL)2xHD SAS 600GB/	LKN:T2541S0286FR	7992,94
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2403V2/2xINDEPENDENT MODE/ 2x8 GB RG 1600 1R/DVD-ROM/3xHD SAS 450G/ RAID 6G 5/6 512MB/PLAN CP 4X1GB/KIT/	LKN:T2541S0287FR	5830,59
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 4x16 GB RG 1600 2R/DVD-ROM/RAID 6G 0/1/ SAS CTRL 6G/PLAN CP 4X1GB/KIT/	LKN:T2541S0288FR	4565,88
PY TX2540 M1 FILFF/RED. PSU /	PY TX2540 M1 FILFF/RED. PSU / XEON E5-2407V2/INDEPENDENT MODE/ 2x16 GB RG 1600 2R/DVD-RW SM SLIM/ TAPEKIT LT05HH SAS/MOUNTKIT LSD/	LKN:T2541S0289FR	9157,65
PY TX2540 M1 FILFF/RED. PSU /	PY TX2540 M1 FILFF/RED. PSU / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 4x16 GB RG 1600 2R/DVD-RW SM SLIM/ MKIT DVD(SL)8xHD SAS 300GB/D3116C/	LKN:T2541S0290FR	8652,94



PRIMERGY TX2540 M1 Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Reference	Prix indicatif (€)	Remarques
Configurations Standards				
PRIMERGY TX2540 M1 (Suite)				
PY TX2540 M1 F/FF/RED. PSU /	PY TX2540 M1 F/FF/RED. PSU / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 4x8 GB RG 1600 1R/DVD-RW SM/ 4xHD SAS 300GB/D3116C/TFM MODULE/FBU/	LKN:T2541S0291FR	6004,71	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 2x16 GB RG 1600 2R/DVD-ROM/5xHD SAS EG 1.2TB/PRAID CP400W	LKN:T2541S0292FR	7394,12	
PY TX2540 M1 F/FF/RED. PSU /	PY TX2540 M1 F/FF/RED. PSU / XEON E5-2470V2/INDEPENDENT MODE/ 4x16 GB RG 1600 2R/DVD-RW SM/ 4xHD SAS 450GB/RAID EG 5.6 512MB/KIT/	LKN:T2541S0293FR	8296,47	
PY TX2540 M1 F/FF/RED. PSU /	PY TX2540 M1 F/FF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 2x8 GB RG 1600 1R/DVD-ROM/LTO3HH SAS/ 2xHD SAS 300GB/SAS KEY/RAID 6G 0/1/KIT/	LKN:T2541S0294FR	4838,82	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 2x8 GB RG 1600 1R/16 GB RG 1600 2R/ DVD-ROM/RDX USB3.0 5.25"/USB3.0 CARD/	LKN:T2541S0296FR	6082,35	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2450V2/2xINDEPENDENT MODE/ 8x16 GB RG 1600 2R/DVD-RW SM/ UP KIT 16X 2.5"/12xHD SAS 900G/D3116C/	LKN:T2541S0296FR	16302,35	
PY TX2540 M1 F/FF/RED. PSU /	PY TX2540 M1 F/FF/RED. PSU / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 4GB RG 1600 1R/2x16 GB RG 1600 2R/ DVD-RW SM SLIM/MKIT DVD(SL)/2xHD 500GB/	LKN:T2541S0297FR	7520,00	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2430V2/INDEPENDENT MODE/ 2x8 GB RG 1600 1R/DVD-RW SM/ 2xHD SAS 300GB/300 GB/D3116C/KIT/	LKN:T2541S0298FR	6484,71	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2430V2/INDEPENDENT MODE/ 2x8 GB RG 1600 1R/DVD-RW SM/ 2xHD SAS 300GB/2xHD SAS 450G/D3116C/KIT/	LKN:T2541S0299FR	4404,71	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2430V2/PERFORMANCE MODE/ 3x8 GB RG 1600 1R/DVD-ROM/LTO3HH SAS/ 2xHD SAS 600G/PRAID CP400/SAS KEY/KIT/	LKN:T2541S0300FR	5368,24	
PY TX2540 M1 F/FF/RED. PSU /	PY TX2540 M1 F/FF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 4x16 GB RG 1600 2R/DVD-RW SM SLIM/ MOUNTKIT LSD/3xHD SAS EG 2TB/	LKN:T2541S0301FR	5507,06	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2430V2/INDEPENDENT MODE/ 2x8 GB RG 1600 1R/DVD-RW SM/ 2xHD SAS 300GB/2xHD SAS 600G/D3116C/KIT/	LKN:T2541S0302FR	4581,18	
PY TX2540 M1 R/SFF/RED. PSU /	PY TX2540 M1 R/SFF/RED. PSU / 2xXEON E5-2430V2/2xINDEPENDENT MODE/ 4x16 GB RG 1600 2R/DVD-ROM/TAPEKIT LTO5HH SAS/4x500 GB/SAS KEY/	LKN:T2541S0303FR	9923,53	
PY TX2540 M1 F/FF/RED. PSU /	PY TX2540 M1 F/FF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 3x8 GB RG 1600 1R/DVD-RW SM/3xHD 300GB/ D3116C/TFM MODULE/FBU/KIT/2xPSU 450W HP/	LKN:T2541S0304FR	4212,94	
PY TX2540 M1 F/FF/RED. PSU /	PY TX2540 M1 F/FF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 3x8 GB RG 1600 1R/DVD-RW SM/ 3xHD SAS 600GB/D3116C/TFM MODULE/FBU/	LKN:T2541S0305FR	5875,29	
PY TX2540 M1 F/FF/RED. PSU /	PY TX2540 M1 F/FF/RED. PSU / XEON E5-2403V2/INDEPENDENT MODE/ 8 GB RG 1600 1R/DVD-ROM/4xHD 1TB/D3116C/ KIT/2xPSU 450W HP/2xPSU 450W HP/2xPSU 450W HP/	LKN:T2541S0306FR	3341,18	
PY TX2540 M1 R/SFF/RED. PSU /	PY TX2540 M1 R/SFF/RED. PSU / 2xXEON E5-2430V2/2xINDEPENDENT MODE/ 4x16 GB RG 1600 2R/DVD-ROM/ TAPEKIT LTO5HH SAS/SAS KEY/D3116C/	LKN:T2541S0307FR	7998,82	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2430V2/2xINDEPENDENT MODE/ 8x16 GB RG 1600 2R/DVD-ROM/5x300 GB/ D3116C/TFM MODULE/FBU/KIT/	LKN:T2541S0308FR	9048,24	
PY TX2540 M1 F/FF/RED. PSU /	PY TX2540 M1 F/FF/RED. PSU / 2xXEON E5-2440V2/2xINDEPENDENT MODE/ 8 GB RG 1600 1R/3x16 GB RG 1600 2R/ DVD-RW SM SLIM/MKIT DVD(SL)/2xHD 500GB/	LKN:T2541S0309FR	7763,53	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 16 GB RG 1600 2R/TAPEKIT LTO5HH SAS/ 3xHD SAS 600G/SAS KEY/D3116C/TFM MODULE/	LKN:T2541S0310FR	7290,59	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 4x8 GB RG 1600 1R/DVD-RW SM/ RDX USB3.0 5.25"/USB3.0 CARD/2xHD 146GB/	LKN:T2541S0311FR	6468,24	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2430V2/2xPERFORMANCE MODE/ 6x4GB RG 1600 1R/DVD-RW SM SLIM/ MOUNTKIT LSD/3xHD SAS 600G/D3116C/	LKN:T2541S0312FR	8572,94	
PY TX2540 M1 F/FF/RED. PSU /	PY TX2540 M1 F/FF/RED. PSU / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 4x8 GB RG 1600 1R/DVD-RW SM SLIM/ MKIT DVD(SL)/5xHD SAS 600GB/D3116C/	LKN:T2541S0313FR	9421,18	
PY TX2540 M1 F/FF/RED. PSU /	PY TX2540 M1 F/FF/RED. PSU / XEON E5-2420V2/PERFORMANCE MODE/ 3x4GB RG 1600 1R/DVD-ROM/ 2xHD SAS EG 2TB/RAID 6G 0/1/KIT/	LKN:T2541S0314FR	3678,82	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2430L/2xINDEPENDENT MODE/ 2x16 GB RG 1600 2R/DVD-ROM/ UP KIT 16X 2.5"/2xSSD SATA 120GB/	LKN:T2541S0315FR	11376,47	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2430L/2xINDEPENDENT MODE/ 2x16 GB RG 1600 2R/DVD-ROM/ UP KIT 16X 2.5"/2xHD 500GB/	LKN:T2541S0316FR	7962,35	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2420V2/PERFORMANCE MODE/ 3x8 GB RG 1600 1R/DVD-RW SM/ 4xHD SAS 300GB/3xHD 1TB/D3116C/	LKN:T2541S0317FR	5516,47	



PRIMERGY TX2540 M1 Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Reference	Prix indicatif (€)	Remarques
Configurations Standards				
PRIMERGY TX2540 M1 (Suite)				
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2430V2/INDEPENDENT MODE/ 3x8 GB RG 1600 1R/DVD-RW SM SLIM/ MOUNTKIT LSD/4xHD SAS 12G 600GB/D3116C/	LKN:T2541S0318FR	5901,18	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2430L2/INDEPENDENT MODE/ 6x8 GB RG 1600 1R/DVD-RW SM SLIM/ MKIT DVD(SL)4xHD SAS 300GB/D3116C/	LKN:T2541S0319FR	7717,65	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 3x16 GB RG 1600 2R/DVD-ROM/ RDX USB3.0 5.25"/4xHD SAS 450G/D3116C/	LKN:T2541S0320FR	7378,82	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2430L2/INDEPENDENT MODE/ 2x16 GB RG 1600 2R/DVD-ROM/ UP KIT 16x 2.5"/10xHD 146GB/D3116C/KIT/	LKN:T2541S0321FR	7267,06	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2407V2/2xINDEPENDENT MODE/ 2x8 GB RG 1600 1R/2x16 GB RG 1600 2R/ DVD-ROM/4xHD SAS 12G 600GB/D3116C/	LKN:T2541S0322FR	6654,12	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2407V2/2xINDEPENDENT MODE/ 2x8 GB RG 1600 1R/2x16 GB RG 1600 2R/ DVD-ROM/2xHD SAS 12G 300GB/	LKN:T2541S0323FR	7171,76	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2407V2/2xPERFORMANCE MODE/ 12x8 GB RG 1600 1R/DVD-RW SM SLIM/ MOUNTKIT LSD/4xHD SAS 12G 600GB/D3116C/	LKN:T2541S0324FR	7451,76	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2420V2/2xPERFORMANCE MODE/ 6x16 GB RG 1600 2R/DVD-ROM/ 5xHD SAS 600G/D3116C/TFM MODULE/FBU/	LKN:T2541S0325FR	8561,18	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2407V2/INDEPENDENT MODE/ 2x8 GB RG 1600 1R/DVD-RW SM/ 4xHD SAS 6G 4TB/D3116C/SAS CTRL 6G/	LKN:T2541S0326FR	7738,82	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2420V2/PERFORMANCE MODE/ 2x16 GB RG 1600 1R/DVD-RW SM RAID 6G 5.6 512MB/KIT/	LKN:T2541S0327FR	5736,47	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / 2xXEON E5-2430V2/INDEPENDENT MODE/ 4x16 GB RG 1600 2R/DVD-RW SM SLIM/ MKIT DVD(SL)5xHD SAS 600GB/	LKN:T2541S0328FR	9422,35	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 4x8 GB RG 1600 1R/DVD-ROM/ RDX 1000 5.25/USB3.0 CARD/	LKN:T2541S0329FR	7801,18	
PY TX2540 M1 RLFF/RED. PSU /	PY TX2540 M1 RLFF/RED. PSU / XEON E5-2430V2/PERFORMANCE MODE/ 3x16 GB RG 1600 2R/DVD-RW SM SLIM/ MKIT DVD(SL)6xHD SAS 6G 1TB/2xHD 300GB/	LKN:T2541S0330FR	7304,71	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2420V2/PERFORMANCE MODE/ 3x8 GB RG 1600 1R/DVD-RW SM/ RDX USB3.0 5.25"/USB3.0 CARD/	LKN:T2541S0331FR	6897,65	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / 2xXEON E5-2407V2/2xINDEPENDENT MODE/ 2x8 GB RG 1600 1R/DVD-RW SM/2xHD 500GB/ KIT/WS2012R2 STD 2 OEM/	LKN:T2541S0332FR	5078,82	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2420V2/PERFORMANCE MODE/ 3x8 GB RG 1600 1R/DVD-RW SM SLIM/ MKIT DVD(SL)3xHD 300GB/D3116C/	PRJ:T2541S0001FR	6801,18	
PY TX2540 M1 FLFF/STANDARD PSU /	PY TX2540 M1 FLFF/STANDARD PSU / XEON E5-2407V2/INDEPENDENT MODE/ 8 GB RG 1600 1R/DVD-RW SM/ NO POWERCORD/	VFY:T2541SC010N	1116,47	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 8 GB RG 1600 1R/DVD-RW SM/ RAID 6G 5.6 512MB/KIT/	VFY:T2541SC020N	1728,24	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 8 GB RG 1600 1R/DVD-RW SM/ RAID 6G 5.6 512MB/KIT/	VFY:T2541SC030N	1811,45	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2440V2/INDEPENDENT MODE/ 16 GB RG 1600 2R/DVD-RW SMD/3116C/KIT/ PLEASE ENTER MANUALLY/NO POWERCORD/	VFY:T2541SC040N	2453,45	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 4x8 GB RG 1600 1R/DVD-RW SMD/3116C/ TFM MODULE/FBU/KIT/WS2012R2 STD 2 OEM/	VFY:T2541SC180N	4818,82	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2420V2/INDEPENDENT MODE/ 8 GB RG 1600 1R/DVD-RW SMD/3116C/KIT/ PSU 450W HP/NO POWERCORD/PSU DUMMY/	VFY:T2541SC270N	1822,35	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / 2xXEON E5-2420V2/INDEPENDENT MODE/ 4x16 GB RG 1600 2R/DVD-RW SM/ 5xHD SAS 12G 600GB/D3116C/KIT/	VFY:T2541SC500N	6747,06	
PY TX2540 M1 FLFF/RED. PSU /	PY TX2540 M1 FLFF/RED. PSU / XEON E5-2430V2/INDEPENDENT MODE/ 2x8 GB RG 1600 1R/DVD-RW SM/KIT/ PSU 450W HP/NO POWERCORD/PSU DUMMY/	VFY:T2541S300FR	1834,12	
PY TX2540 M1 F/SFF/RED. PSU /	PY TX2540 M1 F/SFF/RED. PSU / XEON E5-2430V2/INDEPENDENT MODE/ 16 GB RG 1600 2R/DVD-RW SMD/3116C/KIT/ PSU 450W HP/NO POWERCORD/PSU DUMMY/	VFY:T2541S310FR	2069,41	

Description	Détails	Reference	Prix indicatif (€)	Remarques
-------------	---------	-----------	--------------------	-----------

Unités de Base				
PRIMERGY TX2540 M1				
PY TX2540 M1 rLFF/Standard PSU	Tower base unit without processor and memory, incl. 1 standard power supply unit 800W, lockable front bezel, 3 standard fans 120mm, Systemboard for two Xeon processors (4Core - 10Core) and 12x DDR3 DIMM Slots; iRMC S4 Server Management with graphic Ctrl. and 10/100/1000 Mbit Service LAN-Port; 6 Port SATA Ctrl. (for 4x 3.5" SATA HDD + DVD) and 2x1 Gbit (210) Ethernet Ctrl. Intég.; 4 port SAS Intég. Ctrl. optional; 4 slots for hot plug 3.5" SATA/SAS HDs; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW.	S26361-K1463-V101	916,47	
PY TX2540 M1 rLFF/red. PSU	Tower base unit without processor, without memory, without power supply unit, lockable front bezel, 3 standard fans 120mm + 1 additional fan 120mm for redundancy; Systemboard for two Xeon processors (4Core - 10Core) and 12x DDR3 DIMM Slots; iRMC S4 Server Management with graphic Ctrl. and 10/100/1000 Mbit Service LAN-Port; 6 Port SATA Ctrl. (for backup + DVD) and 2x1 Gbit (210) Ethernet Ctrl. Intég.; 4 port SAS Intég. Ctrl. optional; 4 slots for hot plug 3.5" SATA/SAS HDs; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW.	S26361-K1463-V201	787,06	
PY TX2540 M1 rSFF/red. PSU	Tower base unit without processor, without memory, without power supply unit, lockable front bezel, 3 standard fans 120mm + 1 additional fan 120mm for redundancy; Systemboard for two Xeon processors (4Core - 10Core) and 12x DDR3 DIMM Slots; iRMC S4 Server Management with graphic Ctrl. and 10/100/1000 Mbit Service LAN-Port; 6 Port SATA Ctrl. (for backup + DVD) and 2x1 Gbit (210) Ethernet Ctrl. Intég.; 4 port SAS Intég. Ctrl. optional; 8 slots for hot plug 2.5" SATA/SAS HDs; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW.	S26361-K1463-V401	817,65	
PY TX2540 M1 rLFF/red. PSU	Rack base unit without processor, without memory, without power supply unit, lockable front bezel, 3 standard fans 120mm + 1 additional fan 120mm for redundancy; Systemboard for two Xeon processors (4Core - 10Core) and 12x DDR3 DIMM Slots; iRMC S4 Server Management with graphic Ctrl. and 10/100/1000 Mbit Service LAN-Port; 6 Port SATA Ctrl. (for 4x 3.5" SATA HDD + DVD) and 2x1 Gbit (210) Ethernet Ctrl. Intég.; 4 port SAS Intég. Ctrl. optional; 4 slots for hot plug 3.5" SATA/SAS HDs; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW.	S26361-K1463-V601	802,35	
PY TX2540 M1 rSFF/red. PSU	Rack base unit without processor, without memory, without power supply unit, lockable front bezel, 3 standard fans 120mm + 1 additional fan 120mm for redundancy; Systemboard for two Xeon processors (4Core - 10Core) and 12x DDR3 DIMM Slots; iRMC S4 Server Management with graphic Ctrl. and 10/100/1000 Mbit Service LAN-Port; 6 Port SATA Ctrl. (for backup + DVD) and 2x1 Gbit (210) Ethernet Ctrl. Intég.; 4 port SAS Intég. Ctrl. optional; 8 slots for hot plug 2.5" SATA/SAS HDs; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW.	S26361-K1463-V801	843,53	



PRIMERGY TX2560

Fiches produit : <http://fr.fujitsu.com/primergy>

Le PRIMERGY TX2560 M2 de Fujitsu offre des performances optimales, une évolutivité accrue et une disponibilité élevée, sans compromis. Les filiales, les datacenters ainsi que les PME peuvent bénéficier des performances offertes avec les deux processeurs Intel® Xeon® E5 v4 associés à 1 536 Go de mémoire DDR4. Jusqu'à 10 slots d'extension et jusqu'à 32 disques durs 2,5" offrent des options d'évolution exceptionnelles. Grâce à une alimentation et des ventilateurs redondants, et à une sélection de différents contrôleurs RAID, le serveur tour garantit des niveaux de disponibilité élevés et une certaine « tranquillité d'esprit ». Le serveur est donc idéal pour les applications les plus exigeantes en ressources, les solutions de virtualisation et les applications nécessitant

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
PRIMERGY TX2560 M2				
Tower server, Base unit with systemboard D3289 for up to 2x Xeon E5-2600 v4 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; 3x120mm single hot plug fans; ServerView Suite software incl. ServerView Installation Manager, management software and tools., , The system architect suggests as standard 1x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check this with the power calculator).				
PY TX2560 M2 /2xXEON E5-2620V4/	PY TX2560 M2 /2xXEON E5-2620V4/ COOLER KIT 2ND CPU/2xINDEPENDENT MODE/ 6x16 GB RG 2400 2R/DVD-RW SM/ 2.5' KIT (8X)/5xHD SAS 1.2TB/	LKN:T2562S0001FR	11558,82	
PY TX2560 M2 /XEON E5-2620V4/	PY TX2560 M2 /XEON E5-2620V4/ PERFORMANCE MODE/4x8 GB RG 2400 1R/ DVD-ROM/2.5' KIT (8X)/2xHD SAS 146GB/ 5xHD SAS 12G 300GB/RAID 12G 1GB/	LKN:T2562S0002FR	6522,35	
PY TX2560 M2 /2xXEON E5-2630V4/	PY TX2560 M2 /2xXEON E5-2630V4/ COOLER KIT 2ND CPU/2xPERFORMANCE MODE/ 8x8 GB RG 2400 1R/DVD-ROM/2.5' KIT (8X)/ 2xHD SAS 146GB/6xHD SAS 600GB/	LKN:T2562S0003FR	12744,71	
PY TX2560 M2 /XEON E5-2620V4/	PY TX2560 M2 /XEON E5-2620V4/ INDEPENDENT MODE/3x16 GB RG 2400 2R/ DVD-RW SM/3.5' KIT (8X)/3xHD SAS 600GB/ RAID 12G 2GB/FBU 55CM CABLE/TFM MODULE/	LKN:T2562S0004FR	7292,94	
PY TX2560 M2 /XEON E5-2620V4/	PY TX2560 M2 /XEON E5-2620V4/ INDEPENDENT MODE/2x16 GB RG 2400 2R/ DVD-RW SM/2.5' KIT (8X)/4xHD SAS 300GB/ 2xHD SAS 12G 600GB/RAID 12G 1GB/	LKN:T2562S0005FR	8732,94	
PY TX2560 M2 /2xXEON E5-2603V4/	PY TX2560 M2 /2xXEON E5-2603V4/ COOLER KIT 2ND CPU/2xINDEPENDENT MODE/ 3x16 GB RG 2400 2R/DVD-RW SM/ 3.5' KIT (8X)/4xHD SAS 1.2TB/	LKN:T2562S0006FR	7543,53	
PY TX2560 M2 /2xXEON E5-2620V4/	PY TX2560 M2 /2xXEON E5-2620V4/ COOLER KIT 2ND CPU/2xPERFORMANCE MODE/ 8x16 GB RG 2400 2R/DVD-RW SM/ TAPEKIT LTO5HH SAS/2.5' KIT (8X)/	LKN:T2562S0007FR	15842,35	
PY TX2560 M2 /ATD 45°C/XEON E5-2620V4/	PY TX2560 M2 /ATD 45°C/XEON E5-2620V4/ INDEPENDENT MODE/8 GB RG 2400 1R/ DVD-RW SM/2.5' KIT (8X)/PRAID CP400I/ 2X1GB IF CARD/KIT/2xPSU 450W HP/	VFY:T2562SC010IN	3056,47	



PRIMERGY TX2560

Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
PRIMERGY TX2560 M2 (Suite)				
PY TX2560 M2 /ATD 45°C/XEON E5-2609V4/	PY TX2560 M2 /ATD 45°C/XEON E5-2609V4/ INDEPENDENT MODE/8 GB RG 2400 1R/ DVD-RW SM/3.5' KIT (8X)/RAID 12G 1GB/ 2X1GB IF CARD/KIT/PSU 450W HP/	VFY:T2562SC020IN	2856,47	
PY TX2560 M2 /ATD 45°C/XEON E5-2609V4/	PY TX2560 M2 /ATD 45°C/XEON E5-2609V4/ INDEPENDENT MODE/8 GB RG 2400 1R/ DVD-RW SM/2.5' KIT (8X)/RAID 12G 2GB/ 2X1GB IF CARD/KIT/PSU 450W HP/	VFY:T2562SC030IN	2850,59	
PY TX2560 M2 /ATD 45°C/XEON E5-2620V4/	PY TX2560 M2 /ATD 45°C/XEON E5-2620V4/ INDEPENDENT MODE/8 GB RG 2400 1R/ DVD-RW SM/2.5' KIT (8X)/RAID 12G 2GB/ 2X1GB IF CARD/KIT/2xPSU 450W HP/	VFY:T2562SC040IN	3283,53	

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
PRIMERGY TX2560 M2				
PY TX2560 M2	Tower server, Base unit with systemboard D3289 for up to 2x Xeon E5-2600 v4 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; 3x120mm single hot plug fans; ServerView Suite software incl. ServerView Installation Manager, management software and tools., , The system architect suggests as standard 1x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check this with the power calculator).	S26361-K1583-V101	1087,06	



Accessoires serveurs tour PRIMERGY

Catégorie	Description	PRIMERGY TX1310 M1	PRIMERGY TX1320 M1	PRIMERGY TX1320 M2	PRIMERGY TX1330 M1	PRIMERGY TX1330 M2	PRIMERGY TX140 S2	PRIMERGY TX150 S8	PRIMERGY TX2540 M1	PRIMERGY TX2560 M1	PRIMERGY TX2560 M2	PRIMERGY TX300 S8	Référence	Prix indicatif (€)	Remarques	
Processor																
	Intel Xeon E5-2603v2 4C/4T 1.80GHz 10MB												x	S26361-F3788-L180	336,47	
	Intel Xeon E5-2609v2 4C/4T 2.50GHz 10MB												x	S26361-F3788-L250	461,18	
	Intel Xeon E5-2640v2 8C/16T 2.00GHz 20MB												x	S26361-F3789-L200	1289,41	
	Intel Xeon E5-2620v2 6C/12T 2.10GHz 15MB												x	S26361-F3789-L210	636,47	
	Intel Xeon E5-2630v2 6C/12T 2.60GHz 15MB												x	S26361-F3789-L260	905,88	
	Intel Xeon E5-2660v2 10C/20T 2.2GHz 25MB												x	S26361-F3790-L220	1982,35	
	Intel Xeon E5-2670v2 10C/20T 2.5GHz 25MB												x	S26361-F3790-L250	2200,00	
	Intel Xeon E5-2650v2 8C/16T 2.60GHz 20MB												x	S26361-F3790-L260	1682,35	
	Intel Xeon E5-2680v2 10C/20T 2.8GHz 25MB												x	S26361-F3790-L280	2428,24	
	Intel Xeon E5-2690v2 10C/20T 3.0GHz 25MB												x	S26361-F3790-L300	2872,94	
	Intel Xeon E5-2695v2 12C/24T 2.4GHz 30MB												x	S26361-F3791-L240	3261,18	
	Intel Xeon E5-2697v2 12C/24T 2.7GHz 30MB												x	S26361-F3791-L270	3716,47	
	Intel Xeon E5-2667v2 8C/16T 3.30GHz 25MB												x	S26361-F3791-L300	2872,94	
	Intel Xeon E5-2643v2 6C/12T 3.50GHz 25MB												x	S26361-F3791-L330	2200,00	
	Intel Xeon E5-2637v2 4C/8T 3.50GHz 15MB												x	S26361-F3791-L350	1444,71	
	Intel Xeon E5-2650Lv2 10C/20T 1.70GHz												x	S26361-F3792-L170	1749,41	
	Intel Xeon E5-2630Lv2 6C/12T 2.4GHz 15MB												x	S26361-F3792-L240	905,88	
	Intel Xeon E5-2403v2 4C/4T 1.8GHz 10MB								x					S26361-F3828-L180	325,88	
	Intel Xeon E5-2407v2 4C/4T 2.4GHz 10MB								x					S26361-F3828-L240	403,53	
	Intel Xeon E5-2440v2 8C/16T 1.9GHz 20MB								x					S26361-F3829-L190	1231,76	
	Intel Xeon E5-2420v2 6C/12T 2.2GHz 15MB								x					S26361-F3829-L220	631,76	
	Intel Xeon E5-2430v2 6C/12T 2.5GHz 15MB								x					S26361-F3829-L250	849,41	
	Intel Xeon E5-2470v2 10C/20T 2.4GHz 25MB								x					S26361-F3830-L240	2040,00	
	Intel Xeon E5-2450v2 8C/16T 2.5GHz 20MB								x					S26361-F3830-L250	1589,41	
	Intel Xeon E5-2430Lv2 6C/12T 2.4GHz 15MB								x					S26361-F3831-L240	931,76	
	Intel Xeon E5-2603v3 6C/6T 1.60 GHz									x				S26361-F3849-L503	377,65	
	Intel Xeon E5-2609v3 6C/6T 1.90 GHz									x				S26361-F3849-L509	507,06	
	Intel Xeon E5-2620v3 6C/12T 2.40 GHz									x				S26361-F3849-L520	672,94	
	Intel Xeon E5-2623v3 4C/8T 3.00 GHz									x				S26361-F3849-L523	683,53	
	Intel Xeon E5-2630v3 8C/16T 2.40 GHz									x				S26361-F3849-L530	1004,71	
	Intel Xeon E5-2640v3 8C/16T 2.60 GHz									x				S26361-F3849-L540	1387,06	
	Intel Xeon E5-2650v3 10C/20T 2.30 GHz									x				S26361-F3849-L550	1703,53	
	Intel Xeon E5-2603v4 6C/6T 1.70 GHz										x			S26361-F3933-L503	377,65	
	Intel Xeon E5-2609v4 8C/8T 1.70 GHz										x			S26361-F3933-L509	507,06	
	Intel Xeon E5-2620v4 8C/16T 2.10 GHz										x			S26361-F3933-L520	672,94	
	Intel Xeon E5-2623v4 4C/8T 2.60 GHz										x			S26361-F3933-L523	683,53	
	Intel Xeon E5-2630v4 10C/20T 2.20 GHz										x			S26361-F3933-L530	1004,71	
	Intel Xeon E5-2640v4 10C/20T 2.40 GHz										x			S26361-F3933-L540	1387,06	
	Intel Xeon E5-2650v4 12C/24T 2.20 GHz										x			S26361-F3933-L550	1703,53	
Mémoire																
	8GB (1x8GB) 2Rx8 L DDR3-1600 U ECC							x						S26361-F3777-L515	142,35	
	4GB (1x4GB) 1Rx8 L DDR3-1600 U ECC		x	x		x								S26361-F5312-L514	88,24	
	8GB (1x8GB) 2Rx8 L DDR3-1600 U ECC		x	x		x								S26361-F5312-L518	170,59	
	4GB (1x4GB) 1Rx8 DDR4-2133 U ECC					x		x						S26361-F3909-L514	88,24	
	8GB (1x8GB) 2Rx8 DDR4-2133 U ECC					x		x						S26361-F3909-L515	129,41	
	16GB (1x16GB) 2Rx8 DDR4-2133 U ECC					x		x						S26361-F3909-L516	243,53	
Mémoire Modules																
	4GB (1x4GB) 1Rx4 L DDR3-1600 R ECC								x			x		S26361-F3781-L514	129,41	
	8GB (1x8GB) 1Rx4 DDR4-2133 R ECC									x				S26361-F3843-L514	185,88	
	8GB (1x8GB) 1Rx4 DDR4-2400 R ECC										x			S26361-F3934-L511	185,88	
	16GB (1x16GB) 2Rx4 DDR4-2133 R ECC									x				S26361-F3843-L516	300,00	
	8GB (1x8GB) 1Rx4 L DDR3-1600 R ECC							x				x		S26361-F3781-L515	176,47	
	32GB (1x32GB) 2Rx4 DDR4-2133 R ECC									x				S26361-F3843-L517	662,35	
	16GB (1x16GB) 2Rx4 DDR4-2400 R ECC										x			S26361-F3934-L512	269,41	
	16GB (1x16GB) 2Rx4 L DDR3-1600 R ECC							x				x		S26361-F3781-L516	305,88	
	8GB (1x8GB) 2Rx8 DDR4-2133 R ECC									x				S26361-F3843-L515	228,24	
	32GB (1x32GB) 2Rx4 DDR4-2400 R ECC										x			S26361-F3934-L515	569,41	
	32GB (1x32GB) 4Rx4 DDR4-2133 LR ECC									x				S26361-F3844-L517	864,71	
	8GB (1x8GB) 2Rx8 DDR3-1866 R ECC											x		S26361-F3793-L515	237,65	
	64GB (1x64GB) 4Rx4 DDR4-2133 LR ECC									x				S26361-F3844-L518	1760,00	



Accessoires serveurs tour PRIMERGY

16GB (1x16GB) 2Rx8 DDR4-2400 R ECC											x	S26361-F3934-L513	362,35
------------------------------------	--	--	--	--	--	--	--	--	--	--	---	-------------------	--------



Accessoires serveurs tour PRIMERGY

Catégorie	Description	PRIMERGY TX1310 M1	PRIMERGY TX1320 M1	PRIMERGY TX1320 M2	PRIMERGY TX1330 M1	PRIMERGY TX1330 M2	PRIMERGY TX140 S2	PRIMERGY TX150 S8	PRIMERGY TX2540 M1	PRIMERGY TX2560 M1	PRIMERGY TX2560 M2	PRIMERGY TX300 S8	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)															
Mémoire Modules (Suite)															
	Mem. 4Go 1Rx4 L DDR3-1600 R ECC							x					S26361-F3697-L514	129,41	
	16GB (1x16GB) 2Rx4 DDR3-1866 R ECC											x	S26361-F3793-L516	336,47	
	32GB (1x32GB) 4Rx4 DDR3-1866 LR ECC											x	S26361-F3848-L517	828,24	
	64GB (1x64GB) 4Rx4 DDR4-2400 3DS ECC											x	S26361-F3934-L517	1423,53	
	Mem. 8Go 2Rx4 L DDR3-1600 R ECC							x					S26361-F3697-L515	202,35	
	32GB (1x32GB) 4Rx4 L DDR3-1600 LR ECC											x	S26361-F3782-L517	787,06	
	64GB (1x64GB) 4Rx4 DDR4-2400 LR ECC											x	S26361-F3935-L516	1630,59	
	Mem. 16Go 2Rx4 L DDR3-1600 R ECC							x					S26361-F3697-L516	305,88	
	64GB (1x64GB) 8Rx4 L DDR3-1333 LR ECC											x	S26361-F3783-L518	3934,12	
Graphics															
	PGRA CP NVIDIA GRID K1											x	S26361-F2222-L914	3054,12	
	PGRA CP NVIDIA GRID K2											x	S26361-F2222-L924	6149,41	
	Interface VGA avant											x	S26361-F2571-L26	56,47	
	PGRA CP NVS 1GB VGA PCI-e x16 card	x			x	x		x	x	x	x		S26361-F2748-L538	150,59	
	PGRA CP NVS 1GB VGA LP PCI-e x16 card		x	x									S26361-F2748-L638	150,59	
	Risercard PCIe1*x8+2*x4									x	x		S26361-F3846-L131	56,47	
	Intel Xeon Phi Co-Processor 3120P											x	S26361-F4100-L312	2748,24	
	Intel Xeon Phi Co-Processor 31S1P											x	S26361-F4100-L313	8,24	
	Intel Xeon Phi Co-Processeur 7120P											x	S26361-F4100-L712	6211,76	
Supports amovibles															
	Kit de montage DVD(sl) + LSD					x			x			x	S26361-F2826-L205	30,59	
	ExtensionKit 8x SAS3.0 SFF xxD											x	S26361-F2826-L245	155,29	
	Boitier d'extension 8 disques SAS SFF											x	S26361-F2826-L325	124,71	
	Upg. kit for up to 16x 2.5' HDD								x				S26361-F2826-L327	414,12	
	ExtensionKit 4x SAS LFF HDD											x	S26361-F2826-L335	108,24	
	Boitier d'extension 8 disques SAS SFF											x	S26361-F2826-L425	124,71	
	Kit de montage pour 8x SAS SFF DD							x					S26361-F2826-L426	144,71	
	Upg. kit for up to 24x 2.5' HDD								x				S26361-F2826-L427	134,12	
	Kit de montage DVD(sl)+4x SAS LFF DD											x	S26361-F2826-L435	160,00	
	Kit de montage DVD(sl)+4x SAS LFF DD							x	x				S26361-F2826-L436	144,71	
	Graveur Blu-ray triple couche slimline SATA	x			x		x	x	x				S26361-F3641-L4	170,59	
	Blu-ray Triple Writer ultraslim SATA					x				x	x		S26361-F3641-L6	170,59	
	Blu-ray Triple Writer ultraslim SATA					x				x	x		S26361-F3641-L8	170,59	
	SAS Expander 2x4 In / 6x4 Out											x	S26361-F3668-L1	284,71	
	Kit Adaptateur pour second contrôleur RAID											x	S26361-F3673-L1	30,59	
	Adaptateur USB3.0 PCIe x1						x	x	x			x	S26361-F3749-L501	25,88	
	DVD-RW supermulti ultraslim SATA					x				x	x		S26361-F3778-L1	98,82	
	Upg. to Medium 3.5' kit (8x3.5'HDD)					x							S26361-F3899-L1	103,53	
	Upg. kit for 8x 2.5' HDD					x							S26361-F3899-L11	647,06	
	Upg. to Medium 2.5' kit (16x2.5'HDD)					x							S26361-F3899-L12	170,59	
	Upg. 4x 3.5' HD accessible kit					x							S26361-F3899-L13	124,71	
	Upg. to maximum 3.5' kit (12x3.5'HDD)					x							S26361-F3899-L2	600,00	
	Upgr to Mix 3.5/2.5' (+8x2.5'HDD w/ Exp					x							S26361-F3899-L3	600,00	
	Upg. to Medium 3.5' kit (8x3.5'HDD)									x	x		S26361-F3900-L1	103,53	
	Upg. kit for 8x 2.5' HDD									x	x		S26361-F3900-L11	647,06	
	Upg. to Medium 2.5' kit (16x2.5'HDD)									x	x		S26361-F3900-L12	170,59	
	2x2.5' NON-hot-plug mounting frames									x	x		S26361-F3900-L125	41,18	
	Upg. 4x 3.5' HD accessible kit									x	x		S26361-F3900-L13	124,71	
	Upg. to maximum 3.5' kit (12x3.5'HDD)									x	x		S26361-F3900-L2	600,00	
	Upg. to performance kit 4x 2.5' PCIe									x	x		S26361-F3900-L21	647,06	
	Upg. to 8x 2.5' PCIe									x	x		S26361-F3900-L22	625,88	
	DVD-RW supermulti slimline SATA		x	x		x		x	x			x	S26361-F3269-L2	98,82	
	Graveur Blu-ray triple couche slimline SATA		x	x		x		x					S26361-F3641-L2	170,59	
	DVD-ROM 1.6" SATA	x			x	x	x	x	x	x	x	x	S26361-F3266-L2	41,18	
	DVD-RW supermulti 1.6" SATA	x			x	x	x	x	x	x	x		S26361-F3267-L2	56,47	
	RDX 320 5.25'	x						x	x			x	S26361-F3750-L324	295,29	
	RDX 500 5.25'	x						x	x			x	S26361-F3750-L504	330,59	
	RDX 1000 5.25'	x						x	x			x	S26361-F3750-L604	370,59	
	RDX Drive USB2.0 cable set						x	x				x	S26361-F3750-L20	21,18	
	RDX Drive USB3.0 5.25" internal	x			x	x	x	x	x	x	x	x	S26361-F3750-L4	217,65	



Accessoires serveurs tour PRIMERGY

RDX Drive USB 3.0 3.5" interne		x	x									S26361-F3750-L5	217,65
--------------------------------	--	---	---	--	--	--	--	--	--	--	--	-----------------	--------



Accessoires serveurs tour PRIMERGY

Catégorie	Description	PRIMERGY TX1310 M1	PRIMERGY TX1320 M1	PRIMERGY TX1320 M2	PRIMERGY TX1330 M1	PRIMERGY TX1330 M2	PRIMERGY TX140 S2	PRIMERGY TX150 S8	PRIMERGY TX2540 M1	PRIMERGY TX2560 M1	PRIMERGY TX2560 M2	PRIMERGY TX300 S8	Référence	Prix indicatif (€)	Remarques
Accessoires (Matrice)															
Supports amovibles (Suite)															
	Lecteur bande LTO3HH Ultr 400Go 60MB/s SAS				x			x	x				S26361-F3561-L4	1460,00	
	Lecteur LTO4HH 800Go 120Mbits/s SAS V2				x		x	x	x	x	x	x	S26361-F3626-L2	2023,53	
	Lecteur LTO5HH 1500GB 140MB/s SAS				x		x	x	x	x	x	x	S26361-F3627-L1	2334,12	
	Kit bande LTO6HH 2.5TB 160MB/s SAS 6Gb						x	x	x	x	x	x	S26361-F3787-L1	2935,29	
Hard Disks															
	DD SATA 6G 1To 7.2K NON HOT PL 3.5" BC	x	x										S26361-F3671-L100	228,24	
	DD SATA 6G 2To 7.2K NON HOT PL 3.5" BC	x	x										S26361-F3671-L200	383,53	
	DD SATA 6G 3To 7.2K NO HOT PL 3.5" BC	x	x										S26361-F3671-L300	512,94	
	DD SATA 6G 4To 7.2K NO HOT P 3.5" BC	x	x	x									S26361-F3671-L400	574,12	
	DD SATA 6G 500Go 7.2K NON HOT PL 3.5" BC	x	x										S26361-F3671-L500	228,24	
	DD SATA 6G 500GB 7.2K NO HOT PL 3.5" ECO	x	x										S26361-F3701-L500	170,59	
	HD SATA 6G 6TB 7.2K 512e HOT PL 3.5" BC				x			x	x			x	S26361-F3903-L600	916,47	
	HD SATA 6G 6TB 7.2K 512e N H-P 3.5" BC			x									S26361-F3905-L600	916,47	
	HD SATA 6G 1TB 7.2K 512e HOT PL 2.5" BC			x	x			x					S26361-F3906-L100	388,24	
	HD SATA 6G 2TB 7.2K 512e HOT PL 2.5" BC			x	x			x					S26361-F3906-L200	720,00	
	HD SATA 6G 1TB 7.2K 512e HOT PL 2.5" BC					x				x	x		S26361-F3907-L100	388,24	
	HD SATA 6G 2TB 7.2K 512e HOT PL 2.5" BC					x				x	x		S26361-F3907-L200	720,00	
	HD SATA 6G 250GB 7.2K NO HOT PL 2.5" BC									x	x		S26361-F3908-L250	232,94	
	HD SATA 6G 1TB 7.2K HOT PL 2.5" BC					x				x	x		S26361-F3926-L100	409,41	
	HD SATA 6G 250GB 7.2K HOT PL 2.5" BC									x			S26361-F3926-L250	232,94	
	HD SATA 6G 500GB 7.2K HOT PL 2.5" BC					x				x	x		S26361-F3926-L500	263,53	
	HD SATA 6G 1TB 7.2K NO HOT PL 3.5" BC			x									S26361-F3949-L100	228,24	
	HD SATA 6G 2TB 7.2K NO HOT PL 3.5" BC			x									S26361-F3949-L200	383,53	
	HD SATA 6G 500GB 7.2K NO HOT PL 3.5" BC			x									S26361-F3949-L500	228,24	
	HD SATA 6G 1TB 7.2K HOT PL 3.5" BC					x						x	S26361-F3950-L100	254,12	
	HD SATA 6G 500GB 7.2K HOT PL 3.5" BC					x							S26361-F3950-L500	228,24	
	HD SATA 6G 1TB 7.2K HOT PL 3.5" ECO					x							S26361-F3951-L100	181,18	
	HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO					x							S26361-F3951-L500	170,59	
	HD SATA 6G 1TB 7.2K NO HOT PL 3.5" ECO	x	x										S26361-F3952-L100	181,18	
	HD SATA 6G 500GB 7.2K NO HOT PL 3.5" ECO			x									S26361-F3952-L500	170,59	
	HD SATA 6G 2TB 7.2K 512n HOT PL 2.5" BC			x					x				S26361-F3955-L200	720,00	
	HD SATA 6G 2TB 7.2K 512n HOT PL 2.5" BC					x						x	S26361-F3956-L200	720,00	
	HD SATA 6G 1TB 7.2K 512n NO H-P 2.5" BC									x	x		S26361-F3957-L100	409,41	
	Disque dur SAS 6G 1To 7.2K HOT PL 3.5" BC						x	x	x			x	S26361-F5241-L100	336,47	
	Disque dur SAS 6G 2To 7.2K HOT PL 3.5" BC						x	x	x			x	S26361-F5241-L200	522,35	
	Disque dur SAS 6G 3To 7.2K HOT PL 3.5" BC						x	x	x			x	S26361-F5241-L300	688,24	
	Disque dur SAS 6G 4To 7.2K HOT PL 3.5" BC						x	x	x			x	S26361-F5241-L400	797,65	
	SSD SAS 12G 200GB Main 2.5" H-P EP											x	S26361-F5297-L200	1434,12	
	SSD SAS 12G 400GB Main 2.5" H-P EP											x	S26361-F5297-L400	2717,65	
	SSD SAS 12G 800GB Main 2.5" H-P EP											x	S26361-F5297-L800	5171,76	
	SSD SAS 12G 200GB Main 2.5" H-P EP									x	x		S26361-F5298-L200	1434,12	
	SSD SAS 12G 400GB Main 2.5" H-P EP									x	x		S26361-F5298-L400	2717,65	
	SSD SAS 12G 800GB Main 2.5" H-P EP									x	x		S26361-F5298-L800	5171,76	
	SSD SAS 12G 200GB Main 3.5" H-P EP											x	S26361-F5315-L200	1434,12	
	SSD SAS 12G 400GB Main 3.5" H-P EP											x	S26361-F5315-L400	2717,65	
	SSD SAS 12G 800GB Main 3.5" H-P EP											x	S26361-F5315-L800	5171,76	
	SSD SATA 6G 200GB Main 3.5" H-P EP				x				x			x	S26361-F5319-L200	1211,76	
	SSD SATA 6G 400GB Main 3.5" H-P EP								x			x	S26361-F5319-L400	2443,53	
	SSD SATA 6G 800GB Main 3.5" H-P EP								x			x	S26361-F5319-L800	4891,76	
	HD SAS 6G 300GB 15K HOT PL 3.5" EP				x		x	x	x			x	S26361-F5520-L530	481,18	
	HD SAS 6G 450GB 15K HOT PL 3.5" EP				x		x	x	x			x	S26361-F5520-L545	720,00	
	HD SAS 6G 600GB 15K HOT PL 3.5" EP				x		x	x	x			x	S26361-F5520-L560	869,41	
	SSD SATA 6G 120GB ReadIntensive 2.5" H-P	x	x	x				x	x			x	S26361-F5524-L120	362,35	
	SSD SATA 6G 240GB ReadIntensive 2.5" H-P	x	x	x				x	x			x	S26361-F5524-L240	761,18	
	SSD SATA 6G 480GB ReadIntensive 2.5" H-P	x	x	x				x	x			x	S26361-F5524-L480	1345,88	
	SSD SATA 6G 800GB ReadIntensive 2.5" H-P	x	x	x				x	x			x	S26361-F5524-L800	2189,41	
	SSD SATA 6G 120GB ReadIntensive 2.5" H-P					x				x	x		S26361-F5525-L120	362,35	
	SSD SATA 6G 240GB ReadIntensive 2.5" H-P					x				x	x		S26361-F5525-L240	761,18	
	SSD SATA 6G 480GB ReadIntensive 2.5" H-P					x				x	x		S26361-F5525-L480	1345,88	
	SSD SATA 6G 800GB ReadIntensive 2.5" H-P					x				x	x		S26361-F5525-L800	2189,41	



Accessoires serveurs tour PRIMERGY

SSD SATA 6G 120GB ReadIntensive 3.5' H-P				x				x			x	S26361-F5528-L120	362,35
--	--	--	--	---	--	--	--	---	--	--	---	-------------------	--------



Accessoires serveurs tour PRIMERGY

Catégorie	Description	PRIMERGY TX1310 M1	PRIMERGY TX1320 M1	PRIMERGY TX1320 M2	PRIMERGY TX1330 M1	PRIMERGY TX1330 M2	PRIMERGY TX140 S2	PRIMERGY TX150 S8	PRIMERGY TX2540 M1	PRIMERGY TX2560 M1	PRIMERGY TX2560 M2	PRIMERGY TX300 S8	Référence	Prix Indicatif (€)	Remarques	
Accessoires (Matrice) Hard Disks (Suite)	SSD SATA 6G 240GB ReadIntensive 3.5' H-P				x				x			x	S26361-F5528-L240	761,18		
	SSD SATA 6G 480GB ReadIntensive 3.5' H-P				x				x			x	S26361-F5528-L480	1345,88		
	SSD SATA 6G 800GB ReadIntensive 3.5' H-P				x				x			x	S26361-F5528-L800	2189,41		
	SSD SATA 6G 120GB ReadIntensive 3.5' H-P												S26361-F5530-L120	362,35		
	SSD SATA 6G 240GB ReadIntensive 3.5' H-P												S26361-F5530-L240	761,18		
	SSD SATA 6G 480GB ReadIntensive 3.5' H-P												S26361-F5530-L480	1345,88		
	SSD SATA 6G 800GB ReadIntensive 3.5' H-P												S26361-F5530-L800	2189,41		
	HD SAS 12G 300GB 15K HOT PL 3.5' EP						x				x	x		S26361-F5532-L530	481,18	
	HD SAS 12G 450GB 15K HOT PL 3.5' EP						x				x	x		S26361-F5532-L545	720,00	
	HD SAS 12G 600GB 15K HOT PL 3.5' EP						x				x	x		S26361-F5532-L560	869,41	
	Extension Box for 2 pc. 2.5' hotplug HDD		x											S26361-F5535-L1	160,00	
	Extension Box for 2 pc. 2.5' hotplug HDD			x										S26361-F5535-L2	160,00	
	HD SAS 12G 1.2TB 10K 512e HOT PL 2.5' EP				x									S26361-F5544-L112	807,06	
	HD SAS 12G 600GB 10K 512e HOT PL 2.5' EP				x									S26361-F5544-L160	522,35	
	HD SAS 12G 900GB 10K 512e HOT PL 2.5' EP				x									S26361-F5544-L190	688,24	
	PACC EP PX600 1.3TB										x	x		S26361-F5546-L131	13458,82	
	PACC EP PX600 2.6TB										x	x		S26361-F5546-L261	25882,35	
	PACC EP PX600 5.2TB										x	x		S26361-F5546-L521	49694,12	
	HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP						x				x	x		S26361-F5550-L112	688,24	
	HD SAS 12G 300GB 10K 512n HOT PL 2.5' EP						x				x	x		S26361-F5550-L130	258,82	
	HD SAS 12G 600GB 10K 512n HOT PL 2.5' EP						x				x	x		S26361-F5550-L160	481,18	
	HD SAS 12G 900GB 10K 512n HOT PL 2.5' EP						x				x	x		S26361-F5550-L190	642,35	
	HD SAS 12G 300GB 10K 512n HOT PL 2.5' EP		x	x	x				x	x				S26361-F5551-L130	258,82	
	HD SAS 12G 600GB 10K 512n HOT PL 2.5' EP		x	x	x				x	x				S26361-F5551-L160	481,18	
	HD SAS 12G 900GB 10K 512n HOT PL 2.5' EP		x	x	x				x	x				S26361-F5551-L190	642,35	
	HD SAS 12G 300GB 10K hp 2.5'(1Box=20pcs)		x	x	x				x	x				S26361-F5551-L930	258,82	
	HD SAS 12G 300GB 10K NO HOT PL 2.5' EP										x			S26361-F5554-L130	263,53	
	HD SAS 6G 500GB 7.2K NO HOT PL 2.5' BC										x	x		S26361-F5555-L500	289,41	
	SSD SATA 6G 120GB ReadIntens 2.5' N H-P										x	x		S26361-F5556-L120	362,35	
	HD SAS 6G 1TB 7.2K HOT PL 2.5' BC										x	x		S26361-F5559-L100	507,06	
	HD SAS 6G 500GB 7.2K HOT PL 2.5' BC										x	x		S26361-F5559-L500	289,41	
	HD SAS 12G 300GB 15K HOT PL 2.5' EP				x									S26361-F5567-L530	502,35	
	HD SAS 12G 450GB 15K HOT PL 2.5' EP				x									S26361-F5567-L545	720,00	
	HD SAS 12G 600GB 15K HOT PL 2.5' EP				x									S26361-F5567-L560	869,41	
	HD SAS 12G 1.2TB 10K 512n HOT PL 3.5' EP						x				x	x		S26361-F5568-L112	688,24	
	HD SAS 12G 300GB 10K 512n HOT PL 3.5' EP						x				x	x		S26361-F5568-L130	258,82	
	HD SAS 12G 600GB 10K 512n HOT PL 3.5' EP						x				x	x		S26361-F5568-L160	481,18	
	HD SAS 12G 1.8TB 10K 512e HOT PL 3.5' EP						x				x	x		S26361-F5569-L118	1050,59	
	HD SAS 12G 2TB 7.2K 512e HOT PL 3.5' BC									x				S26361-F5570-L200	424,71	
	HD SAS 12G 4TB 7.2K 512e HOT PL 3.5' BC									x				S26361-F5570-L400	755,29	
	HD SAS 12G 6TB 7.2K 512e HOT PL 3.5' BC									x				S26361-F5570-L600	1071,76	
	HD SAS 12G 2TB 7.2K 512e HOT PL 3.5' BC						x				x	x		S26361-F5571-L200	424,71	
	HD SAS 12G 4TB 7.2K 512e HOT PL 3.5' BC						x				x	x		S26361-F5571-L400	755,29	
	HD SAS 12G 6TB 7.2K 512e HOT PL 3.5' BC						x				x	x		S26361-F5571-L600	1071,76	
	HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC									x				S26361-F5572-L100	403,53	
	HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC									x				S26361-F5572-L200	854,12	
	HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC						x				x	x		S26361-F5573-L100	403,53	
	HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC						x				x	x		S26361-F5573-L200	854,12	
	SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP				x					x				S26361-F5586-L120	315,29	
	SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP				x					x				S26361-F5586-L192	3276,47	
SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP				x					x				S26361-F5586-L240	481,18		
SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP				x					x				S26361-F5586-L480	910,59		
SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP				x					x				S26361-F5586-L960	1734,12		
SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP									x				S26361-F5587-L120	315,29		
SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP									x				S26361-F5587-L192	3276,47		
SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP									x				S26361-F5587-L240	481,18		
SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP									x				S26361-F5587-L480	910,59		
SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP									x				S26361-F5587-L960	1734,12		
SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP						x				x	x		S26361-F5588-L120	315,29		
SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP						x				x	x		S26361-F5588-L192	3276,47		



Accessoires serveurs tour PRIMERGY

SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP					x				x	x		S26361-F5588-L240	481,18
---	--	--	--	--	---	--	--	--	---	---	--	-------------------	--------



Accessoires serveurs tour PRIMERGY

Catégorie	Description	PRIMERGY TX1310 M1	PRIMERGY TX1320 M1	PRIMERGY TX1320 M2	PRIMERGY TX1330 M1	PRIMERGY TX1330 M2	PRIMERGY TX140 S2	PRIMERGY TX150 S8	PRIMERGY TX2540 M1	PRIMERGY TX2560 M1	PRIMERGY TX2560 M2	PRIMERGY TX300 S8	Référence	Prix indicatif (€)	Remarques
Accessoires (Matrice)	Hard Disks (Suite)														
	SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP					x				x	x		S26361-F5588-L480	910,59	
	SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP					x				x	x		S26361-F5588-L960	1734,12	
	SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP					x				x	x		S26361-F5589-L120	315,29	
	SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP					x				x	x		S26361-F5589-L192	3276,47	
	SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP					x				x	x		S26361-F5589-L240	481,18	
	SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP					x				x	x		S26361-F5589-L480	910,59	
	SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP					x				x	x		S26361-F5589-L960	1734,12	
	SSD SATA 6G 200GB Write-Int. 2.5' H-P EP				x								S26361-F5590-L200	357,65	
	SSD SATA 6G 400GB Write-Int. 2.5' H-P EP				x								S26361-F5590-L400	703,53	
	SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP					x					x		S26361-F5592-L120	2484,71	
	SSD SATA 6G 200GB Write-Int. 2.5' H-P EP					x				x			S26361-F5592-L200	357,65	
	SSD SATA 6G 400GB Write-Int. 2.5' H-P EP					x				x			S26361-F5592-L400	703,53	
	SSD SATA 6G 800GB Write-Int. 2.5' H-P EP					x				x			S26361-F5592-L800	1460,00	
	SSD SATA 6G 200GB Write-Int. 3.5' H-P EP					x							S26361-F5593-L200	357,65	
	SSD SATA 6G 400GB Write-Int. 3.5' H-P EP					x							S26361-F5593-L400	703,53	
	SSD SATA 6G 800GB Write-Int. 3.5' H-P EP					x							S26361-F5593-L800	1460,00	
	HD SAS 12G 2TB 7.2K 512n HOT PL 2.5' BC											x	S26361-F5600-L200	854,12	
	HDD Dummy Frame Slim 2.5'					x				x	x		S26361-F5601-L25	10,59	
	HDD Dummy Frame Slim 3.5'				x	x				x	x		S26361-F5601-L35	10,59	
	SSD SATA 6G 120GB Mix-Use 2.5' N H-P EP									x			S26361-F5603-L120	315,29	
	SSD SAS 12G 1.6TB Write-Int. 2.5' H-P EP									x			S26361-F5608-L160	6874,12	
	SSD SAS 12G 400GB Write-Int. 2.5' H-P EP									x			S26361-F5608-L400	1811,76	
	SSD SAS 12G 800GB Write-Int. 2.5' H-P EP									x			S26361-F5608-L800	3524,71	
	SSD SAS 12G 1.6TB Write-Int 2.5' SED H-P									x			S26361-F5611-L160	6977,65	
	SSD SAS 12G 400GB Write-Int 2.5' SED H-P									x			S26361-F5611-L400	1915,29	
	SSD SAS 12G 800GB Write-Int 2.5' SED H-P									x			S26361-F5611-L800	3628,24	
	SSD SAS 12G 1.92TB Mixed-Use 2.5' H-P EP									x			S26361-F5614-L192	5963,53	
	SSD SAS 12G 3.84TB Mixed-Use 2.5' H-P EP									x			S26361-F5614-L384	11088,24	
	SSD SAS 12G 480GB Mixed-Use 2.5' H-P EP									x			S26361-F5614-L480	1609,41	
	SSD SAS 12G 960GB Mixed-Use 2.5' H-P EP									x			S26361-F5614-L960	3136,47	
	SSD SAS 12G 1.92TB Read-Int. 2.5' H-P EP									x			S26361-F5617-L192	5678,82	
	SSD SAS 12G 3.84TB Read-Int. 2.5' H-P EP									x			S26361-F5617-L384	8795,29	
	SSD SAS 12G 480GB Read-Int. 2.5' H-P EP									x			S26361-F5617-L480	1449,41	
	SSD SAS 12G 960GB Read-Int. 2.5' H-P EP									x			S26361-F5617-L960	3002,35	
	SSD SATA 6G 200GB Main 2.5" H-P EP		x		x		x	x	x			x	S26361-F5303-L200	1211,76	
	SSD SATA 6G 400GB Main 2.5" H-P EP						x	x	x			x	S26361-F5303-L400	2443,53	
	SSD SATA 6G 800GB Main 2.5" H-P EP						x	x	x			x	S26361-F5303-L800	4891,76	
	DD SAS 6G 500Go 7.2K HOT PL 2.5" BC						x	x	x			x	S26361-F5228-L500	289,41	
	HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP		x	x	x			x	x			x	S26361-F5544-L118	1050,59	
	HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP		x	x	x			x	x				S26361-F5551-L112	688,24	
	DD SAS 6G 1To 7.2K HOT PL 2.5" BC						x	x	x			x	S26361-F5228-L100	507,06	
	SSD SATA 6G 64GB DOM N H-P			x		x				x	x		S26361-F5522-L64	124,71	
	SSD SATA 6G 64GB DOM N H-P		x		x								S26361-F5533-L64	124,71	
	SSD PCIe3 800GB Main 2.5' H-P EP									x	x		S26361-F5534-L800	4027,06	
	DD SAS 6G 300Go 10K HOT PL 2.5' EP		x		x		x	x	x			x	S26361-F5247-L130	263,53	
	DD SAS 6G 450Go 10K HOT PL 2.5' EP		x		x		x	x	x			x	S26361-F5247-L145	403,53	
	DD SAS 6G 600Go 10K HOT PL 2.5' EP		x		x		x	x	x			x	S26361-F5247-L160	491,76	
	DD SAS 6G 900Go 10K HOT PL 2.5' EP		x		x		x	x	x			x	S26361-F5247-L190	631,76	
	SSD SATA 6G 128GB DOM N H-P			x		x				x	x		S26361-F5522-L128	217,65	
	SSD SATA 6G 128GB DOM N H-P		x		x								S26361-F5533-L128	217,65	
	SSD PCIe3 1.6TB Main 2.5' H-P EP									x	x		S26361-F5534-L161	7656,47	
	HD SAS 6G 300GB 10K HOT PL 2.5' EP									x			S26361-F5537-L130	263,53	
	HD SAS 6G 600GB 10K HOT PL 2.5' EP									x			S26361-F5537-L160	491,76	
	HD SAS 6G 900GB 10K HOT PL 2.5' EP									x			S26361-F5537-L190	631,76	
	DD SATA 6Gb/s 500Go 7.2K hot-plug 3.5" BC				x		x	x	x			x	S26361-F3670-L500	228,24	
	HD SAS 6G 1.2TB 10K HOT PL 2.5" EP		x		x		x	x	x			x	S26361-F5247-L112	508,24	
	SSD PCIe3 2TB Main 2.5' H-P EP									x	x		S26361-F5534-L201	9028,24	
	HD SAS 6G 1.2TB 10K HOT PL 2.5' EP									x			S26361-F5537-L112	670,59	
	DD SATA 6Gb/s 1To 7.2K hot-plug 3.5" BC				x		x	x	x			x	S26361-F3670-L100	254,12	
	HD SATA 6G 500GB 7.2K HOT PL 3.5" BC					x				x			S26361-F3815-L500	228,24	



Accessoires serveurs tour PRIMERGY

HD SAS 6G 146GB 15K HOT PL 2.5' EP										x	x	S26361-F5538-L514	232,94
------------------------------------	--	--	--	--	--	--	--	--	--	---	---	-------------------	--------



Accessoires serveurs tour PRIMERGY

Catégorie	Description	PRIMERGY TX1310 M1	PRIMERGY TX1320 M1	PRIMERGY TX1320 M2	PRIMERGY TX1330 M1	PRIMERGY TX1330 M2	PRIMERGY TX140 S2	PRIMERGY TX150 S8	PRIMERGY TX2540 M1	PRIMERGY TX2560 M1	PRIMERGY TX2560 M2	PRIMERGY TX300 S8	Référence	Prix Indicatif (€)	Remarques
Hard Disks (Suite)															
	DD SATA 6Gb/s 2To 7.2K hot-plug 3.5" BC				x		x	x	x			x	S26361-F3670-L200	418,82	
	HD SATA 6G 1TB 7.2K HOT PL 3.5" BC									x			S26361-F3815-L100	254,12	
	HD SATA 6G 2TB 7.2K HOT PL 3.5" BC					x				x	x		S26361-F3815-L200	418,82	
	HD SATA 6G 3TB 7.2K HOT PL 3.5" BC					x				x			S26361-F3815-L300	517,65	
	HD SATA 6G 4TB 7.2K HOT PL 3.5" BC					x				x	x		S26361-F3815-L400	574,12	
	DD SATA 6G 3To 7.2K HP 3.5" BC				x		x	x	x			x	S26361-F3670-L300	517,65	
	HD SATA 6G 4TB 7.2K 512e HOT PL 3.5" BC					x							S26361-F3904-L400	616,47	
	HD SATA 6G 6TB 7.2K 512e HOT PL 3.5" BC					x				x	x		S26361-F3904-L600	916,47	
	DD SATA 6G 4To 7.2K HOT PL 3.5" BC				x		x	x	x			x	S26361-F3670-L400	574,12	
	DD SATA 6Gb/s 250Go 7.2K hot-plug 2.5" BC	x		x			x	x	x			x	S26361-F3708-L250	232,94	
	DD SATA 6Gb/s 500Go 7.2K hot-plug 2.5" BC	x	x	x			x	x	x			x	S26361-F3708-L500	263,53	
	DD SATA 6Gb/s 1To 7.2K hot-plug 2.5" BC	x	x	x			x	x	x			x	S26361-F3708-L100	388,24	
	DD SATA 6Gb/s 500Go 7.2K hot plug 3.5" ECO				x		x	x					S26361-F3700-L500	170,59	
	HD SAS 6G 1TB 7.2K HOT PL 3.5" BC									x	x		S26361-F3820-L100	336,47	
	HD SAS 6G 2TB 7.2K HOT PL 3.5" BC									x	x		S26361-F3820-L200	522,35	
	HD SAS 6G 3TB 7.2K HOT PL 3.5" BC									x			S26361-F3820-L300	688,24	
	HD SAS 6G 4TB 7.2K HOT PL 3.5" BC									x	x		S26361-F3820-L400	797,65	
	DD SAS 6Gb/s 300Go 15K Hot Plug 3.5" EP				x		x	x	x			x	S26361-F4005-L530	315,29	
	SSD SATA 6G 200GB Main 2.5" H-P EP									x			S26361-F3821-L200	1211,76	
	SSD SATA 6G 400GB Main 2.5" H-P EP									x			S26361-F3821-L400	2443,53	
	SSD SATA 6G 800GB Main 2.5" H-P EP									x			S26361-F3821-L800	4891,76	
	HD SAS 6G 146GB 15K HOT PL 2.5" EP					x							S26361-F3818-L514	232,94	
	HD SAS 12G 450GB 10K 512e HOT PL 2.5" EP									x			S26361-F5543-L145	418,82	
	HD SAS 12G 600GB 10K 512e HOT PL 2.5" EP					x				x	x		S26361-F5543-L160	481,18	
	HD SAS 12G 900GB 10K 512e HOT PL 2.5" EP					x				x	x		S26361-F5543-L190	642,35	
	DD SAS 6Gb/s 300Go 10K hot plug 2.5" EP 30							x					S26361-F4482-L130	263,53	
	HD SAS 12G 1.2TB 10K 512e HOT PL 2.5" EP					x				x	x		S26361-F5543-L112	688,24	
	HD SAS 12G 1.8TB 10K 512e HOT PL 2.5" EP					x				x	x		S26361-F5543-L118	1050,59	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP							x					S26361-F4482-L145	403,53	
	DD SAS 6Gb/s 600Go 10K hot plug 2.5" EP							x					S26361-F4482-L160	491,76	
	HD SAS 12G 300GB 15K HOT PL 2.5" EP					x				x	x		S26361-F5531-L530	481,18	
	HD SAS 12G 450GB 15K HOT PL 2.5" EP					x				x	x		S26361-F5531-L545	720,00	
	HD SAS 12G 600GB 15K HOT PL 2.5" EP					x				x	x		S26361-F5531-L560	869,41	
	DD SAS 6Gb/s 146Go 15K hot plug 2.5" EP 30	x		x			x	x	x			x	S26361-F4482-L514	232,94	
	HD SAS 12G 1TB 7.2K 512n HOT PL 2.5" BC											x	S26361-F5600-L100	403,53	
	HD SAS 6G 300GB 15K HOT PL 2.5" EP	x		x			x	x	x			x	S26361-F4482-L530	481,18	
	HD SAS 6G 450GB 15K HOT PL 2.5" EP	x		x			x	x	x			x	S26361-F4482-L545	488,24	
	HD SAS 6G 600GB 15K HOT PL 2.5" EP	x		x			x	x	x			x	S26361-F4482-L560	658,82	
	HD SAS 12G 300GB 10K 512n SED H-PL 2.5'			x		x						x	S26361-F5581-L130	289,41	
	HD SAS 12G 600GB 10K 512n SED H-PL 2.5'			x		x						x	S26361-F5581-L160	574,12	
	HD SAS 12G 1.2TB 10K 512n SED H-PL 2.5'			x		x						x	S26361-F5581-L112	791,76	
	HD SAS 12G 1.8TB 10K 512e SED H-PL 2.5'			x		x						x	S26361-F5582-L118	1460,00	
	HD SAS 12G 6TB 7.2K 512e SED H-PL 3.5'					x						x	S26361-F5584-L600	1272,94	
SCSI/RAID/SAS controller															
	SAS cable kit 6Gbit TX2540 8x3,5'								x				BDL:TX2540_8X35_D	61,18	
	SAS cable kit 12Gbit TX2540 8x3,5								x				BDL:TX2540_8X35_U	61,18	
	SAS cable 12Gbit TX2540 8x3,5"								x				S26361-F3210-L347	30,59	
	SAS cable 6Gbit TX2540 4x3,5"								x				S26361-F3210-L403	30,59	
	SAS cable 6Gbit TX2540 8x3,5"								x				S26361-F3210-L417	30,59	
	Upg. BBU pour ctrl RAID 5/6 C						x	x				x	S26361-F3257-L210	181,18	
	PSAS CP200i				x		x						S26361-F3554-L118	170,59	
	Ctrl SAS 6Gb/s 8ext PCIe FH/LP							x	x			x	S26361-F3628-L501	289,41	
	Module TFM pour l'option FBU sur D3116	x		x		x	x	x				x	S26361-F3669-L100	160,00	
	Ctrl RAID FBU option w/ cable 25/55/70cm	x		x		x	x	x				x	S26361-F3669-L110	108,24	
	RAID Ctrl SAS 6G 8Port ex 1GB LSI V3											x	S26361-F3713-L503	869,41	
	PRAID CP400i FH/LP			x		x			x	x	x		S26361-F3842-L501	217,65	
	PSAS CP400i FH/LP					x				x	x		S26361-F3842-L502	228,24	
	PSAS CP400e FH/LP									x	x		S26361-F3845-L501	367,06	
	PRAID EP420e FH/LP					x				x	x		S26361-F3847-L502	677,65	
	PRAID EP400i FH/LP			x		x				x	x	x	S26361-F5243-L1	418,82	



Accessoires serveurs tour PRIMERGY

TFM module for FBU on PRAID EP400i			x	x			x	x	x	S26361-F5243-L100	181,18
------------------------------------	--	--	---	---	--	--	---	---	---	-------------------	--------



Accessoires serveurs tour PRIMERGY

Catégorie	Description	PRIMERGY TX1310 M1	PRIMERGY TX1320 M1	PRIMERGY TX1320 M2	PRIMERGY TX1330 M1	PRIMERGY TX1330 M2	PRIMERGY TX140 S2	PRIMERGY TX150 S8	PRIMERGY TX2540 M1	PRIMERGY TX2560 M1	PRIMERGY TX2560 M2	PRIMERGY TX300 S8	Référence	Prix Indicatif (€)	Remarques
SCSI/RAID/SAS controller (Suite)															
	RAID Ctrl FBU option w/ 25/55/70cm cable			x		x				x	x	x	S26361-F5243-L110	108,24	
	PRAID EP420i FH/LP			x		x				x	x	x	S26361-F5243-L2	444,71	
	PRAID EP420i for SafeStore			x		x				x	x		S26361-F5243-L4	569,41	
	PCIe to PCI32 converter				x	x	x						S26361-F5266-L1	30,59	
	TFM module for FBU on PRAID EP420i/e			x		x				x	x	x	S26361-F5243-L200	228,24	
	Ctrl RAID SAS 6Gb/s 0/1 (D2607)		x		x		x	x	x			x	S26361-F3554-L8	191,76	
	RAID Advanced Software Options									x	x	x	S26361-F5243-L660	228,24	
	RAID Advanced SW Option CacheCade			x		x				x	x		S26361-F5243-L670	228,24	
	Ctrl RAID SAS 6Gb/s 5/6 512Mo (D2616)		x		x		x	x	x			x	S26361-F3554-L512	418,82	
	Ctrl RAID SAS 6G 1Go (D3116)							x					S26361-F3669-L1	418,82	
	Ctrl RAID SAS 6G 1Go (D3116C)							x					S26361-F3669-L3	418,82	
	RAID Ctrl SAS 6G 1GB (D3116C)		x		x		x	x	x			x	S26361-F3669-L4	418,82	
	Clé de validation SAS pour ports sur carte mère							x	x			x	S26361-F3674-L1	92,94	
	RAID Advanced SW Option CacheCade int.		x		x			x	x			x	S26361-F3669-L670	228,24	
	RAID Advanced SW Option CacheCade ext.											x	S26361-F3669-L671	228,24	
Fibre Channel															
	Ctrl FC 8Gbit/s 1 Canal LPe1250 MMF LC FH									x	x	x	S26361-F3961-L1	890,59	
	Ctrl FC 8Gbit/s 2 canaux LPe12002 MMF LC									x	x	x	S26361-F3961-L2	1434,12	
	Ctrl FC 8Gb/s 1 canal QLE2560 MMF LC									x	x	x	S26361-F3631-L1	988,24	
	Ctrl FC 8Gb/s 2 canaux QLE2562 MMF LC									x	x	x	S26361-F3631-L2	1594,12	
	PFC EP LPe16000									x	x		S26361-F4994-L501	1578,82	
	PFC EP LPe16002									x	x		S26361-F4994-L502	2044,71	
	PFC EP QLE2690 1x 16Gb Qlogic									x			S26361-F5580-L501	1578,82	
	PFC EP QLE2692 2x 16Gb Qlogic									x			S26361-F5580-L502	2044,71	
	PFC EP QLE2670									x	x	x	S26361-F5313-L501	1578,82	
	PFC EP QLE2672									x	x	x	S26361-F5313-L502	2458,82	
Connection Blades															
	Intel IB Cu Cable 40Gb, 4x QSFP, 3m											x	S26361-F3996-L203	88,24	
	Intel IB FO Cable 40Gb, 4x QSFP, 10m											x	S26361-F3996-L210	388,24	
	Module SFP Multi Mode Fiber GbE LC				x							x	S26361-F3986-L2	124,71	
	Module SFP+ Multi Mode Fiber 10GbE LC		x	x	x	x	x	x	x	x	x	x	S26361-F3986-L3	465,88	
	SFP+ Module Single Mode Fiber 10GbE LC		x	x	x	x	x		x	x	x	x	S26361-F3986-L4	1320,00	
	SFP+ active Twinax Cable Fujitsu 2m		x	x	x	x	x	x	x	x	x	x	S26361-F3989-L102	181,18	
	Infiniband - Câble Cu 40Gb, 4x QSFP, 1m											x	S26361-F3996-L101	98,82	
	SFP+ active Twinax Cable Fujitsu 5m		x	x	x	x	x	x	x	x	x	x	S26361-F3989-L105	228,24	
	Infiniband - Câble Cu 40Gb, 4x QSFP, 3m											x	S26361-F3996-L103	124,71	
	SFP+ active Twinax Cable Fujitsu 10m		x	x	x	x	x	x	x	x	x	x	S26361-F3989-L110	269,41	
Communication/Réseau															
	Contrôleur Ethernet 1x1Gbit PCIe CT Desktop Cu	x			x		x	x				x	S26361-F3516-L1	56,47	
	Contrôleur Ethernet 1x1Gbit PCIe CT Desktop Cu lp		x										S26361-F3516-L201	56,47	
	PLAN EP X710-DA2 2x10Gb SFP+			x		x			x		x		S26361-F3640-L502	745,88	
	PLAN AP 1x1Gbit Cu Intel I210-T1	x	x		x			x				x	S26361-F3852-L501	56,47	
	PLAN EP QL45212 2x25Gb SFP28											x	S26361-F5622-L502	647,06	
	PLAN EM 2x1Gb T OCI14000-LOM interface									x	x		S26361-F5302-L201	170,59	
	PLAN EM 4x1Gb T OCI14000-LOM interface									x	x		S26361-F5302-L401	325,88	
	PLAN EM 2x10Gb T OCI14000-LOM interface									x	x		S26361-F5302-L210	590,59	
	PLAN EM 2x10Gb SFP OCI14000-LOM interfac									x	x		S26361-F5302-L211	455,29	
	PLAN EP OCe14102 2x 10Gb			x		x				x	x	x	S26361-F5536-L502	647,06	
	PLAN EP OCe14102 2x 10Gb BASE-T									x	x		S26361-F5557-L501	838,82	
	Contrôleur Ethernet 2x10Gbit PCIe x8 D2755 SFP+		x	x	x	x	x	x	x	x	x	x	S26361-F3629-L502	647,06	
	Shared 10Gb Management LAN kit											x	S26361-F3629-L750	30,59	
	Eth Ctrl 2x10GBase-T PCIe x8 X540-T2		x	x	x	x	x	x	x	x	x	x	S26361-F3752-L502	838,82	
	PCNA SFP+ MMF Module for OCe14102			x		x				x	x	x	S26361-F5250-L110	465,88	
	PCNA EP OCe14102 2x 10Gb									x	x	x	S26361-F5250-L501	1480,00	
	PIB EP QLE7340e											x	S26361-F4475-L122	409,41	
	PIB EP QLE7342e											x	S26361-F4475-L222	455,29	
	PLAN CP 2x1Gbit Cu Intel I350-T2	x	x	x	x	x	x	x	x	x	x	x	S26361-F4610-L502	243,53	
	PLAN CP 4x1Gbit Cu Intel I350-T4		x	x	x	x	x	x	x	x	x	x	S26361-F4610-L504	461,18	
	IB HCA 40Gb 1 port QDR enhanced											x	S26361-F4475-L103	765,88	
	IB HCA 40Gb 2 port QDR enhanced											x	S26361-F4475-L203	1185,88	



Accessoires serveurs tour PRIMERGY

Contrôleur Infiniband 56Gb 1 port FDR										x	x	S26361-F4533-L102	1004,71
---------------------------------------	--	--	--	--	--	--	--	--	--	---	---	-------------------	---------



Accessoires serveurs tour PRIMERGY

Catégorie	Description	PRIMERGY TX1310 M1	PRIMERGY TX1320 M1	PRIMERGY TX1320 M2	PRIMERGY TX1330 M1	PRIMERGY TX1330 M2	PRIMERGY TX140 S2	PRIMERGY TX150 S8	PRIMERGY TX2540 M1	PRIMERGY TX2560 M1	PRIMERGY TX2560 M2	PRIMERGY TX300 S8	Référence	Prix Indicatif (€)	Remarques
Communication/Réseau (Suite)															
	Contrôleur Infiniband 56Gb 2 ports FDR									x	x		S26361-F4533-L202	1604,71	
Rack-Infrastructure															
	Kit de Conversion Tour vers Rack						x	x				x	S26361-F1729-L260	108,24	
	Rack conversion kit for TX2540				x				x				S26361-F1729-L270	98,82	
	Rack conversion kit for TX2560					x				x	x		S26361-F1729-L280	88,24	
	Kit Rack F2-C S7 LV				x	x	x	x	x	x	x		S26361-F2735-L285	108,24	
	Kit Rack F2 S7 LV								x	x	x	x	S26361-F2735-L286	108,24	
	Adapteur d'angle PC/DC-Rack, 3U till 200Kg				x	x	x	x	x	x	x	x	S26361-F2735-L31	36,47	
	Kit conversion TX200S7/150S8 std.to red.							x	x				S26361-F3699-L1	124,71	
	Conv. Kit TX140S2 std. to red.						x						S26361-F3699-L2	196,47	
	Conv. Kit TX1330M1 std. to red.				x								S26361-F3699-L3	72,94	
	Conv. Kit TX1330M1 std. to red.					x							S26361-F3699-L4	129,41	
	Câble magmt. pour 19" DC- PC- Rack				x	x	x		x	x	x	x	S26361-F2735-L7	36,47	
	Rack Cable Management Arm 2U				x	x	x	x	x	x	x	x	S26361-F2735-L82	36,47	
	Paire de câbles pour 3rd party racks				x	x	x						S26361-F2201-L20	56,47	
PRIMERGY-Software															
	eLCM Activation Pack		x	x	x	x			x	x	x	x	BDL:ELCM-PACK	36,47	
	iRMC S3 advanced pack							x					S26361-F1790-L242	315,29	
	iRMC S4 advanced pack (NL)		x	x	x	x			x	x	x	x	S26361-F1790-L244	315,29	
	VMware vSphere Embed. UFM 8 GB Device		x	x	x	x	x	x	x	x	x	x	S26361-F2341-D433	124,71	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-1yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-D230	3730,59	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-3yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-D231	3730,59	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-5yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-D232	3730,59	
	VMW VSAN Enterprise for 1 CPU w/o SP1yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-D233	5123,53	
	VMW VSAN Enterprise for 1 CPU w/o SP3yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-D234	5123,53	
	VMW VSAN Enterprise for 1 CPU w/o SP5yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-D235	5123,53	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-1yr		x	x	x		x	x	x	x	x	x	S26361-F2344-D236	934,12	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-3yr		x	x	x		x	x	x	x	x	x	S26361-F2344-D237	934,12	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-5yr		x	x	x		x	x	x	x	x	x	S26361-F2344-D238	934,12	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-1yr		x	x	x		x	x	x	x	x	x	S26361-F2344-D239	9334,12	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-3yr		x	x	x		x	x	x	x	x	x	S26361-F2344-D240	9334,12	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-5yr		x	x	x		x	x	x	x	x	x	S26361-F2344-D241	9334,12	
	VMW VSAN 6.2 ENT DT 10-Pack w/o SP-1yr		x	x	x		x	x	x	x	x	x	S26361-F2344-D242	1121,18	
	VMW VSAN 6.2 ENT DT 10-Pack w/o SP-3yr		x	x	x		x	x	x	x	x	x	S26361-F2344-D243	1121,18	
	VMW VSAN 6.2 ENT DT 10-Pack w/o SP-5yr		x	x	x		x	x	x	x	x	x	S26361-F2344-D244	1121,18	
	VMW VSAN 6.2 ENT DT 100-Pack w/o SP-1yr		x	x	x		x	x	x	x	x	x	S26361-F2344-D245	11216,47	
	VMW VSAN 6.2 ENT DT 100-Pack w/o SP-3yr		x	x	x		x	x	x	x	x	x	S26361-F2344-D246	11216,47	
	VMW VSAN 6.2 ENT DT 100-Pack w/o SP-5yr		x	x	x		x	x	x	x	x	x	S26361-F2344-D247	11216,47	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-1yr				x	x	x						S26361-F2344-D306	23371,76	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-3yr				x	x	x						S26361-F2344-D307	23371,76	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-5yr				x	x	x	x	x	x	x	x	S26361-F2344-D308	23371,76	
	VMware vSphere STD for 1 CPU w/o SP-1yr				x	x	x	x	x	x	x	x	S26361-F2344-D310	929,41	
	VMware vSphere STD for 1 CPU w/o SP-3yr				x	x	x						S26361-F2344-D311	929,41	
	VMware vSphere STD for 1 CPU w/o SP-5yr				x	x	x	x	x	x	x	x	S26361-F2344-D312	929,41	
	VMware vSphere EPL for 1 CPU w/o SP-1yr				x	x	x						S26361-F2344-D316	3265,88	
	VMware vSphere EPL for 1 CPU w/o SP-3yr				x	x	x						S26361-F2344-D317	3265,88	
	VMware vSphere EPL for 1 CPU w/o SP-5yr				x	x	x	x	x	x	x	x	S26361-F2344-D318	3265,88	
	VMware vSOM EPL for 1 CPU w/o SP-1yr				x	x	x						S26361-F2344-D326	4105,88	
	VMware vSOM EPL for 1 CPU w/o SP-3yr				x	x	x						S26361-F2344-D327	4105,88	
	VMware vSOM EPL for 1 CPU w/o SP-5yr				x	x	x						S26361-F2344-D328	4105,88	
	VMW Essentials Plus Kit w/o SP-1yr				x	x	x						S26361-F2344-D330	3483,53	
	VMW Essentials Plus Kit w/o SP-3yr				x	x	x						S26361-F2344-D331	3483,53	
	VMW Essentials Plus Kit w/o SP-5yr				x	x	x						S26361-F2344-D332	3483,53	
	VMW Essentials Kit + Subscription-1yr				x	x	x	x					S26361-F2344-D340	608,24	
	VMW Essentials Kit + Subscription-3yr				x	x	x	x					S26361-F2344-D341	832,94	
	VMW Essentials Kit + Subscription-5yr				x	x	x	x					S26361-F2344-D342	1081,18	
	VMW ROBO STD 25 VMs w/o SP-1yr				x	x	x						S26361-F2344-D343	2801,18	
	VMW ROBO STD 25 VMs w/o SP-3yr				x	x	x						S26361-F2344-D344	2801,18	
	VMW ROBO STD 25 VMs w/o SP-5yr				x	x	x						S26361-F2344-D345	2801,18	
	VMW ROBO AVD 25 VMs w/o SP-1yr				x	x	x						S26361-F2344-D346	4195,29	



Accessoires serveurs tour PRIMERGY

VMW ROBO AVD 25 VMs w/o SP-3yr				x	x	x	x				S26361-F2344-D347	4195,29
--------------------------------	--	--	--	---	---	---	---	--	--	--	-------------------	---------



Accessoires serveurs tour PRIMERGY

Catégorie	Description	PRIMERGY TX1310 M1	PRIMERGY TX1320 M1	PRIMERGY TX1320 M2	PRIMERGY TX1330 M1	PRIMERGY TX1330 M2	PRIMERGY TX140 S2	PRIMERGY TX150 S8	PRIMERGY TX2540 M1	PRIMERGY TX2560 M1	PRIMERGY TX2560 M2	PRIMERGY TX300 S8	Référence	Prix indicatif (€)	Remarques
PRIMERGY-Software (Suite)															
	VMW ROBO AVD 25 VMs w/o SP-5yr				x	x	x	x					S26361-F2344-D348	4195,29	
	VMW Virtual SAN for 1 CPU w/o SP-1yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-D350	2327,06	
	VMW Virtual SAN for 1 CPU w/o SP-3yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-D351	2327,06	
	VMW Virtual SAN for 1 CPU w/o SP-5yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-D352	2327,06	
	VMW Virtual SAN DT 100-Pack w/o SP-1yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-D353	4669,41	
	VMW Virtual SAN DT 100-Pack w/o SP-3yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-D354	4669,41	
	VMW Virtual SAN DT 100-Pack w/o SP-5yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-D355	4669,41	
	VMW Virtual SAN DT 10-Pack w/o SP-1yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-D365	404,71	
	VMW Virtual SAN DT 10-Pack w/o SP-3yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-D366	404,71	
	VMW Virtual SAN DT 10-Pack w/o SP-5yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-D367	404,71	
	VMW VSAN for ROBO w/o SP-1yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-D368	11710,59	
	VMW VSAN for ROBO w/o SP-3yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-D369	11710,59	
	VMW VSAN for ROBO w/o SP-5yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-D370	11710,59	
	VMW vCloud Suite 7 STD w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D712	5123,53	
	VMW vCloud Suite 7 STD w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D713	5123,53	
	VMW vCloud Suite 7 STD w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D714	5123,53	
	VMW vCloud Suite 7 ADV w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D715	7456,47	
	VMW vCloud Suite 7 ADV w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D716	7456,47	
	VMW vCloud Suite 7 ADV w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D717	7456,47	
	VMW vCloud Suite 7 ENT w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D718	8860,00	
	VMW vCloud Suite 7 ENT w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D719	8860,00	
	VMW vCloud Suite 7 ENT w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D720	8860,00	
	VMW vSphere STD Acc Kit 6CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D721	10228,24	
	VMW vSphere STD Acc Kit 6CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D722	10228,24	
	VMW vSphere STD Acc Kit 6CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D723	10228,24	
	VMW vSphere EPL Acc Kit 6CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D724	21494,12	
	VMW vSphere EPL Acc Kit 6CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D725	21494,12	
	VMW vSphere EPL Acc Kit 6CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D726	21494,12	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-1yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-L230	4329,41	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-3yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-L231	4329,41	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-5yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-L232	4329,41	
	VMW VSAN Enterprise for 1 CPU w/o SP1yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-L233	5947,06	
	VMW VSAN Enterprise for 1 CPU w/o SP3yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-L234	5947,06	
	VMW VSAN Enterprise for 1 CPU w/o SP5yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-L235	5947,06	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-1yr		x	x	x		x	x	x	x	x	x	S26361-F2344-L236	1082,35	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-3yr		x	x	x		x	x	x	x	x	x	S26361-F2344-L237	1082,35	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-5yr		x	x	x		x	x	x	x	x	x	S26361-F2344-L238	1082,35	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-1yr		x	x	x		x	x	x	x	x	x	S26361-F2344-L239	10834,12	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-3yr		x	x	x		x	x	x	x	x	x	S26361-F2344-L240	10834,12	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-5yr		x	x	x		x	x	x	x	x	x	S26361-F2344-L241	10834,12	
	VMW VSAN 6.2 ENT DT 10-Pack w/o SP-1yr		x	x	x		x	x	x	x	x	x	S26361-F2344-L242	1304,71	
	VMW VSAN 6.2 ENT DT 10-Pack w/o SP-3yr		x	x	x		x	x	x	x	x	x	S26361-F2344-L243	1304,71	
	VMW VSAN 6.2 ENT DT 10-Pack w/o SP-5yr		x	x	x		x	x	x	x	x	x	S26361-F2344-L244	1304,71	
	VMW VSAN 6.2 ENT DT 100-Pack w/o SP-1yr		x	x	x		x	x	x	x	x	x	S26361-F2344-L245	13021,18	
	VMW VSAN 6.2 ENT DT 100-Pack w/o SP-3yr		x	x	x		x	x	x	x	x	x	S26361-F2344-L246	13021,18	
	VMW VSAN 6.2 ENT DT 100-Pack w/o SP-5yr		x	x	x		x	x	x	x	x	x	S26361-F2344-L247	13021,18	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-1yr				x	x	x	x	x	x	x	x	S26361-F2344-L306	27134,12	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-3yr				x	x	x	x	x	x	x	x	S26361-F2344-L307	27134,12	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-5yr				x	x	x	x	x	x	x	x	S26361-F2344-L308	27134,12	
	VMware vSphere STD for 1 CPU w/o SP-1yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-L310	1076,47	
	VMware vSphere STD for 1 CPU w/o SP-3yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-L311	1076,47	
	VMware vSphere STD for 1 CPU w/o SP-5yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-L312	1076,47	
	VMware vSphere EPL for 1 CPU w/o SP-1yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-L316	3794,12	
	VMware vSphere EPL for 1 CPU w/o SP-3yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-L317	3794,12	
	VMware vSphere EPL for 1 CPU w/o SP-5yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-L318	3794,12	
	VMware vSOM EPL for 1 CPU w/o SP-1yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-L326	4768,24	
	VMware vSOM EPL for 1 CPU w/o SP-3yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-L327	4768,24	
	VMware vSOM EPL for 1 CPU w/o SP-5yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-L328	4768,24	
	VMW Essentials Plus Kit w/o SP-1yr				x	x	x	x	x	x	x	x	S26361-F2344-L330	4042,35	
	VMW Essentials Plus Kit w/o SP-3yr				x	x	x	x	x	x	x	x	S26361-F2344-L331	4042,35	



Accessoires serveurs tour PRIMERGY

VMW Essentials Plus Kit w/o SP-5yr				x	x	x	x	x	x	x	x	S26361-F2344-L332	4042,35
------------------------------------	--	--	--	---	---	---	---	---	---	---	---	-------------------	---------



Accessoires serveurs tour PRIMERGY

Catégorie	Description	PRIMERGY TX1310 M1	PRIMERGY TX1320 M1	PRIMERGY TX1320 M2	PRIMERGY TX1330 M1	PRIMERGY TX1330 M2	PRIMERGY TX140 S2	PRIMERGY TX150 S8	PRIMERGY TX2540 M1	PRIMERGY TX2560 M1	PRIMERGY TX2560 M2	PRIMERGY TX300 S8	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)	PRIMERGY-Software (Suite)														
	VMware vSphere STD FlexF 1 CPU w/oSP-3yr				x	x	x	x					S26361-F2344-L335	884,71	
	VMware vSphere EPL FlexF 1 CPU w/oSP-3yr				x	x	x	x					S26361-F2344-L337	3108,24	
	VMW Essentials Kit + Subscription-1yr				x	x	x	x					S26361-F2344-L340	703,53	
	VMW Essentials Kit + Subscription-3yr				x	x	x	x					S26361-F2344-L341	968,24	
	VMW Essentials Kit + Subscription-5yr				x	x	x	x					S26361-F2344-L342	1255,29	
	VMW ROBO STD 25 VMs w/o SP-1yr				x	x	x	x	x	x	x	x	S26361-F2344-L343	3252,94	
	VMW ROBO STD 25 VMs w/o SP-3yr				x	x	x	x	x	x	x	x	S26361-F2344-L344	3252,94	
	VMW ROBO STD 25 VMs w/o SP-5yr				x	x	x	x	x	x	x	x	S26361-F2344-L345	3252,94	
	VMW ROBO ADV 25 VMs w/o SP-1yr				x	x	x	x	x	x	x	x	S26361-F2344-L346	4870,59	
	VMW ROBO ADV 25 VMs w/o SP-3yr				x	x	x	x	x	x	x	x	S26361-F2344-L347	4870,59	
	VMW ROBO ADV 25 VMs w/o SP-5yr				x	x	x	x	x	x	x	x	S26361-F2344-L348	4870,59	
	VMW Virtual SAN for 1 CPU w/o SP-1yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-L350	2700,00	
	VMW Virtual SAN for 1 CPU w/o SP-3yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-L351	2700,00	
	VMW Virtual SAN for 1 CPU w/o SP-5yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-L352	2700,00	
	VMW Virtual SAN DT 100-Pack w/o SP-1yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-L353	5422,35	
	VMW Virtual SAN DT 100-Pack w/o SP-3yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-L354	5422,35	
	VMW Virtual SAN DT 100-Pack w/o SP-5yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-L355	5422,35	
	VMW Virtual SAN DT 10-Pack w/o SP-1yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-L365	470,59	
	VMW Virtual SAN DT 10-Pack w/o SP-3yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-L366	470,59	
	VMW Virtual SAN DT 10-Pack w/o SP-5yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-L367	470,59	
	VMW VSAN for ROBO w/o SP-1yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-L368	13594,12	
	VMW VSAN for ROBO w/o SP-3yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-L369	13594,12	
	VMW VSAN for ROBO w/o SP-5yr		x	x	x	x	x	x	x	x	x	x	S26361-F2344-L370	13594,12	
	VMW vCloud Suite 7 STD w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L712	5947,06	
	VMW vCloud Suite 7 STD w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L713	5947,06	
	VMW vCloud Suite 7 STD w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L714	5947,06	
	VMW vCloud Suite 7 ADV w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L715	8658,82	
	VMW vCloud Suite 7 ADV w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L716	8658,82	
	VMW vCloud Suite 7 ADV w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L717	8658,82	
	VMW vCloud Suite 7 ENT w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L718	10288,24	
	VMW vCloud Suite 7 ENT w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L719	10288,24	
	VMW vCloud Suite 7 ENT w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L720	10288,24	
	VMW vSphere STD Acc Kit 6CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L721	11872,94	
	VMW vSphere STD Acc Kit 6CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L722	11872,94	
	VMW vSphere STD Acc Kit 6CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L723	11872,94	
	VMW vSphere EPL Acc Kit 6CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L724	24954,12	
	VMW vSphere EPL Acc Kit 6CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L725	24954,12	
	VMW vSphere EPL Acc Kit 6CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L726	24954,12	
	VMW Upg vCenter S FND to STD w/o SP-1yr		x	x				x	x	x	x	x	S26361-F2344-S418	4840,00	
	VMW Upg ESXi to vSphere STD w/o SP-1yr							x	x	x	x	x	S26361-F2344-S420	972,94	
	VMW Upg ESXi to vSphere EPL w/o SP-1yr		x	x	x	x		x	x	x	x	x	S26361-F2344-S422	3421,18	
	VMW Upg vSp STD to vSp EPL w/o SP-1yr		x	x				x	x	x	x	x	S26361-F2344-S424	2687,06	
	VMW Upg vSp ENT to vSp EPL w/o SP-1yr		x	x				x	x	x	x	x	S26361-F2344-S425	668,24	
	FSE KVM Standard Support 1 year	x	x		x			x	x			x	S26361-F2346-L430	202,35	
	FSE KVM Standard Support 3 years	x	x		x			x	x			x	S26361-F2346-L431	512,94	
	FSE KVM Premium Support 1 year	x	x		x			x	x			x	S26361-F2346-L432	616,47	
	FSE KVM Premium Support 3 years	x	x		x			x	x			x	S26361-F2346-L433	1548,24	
	UCS Back-Level Support Standard 1 year							x	x				S26361-F2346-L440	58,82	
	UCS Back-Level Support Standard 3 years							x	x				S26361-F2346-L441	98,82	
	UCS Back-Level Support Premium 1 year							x	x				S26361-F2346-L442	202,35	
	UCS Back-Level Support Premium 3 years							x	x				S26361-F2346-L443	512,94	
	WinSvr 2012 R2 Datacenter 2CPU ROK Distributeurs	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-D413	4575,29	
	WinSvr 2012R2 DC w/Reassignment 2CPU ROK	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-D417	5580,00	
	WinSvr 2012 R2 Standard 2CPU/2VM ROK Distributeurs	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-D423	704,71	
	WinSvr 2012 R2 Essentials 2CPU ROK MUL Distributeu	x	x	x	x	x	x	x	x				S26361-F2567-D432	375,29	
	WinSvr 2012 R2 Foundation 1CPU ROK Distributeurs	x	x	x	x	x	x						S26361-F2567-D442	205,88	
	WinStorageSvr 2012 R2 Std 2CPU/2VM ROK	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-D453	512,94	
	Windows Server 2012 Standard AddLic 2CPU	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L425	720,00	
	WINSVR CAL 2016 1Device	x	x	x	x	x			x	x	x		S26361-F2567-L560	27,06	
	WINSVR CAL 2016 1User	x	x	x	x	x			x	x	x		S26361-F2567-L561	36,47	



Accessoires serveurs tour PRIMERGY

WINSVR CAL 2016 5Device	x	x	x	x	x			x	x	x	S26361-F2567-L562	118,82
-------------------------	---	---	---	---	---	--	--	---	---	---	-------------------	--------



Accessoires serveurs tour PRIMERGY

Catégorie	Description	PRIMERGY TX1310 M1	PRIMERGY TX1320 M1	PRIMERGY TX1320 M2	PRIMERGY TX1330 M1	PRIMERGY TX1330 M2	PRIMERGY TX140 S2	PRIMERGY TX150 S8	PRIMERGY TX2540 M1	PRIMERGY TX2560 M1	PRIMERGY TX2560 M2	PRIMERGY TX300 S8	Référence	Prix Indicatif (€)	Remarques
PRIMERGY-Software (Suite)															
	WINSVR CAL 2016 5User	x	x	x	x	x			x	x	x		S26361-F2567-L563	175,29	
	WINSVR CAL 2016 10Device	x	x	x	x	x			x	x	x		S26361-F2567-L564	237,65	
	WINSVR CAL 2016 10User	x	x	x	x	x			x	x	x		S26361-F2567-L565	316,47	
	WINSVR CAL 2016 50Device	x	x	x	x	x			x	x	x		S26361-F2567-L566	1169,41	
	WINSVR CAL 2016 50User	x	x	x	x	x			x	x	x		S26361-F2567-L567	1480,00	
	WINSVR CAL 2016 100Device	x	x	x	x	x			x	x	x		S26361-F2567-L568	2350,59	
	WINSVR CAL 2016 100User	x	x	x	x	x			x	x	x		S26361-F2567-L569	2965,88	
	WINSVR RDSCAL 2016 1Device	x	x	x	x	x			x	x	x		S26361-F2567-L570	108,24	
	WINSVR RDSCAL 2016 1User	x	x	x	x	x			x	x	x		S26361-F2567-L571	129,41	
	WINSVR RDSCAL 2016 5Device	x	x	x	x	x			x	x	x		S26361-F2567-L572	517,65	
	WINSVR RDSCAL 2016 5User	x	x	x	x	x			x	x	x		S26361-F2567-L573	647,06	
	WINSVR RDSCAL 2016 10Device	x	x	x	x	x			x	x	x		S26361-F2567-L574	1020,00	
	WINSVR RDSCAL 2016 10User	x	x	x	x	x			x	x	x		S26361-F2567-L575	1294,12	
	WINSVR RDSCAL 2016 50Device	x	x	x	x	x			x	x	x		S26361-F2567-L576	5109,41	
	WINSVR RDSCAL 2016 50User	x	x	x	x	x			x	x	x		S26361-F2567-L577	6444,71	
	WINSVR RDSCAL 2016 100Device	x	x	x	x	x			x	x	x		S26361-F2567-L578	10223,53	
	WINSVR RDSCAL 2016 100User	x	x	x	x	x			x	x	x		S26361-F2567-L579	12884,71	
	WinSvr CAL 2012 50Device	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L460	1169,41	
	WinSvr CAL 2012 50User	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L461	1480,00	
	WinSvr CAL 2012 10Device	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L462	237,65	
	WinSvr CAL 2012 10User	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L463	300,00	
	WinSvr CAL 2012 5Device	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L464	118,82	
	WinSvr CAL 2012 5User	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L465	175,29	
	WinSvr CAL 2012 1Device	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L466	28,24	
	WinSvr CAL 2012 1User	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L467	36,47	
	WinSvr CAL 2012 100Device	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L468	2350,59	
	WinSvr CAL 2012 100User	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L469	2965,88	
	WinSvr RDS CAL 2012 5Device	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L470	517,65	
	WinSvr RDS CAL 2012 5User	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L471	703,53	
	WinSvr RDS CAL 2012 1Device	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L472	108,24	
	WinSvr RDS CAL 2012 1User	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L473	129,41	
	WinSvr RDS CAL 2012 100Device	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L474	10223,53	
	WinSvr RDS CAL 2012 100User	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L475	12884,71	
	WinSvr RDS CAL 2012 50Device	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L476	5109,41	
	WinSvr RDS CAL 2012 50User	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L477	6444,71	
	WinSvr RDS CAL 2012 10Device	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L478	1020,00	
	WinSvr RDS CAL 2012 10User	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L479	1294,12	
	DG/DE Kit WinSvr 2008 R2 SP1 Datacenter	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L480	72,94	
	DG/DE Kit WinSvr 2008 R2 SP1 Enterprise	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L481	72,94	
	DG/DE Kit WinSvr 2008 R2 SP1 Standard	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L482	72,94	
	DG/DE Kit WinSvr 2012 Datacenter	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L486	72,94	
	DG/DE Kit WinSvr 2012 Standard	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L487	72,94	
	PRIMERGY ServerStart Bundle (abonnement)	x	x	x	x	x	x	x	x	x	x	x	U15000-C176	222,35	
	ServerView Suite, Dernière version	x	x	x	x	x	x	x	x	x	x	x	U15000-C289	25,88	
	Debian FSE Standard Support 1 year	x	x		x			x	x			x	S26361-F2346-L420	58,82	
	Debian FSE Standard Support 3 years	x	x		x			x	x			x	S26361-F2346-L421	98,82	
	Debian FSE Priority Support 1 year	x	x		x			x	x			x	S26361-F2346-L422	202,35	
	Debian FSE Priority Support 3 years	x	x		x			x	x			x	S26361-F2346-L423	512,94	
	UBUNTU FSE Standard Support 1 year	x	x		x			x	x			x	S26361-F2346-L424	58,82	
	UBUNTU FSE Standard Support 3 years	x	x		x			x	x			x	S26361-F2346-L425	98,82	
	UBUNTU FSE Priority Support 1 year	x	x		x			x	x			x	S26361-F2346-L426	202,35	
	UBUNTU FSE Priority Support 3 years	x	x		x			x	x			x	S26361-F2346-L427	512,94	
	VMware vSphere 5 Media Kit OEM				x	x	x	x	x	x	x	x	S26361-F2341-L300	82,35	
OS/Application-SW															
	CA-Client-Automation	x	x	x	x	x	x	x					U24552-C418	1452432,81	
	CA-Server-Automation-Base-Configuration	x	x	x	x	x	x	x					U24552-C424	1452432,81	
	CA-ServiceDeskManager-Full-LicenseConcur	x	x	x	x	x	x	x					U24581-C150	1452432,81	
Onduleur/Alimentation															
	Module d'alimentation 800W hp							x				x	S26113-F574-L12	310,59	
	Module Alimentation 450W platinum hot-plug							x					S26113-F575-L10	269,41	



Accessoires serveurs tour PRIMERGY

Module d'alimentation 450W hp			x	x	x		x	S26113-F575-L12	269,41
-------------------------------	--	--	---	---	---	--	---	-----------------	--------



Accessoires serveurs tour PRIMERGY

Catégorie	Description	PRIMERGY TX1310 M1	PRIMERGY TX1320 M1	PRIMERGY TX1320 M2	PRIMERGY TX1330 M1	PRIMERGY TX1330 M2	PRIMERGY TX140 S2	PRIMERGY TX150 S8	PRIMERGY TX2540 M1	PRIMERGY TX2560 M1	PRIMERGY TX2560 M2	PRIMERGY TX300 S8	Référence	Prix indicatif (€)	Remarques
Accessoires (Matrice)															
Onduleur/Alimentation (Suite)															
	Upg. ventilateurs hot-plug redondants											x	S26361-F3667-L1	67,06	
	Fujitsu batterie unit 280W, 12V				x								S26361-F5541-L414	491,76	
	Fujitsu batterie unit 380W, 12V					x							S26361-F5541-L475	409,41	
	Cable powercord rack, 1.8m, black				x	x	x	x	x	x	x	x	T26139-Y1968-L180	15,29	
	Cable powercord rack, 2.5m, black				x	x	x	x	x	x	x	x	T26139-Y1968-L250	15,29	
	Câble secteur (F), 1.8m, gris	x	x	x	x	x	x	x	x	x	x	x	T26139-Y1740-L10	15,29	
	Modular PSU 800W platinum hp									x	x		S26113-F574-L13	310,59	
	Modular PSU 450W platinum hp					x				x	x		S26113-F575-L13	269,41	
	Modular PSU 800W titanium hp								x	x	x	x	S26113-F615-L10	414,12	
	Modular PSU 1200W platinum hp										x		S26113-F616-L10	424,71	
Divers															
	Connecteur Option Frontale VGA									x	x		S26361-F1420-L130	51,76	
	Kit LocalView S2				x	x	x	x	x			x	S26361-F2557-L105	72,94	
	Kit LocalView S2							x				x	S26361-F2557-L106	72,94	
	Option Service LAN							x				x	S26361-F2571-L27	36,47	
	Câble Port Série option									x	x		S26361-F3120-L3	47,06	
	Module TPM											x	S26361-F3552-L1	51,76	
	TPM 2.0 Module			x		x						x	S26361-F3552-L10	51,76	
	TPM 1.2 Module for Dual M2											x	S26361-F3552-L23	51,76	
	TPM 1.2 Module	x	x	x	x	x			x	x			S26361-F3552-L6	51,76	
Clavier /Souris															
	Clavier Pro PX ECO GreenIT (USB&PS/2, Fr)	x	x	x	x	x	x		x	x	x	x	S26381-K341-L140	37,65	
	MOUSE M520 BLACK	x	x	x	x	x		x	x	x	x		S26381-K467-L100	12,94	
	MOUSE M520 GREY	x	x	x	x	x		x	x	x	x		S26381-K467-L101	12,94	
	MOUSE M530 BLACK	x		x		x		x	x	x	x	x	S26381-K468-L100	15,29	
	MOUSE M530 GREY					x		x	x	x	x	x	S26381-K468-L101	15,29	
	Clavier KB521 FR	x	x	x	x	x	x		x	x	x	x	S26381-K521-L140	21,18	
Media															
	Cartouche Nettoyage DAT160		x	x	x	x	x	x					D:CL-DAT160-MX-01	33,46	
	Cartouche Nettoyage DAT72		x	x	x	x	x	x	x	x	x	x	D:CL-DAT72-MX-01	12,00	
	LTO Cleaning Media,1pc.Random Label,Fuji		x	x	x	x	x	x	x	x	x	x	D:CL-LTO-01L	41,28	
	LTO-3 data media,5pack avec label,Fuji		x	x	x		x	x	x	x	x	x	D:CR-LTO3-05L	167,02	
	LTO-4 data media,5packavec label,Fuji		x	x	x	x	x	x	x	x	x	x	D:CR-LTO4-05L	132,74	
	LTO-5 data media,5 pièces avec label,Fuji		x	x	x	x	x	x	x	x	x	x	D:CR-LTO5-05L	123,84	
	LTO-6 data media,5pack label,Fuji		x	x	x	x	x	x	x	x	x	x	D:CR-LTO6-05L-BF	195,25	
	LTO-7-CR Medien,5Stk Random Label,Fuj		x	x	x	x	x	x	x	x	x	x	D:CR-LTO7-05L	1017,13	
	Barcode Label oder, not standard Random		x	x	x	x	x						D:CR-LTO-LAB	4,71	
	Cartouche RDX 320/640Go	x	x	x	x	x	x	x	x	x	x	x	S26361-F3857-L320	131,76	
	Pack 10x cartouches RDX 320/640Go	x	x	x	x	x	x	x	x	x	x	x	S26361-F3857-L329	1249,41	
	RDX MEDIUM 2TB	x	x	x	x	x	x	x	x	x	x	x	S26361-F3857-L700	345,88	
	Cartouche RDX 500Go/1000Go	x	x	x	x	x	x	x	x	x	x	x	S26361-F3857-L500	127,06	
	Cartouche RDX 1To	x	x	x	x	x	x	x	x	x	x	x	S26361-F3857-L600	197,65	
Câbles															
	SFP+ active optical cable Brocade, 7m		x	x	x	x	x	x	x	x	x	x	S26361-F3873-L507	325,88	
	SFP+ active optical cable Brocade, 10m		x	x	x	x	x	x	x	x	x	x	S26361-F3873-L510	367,06	
	Câble secteur rack, 4m, gris				x	x	x	x	x	x	x	x	T26139-Y1968-L10	15,29	
	SFP+ active Twinax Cable Brocade 1m		x	x	x	x	x	x	x	x	x	x	S26361-F3873-L501	155,29	
	SFP+ active Twinax Cable Brocade 3m		x	x	x	x	x	x	x	x	x	x	S26361-F3873-L503	202,35	
	SFP+ active Twinax Cable Brocade 5m		x	x	x	x	x	x	x	x	x	x	S26361-F3873-L505	243,53	
	Cable powercord (CHN), 1.8m, black	x	x	x	x	x		x	x	x	x	x	T26139-Y1751-L10	25,88	
Accessories															
	A-DATA USB3.0 Flash Stick UE700 32GB					x				x	x		S26391-F6048-L332	49,41	
	A-DATA USB3.0 Flash Stick UE700 64GB					x				x	x		S26391-F6048-L364	72,94	



								
Modèle	RX1330 M2	RX2510 M2	RX2530 M2	RX2520 M1	RX2450 M2	RX2560 M2	RX4770 M3	
Type	Monoprocesseur (1U)	Biprocasseur (1U)	Biprocasseur (1U)	Biprocasseur (2U)	Biprocasseur (2U)	Biprocasseur (4U)	Quadriprocesseur (4U)	
Processeur	Xeon® E3-1220v5 (4C) / 1225v4 (4C) / 1230v5 (4C) / 1240Lv5 (4C) / 1240Lv5 (4C) / 1260v5 (4C) / 1260Lv5 (4C) / 1270v5 / 1280v5 (4C)	Xeon® E5-2603v4(6C) / 2609v4(8C) / 2620v4(8C) / 2623v4(4C) / 2630v4(10C) / 2630Lv4(10C) / 2640v4(10C) / 2640Lv4(10C) / 2650v4(12C) / 2650Lv4(14C) / 2660v4(14C)	Xeon® E5-2603v4(6C) / 2609v4(8C)/2620v4(8C)/2 623v4(4C)/2630v4(10C)/2 630Lv4(10C)/2637v4(4C)/ 2640v4(10C)/2643v4(6C)/ 2650v4(12C)/2650Lv4(14 C)/2660v4(14C)/2667v4(8 C)/2680v4(14C)/2683v4(1 6C)/2690v4(14C)/2695v4(18C)/2697v4(18C)/2697Av 4(16C)/2697v4(18C)/2698 v4(20C)/2699v4(22C)	Xeon® 2403v2 (4C) / 2407v2 (4C) / 2420v2 (6C) / 2430v2 (6C) / 2430Lv2 (6C) / 2440v2 (8C) / 2450v2 (8C) /2470v2 (10C)	Xeon® E5-2603v4(6C) /2609v4(8C)/2620v4(8C)/2 623v4(4C)/2630v4(10C)/2 630Lv4(10C)/2637v4(4C)/ 2640v4(10C)/2643v4(6C)/ 2650v4(12C)/2650Lv4(14 C)/2660v4(14C)/2667v4(8 C)/2680v4(14C)/2683v4(1 6C)/2690v4(14C)/2695v4(18C)/2697v4(18C)/2697Av 4(16C)/2697v4(18C)/2698 v4(20C)/2699v4(22C)	Xeon® E5-2603v4(6C) /2609v4(8C)/2620v4(8C)/2 623v4(4C)/2630v4(10C)/26 30Lv4(10C)/2637v4(4C)/26 40v4(10C)/2643v4(6C)/265 0v4(12C)/2650Lv4(14C)/26 60v4(14C)/2667v4(8C)/268 0v4(14C)/2683v4(16C)/269 0v4(14C)/2695v4(18C)/269 7v4(18C)/2697Av4(16C)/26 97v4(18C)/2698v4(20C)/26 99v4(22C)	Xeon® E5-2603v4(6C) /2609v4(8C)/2620v4(8C)/2 623v4(4C)/2630v4(10C)/26 30Lv4(10C)/2637v4(4C)/26 40v4(10C)/2643v4(6C)/265 0v4(12C)/2650Lv4(14C)/26 60v4(14C)/2667v4(8C)/268 0v4(14C)/2683v4(16C)/269 0v4(14C)/2695v4(18C)/269 7v4(18C)/2697Av4(16C)/26 97v4(18C)/2698v4(20C)/26 99v4(22C)	Xeon® E7-4809v4 (8C) / /E7-4820v4 (10C) / E7- 4830v4 (14C) / E7-4850v4 (16C) / E7-8860v4 (16C / E7-8867v5 (18C) / E7- 8870v4 (20C) / E7-8880v4 (22C) / E7-8890v4 (24C) / E7-8891v4 (10C), / E7- 8893v4 (4C)
Mémoire	2 à 32 Go DDR-3 4 Slots	8 à 384 Go DDR-4 12 Slots	8 à 1536 Go DDR-4 24 Slots	4 à 192 Go DDR-3 12 Slots	8 à 1536 Go DDR-4 24 Slots	8 à 1536 Go DDR-4 24 Slots	16Go à 6 To DDR-4 96 Slots	
Lecteur optique	DVD ou DVD-RW	DVD ou DVD-RW	DVD ou DVD-RW	DVD ou DVD-RW	DVD ou DVD-RW	DVD ou DVD-RW	DVD ou DVD-RW	
Disque dur (Go)	4x 3.5" SAS/SATA 4/8 à 10x 2.5" SAS/SATA	4x 3.5" SAS/SATA 4 x 2.5" SAS/SATA	4x 3.5" SAS/SATA 8/10 x 2.5" SAS/SATA	12x 3.5" SAS/SATA 16x 2.5" SAS/SATA	8/12x 3.5" SAS/SATA 16/24x 2.5" SAS/SATA	12x 3.5" SAS/SATA 32x 2.5" SAS/SATA	12x 2.5" SAS/SATA	
Ctrl RAID interne	RAID 0/1/10 : 4 ports SATA	RAID 0/1 intégré ou Ctrl RAID en opt.	RAID 0/1 intégré ou Ctrl RAID en opt.	RAID 0/1 intégré ou RAID 5/6 SAS (opt)	RAID 0/1 intégré ou RAID 5/6 SAS (opt)	Opt. Ctrl RAID		
Slots PCI (I/O)	2x PCIe Gen3 + 1x PCIe Gen2	4x PCIe Gen3	4x PCIe Gen3	7x PCIe Gen3	6x PCIe Gen3	12x PCIe Gen3	11x PCIe Gen3	
Ctrl LAN intégré	2x Gigabit 1x Gigabit - admin	2x Gigabit 1x Gigabit - admin	DynamicLOM 1x Gigabit - admin	2x Gigabit 1x Gigabit - admin	DynamicLoM 1x Gigabit - admin	DynamicLOM 1x Gigabit - admin	2x 10 Gigabit 1x Gigabit - admin	
Ctrl graphique intégré	1 x VGA	2 x VGA	2 x VGA	1 x VGA	2 x VGA	2 x VGA	2 x VGA	
Port Série	1 x RS232-C		Opt. Via PCIe	1 x RS232-C	1 x RS232-C	1 x RS232-C	: 1 x RS232-C	
Ports USB	2 (avant), 4 (arrière), 2 (interne)	2 (avant), 3 (arrière)	2 (avant), 3 (arrière), 1 (interne)	3 (avant), 4 (arrière), 2 (interne)	3 (avant), 4 (arrière), 2 (interne)	2 (avant), 4 (arrière), 2 (interne)	3 (avant), 2 (arrière), 1 (interne)	
Alimentation (puissance de sortie)	300W (non hot plug - 92%) 450W (hot-plug - 94%)	450W (hot-plug 94%) 800W (hot-plug 94 ou 96%)	450W (hot-plug 94%) 800W (hot-plug 94 ou 96%)	450W (hot-plug 94%) 800W/1200W (hot-plug 94 ou 96%)	450W (hot-plug 94%) 800W/1200W (hot-plug 94 ou 96%)	450W (hot-plug 94%) 800W (hot-plug 94 ou 96%)	2x 1200 ou 1600 W (hot plug) + 2 en option	
Standard	PRIMERGY ServerView WindowsServer 2012 R2	PRIMERGY ServerView WindowsServer 2012 R2	PRIMERGY ServerView WindowsServer 2012 R2	PRIMERGY ServerView WindowsServer 2012 R2	PRIMERGY ServerView WindowsServer 2012 R2	PRIMERGY ServerView WindowsServer 2012 R2	PRIMERGY ServerView WindowsServer 2012 R2	
Systèmes d'exploitation supportés	Red Hat; SuSe Linux Hyper-V Server 2012 R2	Red Hat; SuSe Linux Hyper-V Server 2012 R2	Red Hat; SuSe Linux Hyper-V Server 2012 R2	Red Hat; SuSe Linux Hyper-V Server 2012 R2	Red Hat; SuSe Linux Hyper-V Server 2012 R2	Red Hat; SuSe Linux Hyper-V Server 2012 R2	Red Hat; SuSe Linux Hyper-V Server 2012 R2	
Garantie std.	1 an sur site	2 ans sur site	3 ans sur site	3 ans sur site	3 ans sur site	3 ans sur site	3 ans sur site	



PRIMERGY RX1330 M2

Fiches produit : <http://fr.fujitsu.com/primergy>

Le serveur PRIMERGY RX1330 M2 de FUJITSU est un serveur rack monoprocesseur adapté aux budgets modestes et offrant de nombreuses extensions en option, pour répondre au mieux aux exigences de chacun. Il convient parfaitement aux applications de fichiers, d'infrastructure et de communication ou collaboration en offrant jusqu'à 64 Go de mémoire RAM, 3 slots PCIe et 10 disques durs 2,5 pouces. En outre, ce serveur 1U permet diverses configurations spécifiques à vos besoins grâce à ses fonctionnalités optionnelles, notamment des unités d'alimentation hot-plug, des ventilateurs redondants et un contrôleur RAID. Offrant une haute efficacité énergétique et un fonctionnement à température ambiante élevée grâce à la conception thermique avancée Cool-safe® en option, le serveur PRIMERGY RX1330 M2 contribue également à une nette réduction des coûts d'exploitation. La suite ServerView™ et les fonctions de gestion à distance (iRMC S4) simplifient les

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
PRIMERGY RX1330 M2					
	PY RX1330M2/LFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/LFF/HOT PLUG PSU/RED. FANS / XEON E3-1220V5/8 GB U 2133 2R/DVD-RW/ 3xHD SATA 2TB 7.2K/RAID 12G 1GB/ TFM MODULE/FBU 70CM CABLE/RMK F1 SL/	LKN:R1332S0001FR	3809,41	
	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS / XEON E3-1230V5/2x8 GB U 2133 2R/ PGRA NVS 1GB LP/DVD-RW/ 2xHD SAS 6G 146GB/PRAID CP400I/	LKN:R1332S0001IN	3711,76	
	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS / XEON E3-1220V5/2x8 GB U 2133 2R/ 2xHD SAS 300GB/RAID 12G 1GB/TFM MODULE/ FBU 70CM CABLE/PLAN CP 2X1GB/	LKN:R1332S0002FR	4637,65	
	PY RX1330M2/LFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/LFF/HOT PLUG PSU/RED. FANS / XEON E3-1220V5/2x16 GB U 2133 2R/ DVD ROM US/4xHD SATA 4TB 7.2K/ RAID 12G 2GB/TFM MODULE/FBU 70CM CABLE/	LKN:R1332S0004FR	5388,24	
	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS / XEON E3-1230V5/2x16 GB U 2133 2R/DVD-RW/ 3xHD SAS 12G 600GB/ UPGRADE KIT 8X 2.5' HDD/RAID 12G 2GB/	LKN:R1332S0005FR	7274,12	
	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS / XEON E3-1230V5/3x8 GB U 2133 2R/ 2xHD SAS 12G 600GB/RAID 12G 1GB/ RMK F1-CMA SL/RACK MOUNT 1U SYM/	LKN:R1332S0006FR	3624,71	
	PY RX1330M2/LFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/LFF/HOT PLUG PSU/RED. FANS / XEON E3-1230V5/3x8 GB U 2133 2R/ DVD ROM US/2xHD SAS 300GB/ 2xHD SAS 450GB/RAID 12G 1GB/TFM MODULE/	LKN:R1332S0007FR	5089,41	
	PY RX1330M2/SFF/STANDARD PSU /	PY RX1330M2/SFF/STANDARD PSU / XEON E3-1225V5/2x8 GB U 2133 2R/ 2xHD SAS 12G 300GB/PRAID CP400I/ RMK F1-CMA SL/RACK MOUNT 1U SYM/KIT/	LKN:R1332S0008FR	2077,65	


PRIMERGY RX1330 M2

 Fiches produit : <http://fr.fujitsu.com/primergy>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
PRIMERGY RX1330 M2 (Suite)					
	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS / XEON E3-1260LV5/2x8 GB U 2133 2R/DVD-RW/ 2xHD SAS 12G 300GB/PRAID CP400I/ RMK F1-CMA SL/RACK MOUNT 1U SYM/KIT/	LKN:R1332S0009FR	2962,35	
	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS / ADV. THERMAL/XEON E3-1220V5/ 4x8 GB U 2133 2R/DVD-RW/ 2xHD SAS 12G 300GB/PRAID CP400I/	LKN:R1332S0010FR	3121,18	
	PY RX1330M2/LFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/LFF/HOT PLUG PSU/RED. FANS / XEON E3-1230V5/2x16 GB U 2133 2R/ 2xHD SATA 1TB/2xHD SAS 600GB/ RAID 12G 1GB/TFM MODULE/FBU 70CM CABLE/	LKN:R1332S0011FR	4568,24	
	PY RX1330M2/LFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/LFF/HOT PLUG PSU/RED. FANS / ADV. THERMAL/XEON E3-1230V5/ 16 GB U 2133 2R/4xHD SAS 300GB/ PRAID CP400I/RMK F1-CMA SL/	LKN:R1332S0012FR	2943,53	
	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS / XEON E3-1240LV5/8 GB U 2133 2R/DVD-RW/ 5xHD SAS 12G 300GB/ UPGRADE KIT 8X 2.5' HDD/RAID 12G 1GB/	LKN:R1332S0013FR	3842,35	
	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS / XEON E3-1240LV5/8 GB U 2133 2R/DVD-RW/ 2xHD SAS 12G 300GB/ UPGRADE KIT 8X 2.5' HDD/RAID 12G 1GB/	LKN:R1332S0014FR	3065,88	
	PY RX1330M2/LFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/LFF/HOT PLUG PSU/RED. FANS / XEON E3-1220V5/2x8 GB U 2133 2R/ DVD ROM US/4xHD SAS 300GB/PRAID CP400I/ RMK F1 SL/RACK MOUNT 1U ASYM/KIT/	LKN:R1332S0015FR	3728,24	
	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS / ADV. THERMAL/XEON E3-1230V5/ 2x8 GB U 2133 2R/DVD ROM US/ 2xHD SAS 6G 146GB/PRAID CP400I/	LKN:R1332S0016FR	2843,53	
	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS / XEON E3-1220V5/8 GB U 2133 2R/DVD-RW/ 4xHD SAS 300GB/RAID 12G 2GB/TFM MODULE/ FBU 70CM CABLE/RMK F1-CMA SL/	LKN:R1332S0017FR	4322,35	
	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS / XEON E3-1230V5/4x16 GB U 2133 2R/ DVD ROM US/2xHD SAS 12G 300GB/ 3xHD SAS 12G 600GB/	LKN:R1332S0018FR	5348,24	
	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS / ADV. THERMAL/XEON E3-1220V5/ 16 GB U 2133 2R/2xHD SATA 6G 2TBBC/ 2xHD SAS 6G 146GB/PRAID CP400I/	LKN:R1332S0019FR	4274,12	
	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS / XEON E3-1220V5/2x16 GB U 2133 2R/DVD-RW/ SSD SATA 128GB/PLAN CP 2X1GB/RMK F1 SL/ RACK MOUNT 1U SYM/KIT/PSU 450W HP/	LKN:R1332S0020FR	2418,82	
	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS / XEON E3-1230V5/2x8 GB U 2133 2R/ DVD ROM US/2xHD SAS 12G 300GB/ PRAID CP400I/RMK F1-CMA SL/	LKN:R1332S0021FR	2584,71	
	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS / XEON E3-1270V5/8 GB U 2133 2R/RMK F1 SL/ RACK MOUNT 1U SYM/KIT/NO POWERCORD/	LKN:R1332S0022FR	1451,76	


PRIMERGY RX1330 M2

 Fiches produit : <http://fr.fujitsu.com/primergy>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
PRIMERGY RX1330 M2 (Suite)					
	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS / XEON E3-1230V5/2x8 GB U 2133 2R/DVD-RW/ 2xHD SATA 6G 2TBBC/RAID 12G 1GB/ RMK F1 SL/RACK MOUNT 1U SYM/KIT/	LKN:R1332S0023FR	3688,24	
	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS / XEON E3-1225V5/8 GB U 2133 2R/ 2xHD SAS 300GB/PRAID CP400I/RMK F1 SL/ RACK MOUNT 1U SYM/KIT/IRMC S4 ADV. PACK/	LKN:R1332S0024FR	3081,18	
	PY RX1330M2/10X SFF/HOTPLUG PSU/RED.FAN/	PY RX1330M2/10X SFF/HOTPLUG PSU/RED.FAN/ XEON E3-1270V5/2x16 GB U 2133 2R/ 3xHD SAS 12G 900GB/RAID 12G 1GB/ TFM MODULE/FBU 70CM CABLE/RMK F1-CMA SL/	LKN:R1332S0025FR	4914,12	
	PY RX1330M2/LFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/LFF/HOT PLUG PSU/RED. FANS / XEON E3-1230V5/2x16 GB U 2133 2R/ 4xHD SATA 2TB 7.2K/RAID 12G 2GB/ TFM MODULE/FBU 70CM CABLE/PLAN CP 2X1GB/	LKN:R1332S0026FR	4984,71	
	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS / XEON E3-1270V5/2x8 GB U 2133 2R/ DVD ROM US/3xHD SAS 300GB/RAID 12G 1GB/ RMK F1-CMA SL/RACK MOUNT 1U SYM/	LKN:R1332S0027FR	3824,71	
	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS / XEON E3-1270V5/2x8 GB U 2133 2R/ DVD ROM US/3xHD SAS 300GB/RAID 12G 2GB/ RMK F1-CMA SL/RACK MOUNT 1U SYM/KIT/	LKN:R1332S0028FR	3850,59	
	PY RX1330M2/LFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/LFF/HOT PLUG PSU/RED. FANS / XEON E3-1225V5/2x16 GB U 2133 2R/ 4xHD SATA 2TB 7.2K/SSD SATA 128GB/ RAID 12G 1GB/TFM MODULE/FBU 70CM CABLE/	LKN:R1332S0029FR	5295,29	
	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS / XEON E3-1225V5/3x8 GB U 2133 2R/DVD-RW/ 4xHD SATA 6G 2TBBC/2xHD SAS 12G 300GB/ UPGRADE KIT 8X 2.5' HDD/RAID 12G 1GB/	LKN:R1332S0030FR	6152,94	
	PY RX1330M2/10X SFF/HOTPLUG PSU/RED.FAN/	PY RX1330M2/10X SFF/HOTPLUG PSU/RED.FAN/ ADV. THERMAL/XEON E3-1260LV5/ 2x8 GB U 2133 2R/2xHD SATA 500GB 7.2K/ 6xHD SATA 6G 2TBBC/RAID 12G 2GB/	LKN:R1332S0031FR	8004,71	
	PY RX1330M2/LFF/STANDARD PSU /	PY RX1330M2/LFF/STANDARD PSU / XEON E3-1220V5/8 GB U 2133 2R/DVD-RW/ RMK F1-CMA SL/RACK MOUNT 1U SYM/ RACK CMA 1U/KIT/NO POWERCORD/	VFY:R1332SC010IN	1091,76	
	PY RX1330M2/LFF/STANDARD PSU /	PY RX1330M2/LFF/STANDARD PSU / XEON E3-1220V5/8 GB U 2133 2R/DVD-RW/ RMK F1-CMA SL/RACK MOUNT 1U ASYM/ RACK CMA 1U/KIT/NO POWERCORD/	VFY:R1332SC011IN	1091,76	
	PY RX1330M2/LFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/LFF/HOT PLUG PSU/RED. FANS / XEON E3-1220V5/8 GB U 2133 2R/DVD-RW/ RMK F1-CMA SL/RACK MOUNT 1U SYM/ RACK CMA 1U/KIT/NO POWERCORD/	VFY:R1332SC020IN	1140,00	


PRIMERGY RX1330 M2

 Fiches produit : <http://fr.fujitsu.com/primergy>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards					
PRIMERGY RX1330 M2 (Suite)					
	PY RX1330M2/LFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/LFF/HOT PLUG PSU/RED. FANS / XEON E3-1220V5/8 GB U 2133 2R/DVD-RW/ RMK F1-CMA SL/RACK MOUNT 1U ASYM/ RACK CMA 1U/KIT/NO POWERCORD/	VFY:R1332SC021IN	963,53	
	PY RX1330M2/LFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/LFF/HOT PLUG PSU/RED. FANS / XEON E3-1220V5/8 GB U 2133 2R/DVD-RW/ 2xHD SATA 6G 1TB 7.2K HOT PL 3.5" BC/ RMK F1-CMA SL/RACK MOUNT 1U SYM/	VFY:R1332SC030IN	1515,29	
	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS / XEON E3-1220V5/8 GB U 2133 2R/DVD-RW/ RMK F1-CMA SL/RACK MOUNT 1U SYM/ RACK CMA 1U/KIT/NO POWERCORD/	VFY:R1332SC040IN	1148,24	
	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS / XEON E3-1230V5/16 GB U 2133 2R/DVD-RW/ 2xHD SAS 12G 600GB/RAID 12G 1GB/ RMK F1-CMA SL/RACK MOUNT 1U ASYM/KIT/	VFY:R1332SC120IN	2564,71	
	PY RX1330M2/LFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/LFF/HOT PLUG PSU/RED. FANS / ADV. THERMAL/XEON E3-1220V5/ 8 GB U 2133 2R/DVD-RW/HD SATA 1TB/ RMK F1 SL/RACK MOUNT 1U SYM/KIT/	VFY:R1332SC150IN	1576,47	
	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS /	PY RX1330M2/SFF/HOT PLUG PSU/RED. FANS / XEON E3-1220V5/8 GB U 2133 2R/DVD-RW/ RMK F1-CMA SL/RACK MOUNT 1U ASYM/ RACK CMA 1U/KIT/NO POWERCORD/	VFY:R1332SX060FR	987,06	

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
PRIMERGY RX1330 M2					
	PY RX1330M2/LFF/standard PSU	Rack based server 19" (1U), BU without processor and RAM, incl. standard power supply module and 4 standard fans, RMK optional; systemboard D3375 based on Intel C236 PCH, Socket for Dual Core Pentium/Core i3, Quad Core Xeon Processor and 4x sockets 4 DDR4 -2133 UDIMM ECC; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 Gbit Ethernet LAN and 6-Port SATA controller Intég. (1 port for internal ODD); 4 drive bays for hot plug 3.5" SATA or SAS HDs or SATA-DOM; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW	S26361-K1550-V101	584,71	


PRIMERGY RX1330 M2

 Fiches produit : <http://fr.fujitsu.com/primergy>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
PRIMERGY RX1330 M2 (Suite)					
	PY RX1330M2/LFF/hot plug PSU/red. fans	Rack based server 19" (1U), BU without processor and RAM,1 hot plug modular power supply module,5 redundant fans, RMK optional; systemboard D3375 based on Intel C236 PCH, Socket for Dual Core Pentium/Core i3, Quad Core Xeon Processor and 4x sockets 4 DDR4 -2133 UDIMM ECC; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 Gbit Ethernet LAN and 6-Port SATA controller Intég. (1 port for internal ODD); 4 drive bays for hot plug 3.5" SATA or SAS HDs or SATA-DOM; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW	S26361-K1550-V201	642,35	
PY RX1330M2/SFF/standard PSU		Rack based server 19" (1U), BU without processor and RAM, incl. standard power supply module and 4 standard fans, RMK optional; systemboard D3375 based on Intel C236 PCH, Socket for Dual Core Pentium/Core i3, Quad Core Xeon Processor and 4x sockets 4 DDR4 -2133 UDIMM ECC; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 Gbit Ethernet LAN and 6-Port SATA controller Intég. (1 port for internal ODD); 8 drive bays for hot plug 2.5" SATA or SAS HDs or SATA-DOM; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW	S26361-K1550-V301	595,29	
PY RX1330M2/SFF/hot plug PSU/red. fans		Rack based server 19" (1U), BU without processor and RAM,1 hot plug modular power supply module,5 redundant fans, RMK optional; systemboard D3375 based on Intel C236 PCH, Socket for Dual Core Pentium/Core i3, Quad Core Xeon Processor and 4x sockets 4 DDR4 -2133 UDIMM ECC; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 Gbit Ethernet LAN and 6-Port SATA controller Intég. (1 port for internal ODD); 8 drive bays for hot plug 2.5" SATA or SAS HDs or SATA-DOM; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW	S26361-K1550-V401	651,76	
PY RX1330M2/10xSFF/hot plug PSU/red.fans		Rack based server 19" (1U), BU without processor and RAM,1 hot plug modular power supply module,5 redundant fans, RMK optional; systemboard D3375 based on Intel C236 PCH, Socket for Dual Core Pentium/Core i3, Quad Core Xeon Processor and 4x sockets 4 DDR4 -2133 UDIMM ECC; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 Gbit Ethernet LAN and 6-Port SATA controller Intég. (1 port for internal ODD); 10 drive bays for hot plug 2.5" SATA or SAS HDs or SATA-DOM; ServerView Suite DVD Pack incl. Installation SW, Management SW and Serviceability SW	S26361-K1550-V501	823,53	



PRIMERGY RX2510

Fiches produit : <http://fr.fujitsu.com/primergy>

Le PRIMERGY RX2510 est un serveur rack qui offre un équilibre entre les performances optimales de deux processeurs et une grande efficacité pour l'administration et la consommation énergétique. Le châssis 1U permet non seulement d'économiser en termes d'espace de rack, mais également sur vos coûts d'investissement. Avec ses caractéristiques, le RX2510 est le serveur idéal pour répondre aux exigences des Datacenters des différents types de prestataires de services et de hosters. Les économies énergétiques, les fonctions de redondance et le concept thermique Cool-SAFE® permettant une plage de température d'exploitation élargie se traduiront par des coûts d'exploitation inférieurs.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
PRIMERGY RX2510 M2				
PY RX2510 M2 /XEON E5-2603V4/	PY RX2510 M2 /XEON E5-2603V4/ 8 GB RG 2400 1R/DVD-RW/4xHD SATA 1TB/ RAID 12G 1GB/PLAN CP 2X1GB/ RMK F1-CMA SL/RACK MOUNT 1U SYM/	LKN:R2512S0001FR	3844,71	
PY RX2510 M2 /2xXEON E5-2620V4/	PY RX2510 M2 /2xXEON E5-2620V4/ COOLER KIT 2ND CPU/6x8 GB RG 2400 1R/ 4xHD SATA 1TB/PRAID CP400/ RMK F1-CMA SL/RACK MOUNT 1U SYM/	LKN:R2512S0002FR	5281,18	
PY RX2510 M2 /XEON E5-2620V4/	PY RX2510 M2 /XEON E5-2620V4/ 16 GB RG 2400 2R/DVD ROM US/ 2xHD SATA 1TB/2xHD SAS 300GB/ RAID 12G 1GB/FBU 25CM CABLE/TFM MODULE/	LKN:R2512S0003FR	4287,06	
PY RX2510 M2 /XEON E5-2620V4/	PY RX2510 M2 /XEON E5-2620V4/ 8 GB RG 2400 1R/PLAN CP 2X1GB/ RMK F1-CMA SL/RACK MOUNT 1U SYM/ RACK CMA 1U/KIT/PSU 450W HP/	VFY:R2512SC010IN	2322,35	
PY RX2510 M2 /XEON E5-2620V4/	PY RX2510 M2 /XEON E5-2620V4/ 8 GB RG 2400 1R/PLAN CP 2X1GB/ RMK F1-CMA SL/RACK MOUNT 1U ASYM/ RACK CMA 1U/KIT/PSU 450W HP/	VFY:R2512SC011IN	2342,35	
PY RX2510 M2 /XEON E5-2620V4/	PY RX2510 M2 /XEON E5-2620V4/ 8 GB RG 2400 1R/PLAN AP 1X1GB/ RMK F1 SL SI SCREW/RACK MOUNT 1U SYM/ KIT/PSU 450W HP/NO POWERCORD/PSU DUMMY/	VFY:R2512SC020IN	2078,82	
PY RX2510 M2 /ATD 45°C/XEON E5-2620V4/	PY RX2510 M2 /ATD 45°C/XEON E5-2620V4/ 16 GB RG 2400 2R/PLAN CP 2X1GB/ RMK F1-CMA SL/RACK MOUNT 1U SYM/KIT/ PSU 450W HP/NO POWERCORD/PSU DUMMY/	VFY:R2512SC030IN	2383,53	



PRIMERGY RX2510

Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
PRIMERGY RX2510 M2 (Suite)				
PRIMERGY RX2510 M2	Rack server, Base unit with systemboard D3279 for up to 2x Xeon E5-2600 v4 series processors and 12x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; 1x Service LAN-Port; RAID 0/1 6Gbit/s Ctrl. Intég.; Bays for up to 4x hot plug 3,5" or hot plug 2.5" SAS/SATA drives; 3/6 single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The system architect suggests as standard 1x 450W hot plug power supply. This is optimal for most configurations with 1x CPU. Please check required power with the power calculator (integrated in the system architect)., , Delivery in single packaging, minimum order quantity: 1 unit.	S26361-K1582-V101	854,12	
PRIMERGY RX2510 M2 bulk packaging	Rack server, Base unit with systemboard D3279 for up to 2x Xeon E5-2600 v4 series processors and 12x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; 1x Service LAN-Port; RAID 0/1 6Gbit/s Ctrl. Intég.; Bays for up to 4x hot plug 3,5" or hot plug 2.5" SAS/SATA drives; 3/6 single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The system architect suggests as standard 1x 450W hot plug power supply. This is optimal for most configurations with 1x CPU. Please check required power with the power calculator (integrated in the system architect)., , Delivery in bulk packaging, minimum order quantity: 8 units (or a multiple of 8 units).	S26361-K1582-V111	854,12	



PRIMERGY RX2520 M1

Fiches produit : <http://fr.fujitsu.com/primergy>

Le Fujitsu PRIMERGY RX2520 M1 est une plate-forme efficace et évolutive conçue pour les applications professionnelles. Ce serveur rack biprocesseur est doté des processeurs Intel® Xeon® les plus récents de la gamme E5-2400 v2 avec une mémoire RAM allant jusqu'à 192 Go. Le PRIMERGY RX2520 vous offre un excellent rapport qualité/prix. Avec jusqu'à 12 disques de stockage de 3,5" ou 16 de 2,5" intégrés, son châssis modulaire compact PRIMERGY 2U le dote d'un environnement très performant pour les applications et les services qui requièrent du stockage. De plus, le RX2520 est prévu pour répondre aux exigences ultérieures en offrant des options modulaires supplémentaires ainsi que des kits de mise à niveau pour les LAN, RAID et stockage. Les unités d'alimentation offrant 96 % d'efficacité énergétique et le système de gestion iRMC S4 amélioré réduisent

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
PRIMERGY RX2520 M1				
PY RX2520 M1 2.5' EXP. /XEON E5-2420V2/	PY RX2520 M1 2.5' EXP. /XEON E5-2420V2/ INDEPENDENT MODE/2x16 GB RG 1600 2R/ DVD-RW SM SLIM/CF4: 8X2.5' HDD/3xHD 1TB/ 4xHD SAS 6G 450GB 15K HOT PL 2.5' EP/	LKN:R2521S0068FR	8564,71	
PY RX2520 M1 2.5' EXP. /XEON E5-2420V2/	PY RX2520 M1 2.5' EXP. /XEON E5-2420V2/ INDEPENDENT MODE/6x8 GB RG 1600 1R/ 4X2.5"HDD/PSAS CP400E LP/RMK F1 S7 LV/ RACK MOUNT 1U SYM/KIT/EMB UFM 8GB/	LKN:R2521S0069FR	3883,53	
Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 2-4 hot plug fans optional redundant; RMK optional; dual systemboard for Xeon E5-2400v2 DP processor and 12 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 Gbit Ethernet LAN Intég., Modular 8-Port RAID Ctrl. optional; max 8 drive bays for hot plug 3.5" SAS/SATA HDs expandable; ServerView Suite Software Pack				
PY RX2520 M1 8X 3.5' /XEON E5-2420V2/	PY RX2520 M1 8X 3.5' /XEON E5-2420V2/ INDEPENDENT MODE/2x16 GB RG 1600 2R/ 3xHD SAS 6G 1TB/RAID 6G 5/6 512MB/ RMK F1 S7 LV/RACK MOUNT 1U ASYM/KIT/	LKN:R2521S0006FR	4443,53	
PY RX2520 M1 8X 3.5' /2xXEON E5-2450V2/	PY RX2520 M1 8X 3.5' /2xXEON E5-2450V2/ 2xINDEPENDENT MODE/8x8 GB RG 1600 1R/ DVD-RW SM SLIM/7xHD SAS 6G 300GB/D3116C/ PLAN CP 4X1GB/RMK F1 S7 LV/	LKN:R2521S0010FR	9678,82	
PY RX2520 M1 8X 3.5' /XEON E5-2420V2/	PY RX2520 M1 8X 3.5' /XEON E5-2420V2/ INDEPENDENT MODE/3x8 GB RG 1600 1R/ DVD-RW SM SLIM/6xHD SATA 1TB 7.2K/ RAID 6G 5/6 512MB/RMK F1 S7 LV/	LKN:R2521S0018FR	5287,06	
PY RX2520 M1 8X 3.5' /XEON E5-2430LV2/	PY RX2520 M1 8X 3.5' /XEON E5-2430LV2/ INDEPENDENT MODE/2x16 GB RG 1600 2R/ DVD-RW SM SLIM/6xHD SAS 6G 300GB/ 2xHD SAS 6G 1TB/D3116C/PLAN CP 4X1GB/	LKN:R2521S0023FR	6974,12	
PY RX2520 M1 8X 3.5' /2xXEON E5-2450V2/	PY RX2520 M1 8X 3.5' /2xXEON E5-2450V2/ 2xINDEPENDENT MODE/6x16 GB RG 1600 2R/ DVD-RW SM SLIM/RAID 6G 0/1/SAS CTRL 6G/ PLAN CP 2X1GB/D2755 / F3629/	LKN:R2521S0031FR	8685,88	
PY RX2520 M1 8X 3.5' /2xXEON E5-2407V2/	PY RX2520 M1 8X 3.5' /2xXEON E5-2407V2/ 2xINDEPENDENT MODE/4x8 GB RG 1600 1R/ 3xHD SAS 6G 300GB/RAID 6G 5/6 512MB/ RMK F1 S7 LV/RACK MOUNT 1U SYM/KIT/	LKN:R2521S0040FR	4661,18	
PY RX2520 M1 8X 3.5' /2xXEON E5-2440V2/	PY RX2520 M1 8X 3.5' /2xXEON E5-2440V2/ 2xINDEPENDENT MODE/8x16 GB RG 1600 2R/ DVD-RW SM SLIM/RAID 6G 0/1/ PLAN CP 4X1GB/RMK F1 S7 LV/	LKN:R2521S0042FR	7465,88	
PY RX2520 M1 8X 3.5' /XEON E5-2403V2/	PY RX2520 M1 8X 3.5' /XEON E5-2403V2/ INDEPENDENT MODE/2x4GB RG 1600 1R/ 5xHD SATA 4TB 7.2K/RAID 6G 5/6 512MB/ RMK F1 S7 LV/RACK MOUNT 1U SYM/	LKN:R2521S0048FR	6294,12	
PY RX2520 M1 8X 3.5' /XEON E5-2420V2/	PY RX2520 M1 8X 3.5' /XEON E5-2420V2/ INDEPENDENT MODE/4x8 GB RG 1600 1R/ 3xHD SAS 600GB 3.5'/D3116C/TFM MODULE/ FBU/RMK F1 S7 LV/RACK MOUNT 1U SYM/KIT/	LKN:R2521S0051FR	7276,47	
PY RX2520 M1 8X 3.5' /XEON E5-2420V2/	PY RX2520 M1 8X 3.5' /XEON E5-2420V2/ PERFORMANCE MODE/3x8 GB RG 1600 1R/ DVD-RW SM SLIM/3xHD SATA 1TB 7.2K/ D3116C/TFM MODULE/FBU/RMK F1 S7 LV/	LKN:R2521S0053FR	4580,00	



PRIMERGY RX2520 M1

Fiches produit : <http://fr.fujitsu.com/primergy>

PY RX2520 M1 8X 3.5' /XEON E5-2440V2/	PY RX2520 M1 8X 3.5' /XEON E5-2440V2/ INDEPENDENT MODE/4x16 GB RG 1600 2R/ DVD-RW SM SLIM/3xHD SATA 1TB 7.2K/ D3116C/PLAN CP 2X1GB/RMK F1 S7 LV/	LKN:R2521S0062FR	5767,06
PY RX2520 M1 8X 3.5' /XEON E5-2420V2/	PY RX2520 M1 8X 3.5' /XEON E5-2420V2/ INDEPENDENT MODE/3x16 GB RG 1600 2R/ 4xHD SAS 450GB 3.5'/D3116C/TFM MODULE/ FBU/RMK F1 S7 LV/RACK MOUNT 1U SYM/KIT/	LKN:R2521S0072FR	6967,06



PRIMERGY RX2520 M1

Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
PRIMERGY RX2520 M1 (Suite)				
PY RX2520 M1 8X 3.5' /2xXEON E5-2420V2/	PY RX2520 M1 8X 3.5' /2xXEON E5-2420V2/ 2xINDEPENDENT MODE/2x16 GB RG 1600 2R/ DVD-RW SM SLIM/3xHD SAS 600GB 3.5'/ 2xHD SATA 1TB 7.2K/D3116C/TFM MODULE/	LKN:R2521S0075FR	7581,18	
PY RX2520 M1 8X 3.5' /XEON E5-2420V2/	PY RX2520 M1 8X 3.5' /XEON E5-2420V2/ INDEPENDENT MODE/4x16 GB RG 1600 2R/ DVD-RW SM SLIM/2xHD SAS 300GB 3.5'/ 2xHD SAS 6G 2TB/RAID 6G 5/6 512MB/	LKN:R2521S0084FR	7130,59	
PY RX2520 M1 8X 3.5' /XEON E5-2420V2/	PY RX2520 M1 8X 3.5' /XEON E5-2420V2/ INDEPENDENT MODE/8 GB RG 1600 1R/ DVD-RW SM SLIM/4xHD SATA 1TB 7.2K/ D3116C/TFM MODULE/FBU/RMK F1 S7 LV/	LKN:R2521S0085FR	4378,82	
PY RX2520 M1 8X 3.5' /XEON E5-2420V2/	PY RX2520 M1 8X 3.5' /XEON E5-2420V2/ INDEPENDENT MODE/2x16 GB RG 1600 2R/ 2xSSD SATA 200GB/2xHD SATA 1TB 7.2K/ D3116C/PLAN CP 2X1GB/RMK F1 S7 LV/	LKN:R2521S0092FR	7040,00	
PY RX2520 M1 8X 3.5' /XEON E5-2420V2/	PY RX2520 M1 8X 3.5' /XEON E5-2420V2/ INDEPENDENT MODE/8 GB RG 1600 1R/ 3xHD SATA 1TB 7.2K/4xHD SAS 300GB/ D3116C/TFM MODULE/FBU/RMK F1 S7 LV/	LKN:R2521S0093FR	5180,00	
PY RX2520 M1 8X 3.5' /XEON E5-2403V2/	PY RX2520 M1 8X 3.5' /XEON E5-2403V2/ INDEPENDENT MODE/8 GB RG 1600 1R/ DVD-RW SM SLIM/RAID 6G 0/1/RMK F1 S7 LV/ RACK MOUNT 1U SYM/RACK CMA 2U/KIT/	VFY:R2521SC030IN	2314,12	
PY RX2520 M1 8X 3.5' /XEON E5-2420V2/	PY RX2520 M1 8X 3.5' /XEON E5-2420V2/ INDEPENDENT MODE/8 GB RG 1600 1R/ DVD-RW SM SLIM/RAID 6G 5/6 512MB/ RMK F1 S7 LV/RACK MOUNT 1U SYM/	VFY:R2521SC040IN	1931,95	
PY RX2520 M1 8X 3.5' /XEON E5-2407V2/	PY RX2520 M1 8X 3.5' /XEON E5-2407V2/ INDEPENDENT MODE/8 GB RG 1600 1R/ DVD-RW SM SLIM/RAID 6G 5/6 512MB/ RMK F1 S7 LV/RACK MOUNT 1U SYM/	VFY:R2521SC050IN	1760,66	
PY RX2520 M1 8X 3.5' /XEON E5-2420V2/	PY RX2520 M1 8X 3.5' /XEON E5-2420V2/ INDEPENDENT MODE/8 GB RG 1600 1R/ DVD-RW SM SLIM/RAID 6G 5/6 512MB/ RMK F1 S7 LV/RACK MOUNT 1U ASYM/	VFY:R2521SX170FR	1951,76	
Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans; RMK optional; dual systemboard for Xeon E5-2400v2 DP processor and 12 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 Gbit Ethernet LAN Intég., Modular 8-Port RAID Ctrl. optional; max 12 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack				
PY RX2520 M1 12X 3.5' /XEON E5-2407V2/	PY RX2520 M1 12X 3.5' /XEON E5-2407V2/ PERFORMANCE MODE/3x4GB RG 1600 1R/ 5xHD SATA 4TB 7.2K/2xHD SAS 6G 300GB/ D3116C/TFM MODULE/FBU/FC 1CH LPE1250 LP/	LKN:R2521S0021FR	8212,94	
PY RX2520 M1 12X 3.5' /XEON E5-2420V2/	PY RX2520 M1 12X 3.5' /XEON E5-2420V2/ INDEPENDENT MODE/16 GB RG 1600 2R/ 3xHD SAS 6G 300GB/D3116C/PLAN CP 2X1GB/ RMK F1 S7 LV/RACK MOUNT 1U SYM/KIT/	LKN:R2521S0026FR	4302,35	
PY RX2520 M1 12X 3.5' /XEON E5-2407V2/	PY RX2520 M1 12X 3.5' /XEON E5-2407V2/ INDEPENDENT MODE/8 GB RG 1600 1R/ 9xHD SAS 6G 4TB/D3116C/TFM MODULE/FBU/ PLAN CP 4X1GB/RMK F1 S7 LV/	LKN:R2521S0049FR	10934,12	
PY RX2520 M1 12X 3.5' /2xXEON E5-2420V2/	PY RX2520 M1 12X 3.5' /2xXEON E5-2420V2/ 2xINDEPENDENT MODE/6x16 GB RG 1600 2R/ 4xHD SAS 600GB 3.5'/4xHD SATA 2TB 7.2K/ D3116C/TFM MODULE/FBU/RMK F1 S7 LV/	LKN:R2521S0057FR	11331,76	
PY RX2520 M1 12X 3.5' /2xXEON E5-2420V2/	PY RX2520 M1 12X 3.5' /2xXEON E5-2420V2/ 2xPERFORMANCE MODE/6x8 GB RG 1600 1R/ 4xHD SAS 12G 300GB 10K 512N HOT PL 3.5' EP/D3116C/TFM MODULE/FBU/PLAN CP 4X1GB/	LKN:R2521S0058FR	6577,65	



PRIMERGY RX2520 M1

Fiches produit : <http://fr.fujitsu.com/primergy>

PY RX2520 M1 12X 3.5' /2xXEON E5-2420V2/	PY RX2520 M1 12X 3.5' /2xXEON E5-2420V2/ 2xINDEPENDENT MODE/4x8 GB RG 1600 1R/ 2xHD SAS 12G 300GB 10K 512N HOT PL 3.5' EP/2xHD SAS 6G 4TB/RAID 6G 5/6 512MB/	LKN:R2521S0064FR	6496,47
PY RX2520 M1 12X 3.5' /XEON E5-2420V2/	PY RX2520 M1 12X 3.5' /XEON E5-2420V2/ INDEPENDENT MODE/2x8 GB RG 1600 1R/ 11xHD SATA 2TB 7.2K/RAID 6G 5/6 512MB/ SAS CTRL 6G/PLAN CP 2X1GB/RMK F1 S7 LV/	LKN:R2521S0065FR	8278,82



PRIMERGY RX2520 M1

Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
PRIMERGY RX2520 M1 (Suite)				
PY RX2520 M1 12X 3.5' /XEON E5-2430LV2/	PY RX2520 M1 12X 3.5' /XEON E5-2430LV2/ INDEPENDENT MODE/2x16 GB RG 1600 2R/ 4xHD SAS 6G 1TB/6xHD SAS 300GB/D3116C/ PLAN CP 2X1GB/RMK F1 S7 LV/	LKN:R2521S0071FR	7177,65	
PY RX2520 M1 12X 3.5' /XEON E5-2407V2/	PY RX2520 M1 12X 3.5' /XEON E5-2407V2/ PERFORMANCE MODE/3x8 GB RG 1600 1R/ 6xHD SATA 6TB/2xHD SAS 6G 300GB/D3116C/ TFM MODULE/FBU/FC 2CH LPE12002 LP/	LKN:R2521S0077FR	12401,18	
PY RX2520 M1 12X 3.5' /XEON E5-2407V2/	PY RX2520 M1 12X 3.5' /XEON E5-2407V2/ PERFORMANCE MODE/3x8 GB RG 1600 1R/ 6xHD SATA 6TB/2xHD SAS 6G 300GB/D3116C/ TFM MODULE/FBU/FC 2CH LPE12002 LP/	LKN:R2521S0078FR	12250,59	
PY RX2520 M1 12X 3.5' /XEON E5-2403V2/	PY RX2520 M1 12X 3.5' /XEON E5-2403V2/ INDEPENDENT MODE/8 GB RG 1600 1R/ 2xHD SATA 1TB 7.2K/10xHD SATA 4TB 7.2K/ RAID 6G 5/6 512MB/RMK F1 S7 LV/	LKN:R2521S0080FR	9161,18	
PY RX2520 M1 12X 3.5' /XEON E5-2407V2/	PY RX2520 M1 12X 3.5' /XEON E5-2407V2/ INDEPENDENT MODE/3x4GB RG 1600 1R/ 8xHD SATA 4TB 7.2K/RAID 6G 5/6 512MB/ PSAS CP400E LP/X540-T1 / F3752/	LKN:R2521S0086FR	9020,00	
PY RX2520 M1 12X 3.5' /2xXEON E5-2407V2/	PY RX2520 M1 12X 3.5' /2xXEON E5-2407V2/ 2xINDEPENDENT MODE/4x8 GB RG 1600 1R/ 6xHD SATA 6TB/2xHD SAS 6G 300GB/D3116C/ TFM MODULE/FBU/FC 2CH QLE2562/	LKN:R2521S0087FR	12995,29	
PY RX2520 M1 12X 3.5' /XEON E5-2407V2/	PY RX2520 M1 12X 3.5' /XEON E5-2407V2/ INDEPENDENT MODE/2x8 GB RG 1600 1R/ 5xHD SATA 3TB 7.2K/2xHD SAS 300GB/ D3116C/TFM MODULE/FBU/PSAS CP400E LP/	LKN:R2521S0088FR	7502,35	
PY RX2520 M1 12X 3.5' /XEON E5-2420V2/	PY RX2520 M1 12X 3.5' /XEON E5-2420V2/ INDEPENDENT MODE/8 GB RG 1600 1R/ RAID 6G 5/6 512MB/RMK F1 S7 LV/ RACK MOUNT 1U SYM/RACK CMA 2U/KIT/	VFY:R2521SC180IN	2054,31	
Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 2-4 hot plug fans optional redundant; RMK optional; dual systemboard for Xeon E5-2400v2 DP processor and 12 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 Gbit Ethernet LAN Intég., RAID0/1-Ctrl. for 4 HDDs Intég., Modular 8-Port RAID Ctrl. optional; 4 drive bays for hot plug 2,5" SAS/SATA HDs expandable; ServerView Suite Software Pack				
PY RX2520 M1 2.5' EXP. /XEON E5-2407V2/	PY RX2520 M1 2.5' EXP. /XEON E5-2407V2/ INDEPENDENT MODE/2x8 GB RG 1600 1R/ 4X2.5"HDD/2xHD 500GB/RMK F1 S7 LV/ RACK MOUNT 1U SYM/RACK CMA 2U/KIT/	LKN:R2521S0001FR	3021,18	
PY RX2520 M1 2.5' EXP. /	PY RX2520 M1 2.5' EXP. / 2xXEON E5-2420V2/2xPERFORMANCE MODE/ 6x8 GB RG 1600 1R/16X2.5"HDD/ 2xHD SAS 300G/D3116C/TFM MODULE/FBU/	LKN:R2521S0003FR	5940,00	
PY RX2520 M1 2.5' EXP. /	PY RX2520 M1 2.5' EXP. / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 4x4GB RG 1600 1R/4x8 GB RG 1600 1R/ DVD-RW SM SLIM/CF4: 8X2.5' HDD/	LKN:R2521S0004FR	7124,71	
PY RX2520 M1 2.5' EXP. /	PY RX2520 M1 2.5' EXP. / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 12x8 GB RG 1600 1R/4X2.5"HDD/2xHD 146GB/ RAID 6G 0/1/2xPLAN CP 4X1GB/	LKN:R2521S0007FR	6734,12	
PY RX2520 M1 2.5' EXP. /	PY RX2520 M1 2.5' EXP. / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 8x8 GB RG 1600 1R/DVD-RW SM SLIM/ 4X2.5"HDD/SAS CTRL 6G/2xPLAN CP 4X1GB/	LKN:R2521S0017FR	6162,35	
PY RX2520 M1 2.5' EXP. /XEON E5-2420V2/	PY RX2520 M1 2.5' EXP. /XEON E5-2420V2/ INDEPENDENT MODE/2x8 GB RG 1600 1R/ DVD-RW SM SLIM/4X2.5"HDD/2xHD 1TB/ RAID 6G 0/1/RMK F1 S7 LV/	LKN:R2521S0019FR	3772,94	



PRIMERGY RX2520 M1

Fiches produit : <http://fr.fujitsu.com/primergy>

PY RX2520 M1 2.5' EXP. /XEON E5-2420V2/	PY RX2520 M1 2.5' EXP. /XEON E5-2420V2/ INDEPENDENT MODE/2x8 GB RG 1600 1R/ DVD-RW SM SLIM/4X2.5"HDD/2x300 GB/ RAID 6G 0/1/RMK F1 S7 LV/	LKN:R2521S0020FR	3975,29
PY RX2520 M1 2.5' EXP. /	PY RX2520 M1 2.5' EXP. / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 8x8 GB RG 1600 1R/DVD-RW SM SLIM/ CF4: 8X2.5' HDD/2xHD 146GB/D3116C/	LKN:R2521S0022FR	6834,12



PRIMERGY RX2520 M1

Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
PRIMERGY RX2520 M1 (Suite)				
PY RX2520 M1 2.5' EXP. /Xeon E5-2420V2/	PY RX2520 M1 2.5' EXP. /Xeon E5-2420V2/ INDEPENDENT MODE/2x16 GB RG 1600 2R/ RDX USB3.0 3.5"/8X2.5"HDD+3.5"DRV./ 3xHD SAS 6G 600GB 15K HOT PL 2.5' EP/	LKN:R2521S0034FR	6758,82	
PY RX2520 M1 2.5' EXP. /	PY RX2520 M1 2.5' EXP. / 2xXeon E5-2420V2/2xINDEPENDENT MODE/ 4x8 GB RG 1600 1R/DVD-RW SM SLIM/ CF7: 12X2.5' HDD/4xHD SAS 450G/D3116C/	LKN:R2521S0041FR	7162,35	
PY RX2520 M1 2.5' EXP. /Xeon E5-2430V2/	PY RX2520 M1 2.5' EXP. /Xeon E5-2430V2/ INDEPENDENT MODE/6x8 GB RG 1600 1R/ DVD-RW SM SLIM/CF4: 8X2.5' HDD/ 3xHD 500GB/2xHD SAS 300G/2xHD SAS 450G/	LKN:R2521S0043FR	7890,59	
PY RX2520 M1 2.5' EXP. /	PY RX2520 M1 2.5' EXP. / 2xXeon E5-2407V2/2xINDEPENDENT MODE/ 4x8 GB RG 1600 1R/DVD-RW SM SLIM/ 4X2.5"HDD/3xHD SAS 600G/D3116C/	LKN:R2521S0046FR	5527,06	
PY RX2520 M1 2.5' EXP. /	PY RX2520 M1 2.5' EXP. / 2xXeon E5-2450LV2/2xINDEPENDENT MODE/ 8x16 GB RG 1600 2R/CF4: 8X2.5' HDD/ 4xHD SAS 900G/2x300 GB/D3116C/	LKN:R2521S0050FR	13152,94	
PY RX2520 M1 2.5' EXP. /	PY RX2520 M1 2.5' EXP. / 2xXeon E5-2420V2/2xINDEPENDENT MODE/ 4x16 GB RG 1600 2R/DVD-RW SM SLIM/ CF4: 8X2.5' HDD/4xHD SAS 6G 1.2TB/	LKN:R2521S0052FR	7843,53	
PY RX2520 M1 2.5' EXP. /	PY RX2520 M1 2.5' EXP. / 2xXeon E5-2420V2/2xINDEPENDENT MODE/ 2x16 GB RG 1600 2R/DVD-RW SM SLIM/ 4X2.5"HDD/2xPLAN CP 2X1GB/RMK F1 S7 LV/	LKN:R2521S0054FR	4492,94	
PY RX2520 M1 2.5' EXP. /Xeon E5-2420V2/	PY RX2520 M1 2.5' EXP. /Xeon E5-2420V2/ INDEPENDENT MODE/2x16 GB RG 1600 2R/ 16X2.5"HDD/8xHD 1TB/D3116C/TFM MODULE/ FBU/PLAN CP 4X1GB/RMK F1 S7 LV/	LKN:R2521S0055FR	7643,53	
PY RX2520 M1 2.5' EXP. /Xeon E5-2420V2/	PY RX2520 M1 2.5' EXP. /Xeon E5-2420V2/ INDEPENDENT MODE/3x16 GB RG 1600 2R/ DVD-RW SM SLIM/CF4: 8X2.5' HDD/ 4xHD SAS 900G/D3116C/TFM MODULE/FBU/	LKN:R2521S0059FR	7335,29	
PY RX2520 M1 2.5' EXP. /Xeon E5-2407V2/	PY RX2520 M1 2.5' EXP. /Xeon E5-2407V2/ INDEPENDENT MODE/2x8 GB RG 1600 1R/ 2x16 GB RG 1600 2R/DVD-RW SM SLIM/ CF4: 8X2.5' HDD/5xHD 1TB/2xHD SAS 300G/	LKN:R2521S0060FR	6851,76	
PY RX2520 M1 2.5' EXP. /Xeon E5-2430V2/	PY RX2520 M1 2.5' EXP. /Xeon E5-2430V2/ INDEPENDENT MODE/4x16 GB RG 1600 2R/ DVD-RW SM SLIM/4X2.5"HDD/SAS CTRL 6G/ RMK F1 S7 LV/RACK MOUNT 1U SYM/KIT/	LKN:R2521S0061FR	4144,71	
PY RX2520 M1 2.5' EXP. /	PY RX2520 M1 2.5' EXP. / 2xXeon E5-2430V2/2xINDEPENDENT MODE/ 8x16 GB RG 1600 2R/DVD-RW SM SLIM/ CF4: 8X2.5' HDD/4xHD SAS 300G/	LKN:R2521S0067FR	9668,24	
PY RX2520 M1 2.5' EXP. /	PY RX2520 M1 2.5' EXP. / 2xXeon E5-2407V2/2xINDEPENDENT MODE/ 4x8 GB RG 1600 1R/DVD-RW SM SLIM/ CF4: 8X2.5' HDD/4xHD SAS 600G/D3116C/	LKN:R2521S0070FR	7069,41	
PY RX2520 M1 2.5' EXP. /	PY RX2520 M1 2.5' EXP. / 2xXeon E5-2430V2/2xINDEPENDENT MODE/ 12x8 GB RG 1600 1R/CF4: 8X2.5' HDD/ 5xHD 500GB/D3116C/RMK F1 S7 LV/	LKN:R2521S0073FR	7630,59	
PY RX2520 M1 2.5' EXP. /	PY RX2520 M1 2.5' EXP. / 2xXeon E5-2430V2/2xINDEPENDENT MODE/ 12x8 GB RG 1600 1R/CF4: 8X2.5' HDD/ 4xHD SAS 600G/D3116C/RMK F1 S7 LV/	LKN:R2521S0074FR	8280,00	
PY RX2520 M1 2.5' EXP. /ADV. THERMAL/	PY RX2520 M1 2.5' EXP. /ADV. THERMAL/ 2xXeon E5-2420V2/2xINDEPENDENT MODE/ 4x8 GB RG 1600 1R/DVD-RW SM SLIM/ 4X2.5"HDD/2xHD SAS 300G/PRAID CP400/	LKN:R2521S0076FR	5361,18	



PRIMERGY RX2520 M1

Fiches produit : <http://fr.fujitsu.com/primergy>

PY RX2520 M1 2.5' EXP. /	PY RX2520 M1 2.5' EXP. / 2xXEON E5-2420V2/2xPERFORMANCE MODE/ 12x8 GB RG 1600 1R/CF4: 8X2.5' HDD/ 4xHD SAS 450G/D3116C/TFM MODULE/FBU/	LKN:R2521S0079FR	7883,53
PY RX2520 M1 2.5' EXP. /	PY RX2520 M1 2.5' EXP. / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 2x16 GB RG 1600 2R/CF4: 8X2.5' HDD/ 2x300 GB/PRAID CP400I/RMK F1 S7 LV/	LKN:R2521S0081FR	4822,35



PRIMERGY RX2520 M1 Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
PRIMERGY RX2520 M1 (Suite)				
PY RX2520 M1 2.5' EXP. /	PY RX2520 M1 2.5' EXP. / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 2x16 GB RG 1600 2R/CF4: 8X2.5' HDD/ 2xSSD SATA 120GB/2xSSD SATA 240GB/	LKN:R2521S0082FR	5922,35	
PY RX2520 M1 2.5' EXP. /ADV. THERMAL/	PY RX2520 M1 2.5' EXP. /ADV. THERMAL/ XEON E5-2450V2/INDEPENDENT MODE/ 3x8 GB RG 1600 1R/DVD-RW SM SLIM/ CF4: 8X2.5' HDD/4xHD SAS 600GB/	LKN:R2521S0083FR	8115,29	
PY RX2520 M1 2.5' EXP. /	PY RX2520 M1 2.5' EXP. / 2xXEON E5-2430V2/2xINDEPENDENT MODE/ 6x16 GB RG 1600 2R/CF4: 8X2.5' HDD/ 6xHD SAS 600G/2x300 GB/D3116C/	LKN:R2521S0089FR	10794,12	
PY RX2520 M1 2.5' EXP. /	PY RX2520 M1 2.5' EXP. / 2xXEON E5-2420V2/2xPERFORMANCE MODE/ 9x8 GB RG 1600 1R/DVD-RW SM SLIM/ CF7: 12X2.5' HDD/4xHD SAS 600G/	LKN:R2521S0090FR	10198,82	
PY RX2520 M1 2.5' EXP. /	PY RX2520 M1 2.5' EXP. / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 4x16 GB RG 1600 2R/4X2.5"HDD/2x300 GB/ SSD SATA 128GB/D3116C/TFM MODULE/FBU/	LKN:R2521S0091FR	6405,88	
PY RX2520 M1 2.5' EXP. /	PY RX2520 M1 2.5' EXP. / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 4x16 GB RG 1600 2R/DVD-RW SM SLIM/ 8X2.5"HDD+3.5"DRV./6xHD SAS 12G 1.2TB/	LKN:R2521S0094FR	9042,35	
PY RX2520 M1 2.5' EXP. /	PY RX2520 M1 2.5' EXP. / 2xXEON E5-2407V2/2xINDEPENDENT MODE/ 2x8 GB RG 1600 1R/DVD-RW SM SLIM/ 4X2.5"HDD/2xHD SAS 12G 300GB/	LKN:R2521S0095FR	5610,59	
PY RX2520 M1 2.5' EXP. /	PY RX2520 M1 2.5' EXP. / 2xXEON E5-2420V2/2xINDEPENDENT MODE/ 2x16 GB RG 1600 2R/DVD-RW SM SLIM/ CF7: 12X2.5' HDD/4xHD SAS 600G/	LKN:R2521S0096FR	8595,29	
PY RX2520 M1 2.5' EXP. /XEON E5-2403V2/	PY RX2520 M1 2.5' EXP. /XEON E5-2403V2/ INDEPENDENT MODE/8 GB RG 1600 1R/ DVD-RW SM SLIM/4X2.5"HDD/RMK F1 S7 LV/ RACK MOUNT 1U SYM/RACK CMA 2U/KIT/	VFY:R2521SC010IN	1283,48	
PY RX2520 M1 2.5' EXP. /XEON E5-2420V2/	PY RX2520 M1 2.5' EXP. /XEON E5-2420V2/ INDEPENDENT MODE/8 GB RG 1600 1R/ DVD-RW SM SLIM/CF4: 8X2.5' HDD/ RAID 6G 5/6 512MB/RMK F1 S7 LV/	VFY:R2521SC020IN	1834,07	
PY RX2520 M1 2.5' EXP. /	PY RX2520 M1 2.5' EXP. / 2xXEON E5-2450V2/2xPERFORMANCE MODE/ 6x8 GB RG 1600 1R/DVD-RW SM SLIM/ CF4: 8X2.5' HDD/D3116C/TFM MODULE/FBU/	VFY:R2521SC240IN	6428,24	
PY RX2520 M1 2.5' EXP. /XEON E5-2420V2/	PY RX2520 M1 2.5' EXP. /XEON E5-2420V2/ PERFORMANCE MODE/3x4GB RG 1600 1R/ 3x8 GB RG 1600 1R/DVD-RW SM SLIM/ CF7: 12X2.5' HDD/D3116C/TFM MODULE/FBU/	VFY:R2521SC250IN	4201,18	
PY RX2520 M1 2.5' EXP. /XEON E5-2420V2/	PY RX2520 M1 2.5' EXP. /XEON E5-2420V2/ INDEPENDENT MODE/8 GB RG 1600 1R/ DVD-RW SM SLIM/CF4: 8X2.5' HDD/ RAID 6G 5/6 512MB/RMK F1 S7 LV/	VFY:R2521SX160FR	1951,76	

Description	Détails	Référence	Prix Indicatif (€)	Remarques
-------------	---------	-----------	--------------------	-----------

Unités de Base

PRIMERGY RX2520 M1



PRIMERGY RX2520 M1

Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
PRIMERGY RX2520 M1 (Suite)				
PY RX2520 M1 8x 3,5"	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 2-4 hot plug fans optional redundant; RMK optional; dual systemboard for Xeon E5-2400v2 DP processor and 12 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 Gbit Ethernet LAN Intég., Modular 8-Port RAID Ctrl. optional; max 8 drive bays for hot plug 3.5" SAS/SATA HDs expandable; ServerView Suite Software Pack	S26361-K1480-V101	1082,35	
PY RX2520 M1 12x 3.5"	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans; RMK optional; dual systemboard for Xeon E5-2400v2 DP processor and 12 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 Gbit Ethernet LAN Intég., Modular 8-Port RAID Ctrl. optional; max 12 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack	S26361-K1480-V112	1315,29	
PY RX2520 M1 2.5" expandable	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 2-4 hot plug fans optional redundant; RMK optional; dual systemboard for Xeon E5-2400v2 DP processor and 12 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC S4 Intég. server management incl. graphics controller and 10/100/1000MBit Service LAN port, 2 Gbit Ethernet LAN Intég., RAID0/1-Ctrl. for 4 HDDs Intég., Modular 8-Port RAID Ctrl. optional; 4 drive bays for hot plug 2,5" SAS/SATA HDs expandable; ServerView Suite Software Pack	S26361-K1480-V401	916,47	



PRIMERGY RX2530

Fiches produit : <http://fr.fujitsu.com/primergy>

Le serveur rack PRIMERGY RX2530 M2 de 1U offre des performances élevées, une grande évolutivité et une excellente efficacité énergétique dans un boîtier 1U compact. Ce serveur est idéal pour la virtualisation, les scénarios d'expansion, les petites bases de données et l'informatique hautes performances grâce à la puissance des nouveaux processeurs Intel® Xeon® E5-2600 v4 comptant jusqu'à 18/22 cœurs et dotés de la dernière technologie de mémoire DDR4. De plus, le RX2530 est très évolutif : jusqu'à 1 536 Go de mémoire DDR4, dix disques durs et jusqu'à quatre disques SSD PCIe haut débit en option ainsi que la technologie flexible DynamicLoM, ce qui permet d'anticiper les exigences futures tout en réalisant des économies.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
PRIMERGY RX2530 M2				
PY RX2530 M2 4X 2.5' EXP. /ATD 45°C/	PY RX2530 M2 4X 2.5' EXP. /ATD 45°C/ 2xXEON E5-2630V4/COOLER KIT 2ND CPU/ 2xINDEPENDENT MODE/2x16 GB RG 2400 2R/ 2x32 GB RG 2400 2R/DVD ROM US/	LKN:R2532S0003FR	7676,47	
PY RX2530 M2 4X 2.5' EXP. /	PY RX2530 M2 4X 2.5' EXP. / 2xXEON E5-2637V4/COOLER KIT 2ND CPU/ 2xPERFORMANCE MODE/12x8 GB RG 2400 1R/ DVD ROM US/6xHD SAS 12G 600GB/	LKN:R2532S0009FR	11981,18	
PY RX2530 M2 4X 2.5' EXP. /ATD 40°C/	PY RX2530 M2 4X 2.5' EXP. /ATD 40°C/ XEON E5-2603V4/INDEPENDENT MODE/ 8 GB RG 2400 1R/DVD ROM US/ 4xHD SAS 300GB/RAID 12G 1GB/	LKN:R2532S0016FR	5697,65	
PY RX2530 M2 4X 2.5' EXP. /	PY RX2530 M2 4X 2.5' EXP. / 2xXEON E5-2620V4/COOLER KIT 2ND CPU/ 2xINDEPENDENT MODE/4x8 GB RG 2400 1R/ DVD ROM US/4X1GB IF CARD/PLAN CP 2X1GB/	LKN:R2532S0033FR	4643,53	
PY RX2530 M2 4X 2.5' EXP. /	PY RX2530 M2 4X 2.5' EXP. / XEON E5-2620V4/INDEPENDENT MODE/ 16 GB RG 2400 2R/DVD ROM US/ 4xHD SATA 500GB 7.2K/UPG.KIT 8X2.5'HDD/	LKN:R2532S0035FR	4901,18	
PY RX2530 M2 4X 2.5' EXP. /	PY RX2530 M2 4X 2.5' EXP. / 2xXEON E5-2609V4/COOLER KIT 2ND CPU/ 2xINDEPENDENT MODE/8x8 GB RG 2400 1R/ DVD ROM US/5xHD SAS 12G 1.2TB/	LKN:R2532S0037FR	8976,47	



PRIMERGY RX2530

Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
PRIMERGY RX2530 M2 (Suite)				
Rack server, Base unit with systemboard D3279 for up to 2x Xeon E5-2600 v4 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; RAID 0/1 6Gbit/s Ctrl. Intég.; 4 bays for hot plug 3.5" SAS/SATA drives; 4/8 single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The Systemarchitekt suggests as standard 2x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check with the power calculator), , Delivery in single packaging, minimum order quantity: 1 unit.				
PY RX2530 M2 4X 3.5' /2xXEON E5-2620V4/	PY RX2530 M2 4X 3.5' /2xXEON E5-2620V4/ COOLER KIT 2ND CPU/2xPERFORMANCE MODE/ 12x32 GB RG 2400 2R/2xSFP+ MMF 10GBE LC/ 4X1GB IF CARD/D2755 / F3629/RMK F1 SL/	LKN:R2532S0024FR	11974,12	
PY RX2530 M2 4X 3.5' /XEON E5-2620V4/	PY RX2530 M2 4X 3.5' /XEON E5-2620V4/ INDEPENDENT MODE/8 GB RG 2400 1R/DVD-RW/ 2X1GB IF CARD/RMK F1-CMA SL/ RACK MOUNT 1U SYM/RACK CMA 1U/KIT/	VFY:R2532SC030IN	2555,29	
Rack server, Base unit with systemboard D3279 for up to 2x Xeon E5-2600 v4 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; RAID 0/1 6Gbit/s Ctrl. Intég.; 4 bays for hot plug 2.5" SAS/SATA drives (upgrade for up to 8x 2.5" drives available as option); 4/8 single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The Systemarchitekt suggests as standard 2x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check with the power calculator).				
PY RX2530 M2 4X 2.5' EXP. /ATD 40°C/	PY RX2530 M2 4X 2.5' EXP. /ATD 40°C/ XEON E5-2630V4/PERFORMANCE MODE/ 4x16 GB RG 2400 2R/2xHD SAS 12G 600GB/ RAID 12G 1GB/TFM MODULE/FBU 70CM CABLE/	LKN:R2532S0001FR	7660,00	
PY RX2530 M2 4X 2.5' EXP. /ATD 40°C/	PY RX2530 M2 4X 2.5' EXP. /ATD 40°C/ 2xXEON E5-2690V4/COOLER KIT 2ND CPU/ 2xPERFORMANCE MODE/8x16 GB RG 2400 2R/ 2xHD SAS 12G 300GB/PRAID CP400I/	LKN:R2532S0002FR	12796,47	
PY RX2530 M2 4X 2.5' EXP. /ATD 40°C/	PY RX2530 M2 4X 2.5' EXP. /ATD 40°C/ XEON E5-2603V4/PERFORMANCE MODE/ 4x8 GB RG 2400 1R/4x16 GB RG 2400 2R/ 3xHD SAS 12G 600GB/RAID 12G 1GB/	LKN:R2532S0004FR	6820,00	
PY RX2530 M2 4X 2.5' EXP. /ATD 40°C/	PY RX2530 M2 4X 2.5' EXP. /ATD 40°C/ XEON E5-2603V4/PERFORMANCE MODE/ 4x8 GB RG 2400 1R/4x16 GB RG 2400 2R/ 3xHD SAS 12G 600GB/RAID 12G 1GB/	LKN:R2532S0005FR	6820,00	
PY RX2530 M2 4X 2.5' EXP. /	PY RX2530 M2 4X 2.5' EXP. / 2xXEON E5-2660V4/COOLER KIT 2ND CPU/ 2xPERFORMANCE MODE/16x32 GB RG 2400 2R/ DVD-RW/FC 2CH LPE12002 LP/4X1GB IF CARD/	LKN:R2532S0007FR	17834,12	
PY RX2530 M2 4X 2.5' EXP. /ATD 45°C/	PY RX2530 M2 4X 2.5' EXP. /ATD 45°C/ 2xXEON E5-2640V4/COOLER KIT 2ND CPU/ 2xPERFORMANCE MODE/8x16 GB RG 2400 2R/ DVD-RW/4X1GB IF CARD/PLAN CP 4X1GB/	LKN:R2532S0008FR	8082,35	
PY RX2530 M2 4X 2.5' EXP. /ATD 40°C/	PY RX2530 M2 4X 2.5' EXP. /ATD 40°C/ XEON E5-2630V4/PERFORMANCE MODE/ 4x8 GB RG 2400 1R/4x16 GB RG 2400 2R/ 3xHD SAS 12G 600GB/RAID 12G 1GB/	LKN:R2532S0010FR	9040,00	


PRIMERGY RX2530

 Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
PRIMERGY RX2530 M2 (Suite)				
PY RX2530 M2 4X 2.5' EXP. /ATD 45°C/	PY RX2530 M2 4X 2.5' EXP. /ATD 45°C/ 2xXEON E5-2630V4/COOLER KIT 2ND CPU/ 2xPERFORMANCE MODE/8x8 GB RG 2400 1R/ 2xHD SAS 300GB/RAID 12G 1GB/TFM MODULE/	LKN:R2532S0011FR	7483,53	
PY RX2530 M2 4X 2.5' EXP. /	PY RX2530 M2 4X 2.5' EXP. / 2xXEON E5-2620V4/COOLER KIT 2ND CPU/ 2xINDEPENDENT MODE/4x16 GB RG 2400 2R/ DVD-RW/SSD SATA 64GB/4X1GB IF CARD/	LKN:R2532S0013FR	4740,00	
PY RX2530 M2 4X 2.5' EXP. /ATD 40°C/	PY RX2530 M2 4X 2.5' EXP. /ATD 40°C/ 2xXEON E5-2630V4/COOLER KIT 2ND CPU/ 2xPERFORMANCE MODE/8x8 GB RG 2400 1R/ DVD-RW/4xHD SAS 300GB/UPG.KIT 8X2.5'HDD/	LKN:R2532S0015FR	8974,12	
PY RX2530 M2 4X 2.5' EXP. /	PY RX2530 M2 4X 2.5' EXP. / 2xXEON E5-2630V4/COOLER KIT 2ND CPU/ 2xPERFORMANCE MODE/8x32 GB RG 2400 2R/ FC 2CH QLE2562/2xSFP+ MMF 10GBE LC/	LKN:R2532S0017FR	12030,59	
PY RX2530 M2 4X 2.5' EXP. /	PY RX2530 M2 4X 2.5' EXP. / XEON E5-2630V4/INDEPENDENT MODE/ 2x32 GB RG 2400 2R/2xSSD SATA 960GB/ PRAID CP400I/2X10GB IF CARD/	LKN:R2532S0018FR	9288,24	
PY RX2530 M2 4X 2.5' EXP. /	PY RX2530 M2 4X 2.5' EXP. / 2xXEON E5-2680V4/COOLER KIT 2ND CPU/ 2xINDEPENDENT MODE/8x16 GB RG 2400 2R/ DVD-RW/2xHD SAS 300GB/PRAID CP400I/	LKN:R2532S0019FR	11543,53	
PY RX2530 M2 4X 2.5' EXP. /	PY RX2530 M2 4X 2.5' EXP. / 2xXEON E5-2630V4/COOLER KIT 2ND CPU/ 2xPERFORMANCE MODE/8x8 GB RG 2400 1R/ 5xHD SAS 300GB/UPG.KIT 8X2.5'HDD/	LKN:R2532S0020FR	9508,24	
PY RX2530 M2 4X 2.5' EXP. /ATD 40°C/	PY RX2530 M2 4X 2.5' EXP. /ATD 40°C/ 2xXEON E5-2630V4/COOLER KIT 2ND CPU/ 2xPERFORMANCE MODE/8x8 GB RG 2400 1R/ 4xHD SAS 300GB/UPG.KIT 8X2.5'HDD/	LKN:R2532S0021FR	9030,59	
PY RX2530 M2 4X 2.5' EXP. /ATD 45°C/	PY RX2530 M2 4X 2.5' EXP. /ATD 45°C/ XEON E5-2630V4/PERFORMANCE MODE/ 4x32 GB RG 2400 2R/2xHD SAS 12G 600GB/ RAID 12G 1GB/TFM MODULE/FBU 70CM CABLE/	LKN:R2532S0022FR	9015,29	
PY RX2530 M2 4X 2.5' EXP. /ATD 45°C/	PY RX2530 M2 4X 2.5' EXP. /ATD 45°C/ 2xXEON E5-2630V4/COOLER KIT 2ND CPU/ 2xPERFORMANCE MODE/8x16 GB RG 2400 2R/ 2xHD SAS 12G 600GB/RAID 12G 1GB/	LKN:R2532S0023FR	9901,18	
PY RX2530 M2 4X 2.5' EXP. /ATD 40°C/	PY RX2530 M2 4X 2.5' EXP. /ATD 40°C/ 2xXEON E5-2609V4/COOLER KIT 2ND CPU/ 2xINDEPENDENT MODE/8x16 GB RG 2400 2R/ 4X1GB IF CARD/RMK F1-CMA SL/	LKN:R2532S0025FR	5814,12	
PY RX2530 M2 4X 2.5' EXP. /	PY RX2530 M2 4X 2.5' EXP. / XEON E5-2630V4/INDEPENDENT MODE/ 2x16 GB RG 2400 2R/2xHD SAS 600GB/ PRAID CP400I/4X1GB IF CARD/	LKN:R2532S0026FR	5928,24	
PY RX2530 M2 4X 2.5' EXP. /ATD 40°C/	PY RX2530 M2 4X 2.5' EXP. /ATD 40°C/ XEON E5-2630V4/PERFORMANCE MODE/ 4x16 GB RG 2400 2R/3xHD SAS 12G 300GB/ UPG.KIT 8X2.5'HDD/RAID 12G 1GB/	LKN:R2532S0027FR	6309,41	



PRIMERGY RX2530

Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
PRIMERGY RX2530 M2 (Suite)				
PY RX2530 M2 4X 2.5' EXP. /ATD 40°C/	PY RX2530 M2 4X 2.5' EXP. /ATD 40°C/ XEON E5-2630V4/PERFORMANCE MODE/ 4x16 GB RG 2400 2R/5xHD SAS 12G 300GB/ UPG.KIT 8X2.5'HDD/RAID 12G 1GB/	LKN:R2532S0028FR	6827,06	
PY RX2530 M2 4X 2.5' EXP. /ATD 40°C/	PY RX2530 M2 4X 2.5' EXP. /ATD 40°C/ XEON E5-2630V4/PERFORMANCE MODE/ 4x16 GB RG 2400 2R/6xHD SAS 12G 300GB/ UPG.KIT 8X2.5'HDD/RAID 12G 1GB/	LKN:R2532S0029FR	7085,88	
PY RX2530 M2 4X 2.5' EXP. /	PY RX2530 M2 4X 2.5' EXP. / XEON E5-2620V4/INDEPENDENT MODE/ 4x8 GB RG 2400 1R/DVD-RW/ 4xHD SAS 12G 600GB/RAID 12G 2GB/	LKN:R2532S0030FR	6329,41	
PY RX2530 M2 4X 2.5' EXP. /	PY RX2530 M2 4X 2.5' EXP. / XEON E5-2620V4/INDEPENDENT MODE/ 4x8 GB RG 2400 1R/DVD-RW/ 4xHD SAS 12G 600GB/UPG.KIT 8X2.5'HDD/	LKN:R2532S0031FR	6391,76	
PY RX2530 M2 4X 2.5' EXP. /ATD 45°C/	PY RX2530 M2 4X 2.5' EXP. /ATD 45°C/ 2xXEON E5-2630V4/COOLER KIT 2ND CPU/ 2xPERFORMANCE MODE/8x16 GB RG 2400 2R/ 8x32 GB RG 2400 2R/SSD SATA 128GB/	LKN:R2532S0032FR	13629,41	
PY RX2530 M2 4X 2.5' EXP. /ATD 40°C/	PY RX2530 M2 4X 2.5' EXP. /ATD 40°C/ XEON E5-2630V4/INDEPENDENT MODE/ 4x16 GB RG 2400 2R/DVD-RW/ 3xHD SAS 12G 300GB/RAID 12G 1GB/	LKN:R2532S0036FR	5756,47	
PY RX2530 M2 4X 2.5' EXP. /	PY RX2530 M2 4X 2.5' EXP. / XEON E5-2620V4/INDEPENDENT MODE/ 8 GB RG 2400 1R/DVD-RW/2X1GB IF CARD/ RMK F1-CMA SL/RACK MOUNT 1U SYM/	VFY:R2532SC010IN	2555,29	
PY RX2530 M2 4X 2.5' EXP. /	PY RX2530 M2 4X 2.5' EXP. / XEON E5-2620V4/INDEPENDENT MODE/ 8 GB RG 2400 1R/DVD-RW/2X1GB IF CARD/ RMK F1-CMA SL/RACK MOUNT 1U ASYM/	VFY:R2532SC011IN	2555,29	
PY RX2530 M2 4X 2.5' EXP. /	PY RX2530 M2 4X 2.5' EXP. / XEON E5-2630V4/INDEPENDENT MODE/ 8 GB RG 2400 1R/DVD-RW/RAID 12G 1GB/ 4X1GB IF CARD/RMK F1-CMA SL/	VFY:R2532SC020IN	3491,76	
PY RX2530 M2 4X 2.5' EXP. /ATD 45°C/	PY RX2530 M2 4X 2.5' EXP. /ATD 45°C/ XEON E5-2620V4/INDEPENDENT MODE/ 16 GB RG 2400 2R/RAID 12G 2GB/ 4X1GB IF CARD/RMK F1-CMA SL/	VFY:R2532SC040IN	3247,06	
<p>Rack server, Base unit with systemboard D3279 for up to 2x Xeon E5-2600 v4 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; 10 bays for hot plug 2,5" SAS/SATA drives (therein 4 bays prepared for up to 4x 2.5" PCIe Flash SSD drives); 4/8 single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, . The Systemarchitekt suggests as standard 2x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check with the power calculator).</p>				
PY RX2530 M2 10X 2.5' /ATD 40°C/	PY RX2530 M2 10X 2.5' /ATD 40°C/ 2xXEON E5-2620V4/COOLER KIT 2ND CPU/ 2xINDEPENDENT MODE/4x16 GB RG 2400 2R/ 10xHD SAS 600GB/RAID 12G 1GB/	LKN:R2532S0006FR	13963,53	
PY RX2530 M2 10X 2.5' /2xXEON E5-2620V4/	PY RX2530 M2 10X 2.5' /2xXEON E5-2620V4/ COOLER KIT 2ND CPU/2xPERFORMANCE MODE/ 4x8 GB RG 2400 1R/4x16 GB RG 2400 2R/ 5xHD SAS 600GB/RAID 12G 1GB/TFM MODULE/	LKN:R2532S0012FR	11309,41	



PRIMERGY RX2530 Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
-------------	---------	-----------	--------------------	-----------

Configurations Standards

PRIMERGY RX2530 M2 (Suite)				
PY RX2530 M2 10X 2.5' /ATD 40°C/	PY RX2530 M2 10X 2.5' /ATD 40°C/ XEON E5-2630V4/INDEPENDENT MODE/ 2x16 GB RG 2400 2R/4xHD SAS 600GB/ RAID 12G 2GB/4X1GB IF CARD/RMK F1 SL/	LKN:R2532S0014FR	7949,41	
PY RX2530 M2 10X 2.5' /2xXEON E5-2620V4/	PY RX2530 M2 10X 2.5' /2xXEON E5-2620V4/ COOLER KIT 2ND CPU/2xINDEPENDENT MODE/ 6x16 GB RG 2400 2R/10xHD SAS 600GB/ RAID 12G 1GB/4X1GB IF CARD/RMK F1 SL/	LKN:R2532S0034FR	16885,88	

Description	Détails	Référence	Prix Indicatif (€)	Remarques
-------------	---------	-----------	--------------------	-----------

Unités de Base

PRIMERGY RX2530 M1-L				
PY RX2530 M1-L 4x 2.5" expandable	Long Lifecycle System. See configuration hints for further details., , Rack server, Base unit with systemboard D3279 for up to 2x Xeon E5-2600 v3 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; RAID 0/1 6GBit/s Ctrl. Intég.; 4 bays for hot plug 2,5" SAS/SATA drives (upgrade for up to 8x 2.5" drives available as option); 4/8 single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The Systemarchitekt suggests as standard 2x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check with the power calculator).	S26361-K1492-V302	1444,71	

PRIMERGY RX2530 M2				
PY RX2530 M2 4x 3.5'	Rack server, Base unit with systemboard D3279 for up to 2x Xeon E5-2600 v4 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; RAID 0/1 6GBit/s Ctrl. Intég.; 4 bays for hot plug 3,5" SAS/SATA drives; 4/8 single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The Systemarchitekt suggests as standard 2x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check with the power calculator)., , Delivery in single packaging, minimum order quantity: 1 unit.	S26361-K1565-V101	1112,94	


PRIMERGY RX2530

 Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
PRIMERGY RX2530 M2 (Suite)				
PY RX2530 M2 4x 3.5" bulk packaging	Rack server, Base unit with systemboard D3279 for up to 2x Xeon E5-2600 v4 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; RAID 0/1 6GBit/s Ctrl. Intég.; 4 bays for hot plug 3,5" SAS/SATA drives; 4/8 single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The Systemarchitekt suggests as standard 2x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check with the power calculator)., , Delivery in bulk packaging, minimum order quantity: 8 units (or a multiple of 8 units).	S26361-K1565-V111	1112,94	
PY RX2530 M2 4x 2.5" expandable	Rack server, Base unit with systemboard D3279 for up to 2x Xeon E5-2600 v4 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; RAID 0/1 6GBit/s Ctrl. Intég.; 4 bays for hot plug 2,5" SAS/SATA drives (upgrade for up to 8x 2.5" drives available as option); 4/8 single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The Systemarchitekt suggests as standard 2x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check with the power calculator).	S26361-K1565-V301	1134,12	
PY RX2530 M2 4x 2.5" exp. in bulk pack.	Rack server, Base unit with systemboard D3279 for up to 2x Xeon E5-2600 v4 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; RAID 0/1 6GBit/s Ctrl. Intég.; 4 bays for hot plug 2,5" SAS/SATA drives (upgrade for up to 8x 2.5" drives available as option); 4/8 single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The Systemarchitekt suggests as standard 2x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check with the power calculator)., , Delivery in bulk packaging, minimum order quantity: 8 units (or a multiple of 8 units).	S26361-K1565-V311	1134,12	
PY RX2530 M2 10x 2.5"	Rack server, Base unit with systemboard D3279 for up to 2x Xeon E5-2600 v4 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; 10 bays for hot plug 2,5" SAS/SATA drives (therein 4 bays prepared for up to 4x 2.5" PCIe Flash SSD drives); 4/8 single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The Systemarchitekt suggests as standard 2x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check with the power calculator).	S26361-K1565-V501	1444,71	



PRIMERGY RX2540 Fiches produit : <http://fr.fujitsu.com/primergy>

Le serveur PRIMERGY RX2540 M2 de FUJITSU définit des normes supérieures en matière d'utilisation, d'évolutivité et de rentabilité. Il s'agit d'un serveur rack biprocesseur 2U idéal pour les charges de travail liées aux applications d'entreprise, à la collaboration et à la messagerie, ainsi que pour les bases de données traditionnelles. D'autre part, elle simplifie considérablement les tâches effectuées liées à l'infrastructure comme la virtualisation et la consolidation des serveurs. Une des innovations principales : les performances polyvalentes sont garanties par une nouvelle génération de processeurs. Le PRIMERGY RX2540 M2 peut être équipé de deux processeurs Intel® Xeon® E5-2600 v4. En plus de la nouvelle technologie de mémoire DDR4, il accroît les performances d'application, pouvant ainsi s'adapter à la croissance continue des données. La conception

Description	Détails	Reference	Prix indicatif (€)	Remarque
Configurations Standards				
PRIMERGY RX2540 M2				
PY RX2540 M2 8X 2.5 EXP./	PY RX2540 M2 8X 2.5 EXP./ XEON E5-2630/4/INDEPENDENT MODE/ 4x16 GB RG 2400 2R/DVD ROM US/ CF4: 8X2.5 HDD/4H SAS 600GB	LKN.R2542S0041FR	8164,71	
PY RX2540 M2 8X 2.5 EXP./	PY RX2540 M2 8X 2.5 EXP./ 2xXEON E5-2630/4/COOLER KIT 2ND CPU/ 2xINDEPENDENT MODE/4x16 GB RG 2400 2R/ DVD ROM US/CF4: 8X2.5 HDD/	LKN.R2542S0042FR	12418,82	
PY RX2540 M2 4X 3.5 EXP./	PY RX2540 M2 4X 3.5 EXP./ 2xXEON E5-2630/4/COOLER KIT 2ND CPU/ 2xINDEPENDENT MODE/8x16 GB RG 2400 2R/ DVD ROM US/FC 2CH LPE12002 LP/	LKN.R2542S0047FR	8232,94	
PY RX2540 M2 8X 2.5 EXP./	PY RX2540 M2 8X 2.5 EXP./ XEON E5-2630/4/INDEPENDENT MODE/ 4x16 GB RG 2400 2R/DVD ROM US/ CF4: 8X2.5 HDD/4H SAS 600GB/	LKN.R2542S0052FR	8655,29	
Rack based server 1P (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant, RMK optional: dual systemboard for Xeon DP processor and 24 slots for registered DDR4 ECC RAM, BMC: 34 integ. server management incl. graphics controller and 10/100/1000Mbit Service LAN port, Dynamic LoM with 2x4x 1/10 Gbit Ethernet LAN optional, RAID01-Ctrl. for 4 SATA-HDDs integ. - Modular 8-Port RAID Ctrl. optional; 4 drive bays for hot plug 3.5" SAS/SATA drives expandable, ServerView Suite Software Pack				
PY RX2540 M2 4X 3.5 EXP./	PY RX2540 M2 4X 3.5 EXP./ 2xXEON E5-2630/4/COOLER KIT 2ND CPU/ 2xRANKS SPARING/6x16 GB RG 2400 2R/ DVD-RW/PSAS CP400E LP/4X1GB IF CARD/	LKN.R2542S0003FR	6528,24	
PY RX2540 M2 4X 3.5 EXP./ATD 45°C/	PY RX2540 M2 4X 3.5 EXP./ ATD 45°C/ 2xXEON E5-2620/4/COOLER KIT 2ND CPU/ 2xPERFORMANCE MODE/8x16 GB RG 2400 2R/ 4X1GB IF CARD/2xPLAN OCE14102-NT/	LKN.R2542S0004FR	8445,88	



PRIMERGY RX2540 Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Reference	Prix indicatif (€)	Remarque
Configurations Standards				
PRIMERGY RX2540 M2 (Suite)				
PY RX2540 M2 4X 3.5 EXP. /ATD 45°C/	PY RX2540 M2 4X 3.5 EXP. /ATD 45°C/ 2xXEON E5-2620/4/COOOLER KIT 2ND CPU/ 2xPERFORMANCE MODE/8x16 GB RG 2400 2R/ 4X1GB IF CARD/PLAN OCE14102-NT/	LKN.R2542S0005FR	8254,12	
PY RX2540 M2 4X 3.5 EXP. /ATD 45°C/	PY RX2540 M2 4X 3.5 EXP. /ATD 45°C/ 2xXEON E5-2620/4/COOOLER KIT 2ND CPU/ 2xPERFORMANCE MODE/8x16 GB RG 2400 2R/ 2X10GB IF CARD/PLAN CP 4X1GB/	LKN.R2542S0006FR	8332,94	
PY RX2540 M2 4X 3.5 EXP. /	PY RX2540 M2 4X 3.5 EXP. / 2xXEON E5-2630/4/COOOLER KIT 2ND CPU/ 2xPERFORMANCE MODE/8x16 GB RG 2400 2R/ 4X1GB IF CARD/PLAN CP 2X1GB/	LKN.R2542S0011FR	7492,94	
PY RX2540 M2 4X 3.5 EXP. /	PY RX2540 M2 4X 3.5 EXP. / 2xXEON E5-2620/4/COOOLER KIT 2ND CPU/ 2xINDEPENDENT MODE/4x16 GB RG 2400 2R/ DVD-RW/4xHD SAS 300GB/RAID 12G 1GB/	LKN.R2542S0019FR	6264,71	
PY RX2540 M2 4X 3.5 EXP. /	PY RX2540 M2 4X 3.5 EXP. / 2xXEON E5-2620/4/COOOLER KIT 2ND CPU/ 2xINDEPENDENT MODE/8x8 GB RG 2400 1R/ DVD-RW/4xHD SAS 12G 600GB/	LKN.R2542S0021FR	8505,88	
PY RX2540 M2 4X 3.5 EXP. /	PY RX2540 M2 4X 3.5 EXP. / XEON E5-2620/4/PERFORMANCE MODE/ 4x16 GB RG 2400 2R/6xHD SAS 300GB /CONFIG2:8X3.5HDD/RAID 12G 1GB/	LKN.R2542S0023FR	6834,12	
PY RX2540 M2 4X 3.5 EXP. /	PY RX2540 M2 4X 3.5 EXP. / XEON E5-2620/4/PERFORMANCE MODE/ 4x16 GB RG 2400 2R/6xHD SAS 300GB /CONFIG2:8X3.5HDD/RAID 12G 1GB/	LKN.R2542S0024FR	6575,29	
PY RX2540 M2 4X 3.5 EXP. /	PY RX2540 M2 4X 3.5 EXP. / 2xXEON E5-2630/4/COOOLER KIT 2ND CPU/ 2xINDEPENDENT MODE/8x16 GB RG 2400 2R/ DVD-RW/4xHD SAS 6G 2TB/RAID 12G 1GB/	LKN.R2542S0028FR	9290,59	
PY RX2540 M2 4X 3.5 EXP. /	PY RX2540 M2 4X 3.5 EXP. / XEON E5-2603/4/INDEPENDENT MODE/ 2x8 GB RG 2400 1R/6xHD SATA 4TB 7.2K/ 2xSAS SATA 480GB/CONFIG2:8X3.5HDD/	LKN.R2542S0033FR	8807,06	
PY RX2540 M2 4X 3.5 EXP. /	PY RX2540 M2 4X 3.5 EXP. / 2xXEON E5-2609/4/COOOLER KIT 2ND CPU/ 2xPERFORMANCE MODE/8x32 GB RG 2400 2R/ 2xFC 1Gb LPE1250 LP4X1GB IF CARD/	LKN.R2542S0049FR	10935,29	
PY RX2540 M2 4X 3.5 EXP. /	PY RX2540 M2 4X 3.5 EXP. / 2xXEON E5-2620/4/COOOLER KIT 2ND CPU/ 2xINDEPENDENT MODE/2x8 GB RG 2400 1R/ 3xHD SAS 6G 1TB/3xHD SAS 6G 2TB/	LKN.R2542S0050FR	7934,12	
PY RX2540 M2 4X 3.5 EXP. /	PY RX2540 M2 4X 3.5 EXP. / XEON E5-2620/4/INDEPENDENT MODE/ 2x8 GB RG 2400 1R/ DVD-RW/RAID 12G 1GB/ 4X1GB IF CARD/RMM F1 S7 L.V.	VFY.R2542SC010N	3412,94	
PY RX2540 M2 4X 3.5 EXP. /	PY RX2540 M2 4X 3.5 EXP. / XEON E5-2640/4/INDEPENDENT MODE/ 2x16 GB RG 2400 2R/ DVD-RW/RAID 12G 1GB/ 4X1GB IF CARD/RMM F1 S7 L.V.	VFY.R2542SC020N	4385,88	



PRIMERGY RX2540 Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Reference	Prix indicatif (€)	Remarque
Configurations Standards				
PRIMERGY RX2540 M2 (Suite)				
PY RX2540 M2 4X 3.5" EXP. /	PY RX2540 M2 4X 3.5" EXP. / XEON E5-2620/4/INDEPENDENT MODE/ 8 GB RG 2400 1R/DVD-RW/RAID 12G 1GB/ 2X1GB IF CARD/RMK F1 S7 L.V.	VFY.R2542SC030N	3071,76	
Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional: dual systemboard for Xeon DP processor and 24 slots for registered DDR4 ECC RAM, IRMC S4 Integ. server management incl. graphics controller and 10/100/1000Mbit Service LAN port, Dynamic LoM with 2x4x 1/10 Gbit Ethernet LAN optional, Modular 8-Port RAID Ctrl. optional; 12 drive bays for hot plug 3.5" SAS/SATA drives; ServerView Suite Software Pack				
PY RX2540 M2 12X 3.5" /ATD 40°C/	PY RX2540 M2 12X 3.5" /ATD 40°C/ XEON E5-2603/4/PERFORMANCE MODE/ 4x16 GB RG 2400 2R/6xHD SAS 6G 4TB/ 2xHD SAS 600GB/RAID 12G 1GB/	LKN.R2542S0007FR	10878,82	
PY RX2540 M2 12X 3.5" /ATD 40°C/	PY RX2540 M2 12X 3.5" /ATD 40°C/ XEON E5-2630/4/PERFORMANCE MODE/ 4x16 GB RG 2400 2R/6xHD SAS 6G 4TB/ 2xHD SAS 600GB/RAID 12G 1GB/	LKN.R2542S0014FR	13098,82	
PY RX2540 M2 12X 3.5" /XEON E5-2620V4/	PY RX2540 M2 12X 3.5" /XEON E5-2620V4/ INDEPENDENT MODE/4x32 GB RG 2400 2R/ 5xHD SAS 6G 2TB/RAID 12G 1GB/ RISER 2X X8 RIGHT/4X1GB IF CARD/	LKN.R2542S0015FR	8736,47	
PY RX2540 M2 12X 3.5" /2XEON E5-2620V4/	PY RX2540 M2 12X 3.5" /2xXEON E5-2620V4/ COOLER KIT 2ND CPU/2xINDEPENDENT MODE/ 3x8 GB RG 2400 1R/2xHD SAS 300GB/ 5xHD SAS 1.2TB/RAID 12G 2GB/	LKN.R2542S0020FR	11245,88	
PY RX2540 M2 12X 3.5" /ATD 40°C/	PY RX2540 M2 12X 3.5" /ATD 40°C/ XEON E5-2620/4/PERFORMANCE MODE/ 4x16 GB RG 2400 2R/3xHD SAS 300GB/ RAID 12G 1GB/FBU 25CM CABLE/TFM MODULE/	LKN.R2542S0025FR	6480,00	
PY RX2540 M2 12X 3.5" /XEON E5-2620V4/	PY RX2540 M2 12X 3.5" /XEON E5-2620V4/ INDEPENDENT MODE/2x16 GB RG 2400 2R/ 2xHD SAS 1.2TB/RAID 12G 1GB/ FBU 25CM CABLE/TFM MODULE/4X1GB IF CARD/	LKN.R2542S0027FR	6715,29	
PY RX2540 M2 12X 3.5" /2XEON E5-2620V4/	PY RX2540 M2 12X 3.5" /2xXEON E5-2620V4/ COOLER KIT 2ND CPU/2xINDEPENDENT MODE/ 4x16 GB RG 2400 2R/8xHD SAS 300GB/ RAID 12G 1GB/4X1GB IF CARD/RMK F1 S7 L.V.	LKN.R2542S0053FR	10414,12	
Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional: dual systemboard for Xeon DP processor and 24 slots for registered DDR4 ECC RAM, IRMC S4 Integ. server management incl. graphics controller and 10/100/1000Mbit Service LAN port, Dynamic LoM with 2x4x 1/10 Gbit Ethernet LAN optional, RAID01-Ctrl. for 4 SATA-HDDs Integ., Modular 8-Port RAID Ctrl. optional; 1 bay 5.25" x 1.6" for backup devices, 8 drive bays for hot plug 2.5" SAS/SATA drives expandable; ServerView Suite Software Pack				
PY RX2540 M2 8X 2.5" EXP. /	PY RX2540 M2 8X 2.5" EXP. / XEON E5-2630/4/PERFORMANCE MODE/ 4x16 GB RG 2400 2R/CF4, 8X2.5" HDD/ 5xHD SATA 1TB 7.2K/2xHD SAS 12G 300GB/	LKN.R2542S0001FR	9655,29	
PY RX2540 M2 8X 2.5" EXP. /	PY RX2540 M2 8X 2.5" EXP. / XEON E5-2620/4/INDEPENDENT MODE/ 16 GB RG 2400 2R/DVD-RW/CF4, 8X2.5" HDD/ 3xHD SAS 12G 300GB/RAID 12G 1GB/	LKN.R2542S0001N	4210,59	



PRIMERGY RX2540 Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Reference	Prix indicatif (€)	Remarque
Configurations Standards				
PRIMERGY RX2540 M2 (Suite)				
PY RX2540 M2 8X 2.5 EXP. /	PY RX2540 M2 8X 2.5 EXP. / 2xXEON E5-2620/4COOLER KIT 2ND CPU/ 2xINDEPENDENT MODE/4x16 GB RG 2400 2R/ DVD-RW/CF4. 8X2.5 HDD	LKN.R2542S0002FR	7501,18	
PY RX2540 M2 8X 2.5 EXP. /	PY RX2540 M2 8X 2.5 EXP. / XEON E5-2630/4INDEPENDENT MODE/ 16 GB RG 2400 2R/DVD-RW/CF4. 8X2.5 HDD/ 3xHD SAS 125 300GB/RAID 13G 1GB/	LKN.R2542S0002N	4541,18	
PY RX2540 M2 8X 2.5 EXP. /	PY RX2540 M2 8X 2.5 EXP. / XEON E5-2630/4INDEPENDENT MODE/ 16 GB RG 2400 2R/DVD-RW/CF4. 8X2.5 HDD/ RAID 13G 1GB/4x1GB F CARD/RMK F1 S7 LV/	LKN.R2542S0003N	3764,71	
PY RX2540 M2 8X 2.5 EXP. /	PY RX2540 M2 8X 2.5 EXP. / 2xXEON E5-2640/4COOLER KIT 2ND CPU/ 2xPERFORMANCE MODE/16x16 GB RG 2400 2R/ CF4. 8X2.5 HDD/2xHD SAS 125 300GB/	LKN.R2542S0010FR	13445,88	
PY RX2540 M2 8X 2.5 EXP. /	PY RX2540 M2 8X 2.5 EXP. / 2xXEON E5-2630/4COOLER KIT 2ND CPU/ 2xINDEPENDENT MODE/8x16 GB RG 2400 2R/ DVD-RW/CF4. 8X2.5 HDD/PSAS CP400E LP/	LKN.R2542S0012FR	7161,18	
PY RX2540 M2 8X 2.5 EXP. /	PY RX2540 M2 8X 2.5 EXP. / 2xXEON E5-2630/4COOLER KIT 2ND CPU/ 2xINDEPENDENT MODE/8x16 GB RG 2400 2R/ DVD-RW/CF4. 8X2.5 HDD/	LKN.R2542S0013FR	7410,59	
PY RX2540 M2 8X 2.5 EXP. /	PY RX2540 M2 8X 2.5 EXP. / 2xXEON E5-2620/4COOLER KIT 2ND CPU/ 2xINDEPENDENT MODE/4x8 GB RG 2400 1R/ DVD-RW/CF4. 8X2.5 HDD/4xHD SAS 300GB/	LKN.R2542S0016FR	7167,06	
PY RX2540 M2 8X 2.5 EXP. /	PY RX2540 M2 8X 2.5 EXP. / 2xXEON E5-2640/4COOLER KIT 2ND CPU/ 2xPERFORMANCE MODE/16x16 GB RG 2400 2R/ GFX KIT RIGHT/PSRA NVIDIA GRID K2/	LKN.R2542S0017FR	18671,76	
PY RX2540 M2 8X 2.5 EXP. /	PY RX2540 M2 8X 2.5 EXP. / 2xXEON E5-2630/4COOLER KIT 2ND CPU/ 2xPERFORMANCE MODE/12x8 GB RG 2400 1R/ DVD-RW/CF4. 8X2.5 HDD/	LKN.R2542S0018FR	13645,88	
PY RX2540 M2 8X 2.5 EXP. /ATD 45°C/	PY RX2540 M2 8X 2.5 EXP. /ATD 45°C/ 2xXEON E5-2620/4COOLER KIT 2ND CPU/ 2xPERFORMANCE MODE/8x8 GB RG 2400 1R/ CF4. 8X2.5 HDD/4x1GB F CARD/	LKN.R2542S0022FR	6452,94	
PY RX2540 M2 8X 2.5 EXP. /	PY RX2540 M2 8X 2.5 EXP. / 2xXEON E5-2620/4COOLER KIT 2ND CPU/ 2xINDEPENDENT MODE/2x16 GB RG 2400 2R/ DVD-RW/CF4. 8X2.5 HDD/5xHD SAS 600GB/	LKN.R2542S0029FR	10296,47	
PY RX2540 M2 8X 2.5 EXP. /	PY RX2540 M2 8X 2.5 EXP. / 2xXEON E5-2660/4COOLER KIT 2ND CPU/ 2xPERFORMANCE MODE/8x16 GB RG 2400 2R/ CF4. 8X2.5 HDD/2xHD SAS 125 300GB/	LKN.R2542S0032FR	16709,41	
PY RX2540 M2 8X 2.5 EXP. /	PY RX2540 M2 8X 2.5 EXP. / 2xXEON E5-2620/4COOLER KIT 2ND CPU/ 2xINDEPENDENT MODE/4x16 GB RG 2400 2R/ DVD-RW/CF4. 8X2.5 HDD/	LKN.R2542S0034FR	7761,18	



PRIMERGY RX2540 Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Reference	Prix indicatif (€)	Remarque
Configurations Standards				
PRIMERGY RX2540 M2 (Suite)				
PY RX2540 M2 8X 2.5 EXP. /	PY RX2540 M2 8X 2.5 EXP. / 2xXEON E5-2640/4COOLER KIT 2ND CPU 2xINDEPENDENT MODE/8x16 GB RG 2400 2R/ CF4 8x2.5 HDD/FC 2CH LPE12002 LP/	LKN.R2542S0035FR	9255,29	
PY RX2540 M2 8X 2.5 EXP. /	PY RX2540 M2 8X 2.5 EXP. / 2xXEON E5-2640/4COOLER KIT 2ND CPU 2xINDEPENDENT MODE/8x16 GB RG 2400 2R/ CF4 8x2.5 HDD/FC 2CH LPE12002 LP/	LKN.R2542S0036FR	10316,47	
PY RX2540 M2 8X 2.5 EXP. /	PY RX2540 M2 8X 2.5 EXP. / 2xXEON E5-2620/4COOLER KIT 2ND CPU 2xINDEPENDENT MODE/2x8 GB RG 2400 1R/ 2x16 GB RG 2400 2R/DVD-RW/	LKN.R2542S0037FR	7594,12	
PY RX2540 M2 8X 2.5 EXP. /	PY RX2540 M2 8X 2.5 EXP. / 2xXEON E5-2630/4COOLER KIT 2ND CPU 2xINDEPENDENT MODE/8x32 GB RG 2400 2R/ DVD-RW/CF4 8x2.5 HDD/	LKN.R2542S0038FR	9810,59	
PY RX2540 M2 8X 2.5 EXP. /	PY RX2540 M2 8X 2.5 EXP. / 2xXEON E5-2630/4COOLER KIT 2ND CPU 2xINDEPENDENT MODE/8x32 GB RG 2400 2R/ DVD-RW/CF4 8x2.5 HDD/PSAS CP400E LP/	LKN.R2542S0040FR	9561,18	
PY RX2540 M2 8X 2.5 EXP. /	PY RX2540 M2 8X 2.5 EXP. / 2xXEON E5-2667/4COOLER KIT 2ND CPU 2xINDEPENDENT MODE/8x32 GB RG 2400 2R/ CF4 8x2.5 HDD/FFC EP LPE1600/	LKN.R2542S0043FR	15221,18	
PY RX2540 M2 8X 2.5 EXP. /	PY RX2540 M2 8X 2.5 EXP. / 2xXEON E5-2667/4COOLER KIT 2ND CPU 2xINDEPENDENT MODE/8x32 GB RG 2400 2R/ CF4 8x2.5 HDD/FFC EP LPE1600/	LKN.R2542S0044FR	15221,18	
PY RX2540 M2 8X 2.5 EXP. /	PY RX2540 M2 8X 2.5 EXP. / 2xXEON E5-2620/4COOLER KIT 2ND CPU 2xPERFORMANCE MODE/8x8 GB RG 2400 1R/ DVD-RW/CF4 8x2.5 HDD/	LKN.R2542S0045FR	9732,94	
PY RX2540 M2 8X 2.5 EXP. /	PY RX2540 M2 8X 2.5 EXP. / 2xXEON E5-2620/4COOLER KIT 2ND CPU 2xPERFORMANCE MODE/8x8 GB RG 2400 1R/ DVD-RW/CF4 8x2.5 HDD/	LKN.R2542S0046FR	9732,94	
PY RX2540 M2 8X 2.5 EXP. /	PY RX2540 M2 8X 2.5 EXP. / 2xXEON E5-2620/4COOLER KIT 2ND CPU 2xINDEPENDENT MODE/4x16 GB RG 2400 2R/ DVD-RW/CF4 8x2.5 HDD/	LKN.R2542S0048FR	7863,53	
PY RX2540 M2 8X 2.5 EXP. /	PY RX2540 M2 8X 2.5 EXP. / 2xXEON E5-2697/4COOLER KIT 2ND CPU 2xPERFORMANCE MODE/16x16 GB RG 2400 2R/ CF5 16x2.5 HDD/8HD SAS 15.5 2TB/	LKN.R2542S0054FR	28196,47	
PY RX2540 M2 8X 2.5 EXP. /	PY RX2540 M2 8X 2.5 EXP. / 2xXEON E5-2620/4COOLER KIT 2ND CPU 2xPERFORMANCE MODE/8x8 GB RG 2400 1R/ DVD-RW/CF4 8x2.5 HDD/	LKN.R2542S0055FR	10340,00	
PY RX2540 M2 8X 2.5 EXP. /	PY RX2540 M2 8X 2.5 EXP. / XEON E5-2620/4INDEPENDENT MODE/ 16 GB RG 2400 2R/DVD-RW/CF4 8x2.5 HDD/ RAID 10C 1GBx4/1GB F CARD/RW/ K F1 ST LW/	VFY.R2542SC040N	3410,59	



PRIMERGY RX2540 Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Reference	Prix Indicateur (€)	Remarque
Configurations Standards				
PRIMERGY RX2540 M2 (Suite)				
PY RX2540 M2 8X 2.5" EXP. / XEON E5-2620/4 INDEPENDENT MODE/ 16 GB RG 2400 2R/CF4, 8X2.5 HDD/ RAID 12G 2GB/4X1GB # CARD/RMK F1 S7 LV/		VFY:R2542SC050N	3409,41	
Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMK optional: dual systemboard for Xeon DP processor and 24 slots for registered DDR4 ECC RAM; RMC S4 Integ. server management incl. graphics controller and 10/100/1000Mbit Service LAN port, Dynamic LOM mit 2x4x 1/10 Gbit Ethernet LAN optional; RAID01-Ctrl. for 4 SATA-HDDs Integ., Modular 8-Port RAID Ctrl. optional; 24 drive bays for hot plug 2.5" SAS/SATA drives; ServerView Suite Software Pack				
PY RX2540 M2 24X 2.5" /2X XEON E5-2620/4/	PY RX2540 M2 24X 2.5" /2X XEON E5-2620/4/ COOLER KIT 2ND CPU/2 PERFORMANCE MODE/ 8x8 GB RG 2400 1R/8x16 GB RG 2400 2R/ 16xHD SAS 600GB/RAID 12G 2GB/	LKN:R2542S0008FR	22761,18	
PY RX2540 M2 24X 2.5" /2X XEON E5-2620/4/	PY RX2540 M2 24X 2.5" /2X XEON E5-2620/4/ COOLER KIT 2ND CPU/2 INDEPENDENT MODE/ 10x16 GB RG 2400 2R/16xHD SAS 600GB/ RAID 12G 2GB/ FBU 25CM CABLE/TFM MODULE/	LKN:R2542S0009FR	21832,94	
PY RX2540 M2 24X 2.5" /XEON E5-2603/4/	PY RX2540 M2 24X 2.5" /XEON E5-2603/4/ PERFORMANCE MODE/8x32 GB RG 2400 2R/ 2xHD SAS 300GB/9xHD SAS 12G 600GB/ 2xSSD SATA 480GB/RAID 12G 2GB/	LKN:R2542S0026FR	18747,06	
PY RX2540 M2 24X 2.5" /2X XEON E5-2630/4/	PY RX2540 M2 24X 2.5" /2X XEON E5-2630/4/ COOLER KIT 2ND CPU/2 PERFORMANCE MODE/ 8x16 GB RG 2400 2R/10xHD SAS 12G 300GB/ 2xSSD SATA 240GB/RAID 12G 2GB/	LKN:R2542S0030FR	11705,88	
PY RX2540 M2 24X 2.5" /2X XEON E5-2630/4/	PY RX2540 M2 24X 2.5" /2X XEON E5-2630/4/ COOLER KIT 2ND CPU/2 PERFORMANCE MODE/ 8x16 GB RG 2400 2R/3xSSD SATA 200GB/ 5xSSD SATA 800GB/4xSSD SATA 240GB/	LKN:R2542S0031FR	18342,35	
PY RX2540 M2 24X 2.5" /2X XEON E5-2620/4/	PY RX2540 M2 24X 2.5" /2X XEON E5-2620/4/ COOLER KIT 2ND CPU/2 PERFORMANCE MODE/ 8x8 GB RG 2400 1R/2xHD SAS 12G 300GB/ RAID 12G 1GB/RISER 2X X8 RGH/TT/	LKN:R2542S0038FR	7890,59	
PY RX2540 M2 24X 2.5" /2X XEON E5-2630/4/	PY RX2540 M2 24X 2.5" /2X XEON E5-2630/4/ COOLER KIT 2ND CPU/2 PERFORMANCE MODE/ 16x16 GB RG 2400 2R/16xHD SAS 12G 1.2TB/ 2xSSD SATA 240GB/4xSSD SATA 480GB/	LKN:R2542S0051FR	26808,24	
PY RX2540 M2 24X 2.5" /XEON E5-2620/4/	PY RX2540 M2 24X 2.5" /XEON E5-2620/4/ INDEPENDENT MODE/16 GB RG 2400 2R/ RAID 12G 2GB/4X1 GB IF CARD/RMK F1 S7 LV/ RACK MOUNT 1U SYMMKIT/PSU 500W HPV	VFY:R2542SC060N	3875,29	
Unites de Base				
PRIMERGY RX2540 M1-L				



PRIMERGY RX2540 Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Reference	Prix indicatif (€)	Remarque
Unités de Base				
PRIMERGY RX2540 M1-L (Suite)				
PY RX2540 M1-L 8x 2.5" expandable	Long Lifecycle System. See configuration hints for further details. , Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMC optional; dual systemboard for Xeon DP processor and 24 slots for registered DDR4 ECC RAM; IRMC S4 Intég. server management incl. graphics controller and 10/100/1000MBi Service LAN port, Dynamic LOM mit 2x/4x 1/10 Gbit Ethernet LAN optional, RAID0/1-Ctrl. for 4 SATA-HDDs Intég., Modular 8-Port RAID Ctrl. optional; 1 bay 5.25" x 1.6" for backup devices, 8 drive bays for hot plug 2.5" SAS/SATA drives expandable; ServerView Suite Software Pack	S26361-K1495-V402	1397,65	
PRIMERGY RX2540 M2				
PY RX2540 M2 4x 3.5" expandable	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMC optional; dual systemboard for Xeon DP processor and 24 slots for registered DDR4 ECC RAM; IRMC S4 Intég. server management incl. graphics controller and 10/100/1000MBi Service LAN port, Dynamic LOM with 2x/4x 1/10 Gbit Ethernet LAN optional, RAID0/1-Ctrl. for 4 SATA-HDDs Intég., Modular 8-Port RAID Ctrl. optional; 4 drive bays for hot plug 3.5" SAS/SATA drives expandable; ServerView Suite Software Pack	S26361-K1566-V101	1128,24	
PY RX2540 M2 12x 3.5"	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMC optional; dual systemboard for Xeon DP processor and 24 slots for registered DDR4 ECC RAM; IRMC S4 Intég. server management incl. graphics controller and 10/100/1000MBi Service LAN port, Dynamic LOM with 2x/4x 1/10 Gbit Ethernet LAN optional, Modular 8-Port RAID Ctrl. optional; 12 drive bays for hot plug 3.5" SAS/SATA drives, ServerView Suite Software Pack	S26361-K1566-V112	1604,71	
PY RX2540 M2 8x 2.5" expandable	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMC optional; dual systemboard for Xeon DP processor and 24 slots for registered DDR4 ECC RAM; IRMC S4 Intég. server management incl. graphics controller and 10/100/1000MBi Service LAN port, Dynamic LOM mit 2x/4x 1/10 Gbit Ethernet LAN optional, RAID0/1-Ctrl. for 4 SATA-HDDs Intég., Modular 8-Port RAID Ctrl. optional; 1 bay 5.25" x 1.6" for backup devices, 8 drive bays for hot plug 2.5" SAS/SATA drives expandable; ServerView Suite Software Pack	S26361-K1566-V401	1087,06	
PY RX2540 M2 24x 2.5"	Rack based server 19" (2U), BU without processor and RAM, without hot plug power supply module, 5 hot plug fans redundant; RMC optional; dual systemboard for Xeon DP processor and 24 slots for registered DDR4 ECC RAM; IRMC S4 Intég. server management incl. graphics controller and 10/100/1000MBi Service LAN port, Dynamic LOM mit 2x/4x 1/10 Gbit Ethernet LAN optional, RAID0/1-Ctrl. for 4 SATA-HDDs Intég., Modular 8-Port RAID Ctrl. optional; 24 drive bays for hot plug 2.5" SAS/SATA drives, ServerView Suite Software Pack	S26361-K1566-V424	1708,24	



PRIMERGY RX2560

Fiches produit : <http://fr.fujitsu.com/primergy>

Le serveur rack PRIMERGY RX2560 M2 de 4 U offre un maximum de performances, une grande évolutivité et une disponibilité élevée, sans aucun compromis. Les filiales, les datacenters ainsi que les PME peuvent bénéficier des performances offertes avec les deux processeurs Intel® Xeon® E5 v4 associés à 1 536 Go de mémoire DDR4. Les 10 slots d'extension et la capacité de stockage jusqu'à 32 disques durs 2,5" offrent des options d'évolution exceptionnelles. Grâce à une alimentation et des ventilateurs redondants, et à une sélection de différents contrôleurs RAID, le serveur tour garantit des niveaux de disponibilité élevés et une certaine « tranquillité d'esprit ». Le serveur est donc idéal pour les applications les plus exigeantes en ressources, les solutions de virtualisation et

Description	Détails	Référence	Prix Indicatif (€)	Remarques
-------------	---------	-----------	--------------------	-----------

Configurations Standards

PRIMERGY RX2560 M2

Rack server, Base unit with systemboard D3289 for up to 2x Xeon E5-2600 v4 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; 3x120mm single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The system architect suggests as standard 1x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check with the power calculator).

PY RX2560 M2 /XEON E5-2643V4/	PY RX2560 M2 /XEON E5-2643V4/ INDEPENDENT MODE/2x16 GB RG 2400 2R/ DVD-RW/3.5' KIT (12X)/ 7xHD SATA 2TB 7.2K/2xHD SAS 300GB/	LKN:R2562S0001FR	10256,47	
PY RX2560 M2 /ATD 45°C/XEON E5-2620V4/	PY RX2560 M2 /ATD 45°C/XEON E5-2620V4/ INDEPENDENT MODE/8 GB RG 2400 1R/ DVD-RW SM/2.5' KIT (8X)/PRAID CP400I/ 2X1GB IF CARD/RMK F2 S7 LV/	VFY:R2562SC010IN	3202,35	
PY RX2560 M2 /ATD 45°C/XEON E5-2620V4/	PY RX2560 M2 /ATD 45°C/XEON E5-2620V4/ INDEPENDENT MODE/8 GB RG 2400 1R/DVD-RW/ (16X 2.5',4X 3.5')/RAID 12G 1GB/ 4X1GB IF CARD/RMK F2 S7 LV/	VFY:R2562SC020IN	4222,35	

Description	Détails	Référence	Prix Indicatif (€)	Remarques
-------------	---------	-----------	--------------------	-----------

Unités de Base

PRIMERGY RX2560 M2

PY RX2560 M2	Rack server, Base unit with systemboard D3289 for up to 2x Xeon E5-2600 v4 series processors and 24x DDR4 DIMM slots; iRMC S4 Intég. server management incl. graphics controller; Emulex XE104 Dynamic LoM LAN Ctrl. for opt. 2x1Gb, 4x1Gb or 2x10Gb plus 1x Service LAN-Port; 3x120mm single hot plug fans; ServerView Suite Software incl. ServerView Installation Manager, Management Software und Tools, , The system architect suggests as standard 1x 450W hot plug power supply. This is optimal for most configurations (in case of doubt, please check with the power calculator).	S26361-K1583-V301	1087,06	
--------------	---	-------------------	---------	--



PRIMERGY RX4770

Fiches produit : <http://fr.fujitsu.com/primergy>

Le serveur FUJITSU PRIMERGY RX4770 M3 est un système x86 standard à quatre processeurs offrant un niveau supérieur de performance, d'évolutivité et d'efficacité. Cette association fait du serveur une plate-forme idéale pour les bases de données et les applications à haute densité transactionnelle, les charges de travail Business Intelligence, les bases de données et les applications "in Memory". Le processeur Intel® Xeon® de la gamme E7 v4 avec un maximum de 24 coeurs offre à ce serveur des performances de calcul sans précédent pour des résultats professionnels plus efficaces. Grâce à une mémoire DDR4 ultrarapide et performante d'une capacité maximale de 6 To, le système gère de lourdes charges de travail complexes telles que des bases de données en mémoire du type SAP HANA® et des analyses de données professionnelles. Le PRIMERGY RX4770 M3 permet ainsi une gestion efficace grâce au contrôleur d'administration à distance intégré (iRMC S4) qui offre

Description	Détails	Référence	Prix Indicatif (€)	Remarques
-------------	---------	-----------	--------------------	-----------

Configurations Standards

PRIMERGY RX4770 M3

Rack mountable server 19" (4U) incl. 8x hot plug fans (7+1 redundance); system board for up to 4x XEON E7-x800v4 CPUs; 2x memory board for each 12x DDR4 LV DIMM modules; 8 drive bays for hot plug 2.5" SAS/SATA HDD/SSD; iRMC S4 server management with graphics controller and 10/100/1000Mbit Service LAN-port; 1x Dual-Port Ethernet Ctrl. (= 2x 10/1 GBit LAN Ports) WOL capable; SAS RAID Ctrl. optional; LocalView LCD Display; ServerView Suite Software Package

PY RX4770 M3 /4xXEON E7-4830V4/	PY RX4770 M3 /4xXEON E7-4830V4/ 2xMEMORY BOARD M2/8x2X 16 GB/ INDEPENDENT MODE/BD WRITER SLIM/ 6xHD SAS 2TB/RAID 12G 2GB/TFM MODULE/	LKN:R4773S0001FR	31181,18	
---------------------------------	--	------------------	----------	--

Description	Détails	Référence	Prix Indicatif (€)	Remarques
-------------	---------	-----------	--------------------	-----------

Unités de Base

PRIMERGY RX4770 M3

PY RX4770 M3	Rack mountable server 19" (4U) incl. 8x hot plug fans (7+1 redundance); system board for up to 4x XEON E7-x800v4 CPUs; 2x memory board for each 12x DDR4 LV DIMM modules; 8 drive bays for hot plug 2.5" SAS/SATA HDD/SSD; iRMC S4 server management with graphics controller and 10/100/1000Mbit Service LAN-port; 1x Dual-Port Ethernet Ctrl. (= 2x 10/1 GBit LAN Ports) WOL capable; SAS RAID Ctrl. optional; LocalView LCD Display; ServerView Suite Software Package	S26361-K1504-V200	5517,65	
--------------	---	-------------------	---------	--



Accessoires serveurs rack PRIMERGY

Description	PRIMERGY RX100 S7	PRIMERGY RX1330 M1	PRIMERGY RX1330 M2	PRIMERGY RX200 S8	PRIMERGY RX2510 M2	PRIMERGY RX2520 M1	PRIMERGY RX2530 M1	PRIMERGY RX2530 M2	PRIMERGY RX2540 M1	PRIMERGY RX2540 M2	PRIMERGY RX2560 M1	PRIMERGY RX2560 M2	PRIMERGY RX300 S8	PRIMERGY RX4770 M2	Référence	Prix Indicatif (€)	Remarques	
Accessoires (Matrice)																		
Processor																		
Intel Xeon E5-2603v2 4C/4T 1.80GHz 10MB															x	S26361-F3788-L180	336,47	
Intel Xeon E5-2609v2 4C/4T 2.50GHz 10MB															x	S26361-F3788-L250	461,18	
Intel Xeon E5-2640v2 8C/16T 2.00GHz 20MB															x	S26361-F3789-L200	1289,41	
Intel Xeon E5-2620v2 6C/12T 2.10GHz 15MB															x	S26361-F3789-L210	636,47	
Intel Xeon E5-2630v2 6C/12T 2.60GHz 15MB															x	S26361-F3789-L260	905,88	
Intel Xeon E5-2660v2 10C/20T 2.2GHz 25MB															x	S26361-F3790-L220	1982,35	
Intel Xeon E5-2670v2 10C/20T 2.5GHz 25MB															x	S26361-F3790-L250	2200,00	
Intel Xeon E5-2650v2 8C/16T 2.60GHz 20MB															x	S26361-F3790-L260	1682,35	
Intel Xeon E5-2680v2 10C/20T 2.8GHz 25MB															x	S26361-F3790-L280	2428,24	
Intel Xeon E5-2690v2 10C/20T 3.0GHz 25MB															x	S26361-F3790-L300	2872,94	
Intel Xeon E5-2695v2 12C/24T 2.4GHz 30MB															x	S26361-F3791-L240	3261,18	
Intel Xeon E5-2697v2 12C/24T 2.7GHz 30MB															x	S26361-F3791-L270	3716,47	
Intel Xeon E5-2667v2 8C/16T 3.30GHz 25MB															x	S26361-F3791-L300	2872,94	
Intel Xeon E5-2643v2 6C/12T 3.50GHz 25MB															x	S26361-F3791-L330	2200,00	
Intel Xeon E5-2637v2 4C/8T 3.50GHz 15MB															x	S26361-F3791-L350	1444,71	
Intel Xeon E5-2650Lv2 10C/20T 1.70GHz															x	S26361-F3792-L170	1749,41	
Intel Xeon E5-2630Lv2 6C/12T 2.4GHz 15MB															x	S26361-F3792-L240	905,88	
Intel Xeon E5-2603v2 4C/4T 1.80GHz 10MB			x													S26361-F3800-L180	418,82	
Intel Xeon E5-2609v2 4C/4T 2.50GHz 10MB			x													S26361-F3800-L250	574,12	
Intel Xeon E5-2640v2 8C/16T 2.00GHz 20MB			x													S26361-F3801-L200	1609,41	
Intel Xeon E5-2620v2 6C/12T 2.10GHz 15MB			x													S26361-F3801-L210	797,65	
Intel Xeon E5-2630v2 6C/12T 2.60GHz 15MB			x													S26361-F3801-L260	1134,12	
Intel Xeon E5-2660v2 10C/20T 2.2GHz 25MB			x													S26361-F3802-L220	2480,00	
Intel Xeon E5-2670v2 10C/20T 2.5GHz 25MB			x													S26361-F3802-L250	2748,24	
Intel Xeon E5-2650v2 8C/16T 2.60GHz 20MB			x													S26361-F3802-L260	2101,18	
Intel Xeon E5-2680v2 10C/20T 2.8GHz 25MB			x													S26361-F3802-L280	3032,94	
Intel Xeon E5-2690v2 10C/20T 3.0GHz 25MB			x													S26361-F3802-L300	3592,94	
Intel Xeon E5-2695v2 12C/24T 2.4GHz 30MB			x													S26361-F3803-L240	4078,82	
Intel Xeon E5-2697v2 12C/24T 2.7GHz 30MB			x													S26361-F3803-L270	4648,24	
Intel Xeon E5-2667v2 8C/16T 3.30GHz 25MB			x													S26361-F3803-L300	3592,94	
Intel Xeon E5-2643v2 6C/12T 3.50GHz 25MB			x													S26361-F3803-L330	2748,24	
Intel Xeon E5-2637v2 4C/8T 3.50GHz 15MB			x													S26361-F3803-L350	1807,06	
Intel Xeon E5-2650Lv2 10C/20T 1.70GHz			x													S26361-F3804-L170	2189,41	
Intel Xeon E5-2630Lv2 6C/12T 2.4GHz 15MB			x													S26361-F3804-L240	1134,12	
Intel Xeon E5-2603v3 6C/6T 1.60 GHz							x									S26361-F3849-L303	440,00	
Intel Xeon E5-2609v3 6C/6T 1.90 GHz							x									S26361-F3849-L309	569,41	
Intel Xeon E5-2620v3 6C/12T 2.40 GHz							x									S26361-F3849-L320	735,29	
Intel Xeon E5-2623v3 4C/8T 3.00 GHz							x									S26361-F3849-L323	745,88	
Intel Xeon E5-2630v3 8C/16T 2.40 GHz							x									S26361-F3849-L330	1065,88	
Intel Xeon E5-2640v3 8C/16T 2.60 GHz							x									S26361-F3849-L340	1449,41	
Intel Xeon E5-2650v3 10C/20T 2.30 GHz							x									S26361-F3849-L350	1764,71	
Intel Xeon E5-2603v3 6C/6T 1.60 GHz								x								S26361-F3849-L403	377,65	
Intel Xeon E5-2609v3 6C/6T 1.90 GHz								x								S26361-F3849-L409	507,06	
Intel Xeon E5-2620v3 6C/12T 2.40 GHz								x								S26361-F3849-L420	672,94	
Intel Xeon E5-2623v3 4C/8T 3.00 GHz								x								S26361-F3849-L423	683,53	
Intel Xeon E5-2630v3 8C/16T 2.40 GHz								x								S26361-F3849-L430	1004,71	
Intel Xeon E5-2640v3 8C/16T 2.60 GHz									x							S26361-F3849-L440	1387,06	
Intel Xeon E5-2650v3 10C/20T 2.30 GHz										x						S26361-F3849-L450	1703,53	
Intel Xeon E5-2603v3 6C/6T 1.60 GHz											x					S26361-F3849-L503	377,65	
Intel Xeon E5-2609v3 6C/6T 1.90 GHz											x					S26361-F3849-L509	507,06	
Intel Xeon E5-2620v3 6C/12T 2.40 GHz											x					S26361-F3849-L520	672,94	
Intel Xeon E5-2623v3 4C/8T 3.00 GHz											x					S26361-F3849-L523	683,53	
Intel Xeon E5-2630v3 8C/16T 2.40 GHz											x					S26361-F3849-L530	1004,71	
Intel Xeon E5-2640v3 8C/16T 2.60 GHz											x					S26361-F3849-L540	1387,06	
Intel Xeon E5-2650v3 10C/20T 2.30 GHz												x				S26361-F3849-L550	1703,53	
Intel Xeon E7-4809v3 8C/16T 2.00GHz 20MB													x			S26361-F3896-L309	1738,82	
Intel Xeon E7-4820v3 10C/20T 1.90GHz													x			S26361-F3896-L320	2360,00	
Intel Xeon E7-4830v3 12C/24T 2.10GHz													x			S26361-F3896-L330	3198,82	
Intel Xeon E7-4850v3 14C/28T 2.20GHz													x			S26361-F3896-L350	4430,59	
Intel Xeon E7-8860v3 16C/32T 2.20GHz													x			S26361-F3896-L360	6274,12	
Intel Xeon E7-8867v3 16C/32T 2.50GHz													x			S26361-F3896-L367	6740,00	
Intel Xeon E7-8870v3 18C/36T 2.10GHz													x			S26361-F3896-L370	6889,41	
Intel Xeon E7-8880v3 18C/36T 2.30GHz													x			S26361-F3896-L380	8914,12	



Accessoires serveurs rack PRIMERGY

Intel Xeon E7-8890v3 18C/36T 2.50GHz																			x	S26361-F3896-L390	10840,00	
Intel Xeon E7-8891v3 10C/20T 2.80GHz																			x	S26361-F3896-L391	10337,65	
Intel Xeon E7-8893v3 4C/8T 3.20GHz																			x	S26361-F3896-L393	10337,65	
Intel Xeon E5-2603v4 6C/6T 1.70 GHz																					S26361-F3933-L303	440,00
Intel Xeon E5-2609v4 8C/8T 1.70 GHz																					S26361-F3933-L309	569,41



Accessoires serveurs rack PRIMERGY

Description	PRIMERGY RX100 S7	PRIMERGY RX1330 M1	PRIMERGY RX1330 M2	PRIMERGY RX200 S8	PRIMERGY RX2510 M2	PRIMERGY RX2520 M1	PRIMERGY RX2530 M1	PRIMERGY RX2530 M2	PRIMERGY RX2540 M1	PRIMERGY RX2540 M2	PRIMERGY RX2560 M1	PRIMERGY RX2560 M2	PRIMERGY RX300 S8	PRIMERGY RX4770 M2	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)																	
Processor (Suite)																	
Intel Xeon E5-2620v4 8C/16T 2.10 GHz					x			x							S26361-F3933-L320	735,29	
Intel Xeon E5-2623v4 4C/8T 2.60 GHz					x			x							S26361-F3933-L323	745,88	
Intel Xeon E5-2630v4 10C/20T 2.20 GHz					x			x							S26361-F3933-L330	1065,88	
Intel Xeon E5-2640v4 10C/20T 2.40 GHz					x			x							S26361-F3933-L340	1449,41	
Intel Xeon E5-2650v4 12C/24T 2.20 GHz					x			x							S26361-F3933-L350	1764,71	
Intel Xeon E5-2603v4 6C/6T 1.70 GHz												x			S26361-F3933-L403	377,65	
Intel Xeon E5-2609v4 8C/8T 1.70 GHz												x			S26361-F3933-L409	507,06	
Intel Xeon E5-2620v4 8C/16T 2.10 GHz												x			S26361-F3933-L420	672,94	
Intel Xeon E5-2623v4 4C/8T 2.60 GHz												x			S26361-F3933-L423	683,53	
Intel Xeon E5-2630v4 10C/20T 2.20 GHz												x			S26361-F3933-L430	1004,71	
Intel Xeon E5-2640v4 10C/20T 2.40 GHz												x			S26361-F3933-L440	1387,06	
Intel Xeon E5-2650v4 12C/24T 2.20 GHz												x			S26361-F3933-L450	1703,53	
Intel Xeon E5-2609v4 8C/8T 1.70 GHz													x		S26361-F3933-L509	507,06	
Intel Xeon E5-2620v4 8C/16T 2.10 GHz													x		S26361-F3933-L520	672,94	
Intel Xeon E5-2623v4 4C/8T 2.60 GHz													x		S26361-F3933-L523	683,53	
Intel Xeon E5-2630v4 10C/20T 2.20 GHz													x		S26361-F3933-L530	1004,71	
Intel Xeon E5-2640v4 10C/20T 2.40 GHz													x		S26361-F3933-L540	1387,06	
Intel Xeon E5-2650v4 12C/24T 2.20 GHz													x		S26361-F3933-L550	1703,53	
Intel Xeon E5-2403v2 4C/4T 1.8GHz 10MB							x								S26361-F3832-L180	336,47	
Intel Xeon E5-2407v2 4C/4T 2.4GHz 10MB							x								S26361-F3832-L240	414,12	
Intel Xeon E5-2440v2 8C/16T 1.9GHz 20MB							x								S26361-F3833-L190	1242,35	
Intel Xeon E5-2420v2 6C/12T 2.2GHz 15MB							x								S26361-F3833-L220	642,35	
Intel Xeon E5-2430v2 6C/12T 2.5GHz 15MB							x								S26361-F3833-L250	858,82	
Intel Xeon E5-2470v2 10C/20T 2.4GHz 25MB							x								S26361-F3834-L240	2049,41	
Intel Xeon E5-2450v2 8C/16T 2.5GHz 20MB							x								S26361-F3834-L250	1600,00	
Intel Xeon E5-2450Lv2 10C/20T 1.7GHz							x								S26361-F3835-L170	1749,41	
Intel Xeon E5-2430Lv2 6C/12T 2.4GHz 15MB							x								S26361-F3835-L240	942,35	
Intel Xeon E5-2403v2 4C/4T 1.8GHz 10MB							x								S26361-F3832-L181	325,88	
Intel Xeon E5-2407v2 4C/4T 2.4GHz 10MB							x								S26361-F3832-L241	403,53	
Intel Xeon E5-2440v2 8C/16T 1.9GHz 20MB							x								S26361-F3833-L191	1231,76	
Intel Xeon E5-2420v2 6C/12T 2.2GHz 15MB							x								S26361-F3833-L221	631,76	
Intel Xeon E5-2430v2 6C/12T 2.5GHz 15MB							x								S26361-F3833-L251	849,41	
Intel Xeon E5-2450v2 8C/16T 2.5GHz 20MB							x								S26361-F3834-L251	1589,41	
Intel Xeon E5-2450Lv2 10C/20T 1.7GHz							x								S26361-F3835-L171	1738,82	
Intel Xeon E5-2430Lv2 6C/12T 2.4GHz 15MB							x								S26361-F3835-L241	931,76	
Mémoire																	
64GB (2x32GB) 2Rx4 DDR4-2133 R ECC														x	S26361-F3897-L641	1324,71	
16GB (2x8GB)1Rx4 DDR4-2133 R ECC														x	S26361-F3897-L642	372,94	
32GB (2x16GB) 2Rx4 DDR4-2133 R ECC														x	S26361-F3897-L643	600,00	
64GB (2x32GB) 4Rx4 DDR4-2133 LR ECC														x	S26361-F3897-L644	1729,41	
128GB (2x64GB) 4Rx4 DDR4-2133 LR ECC														x	S26361-F3897-L645	3520,00	
Mémoire Board RX4770 M2														x	S26361-F5295-L200	574,12	
CPU airflow Dummy														x	S26361-F5295-L999	25,88	
4GB (1x4GB) 1Rx8 L DDR3-1600 U ECC		x													S26361-F5312-L514	88,24	
8GB (1x8GB) 2Rx8 L DDR3-1600 U ECC		x													S26361-F5312-L518	170,59	
4GB (1x4GB) 1Rx8 DDR4-2133 U ECC				x											S26361-F3909-L514	88,24	
8GB (1x8GB) 2Rx8 DDR4-2133 U ECC				x											S26361-F3909-L515	129,41	
16GB (1x16GB) 2Rx8 DDR4-2133 U ECC				x											S26361-F3909-L516	243,53	
Mémoire Modules																	
4GB (1x4GB) 1Rx4 L DDR3-1600 R ECC			x		x									x	S26361-F3781-L514	129,41	
8GB (1x8GB) 1Rx4 DDR4-2133 R ECC						x		x		x					S26361-F3843-L514	185,88	
8GB (1x8GB) 1Rx4 DDR4-2400 R ECC				x			x		x		x				S26361-F3934-L511	185,88	
16GB (1x16GB) 2Rx4 DDR4-2133 R ECC						x		x		x					S26361-F3843-L516	300,00	
8GB (1x8GB) 1Rx4 L DDR3-1600 R ECC			x		x								x		S26361-F3781-L515	176,47	
32GB (1x32GB) 2Rx4 DDR4-2133 R ECC						x		x		x					S26361-F3843-L517	662,35	
16GB (1x16GB) 2Rx4 DDR4-2400 R ECC				x			x		x		x				S26361-F3934-L512	269,41	
16GB (1x16GB) 2Rx4 L DDR3-1600 R ECC			x		x								x		S26361-F3781-L516	305,88	
8GB (1x8GB) 2Rx8 DDR4-2133 R ECC						x		x		x					S26361-F3843-L515	228,24	
32GB (1x32GB) 2Rx4 DDR4-2400 R ECC				x			x		x		x				S26361-F3934-L515	569,41	
32GB (1x32GB) 4Rx4 DDR4-2133 LR ECC						x		x		x					S26361-F3844-L517	864,71	
8GB (1x8GB) 2Rx8 DDR3-1866 R ECC			x										x		S26361-F3793-L515	237,65	
64GB (1x64GB) 4Rx4 DDR4-2133 LR ECC						x		x		x					S26361-F3844-L518	1760,00	
16GB (1x16GB) 2Rx8 DDR4-2400 R ECC							x		x			x			S26361-F3934-L513	362,35	



Accessoires serveurs rack PRIMERGY

16GB (1x16GB) 2Rx4 DDR3-1866 R ECC				x								x	S26361-F3793-L516	336,47
32GB (1x32GB) 4Rx4 DDR3-1866 LR ECC				x								x	S26361-F3848-L517	828,24
64GB (1x64GB) 4Rx4 DDR4-2400 3DS ECC					x			x		x		x	S26361-F3934-L517	1423,53
32GB (1x32GB) 4Rx4 L DDR3-1600 LR ECC				x								x	S26361-F3782-L517	787,06
64GB (1x64GB) 4Rx4 DDR4-2400 LR ECC								x		x		x	S26361-F3935-L516	1630,59



Accessoires serveurs rack PRIMERGY

Description	PRIMERGY RX100 S7	PRIMERGY RX1330 M1	PRIMERGY RX1330 M2	PRIMERGY RX200 S8	PRIMERGY RX2510 M2	PRIMERGY RX2520 M1	PRIMERGY RX2530 M1	PRIMERGY RX2530 M2	PRIMERGY RX2540 M1	PRIMERGY RX2540 M2	PRIMERGY RX2560 M1	PRIMERGY RX2560 M2	PRIMERGY RX300 S8	PRIMERGY RX4770 M2	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)																	
Mémoire Modules (Suite)																	
64GB (1x64GB) 8Rx4 L DDR3-1333 LR ECC				x									x		S26361-F3783-L518	3934,12	
Graphics																	
PGRA CP Quadro M4000										x					S26361-F2222-L490	1449,41	
PGRA CP NVIDIA GRID K1								x	x						S26361-F2222-L914	3054,12	
PGRA CP NVIDIA GRID K2								x	x						S26361-F2222-L924	6149,41	
PGRA CP NVIDIA Tesla M60								x	x						S26361-F2222-L964	9307,06	
Interface VGA avant				x		x							x		S26361-F2571-L26	56,47	
PGRA CP NVS 1GB VGA PCI-e x16 card												x	x		S26361-F2748-L538	150,59	
PGRA CP NVS 1GB VGA LP PCI-e x16 card		x	x						x						S26361-F2748-L638	150,59	
Risercard PCIe1*x8+2*x4											x	x			S26361-F3846-L131	56,47	
PY GFX mounting kit right for K1/K2									x	x					S26361-F3846-L11	202,35	
PY GFX mounting kit left for K1/K2									x	x					S26361-F3846-L12	202,35	
PY GFX mounting kit right for M60									x	x					S26361-F3846-L13	202,35	
PY GFX mounting kit left for M60									x	x					S26361-F3846-L14	202,35	
Supports amovibles																	
Mise à jour kit V201 vers 12x disque dur 2.5 "						x							x		S26361-F1373-L247	300,00	
Mise à jour kit V201 vers 16x disque dur 2.5 "						x							x		S26361-F1373-L248	392,94	
Mise à jour kit V301 vers 16x disque dur 2.5 "						x							x		S26361-F1373-L378	176,47	
Mise à jour kit V401 vers 4x DD 2.5 " + LTO						x							x		S26361-F1373-L423	62,35	
Kit de mise à jour V401 à 8x DD 2.5"						x							x		S26361-F1373-L424	155,29	
Kit de mise à jour V401 à 12x DD 2.5"						x							x		S26361-F1373-L427	351,76	
Kit de mise à jour V401+LTO vers 8x DD 2.5"						x							x		S26361-F1373-L436	98,82	
Kit Upg. vers 4x + 8x 2.5' SAS3.0													x		S26361-F1373-L572	202,35	
Kit Upg. vers 12xDD 3.5"						x									S26361-F1480-L119	243,53	
Blu-ray Triple Writer ultraslim SATA		x	x				x	x	x	x	x	x			S26361-F3641-L6	170,59	
Blu-ray Triple Writer ultraslim SATA												x	x		S26361-F3641-L8	170,59	
DVD ROM Ultraslim		x	x				x	x	x	x					S26361-F3718-L2	92,94	
Adaptateur USB3.0 PCIe x1	x			x		x							x	x	S26361-F3749-L501	25,88	
DVD-RW supermulti ultraslim SATA		x	x				x	x	x	x	x	x			S26361-F3778-L1	98,82	
Upg. to Medium 3.5' kit (8x3.5'HDD)											x	x			S26361-F3900-L1	103,53	
Upg. kit for 8x 2.5' HDD											x	x			S26361-F3900-L11	647,06	
Upg. to Medium 2.5' kit (16x2.5'HDD)											x	x			S26361-F3900-L12	170,59	
2x2.5' NON-hot-plug mounting frames											x	x			S26361-F3900-L125	41,18	
Upg. 4x 3.5' HD accessible kit											x	x			S26361-F3900-L13	124,71	
Upg. to maximum 3.5' kit (12x3.5'HDD)											x	x			S26361-F3900-L2	600,00	
Upg. to performance kit 4x 2.5' PCIe											x	x			S26361-F3900-L21	647,06	
Upg. to 8x 2.5' PCIe											x	x			S26361-F3900-L22	625,88	
DVD-RW supermulti slimline SATA	x			x		x							x	x	S26361-F3269-L2	98,82	
Graveur Blu-ray triple couche slimline SATA	x			x		x							x	x	S26361-F3641-L2	170,59	
DVD-ROM 1.6" SATA											x	x			S26361-F3266-L2	41,18	
DVD-RW supermulti 1.6" SATA											x	x			S26361-F3267-L2	56,47	
RDX 320 5.25'									x	x					S26361-F3750-L324	295,29	
RDX 320 3.5'						x								x	S26361-F3750-L325	295,29	
RDX 320 3.5'														x	S26361-F3750-L327	347,06	
RDX 500 5.25'									x	x					S26361-F3750-L504	330,59	
RDX 500 3.5'						x							x		S26361-F3750-L505	330,59	
RDX 500 3.5'													x		S26361-F3750-L507	375,29	
RDX 1000 5.25'									x	x					S26361-F3750-L604	370,59	
RDX 1000 3.5'						x							x		S26361-F3750-L605	370,59	
RDX 1000 3.5'													x		S26361-F3750-L607	415,29	
RDX Drive USB2.0 cable set						x							x		S26361-F3750-L20	21,18	
RDX Drive USB3.0 5.25" internal									x	x	x	x			S26361-F3750-L4	217,65	
RDX Drive USB 3.0 3.5" interne						x							x		S26361-F3750-L5	217,65	
RDX Drive USB 3.0 3.5" internal													x		S26361-F3750-L7	269,41	
Lecteur bande LTO3HH Ultr 400Go 60MB/s SAS						x									S26361-F3561-L4	1460,00	
Lecteur LTO4HH 800Go 120Mbits/s SAS V2						x			x	x	x	x	x		S26361-F3626-L2	2023,53	
Lecteur LTO5HH 1500GB 140MB/s SAS						x			x	x	x	x	x		S26361-F3627-L1	2334,12	
Kit bande LTO6HH 2.5TB 160MB/s SAS 6Gb						x			x	x	x	x	x		S26361-F3787-L1	2935,29	
Hard Disks																	
Upg. kit from 4x to 8x 2.5' HDD							x	x							S26361-F1492-L140	62,35	
Upg. kit from 4x to 8x 2.5' HDD		x	x												S26361-F1537-L140	114,12	
Option upgrade DD 8x 2.5"				x											S26361-F3317-L700	114,12	
Option 4x REAR 2.5" SAS/SATA HDD/SSD									x	x					S26361-F3853-L10	254,12	



Accessoires serveurs rack PRIMERGY															
HD SATA 6G 6TB 7.2K 512e HOT PL 3.5' BC													x	S26361-F3903-L600	916,47
HD SATA 6G 1TB 7.2K 512e HOT PL 2.5' BC			x		x								x	S26361-F3906-L100	388,24
HD SATA 6G 2TB 7.2K 512e HOT PL 2.5' BC			x		x								x	S26361-F3906-L200	720,00
HD SATA 6G 1TB 7.2K 512e HOT PL 2.5' BC		x	x				x	x	x	x	x	x		S26361-F3907-L100	388,24
HD SATA 6G 2TB 7.2K 512e HOT PL 2.5' BC		x	x				x	x	x	x	x	x		S26361-F3907-L200	720,00



Accessoires serveurs rack PRIMERGY

Description	PRIMERGY RX100 S7	PRIMERGY RX1330 M1	PRIMERGY RX1330 M2	PRIMERGY RX200 S8	PRIMERGY RX2510 M2	PRIMERGY RX2520 M1	PRIMERGY RX2530 M1	PRIMERGY RX2530 M2	PRIMERGY RX2540 M1	PRIMERGY RX2540 M2	PRIMERGY RX2560 M1	PRIMERGY RX2560 M2	PRIMERGY RX300 S8	PRIMERGY RX4770 M2	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)																	
Hard Disks (Suite)																	
HD SATA 6G 250GB 7.2K NO HOT PL 2.5' BC											x	x			S26361-F3908-L250	232,94	
HD SATA 6G 1TB 7.2K HOT PL 2.5' BC												x	x		S26361-F3926-L100	409,41	
HD SATA 6G 250GB 7.2K HOT PL 2.5' BC												x			S26361-F3926-L250	232,94	
HD SATA 6G 500GB 7.2K HOT PL 2.5' BC												x	x		S26361-F3926-L500	263,53	
HD SATA 6G 1TB 7.2K HOT PL 3.5' BC				x		x			x				x		S26361-F3950-L100	254,12	
HD SATA 6G 500GB 7.2K HOT PL 3.5' BC				x		x									S26361-F3950-L500	228,24	
HD SATA 6G 1TB 7.2K HOT PL 3.5' ECO				x											S26361-F3951-L100	181,18	
HD SATA 6G 500GB 7.2K HOT PL 3.5' ECO				x											S26361-F3951-L500	170,59	
HD SATA 6G 2TB 7.2K 512n HOT PL 2.5' BC						x									S26361-F3955-L200	720,00	
HD SATA 6G 2TB 7.2K 512n HOT PL 2.5' BC				x					x				x		S26361-F3956-L200	720,00	
HD SATA 6G 1TB 7.2K 512n NO H-P 2.5' BC												x	x		S26361-F3957-L100	409,41	
Disque dur SAS 6G 1To 7.2K HOT PL 3.5' BC													x		S26361-F5241-L100	336,47	
Disque dur SAS 6G 2To 7.2K HOT PL 3.5' BC													x		S26361-F5241-L200	522,35	
Disque dur SAS 6G 3To 7.2K HOT PL 3.5' BC													x		S26361-F5241-L300	688,24	
Disque dur SAS 6G 4To 7.2K HOT PL 3.5' BC													x		S26361-F5241-L400	797,65	
PPCI EP x16 Switch									x	x				x	S26361-F5267-L501	228,24	
PPCI EP x16 Switch incl. cables- RX2530							x	x							S26361-F5267-L503	269,41	
PCle cable 1-4 for SW to 2.5' SFF SSD													x		S26361-F5295-L630	103,53	
SSD SAS 12G 200GB Main 2.5" H-P EP				x									x		S26361-F5297-L200	1434,12	
SSD SAS 12G 400GB Main 2.5" H-P EP				x									x		S26361-F5297-L400	2717,65	
SSD SAS 12G 800GB Main 2.5" H-P EP				x									x		S26361-F5297-L800	5171,76	
SSD SAS 12G 200GB Main 2.5" H-P EP						x	x	x	x	x	x	x		x	S26361-F5298-L200	1434,12	
SSD SAS 12G 400GB Main 2.5" H-P EP						x	x	x	x	x	x	x		x	S26361-F5298-L400	2717,65	
SSD SAS 12G 800GB Main 2.5" H-P EP						x	x	x	x	x	x	x		x	S26361-F5298-L800	5171,76	
SSD SAS 12G 200GB Main 3.5' H-P EP													x		S26361-F5315-L200	1434,12	
SSD SAS 12G 400GB Main 3.5' H-P EP													x		S26361-F5315-L400	2717,65	
SSD SAS 12G 800GB Main 3.5' H-P EP													x		S26361-F5315-L800	5171,76	
SSD SATA 6G 200GB Main 3.5' H-P EP													x		S26361-F5319-L200	1211,76	
SSD SATA 6G 400GB Main 3.5' H-P EP													x		S26361-F5319-L400	2443,53	
SSD SATA 6G 800GB Main 3.5' H-P EP													x		S26361-F5319-L800	4891,76	
SSD SAS 12G 200GB Main 3.5' H-P EP							x	x	x	x					S26361-F5320-L200	1434,12	
SSD SAS 12G 400GB Main 3.5' H-P EP							x	x	x	x					S26361-F5320-L400	2717,65	
SSD SAS 12G 800GB Main 3.5' H-P EP							x	x	x	x					S26361-F5320-L800	5171,76	
HD SAS 6G 300GB 15K HOT PL 3.5' EP														x	S26361-F5520-L530	481,18	
HD SAS 6G 450GB 15K HOT PL 3.5' EP														x	S26361-F5520-L545	720,00	
HD SAS 6G 600GB 15K HOT PL 3.5' EP														x	S26361-F5520-L560	869,41	
HD SAS 6G 300GB 15K HOT PL 3.5' EP		x				x									S26361-F5521-L530	481,18	
HD SAS 6G 450GB 15K HOT PL 3.5' EP		x				x									S26361-F5521-L545	720,00	
HD SAS 6G 600GB 15K HOT PL 3.5' EP		x				x									S26361-F5521-L560	869,41	
SSD SATA 6G 120GB ReadIntensive 2.5' H-P				x		x								x	S26361-F5524-L120	362,35	
SSD SATA 6G 240GB ReadIntensive 2.5' H-P				x		x								x	S26361-F5524-L240	761,18	
SSD SATA 6G 480GB ReadIntensive 2.5' H-P				x		x								x	S26361-F5524-L480	1345,88	
SSD SATA 6G 800GB ReadIntensive 2.5' H-P				x		x								x	S26361-F5524-L800	2189,41	
SSD SATA 6G 120GB ReadIntensive 2.5' H-P		x	x				x	x	x	x	x	x		x	S26361-F5525-L120	362,35	
SSD SATA 6G 240GB ReadIntensive 2.5' H-P		x	x				x	x	x	x	x	x		x	S26361-F5525-L240	761,18	
SSD SATA 6G 480GB ReadIntensive 2.5' H-P		x	x				x	x	x	x	x	x		x	S26361-F5525-L480	1345,88	
SSD SATA 6G 800GB ReadIntensive 2.5' H-P		x	x				x	x	x	x	x	x		x	S26361-F5525-L800	2189,41	
SSD SATA 6G 120GB ReadIntensive 3.5' H-P													x		S26361-F5528-L120	362,35	
SSD SATA 6G 240GB ReadIntensive 3.5' H-P													x		S26361-F5528-L240	761,18	
SSD SATA 6G 480GB ReadIntensive 3.5' H-P													x		S26361-F5528-L480	1345,88	
SSD SATA 6G 800GB ReadIntensive 3.5' H-P													x		S26361-F5528-L800	2189,41	
SSD SATA 6G 120GB ReadIntensive 3.5' H-P		x	x			x	x	x	x	x					S26361-F5530-L120	362,35	
SSD SATA 6G 240GB ReadIntensive 3.5' H-P		x	x			x	x	x	x	x					S26361-F5530-L240	761,18	
SSD SATA 6G 480GB ReadIntensive 3.5' H-P		x	x			x	x	x	x	x					S26361-F5530-L480	1345,88	
SSD SATA 6G 800GB ReadIntensive 3.5' H-P		x	x			x	x	x	x	x					S26361-F5530-L800	2189,41	
HD SAS 12G 300GB 15K HOT PL 3.5' EP				x		x	x	x	x	x	x				S26361-F5532-L530	481,18	
HD SAS 12G 450GB 15K HOT PL 3.5' EP				x		x	x	x	x	x	x				S26361-F5532-L545	720,00	
HD SAS 12G 600GB 15K HOT PL 3.5' EP				x		x	x	x	x	x	x				S26361-F5532-L560	869,41	
PACC EP PX600 1.3TB							x	x	x	x	x		x		S26361-F5546-L131	13458,82	
PACC EP PX600 2.6TB							x	x	x	x	x		x		S26361-F5546-L261	25882,35	
PACC EP PX600 5.2TB							x	x	x	x	x		x		S26361-F5546-L521	49694,12	
HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP				x			x	x	x	x	x		x		S26361-F5550-L112	688,24	
HD SAS 12G 300GB 10K 512n HOT PL 2.5' EP				x			x	x	x	x	x		x		S26361-F5550-L130	258,82	



Accessoires serveurs rack PRIMERGY

HD SAS 12G 600GB 10K 512n HOT PL 2.5' EP			x				x	x	x	x	x	x		x	S26361-F5550-L160	481,18
HD SAS 12G 900GB 10K 512n HOT PL 2.5' EP			x				x	x	x	x	x	x		x	S26361-F5550-L190	642,35
HD SAS 12G 300GB 10K 512n HOT PL 2.5' EP				x	x									x	S26361-F5551-L130	258,82
HD SAS 12G 600GB 10K 512n HOT PL 2.5' EP				x	x									x	S26361-F5551-L160	481,18
HD SAS 12G 900GB 10K 512n HOT PL 2.5' EP				x	x									x	S26361-F5551-L190	642,35



Accessoires serveurs rack PRIMERGY

Description	PRIMERGY RX100 S7	PRIMERGY RX1330 M1	PRIMERGY RX1330 M2	PRIMERGY RX200 S8	PRIMERGY RX2510 M2	PRIMERGY RX2520 M1	PRIMERGY RX2530 M1	PRIMERGY RX2530 M2	PRIMERGY RX2540 M1	PRIMERGY RX2540 M2	PRIMERGY RX2560 M1	PRIMERGY RX2560 M2	PRIMERGY RX300 S8	PRIMERGY RX4770 M2	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)																	
Hard Disks (Suite)																	
HD SAS 12G 300GB 10K hp 2.5'(1Box=20pcs)				x		x							x		S26361-F5551-L930	258,82	
HD SAS 6G 300GB 15K HOT PL 2.5' EP	x														S26361-F5553-L530	481,18	
HD SAS 6G 450GB 15K HOT PL 2.5' EP	x														S26361-F5553-L545	651,76	
HD SAS 6G 600GB 15K HOT PL 2.5' EP	x														S26361-F5553-L560	890,59	
HD SAS 12G 300GB 10K NO HOT PL 2.5' EP											x				S26361-F5554-L130	263,53	
HD SAS 6G 500GB 7.2K NO HOT PL 2.5' BC											x	x			S26361-F5555-L500	289,41	
SSD SATA 6G 120GB ReadIntens 2.5' N H-P											x	x			S26361-F5556-L120	362,35	
HD SAS 6G 1TB 7.2K HOT PL 2.5' BC											x	x			S26361-F5559-L100	507,06	
HD SAS 6G 500GB 7.2K HOT PL 2.5' BC											x	x			S26361-F5559-L500	289,41	
HD SAS 12G 1.2TB 10K 512n HOT PL 3.5' EP			x		x	x	x	x	x	x	x	x			S26361-F5568-L112	688,24	
HD SAS 12G 300GB 10K 512n HOT PL 3.5' EP			x		x	x	x	x	x	x	x	x			S26361-F5568-L130	258,82	
HD SAS 12G 600GB 10K 512n HOT PL 3.5' EP			x		x	x	x	x	x	x	x	x			S26361-F5568-L160	481,18	
HD SAS 12G 1.8TB 10K 512e HOT PL 3.5' EP			x		x	x	x	x	x	x	x	x			S26361-F5569-L118	1050,59	
HD SAS 12G 2TB 7.2K 512e HOT PL 3.5' BC			x		x			x	x	x	x	x			S26361-F5571-L200	424,71	
HD SAS 12G 4TB 7.2K 512e HOT PL 3.5' BC			x		x			x	x	x	x	x			S26361-F5571-L400	755,29	
HD SAS 12G 6TB 7.2K 512e HOT PL 3.5' BC			x		x			x	x	x	x	x			S26361-F5571-L600	1071,76	
HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC						x									S26361-F5572-L100	403,53	
HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC						x									S26361-F5572-L200	854,12	
HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC			x				x	x	x	x	x	x		x	S26361-F5573-L100	403,53	
HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC			x				x	x	x	x	x	x		x	S26361-F5573-L200	854,12	
SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP						x									S26361-F5586-L120	315,29	
SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP						x									S26361-F5586-L192	3276,47	
SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP						x									S26361-F5586-L240	481,18	
SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP						x									S26361-F5586-L480	910,59	
SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP						x									S26361-F5586-L960	1734,12	
SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP			x				x	x	x	x	x	x			S26361-F5588-L120	315,29	
SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP			x				x	x	x	x	x	x			S26361-F5588-L192	3276,47	
SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP			x				x	x	x	x	x	x			S26361-F5588-L240	481,18	
SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP			x				x	x	x	x	x	x			S26361-F5588-L480	910,59	
SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP			x				x	x	x	x	x	x			S26361-F5588-L960	1734,12	
SSD SATA 6G 120GB Mixed-Use 3.5' H-P EP			x		x			x	x	x	x	x			S26361-F5589-L120	315,29	
SSD SATA 6G 1.92TB Mixed-Use 3.5' H-P EP			x		x			x	x	x	x	x			S26361-F5589-L192	3276,47	
SSD SATA 6G 240GB Mixed-Use 3.5' H-P EP			x		x			x	x	x	x	x			S26361-F5589-L240	481,18	
SSD SATA 6G 480GB Mixed-Use 3.5' H-P EP			x		x			x	x	x	x	x			S26361-F5589-L480	910,59	
SSD SATA 6G 960GB Mixed-Use 3.5' H-P EP			x		x			x	x	x	x	x			S26361-F5589-L960	1734,12	
SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP			x				x		x		x				S26361-F5592-L120	2484,71	
SSD SATA 6G 200GB Write-Int. 2.5' H-P EP			x				x		x		x				S26361-F5592-L200	357,65	
SSD SATA 6G 400GB Write-Int. 2.5' H-P EP			x				x		x		x				S26361-F5592-L400	703,53	
SSD SATA 6G 800GB Write-Int. 2.5' H-P EP			x				x		x		x				S26361-F5592-L800	1460,00	
SSD SATA 6G 1.2TB Write-Int. 3.5' H-P EP					x			x		x					S26361-F5593-L120	2484,71	
SSD SATA 6G 200GB Write-Int. 3.5' H-P EP			x		x			x		x					S26361-F5593-L200	357,65	
SSD SATA 6G 400GB Write-Int. 3.5' H-P EP			x		x			x		x					S26361-F5593-L400	703,53	
SSD SATA 6G 800GB Write-Int. 3.5' H-P EP			x		x			x		x					S26361-F5593-L800	1460,00	
HD SAS 12G 2TB 7.2K 512n HOT PL 2.5' BC								x		x		x			S26361-F5600-L200	854,12	
HDD Dummy Frame Slim 2.5'		x	x				x	x	x	x	x	x			S26361-F5601-L25	10,59	
HDD Dummy Frame Slim 3.5'					x	x	x	x	x	x	x	x			S26361-F5601-L35	10,59	
HDD SAS 6G 300GB 10K HOT PL 2.5' EP	x														S26361-F5602-L130	263,53	
HDD SAS 6G 450GB 10K HOT PL 2.5' EP	x														S26361-F5602-L145	403,53	
HDD SAS 6G 600GB 10K HOT PL 2.5' EP	x														S26361-F5602-L160	491,76	
HDD SAS 6G 900GB 10K HOT PL 2.5' EP	x														S26361-F5602-L190	668,24	
SSD SATA 6G 120GB Mix-Use 2.5' N H-P EP												x			S26361-F5603-L120	315,29	
SSD SAS 12G 1.6TB Write-Int. 3.5" H-P EP								x		x					S26361-F5607-L160	6874,12	
SSD SAS 12G 400GB Write-Int. 3.5" H-P EP								x		x					S26361-F5607-L400	1811,76	
SSD SAS 12G 800GB Write-Int. 3.5" H-P EP								x		x					S26361-F5607-L800	3524,71	
SSD SAS 12G 1.6TB Write-Int. 2.5" H-P EP								x		x		x		x	S26361-F5608-L160	6874,12	
SSD SAS 12G 400GB Write-Int. 2.5" H-P EP								x		x		x		x	S26361-F5608-L400	1811,76	
SSD SAS 12G 800GB Write-Int. 2.5" H-P EP								x		x		x		x	S26361-F5608-L800	3524,71	
SSD SAS 12G 1.6TB Write-Int 2.5' SED H-P								x		x		x			S26361-F5611-L160	6977,65	
SSD SAS 12G 400GB Write-Int 2.5' SED H-P								x		x		x			S26361-F5611-L400	1915,29	
SSD SAS 12G 800GB Write-Int 2.5' SED H-P								x		x		x			S26361-F5611-L800	3628,24	
SSD SAS 12G 1.92TB Mixed-Use 3.5' H-P EP								x		x					S26361-F5612-L192	5963,53	
SSD SAS 12G 3.84TB Mixed-Use 3.5' H-P EP								x		x					S26361-F5612-L384	11088,24	
SSD SAS 12G 480GB Mixed-Use 3.5' H-P EP								x		x					S26361-F5612-L480	1609,41	



Accessoires serveurs rack PRIMERGY

SSD SAS 12G 960GB Mixed-Use 3.5' H-P EP								x	x			S26361-F5612-L960	3136,47
SSD SAS 12G 1.92TB Mixed-Use 2.5' H-P EP								x	x	x		S26361-F5614-L192	5963,53
SSD SAS 12G 3.84TB Mixed-Use 2.5' H-P EP								x	x	x		S26361-F5614-L384	11088,24
SSD SAS 12G 480GB Mixed-Use 2.5' H-P EP								x	x	x		S26361-F5614-L480	1609,41
SSD SAS 12G 960GB Mixed-Use 2.5' H-P EP								x	x	x		S26361-F5614-L960	3136,47



Accessoires serveurs rack PRIMERGY

Description	PRIMERGY RX100 S7	PRIMERGY RX1330 M1	PRIMERGY RX1330 M2	PRIMERGY RX200 S8	PRIMERGY RX2510 M2	PRIMERGY RX2520 M1	PRIMERGY RX2530 M1	PRIMERGY RX2530 M2	PRIMERGY RX2540 M1	PRIMERGY RX2540 M2	PRIMERGY RX2560 M1	PRIMERGY RX2560 M2	PRIMERGY RX300 S8	PRIMERGY RX4770 M2	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)																	
Hard Disks (Suite)																	
SSD SAS 12G 1.92TB Read-Int. 3.5" H-P EP							x	x							S26361-F5615-L192	5678,82	
SSD SAS 12G 3.84TB Read-Int. 3.5" H-P EP							x	x							S26361-F5615-L384	8795,29	
SSD SAS 12G 480GB Read-Int. 3.5" H-P EP							x	x							S26361-F5615-L480	1449,41	
SSD SAS 12G 960GB Read-Int. 3.5" H-P EP							x	x							S26361-F5615-L960	3002,35	
SSD SAS 12G 1.92TB Read-Int. 2.5" H-P EP							x	x			x				S26361-F5617-L192	5678,82	
SSD SAS 12G 3.84TB Read-Int. 2.5" H-P EP							x	x			x				S26361-F5617-L384	8795,29	
SSD SAS 12G 480GB Read-Int. 2.5" H-P EP							x	x			x				S26361-F5617-L480	1449,41	
SSD SAS 12G 960GB Read-Int. 2.5" H-P EP							x	x			x				S26361-F5617-L960	3002,35	
SSD SATA 6G 64GB DOM SLC N H-P						x	x	x							S26361-F5620-L64	703,53	
SSD SATA 6G 200GB Main 2.5" H-P EP				x	x								x		S26361-F5303-L200	1211,76	
SSD SATA 6G 400GB Main 2.5" H-P EP				x	x								x		S26361-F5303-L400	2443,53	
SSD SATA 6G 800GB Main 2.5" H-P EP				x	x								x		S26361-F5303-L800	4891,76	
Upgr. kit for V101 from 4 to 8x 3.5" HDD									x	x					S26361-F2495-L112	103,53	
HD SATA 6G 500GB 7.2K HOT PL 3.5" ECO	x														S26361-F3814-L500	170,59	
Option 4x REAR PCIe-SSD SFF									x	x					S26361-F3853-L20	325,88	
DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x	x								x		S26361-F5228-L500	289,41	
HD SAS 12G 1.8TB 10K 512e HOT PL 2.5" EP				x	x								x		S26361-F5544-L118	1050,59	
HD SAS 12G 1.2TB 10K 512n HOT PL 2.5" EP				x	x								x		S26361-F5551-L112	688,24	
DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x	x								x		S26361-F5228-L100	507,06	
SSD SATA 6G 100GB Main 3.5" H-P EP	x					x	x		x						S26361-F5289-L100	610,59	
SSD SATA 6G 200GB Main 3.5" H-P EP	x					x	x		x						S26361-F5289-L200	1211,76	
SSD SATA 6G 400GB Main 3.5" H-P EP						x	x		x						S26361-F5289-L400	2443,53	
SSD SATA 6G 800GB Main 3.5" H-P EP						x	x		x						S26361-F5289-L800	4891,76	
SSD SATA 6G 64GB DOM N H-P			x		x		x	x	x	x	x	x			S26361-F5522-L64	124,71	
SSD SATA 6G 64GB DOM N H-P	x					x									S26361-F5533-L64	124,71	
SSD PCIe3 800GB Main 2.5" H-P EP							x	x	x	x	x	x		x	S26361-F5534-L800	4027,06	
Upgr. kit for V401 from 8 to 16x2.5" HDD									x	x					S26361-F2495-L445	625,88	
DD SAS 6G 300Go 10K HOT PL 2.5" EP				x	x								x		S26361-F5247-L130	263,53	
DD SAS 6G 450Go 10K HOT PL 2.5" EP				x	x								x		S26361-F5247-L145	403,53	
DD SAS 6G 600Go 10K HOT PL 2.5" EP				x	x								x		S26361-F5247-L160	491,76	
DD SAS 6G 900Go 10K HOT PL 2.5" EP				x	x								x		S26361-F5247-L190	631,76	
SSD SATA 6G 128GB DOM N H-P		x			x		x	x	x	x	x	x			S26361-F5522-L128	217,65	
SSD SATA 6G 128GB DOM N H-P	x					x									S26361-F5533-L128	217,65	
SSD PCIe3 1.6TB Main 2.5" H-P EP							x	x	x	x	x	x		x	S26361-F5534-L161	7656,47	
HD SAS 6G 300GB 10K HOT PL 2.5" EP												x			S26361-F5537-L130	263,53	
HD SAS 6G 600GB 10K HOT PL 2.5" EP												x			S26361-F5537-L160	491,76	
HD SAS 6G 900GB 10K HOT PL 2.5" EP												x			S26361-F5537-L190	631,76	
Upgr. kit for V401 from 8 to 24x2.5" HDD									x	x					S26361-F2495-L442	781,18	
DD SATA 6Gb/s 500Go 7.2K hot-plug 3.5" BC													x		S26361-F3670-L500	228,24	
HD SAS 6G 1.2TB 10K HOT PL 2.5" EP				x		x							x		S26361-F5247-L112	508,24	
SSD PCIe3 2TB Main 2.5" H-P EP							x	x	x	x	x	x		x	S26361-F5534-L201	9028,24	
HD SAS 6G 1.2TB 10K HOT PL 2.5" EP														x	S26361-F5537-L112	670,59	
Upgr. f. V401 f. 8xHD to +4x2.5" PCIeSSD									x	x					S26361-F2495-L448	170,59	
DD SATA 6Gb/s 1To 7.2K hot-plug 3.5" BC													x		S26361-F3670-L100	254,12	
HD SATA 6G 500GB 7.2K HOT PL 3.5" BC	x					x			x	x					S26361-F3815-L500	228,24	
HD SAS 6G 146GB 15K HOT PL 2.5" EP												x	x		S26361-F5538-L514	232,94	
Upgr. kit f. V401 from 16 to 24x2.5" HDD									x	x					S26361-F2495-L452	196,47	
DD SATA 6Gb/s 2To 7.2K hot-plug 3.5" BC													x		S26361-F3670-L200	418,82	
HD SATA 6G 1TB 7.2K HOT PL 3.5" BC	x					x	x		x	x					S26361-F3815-L100	254,12	
HD SATA 6G 2TB 7.2K HOT PL 3.5" BC	x	x				x	x		x	x					S26361-F3815-L200	418,82	
HD SATA 6G 3TB 7.2K HOT PL 3.5" BC	x					x	x		x	x					S26361-F3815-L300	517,65	
HD SATA 6G 4TB 7.2K HOT PL 3.5" BC	x	x				x	x		x	x					S26361-F3815-L400	574,12	
Upgr. f. V401 f. 4xPCIeSSD to +8x2.5" HD									x	x					S26361-F2495-L478	232,94	
DD SATA 6G 3To 7.2K HP 3.5" BC													x		S26361-F3670-L300	517,65	
HD SATA 6G 4TB 7.2K 512e HOT PL 3.5" BC			x		x				x	x					S26361-F3904-L400	616,47	
HD SATA 6G 6TB 7.2K 512e HOT PL 3.5" BC	x	x			x	x			x	x					S26361-F3904-L600	916,47	
DD SATA 6G 4To 7.2K HOT PL 3.5" BC													x		S26361-F3670-L400	574,12	
DD SATA 6Gb/s 250Go 7.2K hot-plug 2.5" BC				x		x							x		S26361-F3708-L250	232,94	
DD SATA 6Gb/s 500Go 7.2K hot-plug 2.5" BC				x		x							x		S26361-F3708-L500	263,53	
DD SATA 6Gb/s 1To 7.2K hot-plug 2.5" BC				x		x							x		S26361-F3708-L100	388,24	
DD SATA 6Gb/s 500Go 7.2K hot plug 3.5" ECO	x														S26361-F3700-L500	170,59	
HD SAS 6G 300GB 15K HOT PL 3.5" EP						x				x					S26361-F3819-L530	315,29	
DD SATA 3Gb/s 2To 7.2K Hot-plug 3.5" BC	x														S26361-F3294-L200	424,71	



Accessoires serveurs rack PRIMERGY

HD SAS 6G 1TB 7.2K HOT PL 3.5" BC						x	x	x	x	x	x	x		S26361-F3820-L100	336,47
HD SAS 6G 2TB 7.2K HOT PL 3.5" BC						x	x	x	x	x	x	x		S26361-F3820-L200	522,35
HD SAS 6G 3TB 7.2K HOT PL 3.5" BC						x	x		x		x			S26361-F3820-L300	688,24
HD SAS 6G 4TB 7.2K HOT PL 3.5" BC						x	x	x	x	x	x	x		S26361-F3820-L400	797,65
DD SAS 6Gb/s 300Go 15K Hot Plug 3.5" EP	x												x	S26361-F4005-L530	315,29



Accessoires serveurs rack PRIMERGY

Description	PRIMERGY RX100 S7	PRIMERGY RX1330 M1	PRIMERGY RX1330 M2	PRIMERGY RX200 S8	PRIMERGY RX2510 M2	PRIMERGY RX2520 M1	PRIMERGY RX2530 M1	PRIMERGY RX2530 M2	PRIMERGY RX2540 M1	PRIMERGY RX2540 M2	PRIMERGY RX2560 M1	PRIMERGY RX2560 M2	PRIMERGY RX300 S8	PRIMERGY RX4770 M2	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)																	
Hard Disks (Suite)																	
SSD SATA 6G 200GB Main 2.5" H-P EP		x					x	x	x					x	S26361-F3821-L200	1211,76	
SSD SATA 6G 400GB Main 2.5" H-P EP							x	x	x					x	S26361-F3821-L400	2443,53	
SSD SATA 6G 800GB Main 2.5" H-P EP							x	x	x					x	S26361-F3821-L800	4891,76	
HD SATA 6G 250GB 7.2K HOT PL 2.5" BC		x						x							S26361-F3816-L250	232,94	
HD SATA 6G 500GB 7.2K HOT PL 2.5" BC		x	x					x	x	x					S26361-F3816-L500	263,53	
HD SATA 6G 1TB 7.2K HOT PL 2.5" BC		x	x					x	x	x					S26361-F3816-L100	388,24	
HD SAS 6G 500GB 7.2K HOT PL 2.5" BC									x	x				x	S26361-F3817-L500	289,41	
HD SAS 6G 1TB 7.2K HOT PL 2.5" BC									x	x				x	S26361-F3817-L100	507,06	
HD SAS 6G 300GB 10K HOT PL 2.5" EP		x					x	x						x	S26361-F3818-L130	263,53	
HD SAS 6G 450GB 10K HOT PL 2.5" EP		x						x						x	S26361-F3818-L145	403,53	
HD SAS 6G 600GB 10K HOT PL 2.5" EP		x					x	x						x	S26361-F3818-L160	491,76	
HD SAS 6G 900GB 10K HOT PL 2.5" EP		x					x	x						x	S26361-F3818-L190	631,76	
HD SAS 6G 1.2TB 10K HOT PL 2.5" EP		x					x	x						x	S26361-F3818-L112	647,06	
HD SAS 6G 146GB 15K HOT PL 2.5" EP		x	x												S26361-F3818-L514	232,94	
HD SAS 6G 300GB 15K HOT PL 2.5" EP		x													S26361-F3818-L530	481,18	
HD SAS 6G 450GB 15K HOT PL 2.5" EP		x													S26361-F3818-L545	651,76	
HD SAS 12G 300GB 15K 512n SED H-PL 2.5'									x						S26361-F5583-L530	554,12	
HD SAS 12G 600GB 15K 512n SED H-PL 2.5'									x						S26361-F5583-L560	1030,59	
HD SAS 6G 600GB 15K HOT PL 2.5" EP		x													S26361-F3818-L560	890,59	
HD SAS 12G 450GB 10K 512e HOT PL 2.5" EP							x		x		x			x	S26361-F5543-L145	418,82	
HD SAS 12G 600GB 10K 512e HOT PL 2.5" EP			x				x	x	x	x	x	x		x	S26361-F5543-L160	481,18	
HD SAS 12G 900GB 10K 512e HOT PL 2.5" EP			x				x	x	x	x	x	x		x	S26361-F5543-L190	642,35	
HD SAS 12G 1.2TB 10K 512e HOT PL 2.5" EP			x				x	x	x	x	x	x		x	S26361-F5543-L112	688,24	
HD SAS 12G 1.8TB 10K 512e HOT PL 2.5" EP			x				x	x	x	x	x	x		x	S26361-F5543-L118	1050,59	
HD SAS 12G 300GB 15K HOT PL 2.5" EP			x				x	x	x	x	x	x		x	S26361-F5531-L530	481,18	
HD SAS 12G 450GB 15K HOT PL 2.5" EP			x				x	x	x	x	x	x		x	S26361-F5531-L545	720,00	
HD SAS 12G 600GB 15K HOT PL 2.5" EP			x				x	x	x	x	x	x		x	S26361-F5531-L560	869,41	
DD SAS 6Gb/s 146Go 15K hot plug 2.5" EP 30				x		x								x	S26361-F4482-L514	232,94	
HD SAS 12G 1TB 7.2K 512n HOT PL 2.5" BC									x	x				x	S26361-F5600-L100	403,53	
HD SAS 6G 300GB 15K HOT PL 2.5" EP				x		x								x	S26361-F4482-L530	481,18	
HD SAS 6G 450GB 15K HOT PL 2.5" EP				x		x								x	S26361-F4482-L545	488,24	
HD SAS 6G 600GB 15K HOT PL 2.5" EP				x		x								x	S26361-F4482-L560	658,82	
HD SAS 12G 300GB 10K 512n SED H-PL 2.5'			x					x	x	x		x		x	S26361-F5581-L130	289,41	
HD SAS 12G 600GB 10K 512n SED H-PL 2.5'			x					x	x	x		x		x	S26361-F5581-L160	574,12	
HD SAS 12G 1.2TB 10K 512n SED H-PL 2.5'			x					x	x	x		x		x	S26361-F5581-L112	791,76	
HD SAS 12G 1.8TB 10K 512e SED H-PL 2.5'			x					x	x	x		x		x	S26361-F5582-L118	1460,00	
HD SAS 12G 6TB 7.2K 512e SED H-PL 3.5'			x					x	x	x		x			S26361-F5584-L600	1272,94	
SCSI/RAID/SAS controller																	
SAS cable kit 6Gbit RX1330 8x2,5'		x	x												BDL:RX1330_8X25_D	61,18	
SAS cable kit 12Gbit RX1330 8x2,5'		x	x												BDL:RX1330_8X25_U	61,18	
SAS cable kit 6Gbit RX2520 8x2,5'						x									BDL:RX2520_8X25_D	61,18	
SAS cable kit 6Gbit RX2520 8x2,5' /w LTO						x									BDL:RX2520_LTO_D	61,18	
SAS cable kit 12Gbit RX2520 8x2,5' /w LTO						x									BDL:RX2520_LTO_U	61,18	
SAS cable kit 6Gbit RX2520 8x2,5' /w RDX						x									BDL:RX2520_RDX_D	61,18	
SAS cable kit 12Gbit RX2520 8x2,5' /w RDX						x									BDL:RX2520_RDX_U	61,18	
SAS cable kit 6Gbit RX2530 8x2,5							x	x							BDL:RX2530_8X25_D	61,18	
SAS cable kit 12Gbit RX2530 8x2,5							x	x							BDL:RX2530_8X25_U	61,18	
SAS cable kit 12Gbit RX2540 8x2,5									x	x					BDL:RX2540_8X25_U	61,18	
SAS cable kit 6Gbit RX2540 8x3,5'									x	x					BDL:RX2540_8X35_D	61,18	
Opt.FH PCIe Riser		x	x												S26361-F1420-L210	21,18	
Opt.Full Height PCIe Riser					x			x							S26361-F1492-L210	15,29	
SAS3.0 cable upgrade kit for RX1330		x	x												S26361-F1537-L180	67,06	
SAS3.0 cable upgradekit for RX2540 2.5'									x	x					S26361-F3120-L100	47,06	
SAS3.0 cable upgradekit for RX2540 3.5'									x	x					S26361-F3120-L101	47,06	
SAS cable 12Gbit RX2520 8x2,5" with LTO						x									S26361-F3210-L301	30,59	
SAS cable 6Gbit RX1330 8x2,5'		x	x												S26361-F3210-L302	30,59	
SAS cable 6Gbit RX1330 4x2,5'		x	x												S26361-F3210-L303	30,59	
SAS cable 12Gbit RX2520 12x3.5"						x									S26361-F3210-L307	30,59	
SAS cable 12Gbit RX2540 8x2,5"									x	x					S26361-F3210-L308	30,59	
SAS cable 12Gbit RX1330 4x2,5"		x	x												S26361-F3210-L309	30,59	
SAS cable 12Gbit RX2530 4x2,5"								x	x						S26361-F3210-L311	30,59	
SAS cable 6Gbit RX2520 8x and 12x3.5"						x									S26361-F3210-L314	30,59	
SAS cable 12Gbit RX1330 4x3,5"		x	x												S26361-F3210-L315	30,59	



Accessoires serveurs rack PRIMERGY															
SAS cable 6GBit RX2530 8x2,5"										x	x			S26361-F3210-L316	30,59
SAS cable 6GBit RX2530 4x2,5"										x	x			S26361-F3210-L317	30,59
SAS cable 12GBit RX2520 4x2,5"										x				S26361-F3210-L318	30,59
SAS cable 12GBit RX1330 8x2,5"		x	x											S26361-F3210-L320	30,59
SAS cable 12GBit RX2510 4x3,5"						x								S26361-F3210-L321	30,59



Accessoires serveurs rack PRIMERGY

Description	PRIMERGY RX100 S7	PRIMERGY RX1330 M1	PRIMERGY RX1330 M2	PRIMERGY RX200 S8	PRIMERGY RX2510 M2	PRIMERGY RX2520 M1	PRIMERGY RX2530 M1	PRIMERGY RX2530 M2	PRIMERGY RX2540 M1	PRIMERGY RX2540 M2	PRIMERGY RX2560 M1	PRIMERGY RX2560 M2	PRIMERGY RX300 S8	PRIMERGY RX4770 M2	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)																	
SCSI/RAID/SAS controller (Suite)																	
SAS cable 6Gbit RX2540 8x3,5"								x	x						S26361-F3210-L323	30,59	
SAS cable 6Gbit RX2540 4x3,5"								x	x						S26361-F3210-L324	30,59	
SAS cable 12Gbit RX2540 8x3,5"								x	x						S26361-F3210-L325	30,59	
SAS cable 12Gbit RX2540 4x3,5"								x	x						S26361-F3210-L326	30,59	
SAS cable 6Gbit RX2520 8x2,5" with RDX						x									S26361-F3210-L401	30,59	
SAS cable 6Gbit RX2520 8x2,5"						x									S26361-F3210-L407	30,59	
SAS cable 6Gbit RX2520 4x2,5"						x									S26361-F3210-L416	30,59	
SAS cable 6Gbit RX1330 4x3,5"		x	x												S26361-F3210-L431	30,59	
SAS cable 6Gbit RX2510 4x3,5"					x										S26361-F3210-L433	30,59	
Upg. BBU pour ctrl RAID 5/6 C	x			x										x	S26361-F3257-L210	181,18	
Ctrl SAS 6Gb/s 8ext PCIe FH/LP	x			x		x							x		S26361-F3628-L501	289,41	
Module TFM pour l'option FBU sur D3116				x		x							x		S26361-F3669-L100	160,00	
Ctrl RAID FBU option w/ cable 25/55/70cm				x		x							x		S26361-F3669-L110	108,24	
RAID Ctrl SAS 6G 8Port ex 1GB LSI V3				x		x							x		S26361-F3713-L503	869,41	
PRAID CP400i FH/LP		x	x		x	x	x	x	x	x	x	x		x	S26361-F3842-L501	217,65	
PSAS CP400i FH/LP		x	x		x	x	x	x	x	x	x	x			S26361-F3842-L502	228,24	
PSAS CP400e FH/LP		x	x		x	x	x	x	x	x	x	x		x	S26361-F3845-L501	367,06	
Risercard PCIe 2x x8 right										x	x				S26361-F3846-L21	77,65	
Risercard PCIe 2x x8 left										x	x				S26361-F3846-L22	77,65	
PRAID EP420e FH/LP					x		x	x	x	x	x			x	S26361-F3847-L502	677,65	
PRAID EP400i FH/LP		x	x		x		x	x	x	x	x	x	x		S26361-F5243-L1	418,82	
TFM module for FBU on PRAID EP400i		x	x		x		x	x	x	x	x	x	x		S26361-F5243-L100	181,18	
RAID Ctrl FBU option w/ 25/55/70cm cable		x	x		x		x	x	x	x	x	x	x		S26361-F5243-L110	108,24	
1FBU 25,55,70cm cable					x										S26361-F5243-L111	114,12	
PRAID EP420i FH/LP		x	x		x		x	x	x	x	x	x	x		S26361-F5243-L2	444,71	
PRAID EP420i for SafeStore		x	x		x		x	x	x	x	x	x		x	S26361-F5243-L4	569,41	
TFM module for FBU on PRAID EP420i/e		x	x		x		x	x	x	x	x	x	x		S26361-F5243-L200	228,24	
Ctrl RAID SAS 6Gb/s 0/1 (D2607)	x	x		x		x								x	S26361-F3554-L8	191,76	
RAID Advanced Software Options		x						x		x		x	x	x	S26361-F5243-L660	228,24	
RAID Advanced SW Option CacheCade		x	x					x	x	x	x	x	x	x	S26361-F5243-L670	228,24	
Ctrl RAID SAS 6Gb/s 5/6 512Mo (D2616)	x	x		x		x								x	S26361-F3554-L512	418,82	
RAID Ctrl SAS 6G 1GB (D3116C)				x		x								x	S26361-F3669-L4	418,82	
SAS3.0 cable upgrade kit for RX2530					x		x	x							S26361-F1537-L200	51,76	
Clé de validation SAS pour ports sur carte mère				x		x								x	S26361-F3674-L1	92,94	
RAID Advanced SW Option CacheCade int.						x								x	S26361-F3669-L670	228,24	
RAID Advanced SW Option CacheCade ext.						x								x	S26361-F3669-L671	228,24	
Fibre Channel																	
Ctrl FC 8Gbit/s 1 Canal LPe1250 MMF LC FH									x	x	x	x		x	S26361-F3961-L1	890,59	
Ctrl FC 8Gbit/s 2 canaux LPe12002 MMF LC									x	x	x	x		x	S26361-F3961-L2	1434,12	
Ctrl FC 8Gbit/s 1 Canal LPe1250 MMF LC LP		x	x	x		x	x	x	x					x	S26361-F3961-L201	890,59	
Ctrl FC 8Gbit/s 2 canaux LPe12002 MMF LC LP		x	x	x		x	x	x	x					x	S26361-F3961-L202	1434,12	
Ctrl FC 8Gb/s 1 canal QLE2560 MMF LC									x	x	x	x		x	S26361-F3631-L1	988,24	
Ctrl FC 8Gb/s 2 canaux QLE2562 MMF LC									x	x	x	x		x	S26361-F3631-L2	1594,12	
Ctrl FC 8Gb/s 1 canal QLE2560 MMF LC LP		x	x	x		x	x	x	x					x	S26361-F3631-L201	988,24	
Ctrl FC 8Gb/s 2 canaux QLE2562 MMF LC LP		x	x	x		x	x	x	x					x	S26361-F3631-L202	1594,12	
PFC EP LPe16000				x	x		x	x	x	x	x	x	x	x	S26361-F4994-L501	1578,82	
PFC EP LPe16002				x	x		x	x	x	x	x	x	x	x	S26361-F4994-L502	2044,71	
PFC EP QLE2690 1x 16Gb Qlogic					x			x		x		x			S26361-F5580-L501	1578,82	
PFC EP QLE2692 2x 16Gb Qlogic					x			x		x		x			S26361-F5580-L502	2044,71	
PFC EP QLE2670				x	x		x	x	x	x	x	x	x	x	S26361-F5313-L501	1578,82	
PFC EP QLE2672				x	x		x	x	x	x	x	x	x	x	S26361-F5313-L502	2458,82	
Connection Blades																	
Intel IB Cu Cable 40Gb, 4x QSFP, 3m				x			x	x	x	x				x	S26361-F3996-L203	88,24	
Intel IB FO Cable 40Gb, 4x QSFP, 10m				x			x	x	x	x				x	S26361-F3996-L210	388,24	
1.5m passive copper cable			x		x		x	x	x	x			x		S26361-F5563-L150	108,24	
2m passive copper cable			x		x		x	x	x	x			x		S26361-F5563-L200	124,71	
3m passive copper cable			x		x		x	x	x	x			x		S26361-F5563-L300	155,29	
Infiniband Cu Cable 100Gb, QSFP, 3m			x		x		x	x	x	x			x		S26361-F5549-L563	232,94	
Module SFP Multi Mode Fiber GbE LC			x		x		x		x				x		S26361-F3986-L2	124,71	
Infiniband Cu Cable 100Gb, QSFP, 1m			x		x		x	x	x	x			x		S26361-F5549-L561	170,59	
Module SFP+ Multi Mode Fiber 10GbE LC		x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3986-L3	465,88	
SFP+ Module Single Mode Fiber 10GbE LC		x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3986-L4	1320,00	
SFP+ active Twinax Cable Fujitsu 2m			x		x		x	x	x	x	x	x	x	x	S26361-F3989-L102	181,18	



Accessoires serveurs rack PRIMERGY

Infiniband - Câble Cu 40Gb, 4x QSFP, 1m			x			x	x	x	x			x	S26361-F3996-L101	98,82
SFP+ active Twinax Cable Fujitsu 5m	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3989-L105	228,24
Infiniband - Câble Cu 40Gb, 4x QSFP, 3m			x			x	x	x	x			x	S26361-F3996-L103	124,71
SFP+ active Twinax Cable Fujitsu 10m	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3989-L110	269,41
Infiniband Cu Cable 56Gb, 4x QSFP, 1m			x	x			x	x	x			x	S26361-F3996-L561	134,12



Accessoires serveurs rack PRIMERGY

Description	PRIMERGY RX100 S7	PRIMERGY RX1330 M1	PRIMERGY RX1330 M2	PRIMERGY RX200 S8	PRIMERGY RX2510 M2	PRIMERGY RX2520 M1	PRIMERGY RX2530 M1	PRIMERGY RX2530 M2	PRIMERGY RX2540 M1	PRIMERGY RX2540 M2	PRIMERGY RX2560 M1	PRIMERGY RX2560 M2	PRIMERGY RX300 S8	PRIMERGY RX4770 M2	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)																	
Connection Blades (Suite)																	
Infiniband Cu Cable 56Gb, 4x QSFP, 3m			x	x	x		x	x	x	x		x	x	x	S26361-F3996-L563	202,35	
Communication/Réseau																	
Contrôleur Ethernet 1x1Gbit PCIe CT Desktop Cu Ip	x	x		x									x		S26361-F3516-L201	56,47	
PLAN EP X710-DA2 2x10Gb SFP+			x		x	x		x		x		x			S26361-F3640-L502	745,88	
PLAN AP 1x1Gbit Cu Intel I210-T1		x			x			x		x		x			S26361-F3852-L501	56,47	
RX4770M1-M3 Subm.LAN 2x10Gb optic														x	S26361-F5295-L500	647,06	
PCNA EP OCe14401 1x 40Gb w. capsule														x	S26361-F5539-L551	1982,35	
PIB EP 100Gb 1 port EDR ConnectX-4 FCC									x	x					S26361-F5540-L103	1294,12	
PIB EP 100Gb 2 port EDR ConnectX-4 FCC									x	x					S26361-F5540-L203	2221,18	
PLAN EP QL45212 2x25Gb SFP28								x		x					S26361-F5622-L502	647,06	
PLAN EM 2x1Gb T OC114000-LOM interface							x	x	x	x	x	x			S26361-F5302-L201	170,59	
PLAN EM 4x1Gb T OC114000-LOM interface							x	x	x	x	x	x			S26361-F5302-L401	325,88	
PLAN EM 2x10Gb T OC114000-LOM interface							x	x	x	x	x	x			S26361-F5302-L210	590,59	
PLAN EM 2x10Gb SFP OC114000-LOM interfac							x	x	x	x	x	x			S26361-F5302-L211	455,29	
PLAN EP OCe14102 2x 10Gb			x				x	x	x	x	x	x	x	x	S26361-F5536-L502	647,06	
PLAN EP OCe14102 2x 10Gb BASE-T							x	x	x	x	x	x		x	S26361-F5557-L501	838,82	
Contrôleur Ethernet 2x10Gbit PCIe x8 D2755 SFP+	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3629-L502	647,06	
Shared 10Gb Management LAN kit				x										x	S26361-F3629-L750	30,59	
Eth Ctrl 2x10GBase-T PCIe x8 X540-T2		x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3752-L502	838,82	
PCNA EP OCec14102 2x 10Gb DMF				x			x	x						x	S26361-F5250-L510	1852,94	
PCNA QSFP+ MMF module for OCe14401							x	x						x	S26361-F5539-L140	2174,12	
PCNA EP OCe14401 1x 40Gb							x	x	x	x				x	S26361-F5539-L501	1915,29	
PCNA SFP+ MMF Module for OCe14102			x	x			x	x	x	x	x	x	x	x	S26361-F5250-L110	465,88	
PCNA EP OCe14102 2x 10Gb				x			x	x	x	x	x	x	x	x	S26361-F5250-L501	1480,00	
PIB EP QLE7340e				x			x	x	x	x				x	S26361-F4475-L122	409,41	
PIB EP QLE7342e				x			x	x	x	x				x	S26361-F4475-L222	455,29	
PLAN CP 2x1Gbit Cu Intel I350-T2	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F4610-L502	243,53	
PLAN CP 4x1Gbit Cu Intel I350-T4	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F4610-L504	461,18	
IB HCA 40Gb 1 port QDR enhanced				x			x	x	x	x			x	x	S26361-F4475-L103	765,88	
IB HCA 40Gb 2 port QDR enhanced				x			x	x	x	x			x	x	S26361-F4475-L203	1185,88	
Contrôleur Infiniband 56Gb 1 port FDR				x			x	x	x	x	x	x	x	x	S26361-F4533-L102	1004,71	
Contrôleur Infiniband 56Gb 2 ports FDR				x			x	x	x	x	x	x	x	x	S26361-F4533-L202	1604,71	
PIB EP 100Gb 1 port EDR ConnectX-4							x	x							S26361-F5540-L102	1231,76	
PIB EP 100Gb 2 port EDR ConnectX-4							x	x							S26361-F5540-L202	1930,59	
POP EP 100Gb 1 port Omni Path							x			x					S26361-F5562-L10	812,94	
Rack-Infrastructure																	
Rack Mount Kit F1 CMA QRL LV				x		x			x	x				x	S26361-F2735-L175	98,82	
Kit Rack F1 S7 LV				x		x			x	x				x	S26361-F2735-L176	98,82	
Rack Mount Kit F1-CMA Slim Line		x	x												S26361-F2735-L200	82,35	
Kit Rack F2-C S7 LV												x	x	x	S26361-F2735-L285	108,24	
Kit Rack F2 S7 LV														x	S26361-F2735-L286	108,24	
Adapteur d'angle PC/DC-Rack, 3U till 200Kg												x	x	x	S26361-F2735-L31	36,47	
Rack Mount Kit F1-CMA Slim Line				x		x		x	x						S26361-F2735-L400	82,35	
Rack Mount Kit F1 Slim Line				x		x		x	x						S26361-F2735-L401	82,35	
RMK F1 Slimline, Slide-In Rail, screw						x									S26361-F2735-L421	51,76	
RMK F1 Slimline, Slide-In Rail, QRL				x		x			x						S26361-F2735-L422	56,47	
Câble magmt. pour 19" DC- PC- Rack	x		x		x	x	x	x	x	x	x	x	x	x	S26361-F2735-L7	36,47	
1U Câble arm pour PRIMECENTER- et 3rd-party racks		x	x				x	x							S26361-F2735-L8	47,06	
Rack Cable Management Arm 1U	x	x	x	x	x		x	x							S26361-F2735-L81	25,88	
Rack Cable Management Arm 2U						x			x	x	x	x	x	x	S26361-F2735-L82	36,47	
Adapteurs angles PC/DC-Rack, 50Kg	x	x	x		x	x	x	x	x	x				x	S26361-F2735-L10	25,88	
Paire de câbles pour 3rd party racks	x					x			x	x				x	S26361-F2201-L20	56,47	
PRIMERGY-Software																	
eLCM Activation Pack		x	x	x	x	x	x	x	x	x	x	x	x	x	BDL:ELCM-PACK	36,47	
iRMC S3 advanced pack	x														S26361-F1790-L242	315,29	
iRMC S4 advanced pack (NL)		x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1790-L244	315,29	
VMware vSphere Embed. UFM 8 GB Device	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2341-D433	124,71	
VMW VSAN 6.2 ADV for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D230	3730,59	
VMW VSAN 6.2 ADV for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D231	3730,59	
VMW VSAN 6.2 ADV for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D232	3730,59	
VMW VSAN Enterprise for 1 CPU w/o SP1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D233	5123,53	
VMW VSAN Enterprise for 1 CPU w/o SP3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D234	5123,53	
VMW VSAN Enterprise for 1 CPU w/o SP5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-D235	5123,53	



Accessoires serveurs rack PRIMERGY

VMW VSAN 6.2 ADV DT 10-Pack w/o SP-1yr	x	x		x		x	x		x		x	x	x	S26361-F2344-D236	934,12
VMW VSAN 6.2 ADV DT 10-Pack w/o SP-3yr	x	x		x		x	x		x		x	x	x	S26361-F2344-D237	934,12
VMW VSAN 6.2 ADV DT 10-Pack w/o SP-5yr	x	x		x		x	x		x		x	x	x	S26361-F2344-D238	934,12
VMW VSAN 6.2 ADV DT 100-Pack w/o SP-1yr	x	x		x		x	x		x		x	x	x	S26361-F2344-D239	9334,12
VMW VSAN 6.2 ADV DT 100-Pack w/o SP-3yr	x	x		x		x	x		x		x	x	x	S26361-F2344-D240	9334,12



Accessoires serveurs rack PRIMERGY

Description	PRIMERGY RX100 S7	PRIMERGY RX1330 M1	PRIMERGY RX1330 M2	PRIMERGY RX200 S8	PRIMERGY RX2510 M2	PRIMERGY RX2520 M1	PRIMERGY RX2530 M1	PRIMERGY RX2530 M2	PRIMERGY RX2540 M1	PRIMERGY RX2540 M2	PRIMERGY RX2560 M1	PRIMERGY RX2560 M2	PRIMERGY RX300 S8	PRIMERGY RX4770 M2	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)																	
PRIMERGY-Software (Suite)																	
VMW VSAN 6.2 ADV DT 100-Pack w/o SP-5yr	x	x		x		x	x		x		x	x	x		S26361-F2344-D241	9334,12	
VMW VSAN 6.2 ENT DT 10-Pack w/o SP-1yr	x	x		x		x	x		x		x	x	x		S26361-F2344-D242	1121,18	
VMW VSAN 6.2 ENT DT 10-Pack w/o SP-3yr	x	x		x		x	x		x		x	x	x		S26361-F2344-D243	1121,18	
VMW VSAN 6.2 ENT DT 10-Pack w/o SP-5yr	x	x		x		x	x		x		x	x	x		S26361-F2344-D244	1121,18	
VMW VSAN 6.2 ENT DT 100-Pack w/o SP-1yr	x	x		x		x	x		x		x	x	x		S26361-F2344-D245	11216,47	
VMW VSAN 6.2 ENT DT 100-Pack w/o SP-3yr	x	x		x		x	x		x		x	x	x		S26361-F2344-D246	11216,47	
VMW VSAN 6.2 ENT DT 100-Pack w/o SP-5yr	x	x		x		x	x		x		x	x	x		S26361-F2344-D247	11216,47	
VMware vSOM EPL Acc Kit 6CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D306	23371,76	
VMware vSOM EPL Acc Kit 6CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D307	23371,76	
VMware vSOM EPL Acc Kit 6CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2344-D308	23371,76	
VMware vSphere STD for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2344-D310	929,41	
VMware vSphere STD for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D311	929,41	
VMware vSphere STD for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2344-D312	929,41	
VMware vSphere EPL for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D316	3265,88	
VMware vSphere EPL for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D317	3265,88	
VMware vSphere EPL for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2344-D318	3265,88	
VMware vSOM EPL for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D326	4105,88	
VMware vSOM EPL for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D327	4105,88	
VMware vSOM EPL for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D328	4105,88	
VMW Essentials Plus Kit w/o SP-1yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D330	3483,53	
VMW Essentials Plus Kit w/o SP-3yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D331	3483,53	
VMW Essentials Plus Kit w/o SP-5yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D332	3483,53	
VMW Essentials Kit + Subscription-1yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D340	608,24	
VMW Essentials Kit + Subscription-3yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D341	832,94	
VMW Essentials Kit + Subscription-5yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D342	1081,18	
VMW ROBO STD 25 VMs w/o SP-1yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D343	2801,18	
VMW ROBO STD 25 VMs w/o SP-3yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D344	2801,18	
VMW ROBO STD 25 VMs w/o SP-5yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D345	2801,18	
VMW ROBO AVD 25 VMs w/o SP-1yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D346	4195,29	
VMW ROBO AVD 25 VMs w/o SP-3yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D347	4195,29	
VMW ROBO AVD 25 VMs w/o SP-5yr	x	x	x	x	x	x	x	x	x	x			x		S26361-F2344-D348	4195,29	
VMW Virtual SAN for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2344-D350	2327,06	
VMW Virtual SAN for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2344-D351	2327,06	
VMW Virtual SAN for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2344-D352	2327,06	
VMW Virtual SAN DT 100-Pack w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2344-D353	4669,41	
VMW Virtual SAN DT 100-Pack w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2344-D354	4669,41	
VMW Virtual SAN DT 100-Pack w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2344-D355	4669,41	
VMW Virtual SAN DT 10-Pack w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2344-D365	404,71	
VMW Virtual SAN DT 10-Pack w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2344-D366	404,71	
VMW Virtual SAN DT 10-Pack w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2344-D367	404,71	
VMW VSAN for ROBO w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2344-D368	11710,59	
VMW VSAN for ROBO w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2344-D369	11710,59	
VMW VSAN for ROBO w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2344-D370	11710,59	
VMW vCloud Suite 7 STD w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2344-D712	5123,53	
VMW vCloud Suite 7 STD w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2344-D713	5123,53	
VMW vCloud Suite 7 STD w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2344-D714	5123,53	
VMW vCloud Suite 7 ADV w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2344-D715	7456,47	
VMW vCloud Suite 7 ADV w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2344-D716	7456,47	
VMW vCloud Suite 7 ADV w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2344-D717	7456,47	
VMW vCloud Suite 7 ENT w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2344-D718	8860,00	
VMW vCloud Suite 7 ENT w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2344-D719	8860,00	
VMW vCloud Suite 7 ENT w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2344-D720	8860,00	
VMW vSphere STD Acc Kit 6CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2344-D721	10228,24	
VMW vSphere STD Acc Kit 6CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2344-D722	10228,24	
VMW vSphere STD Acc Kit 6CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2344-D723	10228,24	
VMW vSphere EPL Acc Kit 6CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2344-D724	21494,12	
VMW vSphere EPL Acc Kit 6CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2344-D725	21494,12	
VMW vSphere EPL Acc Kit 6CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2344-D726	21494,12	
VMW VSAN 6.2 ADV for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2344-L230	4329,41	
VMW VSAN 6.2 ADV for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2344-L231	4329,41	
VMW VSAN 6.2 ADV for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2344-L232	4329,41	
VMW VSAN Enterprise for 1 CPU w/o SP1yr	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2344-L233	5947,06	
VMW VSAN Enterprise for 1 CPU w/o SP3yr	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2344-L234	5947,06	



Accessoires serveurs rack PRIMERGY

VMW VSAN Enterprise for 1 CPU w/o SP5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L235	5947,06
VMW VSAN 6.2 ADV DT 10-Pack w/o SP-1yr	x	x		x		x	x		x		x	x	x		S26361-F2344-L236	1082,35
VMW VSAN 6.2 ADV DT 10-Pack w/o SP-3yr	x	x		x		x	x		x		x	x	x		S26361-F2344-L237	1082,35
VMW VSAN 6.2 ADV DT 10-Pack w/o SP-5yr	x	x		x		x	x		x		x	x	x		S26361-F2344-L238	1082,35
VMW VSAN 6.2 ADV DT 100-Pack w/o SP-1yr	x	x		x		x	x		x		x	x	x		S26361-F2344-L239	10834,12



Accessoires serveurs rack PRIMERGY

Description	PRIMERGY RX100 S7	PRIMERGY RX1330 M1	PRIMERGY RX1330 M2	PRIMERGY RX200 S8	PRIMERGY RX2510 M2	PRIMERGY RX2520 M1	PRIMERGY RX2530 M1	PRIMERGY RX2530 M2	PRIMERGY RX2540 M1	PRIMERGY RX2540 M2	PRIMERGY RX2560 M1	PRIMERGY RX2560 M2	PRIMERGY RX300 S8	PRIMERGY RX4770 M2	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)																	
PRIMERGY-Software (Suite)																	
VMW VSAN 6.2 ADV DT 100-Pack w/o SP-3yr	x	x		x		x	x		x		x	x	x		S26361-F2344-L240	10834,12	
VMW VSAN 6.2 ADV DT 100-Pack w/o SP-5yr	x	x		x		x	x		x		x	x	x		S26361-F2344-L241	10834,12	
VMW VSAN 6.2 ENT DT 10-Pack w/o SP-1yr	x	x		x		x	x		x		x	x	x		S26361-F2344-L242	1304,71	
VMW VSAN 6.2 ENT DT 10-Pack w/o SP-3yr	x	x		x		x	x		x		x	x	x		S26361-F2344-L243	1304,71	
VMW VSAN 6.2 ENT DT 10-Pack w/o SP-5yr	x	x		x		x	x		x		x	x	x		S26361-F2344-L244	1304,71	
VMW VSAN 6.2 ENT DT 100-Pack w/o SP-1yr	x	x		x		x	x		x		x	x	x		S26361-F2344-L245	13021,18	
VMW VSAN 6.2 ENT DT 100-Pack w/o SP-3yr	x	x		x		x	x		x		x	x	x		S26361-F2344-L246	13021,18	
VMW VSAN 6.2 ENT DT 100-Pack w/o SP-5yr	x	x		x		x	x		x		x	x	x		S26361-F2344-L247	13021,18	
VMware vSOM EPL Acc Kit 6CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L306	27134,12	
VMware vSOM EPL Acc Kit 6CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L307	27134,12	
VMware vSOM EPL Acc Kit 6CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L308	27134,12	
VMware vSphere STD for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L310	1076,47	
VMware vSphere STD for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L311	1076,47	
VMware vSphere STD for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L312	1076,47	
VMware vSphere EPL for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L316	3794,12	
VMware vSphere EPL for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L317	3794,12	
VMware vSphere EPL for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L318	3794,12	
VMware vSOM EPL for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L326	4768,24	
VMware vSOM EPL for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L327	4768,24	
VMware vSOM EPL for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L328	4768,24	
VMW Essentials Plus Kit w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L330	4042,35	
VMW Essentials Plus Kit w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L331	4042,35	
VMW Essentials Plus Kit w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L332	4042,35	
VMware vSphere STD FlexF 1 CPU w/oSP-3yr	x	x	x	x	x	x	x	x	x				x	x	S26361-F2344-L335	884,71	
VMware vSphere EPL FlexF 1 CPU w/oSP-3yr	x	x	x	x	x	x	x	x	x				x	x	S26361-F2344-L337	3108,24	
VMW Essentials Kit + Subscription-1yr	x	x	x	x	x	x	x	x	x				x	x	S26361-F2344-L340	703,53	
VMW Essentials Kit + Subscription-3yr	x	x	x	x	x	x	x	x	x				x	x	S26361-F2344-L341	968,24	
VMW Essentials Kit + Subscription-5yr	x	x	x	x	x	x	x	x	x				x	x	S26361-F2344-L342	1255,29	
VMW ROBO STD 25 VMs w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L343	3252,94	
VMW ROBO STD 25 VMs w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L344	3252,94	
VMW ROBO STD 25 VMs w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L345	3252,94	
VMW ROBO AVD 25 VMs w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L346	4870,59	
VMW ROBO ADV 25 VMs w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L347	4870,59	
VMW ROBO AVD 25 VMs w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L348	4870,59	
VMW Virtual SAN for 1 CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L350	2700,00	
VMW Virtual SAN for 1 CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L351	2700,00	
VMW Virtual SAN for 1 CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L352	2700,00	
VMW Virtual SAN DT 100-Pack w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L353	5422,35	
VMW Virtual SAN DT 100-Pack w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L354	5422,35	
VMW Virtual SAN DT 100-Pack w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L355	5422,35	
VMW Virtual SAN DT 10-Pack w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L365	470,59	
VMW Virtual SAN DT 10-Pack w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L366	470,59	
VMW Virtual SAN DT 10-Pack w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L367	470,59	
VMW VSAN for ROBO w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L368	13594,12	
VMW VSAN for ROBO w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L369	13594,12	
VMW VSAN for ROBO w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L370	13594,12	
VMW vCloud Suite 7 STD w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L712	5947,06	
VMW vCloud Suite 7 STD w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L713	5947,06	
VMW vCloud Suite 7 STD w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L714	5947,06	
VMW vCloud Suite 7 ADV w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L715	8658,82	
VMW vCloud Suite 7 ADV w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L716	8658,82	
VMW vCloud Suite 7 ADV w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L717	8658,82	
VMW vCloud Suite 7 ENT w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L718	10288,24	
VMW vCloud Suite 7 ENT w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L719	10288,24	
VMW vCloud Suite 7 ENT w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L720	10288,24	
VMW vSphere STD Acc Kit 6CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L721	11872,94	
VMW vSphere STD Acc Kit 6CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L722	11872,94	
VMW vSphere STD Acc Kit 6CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L723	11872,94	
VMW vSphere EPL Acc Kit 6CPU w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L724	24954,12	
VMW vSphere EPL Acc Kit 6CPU w/o SP-3yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L725	24954,12	
VMW vSphere EPL Acc Kit 6CPU w/o SP-5yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-L726	24954,12	
VMW Upg vCenter S FND to STD w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-S418	4840,00	
VMW Upg ESXi to vSphere STD w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-S420	972,94	



Accessoires serveurs rack PRIMERGY																
VMW Upg ESXi to vSphere EPL w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-S422	3421,18
VMW Upg vSp STD to vSp EPL w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-S424	2687,06
VMW Upg vSp ENT to vSp EPL w/o SP-1yr	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2344-S425	668,24
FSE KVM Standard Support 1 year	x	x	x	x		x	x	x	x	x			x		S26361-F2346-L430	202,35
FSE KVM Standard Support 3 years	x	x	x	x		x	x	x	x	x			x		S26361-F2346-L431	512,94



Accessoires serveurs rack PRIMERGY

Description	PRIMERGY RX100 S7	PRIMERGY RX1330 M1	PRIMERGY RX1330 M2	PRIMERGY RX200 S8	PRIMERGY RX2510 M2	PRIMERGY RX2520 M1	PRIMERGY RX2530 M1	PRIMERGY RX2530 M2	PRIMERGY RX2540 M1	PRIMERGY RX2540 M2	PRIMERGY RX2560 M1	PRIMERGY RX2560 M2	PRIMERGY RX300 S8	PRIMERGY RX4770 M2	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)																	
PRIMERGY-Software (Suite)																	
FSE KVM Premium Support 1 year	x	x	x	x		x	x	x	x	x			x		S26361-F2346-L432	616,47	
FSE KVM Premium Support 3 years	x	x	x	x		x	x	x	x	x			x		S26361-F2346-L433	1548,24	
UCS Back-Level Support Standard 1 year				x			x	x	x				x		S26361-F2346-L440	58,82	
UCS Back-Level Support Standard 3 years				x			x	x	x				x		S26361-F2346-L441	98,82	
UCS Back-Level Support Premium 1 year				x			x	x	x				x		S26361-F2346-L442	202,35	
UCS Back-Level Support Premium 3 years				x			x	x	x				x		S26361-F2346-L443	512,94	
ooB HDD monitoring by iRMC				x											S26361-F2557-L301	25,88	
WinSvr 2012 R2 Datacenter 2CPU ROK Distributeurs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-D413	4575,29	
WinSvr 2012R2 DC w/Reassignment 2CPU ROK	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-D417	5580,00	
WinSvr 2012 R2 Standard 2CPU/2VM ROK Distributeurs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-D423	704,71	
WinSvr 2012 R2 Essentials 2CPU ROK MUL Distributeu	x	x	x	x	x	x	x	x							S26361-F2567-D432	375,29	
WinSvr 2012 R2 Foundation 1CPU ROK Distributeurs	x	x													S26361-F2567-D442	205,88	
WinStorageSvr 2012 R2 Std 2CPU/2VM ROK	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-D453	512,94	
WINSVR 2016 DC 16Core ROK								x		x					S26361-F2567-D510	4575,29	
WINSVR 2016 DC 16Core ROK w/Reass								x		x					S26361-F2567-D511	5580,00	
WINSVR 2016 STD 16Core ROK								x		x					S26361-F2567-D520	704,71	
WINSVR 2016 ESS 1-2CPU ROK								x		x					S26361-F2567-D530	357,65	
WIN STORAGE SVR 2016 2CPU/2VM ROK								x		x					S26361-F2567-D550	512,94	
Windows Server 2012 Standard AddLic 2CPU	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L425	720,00	
WINSVR 2016 STD AddLic 16Core OEM APOS								x		x					S26361-F2567-L522	802,35	
WINSVR 2016 STD AddLic 4Core OEM APOS								x		x					S26361-F2567-L523	196,47	
WINSVR 2016 STD AddLic 2Core OEM APOS								x		x					S26361-F2567-L524	103,53	
WINSVR CAL 2016 1Device	x	x	x	x	x	x	x	x			x	x	x		S26361-F2567-L560	27,06	
WINSVR CAL 2016 1User	x	x	x	x	x	x	x	x			x	x	x		S26361-F2567-L561	36,47	
WINSVR CAL 2016 5Device	x	x	x	x	x	x	x	x			x	x	x		S26361-F2567-L562	118,82	
WINSVR CAL 2016 5User	x	x	x	x	x	x	x	x			x	x	x		S26361-F2567-L563	175,29	
WINSVR CAL 2016 10Device	x	x	x	x	x	x	x	x			x	x	x		S26361-F2567-L564	237,65	
WINSVR CAL 2016 10User	x	x	x	x	x	x	x	x			x	x	x		S26361-F2567-L565	316,47	
WINSVR CAL 2016 50Device	x	x	x	x	x	x	x	x			x	x	x		S26361-F2567-L566	1169,41	
WINSVR CAL 2016 50User	x	x	x	x	x	x	x	x			x	x	x		S26361-F2567-L567	1480,00	
WINSVR CAL 2016 100Device	x	x	x	x	x	x	x	x			x	x	x		S26361-F2567-L568	2350,59	
WINSVR CAL 2016 100User	x	x	x	x	x	x	x	x			x	x	x		S26361-F2567-L569	2965,88	
WINSVR RDSCAL 2016 1Device	x	x	x	x	x	x	x	x			x	x	x		S26361-F2567-L570	108,24	
WINSVR RDSCAL 2016 1User	x	x	x	x	x	x	x	x			x	x	x		S26361-F2567-L571	129,41	
WINSVR RDSCAL 2016 5Device	x	x	x	x	x	x	x	x			x	x	x		S26361-F2567-L572	517,65	
WINSVR RDSCAL 2016 5User	x	x	x	x	x	x	x	x			x	x	x		S26361-F2567-L573	647,06	
WINSVR RDSCAL 2016 10Device	x	x	x	x	x	x	x	x			x	x	x		S26361-F2567-L574	1020,00	
WINSVR RDSCAL 2016 10User	x	x	x	x	x	x	x	x			x	x	x		S26361-F2567-L575	1294,12	
WINSVR RDSCAL 2016 50Device	x	x	x	x	x	x	x	x			x	x	x		S26361-F2567-L576	5109,41	
WINSVR RDSCAL 2016 50User	x	x	x	x	x	x	x	x			x	x	x		S26361-F2567-L577	6444,71	
WINSVR RDSCAL 2016 100Device	x	x	x	x	x	x	x	x			x	x	x		S26361-F2567-L578	10223,53	
WINSVR RDSCAL 2016 100User	x	x	x	x	x	x	x	x			x	x	x		S26361-F2567-L579	12884,71	
WinSvr CAL 2012 50Device	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L460	1169,41	
WinSvr CAL 2012 50User	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L461	1480,00	
WinSvr CAL 2012 10Device	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L462	237,65	
WinSvr CAL 2012 10User	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L463	300,00	
WinSvr CAL 2012 5Device	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L464	118,82	
WinSvr CAL 2012 5User	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L465	175,29	
WinSvr CAL 2012 1Device	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L466	28,24	
WinSvr CAL 2012 1User	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L467	36,47	
WinSvr CAL 2012 100Device	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L468	2350,59	
WinSvr CAL 2012 100User	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L469	2965,88	
WinSvr RDS CAL 2012 5Device	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L470	517,65	
WinSvr RDS CAL 2012 5User	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L471	703,53	
WinSvr RDS CAL 2012 1Device	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L472	108,24	
WinSvr RDS CAL 2012 1User	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L473	129,41	
WinSvr RDS CAL 2012 100Device	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L474	10223,53	
WinSvr RDS CAL 2012 100User	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L475	12884,71	
WinSvr RDS CAL 2012 50Device	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L476	5109,41	
WinSvr RDS CAL 2012 50User	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L477	6444,71	
WinSvr RDS CAL 2012 10Device	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L478	1020,00	
WinSvr RDS CAL 2012 10User	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2567-L479	1294,12	
DG/DE Kit WinSvr 2008 R2 SP1 Datacenter	x	x	x	x	x	x	x	x					x	x	S26361-F2567-L480	72,94	



Accessoires serveurs rack PRIMERGY

DG/DE Kit WinSvr 2008 R2 SP1 Enterprise	x	x	x	x	x	x	x	x			x	x	x	S26361-F2567-L481	72,94
DG/DE Kit WinSvr 2008 R2 SP1 Standard	x	x	x	x	x	x	x				x	x	x	S26361-F2567-L482	72,94
DG/DE Kit WinSvr 2012 Datacenter	x	x	x	x	x	x	x			x	x	x	x	S26361-F2567-L486	72,94
DG/DE Kit WinSvr 2012 Standard	x	x	x	x	x	x	x				x	x	x	S26361-F2567-L487	72,94
PRIMERGY ServerStart Bundle (abonnement)	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C176	222,35



Accessoires serveurs rack PRIMERGY

Description	PRIMERGY RX100 S7	PRIMERGY RX1330 M1	PRIMERGY RX1330 M2	PRIMERGY RX200 S8	PRIMERGY RX2510 M2	PRIMERGY RX2520 M1	PRIMERGY RX2530 M1	PRIMERGY RX2530 M2	PRIMERGY RX2540 M1	PRIMERGY RX2540 M2	PRIMERGY RX2560 M1	PRIMERGY RX2560 M2	PRIMERGY RX300 S8	PRIMERGY RX4770 M2	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)																	
PRIMERGY-Software (Suite)																	
ServerView Suite, Dernière version	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C289	25,88	
Debian FSE Standard Support 1 year	x	x	x	x		x	x	x	x	x			x		S26361-F2346-L420	58,82	
Debian FSE Standard Support 3 years	x	x	x	x		x	x	x	x	x			x		S26361-F2346-L421	98,82	
Debian FSE Priority Support 1 year	x	x	x	x		x	x	x	x	x			x		S26361-F2346-L422	202,35	
Debian FSE Priority Support 3 years	x	x	x	x		x	x	x	x	x			x		S26361-F2346-L423	512,94	
UBUNTU FSE Standard Support 1 year	x	x	x	x		x	x	x	x	x			x		S26361-F2346-L424	58,82	
UBUNTU FSE Standard Support 3 years	x	x	x	x		x	x	x	x	x			x		S26361-F2346-L425	98,82	
UBUNTU FSE Priority Support 1 year	x	x	x	x		x	x	x	x	x			x		S26361-F2346-L426	202,35	
UBUNTU FSE Priority Support 3 years	x	x	x	x		x	x	x	x	x			x		S26361-F2346-L427	512,94	
VMware vSphere 5 Media Kit OEM	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2341-L300	82,35	
OS/Application-SW																	
CA Client Automation	x	x	x	x	x	x	x	x	x	x			x		U24552-C418	1452432,81	
CA Server Automation Base Configuration	x	x	x	x	x	x	x	x	x	x			x		U24552-C424	1452432,81	
CA ServiceDeskManager Full LicenseConcur	x	x	x	x	x	x	x	x	x	x			x		U24581-C150	1452432,81	
Onduleur/Alimentation																	
Power Supply Module 1200W w/o power cord														x	S26113-F5295-L120	403,53	
Power Supply Module 1600W w/o power cord														x	S26113-F5295-L160	444,71	
Module d'alimentation 800W hp				x		x							x		S26113-F574-L12	310,59	
Module Alimentation 450W platinum hot-plug	x														S26113-F575-L10	269,41	
Module d'alimentation 450W hp		x		x		x							x		S26113-F575-L12	269,41	
Module alimentation DC -48V 800W gold hp													x		S26113-F609-L10	409,41	
RX100S8, RX1330M1 convers. kit to hp PSU		x													S26361-F1420-L10	305,88	
RX1330 M2 conversion kit to hp PSU			x												S26361-F1420-L11	305,88	
Fujitsu batterie unit 280W, 12V		x													S26361-F5541-L414	491,76	
Fujitsu batterie unit 380W, 12V			x												S26361-F5541-L475	409,41	
Cable powercord rack, 1.8m, black		x	x	x	x	x	x	x	x	x	x	x			T26139-Y1968-L180	15,29	
Cable powercord rack, 2.5m, black		x	x	x	x	x	x	x	x	x	x	x			T26139-Y1968-L250	15,29	
Cordon alimentation -48V DC, 4m, noir								x					x		T26139-Y4024-L10	51,76	
Câble secteur (F), 1.8m, gris	x	x	x	x	x	x	x	x	x	x	x	x	x		T26139-Y1740-L10	15,29	
Modular PSU 800W platinum hp						x		x	x	x	x	x			S26113-F574-L13	310,59	
Modular PSU 450W platinum hp			x		x			x	x	x	x	x			S26113-F575-L13	269,41	
Modular PSU 800W titanium hp				x		x		x	x	x	x	x	x		S26113-F615-L10	414,12	
Modular PSU 1200W platinum hp										x	x		x		S26113-F616-L10	424,71	
Divers																	
Fan upgrade kit 2nd CPU				x											S26361-F1386-L120	64,71	
Connecteur Option Frontale VGA		x	x							x	x	x	x		S26361-F1420-L130	51,76	
opt. front VGA								x	x						S26361-F1420-L131	51,76	
Kit LocalView S2						x							x		S26361-F2557-L106	72,94	
Option Service LAN				x									x		S26361-F2571-L27	36,47	
Câble Port Série option				x			x	x				x	x		S26361-F3120-L3	47,06	
serial port option for RX2540										x	x				S26361-F3120-L40	41,18	
Module TPM	x			x										x	S26361-F3552-L1	51,76	
TPM 2.0 Module			x							x		x			S26361-F3552-L10	51,76	
TPM 1.2 Module for Dual M2										x		x			S26361-F3552-L23	51,76	
TPM Module for RX4770														x	S26361-F3552-L5	67,06	
TPM 1.2 Module		x	x			x	x			x		x			S26361-F3552-L6	51,76	
Redundant fan upgrade kit						x									S26361-F3667-L10	51,76	
Serial Port (RS232)					x										S26361-F5011-L10	41,18	
FC/IP-Infrastructure																	
4x10GE Direct QSFP-4SFP Cable,10m,1-pack										x					D:QSFP-4SFP-AOC10L	1367,06	
40GE Direct Attached QSFP-QSFP,10m,1pack										x					D:QSFP-QSFP-AOC10L	1035,29	
Clavier /Souris																	
Clavier Pro PX ECO GreenIT (USB&PS/2, Fr)												x	x		S26381-K341-L140	37,65	
MOUSE M530 GREY												x	x		S26381-K468-L101	15,29	
Clavier KB521 FR												x	x		S26381-K521-L140	21,18	
Media																	
Cartouche Nettoyage DAT72						x				x	x	x	x	x	D:CL-DAT72-MX-01	12,00	
LTO Cleaning Media,1pc.Random Label,Fuji						x				x	x	x	x	x	D:CL-LTO-01L	41,28	
LTO-3 data media,5pack avec label,Fuji						x				x	x	x	x	x	D:CR-LTO3-05L	167,02	
LTO-4 data media,5packavec label,Fuji						x				x	x	x	x	x	D:CR-LTO4-05L	132,74	
LTO-5 data media,5 pièces avec label,Fuji						x				x	x	x	x	x	D:CR-LTO5-05L	123,84	
LTO-6 data media,5pack label,Fuji						x				x	x	x	x	x	D:CR-LTO6-05L-BF	195,25	
LTO-7-CR Medien,5Stk Random Label,Fuj						x				x	x	x	x	x	D:CR-LTO7-05L	1017,13	



Accessoires serveurs rack PRIMERGY

Cartouche RDX 320/640Go						x			x	x	x	x	x	S26361-F3857-L320	131,76
Pack 10x cartouches RDX 320/640Go						x			x	x	x	x	x	S26361-F3857-L329	1249,41
RDX MEDIUM 2TB						x			x	x	x	x	x	S26361-F3857-L700	345,88
Cartouche RDX 500Go/1000Go						x			x	x	x	x	x	S26361-F3857-L500	127,06
Cartouche RDX 1To						x			x	x	x	x	x	S26361-F3857-L600	197,65



Accessoires serveurs rack PRIMERGY

Description	PRIMERGY RX100 S7	PRIMERGY RX1330 M1	PRIMERGY RX1330 M2	PRIMERGY RX200 S8	PRIMERGY RX2510 M2	PRIMERGY RX2520 M1	PRIMERGY RX2530 M1	PRIMERGY RX2530 M2	PRIMERGY RX2540 M1	PRIMERGY RX2540 M2	PRIMERGY RX2560 M1	PRIMERGY RX2560 M2	PRIMERGY RX300 S8	PRIMERGY RX4770 M2	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)																	
Media (Suite)																	
Câbles																	
SFP+ active optical cable Brocade, 7m		x	x	x		x	x	x	x	x	x	x	x	x	S26361-F3873-L507	325,88	
SFP+ active optical cable Brocade, 10m		x	x	x		x	x	x	x	x	x	x	x	x	S26361-F3873-L510	367,06	
QSFP+ passive Twinax Cable Fujitsu 2m								x							S26361-F3986-L402	325,88	
QSFP+ passive Twinax Cable Fujitsu 5m								x							S26361-F3986-L405	455,29	
QSFP+ active Twinax Cable Fujitsu 10m								x							S26361-F3986-L410	657,65	
QSFP+/4xSFP+ Breakout Cable Brocade 1m								x							S26361-F5317-L401	517,65	
QSFP+/4xSFP+ Breakout Cable Brocade 3m								x							S26361-F5317-L403	636,47	
QSFP+/4xSFP+ Breakout Cable Brocade 5m								x							S26361-F5317-L405	755,29	
QSFP+ active Twinax Cable Brocade 1m								x							S26361-F5317-L41	398,82	
QSFP+ active Twinax Cable Brocade 3m								x							S26361-F5317-L43	517,65	
QSFP+ active Twinax Cable Brocade 5m								x							S26361-F5317-L45	636,47	
Câble secteur rack, 4m, gris	x	x	x	x	x	x	x	x	x	x	x	x	x	x	T26139-Y1968-L10	15,29	
SFP+ active Twinax Cable Brocade 1m		x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3873-L501	155,29	
SFP+ active Twinax Cable Brocade 3m		x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3873-L503	202,35	
SFP+ active Twinax Cable Brocade 5m		x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3873-L505	243,53	
Accessories																	
A-DATA USB3.0 Flash Stick UE700 32GB		x	x		x		x	x	x	x	x		x		S26391-F6048-L332	49,41	
A-DATA USB3.0 Flash Stick UE700 64GB		x	x		x		x	x	x	x	x		x		S26391-F6048-L364	72,94	



Positionnement PRIMERGY Serveurs Blade



**PRIMERGY
BX900 S2**

Le BX900 ou "Dynamic Cube" offre la performance, l'évolutivité, la disponibilité et la flexibilité que vous recherchez pour vos besoins dans le cadre de projet de consolidation et virtualisation dans votre Data Center. Le châssis BX900 S2 peut recevoir jusqu'à 18 serveurs lames biprocesseur dans un format rack de 10U. Sa densité et sa possibilité de cascading jusqu'à 4 châssis offre une évolutivité inégalée pour une protection totale de votre investissement.



**PRIMERGY
BX400 S1**

Le système Fujitsu PRIMERGY BX400 est une infrastructure informatique polyvalente « dans une boîte ». Ce serveur lame convient parfaitement aux entreprises de taille moyenne et filiales comme aux plus grandes structures. Le PRIMERGY BX400 est un système idéal, car il vous propose une solution plus intelligente pour configurer une infrastructure informatique qui prendra en charge vos processus d'entreprise avec moins de câbles, ainsi qu'une consommation d'énergie et un encombrement moins importants. Ce système vous apporte une combinaison idéale de lames de connexion, de stockage et serveur dans un petit boîtier.



				
Modèle	BX2560 M2	BX2580 M2	SX960 S1	SX980 S2
Type	Lame Serveur Biprocesseur (HH)	Lame Serveur Biprocesseur (HH)	Lame Stockage 1 à 10 Disques (HH)	Lame Stockage 1 à 10 Disques (HH)
Processeur	Xeon® E5-2603v4(6C)/2609v4(8C)/2620v4(8C)/2623v4(4C)/2630v4(10C)/2630Lv4(10C)/2637v4(4C)/2640v4(10C)/2643v4(6C)/2650v4(12C)/2650Lv4(14C)/2660v4(14C)/2667v4(8C)/2680v4(14C)/2683v4(16C)/2690v4(14C)/2695v4(18C)/2697v4(18C)/2697Av4(16C)/2697v4(18C)/2698v4(20C)/2699v4(22C)	Xeon® E5-2603v4(6C)/2609v4(8C)/2620v4(8C)/2623v4(4C)/2630v4(10C)/2630Lv4(10C)/2637v4(4C)/2640v4(10C)/2643v4(6C)/2650v4(12C)/2650Lv4(14C)/2660v4(14C)/2667v4(8C)/2680v4(14C)/2683v4(16C)/2690v4(14C)/2695v4(18C)/2697v4(18C)/2697Av4(16C)/2697v4(18C)/2698v4(20C)/2699v4(22C)		
Mémoire	8 à 1024 Go DDR-4 16 Slots	8 à 1536 Go DDR-4 24 Slots		
Disque dur (Go)	2x 2.5" SAS/SATA Hot-Plug	2x 1.8" SSD Non Hot-Plug	10x 2.5" SAS/SATA/SSD	10x 2.5" SAS/SSD Hot-Plug
Slots PCI (I/O)	2x PCIe Gen3 (Carte Mez) 2x 10 Gigabit ou 4x 1Gigabit	2x PCIe Gen3 (Carte Mez) 2x 10 Gigabit ou 4x 1Gigabit	Direct Attached Storage (DAS)	Direct Attached Storage (DAS) Ctrl RAID intégré Partagé via Ctrl SAS
Ctrl LAN intégré				
Ports USB	1x Gigabit - administration 1 (avant), 2 (interne)	1x Gigabit - administration 1 (avant), 2 (interne)		
Systèmes d'exploitation supportés	WindowsServer 2012 R2 Red Hat; SuSe Linux Hyper-V Server 2012 R2 VMware vSphere, Citrix XenServer	WindowsServer 2012 R2 Red Hat; SuSe Linux Hyper-V Server 2012 R2 VMware vSphere, Citrix XenServer		
Garantie std.	3 ans sur site	3 ans sur site		



PRIMERGY BX400 S1

Fiches produit : <http://fr.fujitsu.com/primergy>

Le système Fujitsu PRIMERGY BX400 est une infrastructure informatique polyvalente « dans une boîte ». Ce serveur lame convient parfaitement aux entreprises de taille moyenne et filiales comme aux plus grandes structures, en tant qu'extension du système PRIMERGY BX900, qui ne nécessite pas les performances de calcul de 18 lames serveur. Le PRIMERGY BX400 facilite les opérations informatiques tout au long de son cycle de vie. Puisqu'il s'agit d'une solution d'entreprise complète, le serveur lame permet d'économiser du temps et de l'argent dès le début et reste facile à gérer avec les ressources existantes. Le PRIMERGY BX400 est un système idéal, car il vous propose une solution plus intelligente pour configurer une infrastructure informatique qui prendra en charge vos processus d'entreprise avec moins de câbles, ainsi qu'une consommation d'énergie et un encombrement moins importants. Ce système vous apporte une combinaison idéale de lames de connexion, de stockage et serveur dans un petit boîtier. Il est caractérisé par sa conception complète et conviviale comportant une solution simple pour l'installation et l'administration.

Ce serveur lame offre une infrastructure modulaire pour un usage adapté à la fois aux environnements de bureau et aux centres de données, ainsi que

la possibilité d'utiliser une technologie de pointe avec une flexibilité et une bande passante E/S importantes. Le boîtier PRIMERGY BX400 est disponible en deux versions différentes. La version rack peut être facilement intégrée aux racks 19 pouces de Fujitsu ou

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
PRIMERGY BX400 S1				
PY BX400 S1 System Unit	6 U Systemunit without Server Blades, 1x MMB, 1xPSU without power cord, ServerView Suite, All empty slots closed with Blind-Blades, 1 Y-Cable to connect USB and Display at the Front of the Server Blades (4x USB, 1x serial, 1x VGA)	S26361-K1335-V201	3618,82	



PRIMERGY BX900 S2

Fiches produit : <http://fr.fujitsu.com/primergy>

Le Dynamic Cube

Le PRIMERGY BX900 S2 de Fujitsu est une infrastructure dynamique et réactive de serveur dans une seule boîte. Ce serveur lame peut s'adapter de façon dynamique à divers besoins informatiques et fournit des avantages économiques réels pour un nombre toujours plus élevé d'applications. Le PRIMERGY BX900 peut accueillir jusqu'à 18 lames serveur et lames de stockage dans un châssis de 10U. Il est ainsi le leader de sa catégorie en termes de densité dans un format compact. Le concept de refroidissement breveté de Fujitsu, Cool-safe™, associé aux alimentations certifiées 80Plus Platinum offrant une gestion de l'alimentation globale, réduit vos coûts et garantit une utilisation plus efficace de l'énergie et de la capacité de refroidissement. La gestion centralisée des environnements physiques et virtualisés et les possibilités de virtualisation de l'ensemble des E/S, associées à un système entièrement redondant, donne une véritable souplesse aux opérations métier. De plus, le PRIMERGY BX900 S2 offre des améliorations en termes de connectivité évolutive avec la prise en charge des connexions InfiniBand haut débit (FDR InfiniBand) avec bande passante de 56 Gbit/s. Les lames serveurs, équipées des derniers processeurs Intel® Xeon® séries 5500 et 5600 et de la nouvelle génération de processeurs Intel® Xeon® E5, offrent des performances évolutives qui répondent aux exigences des scénarios de virtualisation/consolidation les plus complexes pour les applications d'entreprises critiques, et des applications hautes performances les plus gourmandes en ressources. Avec des fonctionnalités avancées comme les slots DIMM haut débit (jusqu'à 24) et le contrôleur Converged Network Adapter 10 Gbit intégré, les nouvelles lames serveurs PRIMERGY offrent la plus forte capacité mémoire dans une lame biprocesseur et placent toujours plus haut la barre des possibilités.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
PRIMERGY BX900 S2				
PY BX900 S2 System Unit without PSU	Unité de base 10 U sans Serveurs Lames, 1x MMB, ServerView Suite, Tous les emplacements vides sont fermés avec Blind-Blades, 1 câble Ye USB pour se connecter et l'affichage à l'avant des lames de serveur (2x USB, 1x série, 1x VGA), GA)	S26361-K1421-V300	4400,00	



Accessoires serveurs lames PRIMERGY

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMERGY BX2560 M1	PRIMERGY BX2560 M2	PRIMERGY BX2580 M1	PRIMERGY BX2580 M2	PRIMERGY BX924 S3	PRIMERGY BX924 S4	Référence	Prix Indicatif (€)	Remarques
Processor										
	Intel Xeon E5-2603v4 6C/6T 1.70 GHz		x					S26361-F3933-L603	398,82	
	Intel Xeon E5-2609v4 8C/8T 1.70 GHz		x					S26361-F3933-L609	528,24	
	Intel Xeon E5-2620v4 8C/16T 2.10 GHz		x					S26361-F3933-L620	694,12	
	Intel Xeon E5-2623v4 4C/8T 2.60 GHz		x					S26361-F3933-L623	703,53	
	Intel Xeon E5-2630v4 10C/20T 2.20 GHz		x					S26361-F3933-L630	1024,71	
	Intel Xeon E5-2640v4 10C/20T 2.40 GHz		x					S26361-F3933-L640	1408,24	
	Intel Xeon E5-2650v4 12C/24T 2.20 GHz		x					S26361-F3933-L650	1723,53	
	Intel Xeon E5-2603v4 6C/6T 1.70 GHz				x			S26361-F3933-L803	398,82	
	Intel Xeon E5-2609v4 8C/8T 1.70 GHz				x			S26361-F3933-L809	528,24	
	Intel Xeon E5-2620v4 8C/16T 2.10 GHz				x			S26361-F3933-L820	694,12	
	Intel Xeon E5-2623v4 4C/8T 2.60 GHz				x			S26361-F3933-L823	703,53	
	Intel Xeon E5-2630v4 10C/20T 2.20 GHz				x			S26361-F3933-L830	1024,71	
	Intel Xeon E5-2640v4 10C/20T 2.40 GHz				x			S26361-F3933-L840	1408,24	
	Intel Xeon E5-2650v4 12C/24T 2.20 GHz				x			S26361-F3933-L850	1723,53	
	Intel Xeon E5-2609v2 4C/4T 2.50GHz 10MB						x	S26361-F5273-L250	574,12	
	Intel Xeon E5-2640v2 8C/16T 2.00GHz 20MB						x	S26361-F5274-L200	1609,41	
	Intel Xeon E5-2667v2 8C/16T 3.30GHz 25MB						x	S26361-F5276-L330	3592,94	
	Intel Xeon E5-2637v2 4C/8T 3.50GHz 15MB						x	S26361-F5276-L350	1807,06	
	Intel Xeon E5-2603v3 6C/6T 1.60 GHz	x						S26361-F3849-L603	398,82	
	Intel Xeon E5-2609v3 6C/6T 1.90 GHz	x						S26361-F3849-L609	528,24	
	Intel Xeon E5-2620v3 6C/12T 2.40 GHz	x						S26361-F3849-L620	694,12	
	Intel Xeon E5-2630v3 8C/16T 2.40 GHz	x						S26361-F3849-L630	1024,71	
	Intel Xeon E5-2640v3 8C/16T 2.60 GHz	x						S26361-F3849-L640	1408,24	
	Intel Xeon E5-2650v3 10C/20T 2.30 GHz	x						S26361-F3849-L650	1723,53	
	Intel Xeon E5-2623v3 4C/8T 3.00 GHz	x						S26361-F3849-L623	703,53	
Mémoire Modules										
	4GB (1x4GB) 1Rx4 L DDR3-1600 R ECC						x	S26361-F3781-L614	129,41	
	8GB (1x8GB) 1Rx4 DDR4-2133 R ECC	x		x				S26361-F3843-L614	185,88	
	8GB (1x8GB) 1Rx4 DDR4-2400 R ECC		x		x			S26361-F3934-L611	185,88	
	16GB (1x16GB) 2Rx4 DDR4-2133 R ECC	x		x				S26361-F3843-L616	300,00	
	8GB (1x8GB) 1Rx4 L DDR3-1600 R ECC						x	S26361-F3781-L615	176,47	
	16GB (1x16GB) 2Rx4 DDR4-2400 R ECC		x		x			S26361-F3934-L612	269,41	
	16GB (1x16GB) 2Rx4 L DDR3-1600 R ECC						x	S26361-F3781-L616	305,88	
	8GB (1x8GB) 2Rx8 DDR4-2133 R ECC	x		x				S26361-F3843-L615	228,24	
	32GB (1x32GB) 2Rx4 DDR4-2400 R ECC		x		x			S26361-F3934-L615	569,41	
	16GB (1x16GB) 2Rx4 DDR3-1866 R ECC						x	S26361-F3793-L616	418,82	
	32GB (1x32GB) 4Rx4 DDR4-2133 LR ECC	x		x				S26361-F3844-L617	864,71	
	64GB (1x64GB) 4Rx4 DDR4-2133 LR ECC	x		x				S26361-F3844-L618	1760,00	
	16GB (1x16GB) 2Rx8 DDR4-2400 R ECC		x		x			S26361-F3934-L613	362,35	
	8GB (1x8GB) 2Rx8 DDR3-1866 R ECC						x	S26361-F3793-L615	300,00	
	64GB (1x64GB) 4Rx4 DDR4-2400 3DS ECC		x					S26361-F3934-L617	1423,53	
	32GB (1x32GB) 4Rx4 L DDR3-1600 LR ECC						x	S26361-F3782-L617	787,06	
	64GB (1x64GB) 4Rx4 DDR4-2400 LR ECC		x		x			S26361-F3935-L616	1630,59	
	64GB (1x64GB) 8Rx4 L DDR3-1333 LR ECC						x	S26361-F3783-L618	3934,12	
	Mem. 4Go 1Rx4 L DDR3-1600 R ECC						x	S26361-F3697-L614	129,41	
	Mem. 8Go 2Rx4 L DDR3-1600 R ECC						x	S26361-F3697-L615	202,35	
	Mem. 16Go 2Rx4 L DDR3-1600 R ECC						x	S26361-F3697-L616	305,88	
	Mem. 32Go 4Rx4 L DDR3-1333 LR ECC						x	S26361-F3698-L617	714,12	
Hard Disks										
	DD SATA 1 To 5.4K 2.5" NO HOT PL ECO					x	x	S26361-F3798-L100	331,76	
	HD SATA 6G 1TB 7.2K 512e HOT PL 2.5' BC	x	x					S26361-F3907-L100	388,24	
	HD SATA 6G 2TB 7.2K 512e HOT PL 2.5' BC	x	x					S26361-F3907-L200	720,00	
	HD SATA 6G 2TB 7.2K 512n HOT PL 2.5' BC		x					S26361-F3956-L200	720,00	



Accessoires serveurs lames PRIMERGY

Fiches produit : <http://fr.fujitsu.com/primergy>

BX2560 PCH connection kit	x	x			S26361-F4008-L100	30,59
---------------------------	---	---	--	--	-------------------	-------



Accessoires serveurs lames PRIMERGY

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMERGY BX2560 M1	PRIMERGY BX2560 M2	PRIMERGY BX2580 M1	PRIMERGY BX2580 M2	PRIMERGY BX924 S3	PRIMERGY BX924 S4	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)										
Hard Disks (Suite)										
	BX2560 PCIe x4	x	x					S26361-F4008-L101	47,06	
	BX2580 PCH connection kit			x	x			S26361-F4008-L110	30,59	
	BX2580 SAS RAID MEZZ connection kit			x	x			S26361-F4008-L111	51,76	
	BX924 S3 Kit de montage pour disque PCH					x	x	S26361-F4008-L3	118,82	
	BX924 S3 disque Kit de montage SAS Mezz					x	x	S26361-F4008-L4	118,82	
	SSD SAS 12G 200GB Main 2.5" H-P EP	x	x					S26361-F5298-L200	1434,12	
	SSD SAS 12G 400GB Main 2.5" H-P EP	x	x					S26361-F5298-L400	2717,65	
	SSD SAS 12G 800GB Main 2.5" H-P EP	x	x					S26361-F5298-L800	5171,76	
	SSD SATA 6G 100GB Main 2.5" N H-P EP					x	x	S26361-F5307-L100	765,88	
	SSD SATA 6G 200GB Main 2.5" N H-P EP					x	x	S26361-F5307-L200	1516,47	
	SSD SATA 6G 400GB Main 2.5" N H-P EP					x	x	S26361-F5307-L400	3054,12	
	SSD SATA 6G 800GB Main 2.5" N H-P EP					x	x	S26361-F5307-L800	6112,94	
	SSD SATA 6G 120GB ReadIntensive 2.5' H-P	x	x					S26361-F5525-L120	362,35	
	SSD SATA 6G 240GB ReadIntensive 2.5' H-P	x	x					S26361-F5525-L240	761,18	
	SSD SATA 6G 480GB ReadIntensive 2.5' H-P	x	x					S26361-F5525-L480	1345,88	
	SSD SATA 6G 800GB ReadIntensive 2.5' H-P	x	x					S26361-F5525-L800	2189,41	
	HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP	x	x					S26361-F5550-L112	688,24	
	HD SAS 12G 300GB 10K 512n HOT PL 2.5' EP	x	x					S26361-F5550-L130	258,82	
	HD SAS 12G 600GB 10K 512n HOT PL 2.5' EP	x	x					S26361-F5550-L160	481,18	
	HD SAS 12G 900GB 10K 512n HOT PL 2.5' EP	x	x					S26361-F5550-L190	642,35	
	HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC		x					S26361-F5573-L100	403,53	
	HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC		x					S26361-F5573-L200	854,12	
	SSD SATA 6G 240GB Mix-Use 1.8" N H-P EP				x			S26361-F5585-L240	481,18	
	SSD SATA 6G 480GB Mix-Use 1.8" N H-P EP				x			S26361-F5585-L480	910,59	
	SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP		x					S26361-F5588-L120	315,29	
	SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP		x					S26361-F5588-L192	3276,47	
	SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP		x					S26361-F5588-L240	481,18	
	SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP		x					S26361-F5588-L480	910,59	
	SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP		x					S26361-F5588-L960	1734,12	
	SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP		x					S26361-F5592-L120	2484,71	
	SSD SATA 6G 200GB Write-Int. 2.5' H-P EP		x					S26361-F5592-L200	357,65	
	SSD SATA 6G 400GB Write-Int. 2.5' H-P EP		x					S26361-F5592-L400	703,53	
	SSD SATA 6G 800GB Write-Int. 2.5' H-P EP		x					S26361-F5592-L800	1460,00	
	SSD SATA 6G 200GB Write-Int. 3.5' H-P EP		x					S26361-F5593-L200	357,65	
	SSD SATA 6G 400GB Write-Int. 3.5' H-P EP		x					S26361-F5593-L400	703,53	
	SSD SATA 6G 800GB Write-Int. 3.5' H-P EP		x					S26361-F5593-L800	1460,00	
	HDD Dummy Frame Slim 2.5'	x	x					S26361-F5601-L25	10,59	
	SSD SAS 12G 1.6TB Write-Int. 2.5" H-P EP		x					S26361-F5608-L160	6874,12	
	SSD SAS 12G 400GB Write-Int. 2.5" H-P EP		x					S26361-F5608-L400	1811,76	
	SSD SAS 12G 800GB Write-Int. 2.5" H-P EP		x					S26361-F5608-L800	3524,71	
	SSD SAS 12G 1.92TB Mixed-Use 2.5' H-P EP		x					S26361-F5614-L192	5963,53	
	SSD SAS 12G 3.84TB Mixed-Use 2.5' H-P EP		x					S26361-F5614-L384	11088,24	
	SSD SAS 12G 480GB Mixed-Use 2.5' H-P EP		x					S26361-F5614-L480	1609,41	
	SSD SAS 12G 960GB Mixed-Use 2.5' H-P EP		x					S26361-F5614-L960	3136,47	
	SSD SAS 12G 1.92TB Read-Int. 2.5' H-P EP		x					S26361-F5617-L192	5678,82	
	SSD SAS 12G 3.84TB Read-Int. 2.5' H-P EP		x					S26361-F5617-L384	8795,29	
	SSD SAS 12G 480GB Read-Int. 2.5' H-P EP		x					S26361-F5617-L480	1449,41	
	SSD SAS 12G 960GB Read-Int. 2.5' H-P EP		x					S26361-F5617-L960	3002,35	
	SSD SATA 6G 64GB DOM N H-P	x	x	x	x			S26361-F5523-L64	124,71	
	SSD PCIe3 800GB Main 2.5' H-P EP	x	x					S26361-F5534-L800	4027,06	
	SSD SATA 6G 128GB DOM N H-P	x	x	x	x			S26361-F5523-L128	217,65	
	SSD PCIe3 1.6TB Main 2.5' H-P EP	x	x					S26361-F5534-L161	7656,47	
	SSD PCIe3 2TB Main 2.5' H-P EP	x	x					S26361-F5534-L201	9028,24	



Accessoires serveurs lames PRIMERGY

Fiches produit : <http://fr.fujitsu.com/primergy>

SSD SATA 6G 200GB Main 2.5" H-P EP	x				S26361-F3821-L200	1211,76
------------------------------------	---	--	--	--	-------------------	---------



Accessoires serveurs lames PRIMERGY

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMERGY BX2560 M1	PRIMERGY BX2560 M2	PRIMERGY BX2580 M1	PRIMERGY BX2580 M2	PRIMERGY BX924 S3	PRIMERGY BX924 S4	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)										
Hard Disks (Suite)										
	SSD SATA 6G 400GB Main 2.5" H-P EP	x						S26361-F3821-L400	2443,53	
	SSD SATA 6G 800GB Main 2.5" H-P EP	x						S26361-F3821-L800	4891,76	
	HD SATA 6G 250GB 7.2K HOT PL 2.5" BC	x						S26361-F3816-L250	232,94	
	HD SATA 6G 500GB 7.2K HOT PL 2.5" BC	x	x					S26361-F3816-L500	263,53	
	HD SATA 6G 1TB 7.2K HOT PL 2.5" BC	x	x					S26361-F3816-L100	388,24	
	HD SAS 6G 500GB 7.2K HOT PL 2.5" BC	x	x					S26361-F3817-L500	289,41	
	HD SAS 6G 1TB 7.2K HOT PL 2.5" BC	x	x					S26361-F3817-L100	507,06	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP	x						S26361-F3818-L130	263,53	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP	x						S26361-F3818-L145	403,53	
	HD SAS 6G 600GB 10K HOT PL 2.5" EP	x						S26361-F3818-L160	491,76	
	HD SAS 6G 900GB 10K HOT PL 2.5" EP	x						S26361-F3818-L190	631,76	
	HD SAS 6G 1.2TB 10K HOT PL 2.5" EP	x						S26361-F3818-L112	647,06	
	HD SAS 6G 146GB 15K HOT PL 2.5" EP	x						S26361-F3818-L514	232,94	
	HD SAS 12G 450GB 10K 512e HOT PL 2.5' EP	x						S26361-F5543-L145	418,82	
	HD SAS 12G 600GB 10K 512e HOT PL 2.5' EP	x	x					S26361-F5543-L160	481,18	
	HD SAS 12G 900GB 10K 512e HOT PL 2.5' EP	x	x					S26361-F5543-L190	642,35	
	HD SAS 12G 1.2TB 10K 512e HOT PL 2.5' EP	x	x					S26361-F5543-L112	688,24	
	HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP	x	x					S26361-F5543-L118	1050,59	
	HD SAS 12G 300GB 15K HOT PL 2.5' EP	x	x					S26361-F5531-L530	481,18	
	HD SAS 12G 450GB 15K HOT PL 2.5' EP	x	x					S26361-F5531-L545	720,00	
	HD SAS 12G 600GB 15K HOT PL 2.5' EP	x	x					S26361-F5531-L560	869,41	
SCSI/RAID/SAS controller										
	PRAID EM400i BP	x	x					S26361-F3823-L20	30,59	
	PRAID EM400i Mezz	x	x					S26361-F3823-L30	232,94	
	PRAID CM400i	x	x					S26361-F3823-L400	481,18	
	PRAID EM400i	x	x					S26361-F3823-L410	724,71	
	PRAID EM400i FBU	x	x					S26361-F3823-L10	129,41	
	Clé de validation SAS pour ports sur carte mère					x	x	S26361-F3674-L1	92,94	
Mezzanine Cards										
	Carte mezzanine Ethernet 1Gb, 4 Ports	x	x	x	x	x	x	S26361-F3331-L1	621,18	
	Carte mezzanine Ethernet 10Gb 2 Ports V2	x	x	x	x	x	x	S26361-F3997-L1	657,65	
	Carte mezzanine FC 8Gb, 2 Ports (MC-FC82E)	x	x	x	x	x	x	S26361-F3874-L1	849,41	
	PY FC Mezz Card 16Gb 2 Port (MC-FC162E)	x	x	x	x	x	x	S26361-F4994-L402	1082,35	
	PY CNA Mezz Card 2x10Gb 2 channel	x	x	x	x	x	x	S26361-F3592-L532	998,82	
	Carte Mezzanine SAS 6Gb	x	x	x	x	x	x	S26361-F4480-L1	217,65	
	PY SAS RAID Mezz Card 6Gb	x	x	x	x	x	x	S26361-F4481-L1	392,94	
	Kit de connexion SSD,			x	x	x	x	S26361-F4481-L30	82,35	
PRIMERGY-Software										
	eLCM Activation Pack	x	x	x	x			BDL:ELCM-PACK	36,47	
	VMware vSphere Embed. UFM 8 GB Device	x	x	x	x	x	x	S26361-F2341-D433	124,71	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D230	3730,59	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D231	3730,59	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D232	3730,59	
	VMW VSAN Enterprise for 1 CPU w/o SP1yr	x	x	x	x	x	x	S26361-F2344-D233	5123,53	
	VMW VSAN Enterprise for 1 CPU w/o SP3yr	x	x	x	x	x	x	S26361-F2344-D234	5123,53	
	VMW VSAN Enterprise for 1 CPU w/o SP5yr	x	x	x	x	x	x	S26361-F2344-D235	5123,53	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-1yr	x		x		x	x	S26361-F2344-D236	934,12	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-3yr	x		x		x	x	S26361-F2344-D237	934,12	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-5yr	x		x		x	x	S26361-F2344-D238	934,12	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-1yr	x		x		x	x	S26361-F2344-D239	9334,12	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-3yr	x		x		x	x	S26361-F2344-D240	9334,12	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-5yr	x		x		x	x	S26361-F2344-D241	9334,12	
	VMW VSAN 6.2 ENT DT 10-Pack w/o SP-1yr	x		x		x	x	S26361-F2344-D242	1121,18	



Accessoires serveurs lames PRIMERGY

Fiches produit : <http://fr.fujitsu.com/primergy>

VMW VSAN 6.2 ENT DT 10-Pack w/o SP-3yr	x	x	x	x	S26361-F2344-D243	1121,18
--	---	---	---	---	-------------------	---------



Accessoires serveurs lames PRIMERGY

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMERGY BX2560 M1	PRIMERGY BX2560 M2	PRIMERGY BX2580 M1	PRIMERGY BX2580 M2	PRIMERGY BX924 S3	PRIMERGY BX924 S4	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)										
PRIMERGY-Software (Suite)										
	VMW VSAN 6.2 ENT DT 10-Pack w/o SP-5yr	x		x		x	x	S26361-F2344-D244	1121,18	
	VMW VSAN 6.2 ENT DT 100-Pack w/o SP-1yr	x		x		x	x	S26361-F2344-D245	11216,47	
	VMW VSAN 6.2 ENT DT 100-Pack w/o SP-3yr	x		x		x	x	S26361-F2344-D246	11216,47	
	VMW VSAN 6.2 ENT DT 100-Pack w/o SP-5yr	x		x		x	x	S26361-F2344-D247	11216,47	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D306	23371,76	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D307	23371,76	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D308	23371,76	
	VMware vSphere STD for 1 CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D310	929,41	
	VMware vSphere STD for 1 CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D311	929,41	
	VMware vSphere STD for 1 CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D312	929,41	
	VMware vSphere EPL for 1 CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D316	3265,88	
	VMware vSphere EPL for 1 CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D317	3265,88	
	VMware vSphere EPL for 1 CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D318	3265,88	
	VMware vSOM EPL for 1 CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D326	4105,88	
	VMware vSOM EPL for 1 CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D327	4105,88	
	VMware vSOM EPL for 1 CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D328	4105,88	
	VMW Essentials Plus Kit w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D330	3483,53	
	VMW Essentials Plus Kit w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D331	3483,53	
	VMW Essentials Plus Kit w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D332	3483,53	
	VMW Essentials Kit + Subscription-1yr	x	x	x	x	x	x	S26361-F2344-D340	608,24	
	VMW Essentials Kit + Subscription-3yr	x	x	x	x	x	x	S26361-F2344-D341	832,94	
	VMW Essentials Kit + Subscription-5yr	x	x	x	x	x	x	S26361-F2344-D342	1081,18	
	VMW ROBO STD 25 VMs w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D343	2801,18	
	VMW ROBO STD 25 VMs w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D344	2801,18	
	VMW ROBO STD 25 VMs w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D345	2801,18	
	VMW ROBO AVD 25 VMs w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D346	4195,29	
	VMW ROBO AVD 25 VMs w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D347	4195,29	
	VMW ROBO AVD 25 VMs w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D348	4195,29	
	VMW Virtual SAN for 1 CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D350	2327,06	
	VMW Virtual SAN for 1 CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D351	2327,06	
	VMW Virtual SAN for 1 CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D352	2327,06	
	VMW Virtual SAN DT 100-Pack w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D353	4669,41	
	VMW Virtual SAN DT 100-Pack w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D354	4669,41	
	VMW Virtual SAN DT 100-Pack w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D355	4669,41	
	VMW Virtual SAN DT 10-Pack w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D365	404,71	
	VMW Virtual SAN DT 10-Pack w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D366	404,71	
	VMW Virtual SAN DT 10-Pack w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D367	404,71	
	VMW VSAN for ROBO w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D368	11710,59	
	VMW VSAN for ROBO w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D369	11710,59	
	VMW VSAN for ROBO w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D370	11710,59	
	VMW vCloud Suite 7 STD w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D712	5123,53	
	VMW vCloud Suite 7 STD w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D713	5123,53	
	VMW vCloud Suite 7 STD w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D714	5123,53	
	VMW vCloud Suite 7 ADV w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D715	7456,47	
	VMW vCloud Suite 7 ADV w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D716	7456,47	
	VMW vCloud Suite 7 ADV w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D717	7456,47	
	VMW vCloud Suite 7 ENT w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D718	8860,00	
	VMW vCloud Suite 7 ENT w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D719	8860,00	
	VMW vCloud Suite 7 ENT w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D720	8860,00	
	VMW vSphere STD Acc Kit 6CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D721	10228,24	
	VMW vSphere STD Acc Kit 6CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D722	10228,24	
	VMW vSphere STD Acc Kit 6CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D723	10228,24	
	VMW vSphere EPL Acc Kit 6CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-D724	21494,12	



Accessoires serveurs lames PRIMERGY

Fiches produit : <http://fr.fujitsu.com/primergy>

VMW vSphere EPL Acc Kit 6CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-D725	21494,12	
---	---	---	---	---	---	---	-------------------	----------	--



Accessoires serveurs lames PRIMERGY

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMERGY BX2560 M1	PRIMERGY BX2560 M2	PRIMERGY BX2580 M1	PRIMERGY BX2580 M2	PRIMERGY BX924 S3	PRIMERGY BX924 S4	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)										
PRIMERGY-Software (Suite)										
	VMW vSphere EPL Acc Kit 6CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-D726	21494,12	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L230	4329,41	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L231	4329,41	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L232	4329,41	
	VMW VSAN Enterprise for 1 CPU w/o SP1yr	x	x	x	x	x	x	S26361-F2344-L233	5947,06	
	VMW VSAN Enterprise for 1 CPU w/o SP3yr	x	x	x	x	x	x	S26361-F2344-L234	5947,06	
	VMW VSAN Enterprise for 1 CPU w/o SP5yr	x	x	x	x	x	x	S26361-F2344-L235	5947,06	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-1yr	x		x		x	x	S26361-F2344-L236	1082,35	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-3yr	x		x		x	x	S26361-F2344-L237	1082,35	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-5yr	x		x		x	x	S26361-F2344-L238	1082,35	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-1yr	x		x		x	x	S26361-F2344-L239	10834,12	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-3yr	x		x		x	x	S26361-F2344-L240	10834,12	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-5yr	x		x		x	x	S26361-F2344-L241	10834,12	
	VMW VSAN 6.2 ENT DT 10-Pack w/o SP-1yr	x		x		x	x	S26361-F2344-L242	1304,71	
	VMW VSAN 6.2 ENT DT 10-Pack w/o SP-3yr	x		x		x	x	S26361-F2344-L243	1304,71	
	VMW VSAN 6.2 ENT DT 10-Pack w/o SP-5yr	x		x		x	x	S26361-F2344-L244	1304,71	
	VMW VSAN 6.2 ENT DT 100-Pack w/o SP-1yr	x		x		x	x	S26361-F2344-L245	13021,18	
	VMW VSAN 6.2 ENT DT 100-Pack w/o SP-3yr	x		x		x	x	S26361-F2344-L246	13021,18	
	VMW VSAN 6.2 ENT DT 100-Pack w/o SP-5yr	x		x		x	x	S26361-F2344-L247	13021,18	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L306	27134,12	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L307	27134,12	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L308	27134,12	
	VMware vSphere STD for 1 CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L310	1076,47	
	VMware vSphere STD for 1 CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L311	1076,47	
	VMware vSphere STD for 1 CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L312	1076,47	
	VMware vSphere EPL for 1 CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L316	3794,12	
	VMware vSphere EPL for 1 CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L317	3794,12	
	VMware vSphere EPL for 1 CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L318	3794,12	
	VMware vSOM EPL for 1 CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L326	4768,24	
	VMware vSOM EPL for 1 CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L327	4768,24	
	VMware vSOM EPL for 1 CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L328	4768,24	
	VMW Essentials Plus Kit w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L330	4042,35	
	VMW Essentials Plus Kit w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L331	4042,35	
	VMW Essentials Plus Kit w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L332	4042,35	
	VMware vSphere STD FlexF 1 CPU w/oSP-3yr	x	x	x	x	x	x	S26361-F2344-L335	884,71	
	VMware vSphere EPL FlexF 1 CPU w/oSP-3yr	x	x	x	x	x	x	S26361-F2344-L337	3108,24	
	VMW Essentials Kit + Subscription-1yr	x	x	x	x	x	x	S26361-F2344-L340	703,53	
	VMW Essentials Kit + Subscription-3yr	x	x	x	x	x	x	S26361-F2344-L341	968,24	
	VMW Essentials Kit + Subscription-5yr	x	x	x	x	x	x	S26361-F2344-L342	1255,29	
	VMW ROBO STD 25 VMs w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L343	3252,94	
	VMW ROBO STD 25 VMs w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L344	3252,94	
	VMW ROBO STD 25 VMs w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L345	3252,94	
	VMW ROBO ADV 25 VMs w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L346	4870,59	
	VMW ROBO ADV 25 VMs w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L347	4870,59	
	VMW ROBO ADV 25 VMs w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L348	4870,59	
	VMW Virtual SAN for 1 CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L350	2700,00	
	VMW Virtual SAN for 1 CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L351	2700,00	
	VMW Virtual SAN for 1 CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L352	2700,00	
	VMW Virtual SAN DT 100-Pack w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L353	5422,35	
	VMW Virtual SAN DT 100-Pack w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L354	5422,35	
	VMW Virtual SAN DT 100-Pack w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L355	5422,35	
	VMW Virtual SAN DT 10-Pack w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L365	470,59	
	VMW Virtual SAN DT 10-Pack w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L366	470,59	



Accessoires serveurs lames PRIMERGY

Fiches produit : <http://fr.fujitsu.com/primergy>

VMW Virtual SAN DT 10-Pack w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L367	470,59	
---------------------------------------	---	---	---	---	---	---	-------------------	--------	--



Accessoires serveurs lames PRIMERGY

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMERGY BX2560 M1	PRIMERGY BX2560 M2	PRIMERGY BX2580 M1	PRIMERGY BX2580 M2	PRIMERGY BX924 S3	PRIMERGY BX924 S4	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)										
PRIMERGY-Software (Suite)										
	VMW VSAN for ROBO w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L368	13594,12	
	VMW VSAN for ROBO w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L369	13594,12	
	VMW VSAN for ROBO w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L370	13594,12	
	VMW vCloud Suite 7 STD w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L712	5947,06	
	VMW vCloud Suite 7 STD w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L713	5947,06	
	VMW vCloud Suite 7 STD w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L714	5947,06	
	VMW vCloud Suite 7 ADV w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L715	8658,82	
	VMW vCloud Suite 7 ADV w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L716	8658,82	
	VMW vCloud Suite 7 ADV w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L717	8658,82	
	VMW vCloud Suite 7 ENT w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L718	10288,24	
	VMW vCloud Suite 7 ENT w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L719	10288,24	
	VMW vCloud Suite 7 ENT w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L720	10288,24	
	VMW vSphere STD Acc Kit 6CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L721	11872,94	
	VMW vSphere STD Acc Kit 6CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L722	11872,94	
	VMW vSphere STD Acc Kit 6CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L723	11872,94	
	VMW vSphere EPL Acc Kit 6CPU w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-L724	24954,12	
	VMW vSphere EPL Acc Kit 6CPU w/o SP-3yr	x	x	x	x	x	x	S26361-F2344-L725	24954,12	
	VMW vSphere EPL Acc Kit 6CPU w/o SP-5yr	x	x	x	x	x	x	S26361-F2344-L726	24954,12	
	VMM Upg vCenter S FND to STD w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-S418	4840,00	
	VMW Upg ESXi to vSphere STD w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-S420	972,94	
	VMW Upg ESXi to vSphere EPL w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-S422	3421,18	
	VMW Upg vSp STD to vSp EPL w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-S424	2687,06	
	VMW Upg vSp ENT to vSp EPL w/o SP-1yr	x	x	x	x	x	x	S26361-F2344-S425	668,24	
	WinSvr 2012 R2 Datacenter 2CPU ROK Distributeurs	x	x	x	x	x	x	S26361-F2567-D413	4575,29	
	WinSvr 2012R2 DC w/Reassignment 2CPU ROK	x	x	x	x	x	x	S26361-F2567-D417	5580,00	
	WinSvr 2012 R2 Standard 2CPU/2VM ROK Distributeurs	x	x	x	x	x	x	S26361-F2567-D423	704,71	
	WinStorageSvr 2012 R2 Std 2CPU/2VM ROK	x	x	x	x	x	x	S26361-F2567-D453	512,94	
	Windows Server 2012 Standard AddLic 2CPU	x	x	x	x	x	x	S26361-F2567-L425	720,00	
	WINSVR CAL 2016 1Device	x	x	x	x		x	S26361-F2567-L560	27,06	
	WINSVR CAL 2016 1User	x	x	x	x		x	S26361-F2567-L561	36,47	
	WINSVR CAL 2016 5Device	x	x	x	x		x	S26361-F2567-L562	118,82	
	WINSVR CAL 2016 5User	x	x	x	x		x	S26361-F2567-L563	175,29	
	WINSVR CAL 2016 10Device	x	x	x	x		x	S26361-F2567-L564	237,65	
	WINSVR CAL 2016 10User	x	x	x	x		x	S26361-F2567-L565	316,47	
	WINSVR CAL 2016 50Device	x	x	x	x		x	S26361-F2567-L566	1169,41	
	WINSVR CAL 2016 50User	x	x	x	x		x	S26361-F2567-L567	1480,00	
	WINSVR CAL 2016 100Device	x	x	x	x		x	S26361-F2567-L568	2350,59	
	WINSVR CAL 2016 100User	x	x	x	x		x	S26361-F2567-L569	2965,88	
	WINSVR RDSCAL 2016 1Device	x	x	x	x		x	S26361-F2567-L570	108,24	
	WINSVR RDSCAL 2016 1User	x	x	x	x		x	S26361-F2567-L571	129,41	
	WINSVR RDSCAL 2016 5Device	x	x	x	x		x	S26361-F2567-L572	517,65	
	WINSVR RDSCAL 2016 5User	x	x	x	x		x	S26361-F2567-L573	647,06	
	WINSVR RDSCAL 2016 10Device	x	x	x	x		x	S26361-F2567-L574	1020,00	
	WINSVR RDSCAL 2016 10User	x	x	x	x		x	S26361-F2567-L575	1294,12	
	WINSVR RDSCAL 2016 50Device	x	x	x	x		x	S26361-F2567-L576	5109,41	
	WINSVR RDSCAL 2016 50User	x	x	x	x		x	S26361-F2567-L577	6444,71	
	WINSVR RDSCAL 2016 100Device	x	x	x	x		x	S26361-F2567-L578	10223,53	
	WINSVR RDSCAL 2016 100User	x	x	x	x		x	S26361-F2567-L579	12884,71	
	WinSvr CAL 2012 50Device	x	x	x	x	x	x	S26361-F2567-L460	1169,41	
	WinSvr CAL 2012 50User	x	x	x	x	x	x	S26361-F2567-L461	1480,00	
	WinSvr CAL 2012 10Device	x	x	x	x	x	x	S26361-F2567-L462	237,65	
	WinSvr CAL 2012 10User	x	x	x	x	x	x	S26361-F2567-L463	300,00	
	WinSvr CAL 2012 5Device	x	x	x	x	x	x	S26361-F2567-L464	118,82	



Accessoires serveurs lames PRIMERGY

Fiches produit : <http://fr.fujitsu.com/primergy>

WinSvr CAL 2012 5User	x	x	x	x	x	x	S26361-F2567-L465	175,29	
-----------------------	---	---	---	---	---	---	-------------------	--------	--



Accessoires serveurs lames PRIMERGY

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMERGY BX2560 M1	PRIMERGY BX2560 M2	PRIMERGY BX2580 M1	PRIMERGY BX2580 M2	PRIMERGY BX924 S3	PRIMERGY BX924 S4	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)										
PRIMERGY-Software (Suite)										
	WinSvr CAL 2012 1Device	x	x	x	x	x	x	S26361-F2567-L466	28,24	
	WinSvr CAL 2012 1User	x	x	x	x	x	x	S26361-F2567-L467	36,47	
	WinSvr CAL 2012 100Device	x	x	x	x	x	x	S26361-F2567-L468	2350,59	
	WinSvr CAL 2012 100User	x	x	x	x	x	x	S26361-F2567-L469	2965,88	
	WinSvr RDS CAL 2012 5Device	x	x	x	x	x	x	S26361-F2567-L470	517,65	
	WinSvr RDS CAL 2012 5User	x	x	x	x	x	x	S26361-F2567-L471	703,53	
	WinSvr RDS CAL 2012 1Device	x	x	x	x	x	x	S26361-F2567-L472	108,24	
	WinSvr RDS CAL 2012 1User	x	x	x	x	x	x	S26361-F2567-L473	129,41	
	WinSvr RDS CAL 2012 100Device	x	x	x	x	x	x	S26361-F2567-L474	10223,53	
	WinSvr RDS CAL 2012 100User	x	x	x	x	x	x	S26361-F2567-L475	12884,71	
	WinSvr RDS CAL 2012 50Device	x	x	x	x	x	x	S26361-F2567-L476	5109,41	
	WinSvr RDS CAL 2012 50User	x	x	x	x	x	x	S26361-F2567-L477	6444,71	
	WinSvr RDS CAL 2012 10Device	x	x	x	x	x	x	S26361-F2567-L478	1020,00	
	WinSvr RDS CAL 2012 10User	x	x	x	x	x	x	S26361-F2567-L479	1294,12	
	DG/DE Kit WinSvr 2008 R2 SP1 Datacenter	x	x	x	x	x	x	S26361-F2567-L480	72,94	
	DG/DE Kit WinSvr 2008 R2 SP1 Enterprise	x	x	x	x	x	x	S26361-F2567-L481	72,94	
	DG/DE Kit WinSvr 2008 R2 SP1 Standard	x	x	x	x	x	x	S26361-F2567-L482	72,94	
	DG/DE Kit WinSvr 2012 Datacenter	x	x	x	x	x	x	S26361-F2567-L486	72,94	
	DG/DE Kit WinSvr 2012 Standard	x	x	x	x	x	x	S26361-F2567-L487	72,94	
	PRIMERGY ServerStart Bundle (abonnement)	x	x					U15000-C176	222,35	
	ServerView Suite, Dernière version	x	x					U15000-C289	25,88	
	VMware vSphere 5 Media Kit OEM	x	x	x	x	x	x	S26361-F2341-L300	82,35	
OS/Application-SW										
	CA Client Automation	x	x	x	x	x	x	U24552-C418	1452432,81	
	CA Server Automation Base Configuration	x	x	x	x	x	x	U24552-C424	1452432,81	
	CA ServiceDeskManager Full LicenseConcur	x	x	x	x	x	x	U24581-C150	1452432,81	
Divers										
	Module TPM					x	x	S26361-F3552-L1	51,76	
	TPM 2.0 Module		x		x			S26361-F3552-L10	51,76	
	TPM 1.2 Module for Dual M2		x		x			S26361-F3552-L23	51,76	
	TPM 1.2 Module	x		x				S26361-F3552-L6	51,76	
Câbles										
	Câble frontal en Y	x	x	x	x	x	x	S26361-F4478-L2	67,06	



PRIMERGY Connection Blades

Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
PRIMERGY Connection Blades				
PY CB Eth Switch/IBP 1Gb 36/12	Connexion LAN Blade pour Fujitsu PRIMERGYBX400 et BX900 Blade Servers., Utilisation comme switch L2 LAN ou Intelligent Blade Panel (IBP) ou End Host Mode (EHM) module., Interfaces: interne 36 (downlinks), externe 8 RJ45 GbE, 4 SFP GbE	S26361-K1304-V301	3354,12	
PY CB Eth Switch/IBP 1Gb 18/6	1Gb LAN Connection Blade for Fujitsu PRIMERGY BX400 and BX900 Blade Servers., Usable as LAN switch or Intelligent Blade Panel (IBP)., , Interfaces:., intern:<Tab/>18x 1Gbit/s Eth (downlinks), extern:<Tab/> 6x RJ45 1Gbit/s Eth	S26361-K1366-V300	2292,94	
PY CB Eth Switch/IBP 1Gb 36/8+2	Connexion LAN Blade pour Fujitsu PRIMERGY BX900 Blade Servers., Utilisation comme switch LAN ou Intelligent Blade Panel (IBP)., Interfaces: interne 36 (downlinks), externe 8 RJ45 GbE, 2 SFP+ 10GbE	S26361-K1304-V302	6155,29	
PY CB Eth FEX B22F 10Gb 16/8	10Gbit/s LAN Connection Blade for Fujitsu PRIMERGY BX400 and BX900 Blade Servers., The Cisco FEX B22F is designed for attachment to switches of the Cisco Nexus 5000 and Nexus 6000 families., Switches out of the Cisco Nexus 7000 family do not support the embedded FEX modules., , Interfaces:., intern: 16x 10Gbit/s Eth (downlinks to server 1 - 16), extern: 8x SFP+ 10Gbit/s	S26361-K1440-V300	9669,41	
PY CB Eth FEX B22F with 16 FET 10Gb 16/8	10Gbit/s LAN Connection Blade for Fujitsu PRIMERGY BX400 and BX900 Blade Servers., The Cisco FEX B22F is designed for attachment to switches of the Cisco Nexus 5000 and Nexus 6000 families., Switches out of the Cisco Nexus 7000 family do not support the embedded FEX modules., The included 16 FET modules are only for Ultra Short Range connection between the FEX B22F and the parent switch., , Interfaces:., intern: 16x 10Gbit/s Eth (downlinks to server 1 - 16), extern: 8x SFP+ 10Gbit/s Eth	S26361-K1440-V310	15352,94	
PY CB FC Pass Thru 8Gb 18/18	Fibre Channel Pass Thru Connection Blade pour PRIMERGY BX900 Blade Servers, doté de 18 downlinks et 18 uplinks, tous indépendants les uns des autres supporte 4Gb/8Gb Fibre Channel avec autonegotiation	S26361-K1363-V318	4529,41	
40GBE CONNECTION BLADE 18/8+2	10/40Gbit/s LAN Connection Blade for Fujitsu PRIMERGY BX400 and BX900 Blade Servers., , Interfaces:., internal: 18x 10Gbit/s Eth (downlinks), external: 8x 10Gbit/s Eth SFP+, 2x 40Gbit/s Eth QSFP+	S26361-K1533-V300	9235,29	
PY CB FC Switch 16Gb 18/8 14 (Brocade)	Fibre Channel Switch 16Gbit/s 18/8 (Brocade 6545) Connection Blade for Fujitsu PRIMERGY Blade Servers, embedded in the basic unit are:., - License for 14 Ports with DPOD (Dynamic Ports on Demand), - Access Gateway, - License for Full Fabric, - License for Enhanced Group Management, - 4 x Brocade hot-pluggable SFP+ module, 16Gbit/s Short-Wavelength Laser (SWL), LC connector	S26361-K1527-V314	8929,41	
PY CB FC Switch 16Gb 18/8 26 (Brocade)	Fibre Channel Switch 16Gbit/s 18/8 (Brocade 6545) Connection Blade for Fujitsu PRIMERGY Blade Servers, embedded in the basic unit are:., - License for 26 Ports with DPOD (Dynamic Ports on Demand), - Access Gateway, - License for Full Fabric, - License for Enhanced Group Management, - 4 x Brocade hot-pluggable SFP+ module, 16Gbit/s Short-Wavelength Laser (SWL), LC connector	S26361-K1527-V326	12315,29	



PRIMERGY Connection Blades

Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
PRIMERGY Connection Blades (Suite)				
PY CB FC Switch 16Gb 18/8 26 E (Brocade)	Fibre Channel Switch 16Gbit/s 18/8 (Brocade 6545) Connection Blade for Fujitsu PRIMERGY Blade Servers, embedded in the basic unit are: - License for 26 Ports with DPOD (Dynamic Ports on Demand), - Access Gateway, - License for Full Fabric, - License for Enhanced Group Management, - License for Fabric Watch, - License for Advanced Performance Monitor, - License for ISL Trunking, - License for Extended Fabric, - License for Adaptive Networking, - License for Server Application Optimization, - 4 x Brocade hot-pluggable SFP+ module, 16Gbit/s Short-Wavelength Laser (SWL), LC connector	S26361-K1527-V327	16668,24	
PY CB Switch SAS 6Gbits/s 18/6	PY CB SAS Switch 6Gb 18/6	S26361-K1391-V400	1878,82	



PRIMERGY SX05 S1

Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
PRIMERGY SX05 S1				
PY SX05 S1 SAS /LTO6HH SAS/	PY SX05 S1 SAS /LTO6HH SAS/ RACK MOUNT 1U SYM/KIT/POW.CORD/	LKN: SX051S0002FR	3589,41	
PY SX05 S1 USB /RDX 500 5.25'/	PY SX05 S1 USB /RDX 500 5.25'/ RACK MOUNT 1U SYM/KIT/POW.CORD/	LKN: SX051S0003FR	952,94	
PY SX05 S1 SAS /TAPEKIT LTO5HH SAS/	PY SX05 S1 SAS /TAPEKIT LTO5HH SAS/ RACK MOUNT 1U SYM/KIT/POWERCORD 1.8M/	LKN: SX051S0004FR	2988,24	

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
PRIMERGY SX05 S1				
PY SX05 S1 USB	Rack-enclosure 19 "(1U) pour un maximum de deux périphériques de sauvegarde USB (RDX, DAT), Incl. alimentation et le ventilateur, ,	S26361-K1418-V110	600,00	
PY SX05 S1 SAS	Rack-enclosure 9 "(1U) pour un maximum dedeux périphériques de sauvegarde SAS (LTO), Incl. alimentation et le ventilateur	S26361-K1418-V100	631,76	

**PRIMERGY SX960 S1**Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
PRIMERGY SX960 S1				
PY SX960 S1 Storage Blade Disk	max. 10x SAS/SATA HDD/SSD, max. 1x SAS Mega RAID Ctrl., The SX960 S1 can be installed max. 2x in BX400/900	S26361-K1382-V303	1796,47	

**PRIMERGY SX980 S2**Fiches produit : <http://fr.fujitsu.com/primergy>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
PRIMERGY SX980 S2					
	PY SX980 S2 JBOD Blade	PY SX980 S2 JBOD Blade, jusqu'à 10x SAS HDD / SSD, Peut être installé max. 2X BX400 et BX900 6x	S26361-K1383-V220	1842,35	



Accessoires stockage PRIMERGY

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)										
Supports amovibles										
	RDX 320 5.25'	x						S26361-F3750-L324	295,29	
	RDX 500 5.25'	x						S26361-F3750-L504	330,59	
	RDX 1000 5.25'	x						S26361-F3750-L604	370,59	
	RDX Drive USB3.0 5.25" internal	x						S26361-F3750-L4	217,65	
	Lecteur bande LTO3HH Ultr 400Go 60MB/s SAS	x						S26361-F3561-L4	1460,00	
	Lecteur LTO4HH 800Go 120Mbps/s SAS V2	x	x					S26361-F3626-L2	2023,53	
	Lecteur LTO5HH 1500GB 140MB/s SAS	x	x					S26361-F3627-L1	2334,12	
	Kit bande LTO6HH 2.5TB 160MB/s SAS 6Gb	x	x					S26361-F3787-L1	2935,29	
Hard Disks										
	HD SATA 6G 2TB 7.2K 512n HOT PL 2.5' BC				x			S26361-F3955-L200	720,00	
	SSD SAS 12G 200GB Main 2.5" H-P EP			x	x		x	S26361-F5297-L200	1434,12	
	SSD SAS 12G 400GB Main 2.5" H-P EP			x	x		x	S26361-F5297-L400	2717,65	
	SSD SAS 12G 800GB Main 2.5" H-P EP			x	x		x	S26361-F5297-L800	5171,76	
	HD SAS 12G 300GB 10K 512n HOT PL 2.5' EP				x		x	S26361-F5551-L130	258,82	
	HD SAS 12G 600GB 10K 512n HOT PL 2.5' EP				x		x	S26361-F5551-L160	481,18	
	HD SAS 12G 900GB 10K 512n HOT PL 2.5' EP				x		x	S26361-F5551-L190	642,35	
	HD SAS 12G 300GB 10K hp 2.5'(1Box=20pcs)				x		x	S26361-F5551-L930	258,82	
	HD SAS 12G 1TB 7.2K 512e HOT PL 2.5' BC				x		x	S26361-F5572-L100	403,53	
	HD SAS 12G 2TB 7.2K 512e HOT PL 2.5' BC				x		x	S26361-F5572-L200	854,12	
	SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP				x			S26361-F5586-L120	315,29	
	SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP				x			S26361-F5586-L192	3276,47	
	SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP				x			S26361-F5586-L240	481,18	
	SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP				x			S26361-F5586-L480	910,59	
	SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP				x			S26361-F5586-L960	1734,12	
	SSD SAS 12G 1.6TB Write-Int. 2.5" H-P EP				x		x	S26361-F5605-L160	6874,12	
	SSD SAS 12G 400GB Write-Int. 2.5" H-P EP				x		x	S26361-F5605-L400	1811,76	
	SSD SAS 12G 800GB Write-Int. 2.5" H-P EP				x		x	S26361-F5605-L800	3524,71	
	SSD SATA 6G 200GB Main 2.5" H-P EP			x	x			S26361-F5303-L200	1211,76	
	SSD SATA 6G 400GB Main 2.5" H-P EP			x	x			S26361-F5303-L400	2443,53	
	SSD SATA 6G 800GB Main 2.5" H-P EP			x	x			S26361-F5303-L800	4891,76	
	DD SAS 6G 500Go 7.2K HOT PL 2.5" BC				x	x	x	S26361-F5228-L500	289,41	
	HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP				x		x	S26361-F5544-L118	1050,59	
	HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP				x		x	S26361-F5551-L112	688,24	
	DD SAS 6G 1To 7.2K HOT PL 2.5" BC				x	x	x	S26361-F5228-L100	507,06	
	DD SAS 6G 300Go 10K HOT PL 2.5' EP			x	x		x	S26361-F5247-L130	263,53	
	DD SAS 6G 450Go 10K HOT PL 2.5' EP			x	x		x	S26361-F5247-L145	403,53	
	DD SAS 6G 600Go 10K HOT PL 2.5' EP			x	x		x	S26361-F5247-L160	491,76	
	DD SAS 6G 900Go 10K HOT PL 2.5' EP			x	x		x	S26361-F5247-L190	631,76	
	DD SAS 3Gb/s 300Go 10K Hot-plug 2.5" EP			x	x			S26361-F3292-L130	487,06	
	HD SAS 6G 1.2TB 10K HOT PL 2.5" EP			x	x		x	S26361-F5247-L112	508,24	
	DD SAS 3Gb/s 450Go 10K HotPlug 2.5" EP			x				S26361-F3292-L145	651,76	
	DD SAS 6Gb/s 300Go 10K hot plug 2.5" EP 30			x	x	x	x	S26361-F4482-L130	263,53	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP			x	x	x	x	S26361-F4482-L145	403,53	
	DD SAS 6Gb/s 600Go 10K hot plug 2.5" EP			x	x	x	x	S26361-F4482-L160	491,76	
	DD SAS 6Gb/s 900Go 10K hot plug 2.5" EP			x	x	x	x	S26361-F4482-L190	631,76	
	DD SAS 6Gb/s 146Go 15K hot plug 2.5" EP 30			x	x	x	x	S26361-F4482-L514	232,94	
	HD SAS 6G 300GB 15K HOT PL 2.5" EP			x	x	x	x	S26361-F4482-L530	481,18	



Accessoires stockage PRIMERGY

Fiches produit : <http://fr.fujitsu.com/primergy>

HD SAS 6G 450GB 15K HOT PL 2.5' EP			x	x	x	x	S26361-F4482-L545	488,24
HD SAS 6G 600GB 15K HOT PL 2.5' EP			x	x	x	x	S26361-F4482-L560	658,82



Accessoires stockage PRIMERGY

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMERGY SX05 S1	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	PRIMERGY SX980 S2	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)										
Hard Disks (Suite)										
SCSI/RAID/SAS controller										
	Upg. RAM BBU pour Ctrl RAID 5/6			x				S26361-F3257-L110	181,18	
	PSAS CP200i		x	x	x			S26361-F3554-L118	170,59	
	Module TFM pour l'option FBU sur D3116				x			S26361-F3669-L100	160,00	
	Ctrl RAID FBU option w/ cable 25/55/70cm				x			S26361-F3669-L110	108,24	
	PSAS CP400i FH/LP				x			S26361-F3842-L502	228,24	
	PRAID EP400i FH/LP				x			S26361-F5243-L1	418,82	
	TFM module for FBU on PRAID EP400i				x			S26361-F5243-L100	181,18	
	RAID Ctrl FBU option w/ 25/55/70cm cable				x			S26361-F5243-L110	108,24	
	PRAID EP420i FH/LP				x			S26361-F5243-L2	444,71	
	PRAID EP420i for SafeStore				x			S26361-F5243-L4	569,41	
	TFM module for FBU on PRAID EP420i/e				x			S26361-F5243-L200	228,24	
	Ctrl RAID SAS 6Gb/s 0/1 (D2607)			x				S26361-F3554-L8	191,76	
	Ctrl RAID SAS 6Gb/s 5/6 512Mo (D2616)			x	x			S26361-F3554-L512	418,82	
	RAID Ctrl SAS 6G 1GB (D3116C)				x			S26361-F3669-L4	418,82	
Media										
	LTO-3 data media,5pack avec label,Fuji	x						D:CR-LTO3-05L	167,02	
	LTO-4 data media,5packavec label,Fuji	x						D:CR-LTO4-05L	132,74	
	LTO-5 data media,5 pièces avec label,Fuji	x						D:CR-LTO5-05L	123,84	
	LTO-6 data media,5pack label,Fuji	x						D:CR-LTO6-05L-BF	195,25	
	LTO-7-CR Medien,5Stk Random Label,Fuj	x						D:CR-LTO7-05L	1017,13	
	Barcode Label oder, not standard Random	x						D:CR-LTO-LAB	4,71	
	Cartouche RDX 320/640Go	x						S26361-F3857-L320	131,76	
	Pack 10x cartouches RDX 320/640Go	x						S26361-F3857-L329	1249,41	
	RDX MEDIUM 2TB	x						S26361-F3857-L700	345,88	
	Cartouche RDX 500Go/1000Go	x						S26361-F3857-L500	127,06	
	Cartouche RDX 1To	x						S26361-F3857-L600	197,65	
Câbles										
	Câble SAS SFF 8088-SFF 8088 , 2.0m	x						S26361-F3246-L202	114,12	
	SAS cable (MiniSAS), 3m	x						S26361-F3246-L212	170,59	
	Câble SAS externe 4m 8088-8088	x						S26361-F3246-L402	150,59	
	Câble SAS EXT 2m 8088-8470	x						S26361-F3246-L203	108,24	
	Câble SAS EXT 4m 8088-8470	x						S26361-F3246-L403	140,00	



PRIMECENTER

Fiches produit : <http://fr.fujitsu.com/primergy>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
PRIMECENTER M2 Rack				
PRIMECENTER M2 Rack 47U 1200x800	19-inch Fujitsu PRIMECENTER M2 Rack (PCR M2 47U 1200x800), Symmetrical basic cabinet WxDxH = 800x1200x2200mm. Both vertical 19-inch levels are steplessly moveable. 3 vertical 1U-slots on every side. With top cover, front door, twin rear door and side panels. Protection class IP20, electrically grounded. Up to 200 different key cylinders. Identical locks (code 333) as standard. Mobile, heavy duty castors. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 100mm., Cable entry via bottom and top cover; inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection (available build-in or loose) is required.	S26361-K828-V847	2795,29	
PRIMECENTER M2 Rack 24U 1100x600	19-inch Fujitsu PRIMECENTER M2 Rack (PCR M2 24U 1100x600), Symmetrical basic cabinet WxDxH = 600x1100x1200mm. Both vertical 19-inch levels are steplessly moveable. With top cover, front door, twin rear door and side panels. Protection class IP20, electrically grounded. Identical locks (code 333) as standard. Up to 200 different key cylinders. Mobile, heavy duty castors. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. , Cable entry via bottom and top cover; inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection (available build-in or loose) is required.	S26361-K828-V624	2122,35	
PRIMECENTER M2 Rack 42U 1200x600	19-inch Fujitsu PRIMECENTER M2 Rack (PCR M2 42U 1200x600), Symmetrical basic cabinet WxDxH = 600x1200x2000mm. Both vertical 19-inch levels are steplessly moveable. With top cover, front door, twin rear door and side panels. Protection class IP20, electrically grounded. Identical locks (code 333) as standard. Up to 200 different key cylinders. Mobile, heavy duty castors. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 100mm., Cable entry via bottom and top cover; inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection (available build-in or loose) is required.	S26361-K828-V642	2381,18	
PRIMECENTER M2 Rack 42U 1200x800	19-inch Fujitsu PRIMECENTER M2 Rack (PCR M2 42U 1200x800), Symmetrical basic cabinet WxDxH = 800x1200x2000mm. Both vertical 19-inch levels are steplessly moveable. 3 vertical 1U-slots on every side. With top cover, front door, twin rear door and side panels. Protection class IP20, electrically grounded. Identical locks (code 333) as standard. Up to 200 different key cylinders. Mobile, heavy duty castors. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 100mm., Cable entry via bottom and top cover; inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection (available build-in or loose) is required.	S26361-K828-V842	2588,24	



PRIMECENTER		Fiches produit : http://fr.fujitsu.com/primergy	
PRIMECENTER M2 LC Rack 42U 1200x800	19-inch Fujitsu PRIMECENTER M2 Rack (PCR M2 42U 1200x800). Suitable for Liquid Cooled solution with Rack CDU., Symmetrical basic cabinet WxDxH = 800x1200x2000mm. Both vertical 19-inch levels are steplessly moveable. 3 vertical 1U-slots on every side. With top cover, front door, twin rear door and side panels. Protection class IP20, electrically grounded. Up to 200 different key cylinders. Mobile, heavy duty castors. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 100mm., Cable entry via bottom and top cover; inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection (available build-in or loose) is required.	S26361-K828-V942	3287,06



Accessoires PRIMECENTER

Fiches produit : <http://fr.fujitsu.com/primergy>

Description	PRIMECENTER M1 Rack	PRIMECENTER M2 Rack	PRIMERGY PRIMECENTER Rack	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)						
Connection Blades						
Intel IB Cu Cable 40Gb, 4x QSFP, 3m	x			S26361-F3996-L203	88,24	
Intel IB FO Cable 40Gb, 4x QSFP, 10m	x			S26361-F3996-L210	388,24	
SFP, 1GbE, copper, for stacking, 1m	x			S26361-F5263-L11	124,71	
SFP, 1GbE, copper, for stacking, 5m)	x			S26361-F5263-L15	217,65	
1.5m passive copper cable	x	x		S26361-F5563-L150	108,24	
2m passive copper cable	x	x		S26361-F5563-L200	124,71	
3m passive copper cable	x	x		S26361-F5563-L300	155,29	
Infiniband Cu Cable 100Gb, QSFP, 3m	x	x		S26361-F5549-L563	232,94	
Infiniband Cu Cable 100Gb, QSFP, 1m	x	x		S26361-F5549-L561	170,59	
SFP+ active Twinax Cable Fujitsu 2m	x			S26361-F3989-L102	181,18	
Infiniband - Câble Cu 40Gb, 4x QSFP, 1m	x			S26361-F3996-L101	98,82	
SFP+ active Twinax Cable Fujitsu 5m	x			S26361-F3989-L105	228,24	
Infiniband - Câble Cu 40Gb, 4x QSFP, 3m	x			S26361-F3996-L103	124,71	
SFP+ active Twinax Cable Fujitsu 10m	x			S26361-F3989-L110	269,41	
Infiniband Cu Cable 56Gb, 4x QSFP, 1m	x	x		S26361-F3996-L561	134,12	
Infiniband Cu Cable 56Gb, 4x QSFP, 3m	x	x		S26361-F3996-L563	202,35	
Rack-Infrastructure						
Cable managment,19" Rack,1HE,upgrade	x			D:CABLE-GUIDE-1U-L	79,73	
Cable managment,19" Rack,2U,upgrade	x			D:CABLE-GUIDE-2U-L	75,11	
Socket strip 2x12 outlets f. USA/CAN	x		x	S26361-F2262-L411	610,59	
Adapteurs angles PC/DC-Rack 150Kg	x		x	S26361-F2735-L15	30,59	
Câble magmt. pour PC- Rack 19"	x		x	S26361-F2735-L17	36,47	
Cable carrying plate DC-/PC-racks	x		x	S26361-F2735-L20	51,76	
Plateau pour câbles 1U avec anti poussière	x		x	S26361-F2735-L25	67,06	
Adaptateur d'angle PC/DC-Rack, 3U till 200Kg	x		x	S26361-F2735-L31	36,47	
Eléments d'assemblage , M5, t=2,5mm	x		x	S26361-F2735-L500	56,47	
Cable CAT 6A, RJ45, 5m	x		x	S26361-F3417-L605	36,47	
Consoleswitch KVM S4 adapt USB2.0-VGA,VM	x		x	S26361-F4473-L240	150,59	
console switch adapter true serial	x		x	S26361-F4473-L241	160,00	
RC25-KVM-Switch Mounting-Kit	x	x	x	S26361-F4473-L25	98,82	
Rack 19" Shelf kit 1U	x		x	S26361-F4530-L100	114,12	
Dummy panel 1U plast. Bk	x	x		S26361-F4530-L131	15,29	
Dummy panel 2U plast. Bk	x	x		S26361-F4530-L132	21,18	
Protection anti-basculement pour M1 rack	x			S26361-F4530-L210	258,82	
Kit Rack Connecteur pour PCR M1 Racks	x			S26361-F4530-L225	62,35	
Brush Panel Kit (2 pcs) Top Cover PCR M1	x			S26361-F4530-L250	25,88	
Brush Panel Kit (1 pc) pour porte arrière Rack M1	x			S26361-F4530-L260	36,47	
Rack Connection Kit f.racks w/o sidewall	x	x		S26361-F4530-L400	51,76	
Kit de mise à la terre pour Rack M1	x			S26361-F4530-L6	41,18	
PDU mounting kit short f PCR M1+ M2		x		S26361-F5560-L1	51,76	
PDU Sensor Temp/Hum Modular f MPX/ MPH		x		S26361-F5560-L10	160,00	
PDU Sensor 3x digital inlet modul f.MPH		x		S26361-F5560-L11	108,24	

**Accessoires PRIMECENTER**Fiches produit : <http://fr.fujitsu.com/primergy>

PDU basic 16A CEE blue 24x10A	x	S26361-F5560-L110	347,06	
PDU basic 32A CEE blue 36x10A + 6x16A	x	S26361-F5560-L111	409,41	
PDU basic 16A IEC320 24x10A, UPS,cascade	x	S26361-F5560-L112	337,65	



Accessoires PRIMECENTER

Fiches produit : <http://fr.fujitsu.com/primergy>

Description	PRIMECENTER M1 Rack	PRIMECENTER M2 Rack	PRIMERGY PRIMECENTER Rack	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)						
Rack-Infrastructure (Suite)						
PDU Extern, Remote Display f MPH		x		S26361-F5560-L12	297,65	
PDU basic 16A CEE red 36x10A + 12x16A		x		S26361-F5560-L130	522,35	
PDU basic 32A CEE red 24x10A + 12x16A		x		S26361-F5560-L131	791,76	
PDU mounting kit long f PCR M1+ M2		x		S26361-F5560-L2	51,76	
PDU metered 16A CEE blue 17x10A + 2x16A		x		S26361-F5560-L210	817,65	
PDU metered 32A CEE blue 30x10A + 6x16A		x		S26361-F5560-L211	931,76	
PDU metered 16A CEE Rot 30x10A + 6x16A		x		S26361-F5560-L230	1211,76	
PDU metered 32A CEE Rot 30x10A + 6x16A		x		S26361-F5560-L231	1712,94	
PDU SpeedMount instalation kit PCR M2		x		S26361-F5560-L3	47,06	
PDU managed 16A CEE blue 18x10A + 6x16A		x		S26361-F5560-L310	1537,65	
PDU managed 32A CEE Blau 18x10A + 6x16A		x		S26361-F5560-L311	1930,59	
PDU managed 16A CEE Rot 18x10A + 6x16A		x		S26361-F5560-L330	2230,59	
PDU managed 32A CEE Rot 18x10A + 6x16A		x		S26361-F5560-L331	2489,41	
PDU cable extracting preventions set C14		x		S26361-F5560-L4	117,65	
PDU cable extracting preventions set C20		x		S26361-F5560-L5	62,35	
PDU Phase / Feed marker set yellow		x		S26361-F5560-L6	83,53	
PDU Phase / Feed marker set red		x		S26361-F5560-L7	83,53	
PDU Phase / Feed marker set blue		x		S26361-F5560-L8	83,53	
Connection kit for racks w/ sidewalls	x	x		S26361-F5561-L250	82,35	
Velcro Quick-Strip (10 pcs.)	x	x		S26361-F5561-L271	56,47	
Cable through 100 x 2.000 mm	x	x		S26361-F5561-L272	88,24	
Velcro strip black (in meters - 25 m)	x	x		S26361-F5561-L273	67,06	
Top carrier set for PCR M2 rack 800mm		x		S26361-F5561-L278	362,35	
Brush strip for cover 42/47U rack		x		S26361-F5561-L279	56,47	
Lock MLR batterie pack		x		S26361-F5561-L282	470,59	
LC TOOL KIT FOR AIR BLEEDING		x		S26361-F828-L245	228,24	
LC TOOL KIT FOR QUICK CONNECTOR		x		S26361-F828-L246	683,53	
Câble magmt. pour 19" DC- PC- Rack			x	S26361-F2735-L7	36,47	
1U Câble arm pour PRIMECENTER- et 3rd-party racks	x		x	S26361-F2735-L8	47,06	
Rack Cable Management Arm 1U	x			S26361-F2735-L81	25,88	
Rack Cable Management Arm 2U	x			S26361-F2735-L82	36,47	
Adapteurs angles PC/DC-Rack, 50Kg	x		x	S26361-F2735-L10	25,88	
Paire de câbles pour 3rd party racks	x			S26361-F2201-L20	56,47	
Boitier prises 3 phases3x 8 prises	x		x	S26361-F2262-L31	202,35	
Boitier de prises secteur + câble + ass.10x	x		x	S26361-F2262-L40	114,12	
Bornier de prises 8x IEC320 + IEC309 plug 32A	x		x	S26361-F2262-L45	300,00	
Boitier prises 1x3 16A + 1x2 10A IEC321	x		x	S26361-F2262-L132	487,06	
Boitier prises 3x3 16A + 3x2 10A IEC323	x		x	S26361-F2262-L332	1004,71	
Ensemble de 5 prises secteur	x		x	SNP:SY-F1903L2-P	129,41	
Bornier de 3 prises (D) Euro socket (10A)	x		x	SNP:SY-F1903L1-P	82,35	
PRIMERGY-Software						
PRIMERGY ServerStart Bundle (abonnement)	x		x	U15000-C176	222,35	

**Accessoires PRIMECENTER**Fiches produit : <http://fr.fujitsu.com/primergy>

ServerView Suite, Dernière version	x	x	U15000-C289	25,88	
Onduleur/Alimentation					
Adaptateur APC-UPS WEB Management	x	x	S26113-F80-L30	336,47	



Accessoires PRIMECENTER

Fiches produit : <http://fr.fujitsu.com/primergy>

Description	PRIMECENTER M1 Rack	PRIMECENTER M2 Rack	PRIMERGY PRIMECENTER Rack	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)						
Onduleur/Alimentation (Suite)						
Bornier de prises 10xIEC320C13 pour UPS	x		x	S26361-F2262-L42	124,71	
UPS PDU 50A 2U,6x16A+4x10A IEC320	x		x	S26361-F2262-L500	869,41	
RMK-PDU 2U horizontal	x			S26361-F2735-L320	114,12	
RMK-PDU 3U horizontal	x			S26361-F2735-L330	305,88	
APC Online UPS RMK D/P/3rd P Racks	x		x	S26361-F2845-L1	202,35	
Cable powercord rack, 1.8m, black	x			T26139-Y1968-L180	15,29	
Cable powercord rack, 2.5m, black	x			T26139-Y1968-L250	15,29	
Câble secteur (F), 1.8m, gris	x		x	T26139-Y1740-L10	15,29	
Cordon secteur ICE320 C19->16A CEE Blue	x		x	S26361-F3151-L200	30,59	
Câbles						
DX60/1/200S3 Ext.SAS Cable Encl. 3.5m x1	x			FTS:ETFKM35-L	218,82	
SAS cable (MiniSAS miniSAS HD) 3.0m	x			FTS:SAS-MINIHD3M-L	183,53	
Câble SAS SFF 8088-SFF 8088 , 2.0m	x	x	x	S26361-F3246-L202	114,12	
SAS cable (MiniSAS), 3m	x	x	x	S26361-F3246-L212	170,59	
Câble SAS externe 4m 8088-8088	x	x	x	S26361-F3246-L402	150,59	
Câble SAS externe 0.5 m	x	x	x	S26361-F3246-L5	67,06	
Cable CAT 6A, RJ45, 2m	x	x	x	S26361-F3417-L602	25,88	
SFP+ active optical cable Brocade, 7m	x			S26361-F3873-L507	325,88	
SFP+ active optical cable Brocade, 10m	x			S26361-F3873-L510	367,06	
QSFP+ passive Twinax Cable Fujitsu 2m	x			S26361-F3986-L402	325,88	
QSFP+ passive Twinax Cable Fujitsu 5m	x			S26361-F3986-L405	455,29	
QSFP+ active Twinax Cable Fujitsu 10m	x			S26361-F3986-L410	657,65	
Câble secteur rack, 4m, gris	x		x	T26139-Y1968-L10	15,29	
FC-Cable OM4, MMF, 5m, LC/LC	x		x	D:FCKAB-OM4-C05L-L	30,93	
Câble SAS 6Gb 1x SFF 8088-1x SFF 8088 2m	x		x	D:KBSAS6G-1S-1S-2M	51,76	
FC-Cable OM4, MMF, 10m, LC/LC	x		x	D:FCKAB-OM4-C10L-L	42,08	
Cable CAT 6A, RJ45, 3m	x		x	S26361-F3417-L603	30,59	
FC-Cable OM4, MMF, 20m, LC/LC	x		x	D:FCKAB-OM4-C20L-L	52,85	
FC-Cable OM4, MMF, 50m, LC/LC	x		x	D:FCKAB-OM4-C50L-L	83,14	
Cable CAT 6A, RJ45, 10m	x		x	S26361-F3417-L610	41,18	
FC-Cable OM3 LWL 5m LC LC	x		x	D:FCKAB-OM3-C05L-L	14,94	
Câble SAS EXT 2m 8088-8470	x	x	x	S26361-F3246-L203	108,24	
Cable CAT 6A, RJ45, 15m	x		x	S26361-F3417-L615	47,06	
SFP+ active Twinax Cable Brocade 1m	x			S26361-F3873-L501	155,29	
FC-Cable OM3 LWL 10m LC LC	x		x	D:FCKAB-OM3-C10L-L	39,31	
SFP+ active Twinax Cable Brocade 3m	x			S26361-F3873-L503	202,35	
FC-Cable OM3 LWL 20m LC LC	x		x	D:FCKAB-OM3-C20L-L	45,85	
SFP+ active Twinax Cable Brocade 5m	x			S26361-F3873-L505	243,53	
FC-Cable OM3 LWL 50m LC LC	x		x	D:FCKAB-OM3-C50L-L	67,11	
FC cable MMF, 5m, LC/SC	x		x	D:FCKAB-MM-B05L-L	34,20	
FC cable MMF, 10m, LC/SC	x		x	D:FCKAB-MM-B10L-L	36,92	
Câble SAS EXT 4m 8088-8470	x	x	x	S26361-F3246-L403	140,00	

**Accessoires PRIMECENTER**Fiches produit : <http://fr.fujitsu.com/primergy>

FC cable MMF, 20m, LC/SC	x	x	D:FCKAB-MM-B20L-L	43,89	
Câble FC SMF 10m, Connecteur LC-LC	x	x	D:FCKAB-SM-C10L-L	60,75	
Câble FC SMF 20m, Connecteur LC-LC	x	x	D:FCKAB-SM-C20L-L	68,27	



Accessoires PRIMECENTER

Fiches produit : <http://fr.fujitsu.com/primergy>

Description	PRIMECENTER M1 Rack	PRIMECENTER M2 Rack	PRIMERGY PRIMECENTER Rack	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)						
Câbles (Suite)						
SFP+ active Twinax cable BRCD 1m UPG	x		x	EBR800-TWX-1M-L	118,82	
Câble SFP Attached + Cop, 3m UPG	x		x	EBR800-TWX-3M-L	152,09	
Câble SFP Direct Attached + Cop, 5m UPG	x		x	EBR800-TWX-5M-L	196,46	
Switch Console KVM S2 adaptateur PS/2-VGA	x		x	S26361-F2293-L201	103,53	
Switch Console KVM S2 adaptateur USB-VGA	x	x	x	S26361-F2293-L202	103,53	
Switch Console, câble KVM-S2 CAT5, 5m	x		x	S26361-F2293-L50	15,29	
Switch Console, câble KVM-S2 CAT5, 2m	x		x	S26361-F2293-L20	10,59	
Switch Console, câble KVM-S2 CAT5, 10m	x		x	S26361-F2293-L10	21,18	



Positionnement PRIMERGY Scale-out



SERVEURS PRIMERGY MULTI-NODE	Châssis 4 emplacements	Châssis 2 emplacements
	CX400 M1	CX400 M1
Type de nœud serveurs	CX2550 M1	CX2570 M1
Format	Rack 2U	Rack 2U
Nb d'emplacement Avant	24 (4x6) x 2.5" SAS/SATA/SSD non partagé	12 (2x6) x 2.5" SAS/SATA/SSD non partagé
Nb d'emplacement Arrière	2x Nodes CX2550 M1 2x Alim hot-plug	2x Nodes CX2570 M1 2x Alim hot-plug
Alimentation Redondante	OUI	OUI
Alimentation output	2x Alim 1600W hot-Plug (94%)	2x Alim 1600W hot-Plug (94%)
Ventilateurs	4x Ventilateurs non hot-Plug	4x Ventilateurs non hot-Plug



SERVEURS PRIMERGY MULTI-NODE	Serveur Intel 2-socket	Serveur Intel 2-socket
	CX2550 M2	CX2570 M2
Format	1U	2U
Nb max. par châssis	4 dans CX400 S2	2 dans CX400 S2
Chipset	Intel® C610	Intel® C610
Processeurs	Xeon® E5-2603v4(6C) /2609v4(8C)/2620v4(8C)/2623v4(4C)/2630v4(10C)/2630Lv4(10C)/2637v4(4C)/2640v4(10C)/2643v4(6C)/2650v4(12C)/2650Lv4(14C)/2660v4(14C)/2667v4(8C)/2680v4(14C)/2683v4(16C)/2690v4(14C)/2695v4(18C)/2697v4(18C)/2697v4(18C)/2698v4(20C)/2699v4(22C)	Xeon® E5-2603v4(6C) /2609v4(8C)/2620v4(8C)/2623v4(4C)/2630v4(10C)/2630Lv4(10C)/2637v4(4C)/2640v4(10C)/2643v4(6C)/2650v4(12C)/2650Lv4(14C)/2660v4(14C)/2667v4(8C)/2680v4(14C)/2683v4(16C)/2690v4(14C)/2695v4(18C)/2697v4(18C)/2697v4(18C)/2698v4(20C)/2699v4(22C)
Mémoire	2 CPU en Std	2 CPU en Std
Mémoire	16 à 1024 Go DDR-4 16 Slots	16 à 1024 Go DDR-4 16 Slots
Disques Durs	6x 2.5" (châssis)	6x 2.5" (châssis)
Contrôleur RAID interne	RAID 0/1 Disque interne	RAID 0/1 Disque interne
Slots PCI (I/O)	2x PCIe Gen3	4x PCIe Gen3
Carte GPGPU	-	1x NVIDIA® Tesla™ ou 1x Intel® Xeon Phi™
Ctrl LAN intégré	3/2x Gigabit 1x Gigabit - administration	3/2x Gigabit 1x Gigabit - administration
Ctrl graphique intégré	1 x VGA	1 x VGA
Ports USB	2	2
Administration	ServerView Suite	ServerView Suite
Systèmes d'exploitation	WindowsServer 2008 R2/ 2012 Red Hat; SuSe Linux Hyper-V Server 2008/2012 VMware vSphere, Citrix XenServer	WindowsServer 2008 R2/ 2012 Red Hat; SuSe Linux Hyper-V Server 2008/2012 VMware vSphere, Citrix XenServer



PRIMERGY CX400 M1

Fiches produit : <http://fr.fujitsu.com/primergy>

Avec le serveur PRIMERGY CX400 M1 de Fujitsu, les entreprises ainsi que les institutions de développement et de recherche peuvent maintenant faire face aux défis d'envergure qui les attendent. Le système rack de 2U contient jusqu'à quatre nœuds serveur, 8 processeurs Intel® Xeon® et 64 modules de mémoire DIMM DDR4, offrant ainsi des niveaux de performance et d'efficacité énergétique inégalés. Le système évolutif s'adapte parfaitement à une variété d'applications grâce à sa grande modularité. Lorsque de nouveaux besoins apparaissent, des nœuds serveur, des cartes de co-processeur ou des disques durs supplémentaires peuvent être ajoutés. Le PRIMERGY CX400 M1 l'emporte sur les serveurs rack traditionnels grâce à sa double densité de serveur ainsi que ses coûts matériels et d'exploitation peu élevés. Le système est ainsi un composant répliquable idéal pour la mise en oeuvre de

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
PRIMERGY CX400 M1				
PY CX400 M1 chassis for CX2550 M1/M2	2U Systemunit for up to 4x CX2550 M1, HDD cage for 24x 2.5" HDD/SSD shared between the number of installed Server Nodes. All empty node slots closed with Dummy pannels. ServerView Suite.	S26361-K1530-V100	998,82	
PY CX400 M1 chassis for CX2570 M1/M2	2U System unit for up to 2x CX2570 M1, HDD cage for 12x 2.5" HDD/SSD shared between the number of installed Server Nodes. , All empty node slots closed with Dummy pannels. ServerView Suite.	S26361-K1530-V200	1014,12	
PY CX400 M1 for CX2550 M1/M2 8x 2.5 HDD	2 U Systemunit for up to 4 CX- Server Nodes, HDD cage w/o expander for 8x 2.5" HDD shared between the number of installed Server Nodes. , All empty node slots closed with Dummy pannels, ServerView Suite	S26361-K1530-V300	1268,24	
CX400 M1 for CX2550 CiB	2 U Systemunit for up to 2 CX- Server Nodes, HDD cage w/ expander for 18x 2.5" HDD shared between the number of installed Server Nodes. , All empty node slots closed with Dummy pannels, ServerView Suite	S26361-K1530-V400	2370,59	



PRIMERGY CX2550

Fiches produit : <http://fr.fujitsu.com/primergy>

Le PRIMERGY CX2550 M2 est un noeud serveur compact offrant une densité de calcul très élevée avec quatre serveurs indépendants dans un châssis 2U. Il est idéal pour le Cloud, les clusters et les besoins en informatique hautes performances (HPC), mais également pour les environnements dédiés aux grosses données. Associés dans un système à noeuds multiples PRIMERGY CX400 M1, les serveurs offrent une performance évolutive totale exceptionnelle grâce aux 8 processeurs de la dernière gamme Intel® Xeon® E5-2600 v4, aux 64 modules de mémoire DIMM DDR4 et aux 24 emplacements pour disques de stockage dans un boîtier rack 2U. Grâce à un potentiel de performance exceptionnel, une efficacité énergétique élevée et un coût d'investissement attractif, le PRIMERGY CX2550 M2 offre une grande polyvalence et permet d'envisager des charges de travail

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
PRIMERGY CX2550 M2				
PY CX2550 M2 air cooling	Condensed half-width-1U server; up to 4x CX2550 M2 into a CX400 M1 2U chassis; Intel Xeon E5-2600 v4 product family; 16 DIMMs per server node with up to 1024 GB DDR4 memory and up to 2,400 MHz DRAM bandwidth; variable local storage: 6x 2.5" storage drives per node, 6x 2.5" HDD/SSD or 4x 2.5" HDD/SSD + 2x 2.5" PCIe SSD, 1x SATA DOM, UFM; Fan-less server node with shared power and cooling; hot-plug for server nodes, power supplies and disk drives enable enhanced availability and easy serviceability; iRMC S4 Intég. server management; ServerView Suite Software Pack	S26361-K1568-V200	1283,53	
PY CX2550 M2 liquid cooling	Liquid-cooled half-width-1U server; up to 4x CX2550 M2 into a CX400 M1 2U chassis; Intel Xeon E5-2600 v4 product family; 16 DIMMs per server node with up to 1024 GB DDR4 memory and up to 2,400 MHz DRAM bandwidth; variable local storage: 6x 2.5" storage drives per node, 6x 2.5" HDD/SSD or 4x 2.5" HDD/SSD + 2x 2.5" PCIe SSD, 1x SATA DOM, UFM; Fan-less server node with shared power and cooling; hot-plug for server nodes, power supplies and disk drives enable enhanced availability and easy serviceability; iRMC S4 Intég. server management; ServerView Suite Software Pack	S26361-K1568-V210	1687,06	



PRIMERGY CX2570

Fiches produit : <http://fr.fujitsu.com/primergy>

Le PRIMERGY CX2570 est un noeud serveur compact offrant une densité de calcul très élevée avec deux serveurs indépendants dans un châssis 2U. Il est idéal pour les solutions HPC, d'analyse et de virtualisation particulièrement exigeantes. Deux noeuds serveur peuvent être intégrés dans le boîtier PRIMERGY CX400 M1 qui occupe seulement l'espace équivalent à 2U d'un rack de Datacenter standard traditionnel. Le PRIMERGY CX2570 M2 associe des performances de calcul et graphiques très élevées à une grande efficacité énergétique. Chaque noeud serveur demi-largeur équipé d'un processeur de la gamme Intel® Xeon® E5-2600 v4 et de 16 modules de mémoire DIMM DDR4, comprend jusqu' à deux cartes graphiques NVIDIA® GPGPU ou de co-processeur Intel® Xeon Phi™

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
PRIMERGY CX2570 M2				
PY CX2570 M2 air cooling	Condensed half-width-2U server; Up to 2x CX2570 M2 into a CX400 M1 2U chassis; Intel Xeon E5-2600 v2 product family; 16 DIMMs per server node with up to 1024 GB DDR4 memory and up to 2,400 MHz DRAM bandwidth; Optional high-end GPGPU/co-processor cards (Nvidia Tesla, Grid or Intel Xeon Phi); Variable local storage: 6x 2.5" storage drives per node, 12 in total; Fan-less server node with shared power and cooling; Hot-plug for server nodes, power supplies and disk drives enable enhanced availability and easy serviceability; iRMC S4 Intég. server management; ServerView Suite Software Pack	S26361-K1569-V200	1615,29	



Accessoires serveurs scale-out PRIMERGY CX

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMERGY CX250 S1	PRIMERGY CX250 S2	PRIMERGY CX2550 M1	PRIMERGY CX2550 M2	PRIMERGY CX2570 M1	PRIMERGY CX2570 M2	PRIMERGY CX270 S1	PRIMERGY CX270 S2	PRIMERGY CX272 S1	PRIMERGY CX400 M1	PRIMERGY CX400 S1	PRIMERGY CX400 S2	PRIMERGY CX420 S1	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)																	
Processor																	
	Intel Xeon E5-2603v4 6C/6T 1.70 GHz				x		x								S26361-F3933-L703	440,00	
	Intel Xeon E5-2609v4 8C/8T 1.70 GHz				x		x								S26361-F3933-L709	569,41	
	Intel Xeon E5-2620v4 8C/16T 2.10 GHz				x		x								S26361-F3933-L720	735,29	
	Intel Xeon E5-2623v4 4C/8T 2.60 GHz				x		x								S26361-F3933-L723	745,88	
	Intel Xeon E5-2630v4 10C/20T 2.20 GHz				x		x								S26361-F3933-L730	1065,88	
	Intel Xeon E5-2640v4 10C/20T 2.40 GHz				x		x								S26361-F3933-L740	1449,41	
	Intel Xeon E5-2650v4 12C/24T 2.20 GHz				x		x								S26361-F3933-L750	1764,71	
Mémoire Modules																	
	4GB (1x4GB) 1Rx4 L DDR3-1600 R ECC		x						x						S26361-F3781-L614	129,41	
	8GB (1x8GB) 1Rx4 DDR4-2133 R ECC			x											S26361-F3843-L614	185,88	
	8GB (1x8GB) 1Rx4 DDR4-2400 R ECC				x		x								S26361-F3934-L611	185,88	
	16GB (1x16GB) 2Rx4 DDR4-2133 R ECC				x										S26361-F3843-L616	300,00	
	8GB (1x8GB) 1Rx4 L DDR3-1600 R ECC		x						x						S26361-F3781-L615	176,47	
	16GB (1x16GB) 2Rx4 DDR4-2400 R ECC				x		x								S26361-F3934-L612	269,41	
	16GB (1x16GB) 2Rx4 L DDR3-1600 R ECC			x					x						S26361-F3781-L616	305,88	
	8GB (1x8GB) 2Rx8 DDR4-2133 R ECC				x										S26361-F3843-L615	228,24	
	32GB (1x32GB) 2Rx4 DDR4-2400 R ECC				x		x								S26361-F3934-L615	569,41	
	16GB (1x16GB) 2Rx4 DDR3-1866 R ECC			x					x						S26361-F3793-L616	418,82	
	32GB (1x32GB) 4Rx4 DDR4-2133 LR ECC				x										S26361-F3844-L617	864,71	
	64GB (1x64GB) 4Rx4 DDR4-2133 LR ECC				x										S26361-F3844-L618	1760,00	
	16GB (1x16GB) 2Rx8 DDR4-2400 R ECC				x		x								S26361-F3934-L613	362,35	
	8GB (1x8GB) 2Rx8 DDR3-1866 R ECC			x					x						S26361-F3793-L615	300,00	
	64GB (1x64GB) 4Rx4 DDR4-2400 3DS ECC					x									S26361-F3934-L617	1423,53	
	32GB (1x32GB) 4Rx4 L DDR3-1600 LR ECC			x					x						S26361-F3782-L617	787,06	
	64GB (1x64GB) 4Rx4 DDR4-2400 LR ECC					x									S26361-F3935-L616	1630,59	
	Mem. 4Go 1Rx4 L DDR3-1600 R ECC		x								x				S26361-F3697-L614	129,41	
	Mem. 8Go 2Rx4 L DDR3-1600 R ECC			x					x		x				S26361-F3697-L615	202,35	
	Mem. 16Go 2Rx4 L DDR3-1600 R ECC			x						x					S26361-F3697-L616	305,88	
	Mem. 32Go 4Rx4 L DDR3-1333 LR ECC			x					x						S26361-F3698-L617	714,12	
Graphics																	
	PACC CP NVIDIA Tesla K80						x								S26361-F2222-L80	9949,41	
	PGRA CP NVIDIA GRID K1						x			x					S26361-F2222-L914	3054,12	
	PGRA CP NVIDIA GRID K2						x			x					S26361-F2222-L924	6149,41	
	PGRA CP NVIDIA Tesla M60						x	x							S26361-F2222-L964	9307,06	
	Mounting kit for CX2570						x								S26361-F3736-L500	30,59	
	mounting kit for Tesla K80						x								S26361-F3736-L510	30,59	
	Intel Xeon Phi Co-Processor 3120P						x			x					S26361-F4100-L312	2748,24	
	Intel Xeon Phi Co-Processeur 7120P						x			x					S26361-F4100-L712	6211,76	
Supports amovibles																	
	6x 2.5" HDD/SSD (SAS/SATA only) kit				x		x								S26361-F5519-L10	191,76	
	6x 2.5" HDD/SSD (SAS/SATA PCIe) kit				x		x								S26361-F5519-L20	254,12	
Hard Disks																	
	DD SATA 6G 250Go 7.2K NO HOT P 2.5' BC										x				S26361-F3710-L250	232,94	
	HD SATA 6G 1TB 7.2K 512e HOT PL 2.5' BC				x	x	x	x							S26361-F3936-L100	409,41	
	HD SATA 6G 2TB 7.2K 512e HOT PL 2.5' BC				x	x	x	x							S26361-F3936-L200	720,00	
	HD SAS 6G 450GB 15K HOT PL 3.5' EP									x					S26361-F5245-L545	651,76	
	HD SAS 6G 600GB 15K HOT PL 3.5' EP									x					S26361-F5245-L560	890,59	
	SSD SAS 12G 200GB Main 2.5" H-P EP													x	S26361-F5298-L200	1434,12	
	SSD SAS 12G 400GB Main 2.5" H-P EP													x	S26361-F5298-L400	2717,65	
	SSD SAS 12G 800GB Main 2.5" H-P EP													x	S26361-F5298-L800	5171,76	
	SSD SAS 12G 200GB Main 3.5" H-P EP				x					x	x				S26361-F5300-L200	1434,12	
	SSD SAS 12G 400GB Main 3.5" H-P EP				x					x	x				S26361-F5300-L400	2717,65	
	SSD SAS 12G 800GB Main 3.5" H-P EP				x					x	x				S26361-F5300-L800	5171,76	
	SSD SATA 6G 120GB ReadIntensive 2.5' H-P				x			x							S26361-F5525-L120	362,35	
	SSD SATA 6G 240GB ReadIntensive 2.5' H-P				x			x							S26361-F5525-L240	761,18	
	SSD SATA 6G 480GB ReadIntensive 2.5' H-P				x			x							S26361-F5525-L480	1345,88	
	SSD SATA 6G 800GB ReadIntensive 2.5' H-P				x			x							S26361-F5525-L800	2189,41	
	HD SAS 12G 1.2TB 10K 512n HOT PL 2.5' EP				x	x	x	x							S26361-F5550-L112	688,24	
	HD SAS 12G 300GB 10K 512n HOT PL 2.5' EP				x	x	x	x							S26361-F5550-L130	258,82	
	HD SAS 12G 600GB 10K 512n HOT PL 2.5' EP				x	x	x	x							S26361-F5550-L160	481,18	
	HD SAS 12G 900GB 10K 512n HOT PL 2.5' EP				x	x	x	x							S26361-F5550-L190	642,35	
	SSD SATA 6G 120GB Mixed-Use 2.5' H-P EP							x		x					S26361-F5588-L120	315,29	
	SSD SATA 6G 1.92TB Mixed-Use 2.5' H-P EP							x		x					S26361-F5588-L192	3276,47	
	SSD SATA 6G 240GB Mixed-Use 2.5' H-P EP							x		x					S26361-F5588-L240	481,18	
	SSD SATA 6G 480GB Mixed-Use 2.5' H-P EP							x		x					S26361-F5588-L480	910,59	
	SSD SATA 6G 960GB Mixed-Use 2.5' H-P EP							x		x					S26361-F5588-L960	1734,12	
	SSD SATA 6G 1.2TB Write-Int. 2.5' H-P EP							x		x					S26361-F5592-L120	2484,71	



Accessoires serveurs scale-out PRIMERGY CX Fiches produit : <http://fr.fujitsu.com/primergy>

SSD SATA 6G 200GB Write-Int. 2.5" H-P EP				x		x					S26361-F5592-L200	357,65
SSD SATA 6G 400GB Write-Int. 2.5" H-P EP				x		x					S26361-F5592-L400	703,53
SSD SATA 6G 800GB Write-Int. 2.5" H-P EP				x		x					S26361-F5592-L800	1460,00
HDD Dummy Frame Slim 2.5"			x	x	x	x					S26361-F5601-L25	10,59
SSD SAS 12G 1.6TB Write-Int. 2.5" H-P EP						x			x		S26361-F5608-L160	6874,12
SSD SAS 12G 400GB Write-Int. 2.5" H-P EP						x			x		S26361-F5608-L400	1811,76



Accessoires serveurs scale-out PRIMERGY CX

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMERGY CX250 S1	PRIMERGY CX250 S2	PRIMERGY CX2550 M1	PRIMERGY CX2550 M2	PRIMERGY CX2570 M1	PRIMERGY CX2570 M2	PRIMERGY CX270 S1	PRIMERGY CX270 S2	PRIMERGY CX272 S1	PRIMERGY CX400 M1	PRIMERGY CX400 S1	PRIMERGY CX400 S2	PRIMERGY CX420 S1	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)																	
Hard Disks (Suite)																	
	SSD SAS 12G 800GB Write-Int. 2.5" H-P EP						x				x				S26361-F5608-L800	3524,71	
	SSD SAS 12G 1.92TB Mixed-Use 2.5" H-P EP				x		x								S26361-F5614-L192	5963,53	
	SSD SAS 12G 3.84TB Mixed-Use 2.5" H-P EP				x		x								S26361-F5614-L384	11088,24	
	SSD SAS 12G 480GB Mixed-Use 2.5" H-P EP				x		x								S26361-F5614-L480	1609,41	
	SSD SAS 12G 960GB Mixed-Use 2.5" H-P EP				x		x								S26361-F5614-L960	3136,47	
	SSD SAS 12G 1.92TB Read-Int. 2.5" H-P EP				x										S26361-F5617-L192	5678,82	
	SSD SAS 12G 3.84TB Read-Int. 2.5" H-P EP				x		x								S26361-F5617-L384	8795,29	
	SSD SAS 12G 480GB Read-Int. 2.5" H-P EP				x		x								S26361-F5617-L480	1449,41	
	SSD SAS 12G 960GB Read-Int. 2.5" H-P EP				x		x								S26361-F5617-L960	3002,35	
	SSD SATA 6G 64GB DOM SLC N H-P				x										S26361-F5621-L64	703,53	
	HD SATA 6G 250GB 7.2K HOT PL 2.5' BC			x		x									S26361-F3895-L250	211,76	
	HD SATA 6G 500GB 7.2K HOT PL 2.5' BC			x		x									S26361-F3895-L500	243,53	
	HD SATA 6G 1TB 7.2K HOT PL 2.5' BC			x		x									S26361-F3895-L100	377,65	
	DD SAS 6G 450Go 10K HOT PL 3.5' EP										x				S26361-F5244-L145	403,53	
	SSD SATA 6G 64GB DOM N H-P			x											S26361-F5523-L64	124,71	
	SSD PCIe3 800GB Main 2.5" H-P EP			x		x									S26361-F5534-L800	4027,06	
	SSD SATA 6G 128GB DOM N H-P			x											S26361-F5523-L128	217,65	
	SSD PCIe3 1.6TB Main 2.5" H-P EP			x		x									S26361-F5534-L161	7656,47	
	HD SAS 6G 300GB 10K HOT PL 2.5' EP			x		x									S26361-F5537-L130	263,53	
	HD SAS 6G 450GB 10K HOT PL 2.5' EP			x		x									S26361-F5537-L145	403,53	
	HD SAS 6G 600GB 10K HOT PL 2.5' EP			x		x									S26361-F5537-L160	491,76	
	HD SAS 6G 900GB 10K HOT PL 2.5' EP			x		x									S26361-F5537-L190	631,76	
	DD SAS 6G 300Go 15K HOT PL 3.5' EP									x					S26361-F5245-L530	481,18	
	SSD PCIe3 2TB Main 2.5" H-P EP			x		x									S26361-F5534-L201	9028,24	
	HD SAS 6G 1.2TB 10K HOT PL 2.5' EP			x		x									S26361-F5537-L112	670,59	
	HD SAS 6G 146GB 15K HOT PL 2.5' EP			x		x									S26361-F5538-L514	232,94	
	HD SAS 6G 300GB 15K HOT PL 2.5' EP			x		x									S26361-F5538-L530	465,88	
	HD SAS 6G 450GB 15K HOT PL 2.5' EP			x		x									S26361-F5538-L545	662,35	
	HD SAS 6G 600GB 15K HOT PL 2.5' EP			x		x									S26361-F5538-L560	880,00	
	DD SATA 6Gb/s 500Go 7.2K HOT PL 3.5" BC MN	x	x					x	x						S26361-F3711-L500	284,71	
	DD SAS 6G 1To 7.2K HOT PL 3.5' BC	x						x		x					S26361-F5242-L100	336,47	
	DD SAS 6G 2To 7.2K HOT PL 3.5' BC	x						x	x						S26361-F5242-L200	522,35	
	DD SAS 6G 3To 7.2K HOT PL 3.5' BC	x						x	x						S26361-F5242-L300	688,24	
	DD SAS 6G 4To 7.2K HOT PL 3.5' BC	x						x	x						S26361-F5242-L400	797,65	
	SSD SATA 6G 200GB Main 2.5" H-P EP			x		x									S26361-F3821-L200	1211,76	
	SSD SATA 6G 400GB Main 2.5" H-P EP			x		x									S26361-F3821-L400	2443,53	
	SSD SATA 6G 800GB Main 2.5" H-P EP			x		x									S26361-F3821-L800	4891,76	
	DD SAS 6Gb/s 300Go 10K HOT PL 2.5" EP	x	x					x	x						S26361-F4568-L130	331,76	
	HD SAS 12G 600GB 10K 512e HOT PL 2.5' EP				x		x								S26361-F5543-L160	481,18	
	HD SAS 12G 900GB 10K 512e HOT PL 2.5' EP				x		x								S26361-F5543-L190	642,35	
	HD SAS 12G 1.2TB 10K 512e HOT PL 2.5' EP				x		x								S26361-F5543-L112	688,24	
	HD SAS 12G 1.8TB 10K 512e HOT PL 2.5' EP				x		x								S26361-F5543-L118	1050,59	
	DD SAS 6Gb/s 600Go 10K HOT PL 2.5" EP	x	x					x	x						S26361-F4568-L160	616,47	
	DD SAS 6Gb/s 900Go 10K HOT PL 2.5" EP	x	x					x	x						S26361-F4568-L190	832,94	
	HD SAS 12G 300GB 15K HOT PL 2.5' EP				x		x								S26361-F5531-L530	481,18	
	HD SAS 12G 450GB 15K HOT PL 2.5' EP				x		x								S26361-F5531-L545	720,00	
	HD SAS 12G 600GB 15K HOT PL 2.5' EP				x		x								S26361-F5531-L560	869,41	
	HD SAS 12G 1TB 7.2K 512n HOT PL 2.5' BC				x		x								S26361-F5600-L100	403,53	
	HD SAS 12G 300GB 10K 512n SED H-PL 2.5'				x		x								S26361-F5581-L130	289,41	
	HD SAS 12G 600GB 10K 512n SED H-PL 2.5'				x		x								S26361-F5581-L160	574,12	
	HD SAS 12G 1.2TB 10K 512n SED H-PL 2.5'				x		x								S26361-F5581-L112	791,76	
	HD SAS 12G 1.8TB 10K 512e SED H-PL 2.5'				x		x								S26361-F5582-L118	1460,00	
SCSI/RAID/SAS controller																	
	PSAS CP200i									x					S26361-F3554-L118	170,59	
	PRAID CP400i FH/LP			x		x									S26361-F3842-L501	217,65	
	PSAS CP400e FH/LP			x											S26361-F3845-L501	367,06	
	PSAS CP402i FH/LP				x										S26361-F3942-L502	228,24	
	PRAID EP400i FH/LP			x											S26361-F5243-L1	418,82	
	PRAID EP420i FH/LP			x											S26361-F5243-L2	444,71	
	PRAID EP420i for SafeStore			x	x	x	x								S26361-F5243-L4	569,41	
	SAS/SATA CABLE FOR ONB. SATA CONTROLLER			x		x									S26361-F5552-L330	36,47	
	SAS/SATA CABLE FOR MODULAR RAID			x		x									S26361-F5552-L350	36,47	
	TFM module for FBU on PRAID EP420i/e			x											S26361-F5243-L200	228,24	
	RAID Advanced Software Options			x		x									S26361-F5243-L660	228,24	
	RAID Advanced SW Option CacheCade			x	x	x	x								S26361-F5243-L670	228,24	
Fibre Channel																	
	PFC EP LPe31002 1x 16Gb Emulex				x		x								S26361-F5596-L502	2044,71	



Accessoires serveurs scale-out PRIMERGY CX Fiches produit : <http://fr.fujitsu.com/primergy>

Ctrl FC 8Gbit/s 1 Canal LPe1250 MMF LC LP		x	x		x			x	x				S26361-F3961-L201	890,59
Ctrl FC 8Gbit/s 2 canaux LPe12002 MMF LC LP		x	x	x	x	x		x	x				S26361-F3961-L202	1434,12
PFC EP LPe16002	x	x	x		x			x	x				S26361-F4994-L502	2044,71
PFC EP QLE2692 2x 16Gb Qlogic				x			x						S26361-F5580-L502	2044,71
PFC EP QLE2672			x										S26361-F5313-L502	2458,82

Connection Blades



Accessoires serveurs scale-out PRIMERGY CX

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMERGY CX250 S1	PRIMERGY CX250 S2	PRIMERGY CX2550 M1	PRIMERGY CX2550 M2	PRIMERGY CX2570 M1	PRIMERGY CX2570 M2	PRIMERGY CX270 S1	PRIMERGY CX270 S2	PRIMERGY CX272 S1	PRIMERGY CX400 M1	PRIMERGY CX400 S1	PRIMERGY CX400 S2	PRIMERGY CX420 S1	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)																	
Connection Blades (Suite)																	
	Intel IB Cu Cable 40Gb, 4x QSFP, 3m	x	x	x		x		x	x	x					S26361-F3996-L203	88,24	
	Intel IB FO Cable 40Gb, 4x QSFP, 10m	x	x	x		x		x	x	x					S26361-F3996-L210	388,24	
	1.5m passive copper cable			x	x	x	x								S26361-F5563-L150	108,24	
	2m passive copper cable			x	x	x	x								S26361-F5563-L200	124,71	
	3m passive copper cable			x	x	x	x								S26361-F5563-L300	155,29	
	Infiniband Cu Cable 100Gb, QSFP, 3m			x	x	x	x								S26361-F5549-L563	232,94	
	Module SFP Multi Mode Fiber GbE LC					x		x							S26361-F3986-L2	124,71	
	Infiniband Cu Cable 100Gb, QSFP, 1m			x	x	x	x								S26361-F5549-L561	170,59	
	Module SFP+ Multi Mode Fiber 10GbE LC			x		x		x	x	x					S26361-F3986-L3	465,88	
	SFP+ Module Single Mode Fiber 10GbE LC			x		x		x	x						S26361-F3986-L4	1320,00	
	SFP+ active Twinax Cable Fujitsu 2m				x			x	x	x					S26361-F3989-L102	181,18	
	Infiniband - Câble Cu 40Gb, 4x QSFP, 1m	x	x	x		x		x	x	x					S26361-F3996-L101	98,82	
	SFP+ active Twinax Cable Fujitsu 5m			x		x		x	x	x					S26361-F3989-L105	228,24	
	Infiniband - Câble Cu 40Gb, 4x QSFP, 3m	x	x	x		x		x	x	x					S26361-F3996-L103	124,71	
	SFP+ active Twinax Cable Fujitsu 10m			x		x		x	x	x					S26361-F3989-L110	269,41	
	Infiniband Cu Cable 56Gb, 4x QSFP, 1m			x	x	x	x								S26361-F3996-L561	134,12	
	Infiniband Cu Cable 56Gb, 4x QSFP, 3m			x	x	x	x								S26361-F3996-L563	202,35	
Communication/Réseau																	
	PLAN EP X710-DA2 2x10Gb SFP+				x		x								S26361-F3640-L502	745,88	
	Contrôleur Ethernet 2x10Gbit PCIe x8 D2755 SFP+		x	x		x		x	x	x					S26361-F3629-L502	647,06	
	Eth Ctrl 2x10GBase-T PCIe x8 X540-T2	x	x	x		x		x	x	x					S26361-F3752-L502	838,82	
	PCNA QSFP+ MMF module for OCe14401			x		x									S26361-F5539-L140	2174,12	
	PCNA EP OCe14401 1x 40Gb			x		x									S26361-F5539-L501	1915,29	
	PCNA SFP+ MMF Module for OCe14102			x		x									S26361-F5250-L110	465,88	
	PCNA EP OCe14102 2x 10Gb			x		x									S26361-F5250-L501	1480,00	
	PIB EP QLE7340e	x	x	x		x		x	x						S26361-F4475-L122	409,41	
	PIB EP QLE7342e	x	x	x		x		x	x						S26361-F4475-L222	455,29	
	PLAN CP 2x1Gbit Cu Intel I350-T2	x	x	x		x		x	x	x					S26361-F4610-L502	243,53	
	PLAN CP 4x1Gbit Cu Intel I350-T4	x	x	x		x		x	x	x					S26361-F4610-L504	461,18	
	IB HCA 40Gb 1 port QDR enhanced	x	x	x		x		x	x	x					S26361-F4475-L103	765,88	
	IB HCA 40Gb 2 port QDR enhanced	x	x	x		x		x	x	x					S26361-F4475-L203	1185,88	
	Contrôleur Infiniband 56Gb 1 port FDR	x	x	x		x		x	x	x					S26361-F4533-L102	1004,71	
	Contrôleur Infiniband 56Gb 2 ports FDR	x	x	x		x		x	x	x					S26361-F4533-L202	1604,71	
	PIB EP 100Gb 1 port EDR ConnectX-4			x		x									S26361-F5540-L102	1231,76	
	PIB EP 100Gb 2 port EDR ConnectX-4			x		x									S26361-F5540-L202	1930,59	
	POP EP 100Gb 1 port Omni Path				x		x								S26361-F5562-L10	812,94	
Rack-Infrastructure																	
	CX400 dummy server node										x		x		S26361-F4574-L100	21,18	
	Adaptateurs angles PC/DC-Rack, 50Kg										x				S26361-F2735-L10	25,88	
	Paire de câbles pour 3rd party racks										x		x		S26361-F2201-L20	56,47	
PRIMERGY-Software																	
	eLCM Activation Pack				x		x								BDL:ELCM-PACK	36,47	
	iRMC S4 advanced pack (NL)			x	x	x	x								S26361-F1790-L244	315,29	
	VMware vSphere Embed. UFM 8 GB Device	x		x		x		x	x						S26361-F2341-D433	124,71	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-D230	3730,59	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-D231	3730,59	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-D232	3730,59	
	VMW VSAN Enterprise for 1 CPU w/o SP1yr	x	x	x		x		x	x						S26361-F2344-D233	5123,53	
	VMW VSAN Enterprise for 1 CPU w/o SP3yr	x	x	x		x		x	x						S26361-F2344-D234	5123,53	
	VMW VSAN Enterprise for 1 CPU w/o SP5yr	x	x	x		x		x	x						S26361-F2344-D235	5123,53	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-D236	934,12	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-D237	934,12	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-D238	934,12	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-D239	9334,12	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-D240	9334,12	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-D241	9334,12	
	VMW VSAN 6.2 ENT DT 10-Pack w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-D242	1121,18	
	VMW VSAN 6.2 ENT DT 10-Pack w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-D243	1121,18	
	VMW VSAN 6.2 ENT DT 10-Pack w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-D244	1121,18	
	VMW VSAN 6.2 ENT DT 100-Pack w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-D245	11216,47	
	VMW VSAN 6.2 ENT DT 100-Pack w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-D246	11216,47	
	VMW VSAN 6.2 ENT DT 100-Pack w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-D247	11216,47	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-D306	23371,76	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-D307	23371,76	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-D308	23371,76	
	VMware vSphere STD for 1 CPU w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-D310	929,41	
	VMware vSphere STD for 1 CPU w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-D311	929,41	



Accessoires serveurs scale-out PRIMERGY CX **Fiches produit : <http://fr.fujitsu.com/primergy>**

VMware vSphere STD for 1 CPU w/o SP-5yr	x	x	x		x		x	x					S26361-F2344-D312	929,41
VMware vSphere EPL for 1 CPU w/o SP-1yr	x	x	x		x		x	x					S26361-F2344-D316	3265,88
VMware vSphere EPL for 1 CPU w/o SP-3yr	x	x	x		x		x	x					S26361-F2344-D317	3265,88
VMware vSphere EPL for 1 CPU w/o SP-5yr	x	x	x		x		x	x					S26361-F2344-D318	3265,88
VMware vSOM EPL for 1 CPU w/o SP-1yr	x	x	x				x						S26361-F2344-D326	4105,88
VMware vSOM EPL for 1 CPU w/o SP-3yr	x	x	x				x						S26361-F2344-D327	4105,88



Accessoires serveurs scale-out PRIMERGY CX

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMERGY CX250 S1	PRIMERGY CX250 S2	PRIMERGY CX2550 M1	PRIMERGY CX2550 M2	PRIMERGY CX2570 M1	PRIMERGY CX2570 M2	PRIMERGY CX270 S1	PRIMERGY CX270 S2	PRIMERGY CX272 S1	PRIMERGY CX400 M1	PRIMERGY CX400 S1	PRIMERGY CX400 S2	PRIMERGY CX420 S1	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)																	
PRIMERGY-Software (Suite)																	
	VMware vSOM EPL for 1 CPU w/o SP-5yr	x	x	x				x							S26361-F2344-D328	4105,88	
	VMW Essentials Plus Kit w/o SP-1yr	x	x	x				x							S26361-F2344-D330	3483,53	
	VMW Essentials Plus Kit w/o SP-3yr	x	x	x				x							S26361-F2344-D331	3483,53	
	VMW Essentials Plus Kit w/o SP-5yr	x	x	x				x							S26361-F2344-D332	3483,53	
	VMW Essentials Kit + Subscription-1yr	x	x	x				x							S26361-F2344-D340	608,24	
	VMW Essentials Kit + Subscription-3yr	x	x	x				x							S26361-F2344-D341	832,94	
	VMW Essentials Kit + Subscription-5yr	x	x	x				x							S26361-F2344-D342	1081,18	
	VMW ROBO STD 25 VMs w/o SP-1yr	x	x	x				x							S26361-F2344-D343	2801,18	
	VMW ROBO STD 25 VMs w/o SP-3yr	x	x	x				x							S26361-F2344-D344	2801,18	
	VMW ROBO STD 25 VMs w/o SP-5yr	x	x	x				x							S26361-F2344-D345	2801,18	
	VMW ROBO AVD 25 VMs w/o SP-1yr	x	x	x				x							S26361-F2344-D346	4195,29	
	VMW ROBO AVD 25 VMs w/o SP-3yr	x	x	x				x							S26361-F2344-D347	4195,29	
	VMW ROBO AVD 25 VMs w/o SP-5yr	x	x	x				x							S26361-F2344-D348	4195,29	
	VMW Virtual SAN for 1 CPU w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-D350	2327,06	
	VMW Virtual SAN for 1 CPU w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-D351	2327,06	
	VMW Virtual SAN for 1 CPU w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-D352	2327,06	
	VMW Virtual SAN DT 100-Pack w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-D353	4669,41	
	VMW Virtual SAN DT 100-Pack w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-D354	4669,41	
	VMW Virtual SAN DT 100-Pack w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-D355	4669,41	
	VMW Virtual SAN DT 10-Pack w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-D365	404,71	
	VMW Virtual SAN DT 10-Pack w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-D366	404,71	
	VMW Virtual SAN DT 10-Pack w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-D367	404,71	
	VMW VSAN for ROBO w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-D368	11710,59	
	VMW VSAN for ROBO w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-D369	11710,59	
	VMW VSAN for ROBO w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-D370	11710,59	
	VMW vCloud Suite 7 STD w/o SP-1yr	x	x	x	x	x	x	x	x						S26361-F2344-D712	5123,53	
	VMW vCloud Suite 7 STD w/o SP-3yr	x	x	x	x	x	x	x	x						S26361-F2344-D713	5123,53	
	VMW vCloud Suite 7 STD w/o SP-5yr	x	x	x	x	x	x	x	x						S26361-F2344-D714	5123,53	
	VMW vCloud Suite 7 ADV w/o SP-1yr	x	x	x	x	x	x	x	x						S26361-F2344-D715	7456,47	
	VMW vCloud Suite 7 ADV w/o SP-3yr	x	x	x	x	x	x	x	x						S26361-F2344-D716	7456,47	
	VMW vCloud Suite 7 ADV w/o SP-5yr	x	x	x	x	x	x	x	x						S26361-F2344-D717	7456,47	
	VMW vCloud Suite 7 ENT w/o SP-1yr	x	x	x	x	x	x	x	x						S26361-F2344-D718	8860,00	
	VMW vCloud Suite 7 ENT w/o SP-3yr	x	x	x	x	x	x	x	x						S26361-F2344-D719	8860,00	
	VMW vCloud Suite 7 ENT w/o SP-5yr	x	x	x	x	x	x	x	x						S26361-F2344-D720	8860,00	
	VMW vSphere STD Acc Kit 6CPU w/o SP-1yr	x	x	x	x	x	x	x	x						S26361-F2344-D721	10228,24	
	VMW vSphere STD Acc Kit 6CPU w/o SP-3yr	x	x	x	x	x	x	x	x						S26361-F2344-D722	10228,24	
	VMW vSphere STD Acc Kit 6CPU w/o SP-5yr	x	x	x	x	x	x	x	x						S26361-F2344-D723	10228,24	
	VMW vSphere EPL Acc Kit 6CPU w/o SP-1yr	x	x	x	x	x	x	x	x						S26361-F2344-D724	21494,12	
	VMW vSphere EPL Acc Kit 6CPU w/o SP-3yr	x	x	x	x	x	x	x	x						S26361-F2344-D725	21494,12	
	VMW vSphere EPL Acc Kit 6CPU w/o SP-5yr	x	x	x	x	x	x	x	x						S26361-F2344-D726	21494,12	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-1yr	x	x			x		x	x						S26361-F2344-L230	4329,41	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-3yr	x	x			x		x	x						S26361-F2344-L231	4329,41	
	VMW VSAN 6.2 ADV for 1 CPU w/o SP-5yr	x	x			x		x	x						S26361-F2344-L232	4329,41	
	VMW VSAN Enterprise for 1 CPU w/o SP1yr	x	x			x		x	x						S26361-F2344-L233	5947,06	
	VMW VSAN Enterprise for 1 CPU w/o SP3yr	x	x			x		x	x						S26361-F2344-L234	5947,06	
	VMW VSAN Enterprise for 1 CPU w/o SP5yr	x	x			x		x	x						S26361-F2344-L235	5947,06	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-1yr	x	x			x		x	x						S26361-F2344-L236	1082,35	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-3yr	x	x			x		x	x						S26361-F2344-L237	1082,35	
	VMW VSAN 6.2 ADV DT 10-Pack w/o SP-5yr	x	x			x		x	x						S26361-F2344-L238	1082,35	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-1yr	x	x			x		x	x						S26361-F2344-L239	10834,12	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-3yr	x	x			x		x	x						S26361-F2344-L240	10834,12	
	VMW VSAN 6.2 ADV DT 100-Pack w/o SP-5yr	x	x			x		x	x						S26361-F2344-L241	10834,12	
	VMW VSAN 6.2 ENT DT 10-Pack w/o SP-1yr	x	x			x		x	x						S26361-F2344-L242	1304,71	
	VMW VSAN 6.2 ENT DT 10-Pack w/o SP-3yr	x	x			x		x	x						S26361-F2344-L243	1304,71	
	VMW VSAN 6.2 ENT DT 10-Pack w/o SP-5yr	x	x			x		x	x						S26361-F2344-L244	1304,71	
	VMW VSAN 6.2 ENT DT 100-Pack w/o SP-1yr	x	x			x		x	x						S26361-F2344-L245	13021,18	
	VMW VSAN 6.2 ENT DT 100-Pack w/o SP-3yr	x	x			x		x	x						S26361-F2344-L246	13021,18	
	VMW VSAN 6.2 ENT DT 100-Pack w/o SP-5yr	x	x			x		x	x						S26361-F2344-L247	13021,18	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-L306	27134,12	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-L307	27134,12	
	VMware vSOM EPL Acc Kit 6CPU w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-L308	27134,12	
	VMware vSphere STD for 1 CPU w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-L310	1076,47	
	VMware vSphere STD for 1 CPU w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-L311	1076,47	
	VMware vSphere STD for 1 CPU w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-L312	1076,47	
	VMware vSphere EPL for 1 CPU w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-L316	3794,12	
	VMware vSphere EPL for 1 CPU w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-L317	3794,12	
	VMware vSphere EPL for 1 CPU w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-L318	3794,12	



Accessoires serveurs scale-out PRIMERGY CX **Fiches produit : <http://fr.fujitsu.com/primergy>**

VMware vSOM EPL for 1 CPU w/o SP-1yr	x	x	x					x					S26361-F2344-L326	4768,24
VMware vSOM EPL for 1 CPU w/o SP-3yr	x	x	x					x					S26361-F2344-L327	4768,24
VMware vSOM EPL for 1 CPU w/o SP-5yr	x	x	x					x					S26361-F2344-L328	4768,24
VMW Essentials Plus Kit w/o SP-1yr	x	x	x					x					S26361-F2344-L330	4042,35
VMW Essentials Plus Kit w/o SP-3yr	x	x	x					x					S26361-F2344-L331	4042,35
VMW Essentials Plus Kit w/o SP-5yr	x	x	x					x					S26361-F2344-L332	4042,35



Accessoires serveurs scale-out PRIMERGY CX

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMERGY CX250 S1	PRIMERGY CX250 S2	PRIMERGY CX2550 M1	PRIMERGY CX2550 M2	PRIMERGY CX2570 M1	PRIMERGY CX2570 M2	PRIMERGY CX270 S1	PRIMERGY CX270 S2	PRIMERGY CX272 S1	PRIMERGY CX400 M1	PRIMERGY CX400 S1	PRIMERGY CX400 S2	PRIMERGY CX420 S1	Référence	Prix Indicatif (€)	Remarques
PRIMERGY-Software (Suite)																	
	VMware vSphere STD FlexF 1 CPU w/oSP-3yr	x	x	x		x		x	x						S26361-F2344-L335	884,71	
	VMware vSphere EPL FlexF 1 CPU w/oSP-3yr	x	x	x		x		x	x						S26361-F2344-L337	3108,24	
	VMW Essentials Kit + Subscription-1yr	x	x	x		x		x	x						S26361-F2344-L340	703,53	
	VMW Essentials Kit + Subscription-3yr	x	x	x		x		x	x						S26361-F2344-L341	968,24	
	VMW Essentials Kit + Subscription-5yr	x	x	x		x		x	x						S26361-F2344-L342	1255,29	
	VMW ROBO STD 25 VMs w/o SP-1yr	x	x	x				x	x						S26361-F2344-L343	3252,94	
	VMW ROBO STD 25 VMs w/o SP-3yr	x	x	x				x	x						S26361-F2344-L344	3252,94	
	VMW ROBO STD 25 VMs w/o SP-5yr	x	x	x				x	x						S26361-F2344-L345	3252,94	
	VMW ROBO AVD 25 VMs w/o SP-1yr	x	x	x				x	x						S26361-F2344-L346	4870,59	
	VMW ROBO ADV 25 VMs w/o SP-3yr	x	x	x				x	x						S26361-F2344-L347	4870,59	
	VMW ROBO AVD 25 VMs w/o SP-5yr	x	x	x				x	x						S26361-F2344-L348	4870,59	
	VMW Virtual SAN for 1 CPU w/o SP-1yr	x	x			x		x	x						S26361-F2344-L350	2700,00	
	VMW Virtual SAN for 1 CPU w/o SP-3yr	x	x			x		x	x						S26361-F2344-L351	2700,00	
	VMW Virtual SAN for 1 CPU w/o SP-5yr	x	x			x		x	x						S26361-F2344-L352	2700,00	
	VMW Virtual SAN DT 100-Pack w/o SP-1yr	x	x			x		x	x						S26361-F2344-L353	5422,35	
	VMW Virtual SAN DT 100-Pack w/o SP-3yr	x	x			x		x	x						S26361-F2344-L354	5422,35	
	VMW Virtual SAN DT 100-Pack w/o SP-5yr	x	x			x		x	x						S26361-F2344-L355	5422,35	
	VMW Virtual SAN DT 10-Pack w/o SP-1yr	x	x			x		x	x						S26361-F2344-L365	470,59	
	VMW Virtual SAN DT 10-Pack w/o SP-3yr	x	x			x		x	x						S26361-F2344-L366	470,59	
	VMW Virtual SAN DT 10-Pack w/o SP-5yr	x	x			x		x	x						S26361-F2344-L367	470,59	
	VMW VSAN for ROBO w/o SP-1yr	x	x			x		x	x						S26361-F2344-L368	13594,12	
	VMW VSAN for ROBO w/o SP-3yr	x	x			x		x	x						S26361-F2344-L369	13594,12	
	VMW VSAN for ROBO w/o SP-5yr	x	x			x		x	x						S26361-F2344-L370	13594,12	
	VMW vCloud Suite 7 STD w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-L712	5947,06	
	VMW vCloud Suite 7 STD w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-L713	5947,06	
	VMW vCloud Suite 7 STD w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-L714	5947,06	
	VMW vCloud Suite 7 ADV w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-L715	8658,82	
	VMW vCloud Suite 7 ADV w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-L716	8658,82	
	VMW vCloud Suite 7 ADV w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-L717	8658,82	
	VMW vCloud Suite 7 ENT w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-L718	10288,24	
	VMW vCloud Suite 7 ENT w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-L719	10288,24	
	VMW vCloud Suite 7 ENT w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-L720	10288,24	
	VMW vSphere STD Acc Kit 6CPU w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-L721	11872,94	
	VMW vSphere STD Acc Kit 6CPU w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-L722	11872,94	
	VMW vSphere STD Acc Kit 6CPU w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-L723	11872,94	
	VMW vSphere EPL Acc Kit 6CPU w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-L724	24954,12	
	VMW vSphere EPL Acc Kit 6CPU w/o SP-3yr	x	x	x		x		x	x						S26361-F2344-L725	24954,12	
	VMW vSphere EPL Acc Kit 6CPU w/o SP-5yr	x	x	x		x		x	x						S26361-F2344-L726	24954,12	
	VMW Upg vCenter S FND to STD w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-S418	4840,00	
	VMW Upg ESXi to vSphere STD w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-S420	972,94	
	VMW Upg ESXi to vSphere EPL w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-S422	3421,18	
	VMW Upg vSp STD to vSp EPL w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-S424	2687,06	
	VMW Upg vSp ENT to vSp EPL w/o SP-1yr	x	x	x		x		x	x						S26361-F2344-S425	668,24	
	WinSvr 2012 R2 Datacenter 2CPU ROK Distributeurs		x	x		x			x	x					S26361-F2567-D413	4575,29	
	WinSvr 2012R2 DC w/Reassignment 2CPU ROK		x	x		x			x	x					S26361-F2567-D417	5580,00	
	WinSvr 2012 R2 Standard 2CPU/2VM ROK Distributeurs		x	x		x			x	x					S26361-F2567-D423	704,71	
	WinStorageSvr 2012 R2 Std 2CPU/2VM ROK		x						x	x					S26361-F2567-D453	512,94	
	Windows Server 2012 Standard AddLic 2CPU		x	x		x			x	x					S26361-F2567-L425	720,00	
	WINSVR CAL 2016 1Device		x	x		x			x	x					S26361-F2567-L560	27,06	
	WINSVR CAL 2016 1User		x	x		x			x	x					S26361-F2567-L561	36,47	
	WINSVR CAL 2016 5Device		x	x		x			x	x					S26361-F2567-L562	118,82	
	WINSVR CAL 2016 5User		x	x		x			x	x					S26361-F2567-L563	175,29	
	WINSVR CAL 2016 10Device		x	x		x			x	x					S26361-F2567-L564	237,65	
	WINSVR CAL 2016 10User		x	x		x			x	x					S26361-F2567-L565	316,47	
	WINSVR CAL 2016 50Device		x	x		x			x	x					S26361-F2567-L566	1169,41	
	WINSVR CAL 2016 50User		x	x		x			x	x					S26361-F2567-L567	1480,00	
	WINSVR CAL 2016 100Device		x	x		x			x	x					S26361-F2567-L568	2350,59	
	WINSVR CAL 2016 100User		x	x		x			x	x					S26361-F2567-L569	2965,88	
	WINSVR RDSCAL 2016 1Device		x	x		x			x	x					S26361-F2567-L570	108,24	
	WINSVR RDSCAL 2016 1User		x	x		x			x	x					S26361-F2567-L571	129,41	
	WINSVR RDSCAL 2016 5Device		x	x		x			x	x					S26361-F2567-L572	517,65	
	WINSVR RDSCAL 2016 5User		x	x		x			x	x					S26361-F2567-L573	647,06	
	WINSVR RDSCAL 2016 10Device		x	x		x			x	x					S26361-F2567-L574	1020,00	
	WINSVR RDSCAL 2016 10User		x	x		x			x	x					S26361-F2567-L575	1294,12	
	WINSVR RDSCAL 2016 50Device		x	x		x			x	x					S26361-F2567-L576	5109,41	
	WINSVR RDSCAL 2016 50User		x	x		x			x	x					S26361-F2567-L577	6444,71	
	WINSVR RDSCAL 2016 100Device		x	x		x			x	x					S26361-F2567-L578	10223,53	



Accessoires serveurs scale-out PRIMERGY CX **Fiches produit : <http://fr.fujitsu.com/primergy>**

WINSVR RDSCAL 2016 100User	x	x	x		x	x			S26361-F2567-L579	12884,71
WinSvr CAL 2012 50Device	x	x	x		x	x			S26361-F2567-L460	1169,41
WinSvr CAL 2012 50User	x	x	x		x	x			S26361-F2567-L461	1480,00
WinSvr CAL 2012 10Device	x	x	x		x	x			S26361-F2567-L462	237,65
WinSvr CAL 2012 10User	x	x	x		x	x			S26361-F2567-L463	300,00
WinSvr CAL 2012 5Device	x	x	x		x	x			S26361-F2567-L464	118,82



Accessoires serveurs scale-out PRIMERGY CX

Fiches produit : <http://fr.fujitsu.com/primergy>

Catégorie	Description	PRIMERGY CX250 S1	PRIMERGY CX250 S2	PRIMERGY CX2550 M1	PRIMERGY CX2550 M2	PRIMERGY CX2570 M1	PRIMERGY CX2570 M2	PRIMERGY CX270 S1	PRIMERGY CX270 S2	PRIMERGY CX272 S1	PRIMERGY CX400 M1	PRIMERGY CX400 S1	PRIMERGY CX400 S2	PRIMERGY CX420 S1	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)																	
PRIMERGY-Software (Suite)																	
	WinSvr CAL 2012 5User		x	x		x			x	x					S26361-F2567-L465	175,29	
	WinSvr CAL 2012 1Device		x	x		x			x	x					S26361-F2567-L466	28,24	
	WinSvr CAL 2012 1User		x	x		x			x	x					S26361-F2567-L467	36,47	
	WinSvr CAL 2012 100Device		x	x		x			x	x					S26361-F2567-L468	2350,59	
	WinSvr CAL 2012 100User		x	x		x			x	x					S26361-F2567-L469	2965,88	
	WinSvr RDS CAL 2012 5Device		x	x		x			x	x					S26361-F2567-L470	517,65	
	WinSvr RDS CAL 2012 5User		x	x		x			x	x					S26361-F2567-L471	703,53	
	WinSvr RDS CAL 2012 1Device		x	x		x			x	x					S26361-F2567-L472	108,24	
	WinSvr RDS CAL 2012 1User		x	x		x			x	x					S26361-F2567-L473	129,41	
	WinSvr RDS CAL 2012 100Device		x	x		x			x	x					S26361-F2567-L474	10223,53	
	WinSvr RDS CAL 2012 100User		x	x		x			x	x					S26361-F2567-L475	12884,71	
	WinSvr RDS CAL 2012 50Device		x	x		x			x	x					S26361-F2567-L476	5109,41	
	WinSvr RDS CAL 2012 50User		x	x		x			x	x					S26361-F2567-L477	6444,71	
	WinSvr RDS CAL 2012 10Device		x	x		x			x	x					S26361-F2567-L478	1020,00	
	WinSvr RDS CAL 2012 10User		x	x		x			x	x					S26361-F2567-L479	1294,12	
	DG/DE Kit WinSvr 2008 R2 SP1 Datacenter		x	x		x			x						S26361-F2567-L480	72,94	
	DG/DE Kit WinSvr 2008 R2 SP1 Enterprise		x	x		x			x						S26361-F2567-L481	72,94	
	DG/DE Kit WinSvr 2008 R2 SP1 Standard		x	x		x			x						S26361-F2567-L482	72,94	
	DG/DE Kit WinSvr 2012 Datacenter		x	x		x			x	x					S26361-F2567-L486	72,94	
	DG/DE Kit WinSvr 2012 Standard		x	x		x			x	x					S26361-F2567-L487	72,94	
	VMware vSphere 5 Media Kit OEM	x	x	x		x		x	x						S26361-F2341-L300	82,35	
Onduleur/Alimentation																	
	CX400 M1 PSU 1x 1600W Platinum hp										x				S26113-F617-L50	414,12	
	CX400 M1 PSU 2400W Platinum hp										x				S26113-F620-L30	621,18	
	Cordon secteur 16A ICE320 C19->C20										x				S26361-F3151-L300	30,59	
	Cordon secteur IEC320 C19 -IEC320 C14										x				S26361-F3151-L350	15,29	
Divers																	
	LC TUBE SET for CX400 Mx 800 MM										x				S26361-F5558-L50	185,88	
Câbles																	
	SFP+ active optical cable Brocade, 7m			x	x			x	x	x					S26361-F3873-L507	325,88	
	SFP+ active optical cable Brocade, 10m			x	x			x	x	x					S26361-F3873-L510	367,06	
	Câble secteur rack, 4m, gris											x	x		T26139-Y1968-L10	15,29	
	SFP+ active Twinax Cable Brocade 1m			x	x			x	x	x					S26361-F3873-L501	155,29	
	SFP+ active Twinax Cable Brocade 3m			x	x			x	x	x					S26361-F3873-L503	202,35	
	SFP+ active Twinax Cable Brocade 5m			x	x			x	x	x					S26361-F3873-L505	243,53	



Onduleurs - Périphériques **Fiches produit : <http://fr.fujitsu.com/stockage>**

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Périphériques				
Onduleur/Alimentation				
PY UPS 1500VA / 980W Tour	PY UPS 1500VA / 980W Tour Line Interactive (VI) UPS (SMT1500i) Noir, 8x IEC320 C13 (10A) sortie, Les sorties sont disposées en deux groupes dont une est contrôlable, 1x IEC320 C14 entrée (10A) + cordon d'alimentation avec CEE7 (Schuko), cordon d'alimentation spécifique au pays peuvent être commandés séparément, incl. câble de commande pour le premier serveur USB et port COM (noir),	S26361-F4542-L150	476,47	
PY UPS 750VA / 500W Tour	PY UPS 750VA / 500W Tour Line Interactive (VI) UPS (SMT750i) Noir, C13 IEC320 6x (10A) sortie, 1x IEC320 C14 entrée (10A) + cordon d'alimentation avec CEE7 (Schuko), cordon d'alimentation spécifique au pays peuvent être commandés séparément, incl. câble de commande pour le premier serveur USB et port COM (noir). Ne pas utiliser si l'alimentation du serveur > 500W (par exemple TX200 TX150) 1x Smart Slot pour carte optionnelle de gestion WEB.,	S26361-F4542-L75	300,00	
WBEXTWAR1YR-SP-02	12 month Extended Warranty – prolongs the Standard Warranty of the UPS (3 years). Need to be purchased within 90 days after UPS was purchased at Fujitsu and requires activation at APC within 30 days thereafter. Warranty cover time is limited to max. 6 years., , Please note: The Extended Warranty does not provide On-Site repair services; it is a material warranty only, but includes the batterie. Delivery contains CD with warranty information, including the Service Registration Key and the link where to register at APC. Without registration there is no right to claim this service. Available in all major Fujitsu countries, for details please have a look to the country list and Extended Warranty Datasheet as published in the FTS Extranet. This warranty can be purchased for Fujitsu 750VA Line Interactive Tower UPS.	S26361-F4542-L712	67,06	



Onduleurs - Périphériques

Fiches produit : <http://fr.fujitsu.com/stockage>

WBEXTWAR3YR-SP-02	<p>36 month Extended Warranty – prolongs the Standard Warranty of the UPS (3 years). Need to be purchased within 90 days after UPS was purchased at Fujitsu and requires activation at APC within 30 days thereafter. Warranty cover time is limited to max. 6 years., , Please note: The Extended Warranty does not provide On-Site repair services; it is a material warranty only, but includes the batterie. Delivery contains CD with warranty information, including the Service Registration Key and the link where to register at APC. Without registration there is no right to claim this service. Available in all major Fujitsu countries, for details please have a look to the country list and Extended Warranty Datasheet as published in the FTS Extranet. This warranty can be purchased for Fujitsu 750VA Line Interactive Tower UPS.</p>	S26361-F4542-L722	140,00
-------------------	--	-------------------	--------



Onduleurs - Périphériques

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Périphériques				
Onduleur/Alimentation (Suite)				
WBEXTWAR1YR-SP-03	<p>12 month Extended Warranty – prolongs the Standard Warranty of the UPS (3 years). Need to be purchased within 90 days after UPS was purchased at Fujitsu and requires activation at APC within 30 days thereafter. Warranty cover time is limited to max. 6 years., , Please note: The Extended Warranty does not provide On-Site repair services; it is a material warranty only, but includes the batterie. Delivery contains CD with warranty information, including the Service Registration Key and the link where to register at APC. Without registration there is no right to claim this service. Available in all major Fujitsu countries, for details please have a look to the country list and Extended Warranty Datasheet as published in the FTS Extranet. This warranty can be purchased for Fujitsu 1500VA Line Interactive Tower and 1500VA Rack / Tower convertible UPS.</p>	S26361-F4542-L112	88,24	
WBEXTWAR3YR-SP-03	<p>36 month Extended Warranty – prolongs the Standard Warranty of the UPS (3 years). Need to be purchased within 90 days after UPS was purchased at Fujitsu and requires activation at APC within 30 days thereafter. Warranty cover time is limited to max. 6 years., , Please note: The Extended Warranty does not provide On-Site repair services; it is a material warranty only, but includes the batterie. Delivery contains CD with warranty information, including the Service Registration Key and the link where to register at APC. Without registration there is no right to claim this service. Available in all major Fujitsu countries, for details please have a look to the country list and Extended Warranty Datasheet as published in the FTS Extranet. This warranty can be purchased for Fujitsu 1500VA Line Interactive Tower and 1500VA Rack / Tower convertible UPS.</p>	S26361-F4542-L122	191,76	



Accessoires Onduleurs

Catégorie	Description	APC Online UPS	MASTERGUARD Online UPS	PY LI UPS	PY Online UPS	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)								
Onduleur/Alimentation								
	Adaptateur APC-UPS WEB Management	x		x		S26113-F80-L30	336,47	
	APC Online UPS RMK D/P/3rd P Racks	x			x	S26361-F2845-L1	202,35	
	WBEXTWAR1YR-SP-05	x		x	x	S26361-F4542-L512	321,18	
	WBEXTWAR3YR-SP-05	x			x	S26361-F4542-L522	720,00	
	WBEXTWAR1YR-SP-06	x			x	S26361-F4542-L812	600,00	
	WBEXTWAR3YR-SP-06	x			x	S26361-F4542-L822	1387,06	
	Câble secteur (F), 1.8m, gris			x		T26139-Y1740-L10	15,29	
	Cordon secteur 16A ICE320 C19->C20		x			S26361-F3151-L300	30,59	
	WBEXTWAR1YR-SP-03			x		S26361-F4542-L112	88,24	
	WBEXTWAR3YR-SP-03			x		S26361-F4542-L122	191,76	
	WBEXTWAR1YR-SP-04	x		x	x	S26361-F4542-L312	155,29	
	WBEXTWAR3YR-SP-04	x		x	x	S26361-F4542-L322	367,06	



**ETERNUS
DX60 - DX100 - DX200 S3**

Evolutifs et unifiés, les systèmes de stockage Fujitsu ETERNUS DX60, DX100 et DX200 S3 offrent des fonctionnalités de classe entreprise pour les petites et moyennes entreprises et les filiales, avec un excellent rapport prix/performances. L'architecture de la gamme ETERNUS DX permet aux clients de bénéficier des options logicielles, telles que le Thin Provisioning, la gestion automatique des classes de stockage (Tiering) et la gestion de la qualité de service (QoS).



**ETERNUS
DX500 S3 - DX600 S3**

Evolutifs et unifiés, les systèmes de stockage Fujitsu ETERNUS DX500 et DX600 S3 offrent une haute performance de stockage de pointe et une gestion automatique de qualité de service (QoS), ce qui permet une utilisation des systèmes optimale et contribue à un rapide retour sur investissement. C'est la solution idéale pour consolider dans une seule baie les grandes applications d'entreprise, leurs bases de données de production et les volumineux entrepôts de données nécessaires à l'analyse et la prise de décision par les directions métiers.



**ETERNUS
JX40 - JX60**

Les ETERNUS JX40 (disques 2.5") et JX60 (disques 3.5") sont des systèmes de stockage à attachement direct (JBOD) qui permettent d'étendre la capacité de stockage des serveurs PRIMERGY



ETERNUS CS200c

L'ETERNUS CS200c est une appliance de protection unifiée des données powered by CommVault Simpana qui est une solution complète de sauvegarde et d'archivage en intégrant matériel optimisé, logiciels et licences . Elle a un modèle Entry de 2 à 24 To de capacité nette et un modèle Scale qui dispose d'une évolutivité de stockage de 6 à 96 To.



ETERNUS CS800 S5

L'ETERNUS CS800 S5 est une solution clé en main pour la protection et la sauvegarde des données avec la fonction de déduplication intégrée. Elle offre une capacité nette de stockage de 4 To à 320 To en connexion NAS, VTL ou OST.



ETERNUS DX60 S3 & ETERNUS DX60 / DX80 / DX90 S2

Fiches produit : <http://fr.fujitsu.com/stockage>

ETERNUS DX60 S3 - La baie de stockage disque idéale pour la PME

Grâce à sa robustesse de fonctionnement et à son prix abordable, l'ETERNUS DX60 S3 est une baie de stockage sur disque idéale pour l'environnement informatique de la PME. Le logiciel d'administration, livré gratuitement, réduit la charge de gestion opérationnelle et fournit des outils pour protéger les données. La capacité de mixer tout type de connexion réseau et de disques dans la même baie apporte une grande liberté de choix pour optimiser une configuration en termes de coût et de performances. Conçue pour être simple à installer dans les environnements informatiques les plus petits, elle offre cependant une capacité d'évolution exceptionnelle en terme de volume de données à stocker. La solution de stockage idéale pour

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
ETERNUS DX60 S3 2.5				
DX60S3 2,5 1xCM 2xFC 8Gb no HD	VALUE FOR YOU ETERNUS DX60 S3 2,5" 1x CM, FC 8G2P,	VFY:DX630XF510IN	3763,53	
DX60S3 2,5 2xCM 4xFC 8Gb 6x600GB10k	VALUE FOR YOU ETERNUS DX60S3 2,5 2xCM 4xFC 8Gb 6x600GB,	VFY:DX630XF511IN	6036,24	
DX60S3 2,5 2xCM 4xSAS2 6x600GB10k	VALUE FOR YOU ETERNUS DX60S3 2,5 2xCM 4xSAS2 6x600GB,	VFY:DX630XF512IN	5589,53	
DX60S3 2,5 2xCM 4x1Gb iSCSI 6x600GB10k	VALUE FOR YOU ETERNUS DX60S3 2,5 2xCM 4x1Gb iSCSI 6x600GB,	VFY:DX630XF513IN	6017,07	
DX60S3 2,5 2xCM 4xSAS2 10x900GB 10k	VALUE FOR YOU ETERNUS DX60S3 2,5 2xCM 4xSAS2, 10x900GB 10k,	VFY:DX630XF514IN	7645,88	
DX60S3 2,5 2xCM 4xFC 8Gb 10x600GB 10k	VALUE FOR YOU ETERNUS DX60S3 2,5 2xCM 4xFC 8Gb, 10x600GB 10k,	VFY:DX630XF515IN	7057,65	
DX60S3 2,5 1xCM 2x10G-T no Disk	VALUE FOR YOU ETERNUS DX60S3 2,5 1xCM 2x10G-T iSCSI, no Disk	VFY:DX630XF516IN	3400,24	
DX60 S3 2,5 2xCM 4x10Gb-T 4x1,8TB10 SAS	VALUE FOR YOU ETERNUS DX60S3 2,5 2xCM 4x10G-T iSCSI, 4x1,8TB10 SAS Disk	VFY:DX630XF517IN	7430,59	
DX60S3 2,5 2xCM 4xFC 8Gb 4x900GB 10k	VALUE FOR YOU ETERNUS DX60S3 2,5 2xCM 4xFC 8Gb, 4x900G 10k SAS Disk	VFY:DX630XF518IN	5430,59	
DX60 S3 2,5 2xCM 4x10Gb-T 4x900GB 10k	VALUE FOR YOU ETERNUS DX60S3 2,5 2xCM 4xFC 10Gb-T, 4x900G 10k SAS Disk	VFY:DX630XF519IN	5981,18	
DX60S3 2,5 2xCM 4xFC 8Gb no HD	VALUE FOR YOU ETERNUS DX60S3 2.5, 2x Co, 2xDB FC 8G2P	VFY:DX630XF520IN	5038,15	
DX60 S3 2,5 2xCM 4x1Gb-T 4x900GB 10k	VALUE FOR YOU ETERNUS DX60S3 2.5, 2x CM, 4x1Gb-T, 4x 900GB 10K	VFY:DX630XF521IN	5951,00	
DX60 S3 2,5 2xCM 4xSAS2 4x900GB 10k	VALUE FOR YOU ETERNUS DX60S3 2.5, 2x CM, 4xSAS2, 4x 900GB 10K	VFY:DX630XF522IN	5487,00	
DX60S3 2,5 1xCM 2x1Gb iSCSI no HD	VALUE FOR YOU ETERNUS DX60S3 2.5. 1x Co, 1xDB iSCSI 1G2P	VFY:DX630XF530IN	3529,41	
DX60S3 2,5 2xCM 4x1Gb iSCSI no HD	VALUE FOR YOU ETERNUS DX60S3 2.5. 2x Co, 2xDB iSCSI 1G2P	VFY:DX630XF540IN	5020,46	
DX60S3 2,5 2xCM 4x1Gb iSCSI 2x600GB10k	VALUE FOR YOU ETERNUS DX60 S3 2,5 2xiSCSI 2x600GB	VFY:DX630XF550IN	5353,65	
DX60S3 2,5 2xCM 4x1Gb iSCSI 2x1,2TB	VALUE FOR YOU ETERNUS DX60 S3 2,5 2xiSCSI 2x1.2TB	VFY:DX630XF560IN	5555,62	
DX60S3 2,5 2xCM 4xSAS2 2x600GB10k	VALUE FOR YOU ETERNUS DX60 S3 2,5 2xSAS 2x600GB	VFY:DX630XF570IN	4924,64	
DX60S3 2,5 2xCM 4xSAS2 2x1,2TB	VALUE FOR YOU ETERNUS DX60 S3 2,5 2xSAS 2x1.2TB	VFY:DX630XF580IN	5126,61	
DX60S3 2,5 1xCM 2xSAS2 no HD	VALUE FOR YOU ETERNUS DX60S3 2.5, 1x Co, 1xDB SAS 6G2P	VFY:DX630XF590IN	3186,47	

ETERNUS DX60 S3 3.5



ETERNUS DX60 S3 & ETERNUS DX60 / DX80 / DX90 S2 Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
ETERNUS DX60 S3 3.5 (Suite)				
DX60S3 3,5 1xCM 2xFC 8Gb no HD	VALUE FOR YOU ETERNUS DX60 S3 3,5" 1x Co, 1xDB FC 8G2P,	VFY:DX630XF010IN	3414,67	
DX60S3 3,5 2xCM 4x1Gb iSCSI 2x2TB	VALUE FOR YOU ETERNUS DX60S3 3,5 2xiSCSI 1G 2x2TB,	VFY:DX630XF020IN	5393,14	
DX60S3 3,5 2xCM 4x1Gb iSCSI 6x2TB	VALUE FOR YOU ETERNUS DX60S3 3,5 2xCM 4x1Gb iSCSI 6x2TB,	VFY:DX630XF030IN	6130,28	
DX60S3 3,5 2xCM 4xSAS2 6x2TB	VALUE FOR YOU ETERNUS DX60S3 3,5 2xCM 4xSAS2 6x2TB,	VFY:DX630XF040IN	5701,27	
DX60S3 3,5 1xCM 2xSAS2 6x2TB	VALUE FOR YOU ETERNUS DX60S3 3,5 1xCM 2xSAS2 6x2TB,	VFY:DX630XF050IN	4037,65	
DX60S3 3,5 1xCM 2x1Gb iSCSI no Disk	VALUE FOR YOU ETERNUS DX60S3 3,5 1xCM 2x1Gb iSCSI no Disk,	VFY:DX630XF060IN	3561,89	
DX60S3 3,5 1xCM 2x10G-T no Disk	VALUE FOR YOU ETERNUS DX60S3 3,5 1xCM 2x2x10G-T iSCSI no Disk,	VFY:DX630XF070IN	3445,63	

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
ETERNUS DX60 S2 3.5 Expa				
ET DX60 S2 DriveEncl. 3.5 EXP Mod. x1	Drive enclosure for DX60 S2 (3.5inch, single-expander type), (Field upgrade only!), , 1x 3.5" Drive Enclosure, 1x Expander, 1x mini SAS cable 0.75m, 2x Power Supply, 2x AC cable , 1x Rackmount Kitit	FTS:ETEED1DU-L	2145,88	
ET DX60 S2 DriveEncl. 3.5 EXP Mod. x2	Drive enclosure for DX60 S2 (3.5inch, dual-expander type), (Field upgrade only!), , 1x 3.5" Drive Enclosure, 1x Expander, 1x mini SAS cable 0.75m, 2x Power Supply, 2x AC cable , 1x Rackmount Kitit	FTS:ETEED2DU-L	2932,94	
ETERNUS DX60 S3 2.5				
ET DX60 S3 Base 2.5	The ETERNUS DX60 S3 Base 2,5" with 2U footprint provides, 24x slots (empty) for HDD, 2x slots (empty) for Ctrl. Module (CM), 2x Power Supply installed, Note: Encryption off, , Scope of delivery, Hardware:., 1x 2.5" Ctrl. Enclosure DX60 S3, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 1x Setup Poster, Info Sheet, Manual CD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Rackmount Kit, , Software:., 1x ET SF V16 and DVD license agreement paper, 1x DX S3 ETERNUS SF V16 DVD set, 1x SF-Trial License paper for ACM Copy and Storage Cruiser Standard (42 Days), , ,	FTS:ET063AU	1734,31	
ETERNUS DX60 S3 2.5 Expa				



ETERNUS DX60 S3 & ETERNUS DX60 / DX80 / DX90 S2 Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
ETERNUS DX60 S3 2.5 Expa (Suite)				
ET DX60 S3 DriveEncl. 2.5" IO Mod.x2	ETERNUS DX60 S3 2.5" Drive Enclosure (DE) with 2U footprint provides , 24x slots (empty) for HDD, 2x IO Modul, 2x Power Supply, 2x SAS Cable, , Scope of delivery, Hardware:, 1x 2.5" Drive Enclosure DX60 S3, 2x IO Module 12G, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 2x SAS Cable 0.75m mini SAS HD-mini SAS HD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Setup Poster, 1x Rackmount Kit, , Software:, n/a, , Maintenance:	FTS:ETFEAD2U	2874,12	
ET DX60 S3 DriveEncl. 2.5" IO Mod.x1	ETERNUS DX60 S3 2.5" Drive Enclosure (DE) with 2U footprint provides , 24x slots (empty) for HDD, 1x IO Modul, 2x Power Supply, 2x SAS Cable, , Scope of delivery, Hardware:, 1x 2.5" Drive Enclosure DX60 S3, 1x IO Module 12G, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 1x SAS Cable 0.75m mini SAS HD-mini SAS HD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Setup Poster, 1x Rackmount Kit, , Software:, n/a, , Maintenance:	FTS:ETFEAS2U	2382,35	
ETERNUS DX60 S3 2.5 Field				
ET DX60 S3 DriveEncl. 2.5" IO Mod.x2	ETERNUS DX60 S3 2.5" Drive Enclosure (DE) with 2U footprint provides , 24x slots (empty) for HDD, 2x IO Modul, 2x Power Supply, 2x SAS Cable, , Scope of delivery, Hardware:, 1x 2.5" Drive Enclosure DX60 S3, 2x IO Module 12G, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 2x SAS Cable 0.75m mini SAS HD-mini SAS HD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Setup Poster, 1x Rackmount Kit, , Software:, n/a, , Maintenance:	FTS:ETFEAD2U-L	2874,12	
ET DX60 S3 DriveEncl. 2.5" IO Mod.x1	ETERNUS DX60 S3 2.5" Drive Enclosure (DE) with 2U footprint provides , 24x slots (empty) for HDD, 1x IO Modul, 2x Power Supply, 2x SAS Cable, , Scope of delivery, Hardware:, 1x 2.5" Drive Enclosure DX60 S3, 1x IO Module 12G, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 1x SAS Cable 0.75m mini SAS HD-mini SAS HD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Setup Poster, 1x Rackmount Kit, , Software:, n/a, , Maintenance:	FTS:ETFEAS2U-L	2382,35	
ETERNUS DX60 S3 3.5				
ET DX60 S3 Base 3.5	The ETERNUS DX60 S3 Base 3,5" with 2U footprint provides, 12x slots (empty) for HDD, 2x slots (empty) for Ctrl. Module (CM), 2x Power Supply installed, Note: Encryption off, , Scope of delivery, Hardware:, 1x 3.5" Ctrl. Enclosure DX60 S3, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 1x Setup Poster, Info Sheet, Manual CD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Rackmount Kit, , Software:, 1x ET SF V16 and DVD license agreement paper, 1x DX S3 ETERNUS SF V16 DVD set, 1x SF-Trial License paper for ACM Copy and Storage Cruiser Standard (42 Days), , ,	FTS:ET063BU	1741,37	



ETERNUS DX60 S3 & ETERNUS DX60 / DX80 / DX90 S2 Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
ETERNUS DX60 S3 3.5 (Suite)				
ETERNUS DX60 S3 3.5 Expa				
ET DX60 S3 DriveEncl. 3.5 IO Mod. x2	Drive enclosure for DX60 S3 (3.5inch, dual-expander type), 1x 3.5" Drive Enclosure, 2x Expander, 2x mini SAS cable 0.75m, 2x Power Supply, 2x AC cable , 1x Rackmount Kitit	FTS:ETFEDDU	2767,06	
ET DX60 S3 DriveEncl. 3.5 IO Mod. x1	Drive enclosure for DX60 S3 (3.5inch, single-expander type), 1x 3.5" Drive Enclosure, 1x Expander, 1x mini SAS cable 0.75m, 2x Power Supply, 2x AC cable , 1x Rackmount Kitit	FTS:ETFEDSU	2280,00	
ETERNUS DX60 S3 3.5 Field				
ET DX60 S3 DriveEncl. 3.5 IO Mod. x2	Drive enclosure for DX60 S3 (3.5inch, dual-expander type), (Field upgrade only!), , 1x 3.5" Drive Enclosure, 2x Expander, 2x mini SAS cable 0.75m, 2x Power Supply, 2x AC cable , 1x Rackmount Kitit	FTS:ETFEDDU-L	2767,06	
ET DX60 S3 DriveEncl. 3.5 IO Mod. x1	Drive enclosure for DX60 S3 (3.5inch, single-expander type), (Field upgrade only!), , 1x 3.5" Drive Enclosure, 1x Expander, 1x mini SAS cable 0.75m, 2x Power Supply, 2x AC cable , 1x Rackmount Kitit	FTS:ETFEDSU-L	2280,00	
ETERNUS DX600 S3				
ETERNUS DX600 S3 Base (CE) w 2 Cntrl.	The ETERNUS DX600 Base (HDD less) with 3U footprint provides , 2x Ctrl. Module, (CM), 2x Power Supply, No Channel Adapter installed, Scope of delivery, Hardware:, 1x 3U Ctrl. Enclosure (CE) DX500, 2x DX600 S3 Ctrl. Module, 2x Power Supply (100-240VAC) , 2x Power Cable 2.5m, 10A (2x Rack Power Plug) , 1x Setup Poster, Info Sheet, Manual CD, 1x Rackmount Kit, Software: , 1x ET SF V16 and DVD license agreement (paper) , 1x DX S3 ETERNUS SF V16 DVD set, 1x SF-Trial License paper for ACM Copy and StorageCruiser Standard (42 Days), Maintenance:	FTS:ET603SAU	46875,29	
ETERNUS DX8090 S2 2.5 Expa				
ET DX8090 S2 DriveEncl. 2.5 IO Mod. x1	(Field upgrade only!), , • Drive Enclosure x 1, - Expander (SAS port) x 1, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS cable (0.75m) x 1, • Rack mount kit x 1	FTS:ETEAD1CU-L	2624,71	
ET DX8090 S2 DriveEncl. 2.5 IO Mod. x2	(Field upgrade only!), , • Drive Enclosure x 1, - Expander (SAS port) x 2, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS cable (0.75m) x 2, • Rack mount kit x 1 ,	FTS:ETEAD2CU-L	3485,88	
ET DX8090 S2 DriveEncl. 2.5 IO Mod. x1	, • Drive Enclosure x 1, - Expander (SAS port) x 1, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS cable (0.75m) x 1, • Rack mount kit x 1	FTS:ETEAD1CU	2624,71	
ET DX8090 S2 DriveEncl. 2.5 IO Mod. x2	, • Drive Enclosure x 1, - Expander (SAS port) x 2, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS cable (0.75m) x 2, • Rack mount kit x 1 ,	FTS:ETEAD2CU	3485,88	
ETERNUS DX8090 S2 3.5 Expa				
ET DX8090 S2 DriveEncl. 3.5 IO Mod. x1	, • Drive Enclosure x 1, - Expander (SAS port) x 1, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS cable (0.75m) x 1, • Rack mount kit x 1	FTS:ETEAD1DU-L	2594,12	
ET DX8090 S2 DriveEncl. 3.5 IO Mod. x2	, • Drive Enclosure x 1, - Expander (SAS port) x 2, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS cable (0.75m) x 2, • Rack mount kit x 1	FTS:ETEAD2DU-L	3369,41	



ETERNUS DX60 S3 & ETERNUS DX60 / DX80 / DX90 S2 Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
ETERNUS DX8090 S2 3.5 Expa (Suite)				
ET DX8090 S2 DriveEncl. 3.5 IO Mod. x1	, • Drive Enclosure x 1, - Expander (SAS port) x 1, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS cable (0.75m) x 1, • Rack mount kit x 1	FTS:ETEAD1DU	2594,12	
ET DX8090 S2 DriveEncl. 3.5 IO Mod. x2	, • Drive Enclosure x 1, - Expander (SAS port) x 2, - Power Supply Unit x 2, • AC cable (AC200 - 240V, 2.5m) x 2, • miniSAS cable (0.75m) x 2, • Rack mount kit x 1	FTS:ETEAD2DU	3369,41	



ETERNUS DX410 / 440 S2

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
ETERNUS DX440 S2				
ETERNUS DX4x0S2 DE 2.5 2xIO 24x600GB	Drive enclosure for DX4x0 S2 (2.5inch), - Drive Enclosure 2.5" x 1, - I/O-Modul x 2, - QSFP cable 1.1m x 2, - Power Supply x 2, - AC cable (2.5m) x 2, - Rackmount Kit x 1	FTS:ET40AP-DE24600	14307,06	
ETERNUS DX4xx S2 2.5 Expa				
ET DX4x0 S2 DriveEncl. 2.5 IO Mod. x2	Drive enclosure for DX4x0 S2 (2.5inch) (Field upgrade only!), - Drive Enclosure 2.5" x 1, - I/O-Modul x 2, - QSFP cable 1.1m x 2, - Power Supply x 2, - AC cable (2.5m) x 2, - Rackmount Kit x 1	FTS:ETNAD2CU-L	4996,76	
ETERNUS DX4xx S2 - Boîtier Disque 2.5" - 2x Module	ETERNUS DX4xxx - Boîtier disque 2.5" - 2x Module I/O - 2x câbles QSFP (1,1m) - 2x Alimentations - 2x câbles AC (2,5m) - Kit de montage en rack	FTS:ETNAD2CU	4996,76	
ETERNUS DX4xx S2 3.5 Expa				
ET DX4x0 S2 DriveEncl. 3.5 IO Mod. x2	Drive enclosure for DX4x0 S2 (3.5inch) (Field upgrade only!), - Drive Enclosure 3.5" x 1, - I/O-Modul x 2, - QSFP cable 1.1m x 2, - Power Supply x 2, - AC cable (2.5m) x 2, - Rackmount Kit x 1	FTS:ETNAD2DU-L	4803,57	
ETERNUS DX4xx S2 - Boîtier Disque 3.5" - 2x Module	ETERNUS DX4xxx - Boîtier disque 3.5" - 2x Module I/O - 2x câbles QSFP (1,1m) - 2x Alimentations - 2x câbles AC (2,5m) - Kit de montage en rack	FTS:ETNAD2DU	4803,57	



ETERNUS DX100 S3

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
ETERNUS DX100 S3 2.5				
DX100S3 2.5,2xCo,2xDB FC8G2P,10x1TB	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 2x Daughter Bord FC 8G2P, 10x 1TB Disk	VFY:DX130XF510IN	10387,06	
DX100S3 2.5,1xCo,1xDB iSCSI1G2P no Disks	VALUE FOR YOU ETERNUS DX100 S3 2.5" 1x Ctrl., 1x Daughter Bord iSCSI 1G2P, no disks	VFY:DX130XF511IN	4704,71	
DX100S3 2.5,2xCo,2xDBiSCSI 1G2P no Disks	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 2x Daughter Bord iSCSI 1G2P, no disks	VFY:DX130XF512IN	7564,38	
DX100S3 2.5,2xCo,2xDB iSCSI10G2Pno Disks	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 2x Daughter Bord iSCSI 10G2P, no disks	VFY:DX130XF513IN	7218,82	
DX100S3 2.5,2Co,4x FC16G,10x 600GB 10k	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 4x ChannelAdapter FC16G2P, 10x 600GB 10k	VFY:DX130XF514IN	9998,82	
DX100S3 2.5,2xCo,2xDBiSCSI10G,10x1.2 TB10	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 2x ChannelAdapter iSCSI 10G2P, 10x 1.2TB 10k	VFY:DX130XF515IN	10587,06	
DX100S3 2.5,2x Co,2xDB FC8G2P,4x900GB10	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 2x CA FC8GB 2P, 4x 900GB 10k	VFY:DX130XF516IN	8494,12	
DX100S3 2.5,2x Co,4x FC16G,no disk	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 4x CA FC16GB 2P, no disk	VFY:DX130XF517IN	8136,00	
DX100S3 2.5,2x Co,4x SAS 6G,no disk	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 4x CA SAS 2P, no disk	VFY:DX130XF518IN	7164,00	
DX100S3 2.5,2xCo,2xDB FC8G2P,10x1TB	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 2x Daughter Bord FC 8G2P, 10x 1TB Disk, No data encryption function!	VFY:DX130XF51E0IN	10387,06	
DX100S3 2.5,2Co, 2x DB FC8G2P,12x300GB10	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 2x Daughter Bord FC 8G2P, 12x 300GB/10K Disk	VFY:DX130XF520IN	8987,06	
DX100S3 2.5,2Co, 2x DB FC8G2P,12x300GB10	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 2x Daughter Bord FC 8G2P, 12x 300GB/10K Disk, No data encryption function!	VFY:DX130XF52E0IN	8987,06	
DX100S3 2.5,2x Co,2xDB FC8G2P,10x600GB10	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 2x Daughter Bord FC 8G2P, 10x 600GB/10K Disk	VFY:DX130XF530IN	9827,06	
DX100S3 2.5,2x Co,2xDB FC8G2P,10x600GB10	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 2x Daughter Bord FC 8G2P, 10x 600GB/10K Disk, No data encryption function!	VFY:DX130XF53E0IN	9827,06	
DX100S3 2.5,2xCo,4x DBFC8G2P,10x 600GB10	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 4x Daughter Bord FC 8G2P, 10x 600GB/10K Disk	VFY:DX130XF540IN	11202,35	
DX100S3 2.5,2xCo,2x DBiSCSI10G,10x600G10	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 2x Daughter Bord iSCSI 10G2P, 10x 600GB/10K Disk	VFY:DX130XF550IN	10881,18	
DX100S3 2.5,2xCo,2x DBiSCSI10G,10x600G10	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 2x Daughter Bord iSCSI 10G2P, 10x 600GB/10K Disk, No data encryption function!	VFY:DX130XF55E0IN	10881,18	
DX100S3 2.5,2xCo,4xDBiSCSI10G,10x600 G10k	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 4x Daughter Bord iSCSI 10G2P, 10x 600GB/10K Disk	VFY:DX130XF560IN	13310,59	
DX100S3 2.5,2xCo,2xDBiSCSI1G,2x600G10k	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 2x Daughter Bord iSCSI 1G2P, 2x 600GB/10K Disk	VFY:DX130XF570IN	7897,57	
DX100S3 2.5,2x Co,2xDB FC8G2P no Disks	VALUE FOR YOU ETERNUS DX100 S3 2.5" 2x Ctrl., 2x Daughter Bord FC 8G2P, no disks	VFY:DX130XF580IN	7411,06	



ETERNUS DX100 S3		Fiches produit : http://fr.fujitsu.com/stockage	
DX100S3 2.5,1x Co,1xDB FC8G2P no Disks	VALUE FOR YOU ETERNUS DX100 S3 2.5" 1x Ctrl., 1x Daughter Bord FC 8G2P, no disks	VFY:DX130XF590IN	4822,35
ETERNUS DX100 S3 3.5			
DX100S3 3.5,1x Co,2xDB iSCSI 1G,2X3TB	VALUE FOR YOU ETERNUS DX100 S3 3.5" 1x Ctrl., 2x CA iSCSI 1G2P, 2x 3TB Disk	VFY:DX130XF010IN	5647,06
DX100S3 3.5,2xCo,4xDB iSCSI 1G,12x2TB	VALUE FOR YOU ETERNUS DX100 S3 3.5" 2x Ctrl., 4x CA iSCSI 1G2P, 12x 2TB Disk	VFY:DX130XF020IN	10601,18



ETERNUS DX100 S3 Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
-------------	---------	-----------	--------------------	-----------

Configurations Standards

ETERNUS DX100 S3 3.5 (Suite)

DX100S3 3.5,1xCM,1xCA FC8G2P, no Disk	VALUE FOR YOU ETERNUS DX100 S3 3.5" 1xCA FC8G2P, no Disk	VFY:DX130XF030IN	5855,70	
DX100S3 3.5,1xCM,1xCA iSCSI1G2P,no Disk	VALUE FOR YOU ETERNUS DX100 S3 3.5" 1xCA iSCSI1G2P,no Disk	VFY:DX130XF040IN	5547,57	

Description	Détails	Référence	Prix Indicatif (€)	Remarques
-------------	---------	-----------	--------------------	-----------

Unités de Base

ETERNUS DX100 S3 2.5

DX100 S3 Base Encl 2.5" (CE) wo Cntrl.	The ETERNUS DX100 Base 2,5" with 2U footprint provides, 24x slots (empty) for HDD, 2x slots (empty) for Ctrl. Module (CM), 2x Power Supply installed, , Scope of delivery, Hardware:, 1x 2.5" Ctrl. Enclosure DX100, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 1x Setup Poster, Info Sheet, Manual CD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Rackmount Kit, , Software:, 1x ET SF V16 and DVD license agreement paper, 1x DX S3 ETERNUS SF V16 DVD set, 1x SF-Trial License paper for ACM Copy and Storage Cruiser Standard (42 Days), , Maintenance:;	FTS:ET103AU	3588,26	
--	--	-------------	---------	--

ETERNUS DX100 S3 3.5

DX100 S3 Base Encl 3.5" (CE) wo Cntrl.	The ETERNUS DX100 Base 3,5" with 2U footprint provides, 12x slots (empty) for HDD, 2x slots (empty) for Ctrl. Module (CM), 2x Power Supply installed, , Scope of delivery, Hardware:, 1x 3.5" Ctrl. Enclosure DX100, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 1x Setup Poster, Info Sheet, Manual CD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Rackmount Kit, , Software:, 1x ET SF V16 and DVD license agreement paper, 1x DX S3 ETERNUS SF V16 DVD set, 1x SF-Trial License paper for ACM Copy and Storage Cruiser Standard (42 Days), , Maintenance:;	FTS:ET103BU	3542,56	
--	--	-------------	---------	--



ETERNUS DX200 S3 Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
ETERNUS DX200 S3 2.5				
DX200S3 2.5,1xCM,1xCA FC8G2P, no Disks	VALUE FOR YOU ETERNUS DX200 S3 2.5" 1xCM,1xCA FC8G2P, no Disks	VFY:DX230XF511IN	7780,00	
DX200S3 2.5,1xCM,1xCAiSCSI1G2P, no Disks	VALUE FOR YOU ETERNUS DX200 S3 2.5" 1xCM,1xCAiSCSI1G2P, no Disks	VFY:DX230XF512IN	7485,88	
DX200S3 2.5,2xCo,2x DBFC8G2P,10x 600G10k	VALUE FOR YOU ETERNUS DX200 S3 2.5" 2x Ctrl., 2x CA FC 8G2P, 10x 600GB/10k Disk	VFY:DX230XF520IN	14371,76	
DX200S3 2.5,2xCo,4xDBFC8G2P,10x 600GB10k	VALUE FOR YOU ETERNUS DX200 S3 2.5" 2x Ctrl., 4x CA FC 8G2P, 10x 600GB/10k Disk	VFY:DX230XF530IN	15745,88	
DX200S3 2.5,2xCo,2xDBiSCSI10G,10x600G B10	VALUE FOR YOU ETERNUS DX200 S3 2.5" 2x Ctrl., 2x CA iSCSI 10G2P, 10x 600GB/10k Disk	VFY:DX230XF540IN	15425,88	
DX200S3 2.5,2xCo,4xDBiSCSI10G,10x600G B10	VALUE FOR YOU ETERNUS DX200 S3 2.5" 2x Ctrl., 4x CA iSCSI 10G2P, 10x 600GB/10k Disk	VFY:DX230XF550IN	17854,12	
DX200S3 2.5,2xCo,4xDBiSCSI1G,24x300GB 10k	VALUE FOR YOU ETERNUS DX200 S3 2.5" 2x Ctrl., 4x CA iSCSI 1G2P, 24x 300GB/10k Disk	VFY:DX230XF560IN	15829,41	
DX200S3 2.5,2xCo,4xDBFC8G2P,24x300GB 10k	VALUE FOR YOU ETERNUS DX200 S3 2.5" 2x Ctrl., 4x CA FC 8G2P, 24x 300GB/10k Disk	VFY:DX230XF570IN	17004,71	
DX200S3 2.5,2xCo,4xDBiSCSI1G,12x600GB 10k	VALUE FOR YOU ETERNUS DX200 S3 2.5" 2x Ctrl., 4x CA iSCSI 1G2P, 12x 600GB/10k Disk	VFY:DX230XF580IN	15158,82	
ETERNUS DX200 S3 3.5				
DX200S3 3.5,1xCM,1xCA FC8G2P, no Disk	VALUE FOR YOU ETERNUS DX200 S3 3.5" 1xCM,1xCA FC8G2P, no Disk	VFY:DX230XF010IN	6687,06	
DX200S3 3.5,1xCM,1xCAiSCSI1G 2P,no Disks	VALUE FOR YOU ETERNUS DX200 S3 3.5" 1xCM,1xCAiSCSI1G 2P,no Disks	VFY:DX230XF020IN	6420,00	

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
ETERNUS DX200 S3 2.5				



ETERNUS DX200 S3		Fiches produit : http://fr.fujitsu.com/stockage	
DX200 S3 Base Encl 2.5" (CE) wo Cntrl.	<p>The ETERNUS DX200 Base 2,5" with 2U footprint provides, 24x slots (empty) for HDD, 2x slots (empty) for Ctrl. Module (CM), 2x Power Supply installed, , Scope of delivery, Hardware:., 1x 2.5" Ctrl. Enclosure DX200, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 1x Setup Poster, Info Sheet, Manual CD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Rackmount Kit, , Software:., 1x ET SF V16 and DVD license agreement paper, 1x DX S3 ETERNUS SF V16 DVD set, 1x SF-Trial License paper for ACM Copy and Storage Cruiser Standard (42 Days), , Maintenance:</p>	FTS:ET203AU	4690,59
ETERNUS DX200 S3 3.5			



ETERNUS DX200 S3 Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
ETERNUS DX200 S3 3.5 (Suite)				
DX200 S3 Base Encl 3.5" (CE) wo Cntrl.	The ETERNUS DX200 Base 3,5" with 2U footprint provides, 12x slots (empty) for HDD, 2x slots (empty) for Ctrl. Module (CM), 2x Power Supply installed, , Scope of delivery, Hardware:, 1x 3.5" Ctrl. Enclosure DX200, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 1x Setup Poster, Info Sheet, Manual CD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Rackmount Kit, , Software:, 1x ET SF V16 and DVD license agreement paper, 1x DX S3 ETERNUS SF V16 DVD set, 1x SF-Trial License paper for ACM Copy and Storage Cruiser Standard (42 Days), , Maintenance:	FTS:ET203BU	4209,41	
ETERNUS DX200F S3 2.5 (1.6TB)				
DX200F w 2xCM 2x8G Cache 5x1.6TB SSD	The ETERNUS DX200F Base 2,5" with 2U footprint provides, 5x SSD slots installed with SSD 1.6TB, 19x slots (empty) , 2x slots installed with Ctrl. Module (CM), 2x Power Supply installed, , Scope of delivery, Hardware:, 2x 2.5" Ctrl. Enclosure DX200, 2x 2x 4GB Cache (each CM 8GB), 5x SSD 1.6TB, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 1x Setup Poster, Info Sheet, Manual CD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Rackmount Kit, , Software:, 1x ET SF V16 and DVD license agreement paper, 1x DX S3 ETERNUS SF V16 DVD set, 1x SF-Trial License paper for ACM Copy and Storage Cruiser Standard (42 Days), , Maintenance:;, ,	FTS:ET203CFBU	31510,59	
ETERNUS DX200F S3 2.5 (800GB)				
DX200F w 2xCM 2x8G Cache 5x800GB SSD	The ETERNUS DX200F Base 2,5" with 2U footprint provides, 5x SSD slots installed with SSD 800GB, 19x slots (empty) , 2x slots installed with Ctrl. Module (CM), Spinner Type2, 2x Power Supply installed, , Scope of delivery, Hardware:, 2x 2.5" Ctrl. Enclosure DX200 (Spinner Type2), 2x 2x 4GB Cache (each CM 8GB), 5x SSD 800GB, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 1x Setup Poster, Info Sheet, Manual CD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Rackmount Kit, , Software:, 1x ET SF V16 and DVD license agreement paper, 1x DX S3 ETERNUS SF V16 DVD set, 1x SF-Trial License paper for ACM Copy and Storage Cruiser Standard (42 Days), , Maintenance:;, ,	FTS:ET203CFAU	22216,47	



ETERNUS DX100/200 S3 Drive Enclosure

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
ETERNUS HD-DE DX1/200 Expa				
ET DX1/200S3 HD-DEnc. 3.5 12G IOMod.x2	Drive enclosure for DX100 S3/DX200 S3 12Gbit/s, (3.5inch, dual-IOM type), 1x 3.5" High Density - Drive Enclosure, 2x IOM, 2x miniSAS-HD cable 3.5m, 4x Power Supply, 2x AC cable 4m, 2x AC cable 2,5m, 1x Rackmount Kit, , No Mounting Bracket for FJ Primecenter Rack included!	FTS:ETFEEDU	13835,29	
ETERNUS HD-DE DX1/200 Field				
ET DX1/200S3 HD-DEnc. 3.5 12G IOMod.x2	Drive enclosure for DX100 S3/DX200 S3 12Gbit/s, (3.5inch, dual-IOM type), 1x 3.5" High Density - Drive Enclosure, 2x IOM, 2x miniSAS-HD cable 3.5m, 4x Power Supply, 2x AC cable 4m, 2x AC cable 2,5m, 1x Rackmount Kit, , No Mounting Bracket for FJ Primecenter Rack included!	FTS:ETFEEDU-L	13835,29	
ETERNUS DX1/200 S3 2.5DE Expa				
DX1/200 S3 Drive Encl 2.5" w 2x IO Mod.	ETERNUS DX100 S3 / DX200 S3 2.5" Drive Enclosure (DE) with 2U footprint provides , 24x slots (empty) for HDD, 2x IO Modul, 2x Power Supply, 2x SAS Cable, , Scope of delivery, Hardware:, 1x 2.5" Drive Enclosure DX100 S3/ DX200 S3, 2x IO Module 12G, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 2x SAS Cable 0.75m mini SAS HD-mini SAS HD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Setup Poster, 1x Rackmount Kit, , Software:, n/a, , Maintenance: ,	FTS:ETFEADU	2874,12	
DX1/200 S3 Drive Encl 2.5" w 1x IO Mod.	ETERNUS DX100 S3 / DX200 S3 2.5" Drive Enclosure (DE) with 2U footprint provides , 24x slots (empty) for HDD, 1x IO Modul, 2x Power Supply, 1x SAS cable, , Scope of delivery, Hardware:, 1x 2.5" Drive Enclosure DX100 S3/ DX200 S3, 1x IO Module 12G, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 1x SAS Cable 0.75m mini SAS HD-mini SAS HD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Setup Poster, 1x Rackmount Kit, , Software:, n/a, , Maintenance: ,	FTS:ETFEASU	2382,35	
ETERNUS DX1/200 S3 2.5DE Field				
DX1/200 S3 Drive Encl 2.5" w 2x IO Mod.	ETERNUS DX100 S3 / DX200 S3 2.5" Drive Enclosure (DE) with 2U footprint provides , 24x slots (empty) for HDD, 2x IO Modul, 2x Power Supply, 2x SAS Cable, , Scope of delivery, Hardware:, 1x 2.5" Drive Enclosure DX100 S3/ DX200 S3, 2x IO Module 12G, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 2x SAS Cable 0.75m mini SAS HD-mini SAS HD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Setup Poster, 1x Rackmount Kit, , Software:, n/a, , Maintenance: ,	FTS:ETFEADU-L	2874,12	
DX1/200 S3 Drive Encl 2.5" w 1x IO Mod.	ETERNUS DX100 S3 / DX200 S3 2.5" Drive Enclosure (DE) with 2U footprint provides , 24x slots (empty) for HDD, 1x IO Modul, 2x Power Supply, 1x SAS cable, , Scope of delivery, Hardware:, 1x 2.5" Drive Enclosure DX100 S3/ DX200 S3, 1x IO Module 12G, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 1x SAS Cable 0.75m mini SAS HD-mini SAS HD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Setup Poster, 1x Rackmount Kit, , Software:, n/a, , Maintenance: ,	FTS:ETFEASU-L	2382,35	
ETERNUS DX1/200 S3 3.5DE Expa				



ETERNUS DX100/200 S3 Drive Enclosure		Fiches produit : http://fr.fujitsu.com/stockage	
DX1/200 S3 Drive Encl 3.5" w 2x IO Mod.	ETERNUS DX100 S3 / DX200 S3 3.5" Drive Enclosure (DE) with 2U footprint provides , 12x slots (empty) for HDD, 2x IO Modul, 2x Power Supply, 2x SAS cable, , Scope of delivery, Hardware:, 1x 3.5" Drive Enclosure DX100 S3/ DX200 S3, 2x IO Module 12G, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 2x SAS Cable 0.75m mini SAS HD-mini SAS HD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Setup Poster, 1x Rackmount Kit, , Software:, n/a, , Maintenance: ,	FTS:ETFEBDU	2768,24



ETERNUS DX100/200 S3 Drive Enclosure

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
ETERNUS DX1/200 S3 3.5DE Expa (Suite)				
DX1/200 S3 Drive Encl 3.5" w 1x IO Mod.	ETERNUS DX100 S3 / DX200 S3 3.5" Drive Enclosure (DE) with 2U footprint provides , 12x slots (empty) for HDD, 1x IO Modul, 2x Power Supply, 1x SAS cable, , Scope of delivery, Hardware:, 1x 3.5" Drive Enclosure DX100 S3/ DX200 S3, 1x IO Module 12G, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 1x SAS Cable 0.75m mini SAS HD-mini SAS HD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Setup Poster, 1x Rackmount Kit, , Software:, n/a, , Maintenance: ,	FTS:ETFEBUSU	2280,00	
ETERNUS DX1/200 S3 3.5DE Field				
DX1/200 S3 Drive Encl 3.5" w 2x IO Mod.	ETERNUS DX100 S3 / DX200 S3 3.5" Drive Enclosure (DE) with 2U footprint provides , 12x slots (empty) for HDD, 2x IO Modul, 2x Power Supply, 2x SAS cable, , Scope of delivery, Hardware:, 1x 3.5" Drive Enclosure DX100 S3/ DX200 S3, 2x IO Module 12G, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 2x SAS Cable 0.75m mini SAS HD-mini SAS HD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Setup Poster, 1x Rackmount Kit, , Software:, n/a, , Maintenance: ,	FTS:ETFEBDU-L	2768,24	
DX1/200 S3 Drive Encl 3.5" w 1x IO Mod.	ETERNUS DX100 S3 / DX200 S3 3.5" Drive Enclosure (DE) with 2U footprint provides , 12x slots (empty) for HDD, 1x IO Modul, 2x Power Supply, 1x SAS cable, , Scope of delivery, Hardware:, 1x 3.5" Drive Enclosure DX100 S3/ DX200 S3, 1x IO Module 12G, 2x Power Supply (100-240VAC), 2x Power Cable 2.5m, 10A (Rack Power Plug/Socket IEC320), 1x SAS Cable 0.75m mini SAS HD-mini SAS HD, 1x Mounting Bracket for FJ Primecenter Rack, 1x Setup Poster, 1x Rackmount Kit, , Software:, n/a, , Maintenance: ,	FTS:ETFEBUSU-L	2280,00	



ETERNUS DX500 S3

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
ETERNUS DX500 S3				
ETERNUS DX500 S3 Base (CE) w 2 Cntrl.	he ETERNUS DX500 Base (HDD less) with 3U footprint provides , 2x Ctrl. Module, (CM), 2x Power Supply, No Channel Adapter installed, Scope of delivery, Hardware:, 1x 3U Ctrl. Enclosure (CE) DX500, 2x DX500 S3 Ctrl. Module, 2x Power Supply (100-240VAC) , 2x Power Cable 2.5m, 10A (2x Rack Power Plug) , 1x Setup Poster, Info Sheet, Manual CD, 1x Rackmount Kit, Software: , 1x ET SF V16 and DVD license agreement (paper) , 1x DX S3 ETERNUS SF V16 DVD set, 1x SF-Trial License paper for ACM Copy and StorageCruiser Standard (42 Days), Maintenance:	FTS:ET503SAU	29670,59	



ETERNUS DX600 S3

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
ETERNUS DX600 S3 ETERNUS DX600 S3 Base (CE) w 2 Cntrl.	The ETERNUS DX600 Base (HDD less) with 3U footprint provides , 2x Ctrl. Module, (CM), 2x Power Supply, No Channel Adapter installed, Scope of delivery, Hardware:, 1x 3U Ctrl. Enclosure (CE) DX500, 2x DX600 S3 Ctrl. Module, 2x Power Supply (100-240VAC) , 2x Power Cable 2.5m, 10A (2x Rack Power Plug) , 1x Setup Poster, Info Sheet, Manual CD, 1x Rackmount Kit, Software: , 1x ET SF V16 and DVD license agreement (paper) , 1x DX S3 ETERNUS SF V16 DVD set, 1x SF-Trial License paper for ACM Copy and StorageCruiser Standard (42 Days), Maintenance:	FTS:ET603SAU	46875,29	



ETERNUS DX500/600 S3 Drive Enclosure

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
ETERNUS HD-DE DX5/600 Expa				
ET DX5/600S3 HD-DEnc. 3.5 12G IOMod. x2	Drive enclosure for DX500 S3/DX600 S3 12Gbit/s, (3.5inch, dual-IOM type), 1x 3.5" High Density - Drive Enclosure, 2x IOM, 2x miniSAS-HD cable 3.5m, 4x Power Supply, 2x AC cable 4m, 2x AC cable 2,5m, 1x Rackmount Kit,	FTS:ETPEEDU	13835,29	
ETERNUS HD-DE DX5/600 Field				
ET DX5/600S3 HD-DEnc. 3.5 12G IOMod. x2	Drive enclosure for DX500 S3/DX600 S3 12Gbit/s, (3.5inch, dual-IOM type), 1x 3.5" High Density - Drive Enclosure, 2x IOM, 2x miniSAS-HD cable 3.5m, 4x Power Supply, 2x AC cable 4m, 2x AC cable 2,5m, 1x Rackmount Kit,	FTS:ETPEEDU-L	13835,29	
ETERNUS DX5/600 S3 2.5DE Expa				
DX5/600 S3 DriveEnc. 2.5" w 2x IO Mod.	Drive enclosure for DX500 S3/DX600 S3 , (2.5inch, dual-IOM type), 1x 2.5" Drive Enclosure, 2x IOM, 2x miniSAS-HD cable 1.1m, 2x Power Supply, 2x AC cable 4m, 1x Rackmount Kit	FTS:ETPEADU	2874,12	
ETERNUS DX5/600 S3 2.5DE Field				
DX5/600 S3 DriveEnc. 2.5" w 2x IO Mod.	Drive enclosure for DX500 S3/DX600 S3 (Field upgrade only!), (2.5inch, dual-IOM type), 1x 2.5" Drive Enclosure, 2x IOM, 2x miniSAS-HD cable 1.1m, 2x Power Supply, 2x AC cable 4m, 1x Rackmount Kit	FTS:ETPEADU-L	2874,12	
ETERNUS DX5/600 S3 3.5DE Expa				
DX5/600 S3 DriveEnc. 3.5" w 2x IO Mod.	Drive enclosure for DX500 S3/DX600 S3, (3.5inch, dual-IOM type), 1x 3.5" Drive Enclosure, 2x IOM, 2x miniSAS-HD cable 1.1m, 2x Power Supply, 2x AC cable 4m, 1x Rackmount Kit	FTS:ETPEBDU	2767,06	
ETERNUS DX5/600 S3 3.5DE Field				
DX5/600 S3 DriveEnc. 3.5" w 2x IO Mod.	Drive enclosure for DX500 S3/DX600 S3 (Field upgrade only!), (3.5inch, dual-IOM type), 1x 3.5" Drive Enclosure, 2x IOM, 2x miniSAS-HD cable 1.1m, 2x Power Supply, 2x AC cable 4m, 1x Rackmount Kit	FTS:ETPEBDU-L	2767,06	



ETERNUS DX8700 S3

Fiches produit : <http://fr.fujitsu.com/stockage>

ETERNUS DX8700 S3 - La plus évolutive au monde des baies de stockage haut de gamme

Les nouvelles baies de stockage high-end ETERNUS DX8700 et DX8900 S3 permettent de faire face à la croissance exponentielle des données. Leur architecture « pay-as-you-grow » en fait les plus flexibles et les plus évolutives du marché. Une automatisation intelligente permet aux entreprises de gérer de plus larges volumes de données tout en bénéficiant d'excellents niveaux de service

La continuité de production requise pour les données critiques de l'entreprise est assurée grâce à une redondance de bout en bout et au basculement transparent au sein d'un cluster de baies. Délivrant jusqu'à 4 millions d'opérations d'entrée/sortie par seconde (IOPS) et une capacité de stockage massive pouvant atteindre

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
ETERNUS DX8700 S2 2.5 Field				
ET DX8700 S2 DriveEncl. 2.5 x4 BRTx2 UPG	Drive enclosure Set 2.5inch for DX8700 S2 with two Backend Router for field upgrade, Including:, 4 x DE 's 2,5inch with mounting kit 's, short SAS connecting cables (8x 1.1m) and the AC power cables, 2 x Backend Router, 8 x additional SAS Câbles for DE Set 1-7, long SAS connecting cable (3m), needed for Connecting DE 's Rack to Rack. ,	FTS:ETGAB4CU-L	46080,00	
ET DX8700 S2 DriveEncl. 2.5 x4 UPG	Drive enclosure Set 2.5inch for DX8700 S2 for field upgrade, Including:, 4 x DE 's 2,5inch with mounting kit 's, short SAS connecting cables (8x 1.1m) and the AC power cables.,	FTS:ETGAD4CU-L	39937,65	
ETERNUS DX8700 S2 3.5 Field				
ET DX8700 S2 DriveEncl. 3.5 x4 BRTx2 UPG	Drive enclosure Set 3.5inch for DX8700 S2 with two Backend Router for field upgrade, Including:, 4 x DE 's 3,5inch with mounting kit 's, short SAS connecting cables (8x 1.1m) and the AC power cables, 2 x Backend Router, 8 x additional SAS Câbles for DE Set 1-7, long SAS connecting cable (3m), needed for Connecting DE 's Rack to Rack. ,	FTS:ETGAB4DU-L	46080,00	
ET DX8700 S2 DriveEncl. 3.5 x4 UPG	Drive enclosure Set 3.5inch for DX8700 S2 for field upgrade, Including:, 4 x DE 's 3,5inch with mounting kit 's, short SAS connecting cables (8x 1.1m) and the AC power cables., ,	FTS:ETGAD4DU-L	39937,65	
ETERNUS DX8700 S2 RACK				
DX8X00S2 BASE RACK SYMMETRIC 700MM 42U	42 HE Rack (Base Rack DX8700 S2), Rack with fixed mounted cable Tray., Symmetrical large basic cabinet with 740mm post distance. WxDxH = 700x1050x2003mm., , , Note: Only to use for the ETERNUS DX8700 S2 System	FTS:ETBAS7S42U	7101,18	



ETERNUS DX8700 S3 Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
ETERNUS DX8700 S2 RACK (Suite)				
DX8X00S2 EXP RACK SYMMETRIC 700MM 42U	42 HE Rack (Expansion Rack DX8700 S2), Rack with fixed mounted cable Tray., Symmetrical large basic cabinet with 740mm post distance. WxDxH = 700x1050x2003mm., , Note: Only to use for the ETERNUS DX8700 S2 System	FTS:ETEXP7S42U	6868,24	
ETERNUS DX8700 S3				
ET DX8700 S3 Base RM Contr. X2	ETERNUS DX8700 S3, , - 1x controller enclosure CE, - 2x power distribution unit (AC200-240V), - 2x controller module CM, - 2x AC Power cable, , - 1x backend enclosure FE, - Front-End Router Type1, - 4x power distribution unit (AC200-240V), - 4x AC Power cable, , - QSFP Copper Cable 1.1m x8, - Management Cable 3m x4, , - Rack mount kit x1 (FE and CE) ,	FTS:ET873SAU	84244,71	
ET DX8700S3 Ctrl.Encl. Contr. X2	ETERNUS DX8700 S3 Expansion CE Ctrl. , 1x Ctrl. Enclosure, 2x Ctrl. CM, , 2x AC cable (1x2.5m and 1x1.5m), 1x Rackmount Kit, CD , Manual,	FTS:ETSCBU	54411,76	
ETERNUS DX8700 S3 CE Field				
ET DX8700S3 Ctrl.Encl. Contr. x2	ETERNUS DX8700 S3 Expansion CE Ctrl. , 1x Ctrl. Enclosure, 2x Ctrl. CM, , 2x AC cable (1x2.5m and 1x1.5m), 1x Rackmount Kit, CD , Manual,	FTS:ETSCBU-L	54411,76	



ETERNUS JX40

Fiches produit : <http://fr.fujitsu.com/stockage>

ETERNUS JX40 - Systèmes de stockage disque à attachement direct (JBOD)

Le stockage SAS ETERNUS JX40 est un système de stockage passif connectable directement sur le serveur via une connexion SAS 6 Gb/s. Il permet d'étendre les capacités de stockage disque des serveurs PRIMERGY. Avec son format rack 2U, ETERNUS JX40 permet de répondre à des besoins de capacité de stockage complémentaires dans un boîtier compact intégrable dans une armoire rack 19" standard. Il peut recevoir jusqu'à 24 disques 2.5" pour une capacité totale de 12 To. Il est possible de configurer jusqu'à 3 ETERNUS JX40 en cascade pour atteindre une capacité disque de 36 To.

Au sein de ETERNUS JX40, les composants actifs - disques durs hot-plug et module d'alimentation hot-plug - peuvent être remplacés en cours d'exploitation. Les alimentations hot-plug et redondantes peuvent être connectées sur des phases redondantes via des lignes d'alimentation séparées. L'optimisation du refroidissement des disques durs pour sécuriser les

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
ETERNUS JX40 S2 2.5				
ETERNUS JX40 S2 Enclosure w 1x IOM	ETERNUS JX40 S2 1 Channel JBOD System	FTS:ETJEADU	2547,06	
ETERNUS JX40 S2 3.5				
ETERNUS JX40 S2 3.5 Enclosure w 1x IOM	ETERNUS JX40 S2 3,5 " 1 Channel JBOD System	FTS:ETJEBDU	2124,71	



ETERNUS JX60

Fiches produit : <http://fr.fujitsu.com/stockage>

ETERNUS JX60 - Systèmes de stockage disque à attachement direct (JBOD)

La baie de stockage passif de type JBOD est une solution économique pour étendre les capacités de stockage interne d'un serveur. Comme le volume des données à stocker augmente plus rapidement que la capacité des disques, le nombre de disques à installer s'accroît encore plus vite, ce qui entraîne une consommation plus forte d'espace dans les racks. C'est pour résoudre ce dilemme que la baie de stockage JBOD ETERNUS JX60 de Fujitsu offre une très haute densité de stockage dans un minimum d'espace. Elle peut contenir jusqu'à 60 disques Nearline SAS de 3,5" dans un boîtier de seulement 4U (quatre unités de hauteur de rack). En connectant directement sur le serveur jusqu'à quatre boîtiers, il est ainsi possible d'atteindre une capacité totale de

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
ETERNUS JX60				
ETERNUS JX60	ETERNUS JX60 Enclosure w 1x IOM	FTS:JX60-EXP	11791,24	



Accessoires Stockage ETERNUS (1)

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	ETERNUS DX1200 S3 2_5DE Expa	ETERNUS DX1200 S3 2_5DE Field	ETERNUS DX1200 S3 3_5DE Expa	ETERNUS DX1200 S3 3_5DE Field	ETERNUS DX100 S3 2_5	ETERNUS DX100 S3 3_5	ETERNUS DX200 S3 2_5	ETERNUS DX200 S3 3_5	ETERNUS DX200F S3 2_5 (1_6TB)	ETERNUS DX200F S3 2_5 (800GB)	ETERNUS DX410 S1	ETERNUS DX410 S2	ETERNUS DX440 S1	ETERNUS DX440 S2	ETERNUS DX4xx S2 2_5 Expa	ETERNUS DX4xx S2 3_5 Expa	ETERNUS DX5600 S3 2_5DE Expa	ETERNUS DX5600 S3 2_5DE Field	ETERNUS DX5600 S3 3_5DE Expa	ETERNUS DX5600 S3 3_5DE Field	ETERNUS DX500 S3	ETERNUS DX600 S3	Référence	Prix Indicatif (€)	Remarques		
Accessoires (Matrice)																											
Mémoire																											
DX100 S3 Cache4G, 1x4GB for 1Ctl					x	x																		FTS:ETFM41U-L	170,59		
DX200 S3 Cache8G, 2x4GB for 1Ctl							x	x																	FTS:ETFM42U-L	341,18	
ETERNUS DX410 S2 - Cache 8Go (2x Ctrl 2x2Go DIM)												x													FTS:ETNM24-L	1782,35	
ETERNUS DX440 S2 - Cache 24Go (2x Ctrl 3x4Go DIM)													x												FTS:ETNM46-L	5347,06	
Hard Disks																											
DX8090 S2 MLC SSD SAS 400GB 2.5 x1											x														FTS:ETES4HE-L	3547,06	
DX8090 S2 MLC SSD SAS 400GB 3.5 x1												x													FTS:ETES4HF-L	3547,06	
DX8090 S2 MLC SSD SAS 800GB 2.5 x1												x													FTS:ETES8HC-L	7094,12	
DX8090 S2 MLC SSD SAS 800GB 3.5 x1												x													FTS:ETES8HD-L	7094,12	
DX1200 S3 SED 2.5" 1.2TB 10krpm x1	x	x			x	x																			FTS:ETFDC1-L	647,06	
DX1200 S3 SED 2.5" 900GB 10krpm x1	x	x			x	x																			FTS:ETFDC9-L	503,53	
DX1200 S3 HD 2.5" 1.0TB 7.2krpm x1	x	x			x	x																			FTS:ETFNA1-L	397,65	
DX1200 HD Drive 2.5" 2.0TB 7.2krpm x1	x	x			x	x																			FTS:ETFNA2-L	710,00	
DX1200S3 SED NLSAS 4TB 7.2 3.5 x1			x	x			x	x																	FTS:ETFN4-L	615,29	
DX1200S3 MLC SSD SAS 3.84TB 12G 3.5 x1	x						x	x		x															FTS:ETFSBT-L	9882,35	
DX1200S3 MLCSSD HD-DE SAS 3.84TB 3.5 x1											x														FTS:ETFSCT-L	9882,35	
DX1200S3 SED SSD SAS 800GB 12G 2.5 x1	x	x			x	x																			FTS:ETFSG8-L	3376,47	
DX1200S3 SED SSD SAS 1.6TB 12G 2.5 x1	x	x			x	x																			FTS:ETFSGH-L	5703,53	
DX1200S3 SED SSD SAS 800GB 12G 3.5 x1			x	x			x	x																	FTS:ETFSH8-L	3376,47	
DX1200S3 SED SSD SAS 1.6TB 12G 3.5 x1			x	x			x	x																	FTS:ETFSHH-L	5703,53	
ETERNUS DX4xx S2 - Disque SAS 300Go/10k - 2.5" (si												x		x	x										FTS:ETND3HC-L	268,24	
DX4x0 S2 HD SAS 300GB 15k 2.5 x1												x		x	x										FTS:ETND3HG-L	582,35	
DX4x0 S2 HD SAS 300GB 10k 3.5 x1																x									FTS:ETND3HH-L	284,71	
ETERNUS DX4xx S2 - Disque SAS 450Go/10k - 2.5" (si												x		x	x										FTS:ETND4HC-L	398,82	
ETERNUS DX4xx S2 - Disque SAS 600Go/10k - 2.5" (si												x		x	x										FTS:ETND6HC-L	484,71	
DX4x0 S2 HD SAS 600GB 10k 3.5 x1																x									FTS:ETND6HH-L	497,65	
DX4x0 S2 HD SAS 900G 10k 2.5 x1												x		x	x										FTS:ETND9HC-L	703,53	
DX4x0 S2 SED SAS900GB 10k 2.5 x1												x		x	x										FTS:ETND9HE-L	861,18	
DX4x0 S2 HD NLSAS 1TB 7.2 2.5 x1												x		x	x										FTS:ETNN1HC-L	445,88	
ETERNUS DX4xx S2 - Disque NLSAS 1To/7.2k - 3.5" (s												x		x	x										FTS:ETNN1HD-L	320,00	
ETERNUS DX4xx S2 - Disque NLSAS 2To/7.2k - 3.5" (s												x		x	x										FTS:ETNN2HD-L	487,06	
DX4x0 S2 HD NLSAS 3TB 7.2 3.5 x1												x		x	x										FTS:ETNN3HD-L	814,12	
DX4x0 S2 HD NLSAS 4TB 7.2 3.5 x1												x		x	x										FTS:ETNN4HD-L	900,00	
DX4x0 S2 MLC SSD SAS 400GB 2.5 x1									x	x	x	x													FTS:ETNS4HE-L	3547,06	
DX4x0 S2 MLC SSD SAS 400GB 3.5 x1									x	x	x	x													FTS:ETNS4HF-L	3547,06	
DX4x0 S2 MLC SSD SAS 800GB 2.5 x1									x	x	x	x													FTS:ETNS8HC-L	7094,12	
DX4x0 S2 MLC SSD SAS 800GB 3.5 x1									x	x	x	x													FTS:ETNS8HD-L	7094,12	
DX5600 S3 SED 2.5" 1.2TB 10krpm x1																x	x								FTS:ETPC1-L	770,59	
DX5600 S3 SED 2.5" 900GB 10krpm x1																x	x								FTS:ETPC9-L	684,71	
DX5600 S3 Extreme cache 1.4TB for 2Ctl																					x	x			FTS:ETPF1-L	19387,06	
DX5600 S3 Extreme cache 2.8TB for 2Ctl																					x	x			FTS:ETPF2-L	30292,94	
DX5600S3 SED NLSAS 4TB 7.2 3.5 x1																	x	x							FTS:ETPND4-L	885,88	
DX5600S3 MLC SSD SAS 3.84TB 12G 2.5 x1									x							x	x								FTS:ETPSAT-L	10897,65	
DX5600S3 MLC SSD SAS 3.84TB 12G 3.5 x1									x								x	x	x						FTS:ETPSBT-L	10897,65	
DX5600S3 MLC SSD HD-DE SAS 3.84TB 3.5x1									x																FTS:ETPSCT-L	10897,65	
DX5600S3 SED SSD SAS 800GB 12G 2.5 x1									x							x	x								FTS:ETPSG8-L	4209,41	
DX5600S3 SED SSD SAS 1.6TB 12G 2.5 x1									x							x	x								FTS:ETPSGH-L	8447,06	
DX5600S3 SED SSD SAS 1.92TB 12G 2.5 x1									x							x	x								FTS:ETPSGN-L	5735,29	
DX5600S3 SED SSD SAS 800GB 12G 3.5 x1									x								x	x							FTS:ETPSH8-L	4209,41	
DX5600S3 SED SSD SAS 1.6TB 12G 3.5 x1									x								x	x							FTS:ETPSHH-L	8447,06	
DX5600S3 SED SSD SAS 1.92TB 12G 3.5 x1									x								x	x							FTS:ETPSHN-L	5735,29	
DX8x00S3 MLC SSD SAS 1.6TB 2.5 x1																									FTS:ETSSA1N-L	11188,24	
DX8x00S3 MLC SSD SAS 400GB 2.5 x1																									FTS:ETSSA4N-L	3028,24	
DX8x00S3 MLC SSD SAS 800GB 2.5 x1																									FTS:ETSSA8N-L	6305,88	
DX8x00S3 MLC SSD SAS 960GB 12G 2.5 x1																									FTS:ETSSA9N-L	6017,65	
DX8x00S3 MLC SSD SAS 1.92TB 12G 2.5 x1																									FTS:ETSSANN-L	10482,35	
DX8x00S3 MLC SSD SAS 1.6TB 3.5 x1																									FTS:ETSSB1N-L	11188,24	
DX8x00S3 MLC SSD SAS 400GB 3.5 x1																									FTS:ETSSB4N-L	3028,24	
DX8x00S3 MLC SSD SAS 800GB 3.5 x1																									FTS:ETSSB8N-L	6305,88	
DX8x00S3 MLC SSD SAS 960GB 12G 3.5 x1																									FTS:ETSSB9N-L	6017,65	
DX8x00S3 MLC SSD SAS 1.92TB 12G 3.5 x1																									FTS:ETSSBNN-L	10482,35	
DX8x00S3 SED SSD SAS 1.6TB 2.5 x1																									FTS:ETSSG1N-L	11223,53	
DX8x00S3 SED SSD SAS 800GB 2.5 x1																									FTS:ETSSG8N-L	6329,41	
DX8x00S3 SED SSD SAS 1.92TB 12G 2.5 x1																									FTS:ETSSGNN-L	7829,41	
DX8x00S3 SED SSD SAS 1.6TB 3.5 x1																									FTS:ETSSH1N-L	11223,53	
DX8x00S3 SED SSD SAS 800GB 3.5 x1																									FTS:ETSSH8N-L	6329,41	
DX8x00S3 SED SSD SAS 1.92TB 12G 3.5 x1																									FTS:ETSSHNN-L	7829,41	
DX1200 S3 HD 3.5" 2TB 7.2krpm x1			x	x			x	x																	FTS:ETFN2-L	370,59	
DX1200 S3 HD 3.5" 3TB 7.2krpm x1			x	x			x	x																	FTS:ETFN3-L	497,65	
DX1200 S3 HD 3.5" 4TB 7.2krpm x1			x	x			x	x																	FTS:ETFN4-L	588,24	



Accessoires Stockage ETERNUS (1)

Fiches produit : <http://fr.fujitsu.com/stockage>

DX1/200 S3 HD 3.5" 6TB 7.2krpm AFx1			x	x		x	x														FTS:ETFNB6-L	802,35			
DX1/200 S3 HD NLSAS 8TB 7.2 3.5 AF x1			x	x		x	x															FTS:ETFNB8-L	1129,41		
DX8x00 S2 MLC SSD SAS 400GB 2.5 x1																							FTS:ETGS4HE-L	3654,12	
DX8x00 S2 MLC SSD SAS 400GB 3.5 x1																								FTS:ETGS4HF-L	3654,12
DX8x00 S2 MLC SSD SAS 800GB 2.5 x1																								FTS:ETGS8HC-L	7307,06



Accessoires Stockage ETERNUS (1)

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	ETERNUS DX1200 S3 2_5DE Expa	ETERNUS DX1200 S3 2_5DE Field	ETERNUS DX1200 S3 3_5DE Expa	ETERNUS DX1200 S3 3_5DE Field	ETERNUS DX100 S3 2_5	ETERNUS DX100 S3 3_5	ETERNUS DX200 S3 2_5	ETERNUS DX200 S3 3_5	ETERNUS DX200F S3 2_5 (1_6TB)	ETERNUS DX200F S3 2_5 (800GB)	ETERNUS DX410 S1	ETERNUS DX410 S2	ETERNUS DX440 S1	ETERNUS DX440 S2	ETERNUS DX4xx S2 2_5 Expa	ETERNUS DX4xx S2 3_5 Expa	ETERNUS DX5/600 S3 2_5DE Expa	ETERNUS DX5/600 S3 2_5DE Field	ETERNUS DX5/600 S3 3_5DE Expa	ETERNUS DX5/600 S3 3_5DE Field	ETERNUS DX500 S3	ETERNUS DX600 S3	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)																									
Hard Disks (Suite)																									
DX8x00 S2 MLC SSD SAS 800GB 3.5 x1									x														FTS:ETGS8HD-L	7307,06	
DX5/600 S3 HD 2.5" 1.0TB 7.2krpm x1																x	x						FTS:ETPNA1-L	456,47	
DX5/600 S3 HD 3.5" 2TB 7.2krpm x1																		x	x				FTS:ETPNB2-L	502,35	
DX5/600 S3 HD 3.5" 3TB 7.2krpm x1																			x	x			FTS:ETPNB3-L	608,24	
DX5/600 HD Drive 2.5" 2.0TB 7.2krpm x1																x	x						FTS:ETPNA2-L	1225,00	
DX5/600 S3 HD 3.5" 4TB 7.2krpm x1																		x	x				FTS:ETPNB4-L	731,76	
DX5/600 S3 HD 3.5" 6TB 7.2krpm AFx1																		x	x				FTS:ETPNB6-L	975,29	
DX5/600 S3 HD NLSAS 8TB 7.2 3.5 AF x1																			x	x			FTS:ETPNB8-L	1258,82	
DX1/200 S3 HD 2.5" 300GB 10krpm x1	x	x			x		x																FTS:ETFDB3-L	200,00	
DX5/600 S3 HD 2.5" 300GB 10krpm x1																	x	x					FTS:ETPDB3-L	276,47	
DX1/200 S3 HD 2.5" 600GB 10krpm x1	x	x			x		x																FTS:ETFDB6-L	334,12	
DX5/600 S3 HD 2.5" 600GB 10krpm x1																	x	x					FTS:ETPDB6-L	477,65	
DX1/200 S3 HD 2.5" 900GB 10krpm x1	x	x			x		x																FTS:ETFDB9-L	456,47	
DX5/600 S3 HD 2.5" 900GB 10krpm x1																	x	x					FTS:ETPDB9-L	663,53	
DX1/200 S3 HD 2.5" 1.2TB 10krpm x1	x	x			x		x																FTS:ETFDB1-L	600,00	
DX5/600 S3 HD 2.5" 1.2TB 10krpm x1																	x	x					FTS:ETPDB1-L	705,88	
DX1/200S3 HD SAS 1.8TB 10k 2.5 AF x1	x	x			x			x															FTS:ETFDB8-L	868,24	
DX5/600S3 HD SAS 1.8TB 10k 2.5 AF x1																	x	x					FTS:ETPDB8-L	2031,76	
DX1/200 S3 HD 2.5" 300GB 15krpm x1	x	x			x		x																FTS:ETFDA3-L	360,00	
DX5/600 S3 HD 2.5" 300GB 15krpm x1																	x	x					FTS:ETPDA3-L	554,12	
DX1/200 S3 HD 2.5" 600GB 15krpm x1	x	x			x		x																FTS:ETFDA6-L	503,53	
DX5/600 S3 HD 2.5" 600GB 15krpm x1																	x	x					FTS:ETPDA6-L	858,82	
DX1/200 MLC SSD 2.5" 400GB SAS3 x1	x	x			x		x			x													FTS:ETFSA4A-L	1788,24	
DX1/200 MLC SSD 3.5" 400GB SAS3x1			x	x		x		x		x													FTS:ETFSB4A-L	1788,24	
DX1/200 S3 SSD MLC 3.5" 1.6TB for HD-DE																							FTS:ETFSCH-L	5664,71	
DX60 S3 MLC SSD SAS 400GB 2.5 x1																							FTS:ETFS4-D	1681,18	
DX60 S3 MLC SSD SAS 400GB 2.5 x1																							FTS:ETFS4-L	1788,24	
DX60 S3 MLC SSD SAS 400GB 3.5 x1																							FTS:ETFS4-D	1681,18	
DX60 S3 MLC SSD SAS 400GB 3.5 x1																							FTS:ETFS4-L	1788,24	
DX5/600 MLC SSD 2.5" 400GB SAS3 x1																	x	x					FTS:ETPSA4A-L	2329,41	
DX5/600 MLC SSD 3.5" 400GB SAS3 x1																			x	x			FTS:ETPSB4A-L	2329,41	
DX5/600 S3 SSD MLC 3.5" 1.6TB for HD-DE																							FTS:ETPSCH-L	8423,53	
DX1/200 MLC SSD 2.5" 800GB SAS3 x1	x	x			x		x																FTS:ETFSB8A-L	3341,18	
DX1/200 MLC SSD 3.5" 800GB SAS3 x1			x	x			x		x														FTS:ETFSB8A-L	3341,18	
DX1/200S3 MLCSSD HD-DE SAS 1.92TB 3.5 x1																							FTS:ETFSCH-L	5411,76	
DX60 S3 MLC SSD SAS 800GB 2.5 x1																							FTS:ETFS8-D	3141,18	
DX60 S3 MLC SSD SAS 800GB 2.5 x1																							FTS:ETFS8-L	3141,18	
DX60 S3 MLC SSD SAS 800GB 3.5 x1																							FTS:ETFS8-D	3141,18	
DX60 S3 MLC SSD SAS 800GB 3.5 x1																							FTS:ETFS8-L	3141,18	
DX5/600 MLC SSD 2.5" 800GB SAS3 x1																	x	x					FTS:ETPSA8A-L	4185,88	
DX5/600 MLC SSD 3.5" 800GB SAS3 x1																			x	x			FTS:ETPSB8A-L	4185,88	
DX5/600S3 MLC SSD HD-DE SAS 1.92TB 3.5x1																							FTS:ETPSCN-L	6691,76	
DX1/200S3 MLC SSD SAS 960GB 12G 2.5 x1	x	x			x		x																FTS:ETPSA9-L	3152,94	
DX1/200S3 MLC SSD SAS 960GB 12G 3.5 x1			x	x		x		x															FTS:ETPSB9-L	3152,94	
DX60 S3 MLC SSD SAS 1.6TB 2.5 x1																							FTS:ETFS8H-D	5325,88	
DX60 S3 MLC SSD SAS 1.6TB 2.5 x1																							FTS:ETFS8H-L	5664,71	
DX60 S3 MLC SSD SAS 1.6TB 3.5 x1																							FTS:ETFS8H-D	5325,88	
DX60 S3 MLC SSD SAS 1.6TB 3.5 x1																							FTS:ETFS8H-L	5664,71	
DX5/600S3 MLC SSD SAS 960GB 12G 2.5 x1																	x	x					FTS:ETPSA9-L	3976,47	
DX5/600S3 MLC SSD SAS 960GB 12G 3.5 x1																			x	x			FTS:ETPSB9-L	3976,47	
DX1/200 MLC SSD 2.5" 1.6TB SAS3 x1	x	x			x		x		x														FTS:ETPSA9-L	5664,71	
DX1/200 MLC SSD 3.5" 1.6TB SAS3 x1			x	x			x		x														FTS:ETFSBH-L	5664,71	
DX5/600 MLC SSD 2.5" 1.6TB SAS3 x1																	x	x					FTS:ETPSA9-L	8423,53	
DX5/600S3 MLC SSD SAS 1.92TB 12G 3.5 x1																			x	x			FTS:ETPSBN-L	6691,76	
DX1/200S3 MLC SSD SAS 1.92TB 12G 2.5 x1	x	x			x		x		x														FTS:ETPSAN-L	5411,76	
DX1/200S3 MLC SSD SAS 1.92TB 12G 3.5 x1			x	x			x		x														FTS:ETPSBN-L	5411,76	
DX1/200S3 SED SSD SAS 1.92TB 12G 2.5 x1	x	x			x		x		x														FTS:ETPSGN-L	5176,47	
DX5/600S3 MLC SSD SAS 1.92TB 12G 2.5 x1																	x	x					FTS:ETPSAN-L	6691,76	
DX1/200S3 MLC SSD SAS 3.84TB 12G 2.5 x1	x	x					x	x															FTS:ETFSAT-L	9882,35	
DX5/600 MLC SSD 3.5" 1.6TB SAS3 x1																			x	x			FTS:ETPSBH-L	8423,53	
Divers																									
DX RAIL Kit for 3rd Party Rack															x	x							FTS:DX-RAIL-3RD	52,94	
DX1/200 S3 Additional IO Module	x	x	x	x																			FTS:ETFEXSU-L	571,76	
DX5/600 S3 Module Cage for Extreme Cache																					x	x	FTS:ETPFC-L	545,88	
Câbles																									
DX1/200S3 Ext. AOC f.Encl. 15m x1	x	x	x	x	x	x	x	x															FTS:ETFKA15-L	805,88	
DX1/200S3 Ext. AOC f.Encl. 30m x1	x	x																							



Accessoires Stockage ETERNUS (1)

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	ETERNUS DX1200 S3 2_5DE Expa	ETERNUS DX1200 S3 2_5DE Field	ETERNUS DX1200 S3 3_5DE Expa	ETERNUS DX1200 S3 3_5DE Field	ETERNUS DX100 S3 2_5	ETERNUS DX100 S3 3_5	ETERNUS DX200 S3 2_5	ETERNUS DX200 S3 3_5	ETERNUS DX200F S3 2_5 (1_6TB)	ETERNUS DX200F S3 2_5 (800GB)	ETERNUS DX410 S1	ETERNUS DX410 S2	ETERNUS DX440 S1	ETERNUS DX440 S2	ETERNUS DX4xx S2 2_5 Expa	ETERNUS DX4xx S2 3_5 Expa	ETERNUS DX5600 S3 2_5DE Expa	ETERNUS DX5600 S3 2_5DE Field	ETERNUS DX5600 S3 3_5DE Expa	ETERNUS DX5600 S3 3_5DE Field	ETERNUS DX500 S3	ETERNUS DX600 S3	Référence	Prix Indicatif (€)	Remarques	
Accessoires (Matrice)																										
Câbles (Suite)																										
DX5/600S3 Ext. SAS Cable f.Encl. 3.5m x1																		x	x					FTS:ETPKM35-L	145,88	
DX5/600S3 Ext. SAS Cable f.Encl. 6.0m x1																		x	x					FTS:ETPKM60-L	363,53	
DX US Power Cord 3M NEMA 5-15 x2	x	x	x	x	x	x	x	x	x	x								x	x	x	x	x		FTS:ETPWRC3M-L	12,94	
SAS cable (MiniSAS miniSAS HD) 3.0m					x	x	x	x																FTS:SAS-MINIHD3M-L	183,53	
SFP+ active Twinax cable BRCD 1m UPG												x	x											EBR800-TWX-1M-L	118,82	
Câble SFP Attached + Cop. 3m UPG												x	x											EBR800-TWX-3M-L	152,09	
Câble SFP Direct Attached + Cop. 5m UPG												x	x											EBR800-TWX-5M-L	196,46	
Upg.s																										
DX100 S3 UNIFIED Kit 2x8GB DIMM f 2 Ctl					x	x																		FTS:DX1UNI2UPGAP-L	5007,06	
DX200 S3 UNIFIED Kit 4x16GB DIMM f 2 Ctl							x	x																FTS:DX2UNI2UPGAP-L	17055,29	
DX500S3 UNIFIED Kit 8x16GB DIMM																						x		FTS:DX5UNI2UPGAP-L	17340,00	
DX600S3 UNIFIED Kit 16x16GB DIMM																						x		FTS:DX6UNI2UPGAP-L	30338,82	
SF (Standard)																										
AMF upgrade +1Year for FTS:D01904G83H													x											FTS:D01904GX3H	5985,00	
ETSF15 SC Standard UPG fromBase DX410											x													FTS:D01905F8CH	3178,02	
ETSF15 SC Standard UPG fromBase DX440														x										FTS:D01905F8DH	4616,20	
ETSF16 SC UPG Basic to Standard Tier1				x	x	x	x																	FTS:D01905G81H	2388,24	
ETSF16 SC UPG Basic to Standard Tier2											x	x												FTS:D01905G82H	4203,53	
ETSF16 SC UPG Basic to Standard Tier3													x	x										FTS:D01905G83H	7885,88	
ETSF15 ACM LocalCopy UPG HWtoACM DX410S2											x													FTS:D01906F83H	3683,28	
ETSF15 ACM LocalCopyUPG HWtoACM DX440S2														x										FTS:D01906F84H	6954,28	
ETSF16 ACM UPG ACL to ACM LocalCpy Tier2											x													FTS:D01906G82H	3345,88	
ETSF16 ACM UPG ACL to ACM LocalCpy Tier3														x										FTS:D01906G83H	4721,18	
AMF upgrade +1Year for FTS:D0190EG82H											x													FTS:D0190EGX2H	459,00	
AMF upgrade +1Year for FTS:D0190EG83H													x											FTS:D0190EGX3H	577,00	
AMF upgrade +1Year for FTS:D0190LG82H											x													FTS:D0190LGX2H	2153,00	
AMF upgrade +1Year for FTS:D0190LG83H														x										FTS:D0190LGX3H	5188,00	
AMF upgrade +1Year for FTS:D01910G82H											x													FTS:D01910GX2H	917,00	
AMF upgrade +1Year for FTS:D01910G83H														x										FTS:D01910GX3H	1684,00	
AMF upgrade +1Year for FTS:D01913G82H											x													FTS:D01913GX2H	1104,00	
AMF upgrade +1Year for FTS:D01916G82H												x												FTS:D01916GX2H	1808,00	
AMF upgrade +1Year for FTS:D01916G83H														x										FTS:D01916GX3H	2228,00	
AMF upgrade +1Year for FTS:D01918G82H											x													FTS:D01918GX2H	910,00	
AMF upgrade +1Year for FTS:D01918G83H															x									FTS:D01918GX3H	1225,00	
AMF upgrade +1Year for FTS:D01904G82H											x													FTS:D01904GX2H	2444,00	
AMF upgrade +1Year for FTS:D0190EF8CH												x												FTS:D0190FFSCH	534,12	
AMF upgrade +1Year for FTS:D0190EF8DH														x										FTS:D0190FFSDH	969,41	
AMF upgrade +1Year for FTS:D0190GG8CH											x													FTS:D0190GGXCH	2543,00	
AMF upgrade +1Year for FTS:D0190GG8DH																							x	FTS:D0190GGXDH	4556,00	
AMF upgrade +1Year for FTS:D01910F8CH												x												FTS:D019X0FSCH	1260,00	
AMF upgrade +1Year for FTS:D01910F8DH														x										FTS:D019X0FSDH	2367,00	
AMF upgrade +1Year for FTS:D01918F8CH												x												FTS:D019X8FSCH	1017,00	
AMF upgrade +1Year for FTS:D01918F8DH															x									FTS:D019X8FSDH	1525,00	
AMF upgrade +1Year for FTS:D0190HG8CH												x												FTS:D0190HGXCH	4225,00	
AMF upgrade +1Year for FTS:D0190HG8DH																							x	FTS:D0190HGXDH	8945,00	
AMF upgrade +1Year for FTS:D01913F8CH												x												FTS:D019X1FSCH	1225,88	
AMF upgrade +1Year for FTS:D01913F8DH															x									FTS:D019X1FSDH	2951,76	
AMF upgrade +1Year for FTS:D01916F8CH													x											FTS:D019X6FSCH	1993,00	
AMF upgrade +1Year for FTS:D01916F8DH																								FTS:D019X6FSDH	2984,00	
AMF upgrade +1Year for FTS:D01904F8CH												x												FTS:D019XAFSCH	4910,59	
AMF upgrade +1Year for FTS:D01904F8DH																								FTS:D019XAFSDH	8060,00	
Ctrl. Modul (CM)																										
DX100 S3 CM w 1xCA FCoE 10G 2port					x	x																		FTS:ETFC2E-L	2936,47	
DX200 S3 CM w 1xCA FCoE 10G 2port								x	x															FTS:ETFC2F-L	4414,12	
DX100 S3 CM w 1xCA FCoE 10G 2port wo SFP					x	x																		FTS:ETFCCAE-L	2698,82	
DX200 S3 CM w 1xCA FCoE 10G 2port wo SFP								x	x															FTS:ETFCCAF-L	4176,47	
DX100 S3 CM w 1xCA FC 8G 2port					x	x																		FTS:ETFCF2E-L	2671,76	
DX200 S3 CM w 1xCA FC 8G 2port								x	x															FTS:ETFCF2F-L	4149,41	
DX100 S3 CM w 1xCA FC 16G 2port					x	x																		FTS:ETFCH2E-L	3543,53	
DX200 S3 CM w 1xCA FC 16G 2port								x	x															FTS:ETFCH2F-L	5021,18	
DX100 S3 CM w 1xCA iSCSI 1G 2port					x	x																		FTS:ETFCL2E-L	2337,65	
DX200 S3 CM w 1xCA iSCSI 1G 2port								x	x															FTS:ETFCL2F-L	3815,29	
DX100 S3 CM w 1xCA SAS 6G 2port					x	x																		FTS:ETFCS2E-L	2170,59	
DX200 S3 CM w 1xCA SAS 6G 2port								x	x															FTS:ETFCS2F-L	3648,24	
DX100 S3 CM w 1xCA iSCSI 10G-T 2port					x	x																		FTS:ETFT2E-L	2814,12	
DX200 S3 CM w 1xCA iSCSI 10G-T 2port								x	x															FTS:ETFT2F-L	4122,35	
DX100 S3 CM w 1xCA iSCSI 10G 2port					x	x																		FTS:ETFCX2E-L	3270,59	
DX200 S3 CM w 1xCA iSCSI 10G 2port								x	x															FTS:ETFCX2F-L	4748,24	
DX100 S3 CM w 1xCA iSCSI 10G 2p wo SFP					x	x																		FTS:ETFCXAE-L	2905,88	
DX200 S3 CM w 1xCA iSCSI 10G 2p wo SFP								x	x															FTS:ETFCXAF-L	4383,53	



Accessoires Stockage ETERNUS (1)

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	ETERNUS DX1200 S3 2_5DE Expa	ETERNUS DX1200 S3 2_5DE Field	ETERNUS DX1200 S3 3_5DE Expa	ETERNUS DX1200 S3 3_5DE Field	ETERNUS DX100 S3 2_5	ETERNUS DX100 S3 3_5	ETERNUS DX200 S3 2_5	ETERNUS DX200 S3 3_5	ETERNUS DX200F S3 2_5 (1.6TB)	ETERNUS DX200F S3 2_5 (800GB)	ETERNUS DX410 S1	ETERNUS DX410 S2	ETERNUS DX440 S1	ETERNUS DX440 S2	ETERNUS DX4xx S2 2_5 Expa	ETERNUS DX4xx S2 3_5 Expa	ETERNUS DX5600 S3 2_5DE Expa	ETERNUS DX5600 S3 2_5DE Field	ETERNUS DX5600 S3 3_5DE Expa	ETERNUS DX5600 S3 3_5DE Field	ETERNUS DX500 S3	ETERNUS DX600 S3	Référence	Prix Indicatif (€)	Remarques		
Accessoires (Matrice)																											
Channel Adapter (Suite)																											
DX1/200 S3 Add CA FC 8G 2port					x	x	x	x																FTS:ETFFH2-L	781,18		
DX1/200 S3 Add CA FC 16G 2port					x	x	x	x																	FTS:ETFHH2-L	1654,12	
DX200F Add CA FC 16G 2port w. SFP x2									x	x															FTS:ETFHH4F-L	3305,88	
DX1/200 S3 SFP 16G LongWave					x	x	x	x																	FTS:ETFHHS-L	1489,41	
DX1/200 S3 Add CA iSCSI 1G 2port					x	x	x	x																	FTS:ETFHL2-L	447,06	
DX1/200 S3 Add.CA Eth 10G 2port Unified					x	x	x	x																	FTS:ETFHN2-L	1381,18	
DX1/200 S3 Add CA Eth 10G 2p Unif. woSFP					x	x	x	x																	FTS:ETFHNA-L	1212,94	
DX1/200 S3 Add CA SAS 6G 2port					x	x	x	x																	FTS:ETFHS2-L	280,00	
DX1/200 S3 Add CA iSCSI 10G 2port					x	x	x	x																	FTS:ETFHX2-L	1381,18	
DX200F Add CA iSCSI 10G 2port w. SFP x2									x	x															FTS:ETFHX4F-L	2760,00	
DX1/200 S3 Add CA iSCSI 10G 2port woSFP					x	x	x	x																	FTS:ETFHXA-L	1015,29	
DX200F Add CA iSCSI 10G 2port wo. SFP x2									x	x															FTS:ETFHXBFL-L	2030,59	
ETERNUS DX4x0 S2 - Interf. FCoE 2x Ports 10Gx2												x		x											FTS:ETNHC22-L	4768,24	
DX4x0 S2 IFCard FCoE 2P 10G x2 no SFP												x		x											FTS:ETNHC2N-L	4591,76	
ETERNUS DX4xx S2 - 2x Carte Interf. FC 2x Ports 8G												x		x											FTS:ETNHF22-L	2674,12	
ETERNUS DX4xx S2 - 2x Carte Interf. FC 4x Ports 8G												x		x											FTS:ETNHF24-L	4188,24	
DX4x0 S2 Long wave SFP+ 8G x2												x		x											FTS:ETNHFL2-L	1052,94	
DX4x0 S2 InterfCard FC 2Port 16G x2												x		x											FTS:ETNHH22-L	5410,59	
DX4x0 S2 InterfCard FC 4Port 16G x2												x		x											FTS:ETNHH24-L	9704,71	
DX4x0 S2 Long wave SFP+ 16G x2												x		x											FTS:ETNHHL2-L	1763,53	
ETERNUS DX4xx S2 - 2x Carte Interf. iSCSI 2x Ports												x		x											FTS:ETNHL22-L	4188,24	
ETERNUS DX4xx S2 - 2x Carte Interf. iSCSI 2x Ports												x		x											FTS:ETNHX22-L	4768,24	
DX4x0 S2 IFCard iSCSI 2P 10G x2 no SFP												x		x											FTS:ETNHY2N-L	4591,76	
ETERNUS DX4x0 S2 - 2x Carte Interf. iSCSI 2x Ports												x		x											FTS:ETNRL22-L	7308,24	
DX5/600 S3 CA FCoE 10G 2port x2																						x	x		FTS:ETPHC4-L	2908,24	
DX5/600 S3 CA FCoE 10G 2port x2 wo SFP																						x	x		FTS:ETPHCA-L	2263,53	
DX5/600 S3 CA Eth 1G 4port x2 f.Unified																							x	x	FTS:ETPHE8-L	1701,18	
DX5/600 S3 CA FC 8G 2port x2																							x	x	FTS:ETPHF4-L	2207,06	
DX5/600 S3 CA FC 8G 4port x2																							x	x	FTS:ETPHF8E-L	3971,76	
DX5/600 S3 CA FC 8G 4port x2																							x	x	FTS:ETPHF8-L	3971,76	
DX5/600 S3 CA FC 16G 2port x2																							x	x	FTS:ETPHH4-L	2956,47	
DX5/600 S3 CA FC 16G 4port x2																							x	x	FTS:ETPHH8E-L	5323,53	
DX5/600 S3 CA FC 16G 4port x2																							x	x	FTS:ETPHH8-L	5323,53	
DX5/600 S3 SFP 16G LongWave																							x	x	FTS:ETPHHL-L	1817,65	
DX5/600 S3 CA iSCSI 1G 2port x2																							x	x	FTS:ETPHL4-L	2748,24	
DX5/600 S3 CA Eth10G 2p x2 Unified w SFP																							x	x	FTS:ETPHN4-L	5355,29	
DX5/600 S3 CA Eth10G 2px2 Unified wo SFP																							x	x	FTS:ETPHNA-L	3543,53	
DX5/600 S3 CA iSCSI 10G 2port x2																							x	x	FTS:ETPHX4-L	5317,65	
DX5/600 S3 CA iSCSI 10G 2port x2 wo SFP																							x	x	FTS:ETPHXA-L	2827,06	



Accessoires Stockage ETERNUS (2)

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	ETERNUS DX60 S1 2.5	ETERNUS DX60 S2 2.5	ETERNUS DX60 S2 3.5	ETERNUS DX60 S2 3.5 Expa	ETERNUS DX60 S3	ETERNUS DX80 S2 2.5	ETERNUS DX80 S2 3.5	ETERNUS DX8090 S2 2.5 Expa	ETERNUS DX8090 S2 3.5 Expa	ETERNUS DX8700 CE Field upg	ETERNUS DX8700 S2	ETERNUS DX8700 S2 2.5 Expa	ETERNUS DX8700 S2 2.5 Field	ETERNUS DX8700 S2 3.5 Expa	ETERNUS DX8700 S2 3.5 Field	ETERNUS DX8700 S2 RACK	ETERNUS DX8700 S3	ETERNUS DX8700 S3 CE Field	ETERNUS DX90 S2 2.5	ETERNUS DX90 S2 3.5	ETERNUS JX40	ETERNUS JX60	Référence	Prix Indicatif (€)	Remarques		
Accessoires (Matrice)																											
Mémoire																											
DX8700 S2 96GCacheMem.set f.2Contr2x3DIM													x											FTS:ETGMH6-L	33045,88		
DX8700S2 192GCacheMem.set f.2Contr2x3DIM												x													FTS:ETGMW6-L	66090,59	
DX87/8900S3 128G Mem.set f.2Contr.8x8DIM																					x	x			FTS:ETSMC12-L	25074,12	
DX87/8900S3 256G Mem.set f.2Contr16x8DIM																					x	x			FTS:ETSMC25-L	50115,29	
DX87/8900S3 32G Mem.set f.2Contr. 4x4DIM																					x	x			FTS:ETSMC32-L	6260,00	
Hard Disks																											
DX60 S2 HD SAS 1.2TB 10k 2.5 x1		x																							FTS:ETED1HB-L	852,94	
DX60 S2 HD SAS 300GB 10k 2.5 x1		x																							FTS:ETED3HB-L	268,24	
DX8090 S2 HD SAS 300G 10k 2.5 x1								x	x															x	FTS:ETED3HC-L	268,24	
DX8090 S2 HD SAS 300GB 15k 2.5 x1								x	x															x	FTS:ETED3HG-L	582,35	
DX8090 S2 HD SAS 300GB 10k 3.5 x1								x		x															FTS:ETED3HH-L	284,71	
DX60 S2 HD SAS 300GB 10k 3.5 x1			x	x																					FTS:ETED3HJ-L	336,47	
DX60 S2 HD SAS 450GB 10k 2.5 x1		x																							FTS:ETED4HB-L	398,82	
DX8090 S2 HD SAS 450G 10k 2.5 x1								x	x															x	FTS:ETED4HC-L	398,82	
DX60 S2 HD SAS 600GB 10k 2.5 x1			x																						FTS:ETED6HB-L	484,71	
DX8090 S2 HD SAS 600G 10k 2.5 x1								x	x															x	FTS:ETED6HC-L	484,71	
DX8090 S2 HD SAS 600GB 10k 3.5 x1								x		x														x	FTS:ETED6HH-L	497,65	
DX60 S2 HD SAS 600GB 10k 3.5 x1			x	x																					FTS:ETED6HJ-L	497,65	
DX60 S2 HD SAS 900GB 10k 2.5 x1		x																							FTS:ETED9HB-L	703,53	
DX8090 S2 HD SAS 900G 10k 2.5 x1								x	x															x	FTS:ETED9HC-L	703,53	
DX8090 S2 SED SAS900GB 10k 2.5 x1								x	x															x	FTS:ETED9HE-L	861,18	
DX60 S2 HD NLSAS 1TB 7.2 3.5 x1			x	x																					FTS:ETEN1HA-L	320,00	
DX60 S2 HD NLSAS 1TB 7.2 2.5 x1			x																						FTS:ETEN1HB-L	445,88	
DX8090 S2 HD NLSAS 1TB 7.2 2.5 x1								x	x															x	FTS:ETEN1HC-L	445,88	
DX8090 S2 HD NLSAS 1TB 7.2 3.5 x1								x		x														x	FTS:ETEN1HD-L	320,00	
DX60 S2 HD NLSAS 2TB 7.2 3.5 x1			x	x																					FTS:ETEN2HA-L	487,06	
DX8090 S2 HD NLSAS 2TB 7.2 3.5 x1								x	x															x	FTS:ETEN2HD-L	487,06	
DX60 S2 HD NLSAS 3TB 7.2 3.5 x1			x	x																					FTS:ETEN3HA-L	770,59	
DX8090 S2 HD NLSAS 3TB 7.2 3.5 x1								x	x															x	FTS:ETEN3HD-L	814,12	
DX60 S2 HD NLSAS 4TB 7.2k 3.5 x1			x	x																					FTS:ETEN4HA-L	900,00	
DX8090 S2 HD NLSAS 4TB 7.2k 3.5 x1								x	x															x	FTS:ETEN4HD-L	900,00	
DX8090 S2 MLC SSD SAS 400GB 2.5 x1								x	x															x	FTS:ETES4HE-L	3547,06	
DX8090 S2 MLC SSD SAS 400GB 3.5 x1								x	x															x	FTS:ETES4HF-L	3547,06	
DX8090 S2 MLC SSD SAS 800GB 2.5 x1								x		x														x	FTS:ETES8HC-L	7094,12	
DX8090 S2 MLC SSD SAS 800GB 3.5 x1								x		x														x	FTS:ETES8HD-L	7094,12	
DX8x00 S2 HDD SAS 1.2TB 10k 2.5 x1												x	x	x											FTS:ETGD1HC-L	838,82	
DX8x00 S2 SED SAS 1.2TB 10k 2.5 x1												x	x	x											FTS:ETGD1HE-L	1012,94	
DX8x00 S2 HDD SAS 300GB 10k 2.5 x1												x	x	x											FTS:ETGD3HC-L	276,47	
DX8x00S2 HD SAS 300GB 15k 2.5 x1												x	x	x											FTS:ETGD3HG-L	600,00	
DX8x00S2 HD SAS 300GB 10k 3.5 x1															x	x									FTS:ETGD3HH-L	294,12	
DX8x00 S2 HDD SAS 450GB 10k 2.5 x1												x	x	x											FTS:ETGD4HC-L	411,76	
DX8x00 S2 HDD SAS 600GB 10k 2.5 x1												x	x	x											FTS:ETGD6HC-L	500,00	
DX8x00 S2 HDD SAS 600GB 15k 2.5 x1												x	x	x											FTS:ETGD6HG-L	1145,88	
DX8x00S2 HD SAS 600GB 10k 3.5 x1															x	x									FTS:ETGD6HH-L	512,94	
DX8x00 S2 HDD SAS 900GB 10k 2.5 x1												x	x	x											FTS:ETGD9HC-L	697,65	
DX8x00 S2 SED SAS 900GB 10k 2.5 x1												x	x	x											FTS:ETGD9HE-L	685,88	
JX40 SAS Disk 300GB 15k 6G 2.5"																							x		FTS:ETJSA3HBG-L	305,88	
JX40 SAS Disk 300GB 10k 6G 2.5"																							x		FTS:ETJSA3MBG-L	181,18	
JX40 SAS Disk 450GB 10k 6G 2.5"																							x		FTS:ETJSA4MBG-L	376,47	
JX40 SAS Disk 600GB 10k 6G 2.5"																							x		FTS:ETJSA6MBG-L	308,24	
JX40 SAS Disk 900GB 10k 6G 2.5"																							x		FTS:ETJSA9MBG-L	452,94	
JX40 BC SAS Disk 1 TB BC 6G 2.5" 7.2k																							x		FTS:ETJSU4MBG-L	418,82	
DX5/600 S3 Extreme cache 1.4TB for 2Ctl								x																	FTS:ETPF1-L	19387,06	
DX5/600 S3 Extreme cache 2.8TB for 2Ctl								x																	FTS:ETPF2-L	30292,94	
DX87/8900 S3 1.4TB FlashCache 1.4TB x1																								x	FTS:ETSF1-L	19387,06	
DX87/8900 S3 700GB FlashCache 700GB x1																								x	FTS:ETSF7-L	11705,88	
DX8x00S3 SED SSD SAS 1.92TB 12G 3.5 x1												x													FTS:ETSSHNN-L	7829,41	
JX40 SAS Disk 1.2TB 10k 6G 2.5"																							x		FTS:JX40-HD-12-L	801,18	
JX40 SAS Disk 300GB 15k 12G 2.5"																							x		FTS:JX40-HD30015-L	305,88	
JX40 SAS Disk 450GB 15k 12G 2.5"																							x		FTS:JX40-HD45015-L	643,53	
JX40 SAS Disk 600GB 15k 12G 2.5"																							x		FTS:JX40-HD60015-L	489,41	
JX40 SSD SAS 12G 1.6TB MLC 2.5"																							x		FTS:JX40-SSD1600-L	12591,76	
JX40 SSD SAS 12G 200GB MLC 2.5"																							x		FTS:JX40-SSD200-L	1632,94	
JX40 SSD SAS 12G 400GB MLC 2.5"																							x		FTS:JX40-SSD400-L	3351,76	
JX40 SSD SAS 12G 800GB MLC 2.5"																							x		FTS:JX40-SSD800-L	6431,76	
JX60 3.5" 2TB 7k2 SAS																							x		FTS:JX60-HD-2TB-L	349,41	
JX60 3.5" 3TB 7k2 SAS																							x		FTS:JX60-HD-3TB-L	489,41	
JX60 3.5" 4TB 7k2 SAS																							x		FTS:JX60-HD-4TB-L	731,76	
JX60 3.5 6 TB 7k2 512E																							x		FTS:JX60-HD-6TB-L	802,35	
DX8x00 S2 HDD NLSAS 1TB 7.2 2.5 x1												x	x	x											FTS:ETGN1HC-L	460,00	



Accessoires Stockage ETERNUS (2)

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	ETERNUS DX60 S1 2.5	ETERNUS DX60 S2 2.5	ETERNUS DX60 S2 3.5	ETERNUS DX60 S2 3.5 Expa	ETERNUS DX60 S3	ETERNUS DX80 S2 2.5	ETERNUS DX80 S2 3.5	ETERNUS DX8090 S2 2.5 Expa	ETERNUS DX8090 S2 3.5 Expa	ETERNUS DX8700 CE Field upg	ETERNUS DX8700 S2	ETERNUS DX8700 S2 2.5 Expa	ETERNUS DX8700 S2 2.5 Field	ETERNUS DX8700 S2 3.5 Expa	ETERNUS DX8700 S2 3.5 Field	ETERNUS DX8700 S2 RACK	ETERNUS DX8700 S3	ETERNUS DX8700 S3 CE Field	ETERNUS DX90 S2 2.5	ETERNUS DX90 S2 3.5	ETERNUS JX40	ETERNUS JX60	Référence	Prix Indicatif (€)	Remarques			
Accessoires (Matrice)																												
Hard Disks (Suite)																												
DX8x00 S2 MLC SSD SAS 800GB 2.5 x1												x	x	x											FTS:ETGS8HC-L	7307,06		
DX8x00 S2 MLC SSD SAS 800GB 3.5 x1										x				x	x											FTS:ETGS8HD-L	7307,06	
SCSI/RAID/SAS controller																												
ETERNUS DX60 - Ctrl FC pour Base 2.5" (sur site)	x																								FTS:ETLC6F4BG-L	2641,18		
Rack-Infrastructure																												
Protection anti-basculement pour M1 rack																		x							S26361-F4530-L210	258,82		
Kit Rack Connecteur pour PCR M1 Racks																			x						S26361-F4530-L225	62,35		
Brush Panel Kit (2 pcs) Top Cover PCR M1																									S26361-F4530-L250	25,88		
Brush Panel Kit (1 pc) pour porte arrière Rack M1																									S26361-F4530-L260	36,47		
Kit de mise à la terre pour Rack M1																			x						S26361-F4530-L6	41,18		
Divers																												
DX RAIL Kit for 3rd Party Rack		x	x	x				x	x	x	x									x	x				FTS:DX-RAIL-3RD	52,94		
DX S2-S3 2,5" HDD Dummy x1								x		x										x					FTS:DXS2HDD25-D	11,76		
DX S2-S3 3,5" HDD Dummy x1									x		x										x				FTS:DXS2HDD35-D	11,76		
DX8090 S2 Add. IO Module										x	x														FTS:ETEAMA-L	609,41		
DX60 S2 Add. EXP Module 3.5					x																				FTS:ETEEXD-L	611,76		
JX40 2nd Expander Unit (6G)																						x			FTS:ETJEXBG-L	631,76		
DX5/600 S3 Module Cage for Extreme Cache					x																				FTS:ETPFC-L	545,88		
Câbles																												
DX60/1/200S3 Ext.SAS Cable Encl. 3.5m x1																								x	FTS:ETFKM35-L	218,82		
DX1/200S3 Ext. SAS Cable f.Encl. 6.0m x1																								x	FTS:ETFKM60-L	471,76		
DX8700 S2 SAS Câbles RackBehind Rack6mx8												x	x	x	x	x									FTS:ETGC4Q6-L	1962,35		
DX8700 S2 SAS Câbles for 1DE upg 1.1m x2												x	x	x	x										FTS:ETG-CBL1M-L	277,65		
DX8700 S2 SAS Câbles f.DE Set 1-8, 3m x8												x	x	x	x	x									FTS:ETG-CBL3M-L	1469,41		
ETERNUS DX60/80 - câble SAS																								x	FTS:ETLCAMS1G-L	158,82		
ETERNUS DX4xx S2 - Câbles SAS pour Ext. Rack (2x 3)								x	x	x	x									x	x				FTS:ETNC2Q3-L	348,24		
ETERNUS DX4xx S2 - Câbles SAS pour Ext. Rack (2x 6)								x	x	x	x									x	x				FTS:ETNC2Q6-L	474,12		
DX5/600S3 Ext. AOC f.Encl. 15m x1					x																				FTS:ETPKA15-L	805,88		
DX5/600S3 Ext. AOC f.Encl. 30m x1					x																				FTS:ETPKA30-L	881,18		
DX5/600S3 Ext. SAS Cable f.Encl. 3.5m x1					x																				FTS:ETPKM35-L	145,88		
DX5/600S3 Ext. SAS Cable f.Encl. 6.0m x1					x																				FTS:ETPKM60-L	363,53		
DX US Power Cord 3M NEMA 5-15 x2					x														x	x					FTS:ETPWRC3M-L	12,94		
DX87/8900S3 Ext. Câbles f.FE 8x10m 4x10m																								x	FTS:ETSKA1X-L	6612,94		
DX87/8900S3 Ext. Câbles f.FE 8x3m 4x3m																								x	FTS:ETSKA30-L	1281,18		
DX87/8900S3 Ext. Câbles f.FE 8x3m 4x5m																								x	FTS:ETSKA50-L	1790,59		
DX8x00S3 Ext. SAS Cable f.Encl. 1x3.5m																								x	FTS:ETSKB35-L	157,65		
DX8x00S3 Ext. SAS Cable f.Encl. 1x6.0m																								x	FTS:ETSKB60-L	350,59		
SAS cable (MiniSAS miniSAS HD) 3.0m																								x	FTS:SAS-MINIHD3M-L	183,53		
SAS cable (MiniSAS miniSAS HD) 6.0m																								x	FTS:SAS-MINIHD6M-L	470,59		
Câble SAS 6Gb 1x SFF 8088-1x SFF 8088 2m																								x	D:KBSAS6G-1S-1S-2M	51,76		
Câble SAS 6Gb 1x SFF 8088-1x SFF 8088 4m																								x	D:KBSAS6G-1S-1S-4M	83,53		
Câble SAS 6Gb 1x SFF 8088-1x SFF 8088 6m																								x	D:KBSAS6G-1S-1S-6M	100,00		
FC-Cable OM3 LWL 10m LC LC					x																					D:FCKAB-OM3-C10L-L	39,31	
FC-Cable OM3 LWL 20m LC LC					x																					D:FCKAB-OM3-C20L-L	45,85	
FC-Cable OM3 LWL 50m LC LC					x																					D:FCKAB-OM3-C50L-L	67,11	
DX87/8900S3 Ext. Câbles f.FE 8x30m 4x30m																								x	FTS:ETSKA3X-L	11585,88		
DX8x00S3 Ext. AOC f.Encl. 1x15m																								x	FTS:ETSKBF0-L	805,88		
DX8x00S3 Ext. AOC f.Encl. 1x30m																								x	FTS:ETSKB3X-L	881,18		
SFP+ active Twinax cable BRCD 1m UPG								x	x															x	EBR800-TWX-1M-L	118,82		
Câble SFP Attached + Cop, 3m UPG								x	x															x	EBR800-TWX-3M-L	152,09		
Câble SFP Direct Attached + Cop, 5m UPG								x	x															x	EBR800-TWX-5M-L	196,46		
Upgs																												
DX600S3 UNIFIED Kit 16x16GB DIMM					x																				FTS:DXGUNI2UPGAP-L	30338,82		
SF (Standard)																												
AMF upgrade +1Year for FTS:D01904G83H								x																		FTS:D01904GX3H	5985,00	
ETSF15 SC Standard UPG fromBase DX60			x	x																						FTS:D01905F8AH	2365,84	
ETSF15 SC Standard UPG fromBase DX80DX90								x	x																	FTS:D01905F8BH	2639,73	
ETSF15 SC Standard UPG fromBase DX8700																										FTS:D01905F8GH	9187,06	
ETSF16 SC UPG Basic to Standard TierS		x	x	x																						FTS:D01905G80H	1050,59	
ETSF16 SC UPG Basic to Standard Tier1										x	x															FTS:D01905G81H	2388,24	
ETSF16 SC UPG Basic to Standard Tier3										x																FTS:D01905G83H	7885,88	
ETSF16 SC UPG Basic to Standard Tier4												x	x													FTS:D01905G84H	9827,06	
ETSF15 ACM LocalCopy UPG HWtoACM DX60		x	x																							FTS:D01906F81H	265,40	



Accessoires Stockage ETERNUS (2)

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	ETERNUS DX60 S1 2.5	ETERNUS DX60 S2 2.5	ETERNUS DX60 S2 3.5	ETERNUS DX60 S2 3.5 Expa	ETERNUS DX600 S3	ETERNUS DX80 S2 2.5	ETERNUS DX80 S2 3.5	ETERNUS DX8090 S2 2.5 Expa	ETERNUS DX8090 S2 3.5 Expa	ETERNUS DX8700 CE Field upg	ETERNUS DX8700 S2	ETERNUS DX8700 S2 2.5 Expa	ETERNUS DX8700 S2 2.5 Field	ETERNUS DX8700 S2 3.5 Expa	ETERNUS DX8700 S2 3.5 Field	ETERNUS DX8700 S2 RACK	ETERNUS DX8700 S3	ETERNUS DX8700 S3 CE Field	ETERNUS DX90 S2 2.5	ETERNUS DX90 S2 3.5	ETERNUS JX40	ETERNUS JX60	Référence	Prix Indicatif (€)	Remarques	
Accessoires (Matrice)																										
SF (Standard) (Suite)																										
ETSF16 VersionUp Kit V14 to V16 DX90																		x	x					FTS:D0190MG82H	964,04	
ETSF16 VersionUp Kit V15 to V16 DX60	x	x	x																					FTS:D0190NG80H	317,03	
ETSF16 VersionUp Kit V15 to V16 DX80						x	x																	FTS:D0190NG81H	396,28	
ETSF16 VersionUp Kit V15 to V16 DX90																		x	x					FTS:D0190NG82H	870,18	
AMF upgrade +1Year for FTS:D01910G83H								x																FTS:D01910GX3H	1684,00	
AMF upgrade +1Year for FTS:D01916G83H								x																FTS:D01916GX3H	2228,00	
AMF upgrade +1Year for FTS:D01918G83H								x																FTS:D01918GX3H	1225,00	
AMF upgrade +1Year for FTS:D01910F8GH												x												FTS:D019X0FSGH	3917,65	
AMF upgrade +1Year for FTS:D01912F81H												x												FTS:D019XCFS1H	3734,12	
AMF upgrade +1Year for FTS:D01912F82H												x												FTS:D019XCFS2H	3734,12	
AMF upgrade +1Year for FTS:D01912F83H												x												FTS:D019XCFS3H	3734,12	
AMF upgrade +1Year for FTS:D01914F81H												x												FTS:D019XDFS1H	5705,88	
AMF upgrade +1Year for FTS:D01914F82H												x												FTS:D019XDFS2H	5705,88	
AMF upgrade +1Year for FTS:D01914F83H												x												FTS:D019XDFS3H	5705,88	
AMF upgrade +1Year for FTS:D01917F81H												x												FTS:D019XDFS3H	5705,88	
AMF upgrade +1Year for FTS:D01917F82H												x												FTS:D019XDFS3H	5705,88	
AMF upgrade +1Year for FTS:D01917F83H												x												FTS:D019XDFS3H	5705,88	
AMF upgrade +1Year for FTS:D0190EF8EH												x												FTS:D019XDFS3H	5705,88	
AMF upgrade +1Year for FTS:D0190FF8EH												x												FTS:D0190FF8EH	1938,82	
AMF upgrade +1Year for FTS:D0190GG8DH								x																FTS:D0190GG8DH	4556,00	
AMF upgrade +1Year for FTS:D0190HG8DH								x																FTS:D0190HG8DH	8945,00	
Ctrl. Modul (CM)																										
DX80 S2 Add. Ctrl., no InterfCard						x	x																	FTS:ETEAC8A-L	2196,47	
DX90 S2 Add. Ctrl., no InterfCard																		x	x					FTS:ETEAC9A-L	2711,76	
DX60 S2 Add. Ctrl. 2.5 FC 4G			x																					FTS:ETEAC6CF-L	2507,06	
DX60 S2 Add. Ctrl. 2.5 iSCSI 1G			x																					FTS:ETEAC6CL-L	2448,24	
DX60 S2 Add. Ctrl. 2.5 SAS 3G			x																					FTS:ETEAC6CS-L	2448,24	
DX60 S2 Add. Ctrl. 3.5 FC 4G				x																				FTS:ETEAC6DF-L	2507,06	
DX60 S2 Add. Ctrl. 3.5 iSCSI 1G				x																				FTS:ETEAC6DL-L	2448,24	
DX60 S2 Add. Ctrl. 3.5 SAS 3G				x																				FTS:ETEAC6DS-L	2448,24	
DX8700 S2 Exp. Ctrl. x2																		x	x					FTS:ETGECA-L	26947,06	
DX8700 S2 Exp. Contr. x2, BBU x1, PSU x2																		x	x					FTS:ETGECB-L	31430,59	
Channel Adapter																										
DX8090 S2 InterfCard FCoE 2Port 10G						x	x											x	x					FTS:ETEHC12-L	1470,59	
DX8090 S2 IFCard FCoE 2Port 10G no SFP						x	x											x	x					FTS:ETEHC1N-L	1294,12	
DX8090 S2 InterfCard FC 2Port 8G						x	x											x	x					FTS:ETEHF12-L	831,76	
DX8090 S2 InterfCard FC 2Port 16G						x	x											x	x					FTS:ETEHH12-L	1763,53	
DX8090 S2 Long wave SFP+ 16G x1						x	x											x	x					FTS:ETEHL1-L	858,82	
DX8090 S2 InterfCard iSCSI 2Port 1G						x	x											x	x					FTS:ETEHL12-L	775,29	
DX8090 S2 InterfCard SAS 2Port 6G						x	x											x	x					FTS:ETEHS12-L	297,65	
DX8090 S2 InterfCard iSCSI 2Port 10G						x	x											x	x					FTS:ETEHY12-L	1470,59	
DX8090 S2 IFCard iSCSI 2Port 10G no SFP						x	x											x	x					FTS:ETEHY1N-L	1294,12	
DX8x00 S2 InterfCard FCoE 2Port 10G x2												x												FTS:ETGHCX4-L	4911,76	
DX8x00 S2 IFCard FCoE 2P 10G x2 no SFP												x												FTS:ETGHCXN-L	4730,59	
DX8x00 S2 InterfCard FC 2Port 8G x2												x												FTS:ETGHF84-L	2755,29	
DX8x00 S2 InterfCard FC 4Port 8G x2												x												FTS:ETGHF88-L	4314,12	
DX8x00 S2 Long wave 8G SFP+ x2												x												FTS:ETGHF8L-L	1084,71	
DX8x00 S2 InterfCard FC 2Port 16G x2												x												FTS:ETGHFH4-L	5572,94	
DX8x00 S2 InterfCard FC 4Port 16G x2												x												FTS:ETGHFH8-L	9996,47	
DX8x00 S2 Long wave 16G SFP+ x2												x												FTS:ETGHFHL-L	1816,47	
DX8x00 S2 InterfCard iSCSI 2Port 1G x2												x												FTS:ETGHL14-L	4314,12	
DX8x00 S2 InterfCard iSCSI 2Port 10G x2												x												FTS:ETGHLX4-L	4911,76	
DX8x00 S2 IFCard iSCSI 2P 10G x2 no SFP												x												FTS:ETGHLXN-L	4730,59	
DX8x00 S2 Rem.Int.Card iSCSI 2Port 1G x2												x												FTS:ETGRL14-L	7528,24	
DX5/600 S3 CA FCoE 10G 2port x2								x																FTS:ETPHC4-L	2908,24	
DX5/600 S3 CA FCoE 10G 2port x2 wo SFP								x																FTS:ETPHCA-L	2263,53	
DX5/600 S3 CA Eth 1G 4port x2 f.Unified								x																FTS:ETPH8-L	1701,18	
DX5/600 S3 CA FC 8G 2port x2								x																FTS:ETPHF4-L	2207,06	
DX5/600 S3 CA FC 8G 4port x2								x																FTS:ETPHF8-L	3971,76	
DX5/600 S3 CA FC 8G 4port x2								x																FTS:ETPHF8-L	3971,76	
DX5/600 S3 CA FC 16G 2port x2								x																FTS:ETPHH4-L	2956,47	
DX5/600 S3 CA FC 16G 4port x2								x																FTS:ETPHH8-L	5323,53	
DX5/600 S3 CA FC 16G 4port x2								x																FTS:ETPHH8-L	5323,53	
DX5/600 S3 SFP 16G LongWave								x																FTS:ETPHHL-L	1817,65	
DX5/600 S3 CA iSCSI 1G 2port x2								x																FTS:ETPHL4-L	2748,24	
DX5/600 S3 CA Eth10G 2p x2 Unified w SFP								x																FTS:ETPHN4-L	5355,29	
DX5/600 S3 CA Eth10G 2px2 Unified wo SFP								x																		



Accessoires Stockage ETERNUS (2)

Fiches produit : <http://fr.fujitsu.com/stockage>

DX87/8900S3 Longwave SFP+ 16G x2															x	x					FTS:ETSHFCL-L	5323,53
DX8x00 S3 InterfCard FCoE 2Port 10G x2															x	x					FTS:ETSHFE4-L	2908,24
DX8x00 S3 IFCard FCoE 2P 10G x2 no SFP+															x	x					FTS:ETSHFEN-L	2263,53
DX8x00 S3 InterfCard iSCSI 2Port 1G x2															x	x					FTS:ETSHL14-L	2748,24
DX8x00 S3 InterfCard iSCSI 2Port 10G x2															x	x					FTS:ETSHLX4-L	5317,65
DX8x00 S3 IFCard iSCSI 2P 10G x2 no SFP+															x	x					FTS:ETSHLXN-L	2827,06


ETERNUS CS 38HU Racks / 42HU Racks

 Fiches produit : <http://fr.fujitsu.com/stockage>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
CS 42HU Racks					
	ETERNUS CS Rack, I-Type (S13)	42HU Rack for CS HE. Measurements (HxWxD) 2003x700x1050mm. The maximum mounted weight will be 1000kg. The Rack has lockable Front- and Backdoors for Operation and Maintenance. The rack has no tilt protection. There are no specific cooling measures required.,	CS-R13-IR	6823,53	
	ETERNUS CS Rack, E-Type (S13)	42HU Rack for CS HE. Measurements (HxWxD) 2003x700x1050mm. The maximum mounted weight will be 1000kg. The Rack has lockable Front- and Backdoors for Operation and Maintenance. The rack has no tilt protection. There are no specific cooling measures required.,	CS-R13-ER	4158,82	
	ETERNUS CS800 RACK CABINET (42HU)	42HU Rack for CS800. Measurements (HxWxD) 2003x700x1050mm. The maximum mounted weight will be 1000kg. The Rack has lockable Front- and Backdoors for Operation and Maintenance. The rack has no tilt protection. There are no specific cooling measures required.	ETCS8-RACKCAB	4456,47	



ETERNUS CS200c

Fiches produit : <http://fr.fujitsu.com/stockage>

ETERNUS CS200 - Appliance de protection unifiée des données powered by CommVault Simpana

L'ETERNUS CS200c intègre matériel optimisé, logiciels et licences dans une solution complète de protection de données unifiée (sauvegarde et archivage). L'appliance permet d'installer rapidement et facilement un environnement de sauvegarde et d'archivage riche en fonctionnalités. Le logiciel Simpana de CommVault, leader technologique, exploite toute la puissance des systèmes Fujitsu pour délivrer la performance attendue par l'entreprise selon le modèle choisi dans la gamme. L'ETERNUS CS200c a un modèle Entry de 2 à 24 To de capacité nette et un modèle Scale qui dispose d'une évolutivité de stockage de 6 à 96 To.

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
CS200 Appliance Model S					
	ETERNUS CS200 Capext S-Mod 02TB FOUND	Field upgrade CS200 S-model, capacity expansion with 02TB licensed capacity; Foundation licensed zum Einbau in CS200-S	CS-200-S-CEXT	3235,29	
CS200 Appliance Model M					
	ETERNUS CS200 Capext M-Mod 04TB FOUND	Field upgrade CS200 M-model, capacity expansion with 04TB licensed capacity; Foundation licensed zum Einbau in CS200-M	CS-200-M-CEXT	6307,06	
CS200 Appliance Model L					
	ETERNUS CS200 Capext L-Mod 06TB FOUND	Field upgrade CS200 L-model, capacity expansion with 06TB licensed capacity; Foundation licensed zum Einbau in CS200-L	CS-200-L-CEXT	9297,65	
CS200 Appliance Model XL					
	ETERNUS CS200 Capext XL-Mod 08TB FOUND	Field upgrade CS200 XL-model, capacity expansion with 08TB licensed capacity; Foundation licensed zum Einbau in CS200-XL	CS-200-XL-CEXT	12312,94	
CS200 SCALE & JBOD					
	ETERNUS CS200 Capext SC JBOD 06TB FOUND	Field upgrade CS200 JBOD capacity expansion with 06TB licensed capacity; Foundation licensed zum Einbau in CS200-SC JBOD	ETCS-200C-SCEX	11721,18	
	ETERNUS CS200 Capext SC JBOD 06TB ADVAN	Field upgrade CS200 JBOD capacity expansion with 06TB licensed capacity; Advanced licensed; to built into a CS200-SC JBOD	ETCS-200C-SCEX-ADV	14070,59	
CS200S2 Appliance Model S					
	CS200c S2 S-Model 01TB FOUND licensed	CS200 S2 S-model with 01TB capacity, licensed with Appliance Foundation software	CS-200S2-SLF01	9483,00	
CS200S2 Appliance Model M					
	PROMO CS200c S2 M-Model 24TB NOT licnsd	CS200 S2 M-model with 24TB capacity, NOT licensed ; for use with Frontend / Client-licensing	CS-PR200S2-MHW24	11944,71	
	CS200c S2 M-Model 12TB FOUND licensed	CS200 S2 M-model with 12TB capacity, licensed with Appliance Foundation software	CS-200S2-MLF12	29130,59	
	CS200c S2 M-Model UPG 04TB FOUND licnsd	CS200 S2 M-model upgrade with 04TB capacity, licensed with Appliance Foundation software	CS-200S2-MLF-U04	5954,12	
	CS200c S2 M-Model UPG 04TB ADV licensed	CS200 S2 M-model upgrade with 04TB capacity, licensed with Appliance Advanced software	CS-200S2-MLA-U04	7341,18	
	CS200c S2 M-Model UPG 04TB NOT licensed	CS200 S2 M-Modell upgrade mit 04TB Kapazität, NICHT lizenziert ; für Einsatz mit Frontend / Client-Lizensierung	CS-200S2-MHW-U04	420,00	
CS200S2 Appliance Model L					


ETERNUS CS200c

 Fiches produit : <http://fr.fujitsu.com/stockage>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
CS200S2 Appliance Model L (Suite)					
	CS200c S2 L-Model 12TB FOUND licensed	CS200 S2 L-model with 12TB capacity, licensed with Appliance Foundation software	CS-200S2-LLF12	31205,88	
	CS200c S2 L-Model 24TB FOUND licensed	CS200 S2 L-model with 24TB capacity, licensed with Appliance Foundation software	CS-200S2-LLF24	49489,41	
	CS200c S2 L-Model UPG 06TB FOUND licnsd	CS200 S2 L-model upgrade with 06TB capacity, licensed with Appliance Foundation software	CS-200S2-LLF-U06	9141,18	
	CS200c S2 L-Model 12TB ADV licensed	CS200 S2 L-model with 12TB capacity, licensed with Appliance Advanced software	CS-200S2-LLA12	35367,06	
	CS200c S2 L-Model 24TB ADV licensed	CS200 S2 L-model with 24TB capacity, licensed with Appliance Advanced software	CS-200S2-LLA24	57811,76	
	CS200c S2 L-Model UPG 06TB ADV licensed	CS200 S2 L-model upgrade with 06TB capacity, licensed with Appliance Advanced software	CS-200S2-LLA-U06	11222,35	
	CS200c S2 L-Model UPG 06TB NOT licensed	CS200 S2 L-model upgrade with 06TB capacity, NOT licensed ; for use with Frontend / Client-licensing	CS-200S2-LHW-U06	847,06	
CS200S2 APPLIANCE SCC FOUND					
	CS200c S2 SCC-SRV UPG 06TB FOUND licnsd	CS200 S2 SCALE CAPACITY upgrade with 06TB capacity, licensed with Appliance Foundation software	CS-200S2-SCSLF-U06	7254,12	
	CS200c S2 SCS JBOD UPG 16TB FOUND licnsd	CS200 S2 SCALE CAPACITY JBOD upgrade with 16TB capacity, licensed with Appliance Foundation software	CS-200S2-JXSLF-U16	19737,65	
CS200S2 APPLIANCE SCC ADV					
	CS200c S2 SCC-SRV UPG 06TB ADV licensed	CS200 S2 SCALE CAPACITY upgrade with 06TB capacity, licensed with Appliance Advanced software	CS-200S2-SCSLA-U06	8900,00	
	CS200c S2 SCS JBOD UPG 16TB ADV licensed	CS200 S2 SCALE CAPACITY JBOD upgrade with 16TB capacity, licensed with Appliance Advanced software	CS-200S2-JXSLA-U16	24128,24	
CS200S2 APPLIANCE SCC NOT LIC					
	CS200c S2 SCC-SRV UPG 06TB NOT licensed	CS200 S2 SCALE CAPACITY upgrade with 06TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-200S2-SCSHW-U06	781,18	
	CS200c S2 SCS JBOD UPG 16TB NOT licensed	CS200 S2 SCALE CAPACITY JBOD upgrade with 16TB capacity, NOT licensed ; for use with Frontend / Client- licensing; NOTE: can only be connected to unlicensed systems	CS-200S2-JXSHW-U16	2538,82	
CS200S2 APPLIANCE SCP ADV					
	CS200c S2 SCP JBOD UPG 07TB ADV licensed	CS200 S2 SCALE PERFORMANCE JBOD upgrade with 07TB capacity, licensed with Appliance Advanced software	CS-200S2-JXPLA-U1	13485,88	
CS200S2 APPLIANCE SCP FOUND					
	CS200c S2 SCP JBOD UPG 07TB FOUND licnsd	CS200 S2 SCALE PERFORMANCE JBOD upgrade with 07TB capacity, licensed with Appliance Foundation software	CS-200S2-JXPLF-U1	11565,88	
CS200S2 APPLIANCE SCP NOT LIC					
	CS200c S2 SCP JBOD UPG 07TB NOT licnsd	CS200 S2 SCALE PERFORMANCE JBOD upgrade with 07TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-200S2-JXPHW-U1	3892,94	


ETERNUS CS200c

 Fiches produit : <http://fr.fujitsu.com/stockage>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
CS200S2 APPLIANCE SCP NOT LIC (Suite)					
CS200S3 Appliance S-M-SCC					
PROMO CS200c S3 S-Model ADV lcsnsd 01TB	CS200 S2 S-model with 01TB capacity, licensed with Appliance Advanced software	CS-PR200S3-SLA01	8526,00		
PROMO CS200c S3 SCALE 06TB ADV lcsnsd	CS200 S2 SCALE CAPACITY with 06TB capacity, licensed with Appliance Advanced software	CS-PR200S3-SCCLA06	28605,00		
PROMO CS200c S3 M-Model 12TB UNLICENSED	CS200 S2 M-model with 04TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-PR200S3-MHW12	10184,00		
PROMO CS200c S3 M-Model 24TB UNLICENSED	CS200 S2 M-model with 04TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-PR200S3-MHW24	11129,00		
CS200c S3 S-Model 01TB FOUND licensed	CS200 S2 S-model with 01TB capacity, licensed with Appliance Foundation software	CS-200S3-SLF01	10684,71		
CS200c S3 S-Model 02TB FOUND licensed	CS200 S2 S-model with 02TB capacity, licensed with Appliance Foundation software	CS-200S3-SLF02	11881,00		
CS200c S3 S-Model 04TB FOUND licensed	CS200 S2 M-model with 04TB capacity, licensed with Appliance Foundation software	CS-200S3-SLF04	15125,50		
CS200c S3 S-Model 06TB FOUND licensed	CS200 S2 SCALE CAPACITY with 06TB capacity, licensed with Appliance Foundation software	CS-200S3-SLF06	18370,00		
CS200c S3 M-Model 04TB FOUND licensed	CS200 S2 M-model with 04TB capacity, licensed with Appliance Foundation software	CS-200S3-MLF04	18767,00		
CS200c S3 M-Model 08TB FOUND licensed	CS200 S2 M-model with 08TB capacity, licensed with Appliance Foundation software	CS-200S3-MLF08	25256,00		
CS200c S3 M-Model 12TB FOUND licensed	CS200 S2 M-model with 12TB capacity, licensed with Appliance Foundation software	CS-200S3-MLF12	31745,00		
CS200c S3 M-Model 16TB FOUND licensed	CS200 S2 M-model with 16TB capacity, licensed with Appliance Foundation software	CS-200S3-MLF16	38234,00		
CS200c S3 M-Model 20TB FOUND licensed	CS200 S2 M-model with 20TB capacity, licensed with Appliance Foundation software	CS-200S3-MLF20	44723,00		
CS200c S3 M-Model 24TB FOUND licensed	CS200 S2 M-model with 24TB capacity, licensed with Appliance Foundation software	CS-200S3-MLF24	51212,00		
CS200c S3 SCALE 06TB FOUND licensed	CS200 S2 SCALE CAPACITY with 06TB capacity, licensed with Appliance Foundation software	CS-200S3-SCCLF06	33896,00		
CS200c S3 SCALE 12TB FOUND licensed	CS200 S2 SCALE CAPACITY with 12TB capacity, licensed with Appliance Foundation software	CS-200S3-SCCLF12	40028,00		
CS200c S3 SCALE 18TB FOUND licensed	CS200 S2 SCALE CAPACITY with 12TB capacity, licensed with Appliance Foundation software	CS-200S3-SCCLF18	46160,00		
CS200c S3 SCALE 24TB FOUND licensed	CS200 S2 SCALE CAPACITY with 24TB capacity, licensed with Appliance Foundation software	CS-200S3-SCCLF24	55838,00		
CS200c S3 SCALE 30TB FOUND licensed	CS200 S2 L-model with 36TB capacity, licensed with Appliance Foundation software	CS-200S3-SCCLF30	61970,00		
CS200c S3 SCALE 36TB FOUND licensed	CS200 S2 SCALE CAPACITY with 36TB capacity, licensed with Appliance Foundation software	CS-200S3-SCCLF36	71648,00		


ETERNUS CS200c

 Fiches produit : <http://fr.fujitsu.com/stockage>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
CS200S2 APPLIANCE SCP NOT LIC (Suite)					
	CS200c S3 SCC JBOD 24TB FOUND licensed	CS200 S2 SCALE CAPACITY JBOD with 24TB capacity, licensed with Appliance Foundation software	CS-200S3-JXSLF24	47353,00	
	CS200c S3 SCC JBOD 48TB FOUND licensed	CS200 S2 SCALE CAPACITY JBOD with 48TB capacity, licensed with Appliance Foundation software	CS-200S3-JXSLF48	91639,00	
	CS200c S3 S-Model 01TB ADVANCED licensed	CS200 S2 S-model with 01TB capacity, licensed with Appliance Advanced software	CS-200S3-SLA01	10557,00	
	CS200c S3 S-Model 02TB ADVANCED licensed	CS200 S2 S-model with 02TB capacity, licensed with Appliance Advanced software	CS-200S3-SLA02	12637,00	
	CS200c S3 S-Model 04TB ADVANCED licensed	CS200 S2 M-model with 04TB capacity, licensed with Appliance Advanced software	CS-200S3-SLA04	13677,00	
	CS200c S3 S-Model 06TB ADVANCED licensed	CS200 S2 SCALE CAPACITY with 06TB capacity, licensed with Appliance Advanced software	CS-200S3-SLA06	14717,00	
	CS200c S3 M-Model 04TB ADVANCED licensed	CS200 S2 M-model with 04TB capacity, licensed with Appliance Advanced software	CS-200S3-MLA04	22493,00	
	CS200c S3 M-Model 08TB ADVANCED licensed	CS200 S2 M-model with 08TB capacity, licensed with Appliance Advanced software	CS-200S3-MLA08	28279,00	
	CS200c S3 M-Model 12TB ADVANCED licensed	CS200 S2 M-model with 12TB capacity, licensed with Appliance Advanced software	CS-200S3-MLA12	36279,00	
	CS200c S3 M-Model 16TB ADVANCED licensed	CS200 S2 M-model with 16TB capacity, licensed with Appliance Advanced software	CS-200S3-MLA16	44280,00	
	CS200c S3 M-Model 20TB ADVANCED licensed	CS200 S2 M-model with 20TB capacity, licensed with Appliance Advanced software	CS-200S3-MLA20	52280,00	
	CS200c S3 M-Model 24TB ADVANCED licensed	CS200 S2 M-model with 24TB capacity, licensed with Appliance Advanced software	CS-200S3-MLA24	60281,00	
	CS200c S3 SCALE 06TB ADVANCED licensed	CS200 S2 SCALE CAPACITY with 06TB capacity, licensed with Appliance Advanced software	CS-200S3-SCCLA06	35197,00	
	CS200c S3 SCALE 12TB ADVANCED licensed	CS200 S2 SCALE CAPACITY with 12TB capacity, licensed with Appliance Advanced software	CS-200S3-SCCLA12	43616,00	
	CS200c S3 SCALE 18TB ADVANCED licensed	CS200 S2 SCALE CAPACITY with 12TB capacity, licensed with Appliance Advanced software	CS-200S3-SCCLA18	52035,00	
	CS200c S3 SCALE 24TB ADVANCED licensed	CS200 S2 SCALE CAPACITY with 24TB capacity, licensed with Appliance Advanced software	CS-200S3-SCCLA24	63014,00	
	CS200c S3 SCALE 30TB ADVANCED licensed	CS200 S2 L-model with 36TB capacity, licensed with Appliance Advanced software	CS-200S3-SCCLA30	71433,00	


ETERNUS CS200c

 Fiches produit : <http://fr.fujitsu.com/stockage>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
CS200S2 APPLIANCE SCP NOT LIC (Suite)					
	CS200c S3 SCALE 36TB ADVANCED licensed	CS200 S2 SCALE CAPACITY with 36TB capacity, licensed with Appliance Advanced software	CS-200S3-SCCLA36	81887,00	
	CS200c S3 SCC JBOD 24TB ADVANCED lcsnd	CS200 S2 SCALE CAPACITY JBOD with 24TB capacity, licensed with Appliance Advanced software	CS-200S3-JXSLA24	57169,00	
	CS200c S3 SCC JBOD 48TB ADVANCED lcsnd	CS200 S2 SCALE CAPACITY JBOD with 48TB capacity, licensed with Appliance Advanced software	CS-200S3-JXSLA48	111271,00	
	CS200c S3 S-Model 01TB UNLICENSED	CS200 S2 S-model with 01TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-200S3-SHW01	8796,00	
	CS200c S3 S-Model 02TB UNLICENSED	CS200 S2 S-model with 02TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-200S3-SHW02	8992,00	
	CS200c S3 S-Model 04TB UNLICENSED	CS200 S2 S-model with 02TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-200S3-SHW04	9188,00	
	CS200c S3 S-Model 06TB UNLICENSED	CS200 S2 S-model with 02TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-200S3-SHW06	8992,00	
	CS200c S3 M-Model 04TB UNLICENSED	CS200 S2 M-model with 04TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-200S3-MHW04	12983,00	
	CS200c S3 M-Model 08TB UNLICENSED	CS200 S2 M-model with 04TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-200S3-MHW08	9866,00	
	CS200c S3 M-Model 12TB UNLICENSED	CS200 S2 M-model with 04TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-200S3-MHW12	13898,66	
	CS200c S3 M-Model 16TB UNLICENSED	CS200 S2 M-model with 04TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-200S3-MHW16	10506,00	
	CS200c S3 M-Model 20TB UNLICENSED	CS200 S2 M-model with 04TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-200S3-MHW20	10816,00	
	CS200c S3 M-Model 24TB UNLICENSED	CS200 S2 M-model with 04TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-200S3-MHW24	15272,00	
	CS200c S3 SCALE 06TB UNLICENSED	CS200 S2 SCALE CAPACITY with 06TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-200S3-SCCHW06	28190,00	
	CS200c S3 SCALE 12TB UNLICENSED	CS200 S2 SCALE CAPACITY with 06TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-200S3-SCCHW12	16846,00	
	CS200c S3 SCALE 18TB UNLICENSED	CS200 S2 SCALE CAPACITY with 06TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-200S3-SCCHW18	17326,00	


ETERNUS CS200c

 Fiches produit : <http://fr.fujitsu.com/stockage>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
CS200S2 APPLIANCE SCP NOT LIC (Suite)					
	CS200c S3 SCALE 24TB UNLICENSED	CS200 S2 SCALE CAPACITY with 06TB capacity, NOT licensed ; for use with Frontend / Client-licensing	CS-200S3-SCCHW24	17806,00	
	CS200c S3 SCALE 30TB UNLICENSED	CS200 S2 SCALE CAPACITY with 06TB capacity, NOT licensed ; for use with Frontend / Client-licensing	CS-200S3-SCCHW30	18296,00	
	CS200c S3 SCALE 36TB UNLICENSED	CS200 S2 SCALE CAPACITY with 06TB capacity, NOT licensed ; for use with Frontend / Client-licensing	CS-200S3-SCCHW36	32447,00	
	CS200c S3 SCC JBOD 24TB UNLICENSED	CS200 S2 SCALE CAPACITY JBOD with 24TB capacity, NOT licensed ; for use with Frontend / Client-licensing; NOTE: can only be connected to unlicensed systems	CS-200S3-JXSHW24	8185,00	
	CS200c S3 SCC JBOD 48TB UNLICENSED	CS200 S2 SCALE CAPACITY JBOD with 48TB capacity, NOT licensed ; for use with Frontend / Client-licensing; NOTE: can only be connected to unlicensed systems	CS-200S3-JXSHW48	13303,00	
	CS200c S3 SCALE JBODUPG 24TB ADVAN lcnsd	CS200 S2 SCALE CAPACITY JBOD upgrade with 24TB capacity, licensed with Appliance Advanced software	CS-200S3-JXSLA-U24	54108,00	
	CS200c S3 S-Model UPG 01TB FOUND lcnsd	CS200 S2 S-model with 01TB capacity, licensed with Appliance Foundation software	CS-200S3-SLF-U01	2065,00	
	CS200c S3 M-Model UPG 04TB FOUND lcnsd	CS200 S2 M-model upgrade with 04TB capacity, licensed with Appliance Foundation software	CS-200S3-MLF-U04	6489,00	
	CS200c S3 SCALE UPG 06TB FOUND lcnsd	CS200 S2 SCALE CAPACITY upgrade with 06TB capacity, licensed with Appliance Foundation software	CS-200S3-SCCLF-U06	7905,00	
	CS200c S3 SCALE JBODUPG 24TB FOUND lcnsd	CS200 S2 SCALE CAPACITY JBOD upgrade with 24TB capacity, licensed with Appliance Foundation software	CS-200S3-JXSLF-U24	44292,00	
	CS200c S3 S-Model UPG 01TB ADVANCE lcnsd	CS200 S2 S-model with 01TB capacity, licensed with Appliance Advanced software	CS-200S3-SLA-U01	2518,00	
	CS200c S3 M-Model UPG 04TB ADVANCE lcnsd	CS200 S2 M-model upgrade with 04TB capacity, licensed with Appliance Advanced software	CS-200S3-MLA-U04	8001,00	
	CS200c S3 SCALE UPG 06TB ADVANCED lcnsd	CS200 S2 SCALE CAPACITY upgrade with 06TB capacity, licensed with Appliance Advanced software	CS-200S3-SCCLA-U06	9699,00	
	CS200c S3 S-Model UPG 01TB UNLICENSED	CS200 S2 M-Modell upgrade mit 04TB Kapazität, NICHT lizenziert ; für Einsatz mit Frontend / Client-Lizenzierung	CS-200S3-SHW-U01	251,00	
	CS200c S3 M-Model UPG 04TB UNLICENSED	CS200 S2 M-Modell upgrade mit 04TB Kapazität, NICHT lizenziert ; für Einsatz mit Frontend / Client-Lizenzierung	CS-200S3-MHW-U04	458,00	
	CS200c S3 SCALE UPG 06TB UNLICENSED	CS200 S2 SCALE CAPACITY upgrade with 06TB capacity, NOT licensed ; for use with Frontend / Client-licensing	CS-200S3-SCCHW-U06	852,00	


ETERNUS CS200c

 Fiches produit : <http://fr.fujitsu.com/stockage>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
CS200S2 APPLIANCE SCP NOT LIC (Suite)					
	CS200c S3 SCALE JBODUPG 24TB UNLICENSED	CS200 S2 SCALE CAPACITY JBOD with 24TB capacity, NOT licensed ; for use with Frontend / Client- licensing; NOTE: can only be connected to unlicensed systems	CS-200S3-JXSHW-U24	5124,00	
CS200S3 Appliance SCP					
	PROMO CS200c S3 SCALEPERF 07TB ADV lcsnd	CS200 S2 SCALE PERFORMANCE- model with 11TB capacity, licensed with Appliance Advanced software	CS-PR200S3-SCPLA07	32976,00	
	CS200c S3 SCALE PERF 07TB FOUND licensed	CS200 S2 SCALE PERFORMANCE- model with 07TB capacity, licensed with Appliance Foundation	CS-200S3-SCPLF07	30110,00	
	CS200c S3 SCALE PERF 14TB FOUND licensed	CS200 S2 SCALE PERFORMANCE- model with 14TB capacity, licensed with Appliance Foundation	CS-200S3-SCPLF14	45034,00	
	CS200c S3 SCALE PERF 21TB FOUND licensed	CS200 S2 SCALE PERFORMANCE- model with 21TB capacity, licensed with Appliance Foundation	CS-200S3-SCPLF21	69908,00	
	CS200c S3 SCP JBOD 07TB FOUND licensed	CS200 S2 SCALE PERFORMANCE JBOD with 07TB capacity, licensed with Appliance Foundation software	CS-200S3-JXPLF07	15776,00	
	CS200c S3 SCP JBOD 14TB FOUND licensed	CS200 S2 SCALE PERFORMANCE JBOD with 14TB capacity, licensed with Appliance Foundation software	CS-200S3-JXPLF14	28379,00	
	CS200c S3 SCP JBOD 21TB FOUND licensed	CS200 S2 SCALE PERFORMANCE JBOD with 21TB capacity, licensed with Appliance Foundation software	CS-200S3-JXPLF21	40982,00	
	CS200c S3 SCP JBOD 28TB FOUND licensed	CS200 S2 SCALE PERFORMANCE JBOD with 28TB capacity, licensed with Appliance Foundation software	CS-200S3-JXPLF28	53586,00	
	CS200c S3 SCALE PERF 07TB ADVANCED lcsnd	CS200 S2 SCALE PERFORMANCE- model with 07TB capacity, licensed with Appliance Advanced software	CS-200S3-SCPLA07	32973,00	
	CS200c S3 SCALE PERF 14TB ADVANCED lcsnd	CS200 S2 SCALE PERFORMANCE- model with 14TB capacity, licensed with Appliance Advanced software	CS-200S3-SCPLA14	50760,00	
	CS200c S3 SCALE PERF 21TB ADVANCED lcsnd	CS200 S2 SCALE PERFORMANCE- model with 21TB capacity, licensed with Appliance Advanced software	CS-200S3-SCPLA21	78497,00	
	CS200c S3 SCP JBOD 07TB ADVANCED lcsnd	CS200 S2 SCALE PERFORMANCE JBOD with 07TB capacity, licensed with Appliance Advanced software	CS-200S3-JXPLA07	17869,00	
	CS200c S3 SCP JBOD 14TB ADVANCED lcsnd	CS200 S2 SCALE PERFORMANCE JBOD with 14TB capacity, licensed with Appliance Advanced software	CS-200S3-JXPLA14	32565,00	
	CS200c S3 SCP JBOD 21TB ADVANCED lcsnd	CS200 S2 SCALE PERFORMANCE JBOD with 21TB capacity, licensed with Appliance Advanced software	CS-200S3-JXPLA21	47262,00	
	CS200c S3 SCP JBOD 28TB ADVANCED lcsnd	CS200 S2 SCALE PERFORMANCE JBOD with 28TB capacity, licensed with Appliance Advanced software	CS-200S3-JXPLA28	61958,00	


ETERNUS CS200c

 Fiches produit : <http://fr.fujitsu.com/stockage>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
CS200S3 Appliance SCP (Suite)					
	CS200c S3 SCALE PERF 07TB UNLICENSED	CS200 S2 SCALE PERFORMANCE- model with 07TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-200S3-SCPHW07	18686,00	
	CS200c S3 SCALE PERF 14TB UNLICENSED	CS200 S2 SCALE PERFORMANCE- model with 14TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-200S3-SCPHW14	22186,00	
	CS200c S3 SCALE PERF 21TB UNLICENSED	CS200 S2 SCALE PERFORMANCE- model with 21TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-200S3-SCPHW21	35636,00	
	CS200c S3 SCP JBOD 07TB UNLICENSED	CS200 S2 SCALE PERFORMANCE JBOD with 07TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-200S3-JXPHW07	7415,00	
	CS200c S3 SCP JBOD 14TB UNLICENSED	CS200 S2 SCALE PERFORMANCE JBOD with 14TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-200S3-JXPHW14	14259,00	
	CS200c S3 SCP JBOD 21TB UNLICENSED	CS200 S2 SCALE PERFORMANCE JBOD with 21TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-200S3-JXPHW21	19797,00	
	CS200c S3 SCP JBOD 28TB UNLICENSED	CS200 S2 SCALE PERFORMANCE JBOD with 28TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-200S3-JXPHW28	25335,00	
	CS200c S3 SCP JBOD UPG 07TB FOUNDATION	CS200 S2 SCALE PERFORMANCE JBOD upgrade with 07TB capacity, licensed with Appliance Foundation software	CS-200S3-JXPLF-U07	16968,00	
	CS200c S3 SCP JBOD UPG 07TB ADVANCED	CS200 S2 SCALE PERFORMANCE JBOD upgrade with 07TB capacity, licensed with Appliance Advanced software	CS-200S3-JXPLA-U07	19831,00	
	CS200c S3 SCP JBOD UPG 07TB UNLICENSED	CS200 S2 SCALE PERFORMANCE JBOD upgrade with 07TB capacity, NOT licensed ; for use with Frontend / Client- licensing	CS-200S3-JXPHW-U07	5544,00	



ETERNUS CS800

Fiches produit : <http://fr.fujitsu.com/stockage>

ETERNUS CS800 - Une solution clé en main pour la protection des données avec déduplication pour les petites et moyennes entreprises

L'ETERNUS CS800 est la solution idéale pour les entreprises qui recherchent la performance des sauvegardes sur disques, une capacité à répliquer les données sur un site distant tout en réduisant les coûts et la surface de stockage. L'appliance offre les performances de sauvegarde très rapides jusqu'à 11,5 To par heure en mode cible en ligne conventionnel, sans restriction sur les logiciels de sauvegarde ni pré-requis de logiciels. L'ETERNUS CS800 S5 a un modèle Entry de 4 à 24 To de capacité et un modèle Scale qui dispose d'une évolutivité de stockage de 16 à 320 To.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
CS800 S4				
ETERNUS CS800 DX80 EXT. SHELF (8 TB)	CS800 DX80 S2 8TB Extension Shelf for the SCALE (8TB), incl. power and cascading interface cable, ,	ETCS8-ESHSELF1	10875,29	
ETERNUS CS800 DX80 EXT. SHELF (16 TB)	CS800 DX80 S2 16TB Extension Shelf for the SCALE (16TB), incl. power and cascading interface cable, ,	ETCS8-ESHSELF2	20250,59	
ETERNUS CS800 DX80 EXT. SHELF (24 TB)	CS800 DX80 S2 24TB Extension Shelf for the SCALE (24TB) , incl. power and cascading interface cable,	ETCS8-ESHSELF3	27000,00	
CS800 S5				
ETERNUS CS800 S5 ENTRY (4 TB)	System Package: ETERNUS CS800 S5 Entry, (4 TB capacity), Packaged dedupe appliance in a box, 5 x 1 Gb Ethernet, 4.0 TB usable capacity	ETCS8-ENTRY-P50	8264,71	
ETERNUS CS800 S5 ENTRY JX BASE (4 TB)	ETERNUS CS800 S5 Entry JX Base (4 TB capacity) , , Additional 4 TB of RAID6 protected disk storage, Provided via an ETERNUS JX disk cabinet	ETCS8-JXBASE5	5068,38	
ETERNUS CS800 S5 EXT. SHELF (16 TB)	ETERNUS CS800 S5 EXT. SHELF (16 TB) , , Additional 16 TB of RAID6 protected disk storage,	ETCS8-ESHSELF51	20250,59	
ETERNUS CS800 S5 EXT. SHELF (24 TB)	ETERNUS CS800 S5 EXT. SHELF (24 TB) , , Additional 24 TB of RAID6 protected disk storage,	ETCS8-ESHSELF52	27000,00	
ETERNUS CS800 S5 EXT. SHELF (32 TB)	ETERNUS CS800 S5 EXT. SHELF (32 TB) , , Additional 32 TB of RAID6 protected disk storage	ETCS8-ESHSELF53	30941,18	
ETERNUS CS800 S5 SCALE HS KIT (16 TB)	ETERNUS CS800 S5 Scale Hotspare Kit (16 TB) , , Additional shelf of 12 hot spare disks for the deduplication store in the RAID system,	ETCS8-HSKIT51	20250,59	
ETERNUS CS800 S5 SCALE HS KIT (24 TB)	ETERNUS CS800 S5 Scale Hotspare Kit (24 TB) , , Additional shelf of 12 hot spare disks for the deduplication store in the RAID system	ETCS8-HSKIT52	27000,00	
ETERNUS CS800 S5 SCALE HS KIT (32 TB)	ETERNUS CS800 S5 Scale Hotspare Kit (32 TB) , , Additional shelf of 12 hot spare disks for the deduplication store in the RAID system,	ETCS8-HSKIT53	30000,00	
CS800 S6				
ET CS800 S6 ENTRY1 (8 TB)	S6, Entry1, contains a configurable processor unit, details see the Data Sheet or Product Insights	ETCS8-ENTRY1-P60	12352,94	
ET CS800 S6 ENTRY2 (8 TB)	S6, Entry2, contains a configurable processor unit with one external configurable RAID device, details see the Data Sheet or Product Insights	ETCS8-ENTRY2-P60	16470,59	
ET CS800 S6 ENTRY JX BASE (16 TB)	ETERNUS CS800 S6 Entry Base 6-24TB, ,	ETCS8-JXBASE6	8235,29	
ET CS800 S6 SCALE (32 TB)		ETCS8-SCALE2-P60	49765,88	
ET CS800 S6 EXT. SHELF (32 TB)	CS800 S6 Base 32TB	ETCS8-ESHSELF62	28823,53	
ET CS800 S6 SCALE HS KIT (f. 32TB Shelf)	ETERNUS CS800 S6 Scale Hotspare Kit (36 TB) , , Additional shelf of 12 hot spare disks for the deduplication store in the RAID system	ETCS8-HSKIT62	20588,24	



LTO Desktop

Lecteur au format Desktop disponible avec un lecteur LTO-4, LTO-5 ou LTO-6 pour un débit rapide des sauvegardes



SCALAR i500

Librairie moyenne gamme modulaire offrant évolutivité, performance et fiabilité parmi les meilleures du marché.



ETERNUS LT20 S2

ETERNUS LT20 S2 est un auto-chargeur économique ultracompact et extrêmement fiable pour les petites et moyennes entreprises. Il peut recevoir jusqu'à 8 cartouches et 1 lecteur LTO-4, LTO-5 ou LTO-6



ETERNUS LT40 S2

ETERNUS LT40 S2 est un auto-chargeur compacte pouvant recevoir jusqu'à 24 cartouches et deux lecteurs LTO-4, LTO-5 ou



ETERNUS LT60 S2

ETERNUS LT60 S2 est une librairie compacte avec une capacité jusqu'à 48 cartouches et pouvant disposer 4 lecteurs LTO-4, LTO-5 ou LTO-6 dans un format rack (4U).



ETERNUS LT260

ETERNUS LT260 est une librairie automatisée et évolutive jusqu'à 1 Po de données compressées. Elle dispose d'une capacité de 80 à 160 cartouches et jusqu'à 12 lecteurs LTO-5 ou LTO-6 dans un format rack (6U ou 12U avec son extension).

**LTO Desktop**Fiches produit : <http://fr.fujitsu.com/stockage>

Ce lecteur LTO au format desktop est une solution de sauvegarde performante pour les petits serveurs. La technologie LTO Ultrium est particulièrement bien adaptée pour la sauvegarde de données critiques nécessitant un débit important.

		Référence	Prix Indicatif (€)	Remarques
Description	Détails			
Unités de Base				
SAS LTO Desktop Drive				
DT LTO-5 RoHS SAS SFF8088 HH 1500 GB	Fujitsu LTO-5 Desk Top Model (RoHS7), Interface SAS, Capacity 1500GB native	D:LTO-DT-U5S-R	2387,06	
DT LTO-6 RoHS SAS SFF8088 HH 2500 GB	Fujitsu LTO-6 Desk Top Model (RoHS7), Interface SAS, Capacity 2600GB native	D:LTO-DT-U6S-R	2648,24	



ETERNUS LT20 S2

Fiches produit : <http://fr.fujitsu.com/stockage>

Un auto-chargeur économique ultracompact et extrêmement fiable pour les petites et moyennes entreprises.

Il est basé sur la technologie éprouvée LTO qui offre une grande capacité de stockage à haute vitesse et à des prix abordables. En fonction de votre besoin, il existe plusieurs technologies LTO-4 ou LTO-5 ou LTO-6. Il dispose de 2 magasins de 4 slots et un slot pour les entrées ou sorties de cartouches. L'ETERNUS LT20 S2 peut stocker jusqu'à 50 To en mode compressé (LTO-6) dans seulement 1 U de hauteur. Il permet d'automatiser la sauvegarde de données sur une semaine d'activité.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
ETERNUS LT20 S2 R				
VFY ETLT20S2N-P RoHS,1xLTO-5HH SAS,8Slot	Tape Library ETERNUS LT20 S2 RoHS with 8 cartridge slots, integrated Barcode Reader and one LTO-5 SAS Half Height drive , -2 cartridge magazine per 4 cartridge already installed, - Mémoire capacity until to 12 / 24 Tbyte (uncompr./compr.), - Interface SAS, - LTO5 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a one height units rack, Rack Kit,1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and 1x Ethernet Cable (1,5m)	VFY:LT2R2XF041IN	4352,94	
VFY ETLT20S2N-P RoHS,1xLTO-6HH SAS,8Slot	Tape Library ETERNUS LT20 S2 RoHS with 8 cartridge slots, integrated Barcode Reader and one LTO-6 SAS Half Height drive , -2 cartridge magazine per 4 cartridge already installed, - Mémoire capacity until to 12 / 24 Tbyte (uncompr./compr.), - Interface SAS, - LTO5 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a one height units rack, Rack Kit,1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and 1x Ethernet Cable (1,5m)	VFY:LT2R2XF061IN	5524,71	
VFY ETLT20S2N-P RoHS,1xLTO-6HH FC,8Slot	Tape Library ETERNUS LT20 with 8 cartridge slots, integrated Barcode Reader and one LTO-6 FC Half Height drive , -2 cartridge magazine per 4 cartridge already installed, - Mémoire capacity until to 12 / 24 Tbyte (uncompr./compr.), - Interface FC 8GB, - LTO5 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a one height units rack, Rack Kit,1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and 1x Ethernet Cable (1,5m)	VFY:LT2R2XF062IN	5722,35	
VFY ETLT20S2N-P RoHS,1xLTO-7HH SAS,8Slot	Tape Library ETERNUS LT20 S2 RoHS with 8 cartridge slots, integrated Barcode Reader and one LTO-7 SAS Half Height drive , -2 cartridge magazine per 4 cartridge already installed, - Mémoire capacity until to 12 / 24 Tbyte (uncompr./compr.), - Interface SAS, - LTO5 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a one height units rack, Rack Kit,1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and 1x Ethernet Cable (1,5m)	VFY:LT2R2XF071IN	7152,94	
VFY ETLT20S2N-P RoHS,1xLTO-7HH FC,8Slot	Tape Library ETERNUS LT20 with 8 cartridge slots, integrated Barcode Reader and one LTO-7 FC Half Height drive , -2 cartridge magazine per 4 cartridge already installed, - Mémoire capacity until to 12 / 24 Tbyte (uncompr./compr.), - Interface FC 8GB, - LTO5 drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a one height units rack, Rack Kit,1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and 1x Ethernet Cable (1,5m)	VFY:LT2R2XF072IN	7512,94	

Description	Détails	Référence	Prix Indicatif (€)	Remarques



ETERNUS LT20 S2

Unités de Base

ETERNUS LT20 S2 R

Fiches produit : <http://fr.fujitsu.com/stockage>



ETERNUS LT20 S2

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
ETERNUS LT20 S2 R (Suite)				
ET LT20 S2 N-PSU Lib. RoHS,8Slot,0 drive	Tape Library ETERNUS LT20 S2 RoHS with 8 cartridge slots, integrated Barcode Reader and one half height tape drive slot, - 1 Tape Drive slot for the equipment of the library can be between a LTO-4 or LTO 5 half height tape drive with SAS or FC interface be selected. There must be order extra a tape drive with the library as a embedded-component. Library connection realized via ADI (Automation Drive Interface)., -2 cartridge magazine (right & left) per 4 cartridge already installed, - Mémoire capacity until from 6,4 up to 50 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS(SFF8088) or FC 8Gb/s , Processing LTO 3, LTO 4, LTO-5 and LTO 6 cartridges possible (depending on the tape drive.), Each offered LTO Tape Drive can read three LTO generations and write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4, and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges)., -Can be installed into a one height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere) , -1x Ethernet Cable (1,5m)	FTS:LT20S2JNXU-R1	1909,41	
ET LT20S2R1, 1xLTO-6HH SAS,8Slot	Tape Library ETERNUS LT20 S2 RoHS with 8 cartridge slots, integrated Barcode Reader and one LTO-6 SAS half height tape drive, - 1 Tape Drive LTO-6 Half Height with SAS interface. Library connection realized via ADI (Automation Drive Interface)., - 2 cartridge magazine (right & left) per 4 cartridge already installed, - Mémoire capacity until from 20 up to 50 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface SFF 8088 SAS, Processing LTO 4, LTO 5 and LTO 6 cartridges possible., This LTO Tape Drive can read three LTO generations and write two LTO generations. (example: LTO-6 tape drive can read LTO-4, LTO-5 and LTO-6 cartridges and write LTO-5 and LTO-6 cartridges)., -Can be installed into a one height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere), -1x Ethernet Cable (1,5m)	FTS:LT21S2JS1U	5876,47	
ET LT20S2R1, 1xLTO-6HH FC, 8Slot	Tape Library ETERNUS LT20 S2 RoHS with 8 cartridge slots, integrated Barcode Reader and one LTO-6 FC half height tape drive, - 1 Tape Drive LTO-6 Half Height with FC interface. Library connection realized via ADI (Automation Drive Interface)., -2 cartridge magazine (right & left) per 4 cartridge already installed, - Mémoire capacity until from 20 up to 50 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface FC 8Gb/s , Processing LTO 4, LTO 5 and LTO 6 cartridges possible., This LTO Tape Drive can read three LTO generations and write two LTO generations. (example: LTO-6 tape drive can read LTO-4, LTO-5 and LTO-6 cartridges and write LTO-5 and LTO-6 cartridges)., -Can be installed into a one height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere) , -1x Ethernet Cable (1,5m)	FTS:LT21S2JF1U	6087,06	

ETERNUS LT20 S2-I



ETERNUS LT20 S2

Fiches produit : <http://fr.fujitsu.com/stockage>

<p>ETERNUS LT20S2 chassis</p>	<p>Tape Library ETERNUS LT20 S2 RoHS with 8 cartridge slots, integrated Barcode Reader and one half height tape drive slot, - 1 Tape Drive slot for the equipment of the library can be between a LTO-4 or LTO 5 half height tape drive with SAS or FC interface be selected. There must be order extra a tape drive with the library as a embedded-component. Library connection realized via ADI (Automation Drive Interface)., -2 cartridge magazine (right & left) per 4 cartridge already installed, - Mémoire capacity until from 6,4 up to 50 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS(SFF8088) or FC 8Gb/s , Processing LTO 3, LTO 4, LTO-5 and LTO 6 cartridges possible (depending on the tape drive.), Each offered LTO Tape Drive can read three LTO generations and write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4, and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges)., -Can be installed into a one height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere), -1x Ethernet Cable (1,5m)</p>	<p>FTS:LT20S2KNXU</p>	<p>1909,41</p>
-------------------------------	--	-----------------------	----------------



ETERNUS LT40 S2

Fiches produit : <http://fr.fujitsu.com/stockage>

Librairie LTO à 24 slots

L'ETERNUS LT40 S2 est équipé de la technologie LTO qui est synonyme de haute capacité, de rapidité et de média à faible coût. Il propose une capacité de stockage jusqu'à 150 To (LTO-6 en mode compressé) en format rack de 2U avec 24 emplacements pour les cartouches. Il peut recevoir en option un ou deux lecteurs LTO-4 ou LTO-5 ou LTO-6. Il accepte des connexions SAS ou Fibre Channel.

Comme toute la gamme de stockage de Fujitsu dédiée aux petites et moyennes entreprises, l'ETERNUS LT40 S2 est très facile à

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
ETERNUS LT40 S2 R				
VFY ET LT40 S2 RoHS,1xLTO-5HH SAS,24Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-5 Half Height (HH) SAS-drive , Upg.able with 1 x HH LTO-5 SAS-drive (2drives maximum), - Mémoire capacity until to 36 / 72 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO5 SAS-drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and Ethernet Cable (1,5m) is already included	VFY:LT4R2XF040IN	5194,12	
VFY ET LT40 S2 RoHS,1xLTO-6HH SAS,24Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-6 Half Height (HH) SAS-drive , Upg.able with 1 x HH LTO-6 SAS-drive (2drives maximum), - Mémoire capacity until to 36 / 72 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO5 SAS-drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and Ethernet Cable (1,5m) is already included	VFY:LT4R2XF061IN	7063,53	
VFY ET LT40 S2 RoHS,1xLTO-6HH FC,24Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-6 Half Height (HH) FC-drive , Upg.able with 1 x HH LTO-6 FC-drive (2drives maximum), - Mémoire capacity until to 36 / 72 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via FC connecting , - LTO5 FC-drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and Ethernet Cable (1,5m) is already included	VFY:LT4R2XF062IN	7262,35	
VFY ET LT40 S2 RoHS,1xLTO-7HH SAS,24Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-7 Half Height (HH) SAS-drive , Upg.able with 1 x HH LTO-7 SAS-drive (2drives maximum), - Mémoire capacity until to 36 / 72 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via SAS connecting , - LTO5 SAS-drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and Ethernet Cable (1,5m) is already included	VFY:LT4R2XF071IN	8692,94	
VFY ET LT40 S2 RoHS,1xLTO-7HH FC,24Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-7 Half Height (HH) FC-drive , Upg.able with 1 x HH LTO-7 FC-drive (2drives maximum), - Mémoire capacity until to 36 / 72 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via FC connecting , - LTO5 FC-drive capable of reading and writing to LTO-4 and LTO-5 cartridges, LTO-3 capable of reading., Can be installed into a two height units rack, Rack Kit, 1x Cleaning Cartridges, 1x Power Cord (Schuko plug) and Ethernet Cable (1,5m) is already included	VFY:LT4R2XF072IN	9051,76	



ETERNUS LT40 S2

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
-------------	---------	-----------	--------------------	-----------

Configurations Standards
ETERNUS LT40 S2 R (Suite)

Description	Détails	Référence	Prix Indicatif (€)	Remarques
-------------	---------	-----------	--------------------	-----------

Unités de Base
ETERNUS LT40 S2 R

<p>ET LT40 S2 Lib.RoHS 12 to 24Slot,0 drive</p>	<p>Tape Library ETERNUS LT40 with 12 up to 24 cartridge slots, integrated Barcode Reader and two half height or one full high tape drive slot, - two Half Height (LTO-4 or LTO 5 tape drive) or one Full Height (LTO-5) Tape Drive slot for the equipment of the library can be between with SAS or FC interface be selected. There must be order extra a tape drive with the library as a embedded-component. Library connection realized via ADI (Automation Drive Interface)., -2 cartridge magazine (right & left) per 12 cartridge already installed, left magazine active, right magazine can be activatet over a separate license., - Mémoire capacity until from 19,2up to 150 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS 6Gb/s (SFF8088) or FC 8Gb/s, Processing LTO 3, LTO 4, LTO-5 and LTO 6 cartridges possible (depending the tape drive.), Each offered LTO Tape Drive can read three LTO generations and write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4, and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges, -Can be installed into a two height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord (Schuko plug) , -1x Power Cord (Rack connecting), -1x Ethernet Cable (1,5m)</p>	<p>FTS:LT40S2JNXU-R</p>	<p>2710,59</p>	
<p>ET LT40S2RoHS 1xLTO-6HH FC,24Slot</p>	<p>Tape Library ETERNUS LT40 with 24 cartridge slots, integrated Barcode Reader and one LTO-6 FC half height tape drive., -2 Tape Drive Half Height slots for equipment the library.It can select another LTO Half Height Tape Drives with SAS or FC interface, Library connection realized via ADI (Automation Drive Interface)., -2 cartridge magazine (right & left) per 12 cartridge already installed, left magazine active, right magazine can be activatet over a separate license., - Mémoire capacity until from 60 up to 150 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS 6Gb/s (SFF8088) or FC 8Gb/s, Processing LTO 4, LTO-5 and LTO 6 cartridges possible (depending the tape drive.), Each offered LTO Tape Drive can read three LTO generations and write two LTO generations. (example: LTO-6 tape drive can read LTO-4, LTO-5 and LTO-6 cartridges and write LTO-5 and LTO-6 cartridges, -Can be installed into a two height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere), -1x Ethernet Cable (1,5m)</p>	<p>FTS:LT4RS2JF11U</p>	<p>7724,71</p>	



ETERNUS LT40 S2

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
ETERNUS LT40 S2 R (Suite)				
ET LT40S2RoHS 1xLTO6-HH SAS,24Slot	Tape Library ETERNUS LT40 with 24 cartridge slots, integrated Barcode Reader and one LTO-6 SAS half height tape drive., -2 Tape Drive Half Height slots for equipment the library.It can select another LTO Half Height Tape Drives with SAS or FC interface, Library connection realized via ADI (Automation Drive Interface)., -2 cartridge magazine (right & left) per 12 cartridge already installed, left magazine active, right magazine can be activatet over a separate license., - Mémoire capacity until from 60 up to 150 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS 6Gb/s (SFF8088) or FC 8Gb/s, Processing LTO 4, LTO-5 and LTO 6 cartridges possible (depending the tape drive.), Each offered LTO Tape Drive can read three LTO generations and write two LTO generations. (example: LTO-6 tape drive can read LTO-4, LTO-5 and LTO-6 cartridges and write LTO-5 and LTO-6 cartridges, -Can be installed into a two height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere), -1x Ethernet Cable (1,5m)	FTS:LT4RS2JS1U	7514,12	
ET LT40 S2 RoHS,1xLTO-5HH FC,24Slot	Tape Library ETERNUS LT40 with 24 cartridge slots, integrated Barcode Reader and one LTO-5 FC half heigh tape drive., -2 Tape Drive Half Height slots for equipment the library.It can select another LTO Half Heigh Tape Drives with SAS or FC interface, Library connection realized via ADI (Automation Drive Interface)., -2 cartridge magazine (right & left) per 12 cartridge already installed, left magazine active, right magazine can be activatet over a separate license., - Mémoire capacity until from 60 up to 150 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS 6Gb/s (SFF8088) or FC 8Gb/s, Processing LTO 3, LTO-4 and LTO 5 cartridges possible (depending the tape drive.), Each offered LTO Tape Drive can read three LTO generations and write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4 and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges, -Can be installed into a two height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere), -1x Ethernet Cable (1,5m)	FTS:LT40S2L5F1-24R	6655,29	
ET LT40 S2 RoHS,1xLTO-5HH SAS,24Slot	Tape Library ETERNUS LT40 with 24 cartridge slots, integrated Barcode Reader and one LTO-5 SAS half heigh tape drive., -2 Tape Drive Half Height slots for equipment the library.It can select another LTO Half Heigh Tape Drives with SAS or FC interface, Library connection realized via ADI (Automation Drive Interface)., -2 cartridge magazine (right & left) per 12 cartridge already installed, left magazine active, right magazine can be activatet over a separate license., - Mémoire capacity until from 60 up to 150 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS 6Gb/s (SFF8088) or FC 8Gb/s, Processing LTO 3, LTO-4 and LTO 5 cartridges possible (depending the tape drive.), Each offered LTO Tape Drive can read three LTO generations and write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4 and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges, -Can be installed into a two height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Netzkabel CEE 7/4 / IEC-60320 C13 (Schukostecker/ Kaltgerätestecker) , -1x Netzkabel 2,5m (Rack Netzanschluss: IEC-60320 C13 / C14, max 10 Ampere), -1x Ethernet Cable (1,5m)	FTS:LT40S2L5S1-24R	6361,18	



ETERNUS LT40 S2

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Configurations Standards				
ETERNUS LT40 S2 R (Suite)				
ET LT40 S2 RoHS,1xLTO-4HH SAS,24Slot	Tape Library ETERNUS LT40 with 24 cartridge slots, integrated Barcode Reader and one LTO-4 SAS half height tape drive., -2 Tape Drive Half Height slots for equipment the library.It can select another LTO Half Height Tape Drives with SAS or FC interface, Library connection realized via ADI (Automation Drive Interface)., -2 cartridge magazine (right & left) per 12 cartridge already installed, left magazine active, right magazine can be activatet over a separate license., - Mémoire capacity until from 60 up to 150 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS 6Gb/s (SFF8088) or FC 8Gb/s, Processing LTO 2, LTO-3 and LTO 4 cartridges possible (depending the tape drive.), Each offered LTO Tape Drive can read three LTO generations and write two LTO generations. (example: LTO-4 tape drive can read LTO-2, LTO-3 and LTO-4 cartridges and write LTO-3 and LTO-4 cartridges, -Can be installed into a two height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere), -1x Ethernet Cable (1,5m)	FTS:LT40S2L4S1-24R	6110,59	
ETERNUS LT40 S2-I				
ETERNUS LT40S2 chassis	Tape Library ETERNUS LT40 with 12 up to 24 cartridge slots, integrated Barcode Reader and two half height or one full high tape drive slot, - two Half Height (LTO-5, LTO-6 or LTO 7 tape drive) Tape Drive slot for the equipment of the library can be between with SAS or FC interface be selected. There must be order extra a tape drive with the library as a embedded- component. Library connection realized via ADI (Automation Drive Interface)., -2 cartridge magazine (right & left) per 12 cartridge already installed, left magazine active, right magazine can be activatet over a separate license., - Mémoire capacity until from 19,2up to 150 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS 6Gb/s (SFF8088) or FC 8Gb/s, Processing LTO 4, LTO 5, LTO-6 and LTO 7 cartridges possible (depending the tape drive.), Each offered LTO Tape Drive can read three LTO generations and write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4, and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges, - Can be installed into a two height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord (Schuko plug) , -1x Power Cord (Rack connecting), -1x Ethernet Cable (1,5m)	FTS:LT40S2KNXU	2710,59	



ETERNUS LT60 S2

Fiches produit : <http://fr.fujitsu.com/stockage>

Librairie LTO de 24 à 48 slots

L'ETERNUS LT60 est équipé de la technologie LTO qui est synonyme de haute capacité, de rapidité et de média à faible coût. Il propose une capacité de stockage jusqu'à 300 To (LTO-6 en mode compressé) en format rack de 2U avec de 24 à 48 emplacements pour les cartouches. Il peut recevoir de 2 à 4 lecteurs LTO-4, LTO-5 ou LTO-6. Il accepte des connexions SAS ou Fibre Channel.

Comme toute la gamme de stockage de Fujitsu dédiée aux petites et moyennes entreprises, l'ETERNUS LT60 est très facile à

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
ETERNUS LT60 S2 R				
ET LT60 S2 Lib.RoHS 24 to 48Slot,0 drive	Tape Library ETERNUS LT60 S2 RoHS with 24 up to 48 cartridge slots, integrated Barcode Reader and four half height or two full height tape drive slots, four Half Height or two Full Height Tape Drive slots for the equipment of the library can be between LTO-4, LTO-5 or LTO 6 half height tape drive or LTO-5 tape drive with SAS or FC interface be selected. There must be order extra a tape drive with the library as a embedded- component. Library connection realized via ADI (Automation Drive Interface)., -4 cartridge magazine (2x right & 2x left) per 12 cartridge already installed, the two left magazine active, the two right magazine can be activatet over a separate license per magazine., - Mailslot with 3 cartridges slots at the left down magazine, - Mémoire capacity until from 19,2 up to 300 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS 6Gb/s (SFF8088) or FC 8Gb/s, Processing LTO 3, LTO 4, LTO-5 and LTO 6 cartridges possible (depending the tape drive.), Each offered LTO Tape Drive can read three LTO generations and, write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4, and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges, -Partitioning need minimum 2 Tape Drives and 48 cartridge slots, -Can be installed into a four height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord (Schuko plug) , -1x Power Cord (Rack connecting), -1x Ethernet Cable (1,5m)	FTS:LT60S2JNXU-R	4111,76	
ET LT60 S2 RoHS, 48Slot, 2x LTO-6FC HH	Tape Library ETERNUS LT60 S2 RoHS with 48 cartridge slots, integrated Barcode Reader and with two LTO-6 FC half heigh tape drive., - four half HighTape Drive slots for the equipment of the library. Library connection realized via ADI (Automation Drive Interface)., -4 cartridge magazine (2x right & 2x left) per 12 cartridge already installed, the two left magazine and two right Magazine active., - Mailslot with 3 cartridges slots at the left down magazine, - Mémoire capacity until from 54 up to 144 Tbyte (uncompr./compr.) depending on the slots and cartridges., - Interface depending from tape drive SAS 6Gb/s (SFF8088) or FC 8Gb/s, Processing LTO 4, LTO 5 and LTO 6 cartridges possible , Each offered LTO Tape Drive can read three LTO generations and, write two LTO generations. (example: LTO-6 tape drive can read LTO-4, LTO-5, and LTO-6 cartridges and write LTO-5 and LTO-6 cartridges, -Partitioning need minimum 2 Tape Drives and 48 cartridge slots, -Can be installed into a four height rack unit , - Rack Kit, -1x Cleaning Cartridges , -1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere), -1x Ethernet Cable (1,5m)	FTS:LT60S2L6F2-48R	14140,00	



ETERNUS LT60 S2

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
ETERNUS LT60 S2 R (Suite)				
ET LT60 S2 RoHS, 36Slot, 1x LTO-6FC HH	Tape Library ETERNUS LT60 S2 RoHS with 36 up to 48 cartridge slots, integrated Barcode Reader and with one LTO-6 FC half heigh tape drive., - four half highTape Drive slots for the equipment of the library. Library connection realized via ADI (Automation Drive Interface)., -4 cartridge magazine (2x right & 2x left) per 12 cartridge already installed, the two left magazine and one right Magazine active, the secound right magazine can be activatet over a separate license., - Mailslot with 3 cartridges slots at the left down magazine, - Mémoire capacity until from 54 up to 144 Tbyte (uncompr./compr.) depending on the slots and cartridges., - Interface depending from tape drive SAS 6Gb/s (SFF8088) or FC 8Gb/s, Processing LTO 4, LTO 5 and LTO 6 cartridges possible , Each offered LTO Tape Drive can read three LTO generations and, write two LTO generations. (example: LTO-6 tape drive can read LTO-4, LTO-5, and LTO-6 cartridges and write LTO-5 and LTO-6 cartridges, -Partitioning need minimum 2 Tape Drives and 48 cartridge slots, -Can be installed into a four height rack unit , - Rack Kit, -1x Cleaning Cartridges , -1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere), -1x Ethernet Cable (1,5m)	FTS:LT60S2L6F1-36R	9125,88	
ET LT60 S2 RoHS, 48Slot, 2x LTO-6SAS HH	Tape Library ETERNUS LT60 S2 RoHS with 48 cartridge slots, integrated Barcode Reader and with two LTO-6 SAS half heigh tape drive., - four half HighTape Drive slots for the equipment of the library. Library connection realized via ADI (Automation Drive Interface)., -4 cartridge magazine (2x right & 2x left) per 12 cartridge already installed, the two left magazine and two right Magazine active., - Mailslot with 3 cartridges slots at the left down magazine, - Mémoire capacity until from 54 up to 144 Tbyte (uncompr./compr.) depending on the slots and cartridges., - Interface depending from tape drive SAS 6Gb/s (SFF8088) or FC 8Gb/s, Processing LTO 4, LTO 5 and LTO 6 cartridges possible , Each offered LTO Tape Drive can read three LTO generations and, write two LTO generations. (example: LTO-6 tape drive can read LTO-4, LTO-5, and LTO-6 cartridges and write LTO-5 and LTO-6 cartridges, -Partitioning need minimum 2 Tape Drives and 48 cartridge slots, -Can be installed into a four height rack unit , - Rack Kit, -1x Cleaning Cartridges , -1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere), -1x Ethernet Cable (1,5m)	FTS:LT60S2L6S2-48R	13718,82	



ETERNUS LT60 S2

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
ETERNUS LT60 S2 R (Suite)				
ET LT60 S2 RoHS, 36Slot, 1x LTO-6SAS HH	Tape Library ETERNUS LT60 S2 RoHS with 36 up to 48 cartridge slots, integrated Barcode Reader and with one LTO-6 SAS half height tape drive., - four half height Tape Drive slots for the equipment of the library. Library connection realized via ADI (Automation Drive Interface)., -4 cartridge magazine (2x right & 2x left) per 12 cartridge already installed, the two left magazine and one right Magazine active, the second right magazine can be activated over a separate license., - Mailslot with 3 cartridges slots at the left down magazine, - Mémoire capacity until from 54 up to 144 Tbyte (uncompr./compr.) depending on the slots and cartridges., - Interface depending from tape drive SAS 6Gb/s (SFF8088) or FC 8Gb/s, Processing LTO 4, LTO 5 and LTO 6 cartridges possible , Each offered LTO Tape Drive can read three LTO generations and, write two LTO generations. (example: LTO-6 tape drive can read LTO-4, LTO-5, and LTO-6 cartridges and write LTO-5 and LTO-6 cartridges, -Partitioning need minimum 2 Tape Drives and 48 cartridge slots, -Can be installed into a four height rack unit , - Rack Kit, -1x Cleaning Cartridges , -1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere), -1x Ethernet Cable (1,5m)	FTS:LT60S2L6S2-36R	8915,29	
ET LT60 S2 RoHS, 48Slot, 4x LTO-5FC HH	Tape Library ETERNUS LT60 S2 RoHS with 48 cartridge slots, integrated Barcode Reader and with four LTO-5 FC half height tape drive., - Library connection realized via ADI (Automation Drive Interface)., -4 cartridge magazine (2x right & 2x left) per 12 cartridge already installed, the two left magazine and two right Magazine active., - Mailslot with 3 cartridges slots at the left down magazine, - Mémoire capacity until from 54 up to 144 Tbyte (uncompr./compr.) depending on the slots and cartridges., - Interface FC 8Gb/s, Processing LTO 3, LTO 4 and LTO 5 cartridges possible , Each offered LTO Tape Drive can read three LTO generations and, write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4, and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges, -Partitioning need minimum 2 Tape Drives and 48 cartridge slots, - Can be installed into a four height rack unit , -Rack Kit, -1x Cleaning Cartridges , - 1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere), -1x Ethernet Cable (1,5m)	FTS:LT60S2L5F4-48R	18217,65	
ET LT60 S2 RoHS, 48Slot, 2xLTO-5FC FH	Tape Library ETERNUS LT60 S2 RoHS with 48 cartridge slots, integrated Barcode Reader and with two LTO-5 FC full height tape drive., - Library connection realized via ADI (Automation Drive Interface)., -4 cartridge magazine (2x right & 2x left) per 12 cartridge already installed, the two left magazine and two right Magazine active., - Mailslot with 3 cartridges slots at the left down magazine, - Mémoire capacity until from 54 up to 144 Tbyte (uncompr./compr.) depending on the slots and cartridges., - Interface FC 8Gb/s, Processing LTO 3, LTO 4 and LTO 5 cartridges possible , Each offered LTO Tape Drive can read three LTO generations and, write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4, and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges, -Partitioning need minimum 2 Tape Drives and 48 cartridge slots, - Can be installed into a four height rack unit , -Rack Kit, -1x Cleaning Cartridges , - 1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere), -1x Ethernet Cable (1,5m)	FTS:LT60S2L5F2-48R	14248,24	



ETERNUS LT60 S2

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
ETERNUS LT60 S2 R (Suite)				
ET LT60 S2 RoHS,36Slot,1x LTO-5FC FH Dr.	Tape Library ETERNUS LT60 S2 RoHS with 36 up to 48 cartridge slots, integrated Barcode Reader and with one LTO-5 FC full height tape drive., - two Full HightTape Drive slots for the equipment of the library. Library connection realized via ADI (Automation Drive Interface)., -4 cartridge magazine (2x right & 2x left) per 12 cartridge already installed, the two left magazine and one right Magazine active, the second right magazine can be activatet over a separate license., - Mailslot with 3 cartridges slots at the left down magazine, - Mémoire capacity until from 54 up to 144 Tbyte (uncompr./compr.) depending on the slots and cartridges., - Interface FC 8Gb/s, Processing LTO 3, LTO 4 and LTO 5 cartridges possible , Each offered LTO Tape Drive can read three LTO generations and, write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4, and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges, -Partitioning need minimum 2 Tape Drives and 48 cartridge slots, -Can be installed into a four height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere), -1x Ethernet Cable (1,5m)	FTS:LT60S2JNXU-36R	9180,00	
ET LT60 S2 RoHS,48Slot,1x LTO-5FC FH Dr.	Tape Library ETERNUS LT60 S2 RoHS with 48 cartridge slots, integrated Barcode Reader and with one LTO-5 FC full height tape drive., - two Full HightTape Drive slots for the equipment of the library. Library connection realized via ADI (Automation Drive Interface)., -4 cartridge magazine (2x right & 2x left) per 12 cartridge already installed, the two left magazine and two right Magazine active, - Mailslot with 3 cartridges slots at the left down magazine, - Mémoire capacity until from 72 up to 144 Tbyte (uncompr./compr.) depending on the cartridges., - Interface FC 8Gb/s, Processing LTO 3, LTO 4 and LTO 5 cartridges possible , Each offered LTO Tape Drive can read three LTO generations and, write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4, and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges, -Partitioning need minimum 2 Tape Drives and 48 cartridge slots, -Can be installed into a four height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord CEE 7/4 / IEC-60320 C13 (Schuko plug) , -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere), -1x Ethernet Cable (1,5m)	FTS:LT60S2JNXU-48R	10016,47	
ETERNUS LT60S2-I				
ETERNUS LT60S2 chassis	Tape Library ETERNUS LT60 S2 RoHS with 24 up to 48 cartridge slots, integrated Barcode Reader and four half height or two full height tape drive slots, - four Half Height or two Full HightTape Drive slots for the equipment of the library can be between LTO-5, LTO-6 or LTO 7 half height tape drive or LTO-5 tape drive with SAS or FC interface be selected. There must be order extra a tape drive with the library as a embedded- component. Library connection realized via ADI (Automation Drive Interface)., -4 cartridge magazine (2x right & 2x left) per 12 cartridge already installed, the two left magazine active, the two right magazine can be activatet over a separate license per magazine., - Mailslot with 3 cartridges slots at the left down magazine, - Mémoire capacity until from 19,2 up to 300 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS 6Gb/s (SFF8088) or FC 8Gb/s, Processing LTO 4, LTO 5, LTO-6 and LTO 7 cartridges possible (depending the tape drive.), Each offered LTO Tape Drive can read three LTO generations and, write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4, and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges, -Partitioning need minimum 2 Tape Drives and 48 cartridge slots, -Can be installed into a four height rack unit , -Rack Kit, -1x Cleaning Cartridges , -1x Power Cord (Schuko plug) , -1x Power Cord (Rack connecting), -1x Ethernet Cable (1,5m)	FTS:LT60S2KNXU	4111,76	



ETERNUS LT260

Fiches produit : <http://fr.fujitsu.com/stockage>

Librairie de bandes automatisée et évolutive jusqu'à 1 Po de données

La librairie de bandes ETERNUS LT260 LTO associe une flexibilité d'évolution, une densité de stockage exceptionnelle et une automatisation des fonctions de gestion en local ou à distance pour faire face à la rapidité de croissance des volumes de données à protéger avec une très grande efficacité. Elle peut accueillir 500 To de données compressées dans l'unité de base de 6U de hauteur. Cette capacité peut être doublée simplement en ajoutant une unité d'extension. Chaque unité contient 80 slots et de 1 à 6 lecteurs de bande pour la connectivité, la performance ou la redondance. L'ETERNUS LT260 est divisible en 6 partitions maximum par unité pour desservir différents environnements applicatifs en parallèle. Une

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
ETERNUS LT260					
	ET LT260 base unit,80LTO Cart.Slots,0Dri	Tape Library ETERNUS LT260 base with 80 cartridge slots, integrated Barcode Reader and up to six half height tape drive slot, - Tape Drive slot for the equipment of the library can be between a, LTO-3, LTO-4, LTO-5 and / or LTO 6 half height tape drive with SAS and / or FC interface be selected. There must be order extra a tape drive with the library as a embedded, - component. Library connection realized via ADI (Automation Drive Interface), - One cartridge magazine right with 40 slots & one cartridges magazine left with 40 slots already installed, - Mémoire capacity until from 200 up to 500 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS 6Gb/s (SFF8088) or FC 8Gb/s, Processing LTO3, LTO 4, LTO 5 and LTO 6 cartridges possible (depending on the tape drive.), Each offered LTO Tape Drive can read three LTO generations and, write two LTO generations. (example: LTO-5 tape drive can read LTO-3, LTO-4, and LTO-5 cartridges and write LTO-4 and LTO-5 cartridges, - Can be installed into a rack unit (6U), -1x Rack Kit, -1x Cleaning Cartridges , -1x Ethernet Cable 1,5m, Remote Managment RJ45 connector, -2x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere), -2x PSU mounted (max 2 PSU possible),	FTS:LT26FB	17958,82	
ETERNUS LT260-I					


ETERNUS LT260

 Fiches produit : <http://fr.fujitsu.com/stockage>

Modèle	Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base					
ETERNUS LT260-I (Suite)					
ET LT260-I Library, 80Slots, 0 Drive		Tape Library ETERNUS LT260 base with 80 cartridge slots, integrated Barcode Reader and up to six half height tape drive slot, - Tape Drive slot for the equipment of the library can be between a, LTO-5, LTO-6 and / or LTO 7 half height tape drive with SAS and / or FC interface be selected. There must be order extra a tape drive with the library as a embedded, - component. Library connection realized via ADI (Automation Drive Interface)., - One cartridge magazine right with 40 slots & one cartridges magazine left with 40 slots already installed, - Mémoire capacity until from 200 up to 500 Tbyte (uncompr./compr.) depending on the Tape Drive and cartridges., - Interface depending from tape drive SAS 6Gb/s (SFF8088) or FC 8Gb/s, Processing LTO 4, LTO 5, LTO 6 and LTO 7 cartridges possible (depending on the tape trive.), Each offered LTO Tape Drive can read three LTO generations and, write two LTO generations. (example: LTO-7 tape drive can read LTO-5, LTO-6, and LTO-7 cartridges and write LTO-6 and LTO-7 cartridges, - Can be installed into a rack unit (6U), -1x Rack Kit, -1x Cleaning Cartridges , -1x Ethernet Cable 1,5m, Remote Managment RJ45 connector, -2x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere) , -2x PSU mounted (max 2 PSU possible),	FTS:LT26GB	17958,82	
ET LT260 Extension Unit 80LTO Cart.Slots		ETERNUS LT260 extension unit with 80 cartridge slots, , The ETERNUS LT260 extension unit is an expansion module for the ETERNUS LT260 base unit only. The tape drive slots can be used for LTO-5, LTO-6 and / or LTO 7 half height tape drives with SAS and / or FC interfaces. Max. of 6 LTO tape drives are possible, for every 3 LTO drives a drive power module (max. 2) is needed; you need also an additional power supply (max 1), if more than 3 tape drives need to be installed. Two cartridge magazines with each 40 slots (left & right) are always installed. The storage capacity is dependent of the LTO technology and number of LTO cartridges used. Possible tape drive interface are SAS 6Gb/s (SFF8088) or FC 8Gb/s. The parallel processing of LTO 5, LTO 6 and LTO 7 cartridges are generally possible. Each offered LTO tape drive can read three LTO generations and write two LTO generations (example: LTO-5 tape drive can read LTO-3, LTO-4 and LTO-5 cartridges and read & write LTO-4 and LTO-5 cartridges). The ETERNUS LT260 base and extension units must be installed into a 19" rack and consume 6U of rack space each. The extensionmodule has always to be assembled below the base unit! The ETERNUS LT260 extension unit shipments include: , , -1x Rack Kit, -1x Power Supply Unit (max. 2 PSU possible)., -1x Power Cord 2,5m (Rack connecting: IEC-60320 C13 / C14, max 10 Ampere) , - 0x drive power module mounted (max 2 possible), , ,	FTS:LT26FZ80	9451,76	



SCALAR i500

Fiches produit : <http://fr.fujitsu.com/stockage>

Scalar i500 est une librairie moyenne gamme intelligente avec une grande évolutivité, performance et fiabilité.

L'évolutivité de la capacité de stockage à la demande du Scalar i500 permet une croissance ininterrompue de 41 à 409 slots de cartouches. Le mécanisme unique et continu de la robotique garantit un transfert rapide et fiable des cartouches. L'architecture iPlatform et le logiciel d'administration rendent la sauvegarde plus aisée et permettent de conserver un total contrôle des processus grâce à une surveillance proactive et des diagnostics à distance.

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
Library Scalar i500				
SCi500 5U Lib,no drives,41slots,PTO(NAM)	Quantum Scalar i500 5U Base Library, no tape drives, 41 activated slots, PTO (NAM), 5U rack-mountable library. Includes one 5U control module and no expansion modules. Supports optional encryption (FIPS validated with KMIP support) and smart phone monitoring capability with Vision. Supports optional path failover and Extended Data Life Management. Includes 200 LTO-4, 200 LTO-5 and 200 LTO-6 data cartridge barcode labels.	Q:LSC51-BSYS-024A	5006,65	
SCi500 14U Lib,no drives,41slot,PTO(NAM)	Quantum Scalar i500 14U Base Library, no tape drives, 41 activated slots, PTO (NAM), 14U rack-mountable library. Includes one 5U control module and one 9U expansion module. Supports optional encryption (FIPS validated with KMIP support) and smart phone monitoring capability with Vision. Supports optional path failover and Extended Data Life Management. Includes 200 LTO-4, 200 LTO-5 and 200 LTO-6 data cartridge barcode labels.	Q:LSC53-BSYS-024A	9034,30	
Lib. SCi500 5U, pas Lect., 41slots (EMEA)	Librairie Scalar i500 Base 5U, sans lecteur, 41 slots activés - Inclus étiquettes code barre 200 LTO-3, 200 LTO-4, et 200 LTO-5 (EMEA)	Q:LSC51-BSYS-024E	5006,65	
Lib. SCi500 5U, pas Lect., 41slots (APAC)	Librairie Quantum Scalar i500 Base 5U, sans lecteur, 41 slots activés - Inclus étiquettes code barre 200 LTO-3, 200 LTO-4, et 200 LTO-5 (APAC)	Q:LSC51-BSYS-024N	5006,65	
Lib. SCi500 14U, 0 Lect.,41 Slots	Librairie Scalar i500 Base 14U, sans lecteur, 41 slots activés - Inclus étiquettes code barre 200 LTO-3, 200 LTO-4, et 200 LTO-5 (EMEA)	Q:LSC53-BSYS-024E	9034,30	
Lib. SCi500 23U, 0 Lect.,41 Slots	Librairie Scalar i500 Base 23U, sans lecteur, 41 slots activés - Inclus étiquettes code barre 400 LTO-3, 400 LTO-4 (EMEA)	Q:LSC55-BSYS-024E	15310,50	
SCi500 23U Library, no drives, 41 slots	Quantum Scalar i500 23U Base Library, no tape drives, 41 activated slots (NAM/APAC/LAM), Includes 200 data cartridge barcode labels for each factory-installed drive ordered. Label type will correspond to the drive type.	Q:LSC55-BSYS-024N	15310,50	
SCi500 14U Library,no drives, 87 slots	Quantum Scalar i500 14U Base Library, no tape drives, 87 activated slots (NAM/APAC/LAM), Includes 200 data cartridge barcode labels for each factory-installed drive ordered. Label type will correspond to the drive type.	Q:LSC53-BSYS-052N	1945750,59	
SCi500 14U Library, no drives,133 slots	Quantum Scalar i500 14U Base Library, no tape drives, 133 activated slots (NAM/APAC/LAM), Includes 200 data cartridge barcode labels for each factory-installed drive ordered. Label type will correspond to the drive type.	Q:LSC53-BSYS-080N	1045750,59	
SCi500 23U Library, no drives, 87 slots	Quantum Scalar i500 23U Base Library, no tape drives, 87 activated slots (NAM/APAC/LAM), Includes 200 data cartridge barcode labels for each factory-installed drive ordered. Label type will correspond to the drive type.	Q:LSC55-BSYS-052N	1945750,59	



SCALAR i500		Fiches produit : http://fr.fujitsu.com/stockage	
SCi500 23U Library, no drives, 133 slots	Quantum Scalar i500 23U Base Library, no tape drives, 133 activated slots (NAM/APAC/LAM), Includes 200 data cartridge barcode labels for each factory-installed drive ordered. Label type will correspond to the drive type.	Q:LSC55-BSYS-080N	1945750,59
SCi500 23U Library, no drives, 179 slots	Quantum Scalar i500 23U Base Library, no tape drives, 179 activated slots (NAM/APAC/LAM), Includes 200 data cartridge barcode labels for each factory-installed drive ordered. Label type will correspond to the drive type.	Q:LSC55-BSYS-0AEN	1045750,59



SCALAR i500

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	Détails	Référence	Prix Indicatif (€)	Remarques
Unités de Base				
Library Scalar i500 (Suite)				
SCi500 23U Library, no drives, 225 slots	Quantum Scalar i500 23U Base Library, no tape drives, 225 activated slots (NAM/APAC/LAM), Includes 200 data cartridge barcode labels for each factory-installed drive ordered. Label type will correspond to the drive type.	Q:LSC55-BSYS-0DAN	1945750,59	
SCi500 9U Exp.Module,0slots,upg,PTO(NAM)	Quantum Scalar i500 9U Expansion Module, zero activated slots, field upgrade, PTO (NAM), Provides the ability to add up to four tape drives and 46 or 92 additional tape slots. Includes 200 LTO-3, 200 LTO-4, 200 LTO-5, and 200 LTO-6 data cartridge barcode labels. Order up to two 46-slot license keys (LSC5H-ULSL-046A) as needed. Scalar i500 9U Expansion Module Installation (SSC5H-NEXM-000x) is required.	Q:LSC5H-UEXM-900A	8670,43	
Lib. SCi500 - Module Ext. 9U, UPG (EMEA)	Lib. Scalar i500 9U - Module d'extension, Aucun slot activé - Extension sur site (EMEA). Il fournit la capacité d'ajouter jusqu'à 4 lecteurs et 46 ou 92 slots additionnels. Inclus : 200 étiquettes code barre LTO-3 et 200 LTO-4. Nécessité de commander 1 ou 2 clés de licence 46-slot (LSC5H-ULSL-046A). L'installation du module d'extension Scalar i500 9U est obligatoire (SSC5H-NEXM-000x)	Q:LSC5H-UEXM-900E	8670,43	



Accessoires Stockage bandes

Fiches produit : <http://fr.fujitsu.com/stockage>

Description	ETERNUS LT20 S2	ETERNUS LT20 S2 & BackupExec	ETERNUS LT20 S2 R	ETERNUS LT20 S2-I	ETERNUS LT20 S2R & BackupExec	ETERNUS LT260	ETERNUS LT260-I	ETERNUS LT40 S2	ETERNUS LT40 S2 & BackupExec	ETERNUS LT40 S2 R	ETERNUS LT40 S2-I	ETERNUS LT40 S2R & BackupExec	ETERNUS LT60 S2	ETERNUS LT60 S2 R	ETERNUS LT60S2-I	Référence	Prix Indicatif (€)	Remarques
Accessoires (Matrice)																		
Rack-Infrastructure																		
Cable managment, 19" Rack, 1HE, upgrade	x	x	x	x	x			x	x	x	x	x	x	x	x	D:CABLE-GUIDE-1U-L	79,73	
Cable managment, 19" Rack, 2U, upgrade	x	x	x	x	x			x	x	x	x	x	x	x	x	D:CABLE-GUIDE-2U-L	75,11	
Media																		
LTO Cleaning Media, 1pc. Random Label, Fuji	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-LTO-01L	41,28	
LTO-3 data media, 5pack avec label, Fuji	x	x	x		x			x	x	x		x	x	x		D:CR-LTO3-05L	167,02	
LTO-4 data media, 5pack avec label, Fuji	x	x	x	x				x	x	x	x	x	x	x	x	D:CR-LTO4-05L	132,74	
LTO-5 data media, 5 pièces avec label, Fuji	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO5-05L	123,84	
LTO-6 data media, 5pack label, Fuji	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO6-05L-BF	195,25	
LTO-7-CR Medien, 5Stk Random Label, Fuji	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO7-05L	1017,13	
Barcode Label oder, not standard Random	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-LTO-LAB	4,71	
Câbles																		
Cordon alim pour périph. (F/M) - 2,5m	x	x	x		x	x	x	x	x	x	x	x	x	x	x	D:KB258-C250-L	12,94	
SAS Kabel 12Gb 1xSFF 8644-2xSFF 8088 3m						x	x	x	x	x	x	x	x	x	x	D:SAS12G-1M-2S-3ML	90,82	
SAS cable (MiniSAS miniSAS HD) 3.0m			x	x	x					x	x				x	FTS:SAS-MINIHD3M-L	183,53	
SAS cable (MiniSAS miniSAS HD) 6.0m			x	x	x	x				x	x				x	FTS:SAS-MINIHD6M-L	470,59	
FC-Cable OM4, MMF, 5m, LC/LC	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:FCKAB-OM4-C05L-L	30,93	
Câble SAS 6Gb 1x SFF 8088-1x SFF 8088 2m	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:KBSAS6G-1S-1S-2M	51,76	
FC-Cable OM4, MMF, 10m, LC/LC	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:FCKAB-OM4-C10L-L	42,08	
Câble SAS 6Gb 1x SFF 8088-1x SFF 8088 4m	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:KBSAS6G-1S-1S-4M	83,53	
FC-Cable OM4, MMF, 20m, LC/LC	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:FCKAB-OM4-C20L-L	52,85	
Câble SAS 6Gb 1x SFF 8088-1x SFF 8088 6m						x	x					x	x		x	D:KBSAS6G-1S-1S-6M	100,00	
FC-Cable OM4, MMF, 50m, LC/LC	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:FCKAB-OM4-C50L-L	83,14	
Câble SAS 1x SFF 8470-1x SFF 8088 2m	x	x	x		x			x	x	x	x	x	x	x	x	D:KBSAS11-1S-2M	37,65	
FC-Cable OM3 LWL 5m LC LC	x	x	x		x	x		x	x	x		x	x	x		D:FCKAB-OM3-C05L-L	14,94	
Câble SAS 1x SFF 8470-1x SFF 8088 4m	x	x	x		x			x	x	x	x	x	x	x	x	D:KBSAS11-1S-4M	65,88	
FC-Cable OM3 LWL 10m LC LC	x	x	x		x	x		x	x	x		x	x	x		D:FCKAB-OM3-C10L-L	39,31	
FC-Cable OM3 LWL 20m LC LC	x	x	x		x	x		x	x	x		x	x	x		D:FCKAB-OM3-C20L-L	45,85	
Câble SAS 1x SFF 8470-2x SFF 8088 3m								x	x	x	x	x	x	x	x	D:KBSAS11-2S-3M	67,06	
FC-Cable OM3 LWL 50m LC LC	x	x	x		x	x		x	x	x		x	x	x		D:FCKAB-OM3-C50L-L	67,11	
FC cable MMF, 5m, LC/SC	x	x	x		x	x		x	x	x		x	x	x		D:FCKAB-MM-B05L-L	34,20	
Câble SAS 1x SFF 8470-4x SFF 8088 3m								x	x	x	x	x	x	x	x	D:KBSAS11-4S-3M	105,88	
FC cable MMF, 10m, LC/SC	x	x	x		x	x		x	x	x		x	x	x		D:FCKAB-MM-B10L-L	36,92	
FC cable MMF, 20m, LC/SC	x	x	x		x	x		x	x	x		x	x	x		D:FCKAB-MM-B20L-L	43,89	
Câble FC SMF 10m, Connecteur LC-LC	x	x	x		x	x		x	x	x		x	x	x		D:FCKAB-SM-C10L-L	60,75	
Câble FC SMF 20m, Connecteur LC-LC			x	x	x	x		x	x	x		x	x	x		D:FCKAB-SM-C20L-L	68,27	
Câble SAS 1x SFF 8088-2x SFF 8088 3m								x	x	x	x	x	x	x	x	D:KBSAS1S-2S-3M	60,00	
Câble SAS 1x SFF 8088-2x SFF 8088 5m								x	x	x	x	x	x	x	x	D:KBSAS1S-2S-5M	80,00	
Câble SAS 6Gb 1x SFF 8088-2x SFF 8088 3m						x	x	x	x	x	x	x	x	x	x	D:KBSAS6G-1S-2S-3M	83,53	
Tape Drive																		
LTO-7 FC HH Drive-I Option, Fiel Upg.							x									FTS:LT26BFMF	6400,00	
ET LTS2 LTO-7 FC HH Tape Drive-I, upg				x								x			x	FTS:LTS2Z247L	6400,00	
LTO-6 FC HH Drive-I Option, Fiel Upg.						x										FTS:LT26BFKF	4397,65	
ET LTS2 LTO-6 FC HH Tape Drive-I, upg				x							x				x	FTS:LTS2Z246L	4397,65	
ET LT260 LTO-5 FC HH Drive, Upg.						x	x									FTS:LT26AFHL	3271,76	
ET LT S2 drive FC LTO-6 HH RoHS Upg.	x	x	x	x	x			x	x	x	x	x	x	x	x	FTS:LTS2Z226L-R	4388,24	
LTO-7 SAS HH Drive-I Option, Fiel Upg.							x									FTS:LT26BSMF	5997,65	
ET LT S2 drive FC LTO-5 HH RoHS upgrade	x	x	x	x				x	x	x	x	x	x	x	x	FTS:LTS2Z225L-R	3271,76	
LTO-6 SAS HH Drive-I Option, Fiel Upg.							x									FTS:LT26BSKF	4175,29	
ET LTS2 LTO-7 SAS HH Tape Drive-I, upg				x								x			x	FTS:LTS2Z257L	5997,65	
ET LT260 LTO-5 SAS HH Drive, Upg.						x	x									FTS:LT26ASHL	3065,88	
ET LTS2 LTO-6 SAS HH Tape Drive-I, upg				x											x	FTS:LTS2Z256L	4175,29	
ET LT260 LTO-6 FC HH Drive, Upg.						x	x									FTS:LT26AFJL	4397,65	
ET LT S2 drive SAS LTO-6 HH RoHS Upg.	x	x	x	x	x			x	x	x	x	x	x	x	x	FTS:LTS2Z236L-R	4168,24	
ET LT260 LTO-6 SAS HH Drive, Upg.						x	x									FTS:LT26ASJL	4175,29	
ET LT S2 drive SAS LTO-5 HH RoHS upgrade	x	x	x	x				x	x	x	x	x	x	x	x	FTS:LTS2Z235L-R	3065,88	
ET LT S2 drive FC LTO-5 FH RoHS upgrade								x	x				x	x		FTS:LTS2Z125L-R	4447,06	
ET LT S2 drive SAS LTO-4 HH RoHS upgrade	x	x		x				x	x	x		x	x	x		FTS:LTS2Z234L-R	2691,76	
Tape Accessories																		
FibreCAT TX08, TX24S, TX48S - Kit de montage en rac	x	x	x	x				x	x	x	x	x	x	x	x	D:FCTXS-RMK-L	96,47	
Storage overseabox f. CX, SX, TX	x	x	x	x	x			x	x	x	x		x	x	x	D:STB-OVERSEABOX	118,82	
ETERNUS LT20 S2 - Magasin 4 Slots (gauche)	x	x	x	x	x											FTS:LT20S2Z01	341,18	
ETERNUS LT20 S2 - Magasin 4 Slots (droit)	x	x	x	x	x											FTS:LT20S2Z02	341,18	
ET LT260 redundant enabled PSU, Upg.						x	x									FTS:LT26AZ06L	596,47	
ET LT60 S2 power supply, series2 upgrade													x	x		FTS:LT60S2Z06L-R	498,82	
ETERNUS LT40S2+LT60S2 - Mag.12 Slots (gauche)								x	x	x	x		x	x	x	FTS:LT2S2Z01	409,41	
ETERNUS LT40S2+LT60S2 - Mag.12 Slots (droit)								x	x	x	x		x	x	x	FTS:LT2S2Z02	409,41	
ET LT260 Drive Power Board, Upg.						x	x									FTS:LT26AZ07L	645,88	