

Fujitsu recommends Windows 10 Pro.

Data Sheet

FUJITSU Notebook LIFEBOOK U727

Ultra-Mobile Meets Ultra Secure

The FUJITSU Notebook LIFEBOOK U727, based on the 7th generation Intel® Core™ processor is a slim, light and stylish ultra-mobile notebook for business professionals who are always on the move. With its 31.8 cm (12.5-inch) and light weight of only 1.15 kg (2.54 lbs.) it provides excellent mobility. Ergonomic viewing is guaranteed with the anti-glare HD, FHD or optional FHD touch display options and the embedded palm vein or finger print sensor provide outstanding security. Smart design combines legacy interfaces like full-size VGA and easy upgradeability with a thin and durable housing. The common port replicator of the LIFEBOOK U family facilitates workplace sharing within today's modern workstyle.

Premium connectivity

Stay flexible and productive within a modern workplace environment

- Full set of interfaces with, full-size LAN connector, full-size VGA port and USB Type-C
- Embedded 4G/LTE, WLAN and Bluetooth

Excellent security for your business

Enhance your security with outstanding features to best protect your notebook and company data from unauthorized access

- Embedded palm vein or finger print sensor, Trusted Platform Module 2.0, integrated SmartCard reader

Elegant design and mobility

Manage your workday with premium notebooks providing ultimate convenience to maximize your productivity

- A remarkably slim 19.2 mm ultra-mobile notebook starting from 1.15 kg, HD or FHD display, anti-glare, FHD touch panel option, aluminum/magnesium housing and optional backlit keyboard

Family concept

Reduce your acquisition cost as well as the complexity of your IT equipment

- Shared components such as the same classic or USB Type-C port replicator, AC Adapter, keyboard layout, BIOS and bit image across the ultra-mobile LIFEBOOK U family

Convenient upgradeability

Direct access to key components reduces upgrade time and costs

- Battery, memory and internal storage can be changed easily



Components

Base unit	LIFEBOOK U727 non vPro	LIFEBOOK U727 vPro	LIFEBOOK U727 6th Gen
Operating systems			
Operating system pre-installed	Windows 10 Pro. Fujitsu recommends Windows 10 Pro. Windows 10 Home	Windows 10 Pro. Fujitsu recommends Windows 10 Pro. Windows 10 Home	Windows 10 Pro. Fujitsu recommends Windows 10 Pro. Windows 10 Home Windows 7 Professional (available through downgrade rights from Windows 10 Pro)
Operating system notes	MS OS support information: Systems with 7th generation Intel processor receive support from Microsoft with Windows 10 Home / Windows 10 Pro only. For more information, please see MS Support Lifecycle.	MS OS support information: Systems with 7th generation Intel processor receive support from Microsoft with Windows 10 Home / Windows 10 Pro only. For more information, please see MS Support Lifecycle.	
Processor			
	LIFEBOOK U727 non vPro Intel® Core™ i3-7100U processor (2.4 GHz, 3 MB) * Intel® Core™ i5-7200U processor (2.5 GHz, up to 3.1 GHz, 3 MB) * Intel® Core™ i5-7300U processor (2.6 GHz, up to 3.5 GHz, 3 MB) Intel® Core™ i7-7500U processor (2.7 GHz, up to 3.5 GHz, 4 MB) * Intel® Core™ i7-7600U processor (2.8 GHz, up to 3.9 GHz, 4 MB)	LIFEBOOK U727 vPro Intel® Core™ i5-7300U processor (2.6 GHz, up to 3.5 GHz, 3 MB) Intel® Core™ i7-7600U processor (2.8 GHz, up to 3.9 GHz, 4 MB)	LIFEBOOK U727 6th Gen Intel® Core™ i5-6200U processor (2.3 GHz, up to 2.8 GHz, 3 MB) * Intel® Core™ i5-6300U processor (2.4 GHz, up to 3.0 GHz, 3 MB)
	*Processor only for retail, SMB, education and government		
Memory modules			
	4 GB (1 module(s) 4 GB) DDR4, 2,133 MHz, SO DIMM		
	8 GB (1 module(s) 8 GB) DDR4, 2,133 MHz, SO DIMM		
	16 GB (1 module(s) 16 GB) DDR4, 2,133 MHz, SO DIMM		
Hard disk drive			
	PCIe-SSD, 256 GB M.2 module, SED PCIe-SSD, 512 GB M.2 module, SED SSD SATA III, 1024 GB M.2 module, OPAL capable SSD SATA III, 128 GB M.2 module SSD SATA III, 256 GB M.2 module SSD SATA III, 256 GB M.2 module, SED SSD SATA III, 512 GB M.2 module, SED	PCIe-SSD, 256 GB M.2 module, SED PCIe-SSD, 512 GB M.2 module, SED SSD SATA III, 1024 GB M.2 module, OPAL capable SSD SATA III, 128 GB M.2 module SSD SATA III, 256 GB M.2 module SSD SATA III, 256 GB M.2 module, SED SSD SATA III, 512 GB M.2 module, SED	PCIe-SSD, 256 GB M.2, no PW support PCIe-SSD, 512 GB M.2, no PW support SSD SATA III, 1024 GB M.2 module, OPAL capable SSD SATA III, 128 GB M.2 module SSD SATA III, 256 GB M.2 module SSD SATA III, 256 GB M.2 module, SED SSD SATA III, 512 GB M.2 module, SED
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery Internal storage interface: S-ATA III or PCIe		
WLAN			
	LIFEBOOK U727 non vPro Intel® Dual Band Wireless-AC8265 11ac with integrated Bluetooth 4.2	LIFEBOOK U727 vPro Intel® Dual Band Wireless-AC8265 11ac with integrated Bluetooth 4.2	LIFEBOOK U727 6th Gen Intel® Dual Band Wireless-AC8260 11ac with integrated Bluetooth 4.2
3G/4G			
	LTE Sierra Wireless EM7455 (Cat. 6) (Downlink speed up to 300 Mbit/s, Uplink speed up to 50 Mbit/s) LTE Sierra Wireless EM7305 (Cat. 3) (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)	LTE Sierra Wireless EM7455 (Cat. 6) (Downlink speed up to 300 Mbit/s, Uplink speed up to 50 Mbit/s) LTE Sierra Wireless EM7305 (Cat. 3) (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)	LTE Sierra Wireless EM7305 (Cat. 3) (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)

Display	31.8 cm (12.5-inch),LED backlight,(HD),Anti-glare display,magnesium,1,366 x 768 pixel,500:1,220 cd/m ²
	31.8 cm (12.5-inch),LED backlight,(Full HD),Anti-glare IPS touchscreen,magnesium,1,920 x 1,080 pixel,700:1,260 cd/m ²
	31.8 cm (12.5-inch),LED backlight,(Full HD),Anti-glare IPS display,magnesium,1,920 x 1,080 pixel,700:1,260 cd/m ²
Multimedia	
Camera	Optional: Built-in webcam, HD (Microsoft® Lync™)

Base unit

Base unit	LIFEBOOK U727 non vPro	LIFEBOOK U727 vPro	LIFEBOOK U727 6th Gen
General system information			
Chipset	Integrated	Integrated	Integrated
Chipset notes	- - -	Supports iAMT 11.6 Intel® vPro™ requires Core i5-73xx & i7-76xx CPU, Intel WLAN 8265ac, TPM module	Supports iAMT 11.0 Intel® vPro™ requires Core i5-63xx & i7-66xx CPU, Intel WLAN 8260ac, TPM module
Supported capacity RAM (max.)	32 GB	32 GB	32 GB
Memory slots	2 DIMM (DDR4)	2 DIMM (DDR4)	2 DIMM (DDR4)
Memory notes	DDR4 - 2133 MHz	DDR4 - 2133 MHz	DDR4 - 2133 MHz
LAN	10/100/1,000 MBit/s Intel® I219V	10/100/1,000 MBit/s Intel® I219LM	10/100/1,000 MBit/s Intel® I219LM
BIOS version	UEFI Specification 2.5	UEFI Specification 2.5	UEFI Specification 2.4
BIOS features	InsydeH2O Bios	InsydeH2O Bios	InsydeH2O Bios
Audio type	On board	On board	On board
Audio codec	Realtek ALC255	Realtek ALC255	Realtek ALC255
Audio features	Stereo speakers	Stereo speakers	Stereo speakers
MIL-STD tested	Yes, selected MIL-STD-810G tests passed. MIL-STD-810G test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.	Yes, selected MIL-STD-810G tests passed. MIL-STD-810G test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.	Yes, selected MIL-STD-810G tests passed. MIL-STD-810G test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.

Display			
Display notes	ISO 9241-307 - Pixel class II HD - Viewing angle: Left/Right 45°, Top 20°, Bottom 40°; Color Gammut: 45% FHD - Viewing angle: Left/Right 80°, Top 80°, Bottom 80°; Color Gammut: 50%	ISO 9241-307 - Pixel class II HD - Viewing angle: Left/Right 45°, Top 20°, Bottom 40°; Color Gammut: 45% FHD - Viewing angle: Left/Right 80°, Top 80°, Bottom 80°; Color Gammut: 50%	ISO 9241-307 - Pixel class II HD - Viewing angle: Left/Right 45°, Top 20°, Bottom 40°; Color Gammut: 45% FHD - Viewing angle: Left/Right 80°, Top 80°, Bottom 80°; Color Gammut: 50%

Graphics			
Base unit	LIFEBOOK U727 non vPro	LIFEBOOK U727 vPro	LIFEBOOK U727 6th Gen
TFT resolution (DisplayPort)	up to 4096 × 2160	up to 4096 × 2160	up to 4096 × 2160
TFT resolution (VGA)	up to 1,920 × 1,200	up to 1,920 × 1,200	up to 1,920 × 1,200
TFT resolution (DVI on Port Replicator)	up to 1,920 × 1,200	up to 1,920 × 1,200	up to 1,920 × 1,200
Graphics brand name	Intel® HD Graphics 620	Intel® HD Graphics 620	Intel® HD Graphics 520
Graphics features	3 Display Support	3 Display Support	3 Display Support
Graphics notes	Shared memory depending on main memory size and operating system	Shared memory depending on main memory size and operating system	Shared memory depending on main memory size and operating system

Interfaces

DC-in	1	1
Audio: line-out / headphone	1 (combo port with Audio line-in)	1 (combo port with Audio line-in)
Audio: line-in / microphone	1 (combo port with Audio line-out)	1 (combo port with Audio line-out)
Internal microphones	2x digital array microphones (optional)	2x digital array microphones (optional)
USB 3.1 Gen1 (USB 3.0) total	2x Type-A (1 with Anytime USB charge functionality) 1x Type-C (with Power Delivery functionality)	2x Type-A (1 with Anytime USB charge functionality) 1x Type-C (with Power Delivery functionality)
VGA	1	1
DisplayPort	1	1
Ethernet (RJ-45)	1 (with status LED)	1 (with status LED)
Memory card slots	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 128GB)	1 microSD up to 2GB, microSDHC up to 32GB, microSDXC up to 128GB Speed Class: up to UHS-I
SmartCard slot	1 (optional)	1 (optional)
SIM card slot	1 (only for models with integrated 4G/LTE module)	1 (only for models with integrated 4G/LTE module)

Port Replicator interfaces (optional)

DC-in	1 (19V)
Power on switch	1
Audio: headphone	1
Audio: microphone	1
USB 3.1 Gen1 (USB 3.0) total	4x Type-A 2x Type-C
DisplayPort	2
VGA	1
DVI	1
Ethernet (RJ-45)	1 (10/100/1000)
Kensington Lock support	1 (Portrep only, Portrep option with key lock to secure Portrep & System)

Keyboard and pointing devices

Keyboard w/o touchstick (spill-resistant)#Keyboard w/ touchstick#Backlight keyboard w/o touchstick (spill-resistant)
Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 1.7 mm
Multi gesture touchpad with two mouse buttons
Status LED
Power Button

Wireless technologies

Antennas	2 Dual band WLAN antennas, 2 LTE antennas optional
Bluetooth	v4.2
WLAN encryption	WEP, WPA, WPA2
WLAN notes	Import and usage according to country-specific regulations.
GPS	Embedded in 3G/4G module if configured with WWAN

Power supply

AC Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) slim and light AC-Adapter 19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) 0-Watt AC Adapter technology 19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter
Notes	65W/80W AC Adapter for usage with system/ 90W AC Adapter for usage with Port Replicator
1st battery options	Li-Ion battery 3-cell, 45 Wh
Battery features	Quick Charge: 80% in 1 h
Runtime 1st battery	up to 10 h

Power supply

Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.		
----------------------	--	--	--

Noise emission

Noise emission	Please refer to the Eco Declaration	Please refer to the Eco Declaration	Please refer to the Eco Declaration
-----------------------	-------------------------------------	-------------------------------------	-------------------------------------

Dimensions / Weight / Environmental

Dimensions (W x D x H)	302 x 209 x 19.0mm (non-touch), 19.6mm (touch) mm 11.89 x 8.23 x 0.75 (non-touch), 0.77 (touch) inch		
Weight	From 1.15 kg		
Weight (lbs)	From 2.54 lbs		
Weight notes	Weight may vary depending on actual configuration		
Operating ambient temperature	5 - 35 °C (41 - 95 °F)		
Operating relative humidity	20 - 80 %		

Compliance with standards

Germany	GS planned (Full HD Display only)		
Europe	CE CB		
USA/Canada	FCC (depending on configuration)		
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) ENERGY STAR® 6.1 EPEAT® Gold (dedicated regions) (planned)		
China	CCC (depending on configuration)		
Compliance link	https://sp.ts.fujitsu.com/sites/certificates		

Additional Software

Additional software (preinstalled)	McAfee Multi Access Security (anti-virus and internet security software; 60 days trial version) Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool)		
Additional software (optional)	LTE / UMTS Connection Manager (if configured with 4G/LTE or 3G/UMTS) Microsoft Office (buy license to activate the pre-installed Microsoft Office) CyberLink YouCam (webcam software) Drivers & Utilities DVD (DUDVD) Recovery DVD for Windows®		

Manageability

Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN)	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) Intel® vPro™ technology iAMT 11.6 (depending on processor)	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) iAMT 11.0 (depending on processor)
Manageability software	DeskView Client DeskView Instant BIOS Management		
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management		

Manageability

Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you)
Manageability link	http://www.fujitsu.com/fts/manageability

Security

System and BIOS Security	Optional: Trusted Platform Module (TPM 2.0) EraseDisk (optional) Credential Guard Ready and Device Guard Capable (Windows 10, v. 1511)	Optional: Trusted Platform Module (TPM 2.0) EraseDisk (optional) Credential Guard Ready and Device Guard Capable (Windows 10, v. 1511)	Optional: Trusted Platform Module (TPM 2.0) EraseDisk (optional) Credential Guard Ready and Device Guard Capable (Windows 10, v. 1511)
User Security	Integrated palm vein sensor (optional) Embedded fingerprint sensor (optional) Access protection via internal SmartCard reader (optional) Hard disk password User and supervisor BIOS password Workplace Protect (secure authentication solution)	Integrated palm vein sensor (optional) Embedded fingerprint sensor (optional) Access protection via internal SmartCard reader (optional) Hard disk password User and supervisor BIOS password Workplace Protect (secure authentication solution)	Integrated palm vein sensor (optional) Embedded fingerprint sensor (optional) Access protection via internal SmartCard reader (optional) Hard disk password User and supervisor BIOS password Workplace Protect (secure authentication solution)

Warranty

Warranty period	2 years (for countries within EMEA)
Warranty type	Bring-in Service / Collect & Return Service (depending on country)
Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty
Product Related Services - the perfect extension	
Recommended Service	X - 9x5, Onsite Response Time: Next Business Day
Spare Parts availability	5 years after end of product life
Service Weblink	http://ts.fujitsu.com/Supportservice

Recommended Accessories

Port Replicator for LIFEBOOK U7 and E5x8 family with key lock



Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's docking options.

Order Code:
S26391-F1607-L209

MicroSaver Slim 2.0



The new Fujitsu Kensington MicroSaver 2.0 slim features the patented T-Bar locking mechanism with carbon tempered steel core cable and an external braided steel sheath. The MicroSaver slim 2.0 is available with Kensington Master Access. This security solution allows you to manage and maintain a limitless number of locks with a master key.

Order Code:
S26361-F1650-L202

Privacy filter



Privacy filters allow you work with peace of mind on public transport or in public places. It prevents a person from viewing data on the display from the right or left side. In fact only the user sitting in front of the display will have a clear view of the contents.

Order Code:
S26391-F6097-L363

Dicota TopTraveler Base 13-14

The Dicota Top Traveler Base 13-14 protects notebooks with up to 14-inch screens. A padded top-loading notebook compartment ensures added protection. It is equipped with a front compartment for storage of power adapters, office supplies or personal items. It's lightweight design ensures flexibility in the office or at home.

Order Code:
S26391-F1193-L120

Sneaker Sleeve 12.5

The Sneaker Sleeve 12.5 protects notebooks or tablets with up to 12.5-inch screens. The front half of the bag has dedicated compartments for your notebook, power cord, office supplies and personal items. The back half of the bag has an expanding, divided compartment for your files. It is designed to combine fashion and functionality.

Order Code:
S26391-F1194-L201

Wireless Mouse W1200

The Wireless Mouse W1200 uses the latest wireless 2.4 GHz technology, and a high-resolution 1000 dpi optical sensor to give you the precision and reliability you need. Sporting a compact design with a stylish black finish, the W1200 wireless mouse is well suited to all environments and to each user whether right or left handed.

Order Code:
S26381-K462-L100

UC&C USB Value Headset

The FUJITSU UC&C USB Value Headset is a lightweight bi-aural full-size stereo headset with high wearing comfort. This Lync-tested USB-Headset has an appropriate Inline-Controller which supports easy call management. A noise cancelling microphone facilitates undisturbing clear phone calls.

Order Code:
S26391-F7139-L20

Wireless Keyboard Set LX901

The Wireless Keyboard LX901 is a top of the line desktop solution for lifestyle orientated customers, who want only the best for their desk. This superb keyboard set offers ambitious users more functions, security and better features than a conventional interface device. It even includes 2.4 GHz technology and 128 AES encryption.

S26381-K565-L4** (**:
Country specific variation)

More information

Fujitsu OPTIMIZATION Services

In addition to FUJITSU Notebook LIFEBOOK U727, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU Notebook LIFEBOOK U727, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
www.fujitsu.com/fts/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms
© 2017 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

Fujitsu Technology Solutions GmbH
Website: www.fujitsu.com/fts
2017-12-01 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms
© 2017 Fujitsu Technology Solutions GmbH