Fujitsu recommends Windows 8 Pro.

Data Sheet Fujitsu LIFEBOOK E743 Notebook

Elegant Design and Functionality without Compromises

The elegant LIFEBOOK E Line offers three premium notebooks for corporate demands offering ultimate flexibility and convenience. The underlying family concept includes a common BIOS, components and accessories, resulting in decreased TCO and complexity. Being a member of the LIFEBOOK E Line, Fujitsu LIFEBOOK E743 is your first choice when looking for an attractive and fully-equipped notebook providing maximum convenience in the office, in meetings or on business trips.

Family Concept

Reduce your acquisition cost as well as the complexity of your IT equipment.

Shared components such as AC Adapter, modular bay elements, port replicator, keyboard layout and shared mainboard with same drivers, BIOS, bit image with LIFEBOOK E733 and LIFEBOOK E753

High-End Design

Outstanding mobility, ease of use and sleek looks for highest business demands.

Especially slim from 20 mm, light weight starting from only 1.7 kg, 35.6 cm (14-inch) display, attractive red elements, high-value material with magnesium lid and strong metal hinges

Premium Features

Maximize your productivity with premium notebooks providing ultimate convenience and best feature set for business users.

- Optional backlit keyboard, large touchpad and modular bay for 2nd battery, 2nd HDD, bay projector or DVD Super Multi for convenient and flexible working
- Integrated SmartCard reader, optional Full Disk Encryption (FDE) and fingerprint sensor for absolute protection of company data
- Full set of interfaces, optional embedded 4G/LTE, WLAN and Bluetooth and Full HD webcam with status LED for maximum connectivity











Components

Processor	Intel® Core™ i7-3632QM processor (2.2 GHz, up to 3.2 GHz, 6 MB) *
	Intel® Core $^{\text{IIII}}$ i5-3230M processor (2.6 GHz, up to 3.2 GHz, 3 MB) *
	Intel [®] Core™ i3-3120M processor (2.5 GHz, 3 MB) *
	Intel [®] Core™ i3-3110M processor (2.4 GHz, 3 MB) *
	Intel [®] Core™ i7-3540M processor (3.0 GHz, up to 3.7 GHz, 4 MB)
	Intel [®] Core™ i5-3340M processor (2.7 GHz, up to 3.4 GHz, 3 MB)
	*Processor only for retail, SMB, education and government
	Intel® Core™ vPro™ Processor - Best Platform for Businesses of all sizes
	Intel® Core™ Processor with Intel® Small Business Advantage - Smart Platform for Unmanaged Small Business
Operating systems	
Operating system	Windows 8 Pro 64-bit
	Windows 8 64-bit
	Windows® 7 Professional 64-bit
Operating system compatible	Windows® XP 32-bit Windows 8 32-bit
Operating system notes	Limited Windows® XP support. Microsoft discontinued Windows® XP certification on system level, basic drivers via http://support.ts.fujitsu.com
Memory modules	2 GB (1 module(s) 2 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM
	4 GB (1 module(s) 4 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM
	8 GB (1 module(s) 8 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM
Base unit memory	LIFEBOOK E743 14.0-inch QM77
Supported capacity RAM (max.)	16 GB
Memory slots total	2
Memory slot type	DIMM (DDR3)
Memory notes	DDR3 - 1600 MHz
Hard disk drives (internal)	SSHD, 5400 rpm, 500 GB / 8 GB SSD Cache, 2.5-inch, S.M.A.R.T.
	SSD SATA III FDE, 256 GB, 2.5-inch
	SSD SATA III, 512 GB, 2.5-inch
	SSD SATA III, 256 GB, 2.5-inch
	SSD SATA III, 128 GB, 2.5-inch
	SATA, 5400 rpm, 500 GB, 2.5-inch, S.M.A.R.T.
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.
	Accessible capacity may vary, also depending on used software.
	Up to 20 GB of HDD space is reserved for system recovery
	Internal HDD interface: S-ATA III (6GBit/s)
WLAN (optional)	Intel® Centrino® Advanced-N 6235 802.11 a/b/g/n with integrated Bluetooth
	Intel® Centrino® Wireless-N2230 b/g/n
Wireless technologies	
Antennas	2 Dual band WLAN antennas, 2 UMTS/LTE antennas optional
WLAN notes	Import and usage according to country-specific regulations.
3G/4G (optional)	Sierra Wireless Gobi 3000 (Downlink speed 14.4 Mbit/s, Uplink speed 5.76 Mbit/s)
	LTE Sierra Wireless MC7710 (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)
	35.6 cm (14-inch), LED backlight, (HD+), Anti-glare display, magnesium, 1600 x 900 pixel, 300:1 , 250 cd/m²

Modular bay options	2nd battery
	Bay Projector
	Blu-ray Disc™ Triple Writer
	DVD Super Multi
	Weight saver
Base unit	LIFEBOOK E743 14.0-inch QM77
General system information	
Chipset	Intel® QM77
Chipset notes	supports iAMT 8.0, Intel® vPro™ requires Core i5-33xx / i7-35xx processor, Intel W-LAN 6235 & TPM module
BIOS features	BIOS based on Phoenix SecureCore
Display	
Display notes	ISO 9241-307 - Pixel class II
	Viewing angle: Left/Right 45°, Top 15°, Bottom 35°
Graphics	
IFT resolution (DisplayPort)	up to 2560 x 1600
FT resolution (VGA)	up to 1920 x 1200
FT resolution (DVI on Port Replicator)	up to 1920 x 1200
Graphics brand name	Intel® HD Graphics 4000 with 3rd generation Core i processors
Graphics notes	Shared memory depending on main memory size and operating system
/ideo memory total	256MB with Win XP; up to 1535MB with Win7 32bit; up to 1696MB with Win7 64bit MB
nterfaces	
Nemory card slots	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 64GB)
SmartCard slot	
SIM card slot	1 (only for models with integrated 3G/UMTS or 4G/LTE module)
JSB 3.0 total	3 (1 with Anytime USB Charge functionality)
JSB 2.0 total	1
/GA	1
DisplayPort	1
Ethernet (RJ-45)	1
DC-in	1
Audio: line-in / microphone	1
Audio: line-out / headphone	1
nternal microphones	2x digital microphones (array)
Docking connector for Port Replicator	1
Kensington Lock support	1
Vired communication	
AN	Built-in 10/100/1000 MBit/s Intel® 82579 LM
Keyboard and pointing devices	
	Black colored key caps for backlight keyboard#Black colored key caps with red frame for regular keyboard#Isolation keyboard
	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 1.7 mm
	Multi gesture touchpad (93mmx55mm) with 2 integrated mouse buttons
	Optional: Fingerprint sensor
	Application buttons Status LED
Multimedia	
Audio type	On board
Audio codec	Realtek ALC269
Audio features	Stereo speakers
	Optional: Built-in webcam, Full HD (2.073 megapixel) (Microsoft® Lync™)

Power supply	
AC Adapter	19 V / 100 W (5.27 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter, 0.250 kg, 148x56x32 mm
·	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter, 0.250 kg, 108x46x30 mm
	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) slim and light AC-Adapter
	19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter
	19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) 0-Watt AC Adapter technology
Notes	65W AC Adapter for usage with system/ 100W AC Adapter for usage with Port Replicator
1st battery options	Li-Ion battery 6-cell, 5800 mAh, 63 Wh
- / - r	Li-Ion battery 6-cell, 6700 mAh, 72 Wh
2nd battery (optional)	Li-Ion battery 6-cell, 2600 mAh, 28 Wh
Runtime 1st battery	up to 13 h
Runtime 1st + 2nd battery	up to 19 h
Battery charging time	~160 min (63Wh) ~ 200 min (72Wh)
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers
	mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct product
	comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower
	and may vary depending on product model, configuration, application and power management settings. The battery
	capacity slightly decreases with every charging cycle and over the lifetime.
Dimensions / Weight / Environmental	
Dimensions (W x D x H)	338 x 231 x 20 (f) - 27 (r) mm
Weight	1.7 kg
Weight notes	Incl. weight saver. Weight may vary depending on actual configuration.
Operating ambient temperature	5 - 35 ℃
Operating relative humidity	20 - 85 %
Additional Software	
Security software	McAfee Multi Access Security (anti-virus and internet security software; 60 days trial version)
Additional software (preinstalled)	Adobe® Reader® (pdf reader)
Additional software (premistalled)	Fujitsu LIFEBOOK Application Panel
	Fujitsu Display Manager
	ShockSensor Utility
	Power Saving Utility
	Fujitsu Plugfree Network (network management utility)
	EasyGuide online user documentation
	Win8: Microsoft Push Button Recovery (hard disk based recovery)
	Win7: Fujitsu Recovery (hard disk based recovery)
Additional software (optional)	Drivers & Utilities DVD (DUDVD)
	UMTS connection manager (optional with UMTS)
Manageability	
Manageability technology	DeskUpdate Driver management
manageability technology	PXE 2.1 Boot code
	Wake up from S5 (off mode)
	Intel® vPro™ technology
	WoL (Wake on LAN)
	iAMT 8.0 (depending on CPU)
	Intel® SBA Manageability Solution (see details: http://www.intel.com/go/sba)
Manageability software	DeskView Client
	DeskView Instant BIOS Management
	DeskView Integration for Symantec Management Platform
DeskView components	Inventory Management
	BIOS Management
	Driver Management
	Security Management
	Alarm Management

Manageability	
Supported standards	WMI
	PXE
	BootP (made4you)
Manageability link	http://www.fujitsu.com/fts/solutions/high-tech/solutions/workplace/manageability/feature-finder.html
Security	
Physical Security	Kensington Lock support
System and BIOS Security	Advanced Theft Protection (Intel® Anti Theft & Computrace®) Optional: Trusted platform module (TPM 1.2)
User Security	Hard disk password Access protection via internal SmartCard reader (optional) User and supervisor BIOS password OmniPass Fingerprint Software (pre-installed)
Compliance with standards	
Europe	CE CB
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) WiFi certified ENERGY STAR® 5.0 EPEAT® Gold (dedicated regions) (planned)
Compliance link	http://globalsp.ts.fujitsu.com/sites/certificates
Port Replicator interfaces (option	al)
DC-in	1 (19V)
Power on switch	1
Audio: headphone	1
Audio: microphone	1
USB 3.0 total	4
DisplayPort	2 (up to 2560 x 1600) - 1 DP shared with DVI, works exclusive with DVI
VGA	1 (up to 1920 x 1200)
DVI	1 (up to 1920 x 1200) - shared with 1 of the display ports - works exclusive with DP
Ethernet (RJ-45)	1 (10/100/1000)
Kensington Lock support	2 (1x Port rep only, 1x PR & System)
eSATA	1
Notes	Port replicator supports 0-Watts functionality
Warranty	
Standard Warranty	2 years (depending on country)
Service level	Collect & Return Service / Bring-in Service (for countries within region FTS CEMEA&I, for all other countries depending on local regulations)
Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty
Maintenance and Support Service	
Recommended Service	9x5, Response Time: Next Business Day
Spare Parts availability	5 years after end of product life
Service Weblink	http://www.fujitsu.com/fts/services/support

Recommended Accessories

Wireless Keyboard Set LX900		526381-K564-L4**(**: Country specific variation)
Mobile Bluetooth Communication Speaker		Order Code: 526391-F7128-L700
Wireless Mouse WI200	The Wireless Mouse WI200 uses the latest wireless 2.4 GHz technology, and a high-resolution 1000 dpi optical sensor to give you the precision and reliability you need. Sporting a compact design with a stylish black finish, the WI200 wireless mouse is well suited to all environments and to each user whether right or left handed.	Drder Code: 526381-K462-L100
Tujitsu Bay Projector		Drder Code: 26391-F1244-L600
Prestige Pro Case Midi 14	The Fujitsu Prestige Pro Case Midi 14 offers you a stylish high-quality 00 leather and nylon combination which will impress everyone who sees it. It S protects your 35.6 cm (14-inch) notebook plus your essential accessories in padded compartments. Everything will be safe but accessible in dedicated front, document, and identification pockets.	Drder Code: 526391-F1191-L80
AicroSaver Slim	locking mechanism with carbon tempered steel core cable and an external S braided steel sheath. The MicroSaver slim is available with Kensington Master Access. This security solution allows you to manage and maintain a limitless number of locks with a master key.	Order Code: 526361-F1650-L200
econd Battery for Modular Bay		Drder Code: 526391-F1244-L500



lifestyle orientated customers, who want only the best for their desk. This superb keyboard set with offers ambitious users more functions, security and better features than a conventional interface device. It even includes 2.4 GHz technology and 128 AES encryption for security.

More information

Fujitsu OPTIMIZATION Services

In addition to Fujitsu LIFEBOOK E743, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK E743, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. www.fujitsu.com/fts/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www. fujitsu.com/global/about/environment



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/ terms

Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

FUJITSU Technology Solutions Website: www.fujitsu.com/fts 2013-09-27 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms Copyright © Fujitsu Technology Solutions