HP LaserJet Managed E50045dw

Get a faster startup¹ and help protect against threats with multi-level device security.⁷









Accelerate your work and use less energy

- Don't wait for documents. Print your first page in as few as 8.5 seconds from energy-efficient sleep mode.
- This printer is in low energy use—thanks to its innovative design and toner technology.⁵
- Speed through jobs on a variety of media. Print two-sided documents almost as quickly as one.
- Now almost 30% smaller—this printer fits in tight places and delivers quiet operation.³

Unparalleled fleet security and management

- Embedded features detect security threats and heal your printer, protecting it from boot up to shutdown.⁷
- Protect sensitive data stored on the printer and in transit, using embedded and optional security features.⁷
- Protect sensitive business data with embedded and optional HP JetAdvantage Security Solutions.
- Centralize control of your print environment with HP Web Jetadmin---and help build business efficiency.

More. Pages, Performance, and Protection.

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Get more. Original HP Toner with JetIntelligence delivers more pages per cartridge than predecessors.²
- Help ensure the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Print right away with a preinstalled toner cartridge. Replace it with an optional high-yield cartridge.

Stay connected with secure mobile printing options

- Enable 128-bit encrypted wireless direct printing from mobile devices—without accessing the network."
- Print with just a touch of your NFC-enabled mobile device to this printer—no network needed.¹²
- Easily access, print, and share resources with Ethernet and optional wireless networking.10





Technical specifications

Print Duplex print options	Automatic (standard)
rint speed ¹⁸	Black (A4, normal): Up to 43 ppm; Black (letter, normal): Up to 45 ppm; Black (A5, landscape): Up to 65 ppm;
int speed	Black (A4, duplex): Up to 34 ipm; Black (letter, duplex): Up to 36 ipm
irst page out ¹⁹	Black (A4, ready): As fast as 6.0 sec; As fast as 11.5 sec (100 V); Black (A4, sleep): As fast as 8.1 sec; As fast as 13.7 sec (100 V)
rint resolution	Black (best): Up to 1200 x 1200 dpi; Black (normal): Up to 600 x 600 dpi; Black (fine lines): Up to 1200 x 1200 dpi
rint technology	Laser
rint resolution technology	300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200
Print cartridges number	2 (black)
itandard print languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (y 1,7)
Printer management	(V 1.7) Printer Management; Printer Administrator Resource Kit (Driver Configuration Utility, Driver Deployment Utility,
ninter management	Managed Printing Administrator); HP Web JetAdmin Software; HP Proxy Agent Software; HP JetAdvantage Security Manager.
Connectivity	
itandard connectivity	Hi-Speed USB 2.0 port; built-in Fast Ethernet 10Base-T/100Base-Tx, Gigabit Ethernet 1000Base-T
10bile printing capability ¹⁷	Apple AirPrint™; HP ePrint; Wireless direct printing; Mopria™ Certified Yes, Embedded NFC/HP Wireless Direct and built-in WiFi 802.11b/g/n
Vireless capability Ietwork Capabilities	Yes, via built-in Gigabit Ethernet
lemory	Standard: 512 MB; Maximum: 1.5 GB
Processor speed	1.2 GHz
uty cycle (monthly) ⁷	Up to 150,000 pages; Recommended monthly page volume⁸: 2000 to 15,000
aper handling	
nput	100-sheet multipurpose Tray 1, 550-sheet input Tray 2, automatic duplex printing; Up to 3 optional 550-sheet paper feeders
Dutput	250-sheet output bin
1edia type	Paper (bond, color, letterhead, plain, preprinted, prepunched, recycled, rough); envelopes; labels; cardstock; transparencies; user-defined
1edia weight	Tray 1: 60 to 200 g/m ² ; Tray 2+: 60 to 120 g/m ²
Aedia sizes custom	Tray 1: 76 x 127 to 216 x 356 mm; 550-sheet input Tray 2: 105 x 148 to 216 x 356 mm; Optional 550-sheet input
	Tray 3+: 105 x 148 to 216 x 356 mm
Dimensions (W x D x H) ¹³	418 x 376 x 326 mm
Veight	11.8 kg
What's in the box ²⁰	HP LaserJet Managed E50045dw; HP Black LaserJet Toner Cartridge; CD; Warranty Guides; HIGS; Erratas
Varranty features	NA/EMEA: One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to hp.com/support to learn about HP award winning service and support options in your region; AP: One year return to bench
Systems	
Compatible operating	Windows OS compatible with In-Box Driver: Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all
	32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets); Windows OS compatible with Universal Print Driver (From HP.com): Windows XP SP3 32- & 64-bit editions (XP Home, XP Pro, etc), Windows Vista all 32- & 64-bit editions (Home Basic, Premium, Professional, etc), Windows 7 all 32- & 64-bit editions, Windows Ø/8.1 all 32- & 64-bit editions (Home Basic, Premium, Professional, etc), Windows 7 all 32- & 54-bit editions, Windows Ø/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets); Mac OS (HP Print Drivers available from http://www.hp.com and Apple Store): OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Vosemite; Mobile OS (In-OS drivers): IOS, Android, Windows 8/8.1/10 RT; Linux OS (In-OS HPLIP): SUSE Linux (12.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debian (6.0.x, 7.x); Other OS: UNIX
Minimum system requirements	PC: Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT 0S for Tablets), Windows 10 all 32- & 64-bit editions (excluding RT 0S for Tablets); CD-ROM or DVD drive, or Internet connection; Dedicated USB or network connection or Wireless connection; 200 MB available hard disk space; OS compatible hardware (For OS hardware requirements see http://www.microsoft.com)
	Mac Mac OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Yosemite; Internet; USB; 1 GB available hard disk OS compatible hardware (For OS hardware requirements see http://www.apple.com)
Fonts and Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscriopt Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type);2 Internal Windows Vista 8 Fonts (Calibri, Cambria);additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulatio available at Http://www.hp.com/go/laserjetfonts
Control panel	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)
Display	4.3-in color touchscreen
Power	Power supply type: Internal (Built-in) power supply; Power supply required: Input voltage: 100 to 127 VAC, 60 Hz; Input voltage: 200 to 240 VAC, 50 Hz (Not dual voltage, power supply varies by part number with #option code identifier); Power consumption ² : 741.98 watts (Active Printing), 13.72 watts (Ready), 2.51 watts (Sleep), 0.08 watts (Auto-Off), 0.08 watts (Off); Typical electricity consumption (TEC) number ³ : 1.824 kWh/Week (Blue Angel); 1.997 kWh/Week (Energy Star)
Software included	For Windows OS: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals; For Mac OS: Welcome Screen (Directs users to http://www.HP.com or OS App Soure for LaserJet Software)
Acoustics	Acoustic power emissions ⁶ : 6.8 B(A); Acoustic Power Emissions (ready) ⁶ : 4.0 B(A); Acoustic Pressure Emissions Bystander (active, printing): 54 dB(A); Acoustic Pressure Emissions Bystander (ready): 24 dB(A)
Environmental ranges	Operating Temperature Range: 15 to 32.5° C; Recommended Operating Temperature: 17.5 to 25° C; Non-operating Humidity Range: 10 to 90% RH; Operating Humidity Range: 10 to 80% RH; Recommended Operating Humidity Range: 30 to 70% RH
Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party, advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140
	validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology – Constant in-device monitoring for attacks; SureStart Secure Boot – BIOS Integrity Checking with self-healing capability; Whitelisting – loads only known good code (DLLs, EXEs,); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs
Safety approvals and requirements	IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:201. (EU); EN 60825-1:2007/IEC 60825-1:2007 (Class 1 Laser Product); EN 62479:2010/IEC 62479:2010; Low Voltage Directive 2006/95/EC with CE Mark (Europe); GS Certificate (Germany, Europe); UL/CUL Listed and UC CoC (US/Canada CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries.
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management; SNMPv2/v3, HTTP/HTPs, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x

Ordering Information

Number	Description	

3GN19A HP Laser Jet Managed E50045dw

Supplies and Maintenance K	its
----------------------------	-----

Number Description

Number	Description
W9017MC	HP W9017MC Black Managed LaserJet Toner Cartridge (~22,500 pages)
CF287XC	HP CF287XC Black Contractual LaserJet Toner Cartridge (~20,600 pages)
Accessorie	5
Number	Description
B5L28A	HP Internal USB Ports
B5L29A	HP High-Performance Secure Hard Disk
F2A72A	HP LaserJet 550-sheet Paper Tray
F2A73A	HP LaserJet Printer Cabinet
F2A87A	HP Internal USB Ports
F5S62A	HP Trusted Platform Module Accessory
G6W84A	HP 1 GB 90-pin DDR3 DIMM
J8030A	HP Jetdirect 3000w NFC/Wireless Accessory

HP Jetdirect 3000w NFC/Wireless Accessory HP Jetdirect 2900nw Print Server J8031A

HP Care Packs

Number Description

U8TS5E	HP 3 year Next Business Day w/Defective Media Retention Service for LaserJet M506 E50045 Managed
U8TS6E	HP 4 year Next Business Day w/Defective Media Retention Service for LaserJet M506 E50045 Managed
U8TS7E	HP 5 year Next Business Day w/Defective Media Retention Service for LaserJet M506 E50045 Managed
U8TS8E	HP 3 year Parts Exchange Service for LaserJet M506 E50045 Managed (Managed Component Only)
U8TS9E	HP 4 year Parts Exchange Service for Laser Jet M506 E50045 Managed (Managed Component Only)
U8TT0E	HP 5 year Parts Exchange Service for Laser Jet M506 E50045 Managed (Managed Component Only)
U8TT1PE	HP 1 yr Post Wnty Next Business Day w/Defective Media Retention Svc for LaserJet M506 E50045 Managed
U8TT2PE	
U8TT3PE	

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

HP Inc. offices

Australia	(613) 8833 5000	hp.com.au
China	(010) 6564 3888	hp.com.cn
Hong Kong	(852) 3077 2688	hp.com.hk
India	(80) 2612 9000	hp.com/in
Indonesia	(62-21) 57991088	hp.com/id
Korea	(02) 2199 0114	hp.co.kr
Malaysia	(603) 2332 3333	hp.com.my
New Zealand	(09) 918 9555	hp.co.nz
Philippines	(632) 888 5900	hp.com/ph
Singapore	(65) 6275 3888	hp.com.sg
Taiwan	(02) 3789 9900	hp.com.tw
Thailand	(662) 353 9500	hp.com/th
Vietnam	(848) 3823 4151	hp.com/vn

For the following countries, please fax your queries to(65) 6275 6707 Bangladesh, Bhutan, Brunei, Cambodia, Maldives, Nepal, Pakistan, Sri Lanka

Supported paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

For more solutions information, please visit hp.com/go/gsc

ENERGY STAR
Windows7
Print AirPrint
Care Pack

Footnotes

¹ Based on HP internal testing of top three leading competitors' first page out from sleep mode and duplex print speed completed 8/2015. Subject to device settings. Actual results may vary. For details, see http://www.hp.com/go/Ljclaims

² More pages versus predecessor cartridges claim based on page-yield comparison of HP 55X High Yield Black Original LaserJet Toner Cartridges with HP 87X High Yield Black Original LaserJet Toner Cartridges. For more information, see http://www.hp.com/go/learnaboutsupplies

³ Compared with the HP LaserJet Enterprise P3015.

⁴ Purchase of optional paper trays required to reach maximum input capacity. ⁵ Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see http://www.hp.com/go/Ljclaims

¹ PB 7X High Yield Black Original LaserJet Toner Cartridges not included; please purchase separately.
² Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at http://www.hp.com/go/printsecurity

⁸ HP Web Jetadmin is free and available for download at http://www.hp.com/go/webjetadmin

⁹ Some solutions require download or additional purchase. Learn more at http://www.hp.com/go/printingsolutions ¹⁰ Wireless networking requires purchase of the HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections

11 Wireless direct printing is standard on the HP LaserJet Enterprise M506x only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP LaserJet Enterprise M506n/dn. Mobile device needs to be connected directly to the WiFi network of a wireless direct – capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see http://www.hp.com/go/businessmobileprinting

Touch-to-print capability is standard on the HP LaserJet Enterprise M506x only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP LaserJet Enterprise M506n/dn. Mobile device must support Near Field Communication (NFC) - enabled printing. For more information, see http://www.hp.com/go/businessmobileprinting

¹³ An FCC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment due to the increased risk of interference to radio communications.

Technical specifications disclaimers

1 AirPrint™ and iOS 4.2 or later devices require an 802.11 wireless network connection to the printer. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint and the AirPrint Logo are trademarks of Apple® Inc. Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at http://www.hp.com/go/mobileprinting.

³ Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh). ⁴ Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.

⁵ Declared yield value in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see

http://www.hp.com/go/learnaboutsupplies. ⁶ Acoustic values are subject to change. For current information see http://www.hp.com/support. Configuration tested: dn model, simplex printing, A4 paper at 43 ppm

⁷ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device

⁹ HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies; Internet access required. To learn more, visit http://www.hp.com/go/SureSupply.

¹⁰ Paper handling accessories are offered separately and with an additional cost. ¹¹ Not all "Compatible Operating Systems" are supported with inbox software; Full solution software available only for Windows 7 and newer; Legacy Windows Operation Systems (XP, Vista, and equivalent servers) get print and Scan drivers only; Windows RT OS for Tablets (32- & 64-bit) uses a simplified HP print driver built into the RT OS; UNIX modelscripts are available on HP.com (Modelscripts are printer drivers for UNIX operating systems); Linux systems use in-OS HPLIP software. ¹³ Width includes 0.16 in (4 mm) per side for side handle protrusions. Height with touchscreen fully raised.

¹⁵ Includes toner cartridge weight and 550-sheet tray feeder

To learn more, visit hp.com

© Copyright 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.



ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group