

#### **Overview**

Ideal for 3-15 users, this versatile printer lets you easily print on many paper types and sizes.

Gain control of your printed documents and make an impact when communicating. One versatile printer covers all your printing needs from general office to oversize documents.

#### Affordable A3 printing

Now you can handle all your business printing and A3 output in your own office using a single printer. Print everyday business documents, marketing materials and wide-format projects at an affordable price—often less than printing at a copy shop.

# High-quality output on a range of documents

Make an impact by putting your business in the best light. Using in-line printer architecture, four colors are aligned and applied in a single pass for reliable, accurate print quality.

#### Easy to use, share and maintain

The printer's control panel is intuitive and instructive. Networked models are easy to share, and it's a snap to replace and order supplies.

#### **Features**



Print color up to 20 ppm



A3 support



Only the power you need<sup>[4]</sup>



On-the-go printing with HP ePrint<sup>[5]</sup>



Ethernet (printer)



Take the guesswork out of fleet management<sup>[6]</sup>

[4] HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.

[5] Requires an Internet connection to an HP ePrint-enabled printer. Printer requires ePrint account registration. App or software may be required. Wireless operations are compatible with 2.4 GHz operations only. Print times

[6] Universal device plug-in is offered with HP Web Jetadmin 10.3 SR4 and higher. HP Web Jetadmin is free and available for download at http://www.hp.com/go/webjetadmin

# **Specifications**

| Print Resolution Technologies                | HP ImageREt 3600  |
|--|---|
| Print quality black (best)                   | Up to 600 x 600 dpi   |
| Print quality color (best)                   | Up to 600 x 600 dpi   |
| Print speed black (ISO, A4)                  | Up to 20 ppm  |
| Print speed black (ISO, letter)              | Up to 20 ppm  |
| Print Speed Color (ISO)                      | Up to 20 ppm  |
| Print speed color (ISO)                      | Up to 20 ppm  |
| Functions                                    | Print   |
| Duplex printing                              | Manual (driver support provided)  |
| Duty cycle (monthly, A4)                     | Up to 75,000 pages  |
| Duty cycle (monthly, letter)                 | Up to 75,000 pages  |
| Replacement cartridges                       | HP Color LaserJet Black Print Cartridge (~7000 pages); HP Color LaserJet Cyan Print Cartridge (~7300 pages); HP Color LaserJet Yellow Print Cartridge (~7300 pages); HP Color LaserJet Magenta Print Cartridge (~7300 pages)  |
| Connectivity, standard                       | 1 Hi-Speed USB 2.0  |
| Wireless capability                          | Optional, enabled with purchase of a hardware accessory   |
| Mobile printing capability                   | Mobile Print Capability not supported   |
| Software included                            | Print driver (HP PCL 6); Toolbox FX configuration utility; SNP alerts; and installation software on CD-ROM  |
| Compatible Operating Systems                 | Windows 10 (For more information go to http://support.hp.com/us-en/document/c04658195), Windows 8 through the HP Universal Print Driver (for more information go to http://h20000.www2.hp.com/bizsupport/TechSupport/Document.jsp? objectID=c03365145), Windows 7 through the HP Universal Print Driver (for more information go to http://h20000.www2.hp.com/bizsupport/TechSupport/Document.jsp? objectID=c03737332), Windows Vista, Windows XP Home, Windows XP Professional, Windows XP Professional x64, Windows XP Media Center, Windows Server 2003, Windows 2000; Mac OS X v 10.3, v 10.4, v 10.5, v 10.6; Linux (see http://www.hplip.net) |
| Energy star certified                        | No  |
| Ecolabels                                    | CECP  |
| Display                                      | 2-line, 16-character backlit display  |
| Minimum dimensions (W $\times$ D $\times$ H) | 545 x 599 x 338 mm  |
| Minimum dimensions (W x D x H)               | 21.5 x 23.6 x 13.3 in (Without trays and covers extended)   |
| Weight                                       | 40.9 kg   |
| Weight                                       | 90.2 lb<br>(With print cartridges)  |

| Power consumption     | 440 watts (printing), 30 watts (ready), 4.4 watts (sleep), 0.5 watts (off) (Values subject to change. See http://www.hp.com/support for current information. Power numbers are the highest values measured using all standard voltages.)  |  |
|-----------------------|---|--|
| Power supply type     | Built-in power supply   |  |
| What's in the box     | HP Color LaserJet Professional CP5225 Printer; Power cord; Getting Started Guide; CD with software and documentation; Warranty and service information; Pre-installed print cartridges; 100-sheet multipurpose tray; 250-sheet input tray |  |
| Manufacturer Warranty | One-year unit exchange warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.          |  |

# Additional specifications

| Accessories  | HP Color LaserJet 500-sheet Paper Tray CE860A, HP 64 MB DDR2 144-pin SDRAM DIMM CB421A, HP 128 MB DDR2 144-pin SDRAM DIMM CB422A, HP 256 MB DDR2 144-pin SDRAM DIMM CB423A, HP USB Cable (a-b) 2 meter C6518A, HP Jetdirect ew2500 802.11b/g Wireless Print Server J8021A, HP Barcode Printing Solution HG271US, HP Barcodes and More Solution HG281US, HP Scalable Barcode Set Solution HG282UT, HP MICR USB Fonts Solution HG283US |  |
|--|--|--|
| Acoustic power emissions (active, printing)              | 6.3 B(A)   |  |
| Acoustic power emissions (ready)                         | 5.3 B(A)   |  |
| Acoustic power note                                      | Configuration tested: base model, simplex printing, A4 paper at an average of 20 ppm. Values are subject to change. For current information see http://www.hp.com/support.   |  |
| Acoustic pressure emissions bystander (active, printing) | 49 dB(A)   |  |
| Additional information about Eco                         | http://www.hp.com/ecosolutions   |  |
| Automatic paper sensor                                   | No   |  |
| Bottom margin (A4)                                       | 4.23 mm  |  |
| Business filter  | cMPS   |  |
| Cable included   | Yes, 1 USB cable (AP); No, please purchase USB cable separately (EMEA)   |  |
| Cartons per layer  | 1  |  |
| Color or black   | Color  |  |
| Compatible Network Operating<br>Systems                  | Windows 2000, Windows XP Home, Windows XP Professional, Windows Server 2003, Windows Vista(R), Windows XP Media Center, Windows XP Professional x64, Windows 7 (HP UPD only), Mac OS X v 10.3, Mac OS X v 10.4 or higher, Linux (see http://www.hplip.net)   |  |
| Component type   | Printer  |  |
| Control panel  | 2-line; 16-character backlit display; 5 buttons (Cancel job, Left arrow, Right arrow, Select, Back); 2 LED indicator lights (Attention, Ready)   |  |
| Count of layers in pallet                                | 4  |  |
| Country of origin  | Product of China   |  |
| Driver updates   | Latest printer driver information available at http://www.hp.com/support   |  |
| Duty cycle note  | Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs.  |  |
| Eco products   | CP5225dn model   |  |
| Electromagnetic compatibility                            | CISPR 22: 2005/EN 55022: 2006 Class A, EN 61000-3-2: 2006, EN 61000-3-3: 1995+A1+A2, EN 55024: 1998+A1+A2, FCC Title 47 CFR, Part 15 Class A (USA), ICES-003, Issue 4, (Canada), GB9254-1998, EMC Directive 2004/108/EC with CE Marking (Europe), other EMC approvals as required by individual countries  |  |
|  |  |  |

| Engine life                                  | 600000  |  |
|--|---|--|
| Envelope Feeder                              | No  |  |
| FCC Class A emissions                        | FCC Class A emissions - for use in commercial environments, not residential environments  |  |
| Finished output handling                     | Sheetfed  |  |
| First page out black (A4, ready)             | As fast as 16 sec   |  |
| First page out black (letter, ready)         | As fast as 16 sec   |  |
| First page out color (A4, ready)             | As fast as 17 sec   |  |
| First page out color (letter, ready)         | As fast as 17 sec   |  |
| First page out footnote                      | Exact speed varies depending on the system configuration, software application, driver and document complexity.   |  |
| Fonts and typefaces                          | 84 scalable TrueType fonts  |  |
| HP ePrint capability                         | No  |  |
| Input capacity                               | Up to 350 sheets  |  |
| Internal Storage                             | None  |  |
| Left margin (A4)                             | 4.23 mm   |  |
| Mac compatible                               | Yes   |  |
| Maximum Memory                               | 448 MB  |  |
| Maximum dimensions (W $\times$ D $\times$ H) | 34 x 42 x 14.6 in   |  |
| Maximum dimensions (W x D x H)               | 862 x 1066 x 370 mm   |  |
| Maximum input capacity (sheets)              | Up to 850 sheets  |  |
| Maximum output capacity (sheets)             | Up to 250 sheets  |  |
| Media size, tray 1                           | A3; A4; A5; A6; RA3; SRA3; B4; B5; 8k; 16k; 10 x 15 cm; post cards (JIS single and double); envelopes (DL, C5, B5); 76 x 127 to 320 x 457 mm  |  |
| Media size, tray 2                           | A3; A4; A5; B4; B5; 8k; 16k; Double postcard; 148 x 182 to 297 x 432 mm   |  |
| Media size, tray 3                           | A3; A4; B4; B5; 8k; 16k; Double postcard; 148 x 210 to 297 x 432 mm   |  |
| Media sizes supported                        | Tray 1: A3, A4, A5, A6, RA3, SRA3, B4, B5, 8k, 16k, 10x15 cm, post cards (JIS single and double); envelopes (DL, C5, B5); custom: 76 x 127 to 320 x 457 mm; Tray 2: A3, A4, A5, B4, B5, 8k, 16k, double postcard; custom: 148 x 182 to 297 x 432 mm; Optional tray 3: A3, A4, B4, B5, 8k, 16k, double postcard; custom: 148 x 210 to 297 x 432 mm |  |
| Media sizes supported                        | Tray 1: Letter, legal, executive, 11x17, 12x18, 4x6, 5x8, 8.5x13, envelopes (No. 10, Monarch), custom: 3 x 5 to 12.6 x 18 in, Tray 2: letter, legal, executive, 11x17, 8.5x13, custom: 5.8 x 7.2 to 11.7 x 17 in, Optional tray 3: letter, legal, executive, 11x17, 8.5x13, custom: 5.8 x 8.3 to 11.7 x 17 in                                     |  |
| Media sizes, custom                          | Tray 1: 3 x 5 to 12.6 x 18 in; 250-sheet input Tray 2: 5.8 x 7.2 to 11.7 x 17 in; optional 500-sheet input Tray 3: 5.8 x 8.3 to 11.7 x 17 in  |  |
| Media sizes, custom                          | Tray 1: 76 x 127 to 320 x 457 mm; 250-sheet input Tray 2: 148 x 182 to 297 x 432 mm; optional 500-sheet input Tray 3: 148 x 210 to 297 x 432 mm   |  |
| Media type and capacity, tray 1              | Sheets: 100; envelopes: 20  |  |
|  |   |  |

| Media type and capacity, tray 2           | Sheets: 250  |  |
|---|--|--|
| Media type and capacity, tray 3           | Sheets: 500  |  |
| Media types                               | Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough); cardstock; glossy film; transparencies; labels; envelopes  |  |
| Media weight (tray 1)                     | 60 to 220 g/m <sup>2</sup>   |  |
| Media weight (tray 2)                     | Up to 120 g/m² plain papers, up to 160 g/m² coated papers  |  |
| Media weight (tray 3)                     | Up to 120 g/m² plain papers, up to 160 g/m² coated papers  |  |
| Media weight, supported                   | Tray 1: 60 to 220 g/m $^2$ , Tray 2, automatic two-sided printing unit, optional Tray 3: up to 120 g/m $^2$ plain papers, up to 160 g/m $^2$ coated papers   |  |
| Media weight, supported                   | Tray 1: 16 to 58 lb bond, Tray 2, automatic two-sided printing unit, optional Tray 3: up to 32 lb plain papers, up to 43 lb coated papers  |  |
| Memory                                    | 192 MB   |  |
| Memory Slots                              | 1 slot, 144-pin, DDR2 DIMM   |  |
| Memory card compatibility                 | None   |  |
| Memory upgrade                            | Expandable to 448 MB through one DDR2 DIMM slot  |  |
| Minimum System Requirements               | Windows 10 (For more information go to http://support.hp.com/us-en/document/c04658195), Windows 8 through the HP Universal Print Driver (for more information go to http://h20000.www2.hp.com/bizsupport/TechSupport/Document.jsp? objectID=c03365145), Windows 7 through the HP Universal Print Driver (for more information go to http://h20000.www2.hp.com/bizsupport/TechSupport/Document.jsp? objectID=c03737332), Windows Vista (32-bit and 64-bit): 1 GHz processor, 512 MB RAM, 250 MB hard disk space; Windows XP-32 Home, Windows XP-32 Professional, Windows XP-x64 (print driver only): any Pentium® II processor (Pentium® III or higher recommended), 128 MB RAM, 250 MB hard disk space; Windows 2000, Windows Server 2003 (print driver only): any Pentium® II processor or higher, 64 MB RAM, 250 MB hard disk space; SVGA 800 x 600 with 16-bit color display, Internet Explorer 5.5 or higher, CD-ROM drive, USB or Ethernet port |  |
| Minimum System Requirements for Macintosh | Mac OS X v 10.3, 10.4, 10.5, 10.6; Power PC G3, G4, G5, or Intel Core processor; 150 MB available hard disk space; CD-ROM drive; USB or Ethernet port  |  |
| Model number                              | CP5225   |  |
| Network ready                             | Optional   |  |
| Non-Operating Humidity Range              | 10 to 90% RH   |  |
| Number of print cartridges                | 4 (1 each black, cyan, magenta, yellow)  |  |
| Number of users                           | 5-15 Users   |  |
| Operating humidity range                  | 10 to 80% RH   |  |
| Operating temperature range               | 10 to 30º C  |  |
| Operating temperature range               | 50 to 86º F  |  |
| Output capacity                           | Up to 250 sheets   |  |
| Package dimensions (W x D x H)            | 718 x 702 x 478 mm   |  |

| Package dimensions (W x D x H)  | 28.26 x 27.63 x 18.81 in  |
|---|---|
| Package weight  | 43 kg   |
| Package weight  | 95 lb   |
| Page yield footnote   | For information on cartridge page and photo yields, see http://www.hp.com/go/pageyield  |
| Pallet dimensions   | 28.38 x 30.15 x 77.20 in  |
| Pallet dimensions (W x D x H)   | 721 x 766 x 1961 mm   |
| Pallet weight   | 195 kg  |
| Pallet weight   | 428 lb  |
| Paper handling input, optional  | 500-sheet input tray 3  |
| Paper handling input, standard  | 100 sheet multi-purpose tray, 250-sheet input tray 2  |
| Paper handling output, standard   | 250-sheet output bin  |
| Paper trays, maximum  | 3   |
| Paper trays, standard   | 2   |
| Photo (product photo, jpg, 190x170)   | Printers and Multifunction/CE710A_190x170.jpg   |
| Photo (product photo, jpg, 70x100)  | Printers and Multifunction/CE710A_70x100.jpg  |
| Ports   | 1 Hi-Speed USB 2.0  |
|   |   |
| Power   | 110-volt input voltage: 115 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz), 12 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A. Not dual voltage, power supply varies by part number with # Option code identifier.  |
| Power Power consumption (active)  | 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A.  Not dual voltage, power supply varies by part number with # Option code   |
|   | 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A. Not dual voltage, power supply varies by part number with # Option code identifier.  |
| Power consumption (active)  | 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A.  Not dual voltage, power supply varies by part number with # Option code identifier.  440 watts  |
| Power consumption (active) Power consumption (manual-off)   | 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A.  Not dual voltage, power supply varies by part number with # Option code identifier.  440 watts  0.5 watts   |
| Power consumption (active)  Power consumption (manual-off)  Power consumption (sleep)   | <ul> <li>220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A.</li> <li>Not dual voltage, power supply varies by part number with # Option code identifier.</li> <li>440 watts</li> <li>0.5 watts</li> <li>4.4 watts</li> </ul>  |
| Power consumption (active)  Power consumption (manual-off)  Power consumption (sleep)  Print Technology   | 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A.  Not dual voltage, power supply varies by part number with # Option code identifier.  440 watts  0.5 watts  4.4 watts  Laser   |
| Power consumption (active)  Power consumption (manual-off)  Power consumption (sleep)  Print Technology  Print colors   | 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A.  Not dual voltage, power supply varies by part number with # Option code identifier.  440 watts  0.5 watts  4.4 watts  Laser  Yes  |
| Power consumption (active)  Power consumption (manual-off)  Power consumption (sleep)  Print Technology  Print colors  Print languages  | 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A.  Not dual voltage, power supply varies by part number with # Option code identifier.  440 watts  0.5 watts  4.4 watts  Laser  Yes  HP PCL 6, HP PCL 5, HP postscript level 3 emulation   |
| Power consumption (active)  Power consumption (manual-off)  Power consumption (sleep)  Print Technology  Print colors  Print languages  Print quality black (normal)  | 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A.  Not dual voltage, power supply varies by part number with # Option code identifier.  440 watts  0.5 watts  4.4 watts  Laser  Yes  HP PCL 6, HP PCL 5, HP postscript level 3 emulation  Up to 600 x 600 dpi  |
| Power consumption (active)  Power consumption (manual-off)  Power consumption (sleep)  Print Technology  Print colors  Print languages  Print quality black (normal)  Print speed black (normal, A3)  | 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A.  Not dual voltage, power supply varies by part number with # Option code identifier.  440 watts  0.5 watts  4.4 watts  Laser  Yes  HP PCL 6, HP PCL 5, HP postscript level 3 emulation  Up to 600 x 600 dpi  Up to 10 ppm  |
| Power consumption (active)  Power consumption (manual-off)  Power consumption (sleep)  Print Technology  Print colors  Print languages  Print quality black (normal)  Print speed black (normal, A3)  Print speed color (normal, A3)  | 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A.  Not dual voltage, power supply varies by part number with # Option code identifier.  440 watts  0.5 watts  4.4 watts  Laser  Yes  HP PCL 6, HP PCL 5, HP postscript level 3 emulation  Up to 600 x 600 dpi  Up to 10 ppm  Up to 10 ppm  |
| Power consumption (active)  Power consumption (manual-off)  Power consumption (sleep)  Print Technology  Print colors  Print languages  Print quality black (normal)  Print speed black (normal, A3)  Print speed color (normal, A3)  Print technology  | 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A.  Not dual voltage, power supply varies by part number with # Option code identifier.  440 watts  0.5 watts  4.4 watts  Laser  Yes  HP PCL 6, HP PCL 5, HP postscript level 3 emulation  Up to 600 x 600 dpi  Up to 10 ppm  Up to 10 ppm  Laser   |
| Power consumption (active)  Power consumption (manual-off)  Power consumption (sleep)  Print Technology  Print colors  Print languages  Print quality black (normal)  Print speed black (normal, A3)  Print speed color (normal, A3)  Print technology  Printer Management                                  | 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A.  Not dual voltage, power supply varies by part number with # Option code identifier.  440 watts  0.5 watts  4.4 watts  Laser  Yes  HP PCL 6, HP PCL 5, HP postscript level 3 emulation  Up to 600 x 600 dpi  Up to 10 ppm  Up to 10 ppm  Laser  SNP (default install); Toolbox FX (additional software install)      |
| Power consumption (active)  Power consumption (manual-off)  Power consumption (sleep)  Print Technology  Print colors  Print languages  Print quality black (normal)  Print speed black (normal, A3)  Print speed color (normal, A3)  Print technology  Printer Management  Printer black pages (MPV black) | 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A.  Not dual voltage, power supply varies by part number with # Option code identifier.  440 watts  0.5 watts  4.4 watts  Laser  Yes  HP PCL 6, HP PCL 5, HP postscript level 3 emulation  Up to 600 x 600 dpi  Up to 10 ppm  Up to 10 ppm  Laser  SNP (default install); Toolbox FX (additional software install)  788 |

| Product logos                                | Microsoft Windows; Microsoft Vista; Macintosh; USB  |  |
|--|---|--|
| Product short name specifications            | HP Color LaserJet Professional CP5225 Printer, Color, Printer for Print   |  |
| Quantity per pallet                          | 4   |  |
| Recommended monthly page volume              | 1500 to 5000  |  |
| Recommended monthly page volume note         | HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.   |  |
| Recommended operating humidity range         | 20 to 60% RH  |  |
| Recommended operating temperature range      | 59 to 80.6º F   |  |
| Recommended operating temperature range      | 15 to 27º C   |  |
| Replacement cartridges footnote              | Declared yield value in accordance with ISO/IEC 19798. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies   |  |
| Right margin (A4)                            | 4.23 mm   |  |
| Safety                                       | IEC 60950-1 (International); EN 60950-1+A11 (EU); IEC 60825-1+A1+A2; NRTL Listed (US/Canada); GS License (Europe); EN 60825-1+A1+A2 (Class 1 Laser/LED Device) GB4943-2001; Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries |  |
| Standard input capacity (envelopes)          | Up to 20  |  |
| Standard media sizes (duplex)                | A3; A4; A5; SRA3; B4; B5  |  |
| Standard media sizes (duplex, imperial)      | Letter; legal; executive; 11 x 17 in; 12 x 18 in  |  |
| Standard output capacity (envelopes)         | Up to 15 envelopes  |  |
| Standby mode power demand                    | 30 watts  |  |
| Storage device and direct print support      | Storage devices not supported   |  |
| Storage temperature range                    | 32 to 95º F   |  |
| Storage temperature range                    | 0 to 35º C  |  |
| Sub-brand name                               | Color LaserJet  |  |
| Tariff numbers                               | 8443321010  |  |
| Technical support information                | http://www.hp.com/support   |  |
| Top margin (A4)                              | 4.23 mm   |  |
| Typical electricity consumption (TEC) number | 1.787 kWh/Week  |  |
| UNSPSC code                                  | 43212105  |  |

| UPC number                             | (A2S) 884420971382; (AB0) 884420971313; (AB2) 884420971320; (ABG) 884420971368; (ABJ) 884420971351; (ABT) 884420971290; (ABU) 884420971252; (ABY) 884420971306; (ACJ) 884420971375; (ACQ) 884420971283; (ARR) 884420971344; (ARS) 884420971399; (B13) 888182819968; (B19) 884420971269; (BAZ) 884420971276; (BF0) 884420984450; (BFQ) 884420971337 |
|--|--|
| Upgradability                          | Memory upgradeable to 448 MB; optional 500 sheet tray; only one additional tray may be added   |
| Web address for additional information | Solutions: http://www.hp.com/go/gsc; Paper: http://www.hp.com/go/paper; Services: http://www.hp.com/services/printer   |

# Ink/Toner/Paper/Printer Supplies

# **HP Laser Toner Cartridges and Kits**

### **HP Color Laser Toner Printer Cartridges**

| HP 307A Black Original LaserJet Toner Cartridge   | CE740A ★ |
|---|----------|
| HP 307A Cyan Original LaserJet Toner Cartridge    | CE741A ★ |
| HP 307A Magenta Original LaserJet Toner Cartridge | CE743A ★ |
| HP 307A Yellow Original LaserJet Toner Cartridge  | CE742A ★ |
| HP Color LaserJet CE980A Toner Collection Unit    | CE980A ★ |

★ : Recommended

# **HP Paper for Multiple Uses**

### **HP Multi-use Everyday Paper**

| HP All-in-One Paper-10 reams/Letter/8.5 x 11 in            | HPT1122 |
|--|---------|
| HP All-in-One Printing Paper-250 sht/A4/210 x 297 mm       | CHP712  |
| HP All-in-One Printing Paper-500 sht/A3/297 x 420 mm       | CHP715  |
| HP All-in-One Printing Paper-500 sht/A4/210 x 297 mm       | CHP710  |
| HP Copy Paper 80 gsm-500 sht/A3/297 x 420 mm               | CHP920  |
| HP Copy Paper 80 gsm-500 sht/A4/210 x 297 mm               | CHP910  |
| HP Home and Office Paper-500 sht/A4/210 x 297 mm           | CHP150  |
| HP Office Paper-10 reams/3-hole punched/Letter/8.5 x 11 in | НРСЗНР  |
| HP Office Paper-2500 sht/A4/210 x 297 mm                   | CHP113  |
| HP Office Paper-500 sht/A3/297 x 420 mm                    | CHP120  |
| HP Office Paper-500 sht/A4/210 x 297 mm                    | CHP110  |
| HP Office Quickpack-2500 sht/Letter/8.5 x 11 in            | HP2500S |
| HP Premium Choice Paper-500 sht/A4/210 X 297 mm            | CHP812  |
| HP Printing Paper 90 gsm-500 sht/A4/210 x 297 mm           | CHP235  |
| HP Printing Paper-2500 sht/A4/210 x 297 mm                 | CHP215  |
| HP Printing Paper-500 sht/A3/297 x 420 mm                  | CHP220  |
| HP Printing Paper-500 sht/A4/210 x 297 mm                  | CHP210  |

### **HP Multipurpose Paper**

| HP Multipurpose Paper-10 reams/3-hole punched/Letter/8.5 x 11 in | HPM113H  |
|--|----------|
| HP Multipurpose Paper-5 reams/Letter/8.5 x 11 in                 | HPM115RC |
| HP Multipurpose Paper-500 sht/A4/210 x 297 mm                    | CHP225   |

### **HP Recycled Paper**

| HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in | 4WN06A |
|---|--------|
| HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in | 4WN07A |
| HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in | 4WN09A |
| HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in | 4WN11A |
| HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in | 7MV81A |
| HP Multipurpose Recycled Paper-500 sht/Letter/8.5 x 11 in | 7MV82A |
| HP Recycled Paper 80 gsm-500 sht/A4/210 x 297 mm          | CHP830 |

# **HP Paper Designed for Laser Printers**

### **HP Laser Photo Paper**

| HP Color Laser Glossy Photo Paper-100 sht/10 x 15 cm              | Q8843A   |          |
|---|----------|----------|
| HP Glossy Photo Laser Paper-100 sht/210 x 297 mm                  | Q6614A   | obsolete |
| HP Laser Everyday Paper   |          |          |
| HP Color Laser Paper 100 gsm-500 sht/A3/297 x 420 mm              | CHP360   |          |
| HP Color Laser Paper 100 gsm-500 sht/A4/210 x 297 mm              | CHP350   |          |
| HP Color Laser Paper 120 gsm-250 sht/A3/297 x 420 mm              | CHP345   |          |
| HP Color Laser Paper 120 gsm-250 sht/A4/210 x 297 mm              | CHP340   |          |
| HP Color Laser Paper 120 gsm-500 sht/A4/210 x 297 mm              | CHP342   |          |
| HP Color Laser Paper 90 gsm-500 sht/A3/297 x 420 mm               | CHP380   |          |
| HP Color Laser Paper 90 gsm-500 sht/A4/210 x 297 mm               | CHP370   |          |
| HP LaserJet Paper-10 reams/Letter/8.5 x 11 in                     | HPJ1124  |          |
| HP LaserJet Paper-500 sht/A4/210 x 297 mm                         | CHP310   |          |
| HP Premium Choice LaserJet Paper-500 sht/Letter/8.5 x 11 in       | HPU1132P |          |
| HP Laser Brochure Paper   |          |          |
| HP Laser Glossy Brochure Paper 150 gsm-300 sht/Letter/8.5 x 11 in | X3E84A   |          |
| HP Superior Laser Paper   |          |          |

| HP Superior Glossy Laser Paper-150 sht/A4/210 x 297 mm     | Q6616A  | obsolete |
|--|---------|----------|
| The Superior Glossy Luser Luper 130 shift if 210 x 237 min | 900.071 | 00301010 |

# **HP Business Papers**

#### **HP Business Papers for laser**

| HP Enhanced Business Paper, Glossy, 150 g/m2, A4 (210 x 297 mm), 150 sheets             | CG965A |
|---|--------|
| HP Enhanced Business Paper, Glossy, 40 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets      | Q6611A |
| HP Enhanced Business Paper, Matte, 40 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets       | Q6543A |
| HP Enhanced Tri-Fold Business Paper Glossy 40 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets | Q6612A |
| HP Everyday Business Paper, Glossy, 32 lb, 8.5 x 11 in. (216 x 279 mm), 150 sheets      | 4WN08A |
| HP Professional Business Paper Glossy 200 g/m2 A4 (210 x 297 mm) 150 sheets             | 7MV83A |
| HP Professional Business Paper Glossy 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets      | 4WN10A |
| HP Professional Business Paper Matte 200 g/m2 A4 (210 x 297 mm) 150 sheets              | 7MV80A |
| HP Professional Business Paper Matte 52 lb 8.5 x 11 in. (216 x 279 mm) 150 sheets       | 4WN05A |

# **HP Home & Office Papers**

### HP Home & Office Papers for laser and inkjet

| HP MultiPurpose20TM, 20 lb, 11 x 17 in. (279 x 432 mm), 250 sheets  | HPM1720  |
|---|----------|
| HP MultiPurpose20TM, 20 lb, 11 x 17 in. (279 x 432 mm), 250 sheets  | HPM1720P |
| HP MultiPurpose20TM, 20 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets | HPM1120R |
| HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets | HPM1420  |
| HP MultiPurpose20TM, 20 lb, 8.5 x 14 in. (216 x 356 mm), 500 sheets | HPM1420P |
| HP Premium24(R), 24 lb, 8.5 x 11 in. (216 x 279 mm), 500 sheets     | HPJ1124P |

# **HP Paper Designed for Inkjet Printers**

### **HP Inkjet Photo Paper**

| HP Professional Business Paper, Glossy, 48 lb, 8.5 x 11 in. (216 x 279 mm), 50 sheets | 6MF93A |  |
|---|--------|--|
|---|--------|--|

### Accessories

**Memory** ★: Recommended

**DDRAM** 

HP 256 MB DDR2 144-pin DIMM CB423A ★

# **Paper Handling**

### **Input Trays**

HP Color LaserJet 500-sheet Paper Tray CE860A ★

# **Solutions**

### **HP Document and Workflow Solutions**

★: Recommended

### **HP Document and Workflow Solutions Printing Security**

| Celiveo Enterprise  | HP3PCELIVEO   |
|---|---------------|
| HP Access Control Secure Printing and Job Accounting Solution | HPACSOLUTION  |
| HP Document and Workflow Solutions Print Management           |               |
| HP Universal Print Driver                                     | HPUNIVPRNTDRV |
| HP Web Jetadmin   | HPWEBJETADMIN |

### **HP Care Pack Services**

### **Imaging and Printing Commercial Care Pack Services**

| HP 1 year Post Warranty Parts Exchange Service for Color LaserJet CP5225         | U4TK5PE |
|--|---------|
| HP 3 year Parts Exchange Service for Color LaserJet CP5225                       | U4TK2E  |
| HP 4 year Parts Exchange Service for Color LaserJet CP5225                       | U4TK3E  |
| HP 5 year Parts Exchange Service for Color LaserJet CP5225                       | U4TK4E  |
| HP Installation Service with network configuration for Workgroup Printer(1 unit) | U9JT2E  |
| HP Preventive Maintenance Service for Low Midend LaserJet ScanJet                | U5AB3E  |

★: Recommended

#### **Imaging and Printing Hardware Support Onsite Svc**

| HP 1 year Post Wty Next Business Day w/Defective Media Retention Service for Color LaserJet CP5225 | UQ491PE |
|--|---------|
| HP 1 year Post-Warranty 4 hour response 9x5 Onsite Color LaserJet CP5225<br>Hardware Support       | UQ493PE |
| HP 3 year 4 hour response 9x5 Onsite Color LaserJeet CP5225 Hardware Support                       | UQ501E  |
| HP 3 year Next Business Day w/Defective Media Retention Service for Color<br>LaserJet CP5225       | UQ496E  |
| HP 4 year 4 hour response 9x5 Onsite Color LaserJet CP5225 Hardware Support                        | UQ500E  |
| HP 4 year Next Business Day w/Defective Media Retention Service for Color<br>LaserJet CP5225       | UT990E  |
| HP 5 year 4 hour response 9x5 Onsite Color LaserJet CP5225 Hardware Support                        | UQ499E  |
| HP 5 year Next Business Day w/Defective Media Retention Service for Color<br>LaserJet CP5225       | UU868E  |

# Disclaimer — Copyright

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Apr 25, 2024 3:20 PM UTC+0000