

POSEIDON

PROFESSIONAL PRODUCTS





CONTENTS

Rebreather & Accessories	3
Computer & Accessories	5
Regulators & Gauges	9
Hoses	12
Valves	14
Emergency Breathing System	15
BCDs & Wings	17
Weight Pockets & Belts	19
Suits & Accessories	21
Masks, Fins & Snorkels	31
Bags, Cases & Other Accessories	35
Contacts	39

Further information on products can be found at our homepage www.poseidon.com.

You can place your order on the internet at <http://order.poseidon.com>.

There you will also see your prices and order status as well as your complete order history.

Photo: Jens Samuelsson, A.Mathiesen-Öhman, J.Nilsson, P.Andersson, A.Minnaar et.al.

POSEIDON MISSION REBREATHER

Modular rebreather system, up to 100 m, 100% computer controlled, tactical black coating, ultrarobust tactical housing, steel cylinder.

POSEIDON RMP
Rebreather Misson Plate

POSEIDON REBREATHER
Rebreather incl.
Harness with Backplate

MOUTHPIECE
with open- & closed
circuit switch and
Heads-up display (HUD)



POSEIDON M28
High performance CCR
Dive Computer

POSEIDON 1ST STAGE
Xstream Deep
Certified to 200 m / 656 ft
Approved for cold water
standard EN250



DIMENSIONS & WEIGHT:

Height: approx 58 cm
Width: approx 50 cm
Depth: approx 41 cm


Weight: approx 25kg ready to dive
including soda lime and gas.

FEATURES:

- All black heavy duty dive set certified to 100 m dive depth according to EN14143
- Fully adjustable harness system with weight pockets from S-XXL
- Patented one hand action bail out valve certified in open circuit mode against EN250
- Patented automatic 2 sensor calibration and validation
- Automatic hyperoxic linearity test to ensure hyperoxic sensor functionality
- Sigmoid set point curve, gives easier bouyancy handling.
- Capable of using state of the art solid state oxygen sensors
- Easy and automated setup and pre dive sequence
- Integrated technical dive computer with added functionality.
- HUD with vibration alarm and green/red LED
- Smart battery with audio and LED alarm
- Electronic cylinder pressure monitoring

LIMITS OF USE:

- Maximum recommended dive depth 100 m
- Low ppO2 setpoint 0,5, high ppO2 setpoint max 1,4
- Water teemperatures from 4degC to 34 degC
- 1 cylinder of 100% O2 and 1 diluent from air to trimix or heliox.
- Scrubber material Sofnodive 797 or Dräger Sorb
- Scrubber material endurance depending on temperature, depth, water temperature and metabolic consumption.
- Tested diveprofile to 100 m with a scrubber endurance >3h within EN14143



MAXIMUM WORKRATE CONDITIONS

75RMV at 40 m, CO2 production of 3 l/min for 5 min.

CERTIFICATES

EN14143 to 100 m
EMC tested
EN250 approved bail out valve and regulators.

NSN	Art. no.	Description
	5500-003	Poseidon Mission Rebreather



MOUTHPIECE G7

Integrations adapters for:

- Sive24
- Viper
- JFD
- MK16
- MK24

NSN	Art. no.	Description
	0005-055	Mouthpiece G7
	5800-055	Mouthpiece G7 NM
	0005-320	Mouthpiece Panorama interface

POSEIDON M28 COMPUTER



“The world’s most powerful dive computer”

The Poseidon M28 Dive Computer has set new standards for dive computer performance. It boasts maps, graphics, GPS, Dive-By-Wire™, and a host of features that deliver class-leading functionality that’s incredibly intuitive to use.

POSEIDON CPOD & T-COUPLING



The Poseidon CPOD uses an integrated CAN bus to directly connect to the SE7EN or M28 network to monitor and log the required parameters.

Sensor interface	Dual sensor interface, Solid State and Galvanic
CAN bus interface	Dual CAN bus interface to SE7EN and M28
Connection	Connect to any breathing loop on the market

Solid State O2 Sensor features:

- > Absolute oxygen measurement
- > Factory calibrated, no need for user calibration
- > Fast and accurate
- > Low power consumption

NSN	Art. no.	Description
4220226299297	0600-200	Poseidon M28 Computer. Incl. Firmware CCR and Firmware Advanced OC. Carrying case, Dust bag, Charging cable and Bungee cord.
	0600-210	Poseidon M28 Computer (0600-200) and CPOD/Solid State Sensor kit (6011-064)

POSEIDON M28 ADVANCED KIT IN SPECIAL CARRYING CASE



NSN	Art. no.	Description
4220640004970	5830-000	Poseidon M28 Computer. Incl. Firmware CCR and Firmware Advanced OC. Special Carrying case, Charger and Charging cable. CPOD/Solid State Sensor. Connecting cable. Bungee cord.


POSEIDON M28 COMPUTER DIVE SUPERVISION SYSTEM

Features:

- Use the M28 on surface to monitor a diver
- 100m CAN-bus cable for operations with surface supervision
- Can easily be installed into any rebreather platform by using the CPOD.
- State of the art system with datalogging.

Advantages:

- Full supervision of parameters such as:
 - Inspired partial pressure of O2
 - Dive time
 - Max depth
 - Decompression status



T-COUPLING



Integrations adapters for:

- Ismix
- Viper
- Siva24
- LAR- family
- JJ
- MK16
- MK24
- MK4

NSN	Art. no.	Description
	6011-059	T-Coupling
4220640004973	5800-148	ISMIX adapter kit

CONNECTING CAN CABLE



NSN	Art. no.	Description
4220226299298	0000-690	Connecting CAN cable, 1.25 m/4 ft.

BUS BLOCK F²M



NSN	Art. no.	Description
	6011-061	BUS Block F ² M

POSEIDON SOLID STATE O₂ SENSOR



Features

- Absolute oxygen measurement
- Factory calibrated, no need for user calibration
- Fast and accurate
- Low power consumption
- Can be used with the M28 and CPOD system

Safety features

- Electronics hermetically sealed from the sensing environment by a transparent window
- Designed for highest mechanical reliability
- EMC tested - ESD protected interface
- External „DuraClick“ Molex connector designed for highest reliability
- Digital communication interface
- Unique electronic ID numbers for sensor traceability

NSN	Art. no.	Description
	6011-063	Poseidon Solid State O ₂ Sensor

BUS BLOCK M²F



NSN	Art. no.	Description
	6011-062	BUS Block M ² F

POSEIDON GPSPOD



Features:

- Chipset MT3333
- Multi-channel GPS and GLONASS/BEIDOU, Galileo, SBAS, QZSS overlay systems receiver that continuously tracks all satellites in view, providing real-time positioning data in industry's standard NMEA format.
- 99 search channels and 33 simultaneous tracking channels
- Ultra-high Sensitivity down to -165dBm enabling Indoor Tracking
- High Accuracy of < 2.5m in 50% of trials
- TTFF of < 1s in 50% of trials under Hot Start conditions


NSN	Art. no.	Description
	0005-321	Poseidon GPSPOD

POSEIDON NAVIGATION BOARD

The Poseidon Navigation Board is a platform to attach M28, GPSPOD and 10 meters of cable.



NSN	Art. no.	Description
	0005-322	Poseidon Navigation Board





**XSTREAM DEEP
BLACK EDITION**

Based on the Poseidon Xstream, the preferred performance regulator of the US Navy, US Coastguard and German Bundeswehr. The Xstream Deep brings you the ultimate in performance in all water conditions and at all depths.

The ultimate in regulator performance in all water conditions, at all depths and with all gases.



OPERATING PERFORMANCE

- Delivers gas flawlessly from tropical to arctic water without any adjustment required
- Side exhaust prevents free-flow in currents
- Low Work of Breathing with servo assistance
- Certified to 200 m / 656 ft
- Equally at home with Air, Nitrox and Trimix
- Lifetime warranty

TECHNICAL FEATURES

- Certified to 200 m / 656 ft
- Approved for cold water standard EN250, Offshore Norsok U101
- Approved for use under ice down to -1.6°C / 29°F
- Upstream 2nd stage valve
- 5 Low Pressure and 2 High Pressure ports

CYKLON X

For 60 years the Cyklon regulator has earned its stellar reputation for durability. Cyklon X now gets the cold water and 1st stage performance from Xstream's patented technology. This also makes it Nitrox EAN 40 ready and we can deliver it oxygen cleaned on special order. Choose between the lighter standard 2:nd stage or the even more durable Cyklon X Metal 2:nd stage. The Cyklon X is a combination that will truly last for a lifetime of diving.



FLAWLESS PERFORMANCE

Poseidon Regulators have repeatedly come out on top in US Navy testing and studies. During the NEDU McMurdo Antarctica testing program, the Poseidon Xstream was the only regulator that suffered no free flows.

Other Navy-approved regulators need extra environmental membranes and fillings with silicone oil in order to operate in cold water. This approach adds failure points that can quickly worsen cold water performance.

US Navy

NASA uses Poseidon Regulators and harnesses at the Lyndon B. Johnson Space Center in Houston, TX, for space pre-mission training at the Neutral Buoyancy Lab (NBL).

Poseidon has established a protocol for O2 cleaning that NASA has adopted for their nitrox regulators.

NASA



1ST STAGE XSTREAM DEEP

NSN	Art. no.	Description
4220226248176	0110-000	1st Stage Xstream Deep G5/8"
	0110-010	1st Stage Xstream Deep G5/8", Black



1ST STAGE XSTREAM CYKLON

NSN	Art. no.	Description
	0110-006	1st Stage Xstream Cyklon G5/8"



2ND STAGE XSTREAM 9/16 DEEP MK3 / DEEP BLACK

NSN	Art. no.	Description
4220640004597	0120-000	2nd Stage Xstream Deep MK3 9/16
	0120-010	2nd Stage Xstream Deep Black 9/16



2ND STAGE XSTREAM OCTOPUS / BLACK OCTOPUS

NSN	Art. no.	Description
4220226248176	0120-003	2nd Stage Xstream Octopus 9/16
	0120-013	2nd Stage Xstream Black Octopus 9/16



1ST STAGE CYKLON CLASSIC

NSN	Art. no.	Description
4220123818854	3720	1st Stage Cyklon Classic G5/8"



1ST STAGE JETSTREAM CLASSIC

NSN	Art. no.	Description
4220661583859	3790	1st Stage Jetstream Classic G5/8"



YOKE ADAPTER

NSN	Art. no.	Description
4220251429989	2920	Yoke adapter



2ND STAGE CYKLON 5000 METAL/BLACK

NSN	Art. no.	Description
	3354	2nd Stage Cyklon 5000 Black
	3354M	2nd Stage Cyklon 5000 Metal/Black



2ND STAGE CYKLON METAL/YELLOW

NSN	Art. no.	Description
	3536	2nd Stage Cyklon Yellow
4220982072025	3536M	2nd Stage Cyklon Metal/Yellow



2ND STAGE JETSTREAM BLACK

NSN	Art. no.	Description
	0120-005	2nd Stage Jetstream 9/16 Black



2ND STAGE JETSTREAM OCTOPUS

NSN	Art. no.	Description
	0120-006	2nd Stage Jetstream Octopus 9/16



ANTI-FREEZE CAPS INCL. STRAPS

NSN	Art. no.	Description
5340121823548	1286	Anti freeze Caps
5340121823552	1286 88	Anti freeze Caps NONMAG

GAUGES

The gauges come in two different colors, the traditional yellow dial and the new with a black dial. Both versions come with either bar or psi and they are also available as double console with a depth meter.



Cirrus Pressure Gauge with Hose



Double Console in Black



Pressure Gauge in Black



Compass Cirrus

TECHNICAL FEATURES:

Cirrus Pressure Gauge with Hose
This 300 bar (4350 psi) pressure gauge is a small model that will not be in the way during the dive. Made of robust metal and packed with Poseidon's 300 bar kevlar reinforced hose. Also available with PSI scale.

Pressure Gauge in Black
Our pressure gauge in a new design, with black display and fluorescent numbers. Pressure gauge shows both BAR and PSI. Delivered with a 80 cm HP hose.

Double Console in Black
Our double console in a new design, with black display and fluorescent numbers. Pressure gauge shows both BAR and PSI. Comes with a 80 cm HP hose.

- > Black display
- > Depth gauge to 80 metres
- > Display shows both Bar and PSI

NSN	Art. no.	Description
	7929	Pressure gauge Cirrus w hose BAR
	0600-001	Double Console Cirrus, Black
	0600-000	Pressure Gauge Cirrus, Black
	8672	Compass Cirrus Cover + Holster



LP-HOSE DIL 30 CM

NSN	Art. no.	Description
	0132-006	LP-Hose DIL 3/8"-3/8"M, 30cm



LP-HOSE MK3 9/16-18

NSN	Art. no.	Description
	0130-000	LP-Hose Mk3 9/16-18 Length 70 cm
	0130-001	LP-Hose Mk3 9/16-18 Length 70 cm O2
	0130-002	LP-Hose Mk3 9/16-18 Length 90 cm
	0130-003	LP-Hose Mk3 9/16-18 Length 90 cm O2
	0130-006	LP-Hose Mk3 9/16-18 Length 110 cm
	0130-007	LP-Hose Mk3 9/16-18 Length 110 cm O2
	0130-008	LP-Hose Mk3 9/16-18 Length 150 cm
	0130-009	LP-Hose Mk3 9/16-18 Length 150 cm O2
	0130-010	LP-Hose Mk3 9/16-18 Length 215 cm
	0130-011	LP-Hose Mk3 9/16-18 Length 215 cm O2



MIFLEX HOSE POLYURETHANE

The Miflex Polyurethane hose delivers diluent air to the POSEIDON SE7EN mouthpiece. This hose is of the highest caliber and is an excellent choice for use with both the POSEIDON SE7EN and Poseidon Xstream and Jetstream regulators.

NSN	Art. no.	Description
	0130-004	LP Hose Polyurethane 9/16-18, 90cm
	0130-032	LP Hose DIL 9/16-18, 20cm
	0130-033	LP Hose O2 9/16-18, 20cm
	0130-034	LP Hose DIL 9/16-18, 20cm w. 90 angle
	0130-035	LP Hose O2 9/16-18, 20cm w. 90 angle
	0132-007	LP Hose DIL 3/8M-9/16"F, 38cm
	0132-008	LP Hose O2 3/8M-9/16"F, 70cm



LP-HOSE CYKLON UNF 3/8"

NSN	Art. no.	Description
	2946	LP-Hose Cyklon 70 cm
	2947	LP-Hose Cyklon 90 cm
	2948*	LP-Hose Cyklon 120 cm
	3146*	LP-Hose Cyklon 150 cm
	3147*	LP-Hose Cyklon 215 cm



LP-HOSE WING INFLATOR 80 CM

NSN	Art. no.	Description
	0130-016	LP-Hose Wing Inflator Length 80 cm



LP-HOSE O2 WING INFLATOR 65 CM

NSN	Art. no.	Description
	0130-026	LP-Hose O2 Wing Inflator Length 65 cm



LP-HOSE BESEA ADVANCED 65 CM

NSN	Art. no.	Description
	000-32	LP-Hose Besesa Advanced 65 cm

HOSES



LP-HOSE MK3 9/16-18 BLACK

NSN	Art. no.	Description
	0130-036	LP-Hose Mk3 9/16-18 Black, Length 70 cm
	0130-037	LP-Hose Mk3 9/16-18 Black, Length 90 cm



SUIT HOSE CEJN 70 CM 1/8"

NSN	Art. no.	Description
4720121824262	1910 99	Suit Hose 70 cm 1/8"
4720121824264	1910 88	Suit Hose 70 cm 1/8" NONMAG



SUIT HOSE CEJN 3/8"

NSN	Art. no.	Description
	3093	Suit Hose 80 cm UNF 3/8"
4720123584707	3095	Suit Hose 90 cm UNF 3/8"



SUIT HOSE CEJN 95 CM

NSN	Art. no.	Description
4220640004463	5800-151	Suit Hose 95 cm UNF 3/8"



HP-HOSE

NSN	Art. no.	Description
	3087	HP-Hose 80 cm, int. 1/8" ext. 7/16"
	3087 10	HP-Hose 80 cm, int. 7/16" ext. 7/16"
	3089	HP-Hose 60 cm, int. 1/8" ext. 7/16"
	3089 10	HP-Hose 60 cm, int. 7/16" ext. 7/16"



HP-HOSE

NSN	Art. no.	Description
	1091	HP-Hose 80 cm int. 1/8" ext. 1/8"
	1092	HP-Hose 100 cm int. 1/8" ext. 1/8"
	1093	HP-Hose 150 cm int. 1/8" ext. 1/8"
	1094	HP-Hose 200 cm G1/8" Kevlar



HP-HOSE DIL 30 CM

NSN	Art. no.	Description
	0132-009	HP-Hose DIL 7/16"-7/16"F, 30cm



SWIVEL COUPLING 13 BAR ANGLE

NSN	Art. no.	Description
4730123584228	3289	Swivel Coupling 13 Bar Angle

VALVES



CYLINDER VALVE SINGLE

NSN	Art. no.	Description
	0410-100	Cylinder Valve M25x2 Single G5/8" 200 Bar
	0410-102	Cylinder Valve M25x2 Single 300 Bar
	0410-132	Cylinder Valve M18x1.5 Single 300 Bar



CYLINDER VALVE SINGLE O2

NSN	Art. no.	Description
	0410-100 O2	Cylinder Valve G5/8" Single 200 Bar O2
	0410-101	Cylinder Valve M25x2 Single M26x2 150 Bar O2



CYLINDER VALVE SINGLE 90°

NSN	Art. no.	Description
	0410-155	Cylinder Valve M25x2 Single G5/8" 200 Bar 90°



CYLINDER VALVE SINGLE O2 90°

NSN	Art. no.	Description
	0410-156	Cylinder Valve M25x2 Single M26x2 200 Bar 90° O2



CYLINDER VALVE DOUBLE 200 BAR

NSN	Art. no.	Description
4220251429979	0410-120	Cylinder Valve M25x2 Double G5/8" 200 Bar



CYLINDER VALVE DOUBLE 300 BAR

NSN	Art. no.	Description
	0410-122	Cylinder Valve M25x2 Double G5/8" 300 Bar

Valves is available to order in black and / or non-magnetic.

The Poseidon EBS (Emergency Breathing System) is a Category A Escape device Compressed air system.



POSEIDON EBS MKII

MATERIAL:
 Cylinder capacity 0,3 liter, 200 bar/2900 psi.
 60 litre compressed air.
 Xstream EBS mkII 1st stage regulator.
 Low Pressure Hose Flexible 24\"/>

TECHNICAL FEATURES:
 The EBS is complies with EN250 ColdWater and CAP1034.

COLORS
 Yellow



NSN	Art. no.	Description
	0140-010	Poseidon EBS Yellow

POSEIDON EBS SUIT INFLATION SYSTEM



COLORS
 Black




NSN	Art. no.	Description
	5800-050	Suit Inflation System

POSEIDON EBS VEST



COLORS
 Black



NSN	Art. no.	Description
	0000-000	Poseidon EBS Vest

FILLING ADAPTER M26-G5/8" O2-CLEAN



NSN	Art. no.	Description
	0005-008	Filling Adapter M26-G5/8\"/>



POSEIDON BLACKLINE HARNESS

And add system products



WEIGHT POCKET M
INCL. BOLT KIT



WING



BOLT KIT
BESEA BUTTERFLY



COMBINATION
WEIGHT POCKET
INCL. BOLT KIT



BLACK LINE HARNESS



BACKPLATE STEEL



D-RING KIT
BESEA PREBENT



WEIGHT POCKET
SYSTEM

NSN	Art. no.	Description
	0335-060	Wing 50 Black
	0335-160	Wing 100 Black
	000-47	Weight Pocket M
	0353-042	Combination Weight Pocket
	001-91	D-Ring Kit Besea Prebent

NSN	Art. no.	Description
	5836-064	Black Line Harness Standard
	5836-066	Black Line Harness Large
	0355-066	Weight Pocket System
	0000-256	Backplate Steel Besea
	000-93	Bolt Kit Besea Butterfly





WEIGHT BELT MEDIUM

Comfortable padded weight belt with buckle. Padding includes a soft anti slip down material for maximum comfort.

COLORS

Black



MATERIAL:

Ballistic cordura, PP webbing, stainless eyelets, YKK #10 zipper and plastic buckle.

TECHNICAL FEATURES:

Dual zip locked pockets with 2 + 2 internal lead compartments with a max capability of 10kg (2,5kg per compartment). 2 plastic D-rings for accessories.

NSN	Art. no.	Description
	0350-765	Weight Belt Medium



WEIGHT BELT LARGE

Comfortable padded weight belt with buckle. Padding includes a soft anti slip down material for maximum comfort.

COLORS

Black



MATERIAL:

Ballistic cordura, PP webbing, stainless eyelets, YKK #10 zipper and plastic buckle.

TECHNICAL FEATURES:

Dual zip locked pockets with 3 + 3 internal lead compartments with a max capability of 16kg (2,5kg per compartment). 2 plastic D-rings for accessories.

NSN	Art. no.	Description
	0350-767	Weight Belt Large



WEIGHT BELT 50MM

NSN	Art. no.	Description
	2964	Weight Belt 50 mm



SOFT WEIGHT

NSN	Art. no.	Description
4220123555455	0350-005	Soft weight 1 kg



SOFT WEIGHT

NSN	Art. no.	Description
4220123555456	0350-006	Soft weight 2 kg



BUCKLE INCL. HOOK

NSN	Art. no.	Description
	3001	Buckle stainless steel 50 mm incl. hook



WEIGHT STOPPING BUCKLE STEEL

NSN	Art. no.	Description
	3253 10	Weight Stopping Buckle Stainless steel 50 mm



RELEASE HOOK

NSN	Art. no.	Description
	3012	Release hook 50 mm



WEIGHT STOPPING BUCKLE PLASTIC

NSN	Art. no.	Description
5340123586952	0310-145	Weight Stopping Buckle Plastic 50 mm



Jako M1 Geoprene



Nylon reinforcement



Jako superstretch



Kevlar reinforcement



Ribskin



Print

BLACK LINE MISSION SHORTY

The Suit Shorty 1.5 mm offers stylish protection for tropical water divers and swimmers. Jako Geoprene combines with flexi-seams to deliver your most comfortable wetsuit ever! Freedom of movement is enhanced by Jako Super-Stretch Geoprene across the hips for extra flexibility and comfort. Patented Octopus Velcro, which becomes stronger in contact with water, provides secure seals and fastenings throughout. Poseidon's Patch System® enables you to customize your suit for the ultimate in personalization!

MATERIAL:

Jako Geoprene M1 1.5 mm
Nylon reinforcement

TECHNICAL FEATURES:

1.5 mm thickness in a shorty for tropical water protection. Jako Geoprene gives you the most comfortable fit. Jako Super-Stretch Geoprene on hips for extra flexibility and comfort. Reinforced backside provides extra durability and protection. Patented Octopus Velcro provides strong underwater seals. Poseidon Patch System® allows you to personalize your suit.

COLLECTION COLORS

Black



NSN	Art. no.	Description
	5802-261	Black Line Mission Shorty 1.5mm, Black XS
	5802-262	Black Line Mission Shorty 1.5mm, Black S
	5802-263	Black Line Mission Shorty 1.5mm, Black M
	5802-264	Black Line Mission Shorty 1.5mm, Black ML
	5802-265	Black Line Mission Shorty 1.5mm, Black L
	5802-266	Black Line Mission Shorty 1.5mm, Black XL
	5802-267	Black Line Mission Shorty 1.5mm, Black XXL
	5802-268	Black Line Mission Shorty 1.5mm, Black XXXL

Drop shipment only.

BLACK LINE MISSION SUIT 1.5

The Suit 1.5 mm offers stylish protection for warm water divers and swimmers. Jako Geoprene combines with flexi-seams to deliver your most comfortable wetsuit ever! Freedom of movement is enhanced by Jako Super-Stretch Geoprene on the wrists and ankles, making this suit super-easy to don and doff. Patented Octopus Velcro, which becomes stronger in contact with water, provides secure seals and fastenings throughout. Poseidon's Patch System® enables you to customize your suit for the ultimate in personalization!

MATERIAL:

Jako Geoprene M1 1.5 mm
Kevlar reinforcement

TECHNICAL FEATURES:

1.5 mm thickness for tropical water protection. Jako Geoprene gives you the most comfortable fit. Jako Super-Stretch Geoprene on wrists and ankles for easy don and doff. Reinforced backside provides extra durability and protection. Patented Octopus Velcro provides strong underwater seals. Poseidon Patch System® allows you to personalize your suit.

COLLECTION COLORS

Black



NSN	Art. no.	Description
	5802-361	Black Line Mission Suit 1.5mm, Black XS
	5802-362	Black Line Mission Suit 1.5mm, Black S
	5802-363	Black Line Mission Suit 1.5mm, Black M
	5802-364	Black Line Mission Suit 1.5mm, Black ML
	5802-365	Black Line Mission Suit 1.5mm, Black L
	5802-366	Black Line Mission Suit 1.5mm, Black XL
	5802-367	Black Line Mission Suit 1.5mm, Black XXL
	5802-368	Black Line Mission Suit 1.5mm, Black XXXL

Drop shipment only.

BLACK LINE MISSION SUIT 3

The Suit 3 mm offers stylish protection for warm water divers and swimmers. Jako Geoprene combines with flexi-seams to deliver your most comfortable wetsuit ever! Freedom of movement is enhanced by Jako Super-Stretch Geoprene on the wrists and ankles, making this suit super-easy to don and doff. Patented Octopus Velcro, which becomes stronger in contact with water, provides secure seals and fastenings throughout. Poseidon's Patch System© enables you to customize your suit for the ultimate in personalization!

MATERIAL:

Jako Geoprene M1 3 mm
Kevlar reinforcement

TECHNICAL FEATURES:

3 mm thickness for warm water protection.
Jako Neoprene gives you the most comfortable fit.
Jako Super-Stretch Geoprene on wrists and ankles for easy don and doff.
Reinforced backside provides extra durability and protection.
Patented Octopus Velcro provides strong underwater seals.
Poseidon Patch System© allows you to personalize your suit.

COLLECTION COLORS

Black



NSN	Art. no.	Description
	5802-461	Black Line Mission Suit 3mm, Black XS
	5802-462	Black Line Mission Suit 3mm, Black S
	5802-463	Black Line Mission Suit 3mm, Black M
	5802-464	Black Line Mission Suit 3mm, Black ML
	5802-465	Black Line Mission Suit 3mm, Black L
	5802-466	Black Line Mission Suit 3mm, Black XL
	5802-467	Black Line Mission Suit 3mm, Black XXL
	5802-468	Black Line Mission Suit 3mm, Black XXXL

Drop shipment only.

BLACK LINE MISSION SUIT 3 BACKZIP

The Suit 3 mm offers stylish protection for warm water divers and swimmers. Jako Geoprene combines with flexi-seams to deliver your most comfortable wetsuit ever! Freedom of movement is enhanced by Jako Super-Stretch Geoprene on the wrists and ankles, making this suit super-easy to don and doff. Patented Octopus Velcro, which becomes stronger in contact with water, provides secure seals and fastenings throughout. Poseidon's Patch System© enables you to customize your suit for the ultimate in personalization!

MATERIAL:

Jako Geoprene M1 3 mm
Kevlar reinforcement

TECHNICAL FEATURES:

3 mm thickness for warm water protection.
Jako Neoprene gives you the most comfortable fit.
Jako Super-Stretch Geoprene on wrists and ankles for easy don and doff.
Reinforced backside provides extra durability and protection.
Patented Octopus Velcro provides strong underwater seals.
Poseidon Patch System© allows you to personalize your suit.

COLLECTION COLORS

Black



NSN	Art. no.	Description
	5802-462B	Black Line Mission Suit 3mm BackZip, Black S
	5802-463B	Black Line Mission Suit 3mm BackZip, Black M
	5802-465B	Black Line Mission Suit 3mm BackZip, Black L
	5802-466B	Black Line Mission Suit 3mm BackZip, Black XL
	5802-467B	Black Line Mission Suit 3mm BackZip, Black XXL

Drop shipment only.

BLACK LINE MISSION SUIT 5

The Suit 5 mm offers stylish protection for temperate water divers. Jako Geoprene combines with flexi-seams to deliver your most comfortable wetsuit ever! Freedom of movement is enhanced by Jako Super-Stretch Geoprene on the wrists and ankles, making this suit super-easy to don and doff. Patented Octopus Velcro, which becomes stronger in contact with water, provides secure seals and fastenings throughout. Poseidon's Patch System© enables you to customize your suit for the ultimate in personalization!

MATERIAL:

Jako Geoprene M1 5 mm
Kevlar reinforcement

TECHNICAL FEATURES:

5 mm thickness for temperate water thermal protection.
Jako Geoprene gives you the most comfortable fit.
Jako Super-Stretch Geoprene on wrists and ankles for easy don and doff.
Reinforced backside provides extra durability and protection.
Patented Octopus Velcro provides strong underwater seals.
Poseidon Patch System© allows you to personalize your suit.

COLLECTION COLORS

Black



NSN	Art. no.	Description
	5802-561	Black Line Mission Suit 5mm, Black XS
	5802-562	Black Line Mission Suit 5mm, Black S
	5802-563	Black Line Mission Suit 5mm, Black M
	5802-564	Black Line Mission Suit 5mm, Black ML
	5802-565	Black Line Mission Suit 5mm, Black L
	5802-566	Black Line Mission Suit 5mm, Black XL
	5802-567	Black Line Mission Suit 5mm, Black XXL
	5802-568	Black Line Mission Suit 5mm, Black XXXL

Drop shipment only.

BLACK LINE MISSION SUIT 5 BACKZIP

The Suit 5 mm offers stylish protection for temperate water divers. Jako Geoprene combines with flexi-seams to deliver your most comfortable wetsuit ever! Freedom of movement is enhanced by Jako Super-Stretch Geoprene on the wrists and ankles, making this suit super-easy to don and doff. Patented Octopus Velcro, which becomes stronger in contact with water, provides secure seals and fastenings throughout. Poseidon's Patch System© enables you to customize your suit for the ultimate in personalization!

MATERIAL:

Jako Geoprene M1 5 mm
Kevlar reinforcement

TECHNICAL FEATURES:

5 mm thickness for temperate water thermal protection.
Jako Geoprene gives you the most comfortable fit.
Jako Super-Stretch Geoprene on wrists and ankles for easy don and doff.
Reinforced backside provides extra durability and protection.
Patented Octopus Velcro provides strong underwater seals.
Poseidon Patch System© allows you to personalize your suit.

COLLECTION COLORS

Black



NSN	Art. no.	Description
	5802-562B	Black Line Mission Suit 5mm BackZip, Black S
	5802-563B	Black Line Mission Suit 5mm BackZip, Black M
	5802-565B	Black Line Mission Suit 5mm BackZip, Black L
	5802-566B	Black Line Mission Suit 5mm BackZip, Black XL
	5802-567B	Black Line Mission Suit 5mm BackZip, Black XXL

Drop shipment only.

BLACK LINE OVERALL WITH HOOD

The Mission Suit 5 mm offers stylish protection for temperate water divers. Jako Geoprene combines with flexi-seams to deliver your most comfortable wetsuit ever! Freedom of movement is enhanced by zippers on wrist and ankle cuffs, making this suit super-easy to don and doff. Patented Octopus Velcro, which becomes stronger in contact with water, provides secure seals and fastenings throughout. Poseidon's Patch System® enables you to customize your suit for the ultimate in personalization!

MATERIAL:

Jako Geoprene M1 5 mm
Kevlar reinforcement

TECHNICAL FEATURES:

5 mm thickness for temperate water thermal protection.
Hood provides additional thermal protection and comfort.
Jako Geoprene gives you the most comfortable fit.
Zippers on wrists and ankles for easy don and doff.
Reinforced backside provides extra durability and protection.
Patented Octopus Velcro provides strong underwater seals.
- Poseidon Patch System® allows you to personalize your suit.

COLLECTION COLORS

Black



NSN	Art. no.	Description
	5802-661	Black Line Overall with Hood 5mm, Black XS
	5802-662	Black Line Overall with Hood 5mm, Black S
	5802-663	Black Line Overall with Hood 5mm, Black M
	5802-664	Black Line Overall with Hood 5mm, Black ML
	5802-665	Black Line Overall with Hood 5mm, Black L
	5802-666	Black Line Overall with Hood 5mm, Black XL
	5802-667	Black Line Overall with Hood 5mm, Black XXL
	5802-668	Black Line Overall with Hood 5mm, Black XXXL

Drop shipment only.

BLACK LINE SPECIALIST JACKET

The Specialist Jacket with Hood 5 mm offers versatile protection for temperate to colder water divers. Jako Geoprene combines with flexi-seams, zippers on wrist cuffs, and secure, quick release fastenings at the crotch making this jacket ideal for those who want variable thermal protection from their suit. Poseidon's Patch System® enables you to customize your suit for the ultimate in personalization!

MATERIAL:

Jako Geoprene M1 5 mm
Kevlar reinforcement

TECHNICAL FEATURES:

5 mm thickness for temperate water thermal protection.
Hood provides additional thermal protection and comfort.
Pairs perfectly with Specialist Pants.
Jako Geoprene gives you the most comfortable fit.
Zippers on wrists for easy don and doff.
Reinforced outer arms provides extra durability and protection.
Patented Octopus Velcro provides strong underwater seals.
Poseidon Patch System® allows you to personalize your suit.

COLLECTION COLORS

Black



NSN	Art. no.	Description
	5802-761	Black Line Specialist Jacket 5mm, Black XS
	5802-762	Black Line Specialist Jacket 5mm, Black S
	5802-763	Black Line Specialist Jacket 5mm, Black M
	5802-764	Black Line Specialist Jacket 5mm, Black ML
	5802-765	Black Line Specialist Jacket 5mm, Black L
	5802-766	Black Line Specialist Jacket 5mm, Black XL
	5802-767	Black Line Specialist Jacket 5mm, Black XXL
	5802-768	Black Line Specialist Jacket 5mm, Black XXXL

BLACK LINE SPECIALIST PANTS

The Specialist Pants 5 mm offer versatile protection for temperate to colder water divers. Jako Geoprene combines with flexi-seams, zippers on ankle cuffs with adjustable upper-body straps for the perfect fit.

MATERIAL:

Jako Geoprene M1 3 and 5 mm
Kevlar reinforcement

TECHNICAL FEATURES:

5 mm thickness for temperate water thermal protection.
Pairs perfectly with Specialist Jacket.
Jako Geoprene gives you the most comfortable fit.
Zippers on ankles for easy don and doff.
Reinforced rear provides extra durability and protection.

COLLECTION COLORS

Black



NSN	Art. no.	Description
	5802-861	Black Line Specialist Pants 5mm, Black XS
	5802-862	Black Line Specialist Pants 5mm, Black S
	5802-863	Black Line Specialist Pants 5mm, Black M
	5802-864	Black Line Specialist Pants 5mm, Black ML
	5802-865	Black Line Specialist Pants 5mm, Black L
	5802-866	Black Line Specialist Pants 5mm, Black XL
	5802-867	Black Line Specialist Pants 5mm, Black XXL
	5802-868	Black Line Specialist Pants 5mm, Black XXXL

Drop shipment only.

BLACK LINE NEOPRENE SOCK 2 MM

You need a combination of thermal protection and flexibility! Protect your hands with low interference on mobility, but higher thermal protection.

MATERIAL:

Jako Geoprene M1 2 mm. Coated kevlar reinforcement.

TECHNICAL FEATURES:

The Geoprene Sock 2 MM offers thermal protection for temperate to cold water divers. Jako Geoprene combines with reinforced sole to deliver warmth with high durability and protection.

- 2 MM thickness for temperate to cold water thermal protection.
- Jako Geoprene gives you the most comfortable fit.
- Reinforced sole provides extra durability and protection.

COLORS

Black



NSN	Art. no.	Description
	0251-0631	Black Line Neoprene Sock, 2mm S
	0251-0641	Black Line Neoprene Sock, 2mm M
	0251-0651	Black Line Neoprene Sock, 2mm L
	0251-0661	Black Line Neoprene Sock, 2mm XL
	0251-0670	Black Line Neoprene Sock, 2mm XXL

Drop shipment only.

POSEIDON UNISUIT



INFLATION VALVES
0000-248/289

EXHAUST VALVES
0000-249

INFLATION VALVES
2335/2335 88

EXHAUST VALVES
2344/2344 88

COLLECTION COLORS

Black

NSN	Art. no.	Description
4220123812674	5801-062	Unisuit 5mm, Black S
4220123812675	5801-063	Unisuit 5mm, Black M
4220123812676	5801-064	Unisuit 5mm, Black ML
4220123812677	5801-065	Unisuit 5mm, Black L
4220123812678	5801-066	Unisuit 5mm, Black XL
4220123812679	5801-067	Unisuit 5mm, Black XXL
4220123812680	5801-068	Unisuit 5mm, Black XXXL
4220123820034	0000-248	Inflation valves
4220123822383	0000-289	Inflation valves NONMAG
4220123306466	0000-249	Exhaust valves
4220121826997	2335	Inflation valves
4220121827002	2335 88	Inflation valves NONMAG
4220121826460	2344	Exhaust valves
4220121828034	2344 88	Exhaust valves NONMAG

POSEIDON RESCUE SWIMMER SUIT



MATERIAL:

Jako Geoprene M1 Arms/Legs 3 mm, Body 5 mm
Kevlar reinforcement

TECHNICAL FEATURES:

5 mm thickness for temperate water thermal protection.
Jako Geoprene gives you the most comfortable fit.
Zippers on wrists and ankles for easy don and doff.
Reinforced rear provides extra durability and protection.

COLLECTION COLORS

Red

NSN	Art. no.	Description
	5806-031	SAR Wetsuit, Red XS
	5806-032	SAR Wetsuit, Red S
	5806-033	SAR Wetsuit, Red M
	5806-034	SAR Wetsuit, Red ML
	5806-035	SAR Wetsuit, Red L
	5806-036	SAR Wetsuit, Red XL
	5806-037	SAR Wetsuit, Red XXL
	5806-038	SAR Wetsuit, Red XXXL





COLORS


Black



NSN	Art. no.	Description
	0246-0630	Black Line Glove 5 Finger, 1.5mm S
	0246-0641	Black Line Glove 5 Finger, 1.5mm M
	0246-0651	Black Line Glove 5 Finger, 1.5mm L
	0246-0661	Black Line Glove 5 Finger, 1.5mm XL
	0246-0670	Black Line Glove 5 Finger, 1.5mm XXL

**BLACK LINE GLOVE
5 FINGER 1.5 MM**

The Glove 5 Finger 1.5 mm offers stylish protection for warm to temperate water divers.



MATERIAL:

Jako Geoprene M1 1.5 mm.

TECHNICAL FEATURES:

1.5 mm thickness for warm to temperate water thermal protection. Jako Geoprene gives you the most comfortable fit. Reinforced palms and fingers provides extra durability and protection. Patented Octopus Velcro provides strong underwater seals.



COLORS

Black



NSN	Art. no.	Description
	0246-1630	Black Line Glove 5 Finger, 5mm S
	0246-1641	Black Line Glove 5 Finger, 5mm M
	0246-1651	Black Line Glove 5 Finger, 5mm L
	0246-1661	Black Line Glove 5 Finger, 5mm XL
	0246-1670	Black Line Glove 5 Finger, 5mm XXL

**BLACK LINE GLOVE
5 FINGER 5 MM**

The Glove 5 Finger 5 mm offers stylish protection for temperate to cold water divers. Jako Geoprene combines with reinforced palms and fingers to deliver good mobility with high durability and protection. Longer wrist seals combine with patented Octopus Velcro, which becomes stronger in contact with water, to help prevent water circulation and increase warmth.

MATERIAL:

Jako Geoprene M1 5 mm. Coated kevlar reinforcement.

TECHNICAL FEATURES:

5 mm thickness for temperate to cold water thermal protection. Jako Geoprene gives you the most comfortable fit. Reinforced palms and fingers provides extra durability and protection. Patented Octopus Velcro provides strong underwater seals and reduces water circulation.



COLORS

Black



NSN	Art. no.	Description
	0246-2630	Black Line Glove 3 Finger, 5mm S
	0246-2641	Black Line Glove 3 Finger, 5mm M
	0246-2651	Black Line Glove 3 Finger, 5mm L
	0246-2661	Black Line Glove 3 Finger, 5mm XL
	0246-2670	Black Line Glove 3 Finger, 5mm XXL

**BLACK LINE GLOVE
3 FINGER 5 MM**

The Glove 3 Finger 5 mm offers the ultimate in cold water protection for cold water divers.

MATERIAL:

Jako Geoprene M1 5 mm. Coated kevlar reinforcement.

TECHNICAL FEATURES:

Unique 3 finger design developed in Arctic waters for ultimate thermal protection. 5 mm thickness for cold water thermal protection. Jako Geoprene gives you the most comfortable fit. Reinforced palms and fingers provides extra durability and protection. Patented Octopus Velcro provides strong underwater seals and reduces water circulation.



BLACK LINE HOOD 3 MM

The Black Line Hood 3 mm offers thermal protection for warm or temperate water divers. Jako Geoprene with an extended neck closes out as much water as possible to prevent it from circulating inside the hood.

COLORS

Black



NSN	Art. no.	Description
	0245-1630	Black Line Hood, 3mm S
	0245-1641	Black Line Hood, 3mm M
	0245-1651	Black Line Hood, 3mm L
	0245-1661	Black Line Hood, 3mm XL

MATERIAL:

Jako Geoprene M1 3 mm.

TECHNICAL FEATURES:

3 mm thickness for temperate water thermal protection. Jako Geoprene gives you the most comfortable fit. Extended neck minimizes water circulation. Taped seams give enhanced durability. Smooth skin inside for comfort and easy don and doff.



BLACK LINE HOOD 5 MM

The Black Line Hood 5 mm offers maximum thermal protection for temperate to cold water divers. Jako Geoprene with an extended neck closes out as much water as possible to prevent it from circulating inside the hood.

COLORS

Black



NSN	Art. no.	Description
	0245-2630	Black Line Hood, 5mm S
	0245-2641	Black Line Hood, 5mm M
	0245-2651	Black Line Hood, 5mm L
	0245-2661	Black Line Hood, 5mm XL

MATERIAL:

Jako Geoprene M1 5 mm.

TECHNICAL FEATURES:

5 mm thickness for temperate to cold water thermal protection. Jako Geoprene gives you the most comfortable fit. Extended neck minimizes water circulation. Taped seams give enhanced durability. Smooth skin inside for comfort and easy don and doff. Perfect for use with full face masks.

ATMOSPHERE

It is approved for cold water, and in combination with the mask features a unique highly effective de-fogging system which keeps the field of vision clear even at water temperatures close or equal to freezing point.

The mask has an anti-distortion visor, with frosted sides to prevent reflections.

The mask is an over pressure mask which reduces the risk of contaminated water entering the mask during a dive.

The mask can of course be used in all altitudes without free-flowing.

Any standard communication system will fit the Poseidon mask.

The mask has external buoyancy compensating weights which can also be used for mounting torches, video-cameras etc.

Developed initially for fighter plane pilots the mask was designed to be worn for up to six hours when the plane flies through chemical or biological war zones.



TECHNICAL FEATURES:

For optimum performance, the Atmosphere should be connected to an Xstream 1st stage.

- > Highly effective de-fogging system
- > Anti-distortion visor
- > Prepared for communication system



WEIGHT FOR ATMOSPHERE



COLLECTION COLORS

Black

NSN	Art. no.	Description
4220410021598	4960-M-BK	Atmosphere M Complete
	4900-M-BK	Atmosphere M w. 2:nd stage
	0005-195	Weight for Atmosphere, pair

ATMOSPHERE with Jetstream P.P. 2nd stage

Many technical divers, as well as the Swedish and American Navy, have chosen Jetstream as their favourite. The construction's simplicity guarantees high performance – as well as safety – regardless of diving conditions. This gives a regulator that is easy to breathe at any depth.

Tests conducted by the American Navy show that the Jetstream is the only regulator that, in cold water dives, manages to deliver the correct amount of air at extreme depths and rate of breathing. Jetstream also won the Swedish Navy's highest classification – of course well within the objective breathing test in cold waters.



POSEIDON FACT ATMOSPHERE

Poseidon is the only manufacturer with mouthpiece regulators approved for cold water service by US Navy. For details go to <http://www.supsalv.org/pdf/ANU.pdf>

ATMOSPHERE PACKAGE

- > Regulator with 70 cm hose
- > Warranty card
- > User guide

USERS

- > US Navy
- > Italian police
- > Technical divers

WHO SHOULD BUY

Sport divers
Under water photographers

POSEIDON FACT JETSTREAM P.P.

Jetstream P.P. fulfils the EU PPE 89/686/EEC directive and is approved according to the cold water standard EN 250:2000. The regulator has breathing performance that by far exceeds the demands of 3J/I at 50 m depth with a cylinder pressure of 50 bar.

ATMOSPHERE PACKAGE

- > Full face mask
- > Second stage with 70 cm hose
- > Warranty card
- > User guide
- > Poseidon neck strap
- > Name badge holders



ATMOSPHERE WITH MOUTHPIECE



NSN	Art. no.	Description
	5500-007	Atmosphere MP G7



BLACK LINE MASK

High performance and high style are combined in the new Poseidon Line Mask, featuring LVSL© technology.

COLORS

Black

NSN	Art. no.	Description
	0720-160	Black Line Mask

MATERIAL:

Ultra clear lens.
Frameless mask with skirt in high quality silicone and silicone strap.



TECHNICAL FEATURES:

Enhanced field of vision from angled lens.
Easy to clear low volume profile.
Flood resistant extra deep, ultra soft skirt.
Works great with beards.
Poseidon's Black Line Mask was inspired by rebreather divers who need the maximum field of vision combined with a minimal gas requirement to clear the mask. To answer their needs, we developed LVSL © Low-Volume Single-Lens technology to give a unique combination of features that benefit all divers.

MASK TECHNICA

Classic mask with ultra low volume.
Very popular among technical divers and free divers.

COLORS

Black/grey

NSN	Art. no.	Description
4220123663978	8684-GKGA BS	Mask Technica, grey/black gomma

MATERIAL:

A compact mask with rubberised surface and double glass.



TECHNICAL FEATURES:

Perfect free-diving mask. Easy to clear, ultra-low-volume.
Stand-out rugged, stylish look.
Poseidon's Technica Mask was inspired by free-divers who need the minimum gas requirement to clear their masks. The Technica Mask's rugged looks will set you apart from the crowd and perform flawlessly. Dive after dive.

BLACK LINE SNORKEL

Lightweight. Foldable. Functional.
The new Poseidon Snorkel, Black Line

COLORS

Black

NSN	Art. no.	Description
	0730-000	Black Line Snorkel

MATERIAL:

Silicone mouthpiece with TPR tube.



TECHNICAL FEATURES:

Lightweight and compact for easy travel.
Foldable design for easy storage on dives.
Wraparound design for streamlined swimming.
Perfect companion to any Poseidon Mask.



TRIDENT FIN

Ideal for those who prefer a rigid rubber fin. Stainless steel strap for easy on and off. One of the shortest fins of its kind with an edge on the side for maneuverability. Highly popular among technical divers.

COLLECTION COLORS

Black

NSN	Art. no.	Description
4220226287228	0710-033	Trident Fin Black - Size L
4220226287229	0710-034	Trident Fin Black - Size XL
4220226287230	0710-035	Trident Fin Black - Size XXL
	0750-003	NONMAG strap
	On request	NONMAG grip



Non magnetic strap

MATERIAL:

Made from 100% rubber with rubber coated stainless steel strap or non magnetic strap in rubber with BeCu clip on request.

TECHNICAL FEATURES:

- > Short rubber fin for the technical diver
- > Easy on and off
- > Stainless steel strap with easy grip
- > High force fin with edges for maneuverability





LIFEJACKET 150

Any sea based activity. Tiered of wearing a bulky life vest at sea but still want to feel safe? Then the Automated Life Vest is for you. With its minimalist design it easy sits around you neck and enables you to move freely around the boat. It you would fall in the water the life vest will automatically inflate itself. Or if you want to inflate it manually you simply pull the cord on the right hand side. Buoyancy 150N.

COLORS

Black

MATERIAL:

Shell from cordura and neoprene. Webbing in PP. Plastic buckle.

NSN	Art. no.	Description
	0660-001	Lifejacket 150



LIFEVEST

Any sea based activity. Or if you want to inflate it manually you simply pull the cord on the right hand side.



COLORS

Black

NSN	Art. no.	Description
	0660-005	Lifevest



DAY PACK BAG

Poseidon's travel bag in ballistic nylon with water valves for wet equipment.

COLORS

Green

MATERIAL:

Ballistic Nylon, Nylon straps, YKK waterproof zipper.

TECHNICAL FEATURES:

Waterproof side pockets, main pocket with holes in bottom, inside padding with additional asseccory pockets.

NSN	Art. no.	Description
4220123841007	0650-006	Day Pack Bag



COLORS

Black

BALLISTIC GEAR BAGS

Poseidon's gear bags are waterproof, made in ballistic nylon and designed to withstand the toughest environments and challenges. Only available in Black. Sizes : 110 L, 52 L and 20 L.

MATERIAL:

Made in Ballistic Nylon 1680.

TECHNICAL FEATURES:

Dry bags with additional outside pocket, inside lining with pockets, padded shoulder strap.

NSN	Art. no.	Description
	0650-001	Ballistic Gear Bag Black 20 L Removable camera insert
8105121820309	0650-002	Ballistic Gear Bag Black 52 L
	0650-003	Ballistic Gear Bag Black 110 L



REGULATOR BAG

COLORS

Black

NSN	Art. no.	Description
8105123883694	7615	Regulator Bag



WEEKEND MISSION BAG

Diving equipment and travel. Ideal bag for storage of the dive equipment and transportation from/to the dive site. Sizes cm: L 84, W 40 and H 34.

COLORS

Black

MATERIAL:

1680D nylon shell with 210D nylon lining, PP webbing handle and shoulder strap, YKK #10 plastic zippers

TECHNICAL FEATURES:

- Large enough to carry a complete set of dive equipment.
- Heavy duty Nylon shell.
- Adjustable shoulder strap.
- Easy access through wide U-shaped opening.
- Easy care fabric is durable and dries quickly.
- Large padded side pocket.
- Separate full length fin pocket.

NSN	Art. no.	Description
	0650-007	Weekend Mission Bag

BAGS & OTHER ACCESSORIES

TITANIUM KNIFE



The Black Line Titanium Knife offers the ultimate combination of high quality and rugged design. The custom sheath with quick release mechanism ensures that your knife will be instantly available whenever you need it. The titanium blade and hammer tip will ensure that it is up to any task you put it to.



COLORS

Black

MATERIAL:

Titanium blade with TPR handle,
POM sheath and neoprene harness.

TECHNICAL FEATURES:

Titanium blade for ultimate quality.
Hammer tip.
Quick-release polyurethane sheath with neoprene securing straps.

NSN	Art. no.	Description
4220123873696	0655-011	Black Line Titanium Knife

POSEIDON PROFESSIONAL 500 M DIVE WATCH

The Poseidon Professional 500 m dive watch is back. Available with yellow or black dial.

Quartz movement, uni-directional rotating bezel, illuminated markings and date at 3 o'clock, water resistant to 500 m. Black or yellow dial with date. Sapphire glass. Diameter 46 mm, thickness 12 mm.



Art. no.	Description
0610-001	Dive Watch Professional 500 m YW
0610-003	Dive Watch Professional 500 m BK

POSEIDON POWER STRECH HAT



COLORS

Black

NSN	Art. no.	Description
4220123819541	7011-BK	Poseidon Power Stretch Hat

POSEIDON DIVING SYSTEMS AB

Åkeredsvägen 1
421 63 Västra Frölunda
SWEDEN

E-mail: sales@poseidon.com
order@poseidon.com
Phone: +46 31 734 29 00

order.poseidon.com
www.poseidon.com



2020-V01