

HP PageWide Enterprise Color 765dn



The new printing paradigm

Modern business demands forward-thinking technology – it's why HP engineered the next generation of HP PageWide Enterprise to deliver a competitive edge from every angle: HP's lowest colour cost,¹ maximum uptime, and the HP's strongest security.²



Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. Learn more at: <http://www.hp.com/go/learnaboutsupplies>



A3/11x17 inch media



Color touchscreen



2-sided printing



HP PageWide technology color

The HP's lowest cost for colour¹

- Get the quality you expect with HP PageWide Technology that delivers the HP's lowest cost per colour page.¹
- Print more pages and replace cartridges less often with optional high-yield cartridges.³
- Print even faster – and save even more per page – by setting this printer to General Office mode.⁴
- Help keep energy costs down with the HP's most efficient printer in its class.⁵

Minimal interruptions. Maximum uptime.

- Minimise interruptions with an HP PageWide device designed for the least maintenance in its HP class.⁶
- Print speeds as fast as 75 ppm in colour and black-and-white.⁷
- Tailor this printer to the needs of your business with a wide range of paper-handling accessories.
- Grab pages and go – without waiting. This device wakes up and prints fast, so your documents are ready quickly.

The HP's most secure printing²

- Each printer in your fleet checks its operating code and repairs itself from attacks.
- Your printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.
- Memory activity is monitored to continually detect and stop attacks.
- Firmware is automatically checked during startup to determine if it's authentic code – digitally signed by HP.

Product walkaround

HP PageWide Enterprise Color 765dn shown

1. 10.9 cm (4.3-inch) pivoting colour touchscreen
2. Hardware Integration Pocket
3. Easy-access USB printing
4. 100-sheet multipurpose tray 1 supports media up to 305 x 457 mm (12 x 18 inches)
5. 550-sheet tray 2 supports media up to 297 x 432 mm (11.7 x 17 inches)
6. 500-sheet output bin
7. Front door access to cartridges
8. Automatic two-sided printing
9. Host USB port, Ethernet network port, Hi-speed USB 2.0 printing port



Accessories, Supplies and Support

Supplies	TOB26A HP 982A Black Original PageWide Cartridge (~10,000 pages)
	TOB23A HP 982A Cyan Original PageWide Cartridge (~8,000 pages)
	TOB24A HP 982A Magenta Original PageWide Cartridge (~8,000 pages)
	TOB25A HP 982A Yellow Original PageWide Cartridge (~8,000 pages)
	TOB30A HP 982X High Yield Black Original PageWide Cartridge (~20,000 pages)
	TOB27A HP 982X High Yield Cyan Original PageWide Cartridge (~16,000 pages)
	TOB28A HP 982X High Yield Magenta Original PageWide Cartridge (~16,000 pages)
	TOB29A HP 982X High Yield Yellow Original PageWide Cartridge (~16,000 pages)
Accessories	P1V16A HP PageWide 550-sheet Paper Tray
	P1V17A HP PageWide 550-sheet Paper Tray and Cabinet
	P1V18A HP PageWide 3x550 sheet Paper Tray and Stand
	P1V19A HP PageWide 4000 sheet High-capacity Paper Tray and Stand
	W1B43A HP PageWide Printhead Wiper Kit
	W1B44A HP PageWide Service Fluid Container
Service and Support	U9RM8E HP 3 year Next Business Day Service with Defective Media Retention for PageWide Colour 76x
	U9RM9E HP 4 year Next Business Day Service with Defective Media Retention for PageWide Colour 76x
	U9RN0E HP 5 year Next Business Day Service with Defective Media Retention for PageWide Colour 76x
	U9RN7PE HP 1 year Post Warranty Next Business Day Services with Defective Media Retention for PageWide Colour 76x
	U9RN8PE HP 2 year Post Warranty Next Business Day Services with Defective Media Retention for PageWide Colour 76x

Technical specifications

Model	HP PageWide Enterprise Color 765dn
Product number	J7Z04A
Functions	Print
Control panel	10.92 cm (4.3 in) Colour Graphics Display (CGD) with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket
Print	
Print technology	PageWide
Print speed	Black (A4, normal) : Up to 55 ppm; Colour (A4, normal) : Up to 55 ppm; Black (A4, duplex) : Up to 38 ppm; Colour (A4, duplex) : Up to 38 ppm; Black (General Office) : Up to 75 ppm; Colour (General Office) : Up to 75 ppm;
First page out ¹	Black (A4, ready) : As fast as 6.7 sec; Colour (A4, ready) : As fast as 6.7 sec; Black (A4, sleep) : As fast as 14.6 sec; Colour (A4, sleep) : As fast as 14.6 sec;
Print resolution	Black (best) : Up to 1200 x 1200 optimised dpi from 600 x 600 input dpi (on Unspecified, Plain, HP Premium Presentation Matte, and HP Brochure Matte); Colour (best) : Up to 2400 x 1200 optimised dpi from 600 x 600 input dpi (on HP Advanced Photo Papers);
Monthly duty cycle	Up to 125,000 pages A4; Recommended monthly page volume : 2,500 to 25,000
Printer smart software features	HP SureStart; Run-time Intrusion detection; Whitelisting; HP Trusted Platform Module; HP JetAdvantage Security Manager; HP Web Jetadmin; Open Extensibility Platform; FutureSmart Firmware; HP ePrint; Apple AirPrint™; HP Auto-On/Auto-Off technology; HP Colour Access Control; HP EasyColour; Front-facing USB printing; Store print jobs; Print preview; Automatic two-sided printing; Print multiple pages per sheet (2, 4, 6, 9, 16); Collation; Booklet printing; Cover pages; Tray selection; Scaling; Portrait/Landscape orientation; High Quality Grayscale and Black Ink Only; General Office/Professional/Presentation dpi print modes; Optional: HP and third party extensibility solutions; Wireless
Standard print languages	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation; PDF 1.7
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL; 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts
Print area	Print margins Top: 4.23 mm (Default), 2 mm Edge-to-Edge mode, Bottom: 4.23 mm (Default), 2 mm Edge-to-Edge mode, Left: 4.23 mm (Default), 2 mm Edge-to-Edge mode, Right: 4.23 mm (Default), 2 mm Edge-to-Edge mode; Maximum print area : 296.5 x 448.7 mm
Borderless printing	No
Print cartridges number	4 (1 each black, cyan, magenta, yellow)
Memory card compatibility	144-pin DDR3 DIMM
Duplex printing	Automatic (standard); Manual (driver support provided)
Processor speed	1.2 GHz
Connectivity	
Standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket
Wireless	Optional, enabled with purchase of a hardware accessory
Mobile printing capability	HP ePrint, Apple AirPrint™, Google Cloud Print
Supported network protocols	IPv4/IPv6: Apple Bonjour Compatible (Mac OS v10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLIP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print
Network capabilities	Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard)

Model	HP PageWide Enterprise Color 765dn
Product number	J7Z04A
Hard disk	Standard, 8 GB eMMC; Optional 500 GB HP High-Performance Secure Hard Disk
Memory	Standard: 1536 MB; Maximum: 2560 MB
Paper handling	
Number of paper trays	Standard: 2; Maximum: 5
Media types	Paper (Plain, Inkjet, Inkjet Brochure/Glossy), Photo Paper, Envelopes, Labels, Cards
Media size	Custom (metric): Tray 1: 99.1 x 127 to 304.8 x 457.2 mm; Tray 2 to 5: 210.1 x 148.1 to 297.2 x 431.8 mm; HCl Trays 3 & 4: A4 Supported (metric): A3, A4, A4-R, A5, A5-R, A6, RA3, RA4, SRA4, B4, B5 (JIS), 8K (270 x 390 mm), 16K (195 x 270 mm), 8k (260 x 368 mm), 16k (184 x 260 mm), 8k (273 x 394 mm), 16k (197 x 273 mm), Officio 216 x 340 mm
Media handling	Standard input: 100-sheet multipurpose tray, 550-sheet input tray Standard output: 500-sheet output bin Optional input: 1 x 550/tray (A3/A4), 1 x 550/stand (A3/A4), 3 x 550/stand (A3/A4), HCl (2 x 2,000 sheet A4)
Media weight	Tray 1: 60 to 220 g/m ² , 300 g/m ² Photo Paper Only; Trays 2 to 5: 60 to 220 g/m ² ; HCl trays 3 & 4: 60 to 220 g/m ²
Input capacity	Tray 1: Up to 100 sheets 75 g/m ² ; Up to 60 cards; Up to 15 envelopes Tray 2: Up to equivalent of 550 sheets of 75 g/m ² plain paper Tray 3: Up to equivalent of 550 sheets of 75 g/m ² plain paper in 3 x 550; Up to equivalent of 2,000 sheets of 75 g/m ² plain in HCl Maximum: Up to 4,650 Sheets
Output capacity	Standard: Up to 500 sheets Envelopes: Up to 50 envelopes Labels: Up to 200 sheets Cards: Up to 200 cards Maximum: Up to 500 sheets
Compatible operating systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS mac, OS 10.12 Sierra, OS X 10.11 El Capitan, OS X 10.10 Yosemite, UNIX, Windows 10 all 32/64-bit editions (excluding RT OS for Tablets), Windows 7 all 32/64-bit editions, Windows 8/8.1 all 32/64-bit editions (excluding RT OS for Tablets), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)
Compatible network operating systems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003 R2, Citrix on Windows Server 2008/2008 R2/2008 R2 SP1, Citrix on Windows Server 2012/2012 R2, Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 Terminal Services 32/64-bit, Citrix XenApp 6.0/6.5 (for Windows Server 2008 R2 Terminal Services, 32/64-bit), Citrix XenApp 6.0/6.5/7.5 (for Windows Server 2008 R2 SP1 Terminal Services, 32/64-bit), Citrix XenApp 7.5 (for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Terminal Services, 32/64-bit), Citrix XenDesktop 5.6/7.0/7.5 (for Windows Server 2008 R2 SP1 Terminal Services, 32/64-bit), Citrix XenDesktop 7.0/7.5 (for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit), Novell NetWare 6.5/SP8 Novell Clients http://www.novell.com/iprint , Novell iPrint Appliance v1.0, Novell Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2 for Linux, Novell Servers http://www.novell.com/iprint , Windows Server 2003/2003 R2 32/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 32/64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2012 R2 64-bit Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services), Windows Server 2016/ 64-bit Standard/ Essential/Datacenter (+ Cluster & Terminal Services)
Minimum system requirements	Windows: 2 GB available hard disk space, OS hardware requirements see http://www.microsoft.com Mac: 1.3 GB available hard drive space; Internet; OS hardware requirements see http://www.Apple.com for more info
Software included	HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to http://www.123.HP.com or OS App Source for printer software), online user manuals
Security management	Identity Management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and third-party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-Shared Key, and Kerberos authentication, Supports WJA-10 IPsec configuration Plug in, 802.1X authentication (EAP-PEAP, EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List, HP Trusted Platform Module (TPM) comes standard; Data: Storage Encryption, Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft), Secure Erase, SSL/TLS (HTTPS), Encrypted Credentials; Device: Security lock slot, USB port disablement, Hardware Integration Pocket for security solutions, 18 Intrusion Detection with Red Balloon Security Technology (Constant in-device monitoring for attacks), HP Sure Start Secure Boot (BIOS integrity checking with self-healing capability), Whitelisting (loads only known good code (DLLs, EXEs, etc.)); Security Management: Compatible with HP JetAdvantage Security Manager, 21 Device Security Syslog Messages processed and accessible in ArcSight and Splunk SIEMs; For more security settings go to http://h10032.www1.hp.com/ctg/Manual/c03602120
Printer management	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver
Dimensions and weight	
Printer dimensions (W x D x H)	Minimum: 813 x 591 x 458 mm; Maximum: 896 x 591 x 534 mm;
Package dimensions (W x D x H)	790 x 760 x 651 mm
Printer weight	45.6 kg
Package weight	56.7 kg
Operating environment	Temperature: 15 to 30°C Humidity: 30 to 70% RH
Storage conditions	Temperature: Before initial setup (Non-Purged): -40 to 60°C; After initial setup (Purged): 0 to 60°C. If stored below the lowest specified operating temperature, unit must slowly warm up to an approved operating temperature (HP recommends waiting 24 hours at approved operating temperature prior to using the printer). Humidity: 10 to 80% RH
Acoustics	Acoustic power emissions: 6.8 B(A) (printing at 56 ppm)
Power	Requirements: Input voltage: 100 to 240 VAC, 50/60 Hz; Consumption: 600 watts (max. print/copy), 107 watts (print/copy), 17 watts (ready), 0.98 watts (sleep), 0.98 watts (HP auto-off/auto-on), 0.2 watts (auto-off), 0.2 watts (off); Typical Electricity Consumption (TEC)^{3,4}: Blue Angel: 1.340 kWh/Week; Energy Star: 1.330 kWh/Week; Power supply type: Internal (Built-in) power supply;
Energy savings feature technology	HP Auto-on/Auto-off Technology

Model	HP PageWide Enterprise Color 765dn
Product number	J7Z04A
Certifications	CISPR 22:2008 Class A; CISPR 32:2012 Class A; EN 55032:2012 Class A; EN 61000-3-3:2013; EN 61000-3-2:2014 ENERGY STAR® qualified Blue Angel compliant Yes, Blue Angel RAL-UZ 205
Country of origin	Made in Malaysia
What's in the box	HP PageWide Enterprise Colour 765dn; HP Setup Ink Cartridges (yield after setup 6,000 pages for CMY and 10,000 pages for Black); Installation guide; Support flyer; Documentation on CD-ROM; Power cord
Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.

Footnotes

- ¹ HP's lowest cost per colour page claim applies to devices that are not sold under contract: Comparison of HP PageWide A3 devices with the majority of HP colour ink/laser MFPs (€3,000-€7,499), and colour ink/laser single function printers (€1,500-€2,999) as of January/February 2017. Cost per page (CPP) reported by gap intelligence Pricing & Promotions Report January/February 2017, comparisons for devices/supplies not sold under contract are based on published specifications of the manufacturers' highest-capacity cartridges, inclusive of long life consumables and page yield. Average HP yield based on ISO/IEC 24711 and continuous printing in default mode. Actual yield varies based on content of printed pages and other factors. For more information, see <http://www.hp.com/go/learnaboutsupplies>.
- ² Based on HP review of 2018 published security features of HP in-class printers. HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot.
- ³ High-yield cartridges are not included in printer purchase; purchase separately. Comparison is based on ISO 24711 cartridge yields for HP 982X series High-Yield Original PageWide Cartridges compared with HP 982A series Original PageWide Cartridges. Learn more at <http://www.hp.com/go/learnaboutsupplies>.
- ⁴ Comparison based on printing in Professional Mode.
- ⁵ Energy claim based on TEC data reported on energystar.gov as of February 2018. Data normalised to determine energy efficiency of in-class HP A3 colour laser printers and MFPs with published speeds of 20 to 80 ppm, excluding other HP PageWide products. Subject to device settings. Actual results may vary.
- ⁶ Fewer service parts claim based on HP analysis of in-class HP A3 colour laser printers and MFPs as of February 2018; calculations use publicly available and/or published manufacturer rated yields for long-life consumables and assume 600,000 pages printed (using a 60% black/40% colour ratio).
- ⁷ Comparison of HP PageWide A3 devices with in-class HP colour ink/laser MFPs (€2,820-€11,199), and colour ink/laser single function printers (€1,410-€4,599) as of February 2018, excluding other HP PageWide products. HP PageWide speeds based on General Office mode and exclude first page.

Technical specifications disclaimers

- ¹ As fast as 7.5 sec
- ² Upgradeable to 2560 MB with optional DIMM
- ³ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.
- ⁴ Normalized TEC (watt hours per page) Blue Angel: 0.166 Wh/page, Energy Star: 0.166 Wh/page.



www.blauer-engel.de/uz205



<http://www.hp.com/uk>

The product could differ from the images shown. © Copyright 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Published in EMEA 4.A.A7-1396EEE, November 2018

