

Do you want to be
quicker
than your competitors
in the market?



Canon

Get ahead of the competition



 **imageFORMULA**

**Document
Scanning Solutions**

Sales Guide
Spring/Summer 2013

Be business agile



Canon's high-class range of document scanners have been designed to help businesses digitalise, store and communicate information efficiently. Our expertise in the document scanning industry enables us to package the latest technology and software to offer our customers high-quality image capture in a seamless operation.

Our comprehensive range of scanners cater for all your scanning needs



PERSONAL

These versatile scanners make life easy and are ideal for the small or home office.

OVERVIEW	6
P-208	9
P-215	10
DR-2020U	11

DESKTOP WORKGROUP

Packed with user-friendly productivity features, these desktop workgroup scanners help speed up your business workflows.

OVERVIEW	12
DR-C125/DR-C125W	15
DR-C120/DR-C130	16
DR-M140	17

NETWORK

Capture and share information quickly with these secure, user-friendly network scanners – ideal for front or back offices.

OVERVIEW	18
ScanFront 300/300P	20
ScanFront 300e/300eP	21

DEPARTMENTAL

Reliable and versatile, our departmental scanner range is ideal for processing large amounts of data.

OVERVIEW	22
DR-M160	24
DR-6010C	25

PRODUCTION

Designed for high-performance volume scanning, these robust devices include intelligent features that ensure smooth operation.

OVERVIEW	26
DR-6030C	28
DR-G1100/DR-G1130	29
DR-X10C	31



OPTIONAL ACCESSORIES

Scan bound, fragile or outsized documents with this DR series-compatible device.

OVERVIEW	32
A4 Flatbed 101	34
A3 Flatbed 201	35
Canon Wi-Fi Unit WU10	37
Silex C-6600GB	38
Silex DS-4000U2	39

CHEQUE

In specialist scanning environments, these compact and reliable cheque scanners offer the highest levels of accuracy.

OVERVIEW	40
CR-50	42
CR-190i	43

SOFTWARE, SERVICE & SUPPORT

Powerful software applications that complement your scanning processes and support that gives you peace of mind.

SOFTWARE & SUPPORT	44
Easy Service Plan	50

CANON SCANNER TECHNOLOGY GUIDE

A simple explanation of the technical terms used in this guide.

GLOSSARY	51
----------	----

PRODUCT & CONSUMABLES INFORMATION

At-a-glance view of our versatile range of high-performance, user-friendly document scanners and associated consumables.

OVERVIEW	54
PRODUCT MATRIX	55
CONSUMABLES MATRIX	61

Personal Document Scanners

Whatever your needs and wherever you need to be, our fast and versatile scanners make scanning simple and convenient.



DR-2020U



P-208



P-215

Durable and ultra-compact, our personal scanner range is ideal for busy homes and small offices, as well as executives on the move. Designed for speedy scanning, Canon makes document management easy to integrate into the daily routine.



Perfect for scanning at home,
in the office or on the move.



P-208



KEY FEATURES

- High Speed Duplex Scanner with 10-sheet ADF
- Highly compact and lightweight, perfect for scanning on the move
- Fast, double-sided scanning up to 16ipm in colour
- Including built-in CaptureOnTouch Lite software, embedded onto the P-208
- Software Developer Kit available for CaptureOnTouch and embedded CaptureOnTouch Lite
- USB-powered, simply plug and scan!
- Hybrid model, supporting both Windows and Mac environments
- Scan a range of media from A4-sized to business cards and photographs
- Scan directly to cloud based applications, Google Docs, Evernote and SharePoint
- Compatible with Canon Wi-Fi Unit WU10

B&W SPEED	COLOUR SPEED	DAILY DUTY CYCLE	AUTOMATIC DOCUMENT FEEDER
8ppm	8ppm	100 scans/day	10 sheets

DIMENSIONS (W x D x H)

312.5 x 55.5 x 40mm (tray closed)
 312.5 x 76.5 x 40mm (tray opened)

SUPPORTED OS

Windows: ISIS/TWAIN Drivers
 (Windows XP Pro/XP Home/Vista/7/8)
Mac: TWAIN Driver (Mac OS X 10.6 - 10.8)

SOFTWARE INCLUDED

Windows and Mac: CaptureOnTouch, CaptureOnTouch Lite (built-in), BizCard



PACKAGING STYLE	PALLET	BOX DIMENSIONS (W x D x H)	138 x 393 x 121mm
QUANTITY OF ITEM	98/112	BOX WEIGHT (GROSS)	1.08Kg



WHAT'S IN THE BOX

Main Body, USB Cable, Setup Disc, Setup Guide (EFIGSD), Supplement for AutoStart Switch (EFIGSD), Warranty, Packing

PRODUCT CODE		
Name	Mercury Code	EAN Code
P-208	6907B003	4528472105390

CONSUMABLES		
Name	Mercury Code	EAN Code
Separation Pad for P-208	8028B001	4528472104966

OPTIONS		
Name	Mercury Code	EAN Code
Carrying Case for P-208	8028B002	4528472105123
Canon Wi-Fi Unit WU10	6910B003	4528472104997

EASY SERVICE PLAN
 Easy Service Plan available please visit Service and Support Section





P-215



KEY FEATURES

- Speedy USB-powered double-sided scanning up to 15ppm (30ipm)
- Ultra-compact for space saving and mobility
- Hybrid model, supporting both Windows and Mac environments
- Productive batch scanning with large 20-sheet ADF
- Supports plastic ID and embossed card scanning
- Advanced image processing features and intuitive Full-Auto Mode function
- Including built-in CaptureOnTouch Lite software, embedded onto the P-215
- Software Developer Kit available for both CaptureOnTouch and embedded CaptureOnTouch Lite
- Scan directly to cloud based applications, Google Docs, Evernote and SharePoint
- EMC Captiva Cloud Toolkit Runtime control available
- Compatible with Canon Wi-Fi Unit WU10

B&W SPEED	COLOUR SPEED	DAILY DUTY CYCLE	AUTOMATIC DOCUMENT FEEDER
15ppm	10ppm	500 scans/day	20 sheets

DIMENSIONS (W x D x H)

285 x 95 x 40mm (tray closed)
285 x 257 x 202mm (tray opened)

SUPPORTED OS

Windows: ISIS/TWAIN Drivers (Windows XP Pro/XP Home/Vista/7/8)
Mac: TWAIN Driver (Mac OS X 10.5 - 10.8)

SOFTWARE INCLUDED

Windows: CaptureOnTouch, CaptureOnTouch Lite (built-in), PaperPort, BizCard
Mac: CaptureOnTouch, CaptureOnTouch Lite (built-in), PageManager, BizCard



PACKAGING STYLE	PALLET	BOX DIMENSIONS (W x D x H)	197 x 341 x 121mm
QUANTITY OF ITEM	50	BOX WEIGHT (GROSS)	1.70Kg



WHAT'S IN THE BOX

Main Body, USB Cable, USB Cable for Power Supply, Setup DVD-ROM Reference Guide (EFIGSD), Warranty Card Supplement for AutoStart Switch

PRODUCT CODE		
Name	Mercury Code	EAN Code
P-215	5608B003	4528472104218

CONSUMABLES		
Name	Mercury Code	EAN Code
Separation Pad for P-215	6144B001	4528472104386
Feed Roller for P-215	6144B002	4528472104393

OPTIONS		
Name	Mercury Code	EAN Code
AC Adapter for P-215 220-240V	4179B005	4528472103440
Carrying Case for P-215	4179B003	4528472103433
Silex C-6600GB	2063V545	4944406004551
Silex SX-DS-4000U2	2298V364	4944406004636
USB Cable for P-215	6144B003	4528472104409
Canon Wi-Fi Unit WU10	6910B003	4528472104997

EASY SERVICE PLAN
Easy Service Plan available please visit Service and Support Section





DR-2020U

KEY FEATURES

- Versatile scanning with ADF, flatbed and unique business card feeder
- Compact scanner with sleek finish for general office/small business
- User-friendly with easy one-touch operation
- Powerful software applications to create and store high-resolution images
- Auto Page Size Detection, Skew Correction and Auto Text Orientation ensure clean and clear images
- Automatic switch off functionality to reflect Canon's long standing commitment to environmental sustainability
- EMC Captiva Cloud Toolkit Runtime control available



B&W SPEED	COLOUR SPEED	DAILY DUTY CYCLE	AUTOMATIC DOCUMENT FEEDER
20ppm	20ppm	1,000 scans/day	50 sheets

DIMENSIONS (W x D x H)

440 x 400 x 180mm

SUPPORTED OS

Windows: ISIS/TWAIN Drivers (Windows 2000/XP Pro/XP Home/Vista/7/8)

SOFTWARE INCLUDED

CapturePerfect, CaptureOnTouch, eCopy PDF Pro Office, PaperPort, OmniPage, BizCard Reader

PACKAGING STYLE	PALLET	BOX DIMENSIONS (W x D x H)	257 x 605 x 507mm
QUANTITY OF ITEM	12 or 16	BOX WEIGHT (GROSS)	9.6Kg



WHAT'S IN THE BOX

Main Body, AC Adapter, Power Cable 220-240V, USB Cable, Reference Guide, Setup CD-ROM, eCopy PDF Pro Office, Application Software CD-ROM, Software Licence Agreement (EFIGSD), Supplement for Multi Manual

PRODUCT CODE		
Name	Mercury Code	EAN Code
DR-2020U	3923B003	4528472102900

OPTIONS		
Name	Mercury Code	EAN Code
Silex SX-DS-4000U2	2298V364	4944406004636

EASY SERVICE PLAN
Easy Service Plan available please visit Service and Support Section

CONSUMABLES		
Name	Mercury Code	EAN Code
Feed Roller Unit	4048B001	4528472103082
Separation Pad	4048B002	4528472103099



Desktop Workgroup Document Scanners

Teams and small departments are expertly served with the most energy efficient and comprehensive range of compact and extremely productive workgroup scanners.



DR-C130



DR-M140



DR-C125W

Stylish and robust, our easy-to-use range of workgroup scanners, including models for the Mac market, provide exceptional performance for fast, flexible and efficient scanning.

Capture and share information using Wi-Fi technology.





DR-C125/DR-C125W



KEY FEATURES

- DR-C125W – with integrated Wi-Fi technology
- DR-C125W – scan direct from PC and iPhone, iPad and Android devices
- Ultra-slim footprint, with unique vertical J-Path paper transport design
- Intuitive scanning with ‘natural’ face up feeding
- Full-Auto Mode for no-fuss seamless scanning
- Powerful software suite supporting scan to PDF-A format and scan to multiple file format (PDF, TIFF, JPEG, BMP and PowerPoint)
- Scan direct to data management applications – Evernote and SharePoint
- Hybrid model, supporting both Windows and Mac environments
- EMC Captiva Cloud Toolkit Runtime control available (DR-C125 only)


A4 OPTIONAL FLATBED 101 (DR-C125 ONLY)



PACKAGING STYLE	PALLET	BOX DIMENSIONS (W x D x H)	397 x 309 x 333mm
QUANTITY OF ITEM	24	BOX WEIGHT (GROSS)	3.86Kg

	B&W SPEED	COLOUR SPEED	DAILY DUTY CYCLE	AUTOMATIC DOCUMENT FEEDER
DR-C125	25ppm	25ppm	1,500 scans/day	30 sheets
DR-C125W	22ppm*	10ppm*	1,500 scans/day	30 sheets

* Access Point Mode – via Canon Scanner Wireless Connection Utility.



DIMENSIONS (W x D x H)

300 x 156 x 217mm (tray closed)
300 x 235 x 336mm (tray opened)

SUPPORTED OS

Windows: ISIS/TWAIN Drivers (Windows 2000/XP Pro/XP Home/Vista/7/8)
Mac: TWAIN Driver (Mac OS X 10.4 - 10.8)
LINUX: Web distribution only (DR-C125 only)

SOFTWARE INCLUDED

Windows: CaptureOnTouch, eCopy PDF Pro Office, PaperPort, OmniPage, BizCard, Evernote
Mac: CaptureOnTouch, PageManager, BizCard, Evernote
Canon Scanner Wireless Connectivity Utility (DR-C125W only)



WHAT'S IN THE BOX

AC Adapter, Power Cable, USB Cable, Setup DVD-ROM Reference Guide (E), Before Use (FIGSD) Software Licence Agreement (EFIGSD), Packing

PRODUCT CODE		
Name	Mercury Code	EAN Code
DR-C125	5005B003	4528472104157
DR-C125W	6906B003	4528472105215
CONSUMABLES		
Name	Mercury Code	EAN Code
Ex. Roller Kit for DR-C125/W	5484B001	4528472104263

OPTIONS		
Name	Mercury Code	EAN Code
Flatbed Scanning Unit 101	4101B003	4528472103266
Silex C-6600GB	2063V545	4944406004551
Silex SX-DS-4000U2	2298V364	4944406004636

EASY SERVICE PLAN
Easy Service Plan available please visit Service and Support Section





DR-C120/DR-C130

KEY FEATURES

- Productive with fast scan speeds and a 50-sheet ADF
- Compact and versatile design with a 3-way eject tray
- Excellent paper handling, from ultra-thin to thick card (27 – 209gsm)
- Extremely energy efficient when scanning
- Superior image quality including assisted deskew feature
- Powerful software including eCopy PDF Pro Office
- Cloud connectivity to Evernote, SharePoint and Google Docs
- EMC Captiva Cloud Toolkit Runtime control available

A4 OPTIONAL FLATBED 101



PACKAGING STYLE	PALLET	BOX DIMENSIONS (W x D x H)	261 x 385 x 315mm
QUANTITY OF ITEM	24	BOX WEIGHT (GROSS)	3.25Kg

	B&W SPEED	COLOUR SPEED	DAILY DUTY CYCLE	AUTOMATIC DOCUMENT FEEDER
DR-C120	20ppm	20ppm	1,500 scans/day	50 sheets
DR-C130	30ppm	30ppm	2,000 scans/day	50 sheets



DIMENSIONS (W x D x H)

298 x 160 x 160mm (tray closed)
298 x 245 x 490mm (tray opened)

SUPPORTED OS

Windows: ISIS/TWAIN Drivers
(Windows XP Pro/XP Home/Vista/7/8)

SOFTWARE INCLUDED

Windows: CaptureOnTouch, CapturePerfect, eCopy PDF Pro Office, OmniPage, PaperPort, BizCard, EMC Captiva Cloud Toolkit, Kofax VRS (DR-C130 only)



WHAT'S IN THE BOX

Main Body, AC Adapter, Power Cable, USB Cable, Feed Roller, Setup DVD-ROM, Setup Guide (EFIGSD), Packing, Kofax VRS CD ROM (DR-C130 only)

PRODUCT CODE		
Name	Mercury Code	EAN Code
DR-C120	8548B003	4528472105437
DR-C130	6583B003	4528472104621
CONSUMABLES		
Name	Mercury Code	EAN Code
Exchange Roller Kit	6759B001	4528472104812

OPTIONS		
Name	Mercury Code	EAN Code
Flatbed Scanning Unit 101	4101B003	4528472103266
Silex C-6600GB	2063V545	4944406004551
Silex SX-DS-4000U2	2298V364	4944406004636

EASY SERVICE PLAN
Easy Service Plan available please visit Service and Support Section









DR-M140

KEY FEATURES

- Ultra-compact and lightweight design
- Selectable U-turn and straight-through paper path
- Highly productive with colour scanning speeds of up to 80ipm at 300dpi
- Superb image quality - up to 600dpi
- Exceptional image processing including MultiStream, Advanced Text Enhancement and Deskew
- Incorporates convenient double feed release to maintain productivity
- EMC Captiva Cloud Toolkit Runtime control available

 B&W SPEED 40ppm	 COLOUR SPEED 40ppm	 DAILY DUTY CYCLE 6,000 scans/day	 AUTOMATIC DOCUMENT FEEDER 50 sheets
--	---	---	--

DIMENSIONS (W x D x H)

313 x 181 x 93mm (tray closed)
313 x 288 x 93mm (tray opened)

SUPPORTED OS

Windows: ISIS/TWAIN Drivers
(Windows XP Pro/XP Home/Vista/7/8)

SOFTWARE INCLUDED

CaptureOnTouch, CapturePerfect, eCopy PDF Pro Office, Kofax VRS



A4 OPTIONAL FLATBED 101



PACKAGING STYLE	PALLET	BOX DIMENSIONS (W x D x H)	397 x 309 x 333mm
QUANTITY OF ITEM	30	BOX WEIGHT (GROSS)	3.09Kg



WHAT'S IN THE BOX

Main Body, AC Adapter, Power Cable, USB Cable, Setup CD-ROM, Reference Guide, Safety Reference, Insert of ePPO, Insert of Kofax VRS, Kofax VRS Basic CD

PRODUCT CODE		
Name	Mercury Code	EAN Code
DR-M140	5482B003	4528472104430

CONSUMABLES		
Name	Mercury Code	EAN Code
Exchange Roller Kit	5972B001	4528472104331

OPTIONS		
Name	Mercury Code	EAN Code
Flatbed Scanner Unit 101	4101B003	4528472103266
Barcode Module III	1922B001	4528472101736
Silex C-6600GB	2063V545	4944406004551
Silex SX-DS-4000U2	2298V364	4944406004636

EASY SERVICE PLAN
Easy Service Plan available please visit Service and Support Section



Network Document Scanners

Canon's network scanners are in a class of their own, helping to transform paper-based documents into valuable digital assets that can be distributed effortlessly through your network, located anywhere in the world.



ScanFront 300eP



ScanFront 300

Quick and reliable desktop scanning with instant network access has never been easier. With one-touch operation and robust security, including fingerprint authentication, it's effortless to scan, store and share your documents.



ScanFront 300P



ScanFront 300/300P

KEY FEATURES

- Ultra-compact and productive network scanning
- Scan direct to email, shared folder, FTP, USB, printer and fax
- 8.4 inch colour touchscreen and user job functions
- Plug straight into the network, no additional hardware/software required
- Convenient remote management via admin tool or web browser
- Customised file naming and index file sending for seamless integration
- Advanced image processing, including Auto Colour Detection, Folio Mode and Long Document Scanning
- Fingerprint authentication (available on ScanFront 300P only)
- Up to 75% more energy efficient than similar devices
- Robust security
- Create customised capture solutions and workflows with ScanFront SDK



B&W SPEED



COLOUR SPEED



DAILY DUTY CYCLE



AUTOMATIC DOCUMENT FEEDER

ScanFront 300	30ppm	25ppm	3,000 scans/day	50 sheets
ScanFront 300P	30ppm	25ppm	3,000 scans/day	50 sheets



DIMENSIONS (W x D x H)

310 x 161 x 215mm (tray closed)
310 x 297 x 565mm (tray opened)

SOFTWARE INCLUDED

ScanFront Administration Tool, ScanFront Extended Service, ScanFront Software Development Kit (SDK)

SOFTWARE DEVELOPMENT KIT

Available at www.canon-europe.com/bsdp

PACKAGING STYLE	PALLET	BOX DIMENSIONS (W x D x H)	387 x 325 x 286mm
QUANTITY OF ITEM	18 or 24	BOX WEIGHT (GROSS)	5.6Kg

PRODUCT CODE		
Name	Mercury Code	EAN Code
ScanFront 300	4574B003	4528472103563
ScanFront 300P	4575B003	4528472103600
CONSUMABLES		
Name	Mercury Code	EAN Code
Exchange Roller Kit	4593B004	4528472104836

OPTIONS
N/A

EASY SERVICE PLAN
Easy Service Plan available please visit Service and Support Section



WHAT'S IN THE BOX

Main Body, AC Adapter, Power Cable, Manual/Software CD-ROM, Setup Guide (EFIGSD), Operation Guide (E), Feed Roller





ScanFront 300e/300eP

KEY FEATURES

- Compact footprint for reliable document feeding, tighter security control and reduced IT costs with central administration and management
- Automatic transfer of editable documents into enterprise content management systems and business applications
- Utilises data extracted from the scanned document for dynamic real time connectivity and verification at the point of capture into business processes
- Works seamlessly with Canon eCopy enabled MFPs on same existing network
- 3rd party connectors available for easy integration into popular content management systems
- Only available from Canon or eCopy accredited partners

	B&W SPEED	COLOUR SPEED	DAILY DUTY CYCLE	AUTOMATIC DOCUMENT FEEDER
ScanFront 300e	26ppm	18ppm	3,000 scans/day	50 sheets
ScanFront 300eP	27ppm	22ppm	3,000 scans/day	50 sheets



DIMENSIONS (W x D x H)

310 x 161 x 220mm (tray closed)
310 x 298 x 571mm (tray opened)

REQUIRED SOFTWARE – SOLD SEPARATELY

Select from the following eCopy ShareScan versions: eCopy ShareScan Elements, eCopy ShareScan Office, eCopy ShareScan Suite

OPTIONAL EXTENDERS:

Cost Recovery, Barcode Recognition, Bates Stamping/Numbering, Forms Processing Extender

OPTIONAL CONNECTORS:

Various 3rd party connectors available, such as connectivity to SharePoint, EMC, OpenText, Autonomy, Salesforce.com solutions.

For more information please contact your Canon office or eCopy accredited partner.

PACKAGING STYLE	PALLET	BOX DIMENSIONS (W x D x H)	387 x 325 x 286mm
QUANTITY OF ITEM	18 or 24	BOX WEIGHT (GROSS)	3.4Kg

PRODUCT CODE		
Name	Mercury Code	EAN Code
ScanFront 300e	6586B002	4528472104898
ScanFront 300eP	6587B002	4528472104782

CONSUMABLES		
Name	Mercury Code	EAN Code
Exchange Roller Kit	4593B004	4528472104836

OPTIONS	
SOFTWARE – Nuance eCopy ShareScan	Mercury Code
eCopy ShareScan v5 Suite – Canon – 3YR M&S	1893V180
eCopy ShareScan v5 Suite – Canon – 4YR M&S	1893V181
eCopy ShareScan v5 Suite – Canon – 5YR M&S	1893V182
eCopy ShareScan v5 Office – Canon – 3YR M&S	1893V184
eCopy ShareScan v5 Office – Canon – 4YR M&S	1893V185
eCopy ShareScan v5 Office – Canon – 5YR M&S	1893V186
eCopy ShareScan v5 Elements – Canon – 3YR M&S	1914V431
eCopy ShareScan v5 Elements – Canon – 4YR M&S	1914V432
eCopy ShareScan v5 Elements – Canon – 5YR M&S	1914V433

Contact your local Canon office, or an eCopy accredited partner for further information on the software, optional connectors, optional extenders and software maintenance & support.



WHAT'S IN THE BOX

Manual CD-ROM includes the following: Release notes for ShareScan, Release notes for Canon ScanFront, Install Guide for ShareScan, Install Guide for Canon ScanFront, ScanFront 300e/300eP Setup Guide



Departmental Document Scanners

Designed for the robust day-to-day challenges of busy office departments, combining productivity and versatility with a compact desktop design and superior energy efficiency.



DR-M160

Compact, yet able to meet the demands of the most challenging office environments, our departmental scanners are quick, flexible and dependable. Operators will appreciate the flexibility of the front-feed design with selectable U-turn and straight-through paper path.



DR-6010C



DR-M160

KEY FEATURES

- Class-leading scanning speeds of up to 60ppm/120ipm at 300dpi
- Built for high productive scanning, with up to 7,000 scans/day
- Supreme paper feeding innovations including unique paper separation re-try and convenient double feed release system
- Ultra-compact size for placement on busy desk spaces
- Powerful bundled software for enhanced document capture, supporting multiple file formats with direct connectivity to SharePoint
- EMC Captiva Cloud Toolkit Runtime control available

B&W SPEED	COLOUR SPEED	DAILY DUTY CYCLE	AUTOMATIC DOCUMENT FEEDER
60ppm	60ppm	7,000 scans/day	60 sheets

DIMENSIONS (W x D x H)

280 x 172 x 178mm (tray closed)
280 x 606 x 366.4mm (tray opened)

SUPPORTED OS

Windows: ISIS/TWAIN Drivers
(Windows 2000/XP Pro/XP Home/Vista/7/8)

SOFTWARE INCLUDED

CaptureOnTouch, CapturePerfect, eCopy PDF Pro Office, Kofax VRS



A4 OPTIONAL FLATBED 101



A3 OPTIONAL FLATBED 201



PACKAGING STYLE	PALLET	BOX DIMENSIONS (W x D x H)	397 x 309 x 333mm
QUANTITY OF ITEM	24	BOX WEIGHT (GROSS)	4.75Kg



WHAT'S IN THE BOX

AC Adapter, Power Cable, USB Cable, Setup DVD-ROM, Reference Guide (E), Before Use (FIGSD) Software Licence Agreement (EFIGSD), Insert of ePPO, Insert of Kofax VRS, Kofax VRS Basic CD, Packing

PRODUCT CODE		
Name	Mercury Code	EAN Code
DR-M160	5483B003	4528472104348

CONSUMABLES		
Name	Mercury Code	EAN Code
Ex. Roller Kit for DR-M160	5607B001	4528472104294

OPTIONS		
Name	Mercury Code	EAN Code
Flatbed Scanner Unit 101	4101B003	4528472103266
Flatbed Scanner Unit 201	6240B003	4528472105024
Silex C-6600GB	2063V545	4944406004551
Silex SX-DS-4000U2	2298V364	4944406004636
Barcode Module III	1922B001	4528472101736

EASY SERVICE PLAN
Easy Service Plan available please visit Service and Support Section





DR-6010C

KEY FEATURES

- One of the smallest, most compact scanners in its class
- Front-feed design with selectable U-turn and straight-through paper path
- An ergonomic design with intuitive features for user-friendly experience
- Robust feeding and ultrasonic Double Feed Detection ensure trouble-free performance
- Superb image quality is achieved through 3-line CMOS sensor and 3-dimensional colour correction applications
- Easy batch separation with Patch Code (driver) included
- Most energy efficient in its class

A4 OPTIONAL FLATBED 101



B&W SPEED	COLOUR SPEED	DAILY DUTY CYCLE	AUTOMATIC DOCUMENT FEEDER
60ppm	60ppm	7,500 scans/day	100 sheets



DIMENSIONS (W x D x H)

318 x 278 x 185.5mm (tray closed)
318 x 545 x 187mm at U-turn (tray opened)

SUPPORTED OS

Windows: ISIS/TWAIN Drivers (Windows 2000/XP Pro/XP Home/Vista/7/8)
LINUX: Web distribution only

SOFTWARE INCLUDED

CapturePerfect, Kofax VRS

PACKAGING STYLE	PALLET	BOX DIMENSIONS (W x D x H)	412 x 364 x 316mm
QUANTITY OF ITEM	18	BOX WEIGHT (GROSS)	8.97Kg



WHAT'S IN THE BOX

Main Body, Power Cable, USB Cable, Setup CD-ROM, Reference Guide (E), Easy Start Guide (EFIGSD), Supplement for Multi Manual, Software Licence Agreement, Job Label, Pick Roller Unit, Separation Roller Unit, Kofax VRS CD-ROM, Supplement for Windows 7

PRODUCT CODE		
Name	Mercury Code	EAN Code
DR-6010C	3801B003	4528472102986

CONSUMABLES		
Name	Mercury Code	EAN Code
Exchange Roller Kit	4082B004	4528472103785

OPTIONS		
Name	Mercury Code	EAN Code
Barcode Module III	1922B001	4528472101736
Flatbed Scanner Unit 101	4101B003	4528472103266
Silex SX-DS-4000U2	2298V364	4944406004636
Silex C-6600GB	2063V545	4944406004551

EASY SERVICE PLAN
Easy Service Plan available please visit Service and Support Section



Production Document Scanners

When you need a scanner to quickly and reliably scan large volumes of paper and convert into high-quality electronic images for efficient distribution and archival, our productive scanners always fit the bill.



DR-6030C



DR-G1100/DR-G1130

With unprecedented colour reproduction and accuracy, at deadline-beating speeds, Canon scanners can help streamline your workflow and deliver outstanding productivity. Versatile options provide the flexibility to handle everything from fragile paper to bulky documents and bound books.



DR-X10C



DR-6030C

KEY FEATURES

- Reliable A3 scanning operation
- Versatile options with selectable U-turn and straight-through paper path design
- High-quality images with Canon's advanced 3-line CMOS sensor technology
- Compact by design – easy to position on a desktop
- Trouble-free paper handling with reliable paper transport system
- The most energy efficient production scanner in its class, using just 45W when scanning

B&W SPEED*	COLOUR SPEED*	DAILY DUTY CYCLE	AUTOMATIC DOCUMENT FEEDER
80ppm	80ppm	10,000 scans/day	100 sheets

* A4 Landscape



A4 OPTIONAL FLATBED 101



A3 OPTIONAL FLATBED 201



PACKAGING STYLE	PALLET	BOX DIMENSIONS (W x D x H)	535 x 443 x 335mm
QUANTITY OF ITEM	12	BOX WEIGHT (GROSS)	13.5Kg

PRODUCT CODE		
Name	Mercury Code	EAN Code
DR-6030C	4624B003	4528472103709

CONSUMABLES		
Name	Mercury Code	EAN Code
Exchange Roller Kit	0434B002	4528472101163

OPTIONS		
Name	Mercury Code	EAN Code
Barcode Module III	1922B001	4528472101736
Flatbed Scanner Unit 101	4101B003	4528472103266
Flatbed Scanner Unit 201	6240B003	4528472105024
Silex SX-DS-4000U2	2298V364	4944406004636
Silex C-6600GB	2063V545	4944406004551

EASY SERVICE PLAN
Easy Service Plan available please visit Service and Support Section

DIMENSIONS (W x D x H)

398 x 312 x 191mm (tray closed)
398 x 668 x 194mm at U-turn (tray opened)

SUPPORTED OS

Windows: ISIS/TWAIN Drivers
(Windows 2000/XP Pro/XP Home/Vista/7/8)
LINUX: Web distribution only

SOFTWARE INCLUDED

CapturePerfect, Kofax VRS



WHAT'S IN THE BOX

Main Body, Power Cable 220-240V, USB Cable, Setup CD-ROM, Easy Start Guide (EFIGSD), Document Eject Guide, Kofax VRS CD-ROM, User Guide (EFIGSD), Cleaning Cloth, Windows Vista 32-bit Supplement





DR-G1100/DR-G1130

KEY FEATURES

- Productive landscape scanning speeds up to 260ipm
- Large 500-sheet ADF with three selectable feeding modes (100, 200, 500 sheets)
- Enhanced reliability with staple detection and manual feeding mode
- Process a wider range of documents with a flat paper feeding path and three separation mode for scanning ultra-thin paper (20gsm)
- Advanced image processing features including MultiStream and Character Emphasis for improved OCR applications
- Keep scanning operators comfortable with front paper feed and exit design and intuitive control panel

A4 OPTIONAL FLATBED 101



A3 OPTIONAL FLATBED 201



	B&W SPEED*	COLOUR SPEED*	DAILY DUTY CYCLE	AUTOMATIC DOCUMENT FEEDER
DR-G1100	100ppm	100ppm	25,000 scans/day	500 sheets
DR-G1130	130ppm	130ppm	30,000 scans/day	500 sheets

* A4 Landscape



DIMENSIONS (W x D x H)

480 x 535 x 315mm (tray closed)
480 x 723 x 390mm (tray opened)

SUPPORTED OS

Windows: ISIS/TWAIN Drivers
(Windows XP/Vista/7/8)

SOFTWARE INCLUDED

Windows: CapturePerfect, Kofax VRS

PACKAGING STYLE	PALLET	BOX DIMENSIONS (W x D x H)	584 x 677 x 427mm
QUANTITY OF ITEM	8	BOX WEIGHT (GROSS)	26.9Kg



WHAT'S IN THE BOX

Main Body, Power Cable, USB Cable, Setup Disk, Reference Guide E, Easy Setup Guide, Insert of Kofax VRS, Kofax VRS Basic CD, Cleaning Cloth, Packing

PRODUCT CODE		
Name	Mercury Code	EAN Code
DR-G1100	8074B003	4528472105291
DR-G1130	8073B003	4528472105239

CONSUMABLES		
Name	Mercury Code	EAN Code
Exchange Roller Kit	8262B001	4528472105345
Separation Pad for DR-G1 series	8262B002	4528472105352
Ink Cartridge Blue	0401V912	725184505836
Ink Cartridge Red	0404V776	725184302145
Ink Cartridge Green	0404V777	725184505843

OPTIONS		
Name	Mercury Code	EAN Code
Patch Code Decoder	8262B003	4528472105369
Imprinter	4009B003	4528472103075
Barcode Module III	1922B001	4528472101736
Flatbed Scanner Unit 101	4101B003	4528472103266
Flatbed Scanner Unit 201	6240B003	4528472105024

EASY SERVICE PLAN
Easy Service Plan available please visit Service and Support Section





Maximising productivity in
paper-intensive environments.



DR-X10C

KEY FEATURES

- Productive landscape scanning speeds of 130ppm at 300dpi
- Large 500-sheet document feeder
- High durability – approx. 60,000 scans/day
- Dedicated image sensor for accurate paper size detection and deskew
- Unique double feed re-try operation for improved productivity
- Selectable roller torque setting for reliable feeding of both thick and very thin documents
- Self cleaning for dust free operation and less downtime
- Staple detection technology
- Optional Kofax VRS Professional (Hardware CGA Card)

A3 OPTIONAL FLATBED 201



PACKAGING STYLE	PALLET	BOX DIMENSIONS (W x D x H)	734 x 700 x 601mm
QUANTITY OF ITEM	1	BOX WEIGHT (GROSS)	52.4Kg

B&W SPEED*	COLOUR SPEED*	DAILY DUTY CYCLE	AUTOMATIC DOCUMENT FEEDER
130ppm	130ppm	60,000 scans/day	500 sheets

* A4 Landscape



DIMENSIONS (W x D x H)

528 x 563 x 375mm (tray closed)
528 x 861 x 432mm (tray opened)

SUPPORTED OS

Windows: ISIS/TWAIN Drivers
(Windows 2000/XP Pro/XP Home/Vista/7/8)

SOFTWARE INCLUDED

CapturePerfect

WHAT'S IN THE BOX

Main Body, Power Cable 220-240V, USB Cable, Setup CD-ROM, Easy Start Guide (EFIGSD), Reference Guide (E), Cleaning Cloth, Roller Cleaning Sheet (x4), DR-X10C Supplement for Multi Manual, Software Licence Agreement (EFIGSD), Binder for Multi Manual, Feed Roller (x1), Pick Roller (x1)

PRODUCT CODE		
Name	Mercury Code	EAN Code
DR-X10C	2417B003	4528472102009

CONSUMABLES		
Name	Mercury Code	EAN Code
Exchange Roller Kit	2418B001	4528472101941
Roller Cleaning Sheet DR-X10C	2418B002	4528472101958
Ink Cartridge Blue	0401V912	0725184505836
Ink Cartridge Red	0404V776	0725184302145
Ink Cartridge Green	0404V777	0725184505843

OPTIONS		
Name	Mercury Code	EAN Code
Pre Imprinter DR-X10C	2418B003	4528472101965
Post Imprinter DR-X10C	2418B004	4528472101972
Patch Code Decoder	2418B005	4528472102047
Barcode Module III	1922B001	4528472101736
Kofax VRS Professional (CGA Card)	2418B006	4528472102054
Silex C-6600GB	2063V545	4944406004551
Flatbed Scanner Unit 201	6240B003	4528472105024
Silex SX-DS-4000U2	2298V364	4944406004636

EASY SERVICE PLAN
Easy Service Plan available please visit Service and Support Section



Optional Accessories

To enhance connectivity and provide versatility, our range of optional accessories add real value to your needs.



Canon Wi-Fi Unit WU10



Silex C-6600GB



Silex DS-4000U2



A4 Flatbed 101

High speed, continuous open scanning, using our unique ambient light control, delivers up to 50% greater productivity than competitive products.



A3 Flatbed 201



A4 Flatbed 101

KEY FEATURES

- Simple USB connection to a wide range of DR-series scanners
- High-speed capture gives up to 50% greater productivity
- A unique ambient light-cancelling mode for rapid open scanning
- Able to capture documents as large as legal size
- A flexible cover takes the strain out of scanning bulky volumes
- A seamless interface with imageFORMULA devices for dual capture
- Compliance with Energy Star standards for lower running costs
- High quality scanning up to 1,200dpi



DIMENSIONS (W x D x H)

290 x 513 x 88.5mm

COMPATIBLE WITH

DR-C125, DR-C120, DR-C130, DR-M140, DR-M160, DR-6010C, DR-6030C, DR-G1100/DR-G1130

PACKAGING STYLE	PALLET	BOX DIMENSIONS (W x D x H)	423 x 624 x 193mm
QUANTITY OF ITEM	20	BOX WEIGHT (GROSS)	6.4Kg



WHAT'S IN THE BOX

Main Body, USB Cable, AC Adapter, Power Cable, Setup CD-ROM, User Guide (EFIGSD, JP, CN and KR)

PRODUCT CODE		OPTIONS
Name	Mercury Code	EAN Code
Flatbed Scanner Unit 101	4101B003	4528472103266

OPTIONS
N/A

EASY SERVICE PLAN
Easy Service Plan available please visit Service and Support Section





A3 Flatbed 201

KEY FEATURES

- High Performance A3 Flatbed Scanner
- Rapid scanning speeds
- Simple USB connection with imageFORMULA scanners
- Seamless dual scanning, single file operation
- Includes unique ambient light cancelling mode
- Access to DR-scanners' powerful image processing features
- Compact and robust design ideal for demanding working environments



DIMENSIONS (W x D x H)

571 x 436 x 96mm

COMPATIBLE WITH

DR-M160, DR-6030C, DR-G1100/DR-G1130, DR-X10C

PACKAGING STYLE	PALLET	BOX DIMENSIONS (W x D x H)	582.5 x 680.5 x 266mm
QUANTITY OF ITEM	12	BOX WEIGHT (GROSS)	11.5Kg



WHAT'S IN THE BOX

Main Body, USB Cable, AC Adapter, Power Cable, Setup CD-ROM, Users Guide (EFIGSD, JP, CN and KR), Packing

PRODUCT CODE		OPTIONS
Name	Mercury Code	EAN Code
Flatbed Scanner Unit 201	6240B003	4528472105024

OPTIONS
N/A

EASY SERVICE PLAN
Easy Service Plan available please visit Service and Support Section





Portable unit providing power and enabling wireless scanning to mobile devices.



Canon Wi-Fi Unit WU10



KEY FEATURES

- Wi-Fi and power unit accessory, ideal for wireless scanning on the go!
- Easy-to-use, simple operation
- Scan up to 400 images when battery fully charged
- Compatible with Mac, PC, iOS and Android devices
- Canon Wi-Fi Unit comes with a rechargeable Lithium ion battery



DIMENSIONS (W x D x H)

125 x 71 x 31.7mm

SUPPORTED OS

Compatible with Mac, PC, iOS and Android devices

SOFTWARE INCLUDED

Windows and Mac: Canon Scanner Wireless Connection Utility

COMPATIBLE WITH

P-208, P-215



WHAT'S IN THE BOX

Main Body, AC Adapter, Power Cable, Lithium Battery, Users Guide (JEFIGSD), Setup Disc, Warranty, Packing

PRODUCT CODE

Name	Mercury Code	EAN Code
Canon Wi-Fi Unit WU10	6910B003	4528472104997

OPTIONS

N/A

EASY SERVICE PLAN

Easy Service Plan available please visit Service and Support Section

CONSUMABLES

Name	Mercury Code	EAN Code
Lithium-Ion Battery Pack LP-E10	5108B002	4960999688855





SILEX C-6600GB Network Server

KEY FEATURES

Instantly convert our Canon USB scanners into a networked capturing device that can be shared by users in the office by simply adding Silex C-6600GB USB Device Server. Specially configured to maximise performance with Canon imageFORMULA scanners; documents can be delivered at full rated scanner speeds across your network with Gigabit Ethernet support – reducing IT costs and adding convenience and flexibility.

Enjoy all functions of your Canon document scanners over the network, as if they were locally connected:

- Get full rated scanning speeds using Gigabit technology
- Easy to share scanner in the office for workgroups and teams
- Save valuable desktop space with direct-network connection
- Supports Canon's CaptureOnTouch software
- Supports one-touch job scanning



DIMENSIONS (W x D x H)

60 x 100 x 28mm

SUPPORTED OS

Windows: Windows 7, Vista, XP, Server 2003 and 2008 (32/64-bit)

Mac: OS X 10.3 - 10.6

SOFTWARE INCLUDED

Device server – Setup, CXPrint, SX Virtual Link

COMPATIBLE WITH

P-215, DR-C120, DR-C125, DR-C130, DR-M140, DR-M160, DR-6010C, DR-6030C, DR-X10C



WHAT'S IN THE BOX

Main Body, AC Adapter, CD-ROM 'CX User Software' (including the utility and online manual), Setup Guide, Rubber Feet x4, Velcro (Hook and Loop Fastener) x2 pairs

PRODUCT CODE

Name	Mercury Code	EAN Code
Silex C-6600GB	2063V545	-

OPTIONS

N/A

EASY SERVICE PLAN

Easy Service Plan available please visit Service and Support Section

CONSUMABLES

Name	Mercury Code	EAN Code
N/A		



SILEX DS-4000U2 Network Server

KEY FEATURES

- Needed when connecting to network with imageFORMULA Flatbed Scanner Units 101 and 201
- The SX-DS-4000U2 is a High End USB Device Server with an extremely powerful 800Mhz CPU
- With the help of the USB Virtual Link technology from Silex any type of USB device can be easily networked
- Your scanner can be used over the network with the help of the 2 USB high speed ports of the SX-DS-4000U2 as if they were locally connected to the PC
- Multiple users can access the same USB device after each other, even if it is located elsewhere
- The Gigabit Ethernet technology combined with the high performance CPU allows the SX-DS-4000U2 to transmit data quite fast, which is especially useful for devices like document scanners and hard disks



DIMENSIONS (W x D x H)

67 x 99 x 30mm

SUPPORTED OS

Windows: Windows 7, Vista, XP, Server 2003 and 2008 (32/64-bit)

Mac: OS X 10.3 - 10.6

SOFTWARE INCLUDED

Device server – Setup, CXPrint, SX Virtual Link

COMPATIBLE WITH

P-215, DR-C120, DR-C125, DR-C130, DR-M140, DR-M160, DR-6010C, DR-6030C, DR-X10C



WHAT'S IN THE BOX

Main Body, Power Supply, CD-ROM (set-up programme and user manual), Setup Instructions

PRODUCT CODE

Name	Mercury Code	EAN Code
Silex SX-DS-4000U2	2298V364	4944406004636

OPTIONS

N/A

EASY SERVICE PLAN

Easy Service Plan available please visit Service and Support Section

CONSUMABLES

Name	Mercury Code	EAN Code
N/A		

Cheque Scanners

Designed specifically for productive desktop or counter-top cheque scanning, we offer two models, delivering unrivalled reliability.



CR-50



CR-190i

Easy-to-use and maintain, these compact and affordable cheque scanners offer outstanding handling accuracy. The top-of-the-range model can operate at up to 190 cheques per minute, faster than any comparable scanner. Its unique all-in-one design maximises efficiency.



CR-50

KEY FEATURES

- Compact and productive cheque scanner with speeds up to 50cpm
- MICR is supported by OCR technology for accurate MICR reading
- Excellent paper feeding and document handling capabilities
- Built-in Imprinter for printing endorsement information
- Advanced processing features with Fine Text Filtering function
- Easy integration with third party software application with SDK

B&W SPEED	COLOUR SPEED	DAILY DUTY CYCLE	AUTOMATIC DOCUMENT FEEDER
50cpm	20cpm	2,500 scans/day	50 sheets

DIMENSIONS (W x D x H)

140 x 223 x 188mm (tray closed)
140 x 367 x 188mm (tray opened)

SOFTWARE INCLUDED

ISIS/TWAIN Drivers, Canon Scanning Utility, Ranger Driver



PACKAGING STYLE	PALLET	BOX DIMENSIONS (W x D x H)	325 x 234 x 333mm
QUANTITY OF ITEM	30	BOX WEIGHT (GROSS)	4.06Kg



WHAT'S IN THE BOX

Main Body, Power Cable 100-120V, AC Adapter 100-240V, USB Cable, Setup CD-ROM, Dial Adjustment Label Sheet, Installation Guide, Operation and Maintenance Guide

PRODUCT CODE		
Name	Mercury Code	EAN Code
CR-50	5367B003	4528472104058

OPTIONS
N/A

EASY SERVICE PLAN
Easy Service Plan available please visit Service and Support Section

CONSUMABLES		
Name	Mercury Code	EAN Code
Ink Cartridge Blue	0401V912	725184505836
Ink Cartridge Red	0404V776	725184302145
Ink Cartridge Green	0404V777	725184505843









CR-190i

KEY FEATURES

- Fast, precise and reliable scanning with advanced technology features
- Ultrasonic Double Feed Detection prevents misreading and omissions
- Ultra-compact design that fits easily on any desktop
- Equipped with built-in jogger that aligns feeder before scanning
- MICR is supported by OCR technology ensuring that data is recorded and transferred accurately
- 4-line built-in imprinter for high-quality bitmap images
- Convenient side opening covers allows for simple maintenance

 B&W SPEED	 COLOUR SPEED	 DAILY DUTY CYCLE	 AUTOMATIC DOCUMENT FEEDER
190cpm	N/A	24,000 scans/day	250 cheques

DIMENSIONS (W x D x H)

476 x 272 x 214mm

SOFTWARE INCLUDED

ISIS/TWAIN Drivers, Canon Scanning Utility for CR-190i, Ranger Driver. Software Development Kit available for unique customisation and integration (refer to www.canon-europe.com/bsdip for more information)



PACKAGING STYLE	PALLET	BOX DIMENSIONS (W x D x H)	497 x 322 x 369mm
QUANTITY OF ITEM	12	BOX WEIGHT (GROSS)	10.9Kg

PRODUCT CODE		
Name	Mercury Code	EAN Code
CR-190i	4605B003	4528472103648

OPTIONS
N/A

EASY SERVICE PLAN
Easy Service Plan available please visit Service and Support Section

CONSUMABLES		
Name	Mercury Code	EAN Code
Exchange Roller Kit	4623B001	4528472103662
Ink Disposal Tank	4623B002	4528472103679
Canon PG-40 Inkjet Cartridge Black	0615B001	
Canon PG-50 Inkjet Cartridge Black	0616B001	



WHAT'S IN THE BOX

Main Body, Power Cable, USB Cable, Setup CD-ROM, Installation Guide (EFIS), Operation and Maintenance Guide (E)



Software, Service & Support

Easy-to-use but powerful software and exceptional support take document management to a new level.



Intelligent Software: Maximum control and productivity. Each of our scanners comes with a collection of software that adds extra features, optimises image quality and makes for easier operation – for maximum productivity.

Canon Software

Capture OnTouch

Offers fast and accurate scanning via a user-friendly interface. Choose from two easy ways to scan. New users can quickly transform paper documents into digital archives that are easy to manage and share. More advanced users can scan and send their documents to multiple destinations, including directly into a document management system or to image editing software. In addition, CaptureOnTouch can easily create searchable PDF files using OCR technology.

Capture OnTouch ^{Lite}

Offers unique portability and convenience while on the move as CaptureOnTouch Lite software is built into the P-215 and P-208 scanners – allowing fast and effortless connectivity without the need to install any drivers or application software.

Capture OnTouch M o b i l e

Increase productivity, reduce costs and improve service levels dramatically with Canon's CaptureOnTouch Mobile, a free application that lets you scan directly to your smart devices.

Save valuable time with features that include double-sided scanning of documents in a single pass. Advanced image processing tools, such as auto document size detection, deskew and blank page deletion, give consistently superior image quality results.

Convenient for wireless scanning around the home, the app supports mobile working and on-demand capture at customer service points. Staff can scan sales orders, multi-page contracts and new customer applications then send them to the cloud or a specific workflow application, for immediate processing and validation.

Download on both Apple and Android platforms.

Capture Perfect

Batch scan documents quickly and easily with this intuitive application that offers multi-window and thumbnail views alongside flexible and powerful batch output options:

- Scan directly to email, PDF, file or presentation at the touch of a button
- Register routine jobs and edit, rearrange or manage files effortlessly
- Obtain precise digital documents every time with a range of features that improve legibility, remove skew and improve the sharpness of images
- Customise functionality quickly and easily with a readily-available SDK
- Supports Kofax VRS

Third Party Software



A powerful, easy-to-use desktop application that creates, edits and converts PDFs enabling collaboration like never before:

- Easy to install and use
- Fast in launch and PDF creation
- Most accurate and versatile document conversion to editable formats
- Complete markup, annotation and editing capabilities
- Form filling and automatic form field recognition
- Full suite of document security and signature tools
- Full featured PDF Print Driver with security, watermarks and compression
- Connectivity to popular ECM and business workflow systems

OmniPage

Convert documents into editable digital content that looks and acts just like an original digital document – complete with columns, colours, pictures and graphics.

Using Optical Character Recognition (OCR) technology, OmniPage takes the documents scanned via your Canon scanner and transforms them into electronic files that can be edited, searched and shared in the format of your choice.

This high-performance imaging software radically enhances the way in which paper and digital documents are processed, archived and shared.

Presto! PageManager

Presto! PageManager – is a simple but powerful filing software for Mac that enables you to store, organise and edit your digital documents.

PaperPort

Take document management to the next level with the easy-to-use but incredibly powerful PaperPort. This software complements your Canon scanners providing fast, easy scanning tools with powerful PDF creation for simplified management of all your documents.

- Easy scanning – scan at the press of a button
- Get the most from your Canon scanners – automatically route scanned documents to individual desktops
- Share information securely – create and combine documents into industry-standard PDF files
- Find anything – search and view PDF files quickly
- Collaborate more efficiently – quickly move or scan files from desktop to document management repositories such as Microsoft® SharePoint®
- Improve business processes – automatically convert forms into fillable PDF forms












Never lose touch with a potentially valuable business contact thanks to the Presto BizCard Reader. It helps you quickly and easily convert the vital contact information on business cards into a searchable, digital database that can be easily synchronised between PCs, notebooks, PDAs and PIMs.



Industry's leading image-processing software, KOFAX Virtual ReScan (VRS) adds image quality assurance. VRS reduces the time involved in manual document preparation and enhances the quality of scanned images. Capturing high-quality images is critical to the rest of the document management process because image quality significantly impacts the success of data extraction, recognition, and retrieval. By improving readability and raising OCR recognition rates, you can reduce re-scans significantly, increase overall productivity and save costs.

Scanner Software Matrix

									
P-208	✓	✓					✓		
P-215	✓	✓			✓		✓	✓	
DR-2020U		✓	✓	✓	✓	✓	✓		
DR-C120		✓	✓	✓	✓	✓	✓		
DR-C125		✓		✓	✓	✓	✓	✓	
DR-C125W		✓		✓	✓	✓	✓	✓	
DR-C130		✓	✓	✓	✓	✓	✓		✓
DR-M140		✓	✓	✓					✓
DR-M160		✓	✓	✓					✓
DR-6010C			✓						✓
DR-6030C			✓						✓
DR-G1100 DR-G1130			✓						✓
DR-X10C			✓						✓ (Optional)

Software Developer Kits



Solutions Integration

Business Solutions Developer Programme

Our Business Solutions Developer Programme (BSDP) is dedicated to giving you quick and easy access to a range of technical information to assist development of applications for our range of business products.

With our strong heritage and expertise in the imaging field, we're able to offer further excellent product integration support through our BSDP.

This programme offers software developers the tools and technical resources necessary to develop solutions for our devices. Some of the benefits include access to command information, **Software Development Kits (SDK)**, technical support and our Third-Party Solutions Catalogue.

ScanFront Network Scanners

SDKs are available to integrators to develop unique scanning capture solutions with the ScanFront Network Scanner. Further information about the SDK is available to integrators through our BSDP.

CaptureOnTouch Plug-in SDKs

SDKs are available for CaptureOnTouch and CaptureOnTouch Lite. They enable ISVs and developers to integrate their software solutions more closely with Canon's scanning hardware and bundled software. They also deliver a more seamless solution to support customers' individual business processes. The SDK for CaptureOnTouch Lite uniquely allows ISVs to develop their own software connectivity directly on the P-215 portable scanner.

CapturePerfect Application Software

CapturePerfect SDK is a practical tool that allows software developers to create tailor-made solutions designed to meet the precise scanning requirements of customers. It is cost-effective, easy-to-use and compatible with all DR scanners. What's more, with a quick development cycle, CapturePerfect SDK provides an exciting opportunity for expanding your business.

Cheque Scanners

SDKs are available for CR-scanners in order to integrate with various kinds of software developed by third-parties.

For more information please visit our BSDP website:

www.canon-europe.com/bsdip

EMC Runtime Controls

Canon provides Runtime controls for EMC Captiva Cloud Toolkit. EMC Captiva Cloud Toolkit is a scanning and imaging SDK that enables Canon to add scanning capability to their web-based line of business applications. The toolkit enables applications to communicate with document scanners that use ISIS or TWAIN drivers. There are no special server requirements, and no ActiveX plug-ins are used.

For more information please visit the EMC website:

www.emc.com/enterprise-content-management/captiva/cloud-toolkit.html

Get more from your investment with Canon's Easy Service Plan

Unrivalled service excellence for installation, training and maintenance when you buy an Easy Service Plan, you are assured premium-quality support and protection for your scanning device.

Delivered only by Canon or one of our accredited service-only partners, our Easy Service Plan offers the excellence and customer focus you would expect from a globally-renowned brand:

- Value for money
- Response times to suit you
- Flexible contracts
- Help when you need it
- Maximum return on investment
- Comprehensive product cover

Our broad range of fast, top performance document scanners combine reliable high quality image input with easy operation and maintenance.

Easy Service Plan Options:

- 3-year Exchange Service – If a fault develops, customers can call our support desk. If the query can't be fixed over the phone, or remotely, we will arrange for a replacement product
- Installation and Training Service – Covering network scanners and up to 60 minutes of user training on the operation of the device, scanning functions and security features
- On-site Next Day Service – In the event of a fault, customers can call the Canon support desk. If the issue can't be resolved over the phone, or remotely, a qualified engineer will be dispatched onsite by the next business day

Find out more about Easy Service Plan now!

For more information please visit:

<http://www.canon-europe.com/easyserviceplan/>



Easy Service Plan Matrix

All Easy Service Plan Packages are subject to availability with your local Canon office.

PACKAGE NAME	TYPE	RANGE	MERCURY CODE	P-208	P-215	DR-2020U	DR-C120	DR-C125	DR-C130	DR-M140	DR-M160	ScanFront 300	ScanFront 300P	DR-6010C	DR-6030C	DR-G1100	DR-G1130	DR-X10C	CR-50	CR-190i
36 month Exchange Service	Physical Pack	Portable Scanners	7950A529	✓	✓															
36 month Exchange Service	Physical Pack	Personal WorkGroup Scanners	7950A530			✓	✓	✓	✓	✓	✓									
36 month Exchange Service	Physical Pack	Network Scanners	7950A531									✓	✓							
One-off Installation and Training	Physical Pack	Network Scanners	7950A547									✓	✓							
36 month Exchange Service	Virtual System	Portable Scanners	267ZZ628	✓	✓															
36 month Exchange Service	Virtual System	Personal WorkGroup Scanners	198ZZ597			✓	✓	✓	✓	✓	✓									
36 month Exchange Service	Virtual System	Network Scanners	198ZZ598									✓	✓							
36 month - On-Site 8 hour Service	Virtual System	Network Scanners	142ZZ976									✓	✓							
48 month - On-Site 8 hour Service	Virtual System	Network Scanners	156ZZ692									✓	✓							
60 month - On-Site 8 hour Service	Virtual System	Network Scanners	156ZZ693									✓	✓							
36 month - On-Site 8 hour Service	Virtual System	Departmental Scanners	070ZZ622											✓						
48 month - On-Site 8 hour Service	Virtual System	Departmental Scanners	156ZZ694											✓						
60 month - On-Site 8 hour Service	Virtual System	Departmental Scanners	156ZZ695											✓						
36 month - On-Site 8 hour Service	Virtual System	Low Volume 50+ ppm	142ZZ977												✓	✓				
48 month - On-Site 8 hour Service	Virtual System	Low Volume 50+ ppm	156ZZ696												✓	✓				
60 month - On-Site 8 hour Service	Virtual System	Low Volume 50+ ppm	156ZZ697												✓	✓				
36 month - On-Site 8 hour Service	Virtual System	Low Volume 70 - 90ppm	070ZZ623														✓			
48 month - On-Site 8 hour Service	Virtual System	Low Volume 70 - 90ppm	156ZZ698														✓			
60 month - On-Site 8 hour Service	Virtual System	Low Volume 70 - 90ppm	156ZZ699														✓			
36 month - On-Site 8 hour Service + Annual PM	Virtual System	Mid Volume Scanners	163ZZ455															✓		
48 month - On-Site 8 hour Service + Annual PM	Virtual System	Mid Volume Scanners	163ZZ456															✓		
60 month - On-Site 8 hour Service + Annual PM	Virtual System	Mid Volume Scanners	163ZZ457															✓		
36 month - On-Site 8 hour Service	Virtual System	Cheque Scanners	142ZZ978																✓	✓
48 month - On-Site 8 hour Service	Virtual System	Cheque Scanners	156ZZ700																✓	✓
60 month - On-Site 8 hour Service	Virtual System	Cheque Scanners	156ZZ701																✓	✓
One-off Installation and Training	Virtual System	Network Scanners	142ZZ979									✓	✓							
One-off Installation Mid Volume	Virtual System	Mid Volume Scanners	163ZZ969															✓		
Installation	Virtual System	Various (Dept/LVP/Cheque)	060ZZ548											✓	✓	✓	✓		✓	✓

Canon Scanner Technology Guide

A simple explanation of the technical terms used in this guide.



Our scanner technology explained:

Built upon a tradition of superior image quality and reliability, Canon imageFORMULA document scanners feature state-of-the-art scanning technology. The following features are available in most Canon imageFORMULA document scanner models.

3-Dimensional Colour Correction

For unprecedented colour reproduction and accuracy, 3-Dimensional Colour Correction faithfully reproduces a document's colour information. The end result is superior colour quality, plus enhanced readability for OCR scanning applications.

ADF

Automatic Document Feeder – allows for fast, unattended scanning of batches of documents.

Automatic Size & Deskew

Wasting time sorting your documents before scanning? Automatic size checks the size of each fed document and ensures properly sized images for each page, and deskew automatically straightens out the scanned image.

Automatic Colour Detection

Allows the scanner to automatically determine which documents of a mixed batch should be saved in colour, based on detected colour content. No need to separate black-and-white and colour documents, file sizes are dramatically reduced as a result.

Automatic Colour Dropout

Red, green or blue can be removed from document images for improved readability in OCR applications and also for reduced file-storage size.

CIS

Contact Image Sensors (CIS) are optical sensors used in document scanners to capture the document image. CIS sensor technology benefits include sharper images and less image distortion, with better text readability for enhanced OCR accuracy.

Colour Enhance

The 3-Dimensional Colour Correction function faithfully reproduces a document's colour information using an incorporated colour conversion chip to pinpoint the exact RGB coordinates in one process.

Daily Duty Cycle

The daily duty cycle is the manufacturer's suggested maximum usage level per day for a scanner. You should choose a scanner with a daily duty cycle that exceeds your current production needs to ensure a longer life for your scanner. You should also ensure you take into account any peak volume periods during the month.

Duplex

Scans both sides of a document in one-pass scanning path operation.

Double Feed Release

This function is useful for users to check if the double feed detected is actually a double feed, or a special document such as an envelope. If a document double feed is detected during scanning, document feeding stops with the double fed document at the paper exit. Then the DFR button illuminates. Also, the Rapid Recovery System screen appears to prompt you to select whether to continue scanning. If pushed, the DFR button saves the displayed image and scans the rest of the document.

Face-up Feeding

Users can scan as you see them. With this capability, DR-C125 scans documents from the top page but reads the image from the bottom by rotating images automatically by 180°, images are presented with proper orientation and order.

Full Auto Mode

Full Auto Mode applies the best settings on each scanned image according to our unique algorithm. The following settings are applied – Auto Colour Detection, Auto Document Size, Auto Resolution, Skip Blank Page, Deskew and Text Orientation.

J-Path

Canon's unique J-path approach to a footprint saving scanner functionality allows vertical in-feed and vertical out-feed functionality on the DR-C125.

Prescan

The option of previewing a scanned document before completing a scan can be helpful to ensure data isn't captured erroneously or duplicated unnecessarily.

Resolution

Image resolution describes the detail an image holds. The term applies equally to digital images, film images, and other types of images. Higher resolution means more image detail but also often means a higher file storage size. The scanning speed of a document scanner will more than likely decrease as you increase the resolution setting.

Separation Re-try

If double feed has occurred, 'Separation Re-try' function returns the document to the document feeder and re-feeds the pages. Even when the double feed occurs, the scanner can solve the problem by itself and resume scanning.

Simplex

Refers to scanning when only capturing one side of the document.

Skip Blank Page

Useful when scanning batches that include single-sided and double-sided documents mixed together, this function automatically removes blank pages from the image data, which leads to smaller file sizes as a result.

Text Enhance

The scanners offer two Text Enhancement scanning modes you can use to get clearer, more legible black and white images from documents with hard-to-scan elements. Each mode should be selected according to document type.

Text Orientation Recognition

Perfect for scanning batches of documents that are facing different directions, this feature recognises the text orientation of each fed document and rotates the scanned images accordingly.

Thin Paper Mode

Feeding speed slows down to transport thin documents gently to prevent any damage (available on DR-M160).

Ultrasonic Double Feed Detection

Ultrasonic sensors detect the gap between overlapping pages and prevent multiple pages from being fed together, ensuring that each page of a document is scanned.

U-turn/Straight Path Feeding

For enhanced efficiency and flexible scanning of a range of documents, including plastic cards and thick documents, certain scanner models feature a straight paper path in addition to the standard U-turn path.

Product & Consumables Information

At-a-glance view of our versatile range of high-performance, user-friendly document scanners and associated consumables.



	PERSONAL		
	P-208	P-215	DR-2020U
Mercury Codes	6907B003	5608B003	3923B003
EAN Codes	4528472105390	4528472104218	4528472102900
Size/Scanner Type	A4 Portable Scanner with ADF	A4 Portable Scanner with ADF	A4 Desktop Scanner with ADF & Flatbed
Document Reading Sensor	CMOS CIS 2-Line Sensor	CMOS CIS 1-Line Sensor	2 CCD Sensor
Optical Resolution	600dpi	600dpi	1,200dpi
Light Source	RGB LED	RGB LED	CCFL (Cold Cathode Fluorescent Lamp)
Interface	High Speed USB 2.0	High Speed USB 3.0, 2.0	High Speed USB 2.0
Dimensions (W x D x H) mm Tray Closed Tray Opened	312.5 x 55.5 x 40 312.5 x 76.5 x 40	285 x 95 x 40 285 x 257 x 202	440 x 400 x 180
Weight	600g	1.0Kg	7.8Kg
Power Requirements	Supply from USB (500mA)	USB 2.0 - 0.5A (1.0A in combination with power supply USB cable) USB 3.0 - 0.9A Optional AC Adapter - DC6V, 0.8A	Power Adapter AC100-240V (50/60Hz)
Power Consumption	Scanning: 2.5W Sleep Mode: 1.5W Power Turned Off: 0.5W	Scanning: USB Cable 3.0: 4.5W USB Cable 2.0: 5.0W (2x Cables) Sleep Mode: 1.5W Power Turned Off: 0.1W	Scanning: 33W Sleep Mode: 3.7W Power Turned Off: <0.5W
Operating Environment	10 - 32.5°C (50-90.5°F) Humidity 20 - 80% RH	10 - 32.5°C (50 - 90.5°F) Humidity 20 - 80% RH	10 - 32.5°C (50 - 90.5°F) Humidity 20 - 80% RH
Environmental Compliance	RoHS and Energy Star	RoHS and Energy Star	RoHS and Energy Star
READING SPEED (A4, 200dpi, Portrait)*			
B&W Colour	8ppm/16ipm 8ppm/16ipm	15ppm (Simplex)/30ipm (Duplex) 10ppm/20ipm	20ppm/40ipm 20ppm/20ipm
DOCUMENT SPECIFICATIONS			
Width	50.8 - 216mm	50.8 - 216mm	139.7 - 216mm (297mm - Flatbed)
Length	70 - 356mm	70 - 356mm	100 - 355.6mm (216mm - Flatbed)
Thickness	ADF: 52 - 209g/m ²	ADF: 52 - 128g/m ²	ADF: 50 - 128g/m ² Business Card Feeding: 128 - 300g/m ²
Feeder Capacity	10 sheets (64g/m ²)	20 sheets (64g/m ²)	50 sheets (80g/m ²)
OUTPUT			
Output Resolution	150dpi, 200dpi, 300dpi, 400dpi, 600dpi	150dpi, 200dpi, 300dpi, 400dpi, 600dpi	150dpi, 200dpi, 240dpi, 300dpi, 400dpi, 600dpi
Output Modes	B&W, Advanced Text Enhancement II, 256-Level Greyscale, 24-bit Colour	B&W, Error Diffusion, Advanced Text Enhancement II, 256-Level Greyscale, 24-bit Colour, Auto Colour Detection	B&W, Error Diffusion, Advanced Text Enhancement, Advanced Text Enhancement II, 256-Level Greyscale (8-bit), 24-bit Colour
IMAGE PROCESSING FEATURES			
Auto Page Size Detection, Deskew, Skip Blank Page, Text Orientation Recognition, Pre-Scan, Image Rotation, Scan Area Settings, Colour Drop Out/ Enhancement	✓	✓	✓
Auto Colour Detection	✓	✓	✓
DOUBLE FEED DETECTION FEATURE			
By Length	✓	✓	✓
SUGGESTED DAILY DUTY CYCLE			
(Scans/day)	100	500	1,000

* Actual scanning speed may vary depending on your system configuration and PC specification. Some images are simulated for clarity of reproduction. All data is based on Canon's standard testing methods. This guide and the specifications of the product have been developed prior to the date of product launch. Final specifications are subject to change without notice.

	DESKTOP WORKGROUP				
	DR-C125	DR-C125W	DR-C120	DR-C130	DR-M140
Mercury Codes	5005B003	6906B003	8548B003	6583B003	5482B003
EAN Codes	4528472104157	4528472105215	4528472105437	4528472104621	4528472104430
Size/Scanner Type	A4 Desktop Scanner with ADF	A4 Desktop Scanner with ADF	A4 Desktop Scanner with ADF		A4 Desktop Scanner with ADF
Document Reading Sensor	CMOS CIS 1-Line Sensor	CMOS CIS 1-Line Sensor	CMOS CIS 1-Line Sensor		CMOS CIS 1-Line Sensor
Optical Resolution	600dpi	600dpi	600dpi		600dpi
Light Source	RGB LED	RGB LED	RGB LED		RGB LED
Interface	High Speed USB 2.0	High Speed USB 2.0/ IEEE802.11 b/g/n	High Speed USB 2.0		High Speed USB 2.0
Dimensions (W x D x H) mm					
Tray Closed	300 x 156 x 217	300 x 156 x 217	298 x 160 x 160		313 x 181 x 93
Tray Opened	300 x 235 x 336	300 x 235 x 336	298 x 490 x 245		313 x 288 x 93
Weight	2.6Kg	2.6Kg	1.8Kg		2.6Kg
Power Requirements	Power Adapter AC100-240V (50/60Hz)	Power Adapter AC100-240V (50/60Hz)	Power Adapter AC100-240V (50/60Hz)		Power Adapter AC100-240V (50/60Hz)
Power Consumption	Scanning: 12.8W or less Sleep Mode: 1.9W or less Power Turned Off: <0.5W	Scanning: 15.1W Sleep Mode: 4.1W Power Turned Off: 0.3W	Scanning: 11.5W Sleep Mode: 1.6W Power Turned Off: 0.3W	Scanning: 16W Sleep Mode: 1.8W Power Turned Off: 0.3W	Scanning: 25W Sleep Mode: 1.9W Power Turned Off: <0.5W
Operating Environment	10 - 32.5°C (50 - 90.5°F) Humidity 20 - 80% RH	10 - 32.5°C (50-90.5°F) Humidity 20 - 80% RH	10 - 32.5°C (50-90.5°F) Humidity 20 - 80% RH		10 - 32.5°C (50 - 90.5°F) Humidity 20 - 80% RH
Environmental Compliance	RoHS and Energy Star	RoHS and Energy Star	RoHS and Energy Star		RoHS and Energy Star
READING SPEED (A4, 200dpi, Portrait)*					
B&W	25ppm/50ipm	22ppm/31ipm**	20ppm/40ipm	30ppm/60ipm	40ppm/80ipm
Colour	25ppm/50ipm	10ppm/10ipm**	20ppm/40ipm	30ppm/60ipm	40ppm/80ipm
DOCUMENT SPECIFICATIONS					
Width	50.8 - 216mm	50.8 - 216mm	50.8 - 216mm		50.8 - 216mm
Length	70 - 356mm at J-path	70 - 356mm at J-path	53.6 - 355.6mm		54 - 356mm
Long Document Scanning	✓ (up to 3,000mm max.)	✓ (up to 3,000mm max.)	✓ (up to 3,000mm max.)		✓ (up to 3,000mm max.)
Thickness	J-turn: 52 - 128g/m ² Straight through: 40 - 209g/m ²	J-turn: 52 - 128g/m ² Straight through: 40 - 209g/m ²	52 - 128g/m ² (0.06 - 0.15mm)		Auto Feeding: 27 - 128g/m ² (U-turn), 27 - 255g/m ² (Straight through)
Feeder Capacity	30 sheets (80g/m ²)	30 sheets (80g/m ²)	50 sheets (80g/m ²)		50 sheets (80g/m ²)
OUTPUT					
Output Resolution	150dpi, 200dpi, 300dpi, 400dpi, 600dpi	150dpi, 200dpi, 300dpi, 400dpi, 600dpi	150dpi, 200dpi, 300dpi, 400dpi, 600dpi		150dpi, 200dpi, 240dpi, 300dpi, 400dpi, 600dpi
Output Modes	B&W, Error Diffusion, Advanced Text Enhancement, Advanced Text Enhancement II (Advanced Text Enhancement not available with Mac Driver), 256-Level Greyscale, 24-bit Colour, Auto Colour Detection	B&W, Error Diffusion, Advanced Text Enhancement, Advanced Text Enhancement II (Advanced Text Enhancement not available with Mac Driver), 256-Level Greyscale, 24-bit Colour, Auto Colour Detection	B&W, Error Diffusion, Advanced Text Enhancement, Advanced Text Enhancement II, 8-bit Greyscale (256-Level), 24-bit Colour, Auto Colour Detection		B&W, Error Diffusion, Advanced Text Enhancement, Advanced Text Enhancement II, 256-Level Greyscale, 24-bit Colour, Auto Colour Detection
IMAGE PROCESSING FEATURES					
Auto Page Size Detection, Des skew, Skip Blank Page, Text Orientation Recognition, Pre-Scan, Image Rotation, Scan Area Settings, Colour Drop Out/Enhancement	✓	✓	✓		✓
Auto Colour Detection	✓	✓	✓		✓
MultiStream	✓	✓	✓		✓
Folio Scanning	✓	✓	✓		✓
Patch Code/Control Sheet					✓
Barcode Decoder					✓ (With optional Barcode Module)
DOUBLE FEED DETECTION FEATURE					
By Length	✓	✓	✓		✓
By Ultrasonic Sensors	✓	✓	✓		✓
SUGGESTED DAILY DUTY CYCLE					
(Scans/day)	1,500	1,500	1,500	2,000	6,000

* Actual scanning speed may vary depending on your system configuration and PC specification. Some images are simulated for clarity of reproduction. All data is based on Canon's standard testing methods. This guide and the specifications of the product have been developed prior to the date of product launch. Final specifications are subject to change without notice.

** Scanning speeds in Access Point Mode, Scanning speeds may vary.

	NETWORK			
	ScanFront 300	ScanFront 300P	ScanFront 300e	ScanFront 300eP
Mercury Codes	4574B003	4575B003	6586B002	6587B002
EAN Codes	4528472103563	4528472103600	4528472104898	4528472104782
Size/Scanner Type	A4 Network Scanner with ADF		A4 Network Scanner with ADF (eCopy Embedded)	
Document Reading Sensor	CMOS CIS 1-Line Sensor		CMOS 1-Line Sensor	
Optical Resolution	600dpi		600dpi	
Light Source	RGB LED		RGB LED	
Interface	LAN 10BaseT/100Base TX Connector USB 2.0 x 4 (for USB Memory, USB Keyboard, USB Mouse)		High Speed USB 2.0 x 4 LAN 10BaseT/100BaseTX Connector	
Dimensions (W x D x H) mm				
Tray Closed	310 x 161 x 215		310 x 161 x 220	
Tray Opened	310 x 297 x 565		310 x 298 x 571	
Weight	3.5Kg		3.6Kg	
Power Requirements	Power Adapter AC100-240V (50/60Hz)		AC200-240V (50/60Hz)	
Power Consumption	Scanning: <26W Display Off Mode: <10W Power Turned Off: <1W		Scanning: <29W Display Off Mode: <10W Power Turned Off: <1W	
Operating Environment	10 - 32.5°C (50 - 90.5°F) Humidity 20 - 80% RH		10 - 32.5°C (50-90.5°F) Humidity 20 - 80%RH	
Environmental Compliance	RoHS and Energy Star			
READING SPEED (A4, 200dpi, Portrait)*				
B&W	30ppm/60ipm	30ppm/60ipm	26ppm/40ipm	24ppm/47ipm
Colour	25ppm/25ipm	25ppm/40ipm	18ppm/17ipm	22ppm/26ipm
DOCUMENT SPECIFICATIONS				
Width	50 - 216mm		50.8 - 216mm	
Length	70 - 256mm		53.9 - 355.6mm	
Long Document Scanning	✓ (up to 1,000mm max.)		✓ (up to 355.6mm)	
Thickness	Auto Feeding: 52 - 209g/m ² Bypass Feeding: 40 - 209g/m ²		Automatic Feeding: 52 - 209g/m ² Bypass Feeding: 40 - 209g/m ²	
Feeder Capacity	50 sheets (80g/m ²)		50 sheets (80g/m ²)	
OUTPUT				
Output Resolution	100dpi, 150dpi, 200dpi, 300dpi, 400dpi, 600dpi		100dpi, 150dpi, 200dpi, 300dpi, 400dpi, 600dpi	
Output Modes	B&W, Error Diffusion, Advanced Text Enhancement II, 256-Level Greyscale, 24-bit Colour, Auto Colour Detection		B&W, Error Diffusion, Advanced Text Enhancement, 256-Level Greyscale (8-bit), 24-bit Colour	
IMAGE PROCESSING FEATURES				
Auto Page Size Detection, Deskew, Skip Blank Page, Pre-Scan, Image Rotation, Scan Area Settings, Colour Drop Out/Enhancement	✓		✓	
Auto Colour Detection	✓			
Text Orientation Recognition	✓		✓	
Folio Scanning	✓			
Customised File Naming/Index File Sending	✓		✓	
Fingerprint Authentication			✓	
SCAN FUNCTIONS				
Scan to Folder	✓		✓	
Scan to Email	✓		✓	
Scan to FTP	✓		✓	
Scan to Fax (Server)	✓ (Via extended service)		✓	
Scan to Print	✓		✓	
Scan to USB Memory	✓			
Scan to Database (SQL, Access, Oracle)			✓	
Scan to SharePoint, Worksite, Documentum, Open Text, RightFax			✓ (Via optional connectors)	
DOUBLE FEED DETECTION FEATURE				
By Ultrasonic Sensors			✓	
SUGGESTED DAILY DUTY CYCLE				
(Scans/day)	3,000		3,000	

* Actual scanning speed may vary depending on your system configuration and PC specification. Some images are simulated for clarity of reproduction. All data is based on Canon's standard testing methods. This guide and the specifications of the product have been developed prior to the date of product launch. Final specifications are subject to change without notice. For more information about available ShareScan connectors and Partner developed connectors please contact the local Canon or Nuance website.

	DEPARTMENTAL	
	DR-M160	DR-6010C
Mercury Codes	5483B003	3801B003
EAN Codes	4528472104348	4528472102986
Size/Scanner Type	A4 Desktop Scanner with ADF	A4 Desktop Scanner with ADF
Document Reading Sensor	CMOS CIS 1-Line Sensor	CMOS CIS 3-Line Sensor
Optical Resolution	600dpi	600dpi
Light Source	RGB LED	RGB LED
Interface	High Speed USB 2.0	High Speed USB 2.0 SCSI-III
Dimensions (W x D x H) mm		
Tray Closed	280 x 172 x 178	318 x 278 x 185.5
Tray Opened	280 x 606 x 366.4	318 x 545 x 187 at U-turn
Weight	3.2Kg	6.5Kg
Power Requirements	AC100 - 240V (50/60Hz)	AC220 - 240V (50/60Hz)
Power Consumption	Scanning: 2.7W or less Sleep Mode: 1.8W or less Power Turned Off: <0.5W	Scanning: 30W Sleep Mode: <3W
Operating Environment	10 - 32.5°C (50 - 90.5°F), Humidity 20 - 80% RH	10 - 32.5°C (50 - 90.5°F) Humidity 20 - 80% RH
Environmental Compliance	RoHS and Energy Star	RoHS and Energy Star
READING SPEED (A4, 200dpi, Portrait)*		
B&W	60ppm/120ipm	60ppm/120ipm
Colour	60ppm/120ipm	60ppm/120ipm
DOCUMENT SPECIFICATIONS		
Width	54.0 - 216mm	53 - 219mm
Length	50.8 - 356mm	70 - 356mm
Long Document Scanning	✓ (up to 3,000mm max.)	✓ (up to 3,000mm max.)
Thickness	27 - 209g/m ² (0.04 - 0.25mm)	Auto Feeding: 52 - 128g/m ² (U-turn & Straight-path) Bypass Feeding: 52 - 157g/m ² (U-turn), 52 - 546g/m ²
Feeder Capacity	60 sheets (80g/m ²)	100 sheets (80g/m ²)
OUTPUT		
Output Resolution	150dpi, 200dpi, 300dpi, 400dpi, 600dpi	100dpi, 150dpi, 200dpi, 240dpi, 300dpi, 400dpi, 600dpi
Output Modes	B&W, Error Diffusion, Advanced Text Enhancement, Advanced Text Enhancement II, 256-Level Greyscale, 24-bit Colour, Auto Colour Detection	B&W, Error Diffusion, Advanced Text Enhancement, Advanced Text Enhancement II, High Speed Text Enhancement, 256-Level Greyscale, 24-bit Colour, Auto Colour Detection
IMAGE PROCESSING FEATURES		
Standard		
Auto Page Size Detection, Deskew, Skip Blank Page, Text Orientation Recognition, Pre-Scan, Image Rotation, Scan Area Settings, Colour Drop Out/Enhancement	✓	✓
Special Features		
Auto Colour Detection	✓	✓
Punch Hole Removal, Border Removal (Select Background)	✓	✓
Folio Scanning	✓	✓
MultiStream	✓	✓
Patch Code/Control Sheet	✓	✓ (By driver)
Barcode Decoder	✓ (With optional Barcode Module)	✓ (With optional Barcode Module)
DOUBLE FEED DETECTION FEATURE		
By Length	✓	✓
By Ultrasonic Sensors	✓	✓
SUGGESTED DAILY DUTY CYCLE		
(Scans/day)	7,000	7,500

* Actual scanning speed may vary depending on your system configuration and PC specification. Some images are simulated for clarity of reproduction. All data is based on Canon's standard testing methods. This guide and the specifications of the product have been developed prior to the date of product launch. Final specifications are subject to change without notice.

	PRODUCTION			
	DR-6030C	DR-G1100	DR-G1130	DR-X10C
Mercury Codes	4624B003	8074B003	8073B003	2417B003
EAN Codes	4528472103709	4528472105291	4528472105239	4528472102009
Size/Scanner Type	A3 Desktop Scanner with ADF	A3 Desktop Scanner with ADF		A3 Desktop Scanner with ADF
Document Reading Sensor	CMOS CIS 3-Line Sensor	CMOS CIS 3-Line Sensor		CMOS CIS 3-Line Sensor
Optical Resolution	600dpi	600dpi		600dpi
Light Source	RGB LED	RGB LED		RGB LED
Interface	High Speed USB 2.0 SCSI-III	High Speed USB 2.0		High Speed USB 2.0 SCSI-III Optional Kofax VRS Professional CGA Card
Dimensions (W x D x H) mm				
Tray Closed	398 x 312 x 191	480 x 535 x 315		528 x 563 x 375
Tray Opened	398 x 668 x 194 at U-turn	480 x 723 x 390		528 x 861 x 432
Weight	10.5Kg	22.8Kg		39Kg
Power Requirements	AC220 - 240V (50/60Hz)	Power Adapter: AC220 - 240V (50/60Hz)		AC220 - 240V (50/60Hz)
Power Consumption	Scanning: 46.5W Energy Saving Mode: 3.7W	Scanning: 94.3W, Sleep Mode: 1.7W Power Turned Off: 0.3W		Scanning: 125W, Sleep Mode: 4.2W Power Turned Off: 0W
Operating Environment	10 - 32.5°C (50 - 90.5°F) Humidity 20 - 80% RH	10 - 32.5°C (50 - 90.5°F) Humidity 20 - 80% RH		10 - 32.5°C (50 - 90.5°F) Humidity 20 - 80% RH
Environmental Compliance	RoHS and Energy Star	RoHS and Energy Star		RoHS and Energy Star
READING SPEED (A4, 200dpi, Portrait)*				
B&W	60ppm/120ipm	100ppm/200ipm	130ppm/260ipm	100ppm/200ipm
Colour	60ppm/120ipm	100ppm/200ipm	130ppm/200ipm	100ppm/200ipm
DOCUMENT SPECIFICATIONS				
Width	53 - 300mm	50.8 - 305mm		50.8 - 305mm
Length	70 - 432mm	70 - 432mm		70 - 432mm
Long Document Scanning	✓ (up to 3,000mm max.)	✓ (up to 3,000mm max.)		✓ (up to 3,000mm max.)
Thickness	Auto Feeding: 52 - 128g/m ² (U-turn & Straight-path), Bypass Feeding: 42 - 157g/m ² (U-turn), 42 - 546g/m ² (Straight-path)	Continuous Mode: 20 - 209g/m ² Non-Separation Mode: 20 - 255g/m ²		Auto Feeding: 52 - 123g/m ² Bypass Feeding: 42 - 255g/m ²
Feeder Capacity	100 sheets (80g/m ²)	500 sheets (80g/m ²)		500 sheets (80g/m ²)
OUTPUT				
Output Resolution	100dpi, 150dpi, 200dpi, 240dpi, 300dpi, 400dpi, 600dpi	150dpi, 200dpi, 240dpi, 300dpi, 400dpi, 600dpi		100dpi, 150dpi, 200dpi, 240dpi, 300dpi, 400dpi, 600dpi
Output Modes	B&W, Error Diffusion, Advanced Text Enhancement, Advanced Text Enhancement II, High-Speed Text Enhancement, 256-Level Greyscale, 24-bit Colour, Auto Colour Detection	B&W, Error Diffusion, Advanced Text Enhancement, Advanced Text Enhancement II, 256-Level Greyscale, 24-bit Colour, Auto Colour Detection		B&W, Error Diffusion, Advanced Text Enhancement, Advanced Text Enhancement II, 256-Level Greyscale, 24-bit Colour, Auto Colour Detection
IMAGE PROCESSING FEATURES				
Standard				
Standard Auto Page Size Detection, Deskew, Skip Blank Page, Text Orientation Recognition, Pre-Scan, Image Rotation, Scan Area Settings, Colour Drop Out/Enhancement	✓		✓	✓
Special Features				
Auto Colour Detection	✓		✓	✓
Punch Hole Removal, Border Removal (Select Background)	✓		✓	✓ (When black background roller selected only)
Folio Scanning			✓	✓
MultiStream	✓		✓	✓
Patch Code/Control Sheet	✓ (By driver)		✓ (Yes, patch code accessory required)	✓ (Yes, patch code accessory required)
Barcode Decoder	✓ (With optional Barcode Module)		✓ (With optional Barcode Module)	✓ (With optional Barcode Module)
Staple Detection			✓	✓
Dedicated Image Sensor			✓	✓
Active Separation Torque Control			✓	✓
Double Feed Re-Try Mechanism			✓	✓
Selectable Background (physical)				✓
DOUBLE FEED DETECTION FEATURE				
By Length	✓		✓	✓
By Ultrasonic Sensors	✓		✓	✓
SUGGESTED DAILY DUTY CYCLE				
(Scans/day)	10,000	25,000	30,000	60,000

* Actual scanning speed may vary depending on your system configuration and PC specification. Some images are simulated for clarity of reproduction. All data is based on Canon's standard testing methods. This guide and the specifications of the product have been developed prior to the date of product launch. Final specifications are subject to change without notice.

	OPTIONAL FLATBED	
	A4 Flatbed 101	A3 Flatbed 201
Mercury Codes	4101B003	6240B003
EAN Codes	4528472103266	4528472105024
Size/Scanner Type	Desktop A4 Flatbed Scanner Option	A3 Flatbed Scanner Option
Document Reading Sensor	CCD Sensor	CCD Sensor
Optical Resolution	1,200dpi	600dpi
Light Source	RGB LED	RGB LED
Interface	High Speed USB 2.0 (Type A x 1, Type B x 1)	High Speed USB 2.0
Dimensions (W x D x H) mm	290 x 513 x 88.5	571 x 436 x 96
Weight	3.5Kg	8.5Kg
Power Requirements	DC 24V, 2.2A	AC100 - 240V (50/60Hz)
Power Consumption	Scanning: 15.2W Sleep Mode: 5.1W Power Turned Off: <0.5W	Scanning: 21W or less Sleep Mode: 3.1W or less Power Turned Off: <0.3W
Operating Environment	10 - 32.5°C (50 - 90.5°F), Humidity: 20 - 80% RH	10 - 32.5°C (50 - 90.5°F), Humidity: 20 - 80% RH
Environmental Compliance	RoHS and Energy Star	RoHS and Energy Star
READING SPEED (A4, 200dpi, Portrait)*		
B&W	3 seconds per page	3 seconds per page
Colour	3 seconds per page	3.5 seconds per page
DOCUMENT SPECIFICATIONS		
Width	Up to 215.9mm (up to Legal)	297.4mm
Length	Up to 355.6mm (up to Legal)	431.8mm
OUTPUT		
Output Resolution	100dpi, 150dpi, 200dpi, 240dpi, 300dpi, 400dpi, 600dpi, 1,200dpi	100dpi, 150dpi, 200dpi, 240dpi, 300dpi, 400dpi, 600dpi
Output Modes	B&W, Error Diffusion, Advanced Text Enhancement II, 256-Level Greyscale (8-bit), 24-bit Colour, Auto Colour Detection	B&W, Error Diffusion, Advanced Text Enhancement II, 256-Level Greyscale (8-bit), 24-bit Colour, Auto Colour Detection
PRODUCT FEATURES		
	Size Detection Area, Ambient Light Cancelling Mode (Inherits image processing function from connected DR-series scanners)	Automatic Page Size Detection, Deskew, Ambient Light Cancelling Mode, Scan Area Setting, Scanning Side, Contrast Arrangement Automatic Resolution Setting. (Inherits image processing function from connected DR-series scanners)
COMPATIBILITY		
	DR-C120, DR-C125, DR-C130, DR-M140, DR-M160, DR-6010C, DR-6030C, DR-G1100/DR-G1130	DR-M160, DR-6030C, DR-G1100/DR-G1130, DR-X10C

	CHEQUE	
	CR-50	CR-190i
Mercury Codes	5367B003	4605B003
EAN Codes	4528472104058	4528472103648
Document Size	Cheque	Cheque
Document Reading Sensor	CMOS CIS Line Sensor	CMOS CIS Line Sensor
Optical Resolution	600dpi	1,200dpi
Light Source	RGB LED	RGB LED
Interface	High Speed USB 2.0	High Speed USB 2.0
Dimensions (W x D x H) mm		
Tray Closed	140 x 223 x 188	476 x 272 x 214
Tray Opened	-	-
Weight	2Kg	8.4Kg
Power Requirements	AC220 - 240V (50/60Hz)	AC220 - 240V (50/60Hz)
Power Consumption	Scanning: 21W Standby: < 4W	Scanning: 52.8W Sleep Mode: < 4.7W
Operating Environment	10 - 32.5°C (50 - 90.5°F) Humidity 20 - 80% RH	10 - 32.5°C (50 - 90.5°F) Humidity 20 - 80% RH
Environmental Compliance	RoHS and Energy Star	RoHS and Energy Star
READING SPEED (A4, 200dpi, Portrait)*		
B&W	50cpm	190cpm
Colour	20cpm	n/a
DOCUMENT SPECIFICATIONS		
Width	54 - 108mm	68 - 108mm
Length	95 - 228mm	120 - 245mm
Thickness	Automatic feeding: 60 - 120g/m ²	Automatic feeding: 64 - 157g/m ²
Feeder Capacity	50 sheets	250 sheets
Sorting Pockets	1 Output Pocket (50 sheets x 1)	3 Output Pockets (200 sheets x 2, 50 sheets x 1)
OUTPUT		
Output Resolution	100dpi, 200dpi, 300dpi	100dpi, 120dpi, 150dpi, 200dpi, 240dpi, 300dpi
Output Modes	B&W, Error Diffusion, Fine Text Filtering, 4/8-bit Greyscale, 24-bit Colour	B&W, Error Diffusion, Fine Text Filtering, 4/8-bit Greyscale, 24-bit Colour
IMAGE PROCESSING FEATURES		
	Auto Page Size Detection, Deskew, Border Removal, Edge Emphasis, Add-on Function, Image Quality Assurance (via SDK), Logging Tool	Auto Page Size Detection, Deskew, Border Removal, Edge Emphasis, Add-on Function, Image Quality Assurance (via SDK), Logging Tool
DOUBLE FEED DETECTION FEATURE		
	Infrared Double Feed Detection	Ultrasonic Double Feed Detection
SUGGESTED DAILY DUTY CYCLE		
(Scans/day)	2,500	24,000

* Actual scanning speed may vary depending on your system configuration and PC specification. Some images are simulated for clarity of reproduction. All data is based on Canon's standard testing methods. This guide and the specifications of the product have been developed prior to the date of product launch. Final specifications are subject to change without notice.

PRODUCTS	ITEM	OTHER DETAILS	RECOMMENDED EXCHANGE CYCLE	MERCURY CODE	EAN CODE
FEED ROLLER CONSUMABLES					
P-208	Separation Pad for P-208			8028B001	4528472104966
P-215	Separation Pad for P-215		10,000 scans	6144B001	4528472104386
	Feed Roller for P-215		100,000 scans	6144B002	4528472104393
DR-2020U	Roller Unit		50,000 scans	4048B001	4528472103082
	Separation Pad		50,000 scans	4048B002	4528472103099
DR-C125/DR-C125W	Exchange Roller Kit		100,000 scans	5484B001	4528472104263
DR-C120/DR-C130	Exchange Roller Kit		100,000 scans	6759B001	4528472104812
DR-M140	Exchange Roller Kit	Roller Unit x 1 Retard Roller x 1	200,000 scans	5972B001	4528472104331
ScanFront 300/P ScanFront 300e/eP	Exchange Roller Kit	Retard Roller x 1 Feed Roller x 1	100,000 scans	4593B004	4528472104836
DR-M160	Exchange Roller Kit		200,000 scans	5607B001	4528472104294
DR-6010C	Exchange Roller Kit	Pick roller unit x 1 Separation roller unit x 1	250,000 scans	4082B004	4528472103785
DR-6030C	Exchange Roller Kit	Pickup Roller x 1 Feed Roller x 1 Retard Roller x 1	250,000 scans	0434B002	4528472101163
DR-G1100/DR-G1130	Exchange Roller Kit	Pickup Roller x 1 Feed Roller x 1 Retard Roller x 1	450,000 scans	8262B001	4528472105345
DR-X10C	Exchange Roller Kit	Pick roller unit x 1 Separation roller unit x 1 Feed roller unit x 1	500,000 scans	2418B001	4528472101941
CR-190i	Exchange Roller Kit	Pick roller unit x 1 Separation roller unit x 1 Feed roller unit x 1	1,000,000 scans	4623B001	4528472103662
PRINT CONSUMABLES					
DR-G1100 DR-G1130 DR-X10C CR-50 CR-190i	Ink Cartridge Blue		Every 1,750,000 characters in narrow font	0401V912	725184505836
	Ink Cartridge Green			0404V777	725184505843
	Ink Cartridge Red			0404V776	725184302145
	CR-190i	Ink Disposal Tank		4623B002	4528472103679

We are committed to innovation throughout the document lifecycle, with a comprehensive range of smart scanners that have a number of unique features. These are designed to provide high quality, fast image scanning that delivers exceptional productivity.

Our commitment to quality is part of our business philosophy, called Kyosei. This is a way of thinking and acting that demonstrates the importance of working together to achieve the common good. With our partners we help deliver the same exceptional value to our customers.

We take the same approach in our responsibility to the environment. We have been pioneering cartridge recycling since 1990 and through our environmental innovations, 30% of our product housings are made with recycled plastic.



imageFORMULA



Some images are simulated for clarity of reproduction. All data is based on Canon's standard testing methods. Specifications are subject to change without notice.

Canon Electronics Inc

canon.com

Canon Europe

canon-europe.com

English Edition

© Canon Europa N.V. 2013

Canon Europe Ltd

3 The Square
Stockley Park
Uxbridge
Middlesex
UB11 1ET
United Kingdom