



# ALLP LINE

1 8 | 1 9

FISCHERSPORTS.COM

RANGER FREE

# CREATE YOUR OWN ADVENTURE.





## RANGER FREE

Imagine enjoying any terrain, in any condition, all in the same high performance boot. One day it's fast frontside laps, the next it's knee-deep backside powder, followed by an untracked backcountry tour.

All this is made possible with the Ranger Free, an ultralight freeride boot which provides stability and performance on groomed runs, and remarkable walkability when you need to get a move on!

Set the integrated Walk Ski lever to Ski mode and Ranger Free is ready to compete with even the highest performance alpine boots. The sleek, contoured 99mm last and carbon-reinforced Grilamid shell guarantee a secure fit and maximum stability at any speed.

When the backcountry beckons, the Ranger Free's 55 degrees of cuff rotation makes long, arduous climbs feel like a casual stroll. Switch the integrated lever to Walk mode for superb range of motion when hiking, skinning or simply walking across the parking lot.

The walkability of Grip Walk soles paired with the traction of Vibram® provides confidence when traversing exposed rock and ice or treacherous parking lots.

Every component of the Ranger Free has been scrutinized and trimmed down to reach an impressively light 1540 grams. The reduced weight saves valuable energy on uphill tours and provides effortless agility on snow when quick decisions are necessary. Even the 3-D preformed Active Fit Zone liner is as minimalistic as possible, yet still supportive and comfortable, and can be thermoshaped to the skier's foot for a perfect fit.

No two days in the mountains are exactly the same; conditions will always vary. The ultralight feel, the excellent all-around performance, and the unparalleled walkability make the Ranger Free the ideal boot for passionate skiers who truly want it all.



RANGER



SKI/WALK  
MECHANISM

WEIGHT  
1540G

GRILAMID  
PERFORMANCE  
SHELL

VIBRAM®  
GRIP WALK

DYNAFIT  
INSERT





## RANGER FREE 130

### CUSTOMER BENEFIT

- Alpine downhill performance at ultralight weight
- Integrated ski/walk and Vibram® GripWalk Sole
- 3-D preshaped liner and compact padding comfort

Article No. U17018  
 Color black/black  
 Sizes 25,5 / 26,5 ... 30,5  
 Weight 1540g/26,5

### BOOT LINER

Motion Support  
 3D Pre Shaped  
 Membrane Layer

### SHELL

SOMA-TEC  
 Hike Lock Mode  
 Grip Walk Sole  
 Grilamid Shell & Cuff  
 Velcro Spoiler  
 Original Dynafit Inserts  
 Vibram® Sole  
 Grindable Bootboard  
 Size Support

### BUCKLES/VELCRO

Ranger Free  
 Ranger Free 50mm

### FLEX INDEX

130

### LAST

99mm

## RANGER FREE 120

### CUSTOMER BENEFIT

- Alpine downhill performance at ultralight weight
- Integrated ski/walk and Vibram® GripWalk Sole
- 3-D preshaped liner and compact padding comfort

Article No. U17118  
 Color petrol/black  
 Sizes 25,5 / 26,5 ... 30,5  
 Weight 1580g/26,5

### BOOT LINER

Motion Support  
 Phatt Maxx Ranger  
 3D Pre Shaped  
 Lycra Lining

### SHELL

SOMA-TEC  
 Hike Lock Mode  
 Grip Walk Sole  
 Grilamid Shell & Cuff  
 Velcro Spoiler  
 Vibram® Gripwalk Sole  
 Grindable Bootboard  
 Size Support

### BUCKLES/VELCRO

Ranger Free  
 Ranger Free 50mm

### FLEX INDEX

120

### LAST

99mm



## RANGER FREE 100

### CUSTOMER BENEFIT

- Integrated ski/walk with optional GripWalk Sole
- Lycra comfort lining for easy step-in
- High density shell for lightweight downhill stability

Article No. U17318  
 Color grey/black  
 Sizes 22,5 / 23,5 ... 30,5  
 Weight 1690g/26,5

### BOOT LINER

Motion Support  
 3D Pre Shaped  
 Lycra Lining

### SHELL

Grip Walk Sole  
 SOMA-TEC  
 Hike Lock Mode  
 Grindable Bootboard  
 Size Support

### BUCKLES/VELCRO

Ranger Free black  
 Ranger Free 25mm

### FLEX INDEX

100

### LAST

99mm





## MY RANGER FREE 110

### CUSTOMER BENEFIT

- Alpine downhill performance at ultralight weight
- Great walkability with ski/walk and Vibram® GripWalk Sole
- Primaloft® liner keeps toes warm

Article No. U17218  
 Color d-grey/d-grey  
 Sizes 22,5 / 23,5 ... 27,5  
 Weight 1580g/26,5

### BOOT LINER

Motion Support  
 Primaloft®  
 3D Pre Shaped

### SHELL

SOMA-TEC  
 Grilamid Shell & Cuff  
 Women Specific Cuff  
 Velcro Spoiler  
 Original Dynafit Inserts  
 Vibram® Grip Walk  
 Grindable Bootboard  
 Size Support

### BUCKLES/VELCRO

Ranger Free  
 Ranger Free 50mm

### FLEX INDEX

110

### LAST

99mm



## MY RANGER FREE 90

### CUSTOMER BENEFIT

- Integrated ski/walk mechanism with GripWalk Sole
- Warm, comfortable Primaloft® liner
- High density shell for lightweight downhill stability

Article No. U17418  
 Color white/d-blue  
 Sizes 22,5 / 23,5 ... 27,5  
 Weight 1690g/26,5

### BOOT LINER

Motion Support  
 Primaloft®  
 3D Pre Shaped

### SHELL

SOMA-TEC  
 Hike Lock Mode  
 Women Specific Cuff  
 Size Support  
 Grip Walk Sole

### BUCKLES/VELCRO

Ranger Free  
 Ranger Free 25mm

### FLEX INDEX

90

### LAST

99mm



# STEP INTO THE FUTURE

## GO GRIP WALK WITH FISCHER

### EXTENDED GRIPWALK COMPATIBILITY IN THE FISCHER SKI BINDING LINE.

The new Fischer range is dedicated to GripWalk compatibility. The entire adult performance segment and the adult rental bindings are fully GripWalk compatible and can be used with adult Alpine ski boots (ISO 5355) and GripWalk ski boots (ISO 9523).

#### BETTER WALKING GRIP

High profiled slip-resistant sole



#### INTER-CHANGEABLE

Quick and easy mounting and dismantling of both toe and heel GripWalk soles



#### WALKING COMFORT

Increased walking comfort and improved natural roll thanks to curved rubber sole



#### UNCOMPROMISING SKIING PERFORMANCE

Perfect power transmission and no loss of skiing performance



#### FULL ALPINE RELEASE FUNCTION

Integrated stiff pads guarantee precise release function of boot and binding



**FOR GRIPWALK SKI BOOTS &**  
(within ISO 9523)  
**FOR ALPINE SKI BOOTS**  
(Type A – ISO 5355)

### 18119 - BOOT AND BINDING COMPATIBILITY

- Alpine ski bindings (in accordance with ISO standard 9462) with the additional marking 'Gripwalk®'.
- Bindings that accept alpine touring boots according to ISO 9523.

**ADVANTAGE:** The new GripWalk compatible models (PowerRail, SuperLiteRail and Rent) don't need any further height adjustment to the boot sole type.


**ATTENTION:** On AAAttack<sup>2</sup> bindings the metal AFD needs to be adjusted to the height of your ski boot sole, for both GripWalk or Alpine ski boots, to enable exact adaptation of the boot-binding-system, precise release values and re-centering of the boot.

	ALPINE SKI BOOTS (ISO 5355)		TOURING SKI BOOTS (ISO 9523)		
	TYPE A (Adult)	TYPE C (Children)	GripWalk (GW)	Walk Sole / Walk to Ride (W)	no further indication
Binding without any indication*	●	—	—	—	—
Binding marked „AC“	●	●	—	—	—
Binding marked „GW“	●	—	●	—	—
Binding marked „MBS“	●	—	●	●	—
Binding marked „AT“	●	—	●	●	●




# VACUUM

## IT'S INDIVIDUAL




### 3D FOOT SCAN

Next Generation 3D Foot Scan for maximum individuality when determining ski boot and fitting.



### VACUUM ZONE FIT

Uncompromisingly efficient adaptation of the shell to the individual anatomy of the foot – exactly where you need it.



### VACUUM FULL FIT

Complete fitting of the shell through VACUUM 2ZONE for maximum individuality and optimum fit.





## VACUUM 3D FOOT SCAN



### SCAN PROCESS

- Exact 3D foot scan.



### ANALYSIS

- Individual foot analysis.



### VIRTUAL TRY ON

- Selection of appropriate ski boots.
- Localisation and visualisation of pressure points inside ski boot.
- Select optimum boot fitting method as required.

## VACUUM ZONE FIT



### ANALYSIS

- Localisation of pressure points.



### FORMING PROCESS

- Put silicone pads on shell.
- Select boot model and activate Heating Pads.



### PARTIAL FITTING

- Partial adaptation of the shell to the individual foot shape.

## VACUUM FULL FIT PROCESS




### WARM-UP

- Heat up the shell to 80 degrees Celsius in the oven.



### PRE-FIT

- Insert foot into preheated shell.
- Put on Cooling Pad and Compression Pad.
- Adjust the stand position on the VACUUM FULL FIT Station.



### PERFECT FIT AND COOL DOWN

- Adjust the entire boot to the anatomy of the foot using compressed air.
- Use the Cooling Pad to cool it down.



## RC4 PODIUM 150

### CUSTOMER BENEFIT

- Thoroughbred racing boot from the World Cup development department
- Maximum control through Control The Race
- High-quality AFZ leather liner with cork inserts for the best feeling in the toes despite the extremely compact fit

Article No. U01017

Color yellow/yellow

Sizes 22,5 / 23,5 ... 28,5

### BOOT LINER

100% Seamless Tongue  
Fitting Flex  
Lace Liner  
Phatt Maxx Lite

### SHELL

Race Connected Fit  
High Precision Steering  
Race Flex Control  
TPU Cuff & Shell

### BUCKLES/VELCRO

RC 4 CURV Athletes  
RC4 Phatt Maxx Podium

### FLEX INDEX

150

### LAST

92mm

## RC4 PODIUM - 92MM LAST

### RC4 PODIUM 130

#### CUSTOMER BENEFIT

- Thoroughbred racing boot from the World Cup development department
- Maximum control through Control The Race
- High-quality AFZ leather liner with cork inserts for the best feeling in the toes despite the extremely compact fit

Article No. U01117

Color yellow/yellow

Sizes 22,5 / 23,5 ... 28,5



#### BOOT LINER

100% Seamless Tongue  
Pressure Reducing Tongue  
Fitting Flex  
Lace Liner  
Phatt Maxx Lite

#### SHELL

Race Connected Fit  
High Precision Steering  
Race Flex Control  
TPU Cuff & Shell

#### BUCKLES/VELCRO

RC 4 CURV Athletes  
RC4 Phatt Maxx Podium

#### FLEX INDEX

130

#### LAST

92mm

### RC4 PODIUM 110

#### CUSTOMER BENEFIT

- Somewhat softer thoroughbred racing boot from the World Cup development department
- Maximum control through Control The Race
- High-quality AFZ leather liner with cork inserts for the best feeling in the toes despite the extremely compact fit

Article No. U01217

Color yellow/yellow

Sizes 22,5 / 23,5 ... 27,5



#### BOOT LINER

100% Seamless Tongue  
Pressure Reducing Tongue  
Phatt Maxx Lite

#### SHELL

Race Connected Fit  
High Precision Steering  
Race Flex Control  
TPU Cuff & Shell

#### BUCKLES/VELCRO

RC 4 CURV  
RC4 Phatt Maxx Podium

#### FLEX INDEX

110

#### LAST

92mm

## RC4 PODIUM - 97MM LAST

### RC4 PODIUM 90

#### CUSTOMER BENEFIT

- Junior racing boot with top performance through Control The Race
- Racing last with 97mm width

Article No. U11017

Color yellow/yellow

Sizes 22,5 / 23,5 ... 27,5



#### BOOT LINER

Pressure Reducing Tongue

#### SHELL

High Precision Steering  
SOMA-TEC  
TPU Cuff & Shell  
Race Flex Control

#### BUCKLES/VELCRO

RC4 Jr. Curv  
RC Pro 35mm

#### FLEX INDEX

90

#### LAST

97mm

### RC4 PODIUM 70

#### CUSTOMER BENEFIT

- Junior racing boot with top performance through Control The Race
- Racing last with 97mm width

Article No. U11117

Color yellow/yellow

Sizes 21,5 / 22,5 ... 28,5



#### BOOT LINER

Pressure Reducing Tongue

#### SHELL

High Precision Steering  
SOMA-TEC  
TPU Cuff & Shell  
Race Flex Control

#### BUCKLES/VELCRO

RC4 Jr. Curv  
RC Pro 35mm

#### FLEX INDEX

70

#### LAST

97mm

# BOOTS / RC4 THE CURV - 97MM LAST

## RC4 CURV 140 VACUUM FULL FIT

### CUSTOMER BENEFIT

- Precise steering through 3-D canting
- Based on an excellent-fitting ergonomic last

Article No. U06017

Color yellow/yellow

Sizes 25,5 / 26,5 ... 30,5



### BOOT LINER

Active Fit Zones Liner - RC4 Curv  
Pressure Reducing Tongue  
Phatt Maxx Lite  
3D Preshaped  
100 % Seamless Tongue

### SHELL

Race Flex Control  
Connected Fit  
Precision Steering  
SOMA-TEC  
VACUUM FULL FIT  
Size Support  
Velcro Spoiler  
Natural forward lean  
Grindable Bootboard

### BUCKLES/VELCRO

RC4 Curv  
Phatt Maxx Curv

### FLEX INDEX

140

### LAST

97mm +/-3mm

## RC4 CURV 130 VACUUM FULL FIT

### CUSTOMER BENEFIT

- Precise steering through 3-D canting
- Based on an excellent-fitting ergonomic last
- Heat moldable shell for consistent flex behavior in cold

Article No. U06718

Color dark grey /dark grey

Sizes 24,5 / 25,5 ... 30,5



### BOOT LINER

Active Fit Zones Liner - RC4 Curv  
Pressure Reducing Tongue  
100% Seamless Tongue  
3D Pre Shaped

### SHELL

Composite Flex Control  
Connected Fit  
Precision Steering  
SOMA-TEC  
VACUUM FULL FIT  
Natural Forward Lean  
Grindable Bootboard  
Size Support

### BUCKLES/VELCRO

RC4 Curv  
Curv Buckle Strap

### FLEX INDEX

130

### LAST

97mm +/-3mm

## RC4 CURV 130 PBV

### CUSTOMER BENEFIT

- Maximum performance and total control with Precision Steering
- Thermoform shell with consistent flex behavior
- Excellent fit through Connected Fit

Article No. U06518

Color black/black

Sizes 24,5 / 25,5 ... 30,5



### BOOT LINER

Active Fit Zones Liner - RC4 Curv  
Pressure Reducing Tongue  
100% Seamless Tongue  
3D Preshaped

### SHELL

Connected Fit  
Precision Steering  
Powered by VACUUM  
Size Support  
Grindable Bootboard

### BUCKLES/VELCRO

RC4 CURV  
Curv Velcro

### FLEX INDEX

130

### LAST

97mm +3mm

## RC4 CURV 110 VACUUM FULL FIT

### CUSTOMER BENEFIT

- Outstanding, ergonomic fit with Connected Fit
- For even more curve control and exact guidance thanks to Precision Steering
- Thermoformable Aramid for constant flex behaviour

Article No. U06818

Color black/black

Sizes 24,5 / 25,5 ... 30,5



### BOOT LINER

100% Seamless Tongue  
Active Fit Zones Liner - RC4 Curv

### SHELL

Composite Flex Control  
Connected Fit  
Precision Steering  
SOMA-TEC  
VACUUM FULL FIT  
Size Support  
Grindable Bootboard

### BUCKLES/VELCRO

RC4 Curv  
Curv Velcro

### FLEX INDEX

110

### LAST

97mm +/-3mm

## RC4 CURV 110 PBV

### CUSTOMER BENEFIT

- Proven, refined, excellent-fitting ergonomic last
- Consistent flex for easy slalom skiing
- Heat moldable for individualized fit

Article No. U06418  
Color black/black  
Sizes 24,5 / 25,5 ... 30,5



### BOOT LINER

100% Seamless Tongue  
Active Fit Zones Liner - RC4 Curv  
Pressure Reducing Tongue

### SHELL

Precision Steering  
SOMA-TEC  
Powered by VACUUM  
Grindable Bootboard  
Size Support

### BUCKLES/VELCRO

CURV Jr.  
RC Pro 35mm

### FLEX INDEX

110

### LAST

97mm +3mm

## MY CURV 110 VACUUM FULL FIT

### CUSTOMER BENEFIT

- Narrower women's model for precise skiing and control
- Balanced and consistent flex for fast, fun turns
- Excellent fit through Connected Fit

Article No. U15718  
Color black/black  
Sizes 22,5 / 23,5 ... 27,5



### BOOT LINER

Active Fit Zones Liner - RC4 Curv  
Primaloft®  
3D Preshaped

### SHELL

Connected Fit  
Precision Steering  
VACUUM FULL FIT  
Women Specific Cuff  
Size Support  
Grindable Bootboard

### BUCKLES/VELCRO

RC4 CURV  
Curv Buckle Strap

### FLEX INDEX

110

### LAST

97mm +/-3mm

## MY CURV 90 VACUUM FULL FIT

### CUSTOMER BENEFIT

- Narrower women's fit with excellent First Fit comfort
- Consistent flex for easy turning
- Connected Fit enhances comfort

Article No. U15018  
Color white/dark grey  
Sizes 22,5 / 23,5 ... 27,5



### BOOT LINER

Active Fit Zones Liner - RC4 Curv  
Primaloft®  
3D Preshaped  
100% Seamless Tongue

### SHELL

VACUUM FULL FIT  
Size Support  
Women Specific Cuff  
Grindable Bootboard

### BUCKLES/VELCRO

CURV Jr.  
Puffy 35mm

### FLEX INDEX

90

### LAST

97mm +/-3mm

## MY CURV 90 PBV

### CUSTOMER BENEFIT

- Narrower women's fit with excellent First Fit comfort
- Consistent flex for easy slalom skiing
- Connected Fit enhances comfort

Article No. U15118  
Color black/black  
Sizes 22,5 / 23,5 ... 27,5



### BOOT LINER

Active Fit Zones Liner - RC4 Curv  
Pressure Reducing Tongue  
100% Seamless Tongue

### SHELL

Powered by VACUUM  
Size Support  
Women Specific Cuff  
Grindable Bootboard

### BUCKLES/VELCRO

CURV Jr.  
My RC Pro 35mm

### FLEX INDEX

90

### LAST

97mm +3mm

## RC PRO 130 VACUUM FULL FIT

### CUSTOMER BENEFIT

- Active Fit Zones 3-D liner enhances fit, efficiency, and feedback between foot and boot
- Rubberized outsole for secure walking and standing

Article No. U08118  
Color black/black  
Sizes 25,5 / 26,5 ... 30,5

### BOOT LINER

100% Seamless Tongue  
Active Fit Zones Liner - RC Pro  
Pressure Reducing Tongue  
Fitting Flex

### SHELL

SOMA-TEC  
VACUUM FULL FIT  
VACU-PLAST Spoiler  
Size Support  
Grip Sole

### BUCKLES/VELCRO

RC Pro  
RC PRO 45mm

### FLEX INDEX

130

### LAST

100mm +/-5mm



## RC PRO 110 VACUUM FULL FIT

### CUSTOMER BENEFIT

- Active Fit Zones 3-D liner enhances fit, efficiency, and feedback between foot and boot
- Easy in, easy out design

Article No. U08218  
Color black/black  
Sizes 25,5 / 26,5 ... 30,5

### BOOT LINER

Active Fit Zones Liner - RC Pro  
Pressure Reducing Tongue  
Fitting Flex  
3D Preshaped

### SHELL

SOMA-TEC  
VACUUM FULL FIT  
VACU-PLAST Spoiler  
Grip Sole  
Size Support

### BUCKLES/VELCRO

RC Pro  
RC PRO 45mm

### FLEX INDEX

110

### LAST

100mm +/-5mm



## RC PRO 120 PBV

### CUSTOMER BENEFIT

- Active Fit Zones 3-D liner for fit, efficiency, and feedback between foot and boot
- Exchangeable rubber sole for safe walking and standing

Article No. U08318  
Color dark blue/dark blue  
Sizes 25,5 / 26,5 ... 30,5

### BOOT LINER

100% Seamless Tongue  
Active Fit Zones Liner - RC Pro  
Pressure Reducing Tongue  
Fitting Flex  
3D Preshaped

### SHELL

Powered by VACUUM  
VACU-PLAST Spoiler  
Grip Sole  
Size Support

### BUCKLES/VELCRO

RC Pro  
RC PRO 45mm

### FLEX INDEX

120

### LAST

100mm +5mm



## RC PRO 100 PBV

### CUSTOMER BENEFIT

- Comfortable 3-D inner liner for optimal fit and power transfer
- Easy in, easy out design

Article No. U08618  
Color black/black  
Sizes 25,5 / 26,5 ... 30,5

### BOOT LINER

Active Fit Zones Liner - RC Pro

### SHELL

Powered by VACUUM  
Grip Sole  
Size Support

### BUCKLES/VELCRO

RC Pro  
RC PRO 35mm

### FLEX INDEX

100

### LAST

100mm +5mm



## MY RC PRO 110 VACUUM FULL FIT

### CUSTOMER BENEFIT

- Women's fit Active Fit Zones 3-D liner for fit, efficiency, and feedback between foot and boot
- Extra warm
- Great First Fit comfort

Article No. U15218  
Color black/black  
Sizes 23,5 / 24,5 ... 27,5



### BOOT LINER

100% Seamless Tongue  
3D Preshaped  
Active Fit Zones Liner - RC Pro

### SHELL

SOMA-TEC  
VACUUM FULL FIT  
Grip Sole  
Women Specific Cuff  
Size Support

### BUCKLES/VELCRO

RC Pro  
My RC Pro 35mm

### FLEX INDEX

110

### LAST

100mm +/-5mm

## MY RC PRO 90 VACUUM FULL FIT

### CUSTOMER BENEFIT

- Women's-specific fit AFZ 3-D liner for fit and efficient power transfer
- Extra warm
- Great First Fit comfort
- Convenient, easy-in closure

Article No. U15318  
Color white/black  
Sizes 23,5 / 24,5 ... 27,5



### BOOT LINER

100% Seamless Tongue  
Fitting Flex  
3D Preshaped  
Active Fit Zones Liner - RC Pro

### SHELL

SOMA-TEC  
VACUUM FULL FIT  
Size Support  
Women Specific Cuff

### BUCKLES/VELCRO

RC Pro  
My RC Pro 35mm

### FLEX INDEX

90

### LAST

100mm +/-5mm

## MY RC PRO 100 PBV

### CUSTOMER BENEFIT

- AFZ 3-D inner liner for optimal fit and power transfer
- Easy-in access

Article No. U15518  
Color white/ dark blue  
Sizes 23,5 / 24,5 ... 27,5



### BOOT LINER

Active Fit Zones Liner - RC Pro  
3D Preshaped

### SHELL

Powered by VACUUM  
Size Support  
Grip Sole

### BUCKLES/VELCRO

RC Pro  
My RC Pro35mm

### FLEX INDEX

100

### LAST

100mm +5mm

## MY RC PRO 90 PBV

### CUSTOMER BENEFIT

- AFZ inner liner for optimal fit and power transfer
- Easy-in access

Article No. U15618  
Color white/ grey  
Sizes 23,5 / 24,5 ... 27,5



### BOOT LINER

Active Fit Zones Liner - RC Pro

### SHELL

Powered by VACUUM  
Grip Sole  
Women Specific Cuff  
Size Support

### BUCKLES/VELCRO

RC Pro  
My RC Pro 35mm

### FLEX INDEX

90

### LAST

100mm +5mm

CRUZAR - 103+MM LAST

**CRUZAR 100 PBV**

**CUSTOMER BENEFIT**

- Plenty of space in the toe section for warm feet.
- Easy entry and exit
- Perfect fit

Article No. U09018

Color black/black/black

Sizes 25,5 / 26,5 ... 31,5

**BOOT LINER**

100% Seamless Tongue  
Active Fit Zones Liner - Cruzar

**SHELL**

SOMA-TEC  
Powered by VACUUM  
Higher Toebox  
Higher Instep  
Natural Forward Lean  
Lower Cuff

**BUCKLES/VELCRO**

RC Pro  
Cruzar 35mm

**FLEX INDEX**

100

**LAST**

103mm +5mm



**CRUZAR 90 PBV**

**CUSTOMER BENEFIT**

- Perfect fit through adaptation possibility
- Optimum grip and control
- High comfort in the toe section

Article No. U09118

Color black/black/black

Sizes 25,5 / 26,5 ... 31,5

**BOOT LINER**

100% Seamless Tongue  
Active Fit Zones Liner - Cruzar

**SHELL**

Powered by VACUUM  
Higher Toebox  
Higher Instep  
Natural Forward Lean  
Lower Cuff  
SOMA-TEC

**BUCKLES/VELCRO**

RC Pro  
Cruzar 35mm

**FLEX INDEX**

90

**LAST**

103mm +5mm



**MY CRUZAR 90 PBV**

**CUSTOMER BENEFIT**

- Perfect fit
- Easy-to-use buckle system
- More space in the toe section for high comfort warmth

Article No. U15818

Color black/ black

Sizes 23,5 / 24,5 ... 27,5

**BOOT LINER**

Power Comfort Liner  
100% Seamless Tongue

**SHELL**

SOMA-TEC  
Powered by VACUUM  
Higher Toebox  
Higher Instep  
Natural Forward Lean  
Women Specific Cuff

**BUCKLES/VELCRO**

RC Pro women  
Puffy

**FLEX INDEX**

90

**LAST**

103mm +5mm



**MY CRUZAR 80 PBV**

**CUSTOMER BENEFIT**

- Optimum grip and control
- Perfect fit thanks to VACU-PLAST
- High comfort in the toe section for warm feet

Article No. U15917

Color white/white/white

Sizes 23,5 / 24,0 ... 27,5

**BOOT LINER**

Power Comfort Liner  
100% Seamless Tongue

**SHELL**

SOMA-TEC  
Powered by VACUUM  
Higher Toebox  
Higher Instep  
Natural Forward Lean  
Women Specific Cuff

**BUCKLES/VELCRO**

RC Pro women  
Puffy

**FLEX INDEX**

80

**LAST**

103mm +5mm





## HYBRID 120+ VACUUM FULL FIT

### CUSTOMER BENEFIT

- Perfect fit and incredibly easy entry
- Ideal power transfer for top performance
- Easy walking and standing

Article No. U14017  
 Color black/black  
 Sizes 25,5 / 26,5 ... 31,5

### BOOT LINER

Active Fit Zones Liner - Hybrid

### SHELL

SOMA-TEC  
 VACUUM FULL FIT  
 VACU-PLAST Spoiler  
 Hike Lock Mode  
 Higher Toebox  
 Higher Instep

### BUCKLES/VELCRO

Adventure  
 Hybrid 120

### FLEX INDEX

120

### LAST

103mm +/-5mm



## MY HYBRID 100+ VACUUM FULL FIT

### CUSTOMER BENEFIT

- Perfect fit
- Easy-to-use women's buckles
- Warm and comfortable

Article No. U15617  
 Color black/black  
 Sizes 23,5 / 24,5 ... 27,5

### BOOT LINER

Active Fit Zones Liner - Hybrid

### SHELL

SOMA-TEC  
 VACUUM FULL FIT  
 Hike Lock Mode  
 Higher Toebox  
 Higher Instep  
 Women Specific Cuff

### BUCKLES/VELCRO

RC Pro women  
 Puffy

### FLEX INDEX

100

### LAST

103mm +/-5mm



## GRIP WALK SOLES

U94817	<b>RC4 THE CURV GRIP WALK SOLE</b>	different colors available
U93218	<b>RC4 PRO GRIP WALK SOLE</b>	different colors available
U94018	<b>RANGER FREE GRIP WALK DNY VIBRAM® SOLE</b>	

## VACUUM FITTING TOOLS



### LINER ATHLETE FIT

Article no. U81514, XS-L

Development from racing for the VACUUM thermoforming of race boots. Athlete Fit liners are intended for the thermoforming process and are NOT SUITABLE for skiing. The shell is pressed even tighter to the anatomy of the foot. The result is an even more precise, better fit and more performance.



### VACUUM TOE CAPS EXTENDED

Article no. U80114

Extended toe caps recommended for the VACUUM shaping process to create adequate space in the toe section. Another advantage is that the heel is pushed back better into place.



### VACUUM FITTING SOCK

Article no. U52317



### VACUUM FULL FIT PAD SYSTEM 6MM HIGH DENSITY

Article no. U80214



### VACUUM FITTING PAD SYSTEM

Article No. U52417

TOUR TRAVERS - 100MM LAST

**TRAVERS CARBON**

**CUSTOMER BENEFIT**

- Light as a feather for even faster and easier climbs
- Perfect fit for direct power transfer and turn initiation
- Energy-saving and comfortable through high agility

Article no. U18716  
Colour yellow/black  
Sizes 25,5-26,5...30,5

**BOOT LINER**

Lace Liner  
Phatt Maxx Tour

**SHELL**

SOMA-TEC  
Hike Lock Mode  
Velcro Spoiler  
Lace Frame System  
NO-TORSION Base  
Active Cuff  
Pulley Lace Guides  
Original Dynafit Inserts

**BUCKLES/VELCRO**

Boa® Closure System  
Phatt Maxx Tour  
Slider Buckle

**LAST**

100mm

**TRAVERS / MY TRAVERS**

**CUSTOMER BENEFIT**

- Extremely light and energy-saving for longer climbs
- Perfect fit and high agility
- Comfortable through easy entry and exit

Article no. U18818 / U18917  
Colour petrol/black / white/d-blue  
Sizes 23,5-24,0...30,5 / 23,5-24,0...27,5

**BOOT LINER**

Lace Liner  
Phatt Maxx Tour

**SHELL**

SOMA-TEC  
Hike Lock Mode  
Velcro Spoiler  
Lace Frame System  
Active Cuff  
Pulley Lace Guides  
Original Dynafit Inserts

**BUCKLES/VELCRO**

Boa® Closure System  
Phatt Maxx Tour  
Slider Buckle

**LAST**

100mm



**SKIING IS NOT  
A LIFESTYLE.  
IT'S LIFE**





JUNIOR

**RC4 60 JR. THERMOSHAPÉ /  
RANGER 60 JR. THERMOSHAPÉ**

**CUSTOMER BENEFIT**

- Direct power transfer, optimum grip, high control
- Fully thermoformable boot liner
- Micro-adjustable aluminium buckles

Article No. U19118 / U19418  
Color black/black /yellow/yellow  
Sizes 21,5 / 22,0 ... 26,5

**SHELL**

SOMA-TEC

**BUCKLES/VEL-CRO**

CARVE 2  
RC4 Junior

**FLEX INDEX**

60

**LAST**

99mm



**RC4 20 JR. THERMOSHAPÉ**

**CUSTOMER BENEFIT**

- Direct power transfer, optimum grip, high control
- Perfect fit

Article No. U19218  
Color black/black  
Sizes 19,5 / 20,5 / 21,5 / 22,5

**SHELL**

SOMA-TEC

**BUCKLES/VEL-CRO**

CARVE 2

**FLEX INDEX**

20



**RC4 10 JR.THERMOSHAPÉ**

**CUSTOMER BENEFIT**

- Direct power transfer, optimum grip, high control
- Perfect fit

Article No. U19318  
Color black/black  
Sizes 15,5 / 16,5 / 17,5 / 18,5

**SHELL**

SOMA-TEC

**BUCKLES/VEL-CRO**

CARVE 2

**FLEX INDEX**

10





FREE  
RIDE



## SKI ANY SIDE OF THE MOUNTAIN

There's a special type of skier who feels limited by the usual slopes. Steep faces, deep powder, and new routes are what they love.

There's also a special solution: the Ranger collection.

Ranger skis have lightweight milled beech/poplar cores reinforced with Titanal to make downhill more stable and uphill easier.

Aeroshape design with Freeski ROCKER is optimal for fast, smooth downhill in any type of snow.

Innovative Twin Tip construction offers a ride that is high performance when needed and playful when wanted!

Just like Ranger skiers.

### RANGER 115 FR



<b>SKI</b>	A17518
Weight/Ski	2150g/188cm
Sidecut	144-115-134
Radius/SL	20m/188cm
Length	178,188,196

<b>BINDING</b>	T60818
ATTACK? 16 GW W/O BRAKE [A]	
BRAKE	T163037
DIN	5 - 16
ISO 5355A, ISO 9523 Grip Walk, FRP, AFS GW	

**CLIMBING TOOL** K00918

#### TECHNOLOGY-HIGHLIGHTS

- Sandwich Sidewall Construction
- Air Tec Ti
- Free Milled Titanium
- Carbon Nose

#### CUSTOMER BENEFIT

- Durability
- Superior performance and stability in all conditions
- Meets highest demands from top athletes

<b>SKI:</b>	Ranger 115 FR
<b>BOOT:</b>	Ranger Free 130 Walk DYN
<b>POLE:</b>	Ranger Vario

### RANGER 102 FR



**SKI** A17718  
 Weight/Ski 2000g/177cm  
 Sidecut 136-102-126  
 Radius/SL 18m/177cm  
 Length 170,177,184

**BINDING** T60917  
 Attack<sup>2</sup> 13 AT W/O BRAKE [A]  
**BRAKE** T163036  
 Z-DIN 4-13  
 FRP, AFS, ISO 5355A, ISO 9523, ISO 9523 Grip Walk, ISO 9523 W/WTR  
**CLIMBING TOOL** K00918

- TECHNOLOGY-HIGHLIGHTS**
- Sandwich Sidewall Construction
  - Air Tec Ti
  - Aeroshape

- CUSTOMER BENEFIT**
- Optimal in all ski conditions
  - Stable, solid yet very maneuverable
  - Twin tip design adds to the fun
  - Great agility and handling in turns

### RANGER FR



**SKI** A17418  
 Weight/Ski 1650g/162cm  
 Sidecut 128-90-116  
 Radius/SL 13m/162cm  
 Length 142,152,162,172

**BINDING** T61017  
 Attack<sup>2</sup> 11 AT W/O BRAKE [L]  
**BRAKE** T163029  
 Z-DIN 3 - 11  
 FRP, AFS, ISO 5355A, ISO 9523, ISO 9523 Grip Walk, ISO 9523 W/WTR  
**CLIMBING TOOL** K00918

- TECHNOLOGY-HIGHLIGHTS**
- Sandwich Sidewall Construction
  - Poplar Wood Core
  - Freeski ROCKER

- CUSTOMER BENEFIT**
- Top performance for piste and powder
  - Stable and balanced in all conditions
  - Lively and playful

### TWINTIP / MOGUL

### NIGHTSTICK



**SKI** A25318  
 Weight/Ski 1950g/181cm  
 Sidecut 114-84-114  
 Radius/SL 22m/181cm  
 Length 163,172,181

**BINDING** T60917  
 Attack<sup>2</sup> 13 AT W/O BRAKE [A]  
**BRAKE** T163033  
 Z-DIN 4 - 13  
 FRP, AFS, ISO 5355A, ISO 9523, ISO 9523 Grip Walk, ISO 9523 W/WTR

- TECHNOLOGY-HIGHLIGHTS**
- Sandwich Sidewall Construction
  - Beech Poplar Wood Core
  - Carbon Tech

- CUSTOMER BENEFIT**
- Superior durability
  - Symmetrical shape for easy switch skiing
  - Perfectly Balanced

### GUNBARREL



**SKI** A25518  
 Weight/Ski 1500g/177cm  
 Sidecut 103-65-87  
 Radius/SL 21,5/177cm  
 Length 163,170,177

**BINDING** T60618  
 R16 Brake 85 [A]  
 DIN 5 - 16  
 FRP, ISO 5355A

- TECHNOLOGYHIGHLIGHTS**
- Sandwich Sidewall Construction
  - Beech Poplar Wood Core
  - Air Carbon

- CUSTOMER BENEFIT**
- Special construction and design specifically for mogul skiing

## RANGER 108 TI



**SKI** A17018  
 Weight/Ski 1900g/182cm  
 Sidecut 140-108-130  
 Radius/SL 19m/182cm  
 Length 174,182,188

**BINDING** T60917  
 Attack<sup>2</sup> 13 AT W/O BRAKE [A]  
**BRAKE** T163036  
 Z-DIN 4-13  
 FRP, AFS, ISO 5355A, ISO 9523, ISO 9523 Grip Walk, ISO 9523 W/WTR  
**CLIMBING TOOL** K01018

### TECHNOLOGY-HIGHLIGHTS

- Carbon Nose
- Air Tec Ti
- Aeroshape

### CUSTOMER BENEFIT

- Top performance for extreme power turns
- Balanced flex
- Stable and light

## RANGER 98 TI



**SKI** A17118  
 Weight/Ski 1800g/180cm  
 Sidecut 132-98-122  
 Radius/SL 18m/180cm  
 Length 172,180,188

**BINDING** T60917  
 Attack<sup>2</sup> 13 AT W/O BRAKE [A]  
**BRAKE** T163036  
 Z-DIN 4-13  
 FRP, AFS, ISO 5355A, ISO 9523, ISO 9523 Grip Walk, ISO 9523 W/WTR  
**CLIMBING TOOL** K00718

### TECHNOLOGY-HIGHLIGHTS

- Carbon Nose
- Air Tec Ti
- Aeroshape

### CUSTOMER BENEFIT

- For all snow conditions
- Stable and light
- Manoeuvrable and balanced when turning

## RANGER 90 TI



**SKI** A17218  
 Weight/Ski 1700g/179cm  
 Sidecut 122-90-111  
 Radius/SL 18m/179cm  
 Length 165,172,179,186

**BINDING** T61017  
 Attack<sup>2</sup> 11 AT W/O BRAKE [L]  
**BRAKE** T163029  
 Z-DIN 3 - 11  
 FRP, AFS, ISO 5355A, ISO 9523, ISO 9523 Grip Walk, ISO 9523 W/WTR  
**CLIMBING TOOL** K00818

### TECHNOLOGY-HIGHLIGHTS

- Carbon Nose
- Air Tec Ti
- Aeroshape

### CUSTOMER BENEFIT

- For all snow conditions
- Stable and light
- Manoeuvrable and balanced when turning

## RANGER 85



**SKI** A17318  
 Weight/Ski 1800g/173cm  
 Sidecut 117-85-107  
 Radius/SL 17m/173cm  
 Length 159,166,173,181

**BINDING** T40517  
 MBS 11 Powerrail Brake 85 [G]  
 DIN 3 - 11  
 Full Diagonal Toe, FRP, AFS, ISO 5355A, ISO 9523 Grip Walk, ISO 9523 W/WTR

### TECHNOLOGY-HIGHLIGHTS



- Carbon Nose
- Air Tec
- Aeroshape

### CUSTOMER BENEFIT

- Perfectly balanced for newcomers to freeriding
- Very good piste performance
- Light but stable

# SPECIFICALLY DESIGNED FOR EVERYTHING

## PRO MT 95 TI



**SKI** A13918  
Weight/Ski 2000g/178cm  
Sidecut 137-95-122  
Radius/SL 18m/178cm  
Length 170,178,186

**BINDING** T60818  
ATTACK<sup>2</sup> 16 GW W/O Brake [A]  
**BRAKE** T163036  
Z-DIN 5 - 16  
ISO 5355A, ISO 9523 Grip Walk, FRP, AFS GW


**TECHNOLOGY-HIGHLIGHTS**

- Air Tec Ti
- Razorshape
- Free Milled Titanium

**CUSTOMER BENEFIT**

- Awesome off-piste performance
- Impressive stability
- Light weight

## PRO MT 86 TI (FLAT & SYSTEM)



**SKI** A13018/A13118  
Weight/Ski 1800g/175cm / 2050g/175cm  
Sidecut 128-86-116  
Radius/SL 16,5m/175cm  
Lengths 161,168,175,182

**BINDING** T60917/T30617  
ATTACK<sup>2</sup> 13 AT W/O BRAKE [A]/  
**BRAKE** T163035  
MBS 12 POWERRAIL BRAKE 85 [F]  
Z-DIN 4-13 / 3,5 - 12  
FRP, AFS, ISO 5355A, ISO 9523,  
ISO 9523 Grip Walk, ISO 9523 W/WTR / Full Diagonal Toe, Diagonal Heel, FRP, AFS, ISO 5355A, ISO 9523 Grip Walk, ISO 9523 W/WTR

**TECHNOLOGY-HIGHLIGHTS**

- Air Tec Ti
- Razorshape
- Free Milled Titanium

## PRO MT 80 TI (FLAT & SYSTEM)



**SKI** A13218 / A13618  
Weight/Ski 1750g/173cm / 2000g/173cm  
Sidecut 124-80-110  
Radius/SL 16m/173cm  
Length 159,166,173,180

**BINDING** T61017 / T40517  
Attack<sup>2</sup> 11 AT W/O BRAKE [L]  
**BRAKE** T163028/  
MBS 11 Powerrail Brake 85 [G]  
Z-DIN 3 - 11  
FRP, AFS, ISO 5355A, ISO 9523, ISO 9523 Grip Walk, ISO 9523 W/WTR

**TECHNOLOGY-HIGHLIGHTS**

- Air Tec Ti
- Razorshape
- Free Milled Titanium

**CUSTOMER BENEFIT**

- Light weight
- Great fun to ski
- High stability both on- and off-piste.



## PRO MT 80



**SKI** A13318  
 Weight/Ski 2050g/173cm  
 Sidecut 125-81-111  
 Radius/SL 16m/173cm  
 Length 159,166,173,180

**BINDING** T40517  
 MBS 11 Powerrail Brake 85 [G]  
 Z-DIN 3 - 11  
 FRP, AFS, ISO 5355A, ISO 9523, ISO 9523 Grip Walk, ISO 9523 WWTR

### TECHNOLOGY-HIGHLIGHTS

- Air Tec Ti
- Razorshape
- Free Milled Titanium

### CUSTOMER BENEFIT

- Light weight
- Great fun to ski
- High stability both on- and off-piste.

## PRO MT 77



**SKI** A13518  
 Weight/Ski 1900g/171cm  
 Sidecut 122-77-109  
 Radius/SL 16m/171cm  
 Length 157,164,171,178

**BINDING** T40318  
 RS10 GW Powerrail Brake 78 [G]  
 Z-DIN 3 - 10  
 ISO 5355A, ISO 9523 Grip Walk, Full Diagonal Toe, FRP, AFS GW

### TECHNOLOGY-HIGHLIGHTS

- Sidewall Construction
- Air Carbon TI 0.5
- Razorshape

### CUSTOMER BENEFIT

- Off-piste capable
- Easily maneuverable in all conditions
- Good balance of responsiveness and stability

## PRO MT 73



**SKI** A13818  
 Weight/Ski 1600g/165cm  
 Sidecut 118-73-101  
 Radius/SL 15,5m/165cm  
 Length 150,155,160,165,170

**BINDING** T40318  
 RS10 GW Powerrail Brake 78 [G]  
 Z-DIN 3 - 10  
 ISO 5355A, ISO 9523 Grip Walk, Full Diagonal Toe, FRP, AFS GW

### TECHNOLOGY-HIGHLIGHTS

- Air Power
- Fiber Tech
- All Mountain ROCKER

### CUSTOMER BENEFIT

- Easily maneuverable in gentle turns
- Shaped to minimize weight, increase control

### MY PRO MT 86



**SKI** A16318  
 Weight/Ski 1600g/161cm  
 Sidecut 127-86-114  
 Radius/SL 15m/161cm  
 Length 147,154,161,168

**BINDING** T61017  
 Attack<sup>2</sup> 11 AT W/O BRAKE [L]  
**BRAKE** T163028  
 Z-DIN 3 - 11  
 FRP, AFS, ISO 5355A, ISO 9523, ISO 9523 Grip Walk, ISO 9523 WWTR

**TECHNOLOGY-HIGHLIGHTS**

- Sandwich Sidewall Construction
- Air Tec
- Razorshape

**CUSTOMER BENEFIT**

- Lightweight shape and construction
- Highly versatile for different conditions
- Stable on and off-piste

### MY PRO MT 80



**SKI** A16518  
 Weight/Ski 1750g/159cm  
 Sidecut 124-79-109  
 Radius/SL 14m/159cm  
 Length 145,152,159,166

**BINDING** T50118  
 My RS 10 GW Powerrail Brake 85 [G]  
 Z-DIN 3 - 10  
 ISO 5355A, ISO 9523 Grip Walk, Full Diagonal Toe, FRP, AFS GW

**TECHNOLOGY-HIGHLIGHTS**

- Sandwich Sidewall Construction
- Air Tech
- Razorshape

**CUSTOMER BENEFIT**

- High fun factor
- Awesome performance
- Light and stable

### MY PRO MT 77



**SKI** A16618  
 Weight/Ski 1700g/157cm  
 Sidecut 121-77-107  
 Radius/SL 15m/157cm  
 Length 145,151,157,164

**BINDING** T50118  
 My RS 10 GW Powerrail Brake 85 [G]  
 Z-DIN 3 - 10  
 ISO 5355A, ISO 9523 Grip Walk, Full Diagonal Toe, FRP, AFS GW

**TECHNOLOGY-HIGHLIGHTS**

- Sidewall Construction
- Poplar Wood Core
- Razorshape

**CUSTOMER BENEFIT**

- Genuine all-rounder
- For boundless skiing pleasure
- Smooth and forgiving

### MY PRO MT 73



**SKI** A16818  
 Weight/Ski 1500g/155cm  
 Sidecut 117-73-99  
 Radius/SL 14,5m/155cm  
 Length 140,145,150,155,160

**BINDING** T51218  
 My RS 9 GW SLR/ Womentr. Brake 78 [H]  
 Z-DIN 2,5 - 9  
 Full Diagonal Toe, FRP, AFS GW, ISO 5355A, ISO 9523 Grip Walk

**TECHNOLOGY-HIGHLIGHTS**

- Air Power
- Fiber Tech
- Women BMP

**CUSTOMER BENEFIT**

- Easily maneuverable in gentle turns
- Shaped to minimize weight, increase control

## MY RANGER 98



**SKI** A16117  
 Weight/Ski 1720g/172cm  
 Sidecut 130-96-120  
 Radius/SL 17m/172cm  
 Length 156,164,172

**BINDING** T60917  
 Attack<sup>2</sup> 13 AT W/O BRAKE [A]  
**BRAKE** T163036  
 Z-DIN 4-13  
 FRP, AFS, ISO 5355A, ISO 9523, ISO 9523 Grip Walk, ISO 9523 W/WTR  
**CLIMBING TOOL** K00718


### TECHNOLOGY-HIGHLIGHTS

- Sandwich Sidewall Construction
- Carbon Nose
- Air Tec

### CUSTOMER BENEFIT

- Easy-going on the climb
- Manoeuvrable – easy powder turns
- Top stability in all terrain

## MY RANGER 89



**SKI** A16217  
 Weight/Ski 1620g/172cm  
 Sidecut 119-88-108  
 Radius/SL 17m/172cm  
 Length 157,165,172

**BINDING** T61017  
 Attack<sup>2</sup> 11 AT W/O BRAKE [L]  
**BRAKE** T163029  
 Z-DIN 3 - 11  
 FRP, AFS, ISO 5355A, ISO 9523, ISO 9523 Grip Walk, ISO 9523 W/WTR  
**CLIMBING TOOL** K00816

### TECHNOLOGY-HIGHLIGHTS

- Sandwich Sidewall Construction
- Carbon Nose
- Air Tec Ti

### CUSTOMER BENEFIT

- Safe and stable in all terrain
- Easy-going on the climb
- High fun factor

## MY RANGER 85



**SKI** A16017  
 Weight/Ski 1430g/166cm  
 Sidecut 117-85-106  
 Radius/SL 16m/166cm  
 Length 150,159,166

**BINDING** T61017  
 Attack<sup>2</sup> 11 AT W/O BRAKE [L]  
**BRAKE** T163028  
 Z-DIN 3 - 11  
 FRP, AFS, ISO 5355A, ISO 9523, ISO 9523 Grip Walk, ISO 9523 W/WTR  
**CLIMBING TOOL** K01416

### TECHNOLOGY-HIGHLIGHTS

- Sandwich Sidewall Construction
- Carbon Nose
- Air Tec

### CUSTOMER BENEFIT

- Perfectly balanced for newcomers to freeriding
- Very good piste performance
- Light and stable

## MY CURV



**SKI** A15318  
 Weight/Ski 2000g/164cm  
 Sidecut 121-68-102  
 Radius/SL 13m/164cm  
 Length 150,157,164,171

**BINDING** T40018  
 RC4 Z11 GW Powerrail Brake 78 [G]  
 Z-DIN 3 - 11  
 ISO 5355A, ISO 9523 Grip Walk, Full Diagonal Toe, FRP, AFS GW

### TECHNOLOGY-HIGHLIGHTS

- Allride
- Air Carbon TI 0.5
- Triple Radius

### CUSTOMER BENEFIT

- Perfect, smooth turn action on the slope
- Top stability
- Perfect for balanced turns



## MOUNTAINS NEVER RUN OUT OF CHALLENGES

Different types of Tour skiers all have different equipment needs. There are explorers who want to discover new runs and escape to virgin powder any way they can. There are also those whose challenge is to be fast and efficient, just for themselves or in a race. Other tourers enjoy the view as much as the skiing. They all have one thing in common: they need the right gear to enjoy their own kind of adventure. Fischer's proven know-how and Tour-specific technologies offer every skier the right equipment for every tour.

### TRANSALP 90 CARBON



<b>SKI</b>	A18118
Weight/Ski	1230g/169cm
Sidecut	125-89-108
Radius/SL	19m/176cm
Length	155,162,169,176,183

**EASY WIPES** Easy Wipes Clean & Glide

**BINDING** T70218  
TOUR CLASSIC BRAKE 90  
DIN 4 - 10  
Walkability

**CLIMBING TOOL** K00318/K02118

#### TECHNOLOGY-HIGHLIGHTS


- Paulownia Wood Core
- Air Tec Ti
- Aershape
- Carbon Tex

#### CUSTOMER BENEFIT

- Maximum stability and control for enjoyable descents
- Ultralight for easier ascents
- Skins or PROFOIL attach easily to integrated mounts

**SKI:** Transalp 90 Carbon  
**BOOT:** Travers Carbon  
**POLE:** Transalp Vario

## TRANSALP 82 CARBON



<b>SKI</b>	A18618
Weight/Ski	980g/162cm
Sidecut	117-81-107
Radius/SL	16,5m/162cm
Length	155,162,169,176

**EASY WIPES**  
Easy Wipes Clean & Glide

**BINDING** T71117  
Tour Speed Lite 2.0 W/O BRAKE  
DIN 5 - 10  
Walkability

**CLIMBING TOOL** K00418/K02218


### TECHNOLOGY-HIGHLIGHTS

- Paulownia Wood Core
- Air Tec Ti
- Carbon Tex

### CUSTOMER BENEFIT

- Excellent ratio of weight to width allows use in any conditions
- Lightweight paulownia wood core with Air Tec Ti for efficient ascents

## MY TRANSALP 90 CARBON



<b>SKI</b>	A18318
Weight/Ski	1180g/162cm
Sidecut	123-87-106
Radius/SL	17m/162cm
Length	155,162,169

**EASY WIPES**  
Easy Wipes Clean & Glide

**BINDING** T70218  
Tour Classic BRAKE 90  
DIN 4 - 10  
Walkability

**CLIMBING TOOL** K00318/K02118


### TECHNOLOGY-HIGHLIGHTS

- Paulownia Wood Core
- Aeroshape
- Carbon Tex

### CUSTOMER BENEFIT

- Maximum stability and control for enjoyable descents
- Ultralight weight for easier ascents
- Skins or PROFOIL attach easily to integrated mounts

## MY TRANSALP 82 CARBON



<b>SKI</b>	A18418
Weight/Ski	980g/162cm
Sidecut	117-81-107
Radius/SL	16,5m/162cm
Length	148,155,162,169

**EASY WIPES**  
Easy Wipes Clean & Glide

**BINDING** T70218  
Tour Classic BRAKE 90  
DIN 4 - 10  
Walkability

**CLIMBING TOOL** K00418/K02218


### TECHNOLOGY-HIGHLIGHTS

- Air Tec Ti
- Aeroshape
- Paulownia Wood Core

### CUSTOMER BENEFIT

- Excellent ratio of weight to width allows use in any set of conditions
- Lightweight paulownia wood core with Air Tec Ti for efficient ascents

## HANNIBAL



<b>SKI</b>	A18817
Weight/Ski	1300g/176cm
Sidecut	126-96-114
Radius/SL	21m/176cm
Length	162,169,176,183

**EASY WIPES**  
Easy Wipes Clean & Glide

**BINDING** T70318  
Tour Classic BRAKE 105  
DIN 4 - 10  
Walkability

**CLIMBING TOOL** K01318/K02017


### TECHNOLOGY-HIGHLIGHTS

- Sandwich Sidewall Construction
- Carbon-Stringers
- Air Tec Ti

### CUSTOMER BENEFIT

- Freeride tourer for great downhill enjoyment
- Lightweight paulownia wood core
- Optimum shape for perfect turns in powder

## TRANSALP 82



**SKI** A18518  
 Weight/Ski 1300g/169cm  
 Sidecut 119-82-105  
 Radius/SL 15,5m/169cm  
 Length 155,162,169,176

**EASY WIPES**  
 Easy Wipes Clean & Glide

**BINDING** T70117  
 Tour Speed Turn W/O BRAKE  
 DIN 4 - 10  
 Walkability

**CLIMBING TOOL** K00418/K02218

**TECHNOLOGY-HIGHLIGHTS**

- Sandwich Sidewall Construction
- Air Tec Ti
- Aeroshape

**CUSTOMER BENEFIT**

- Stable paulownia-cottonwood core for safe descents
- Extremely wear-resistant
- Excellent ratio of weight to width allows use in any conditions

## ALPATTACK CARBON



**SKI** A18018  
 Weight/Ski 650g/161cm  
 Sidecut 96-65-78  
 Radius/SL 20,7m/161cm  
 Length 151, 161

**BINDING** T70016  
 Tour Race Lite W/O BRAKE  
 DIN -  
 Walkability

**CLIMBING TOOL** K00015

**TECHNOLOGY-HIGHLIGHTS**

- Paulownia Wood Core
- Air Tec Ti
- Carbon Tex

**CUSTOMER BENEFIT**

- Light weight for quick and energy-saving climbs
- High stability and bending stiffness
- Yellow base

## VERTICALP



**SKI** A23017  
 Weight/Ski 580g/161cm  
 Sidecut 82-64-72  
 Radius/SL 43m/161cm  
 Length 161

**BINDING** T70016  
 Tour Race Lite W/O BRAKE  
 DIN -  
 Walkability

**CLIMBING TOOL** K00015

**TECHNOLOGY-HIGHLIGHTS**

- Carbon-Stringers
- Aeroshape
- Weight Tuning System

**CUSTOMER BENEFIT**

- Unrivalled low weight
- Individual swing weight and balance
- Yellow base

**TOUR RACE LITE W/O BRAKE**

- Ultralight race tour binding
- For race-compliant manual toe piece locking
- Easy and quick to adjust for the switch from climbing to skiing

Article No. T70016



**WEIGHT**  
110g

**TOUR SPEED LITE 2.0 W/O BRAKE**

- Extremely light, climb-oriented tour binding
- Possible to add a brake
- With adjustable release settings (DIN 4-10)

Article No. T71117  
Z-DIN 5-10



**WEIGHT**  
175g

**TOUR SPEED TURN W/O BRAKE**

- 3 climbing system options through turnable heel piece
- Remarkable low Weight
- Easy-to-use tech newcomer model

Article No. T70117  
Z-DIN 4-10



**WEIGHT**  
370g

**TOUR CLASSIC BRAKE 90 / 105 / 120**

- High degree of safety thanks to TÜV-certified release mechanism
- 3-speed step climbing system for a variety of hill gradients
- Stands out through low Weight and easy handling



Article No. T70218/ T70318/T70418  
Z-DIN 4-10



**WEIGHT**  
599g

**TOUR CLASSIC DEMO BRAKE 90 / 105**

- Quick and easy setting of toe and heel pieces
- High degree of safety thanks to TÜV-certified release mechanism
- 3-speed step climbing system for a variety of hill gradients



Article No. T70515/T70615  
Z-DIN 4-10



**WEIGHT**  
599g

**AMBITION 10 W/O BRAKE**

- Full Diagonal Toe, FRP, AFS
- Telescoping frame
- With adjustable release settings (DIN 3-10)
- Accepts [C] brakes

Article No. T70114  
Z-DIN 3-10



**WEIGHT**  
1790g


FISCHER CLIMBING TOOLS



K00015 CLIMBING SKIN ALPATTACK  
EASY WIPES: Easy Wipes Anti Ice Skin



PROFOIL PRECUT: K01318/K00318/  
K00418/K00718/K00818/K01018  
K02118/K02218  
PROFOIL MULTIFIT: K00918  
EASY WIPES: Easy Wipes Anti Ice LF



SKIN PRECUT: K02017/K02417  
SKIN MULTIFIT (Trim to fit skin): K01216  
EASY WIPES: Easy Wipes Anti Ice Skin





## THE ORIGINAL FROM THE WORLD CUP.

It's about hundredths of a second. And it's about technique – in terms of both athlete and equipment. With the Fischer World Cup package we support the best racers in the world, where subtle nuances make a difference in the battle for podium finishes. Even the tiniest of details can have a major impact – nothing can be left to chance. With the CURV BOOSTER plate Fischer revolutionises power transfer in the turn. This special construction was developed together with athletes from the World Cup and enables unrivalled power transfer.

### RC4 WORLDCUP GS CURV BOOSTER MEN/WOMEN/MASTERS

<b>SKI</b>	
Men	A02018
Length	193,188
Women	A03018
Length	188,183
Masters	A03418
Length	193,189,183

<b>BINDING</b>	T003178
RC4 Z 18 Freeflex	
Z-DIN	8 - 18
FRP, Freeflex Pro	

**TECHNOLOGY-HIGHLIGHTS**

- CURV BOOSTER
- Air Carbon Ti
- Concave Sidewall


**CUSTOMER BENEFIT**

- Top model directly from the World Cup
- New race plate
- New manufacturing standard for easier edge tuning

<b>SKI:</b>	RC4 Worldcup GS
<b>BOOT:</b>	RC4 Podium 130
<b>POLE:</b>	RC4 GS



## RC4 WORLD CUP SL CURV BOOSTER MEN/WOMEN



**SKI**  
Men A04018  
Women A04618  
Length 165 (Men)/155,158 (Women)

**BINDING** T00318  
RC4 Z 18 Freeflex  
DIN 8 - 18  
FRP, Freeflex Pro

### TECHNOLOGY-HIGHLIGHTS

- CURV BOOSTER
- Air Carbon Ti
- Concave Sidewall

### CUSTOMER BENEFITS

- Straight from the Slalom World Cup development department
- With new raceplate
- New manufacturing standard for easier edge tuning

## POLES

### RC4 GS

Article no. Z30218  
Lengths 100-140 (5)



### TECHNOLOGY-HIGHLIGHTS

- Alu 7075 / 16mm
- Speed 2.0 2K Softgrip
- V-Two Color Strap / Art. no. Z92318

### CUSTOMER BENEFITS

- Very strong and stable Race pole
- Wide length range – additionally for juniors
- Non-slip 2K speed grip

### RC4 SL

Article no. Z30318  
Lengths 100-140 (5)



### TECHNOLOGY-HIGHLIGHTS

- Alu 7075 / 16mm
- Speed 2.0 2K Softgrip
- V-Two Color Strap / Art. no. Z92318

### CUSTOMER BENEFITS

- Very strong, stable race pole
- Non-slip speed grip with perfectly designed ergonomics
- Sharp, robust tip

## BOOTS

### RC4 PODIUM 150 / 130 / 110



### CUSTOMER BENEFIT

- Thoroughbred racing boot from the World Cup development department
- Maximum control through Control The Race
- High-quality AFZ leather liner with cork inserts for the best feeling in the toes despite the extremely compact fit

Article No. U01017/U01117/U01217  
Color yellow/yellow  
Sizes 22,5 / 23,5 ... 28,5 (150)  
22,5 / 23,5 ... 28,5 (130)  
22,5 / 23,5 ... 27,5 (110)

### BOOT LINER

100% Seamless Tongue Pressure Reducing Tongue (130/110)  
Fitting Flex (150/130)  
Lace Liner (150/130)  
Phatt Maxx Lite

### SHELL

Race Connected Fit  
High Precision Steering  
Race Flex Control  
TPU Cuff & Shell

### BUCKLES/VELCRO

RC4 CURV Athletes (150/130) / RC4 CURV (110)  
RC4 Phatt Maxx Podium

### FLEX INDEX

150/130/110

### LAST

92mm



## THE PERFECT CURV – PLAYING WITH THE FORCES AT THE LIMIT

The speed becomes faster with every turn, a dynamic performance develops – takes hold of you! The centrifugal force increases and you feel like a pro. This extreme performance is particularly close to the professional equipment from the World Cup.

It is in particular the special sidecut concept which makes the ski controllable and enables individual turns at high speed. High technology through and through thanks to Triple Radius, the Curv Booster plate or the carbon laminate DIAGOTEX™ which is known from racing, THE CURV enables perfect stiffness, fast turn changes without speed loss and optimum power transfer. So every turn is a breathtaking adrenaline rush!

### RC4 THE CURV CURV BOOSTER



<b>SKI</b>	A08018
Weight/Ski	2500g/178cm
Sidecut	120-74-104
Radius/SL	18m/178cm
Length	164,171,178,185

<b>BINDING</b>	T00618
RC4 Z 13 FREEFLEX BRAKE 85 [D]	
DIN	4 - 13
ISO 5355A, Full Diagonal Toe, Diagonal Heel, FRP, Freeflex Pro, ABS	

#### TECHNOLOGY-HIGHLIGHTS


- DIAGOTEX™
- Triple Radius
- Free Milled Titanium

#### CUSTOMER BENEFIT

- High-end turn dynamics
- Top stability and grip in all conditions
- Tough World Cup base as protection against burning out

<b>SKI:</b>	RC4 The Curv
<b>BOOT:</b>	RC4 Curv 130 VACUUM FULL FIT
<b>POLE:</b>	RC4 The Curv CF

## RC4 THE CURV GT



**SKI** A08118  
 Weight/Ski 2400g/175cm  
 Sidecut 129-80-112  
 Radius/SL 16m/175cm  
 Length 168,175,182

**BINDING** T20017  
 MBS 13 RC4 Powerrail Brake 85 [F]  
 DIN 4 - 13  
 Full Diagonal Toe, Diagonal Heel,  
 FRP, AFS, ISO 5355A, ISO 9523 Grip  
 Walk, ISO 9523 WWTR


### TECHNOLOGY-HIGHLIGHTS

- DIAGOTEX™
- Triple Radius
- Free Milled Titanium

### CUSTOMER BENEFIT

- Extremely dynamic
- Thanks to 80 mm waist for optimum stability and the best feeling in turns
- With original World Cup base featuring base inserts

## RC4 THE CURV DTX



**SKI** A08218  
 Weight/Ski 2100g/171cm  
 Sidecut 121-72-106  
 Radius/SL 16m/171cm  
 Length 157,164,171,178

**BINDING** T20218  
 RC4 Z12 GW Powerrail Brake 85 [F]  
 DIN 3,5 - 12  
 ISO 5355A, ISO 9523 Grip Walk,  
 Full Diagonal Toe, Diagonal Heel,  
 FRP, AFS GW

### TECHNOLOGY-HIGHLIGHTS

- DIAGOTEX™
- Triple Radius
- Free Milled Titanium

### CUSTOMER BENEFIT

- Extremely dynamic in turns
- Limitless skiing fun
- Striking bright yellow World Cup base design






## WHEN ONLY PERFORMANCE COUNTS

The speed becomes faster with every turn, a dynamic performance develops – takes hold of you! The centrifugal force increases and you feel like a pro. This extreme performance is particularly close to the professional equipment from the World Cup.

It is in particular the special sidecut concept which makes the ski controllable and enables individual turns at high speed. High technology through and through thanks to Triple Radius, the Curv Booster plate or the carbon laminate DIAGOTEX™ which is known from racing, THE CURV enables perfect stiffness, fast turn changes without speed loss and optimum power transfer. So every turn is a breathtaking adrenaline rush!

### RC4 WORLDCUP RC RACETRACK

SKILL LEVEL  8 9 10

ON PISTE  OFF PISTE 

**SKI** A06018  
 Weight/Ski 2150g/175cm  
 Sidecut 115-68-97  
 Radius/SL 18m/175cm  
 Length 165,170,175,180,185

**BINDING** T20218  
 RC4 Z12 GW POWERRAIL BRAKE 85 [F]  
 DIN 3,5 - 12  
 ISO 5355A, ISO 9523 Grip Walk,  
 Full Diagonal Toe, Diagonal Heel, FRP, AFS GW

**TECHNOLOGY-HIGHLIGHTS**


- Sandwich Sidewall Construction
- Air Carbon TI 0.8
- Concave Sidewall

**CUSTOMER BENEFIT**

- Aggressive in its Giant Slalom performance
- Extremely smooth
- Fast turn initiation

**SKI:** RC4 Worldcup RC  
**BOOT:** RC4 Curv 140 VACUUM FULL FIT  
**POLE:** RC4 SL

## RC4 WORLDCUP SC



**SKI** A06518  
 Weight/Ski 2100g/165cm  
 Sidecut 122-68-103  
 Radius/SL 13m/165cm  
 Length 150,155,160,165,170

**BINDING** T20218  
 RC4 Z12 GW Powerrail Brake 85 [F]  
 DIN 3,5 - 12  
 ISO 5355A, ISO 9523 Grip Walk,  
 Full Diagonal Toe, Diagonal Heel,  
 FRP, AFS GW

### TECHNOLOGY-HIGHLIGHTS

- RACETRACK
- Sandwich Sidewall Construction
- Air Carbon TI 0.8

### CUSTOMER BENEFIT

- For agile and aggressive Slalom turns
- Smooth performance and fast turn initiation
- Optimum edge grip

## RC4 SPEED



**SKI** A07518  
 Weight/Ski 1900g/165cm  
 Sidecut 120-67-100  
 Radius/SL 14m/165cm  
 Length 150,155,160,165,170

**BINDING** T40018  
 RC4 Z11 GW Powerrail Brake 78 [G]  
 DIN 3 - 11  
 ISO 5355A, ISO 9523 Grip Walk,  
 Full Diagonal Toe, FRP, AFS GW

### TECHNOLOGY-HIGHLIGHTS

- Sandwich Sidewall Construction
- Air Carbon TI 0.5
- On-Piste ROCKER

### CUSTOMER BENEFIT

- For short to medium-length turns
- For top performance and skiing fun
- Manoeuvrable and extremely stable at the same time



### RC4 WORLDCUP GS JR.



**SKI** A10018 / A10018  
 Weight/Ski 1900g/170cm  
 Sidecut n.a.  
 Radius/SL n.a./170cm  
 Length 130,135,140,145,150,155, 160,165,170 / 175, 180

**BINDING** T00718  
 RC4 Z 11 FREEFLEX BRAKE 85 [D]  
 DIN 3 - 11  
 ISO 5355A, Full Diagonal Toe, FRP, Freeflex Pro, ABS


**TECHNOLOGIE-HIGHLIGHTS**

- CURV BOOSTER
- Concave Sidewall
- Air Carbon TI 0.8

**CUSTOMER BENEFIT**

- Perfect racing ski for precise Giant Slalom turns
- Ideal smooth performance and edge grip
- Concave sidewall for immediate edge preparation without sidewall removal

### RC4 WORLDCUP SL JR.



**SKI** A11518 / A11018  
 Weight/Ski 1700g/145cm  
 Sidecut n.a. / 110-68-95  
 Radius/SL n.a./145cm  
 Length 120,125 / 130,135,140,145,150

**BINDING** T00718  
 RC4 Z 11 Freeflex BRAKE 85 [D]  
 Z-DIN 3 - 11  
 ISO 5355A, Full Diagonal Toe, FRP, Freeflex Pro, ABS

**TECHNOLOGIE-HIGHLIGHTS**

- CURV BOOSTER
- Air Carbon TI 0.8
- Concave Sidewall

**CUSTOMER BENEFIT**

- Perfect Slalom racing ski with top performance
- Concave sidewall for immediate edge preparation without sidewall removal

### RC4 SPEED JR.



**SKI** A12718  
 Weight/Ski 1450g/140cm  
 Sidecut n.a. / 110-68-95  
 Radius/SL 11m/140cm  
 Length 140,150,160

**BINDING** T80016  
 RC4 Z9 AC BRAKE 78 [J]  
 DIN 2,5-9  
 ISO 5355A, Full Diagonal Toe, FRP, Freeflex Pro, ABS

**TECHNOLOGIE-HIGHLIGHTS**

- CURV BOOSTER
- Air Carbon TI 0.8
- Concave Sidewall

**CUSTOMER BENEFIT**

- Perfect Slalom racing ski with top performance
- Concave sidewall for immediate edge preparation without sidewall removal

### RC4 THE CURV PRO



**SKI** A12518  
 Weight/Ski 1200g/140cm  
 Sidecut 110-68-95  
 Radius/SL 11m/140cm  
 Length 110,120,130

**BINDING** T80216  
 FJ7 AC SLR BRAKE 78 [H]  
 DIN 2 - 7,5  
 Full Diagonal Toe, FRP, AFS, ISO 5355A, ISO 5355C

**TECHNOLOGIE-HIGHLIGHTS**

- SLR 2 Junior
- Sidewall Construction
- Air Carbon

**CUSTOMER BENEFIT**

- Manoeuvrable, universal use junior racing ski
- Best torsional stiffness and grip
- Perfect power transfer

## RC4 RACE JR.



**SKI** A19418 / A19518  
 Weight/Ski -  
 Sidecut 104-70-84  
 Radius/SL 11,3m/120cm  
 Length 70, 80, 90, 100, 110, 120  
 130,140,150

**BINDING** T80616 / T80216  
 FJ4 AC SLR BRAKE 74 [I]  
 FJ7 AC BRAKE 78 [H]  
 Z-DIN 0,45 - 4,5 / 2 - 7,5  
 Full Diagonal Toe, FRP, AFS

### TECHNOLOGY-HIGHLIGHTS

- Fiber Tech
- On-Piste ROCKER
- Air Power

### CUSTOMER BENEFIT

- Manoeuvrable, lightweight children's ski
- Easy to steer
- With ideal flex – designed for children to use

## PRO MT JR.



**SKI** A21318 / A21418  
 Weight/Ski 950g/120cm  
 Sidecut 104-70-84  
 Radius/SL 11,3m/120cm  
 Length 70,80,90,100,110,120  
 130, 140, 150

**BINDING** T80816 / T80316  
 FJ4 AC SLR BRAKE 74 [I]  
 FJ7 AC BRAKE 78 [H]  
 Z-DIN 0,45 - 4,5 / 2 - 7,5  
 Full Diagonal Toe, FRP, AFS

### TECHNOLOGY-HIGHLIGHTS

- Fiber Tech
- On-Piste ROCKER
- Air Power

### CUSTOMER BENEFIT

- Manoeuvrable, lightweight children's ski
- Easy to steer
- With ideal flex – designed for children to use

## PRODIGY



**SKI** A20016  
 Weight/Ski 1250g/145cm /  
 Sidecut 112-80-103  
 Radius 12m/145cm  
 Length 135,145,155

**BINDING** T80316  
 FJ7 AC SLR BRAKE 78 [H]  
 Z-DIN 2 - 7,5  
 Full Diagonal Toe, FRP, AFS

### TECHNOLOGY-HIGHLIGHTS

- Sidewall Construction
- Fiber Tech
- Freeski ROCKER

### CUSTOMER BENEFIT

- Perfectly balanced for all conditions
- Robust and wear-resistant

## STUNNER



**SKI** A20518 / A20618  
 Weight/Ski 950g/121cm  
 Sidecut 106-76-90  
 Radius 14m/121cm  
 Length 81,91,101,111,121 /  
 131, 141, 151, 161

**BINDING** T80816 / T80316  
 FJ4 AC SLR BRAKE 74 [I]  
 FJ7 AC SLR BRAKE 78 [H]  
 Z-DIN 0,45 - 4,5 / 2 - 7,5  
 Full Diagonal Toe, FRP, AFS


### TECHNOLOGY-HIGHLIGHTS

- Air Power
- Fiber Tech
- Freeski ROCKER

### CUSTOMER BENEFIT

- Perfectly balanced for quick flips and spins
- Robust and wear-resistant
- Identical regular/fakie performance

### XTR PRO MT 80



**SKI** A21918  
 Weight/Ski 2050g/173cm  
 Sidecut 125-81-111  
 Radius/SL 16m/173cm  
 Lengths 145,152,159,166,173,180

**BINDING** T40617  
 MBS 10 Powerrail Brake 85 [G]  
 Z-DIN 3 - 10  
 Full Diagonal Toe, FRP, AFS,  
 ISO 5355A, ISO 9523 Grip Walk,  
 ISO 9523 WWTR

**TECHNOLOGY-HIGHLIGHTS**

- Sandwich Sidewall Construction
  - Ceradur
  - Air Tec
- CUSTOMER BENEFIT**
- High Durability
  - On and off-piste
  - Versatile performance

### XTR PRO MT 77




**SKI** A22018  
 Weight/Ski 1950g/171cm  
 Sidecut 122-77-109  
 Radius/SL 16m/171cm  
 Lengths 145,151,157,164,171,178

**BINDING** T40318  
 RS10 GW Powerrail Brake 78 [G]  
 Z-DIN 3 - 10  
 Full Diagonal Toe, FRP, AFS,  
 ISO 5355A, ISO 9523 Grip Walk

**TECHNOLOGY-HIGHLIGHTS**

- Sandwich Sidewall Construction
  - Ceradur
  - Air Tec
- CUSTOMER BENEFIT**
- High Durability
  - On and off-piste
  - Versatile performance

### XTR PRO MT X



**SKI** A22418  
 Weight/Ski 1700g/165cm  
 Sidecut 118-73-101  
 Radius/SL 15,5m/165cm  
 Lengths 140,145,150,155,160,165,170

**BINDING** T40318  
 RS10 GW Powerrail Brake 78 [G]  
 Z-DIN 2,5 - 10 / 3 - 10  
 ISO 5355A, ISO 9523 Grip Walk,  
 Full Diagonal Toe, FRP, AFS GW,  
 One Touch


**TECHNOLOGY-HIGHLIGHTS**

- Ceradur
  - On-Piste ROCKER
  - Air Power
- CUSTOMER BENEFIT**
- Extremely durable surface
  - With Ceradur and reinforced edges

**RENTAL INFO FIELD**

Clearly visible field on the outside of the boot on the Velcro for the following information (makes handling much simpler and speeds up the rental process):

- Color Size Concept: the intelligent Color Size Concept makes the rental process easier and faster. The Color-coded field and letter code in the Rental Info Field guarantee that the required ski boot size perfectly matches the rental binding. This means that the optimum setting for the binding can be adjusted in no time.
- Barcode field and Sole length + boot size





## RC4 CURV XTR 110

### CUSTOMER BENEFIT

- Ideal rental boot with a narrower fit
- Wear-resistant TPU shell and collar
- Anti-bacterial inner liner

Article no. U21018

Color black/ black

Sizes 24,5 / 25,0 ... 30,5



### BOOT LINER

100% Seamless Tongue  
Pressure Reducing Tongue  
Sanitized Liner

### SHELL

Connected Fit  
Precision Steering  
SOMATEC  
Natural Forward Lean  
XTR Size/Solelength Print  
XTR Catch  
TPU Cuff & Shell

### BUCKLES/VELCRO

CURV Jr. XTR  
Cruzar XTR

### FLEX INDEX

110

### LAST

97mm +3mm

## MY CURV XTR 90

### CUSTOMER BENEFIT

- Performance-oriented yet comfortable rental boot for narrower women's feet
- Wear-resistant TPU shell and collar
- Anti-bacterial inner liner

Article no. U21118

Color black/ black

Sizes 22,5 / 23,0 ... 27,5



### BOOT LINER

Sanitized Liner  
XTR Label Loop  
Pressure Reducing Tongue

### SHELL

Connected Fit  
Precision Steering  
SOMA-TEC  
Natural Forward Lean  
XTR Size/Solelength Print  
XTR Catch  
TPU Cuff & Shell

### BUCKLES/VELCRO

CURV Jr. XTR  
Cruzar XTR

### FLEX INDEX

90

### LAST

97mm +3mm

## RC PRO 90 XTR TS

### CUSTOMER BENEFIT

- Comfortable rental boot
- Adjustable for wider lower legs
- Sizing easily legible on wear-resistant TPU cuff

Article no. U21218

Color black tr./black

Sizes 25,5 / 26,0 ... 30,5



### BOOT LINER

Sanitized Liner  
XTR Label Loop

### SHELL

XTR Size/Solelength Print  
Grip Sole  
XTR Catch  
TPU Cuff & Shell

### BUCKLES/VELCRO

RC Pro 18, RC Pro  
Cruzar XTR  
Cruzar XTR 35mm

### FLEX INDEX

90

### LAST

100mm

## MY RC PRO 80 XTR TS

### CUSTOMER BENEFIT

- Great all-round rental boot
- Wear-resistant TPU shell
- Anti-bacterial inner liner

Article no. U21718

Color black tr./black

Sizes 23,5 / 24,0 ... 27,5



### LINER

Sanitized Liner  
XTR Label Loop

### SHELL

XTR Size/  
Solelength Print  
Grip Sole  
XTR Catch  
TPU Cuff & Shell  
Women Specific Cuff

### BUCKLES/VELCRO

RC Pro 18  
Puffy

### FLEX INDEX

80

### LAST

100mm

## CRUZAR XTR 8 THERMOSHAPE

### CUSTOMER BENEFIT

- Perfect fit
- More space in the toe section for a better first fit and warmth
- Easy entry and exit
- 100% Seamless Tongue for no instep chafing

Article no. U22018

Color black/black/black  
 Sizes 25,5 / 26,0 ... 31,5



### BOOT LINER

Sanitized Liner  
 XTR Label Loop

### SHELL

Higher Toebox  
 Higher Instep  
 Natural Forward Lean  
 Lower Cuff  
 XTR Size/Solelength Print  
 XTR Catch  
 TPU Cuff & Shell

### BUCKLES/VELCRO

RC Pro  
 Cruzar XTR

### FLEX INDEX

80

### LAST

103mm

## MY CRUZAR XTR 7 THERMOSHAPE

### CUSTOMER BENEFIT

- Perfect fit
- More space in the toe section for a better first fit and warmth
- Easy entry and exit
- 100% Seamless Tongue for no instep chafing

Article no. U22118

Color black/black/black  
 Sizes 23,5 / 24,0 ... 27,5



### BOOT LINER

100% Seamless Tongue  
 Sanitized Liner  
 XTR Label Loop

### SHELL

Higher Toebox  
 Higher Instep  
 Natural Forward Lean  
 Lower Cuff  
 XTR Size/Solelength Print  
 XTR Catch  
 TPU Cuff & Shell  
 Women Specific Cuff

### BUCKLES/VELCRO

RC Pro women  
 Puffy

### FLEX INDEX

70

### LAST

103mm

## XTR CARBON

Article no. Z37018

Lengths 110-135 (5)



### TECHNOLOGY-HIGHLIGHTS

- Air Carbon / 16mm
- Alu 7075 / 18mm
- Sport Grip F400
- Standard Adj. Strap / Art. Nr. Z92307

### CUSTOMER BENEFIT

- Color coding system easily shows length
- High quality carbon shaft
- Durable grip and strap materials
- Easy to replace bottom disc

## XTR ALU

Article no. Z37017

Lengths 110-135 (5)



### TECHNOLOGY-HIGHLIGHTS

- Alu 7075 / 16mm
- Sport Grip F400
- Standard Adj. Strap / Art. Nr. Z92307

### CUSTOMER BENEFIT

- Color/length concept for an easy choice
- High-quality aluminium shaft
- Robust grip and strap components
- Easy changeable basket

## XTR ALU JR.

Article no. Z37117

Lengths 80-105 (5)



### TECHNOLOGY-HIGHLIGHTS

- Alu 7075
- Race Junior Grip
- Standard Adj. Strap / Art. Nr. Z92307


### CUSTOMER BENEFIT

- Color/length concept for an easy choice
- High-quality aluminium shaft
- Robust grip and strap components
- Easy changeable basket

## COLOR LENGTH CONCEPT

An ingenious system that makes the rental process easier and also speeds it up. Both skis and poles are marked with a striking colour code that determines a defined length. Ski and pole lengths can be identified at a glance and reliably.

	ADULT	KIDS
Brown	110cm	80cm
Orange	115cm	85cm
Green	120cm	90cm
Red	125cm	95cm
Blue	130cm	100cm
Grey	135cm	105cm





Brake Code	Binding	Article No.	Brake Model / Width
<b>BRAKES</b>			
A	RC4 Z 20 FF X RACE SERVICE (RD) (RS) RC4 Z 18 FF X RACE SERVICE RC4 Z 16 FF X RACE SERVICE (RD) RC4 Z 17 FREEFLEX ATTACK <sup>2</sup> 16 AT W/O BRAKE ATTACK <sup>2</sup> 16 GW W/O BRAKE ATTACK <sup>2</sup> 13 AT W/O BRAKE RS 16	T163033 T163035 T163036 T163037 T163038	Power Brake <sup>2</sup> Race PRO 17-85 [A] Power Brake <sup>2</sup> Race PRO 95 [A] Power Brake <sup>2</sup> Race PRO 110 [A] Power Brake <sup>2</sup> Race PRO 130 [A] Power Brake <sup>2</sup> Race PRO 150 [A]
		*use only for competition (X) bindings	
		T163032 T163034	Power Brake <sup>2</sup> Race PRO 16-85 [A]* Power Brake <sup>2</sup> Race PRO 18-85 [A]*
B		T163040 T163041 T163042	Power Brake <sup>2</sup> FR PRO 95 [B] Power Brake <sup>2</sup> FR PRO 110 [B] Power Brake <sup>2</sup> FR PRO 130 [B]
C	AMBITION 10 AT W/O BRAKE	T163003 T163016 T163004 T163005	Brake Ambition 85 [C] Brake Ambition 95 [C] Brake Ambition 105 [C] Brake Ambition 125 [C]
D	RC4 Z 13 FREEFLEX RC4 Z 11 FREEFLEX XTR 10 PRO GW	T163044 T163045 T163046 T163047 T163048	Power Brake <sup>2</sup> LD 85 [D] Power Brake <sup>2</sup> LD 95 [D] Power Brake <sup>2</sup> LD 110 [D] Power Brake <sup>2</sup> LD 130 [D] Power Brake <sup>2</sup> LD 150 [D]
F	MBS 13 RC4 POWERRAIL RC4 Z12 POWERRAIL RC4 Z12 GW POWERRAIL RSX 12 GW POWERRAIL MBS 12 POWERRAIL ATTACK <sup>2</sup> 13 AT DEMO W/O BRAKE	T163050 T163051 T163052 T163053	Powerrail Brake <sup>2</sup> LD 85 [F] Powerrail Brake <sup>2</sup> LD 95 [F] Powerrail Brake <sup>2</sup> LD 110 [F] Powerrail Brake <sup>2</sup> LD 130 [F]
G	RC4 Z11 GW POWERRAIL MBS 11 POWERRAIL MBS 10 POWERRAIL RS11 GW POWERRAIL RS10 GW POWERRAIL MY RS 10 GWPOWERRAIL ATTACK <sup>2</sup> 11 AT DEMO W/O BRAKE	T162943 T163084 T162984 T163078 T162985	Powerrail Brake SL 78 [G] Powerrail Brake SL 85 [G] Powerrail Brake SL 90 [G] Powerrail Brake SL 100 [G] Powerrail Brake SL 115 [G]
H	RS9 GW SLR MY R9 GW SLR/WOMENTRACK FJ7 AC SLR	T162942 T163085 T162949	SL Brake LR 78 [H] SL Brake LR 85[H] SL Brake LR 90 [H]
I	FJ4 AC SLR	T162966 T162967	SX Kid Brake LR 74 [I] SX Kid Brake LR 84 [I]
E J	RS10 RS9 RC4 Z9 AC FJ7 AC W/O BRAKE	T163058 T162776 T163067 T163068	SL Brake 78 [E],[J] SL Brake 90 [E],[J] SL Brake 100 [E],[J] SL Brake 115 [E],[J]
K	FJ4 AC	T162965 T162964	SX Kid Brake 84 [K] SX Kid Brake Sympro 74 [K]
L	ATTACK <sup>2</sup> 11 AT W/O BRAKE	T163027 T163028 T163029 T163030	SL Brake FS 78 [L] SL Brake FS 90 [L] SL Brake FS 100 [L] SL Brake FS 115 [L]

Article No.	Model
<b>ACCESSORIES</b>	
T163006	CRAMPON AMBITION 90MM (1 PAIR)
T163007	CRAMPON AMBITION 105MM (1 PAIR)
T163008	CRAMPON AMBITION 120MM (1 PAIR)
T163001	AMBITION DEMO TRACK (1 PAIR)
T75015	CRAMPON TOUR RACE 78MM
T75115	CRAMPON CLASSIC 90MM
T75215	CRAMPON CLASSIC 100MM
T75315	CRAMPON CLASSIC 110MM
T75415	CRAMPON CLASSIC 120MM
T76416	DEMO TRACK TOUR RACE LITE
T76917	DEMO TRACK TOUR SPEED LITE 2.0

Article No.	Model	Related Ski	Lengths	Easy Wipes
<b>CLIMBING TOOLS</b>				
K01216	SKIN MULTIFIT 130MM	Multifit	150, 159, 167, 176, 184, 190	Easy Wipes Anti Ice Skin
K00918	PROFOIL MULTIFIT 130MM	Multifit	150, 159, 167, 176, 184, 190	Easy Wipes Anti Ice LF
K00015	SKIN ALPATTACK	Pre-cut	A18018 151, 161	Easy Wipes Anti Ice Skin
K01318	PROFOIL HANNIBAL	Pre-cut	A18817 162, 169, 176, 183	Easy Wipes Anti Ice LF
K02017	SKIN HANNIBAL	Pre-cut	A18817 162, 169, 176, 183	Easy Wipes Anti Ice Skin
K00318	PROFOIL (MY) TRANSALP 90 CARBON	Pre-cut	A18118 155, 162, 169, 176, 183	Easy Wipes Anti Ice LF
K02118	PROFOIL (MY) TRANSALP 90 CARBON	Pre-cut	A18118 155, 162, 169, 176, 183	Easy Wipes Anti Ice LF
K00418	PROFOIL (MY) TRANSALP 82 CARBON	Pre-cut	A18616 148, 155, 153, 169, 176	Easy Wipes Anti Ice LF
K02218	SKIN (MY) TRANSALP 82 CARBON	Pre-cut	A18618 148, 155, 153, 169, 176	Easy Wipes Anti Ice Skin
K02417	SKIN TRANSALP 75	Pre-cut	A18218 155, 162, 169, 176	Easy Wipes Anti Ice Skin
K00818	PROFOIL RANGER 90 / MY RANGER 89	Pre-cut	A17218 157, 165, 172, 179, 186	Easy Wipes Anti Ice LF
K00718	PROFOIL RANGER 98 / MY RANGER 98	Pre-cut	A17118 156, 164, 172, 180, 188	Easy Wipes Anti Ice LF
K01018	PROFOIL RANGER 108	Pre-cut	A17018 174, 182, 188	Easy Wipes Anti Ice LF

# POLES

## RC4 THE CURV CF

Article no. Z30018  
Lengths 110-140 (5)



### TECHNOLOGY-HIGHLIGHTS

- Air Carbon / 13mm
- Speed 2.0 2K Softgrip
- V-Comfort Strap / Art. no. Z92012

### CUSTOMER BENEFITS

- Ultralight and stable
- Non-slip speed grip with perfect ergonomics
- Aerodynamic basket with robust tip

## RC4 GS

Article no. Z30218  
Lengths 100-140 (5)



### TECHNOLOGY-HIGHLIGHTS

- Alu 7075 / 16mm
- Speed 2.0 2K Softgrip
- V-Two Color Strap / Art. no. Z92318

### CUSTOMER BENEFITS

- Very strong and stable Race pole
- Wide length range – additionally for juniors
- Non-slip 2K speed grip

## RC4 SL

Article no. Z30318  
Lengths 100-140 (5)



### TECHNOLOGY-HIGHLIGHTS

- Alu 7075 / 16mm
- Speed 2.0 2K Softgrip
- V-Two Color Strap / Art. no. Z92318

### CUSTOMER BENEFITS

- Very strong, stable race pole
- Non-slip speed grip with perfectly designed ergonomics
- Sharp, robust tip

## RC4 GS JR.

Article no. Z36118  
Lengths 80-110 (5)



### TECHNOLOGY-HIGHLIGHTS

- Alu 5083 / 16mm
- Race Junior Grip
- Standard Adj. Strap / Art. no. Z92307

### CUSTOMER BENEFITS

- Stable shaft with curved downhill geometry
- Ergonomic grip
- Specially fixed basket

## RC4 SL JR.

Article no. Z36218  
Lengths 80-110 (5)



### TECHNOLOGY-HIGHLIGHTS

- Alu 5083 / 16mm
- Race Junior Grip
- Standard Adj. Strap / Art. no. Z92307

### CUSTOMER BENEFITS

- Stable pole
- Ergonomic grip
- Specially fixed basket

## PRO JR.

Article no. Z36318  
Lengths 70-110 (5)



### TECHNOLOGY-HIGHLIGHTS

- Alu 5083 / 14mm
- Race Junior Grip
- System Strap

### CUSTOMER BENEFITS

- Slim pole
- Ergonomic grip

## PRO CARBON XTD

Article no. Z32018  
Lengths 110-135 (5)



### TECHNOLOGY-HIGHLIGHTS

- Air Carbon / 13mm
- Performance 2K Grip
- Carbon Strap / Art. no. Z92210

### CUSTOMER BENEFITS

- Lightweight carbon
- Excellent ergonomics with soft material for grip
- Wider basket for all-terrain use

## PRO ALU WHITE / BLACK

Article no. Z32217 / Z32317  
Lengths 110-135 (5)



### TECHNOLOGY-HIGHLIGHTS

- Alu 6061 / 16mm
- Performance 1K Grip
- Race Strap / Art. no. Z44506

### CUSTOMER BENEFITS

- Light and stable pole
- Ergonomic, perfectly tuned grip
- Pleasant, non-slip grip material

## UNLIMITED YELLOW / GREEN / RED

Article no. Z32417 / Z32517 / Z32617  
Lengths 110-135 (5)



### TECHNOLOGY-HIGHLIGHTS

- Alu 5083 / 18 mm
- Sport Grip F400
- Standard Adj. Strap / Art. no. Z92307

### CUSTOMER BENEFITS

- Stable pole
- Ergonomic grip

## MY CARBON

Article no. Z35018  
Lengths 110-125 (5)



### TECHNOLOGY-HIGHLIGHTS


- Air Carbon / 13mm
- Speed 2.0 2K Softgrip
- V-Two Color Strap / Art. no. Z92318

### CUSTOMER BENEFITS

- Highest-grade materials
- Extremely lightweight
- Softer grip for secure hold

## ALPATTACK RACE

Article no. Z33017  
Lengths K145



### TECHNOLOGY-HIGHLIGHTS

- Air Carbon / 16mm
- Strap Neopren Loop / Art. no. Z83706

### CUSTOMER BENEFITS

- Extremely light weight
- Highest stiffness
- Optimized swingweight
- Extended grip area

## TRANSALP VARIO

Article no. Z33318  
Lengths 105-140 adj.



### TECHNOLOGY-HIGHLIGHTS

- Titanal / 16/14 mm
- Tour Full Foam Grip
- Tour Padded Strap / Art. Nr. Z92715
- Powerlock 2.1 / Art. no. Z99618

### CUSTOMER BENEFITS

- Highest quality telescoping pole
- Simple, secure length adjustment
- Soft EVA handle with expanded grip area

## RANGER VARIO

Article no. Z34018  
Lengths 105 - 135 adj.



### TECHNOLOGY-HIGHLIGHTS

- Alu 7075 / 18/16mm
- Powder 2K Grip
- System Adjustable Strap
- Powerlock 2.1 / Art. no. Z99718

### CUSTOMER BENEFITS

- Rugged, light Freeride-specific pole
- Simple, secure length adjustment
- Comfortable, soft 2K grip









# LINE-UP BINDINGS





Article No.	Model	Z-DIN	Height above ski toe	Height above ski heel	Weight (g)	Color	Technology	
<b>RACE</b>								
T00218	RC4 Z 20 FF X RACE SERVICE (RS) BRAKE 85 [A]		10-20	12.5	16	3190	black/racing blue/ yellow	ISO 5355A, FRP, Freeflex Pro
T00318	RC4 Z 18 FF X RACE SERVICE BRAKE 85 [A]		8 - 18	12.5	16	3170	black/racing blue/ yellow	ISO 5355A, FRP, Freeflex Pro
T00418	RC4 Z 16 FF X RACE SERVICE (RD) BRAKE 85 [A]		8 - 16	12.5	16	3170	black/racing blue/ yellow	ISO 5355A, FRP, Freeflex Pro
T00518	RC4 Z 17 FREEFLEX BRAKE 85 [A]		6 - 17	12.5	16	2690	black/racing blue/ yellow	ISO 5355A, FRP, Freeflex Pro
T00618	RC4 Z 13 FREEFLEX BRAKE 85 [D]		4 - 13	17	21	2330	matt black/racing blue/yellow	ISO 5355A, Full Diagonal Toe, Diagonal Heel, FRP, Freeflex Pro, ABS
T00718	RC4 Z 11 FREEFLEX BRAKE 85 [D]		3 - 11	17	21	2250	matt black/racing blue/yellow	ISO 5355A, Full Diagonal Toe, FRP, Freeflex Pro, ABS







<b>HIGH PERFORMANCE</b>								
T20218	RC4 Z12 GW POWERRAIL BRAKE 85 [F]		3,5 - 12	28	33.5	2000	matt black/racing blue/yellow	ISO 5355A, ISO 9523 Grip Walk, Full Diagonal Toe, Diagonal Heel, FRP, AFS GW
T30418	RSX 12 GW POWERRAIL BRAKE 85 [F]		3,5 - 12	28	33.5	2000	solid black/white/ green	ISO 5355A, ISO 9523 Grip Walk, Full Diagonal Toe, Diagonal Heel, FRP, AFS GW
T20017	MBS 13 RC4 POWERRAIL BRAKE 85 [F]		4 - 13	28 - 30	33.5	2100	solid black/yellow	ISO 5355A, ISO 9523 Grip Walk, ISO 9523 W/WTR, Full Diagonal Toe, Diagonal Heel, FRP, AFS
T30617	MBS 12 POWERRAIL BRAKE 85 [F]		3,5 - 12	28 - 30	33.5	2100	solid black/black	ISO 5355A, ISO 9523 Grip Walk, ISO 9523 W/WTR, Full Diagonal Toe, Diagonal Heel, FRP, AFS




<b>SPORT PERFORMANCE</b>								
T40018	RC4 Z11 GW POWERRAIL BRAKE 78 [G]		3 - 11	28	31	1790	solid black/racing blue/yellow	ISO 5355A, ISO 9523 Grip Walk, Full Diagonal Toe, FRP, AFS GW
T40118	RS11 GW POWERRAIL BRAKE 78 [G]		3 - 11	28	31	1790	solid black/white	ISO 5355A, ISO 9523 Grip Walk, Full Diagonal Toe, FRP, AFS GW
T40218	RS11 GW POWERRAIL BRAKE 78 [G]		3 - 11	28	31	1790	solid black/ white/red	ISO 5355A, ISO 9523 Grip Walk, Full Diagonal Toe, FRP, AFS GW
T40318	RS10 GW POWERRAIL BRAKE 78 [G]		3 - 10	28	31	1790	solid black/ white	ISO 5355A, ISO 9523 Grip Walk, Full Diagonal Toe, FRP, AFS GW
T40818	RS10 GW POWERRAIL BRAKE 78 [G]		3 - 10	28	31	1790	solid black/ white/yellow	ISO 5355A, ISO 9523 Grip Walk, Full Diagonal Toe, FRP, AFS GW
T40918	RS10 GW POWERRAIL BRAKE 78 [G]		3 - 10	28	31	1790	solid black/ white/red	ISO 5355A, ISO 9523 Grip Walk, Full Diagonal Toe, FRP, AFS GW
T41018	RS9 GW SLR BRAKE 78 [H]		2,5 - 9	26	28	1420	solid black/white	ISO 5355A, ISO 9523 Grip Walk, Full Diagonal Toe, FRP, AFS GW
T40517	MBS 11 POWERRAIL BRAKE 85 [G]		3 - 11	28 - 30	31	1880	solid black/black	ISO 5355A, ISO 9523 Grip Walk, ISO 9523 W/WTR, Full Diagonal Toe, FRP, AFS
T40617	MBS 10 POWERRAIL BRAKE 85 [G]		3 - 10	28 - 30	31	1880	solid black/black	ISO 5355A, ISO 9523 Grip Walk, ISO 9523 W/WTR, Full Diagonal Toe, FRP, AFS
T41216	RS9 BRAKE 78 [J]		2,5 - 9	16	21	1440	solid black/white	ISO 5355A, ISO 5355C, Full Diagonal Toe, FRP, AFS

<b>WOMEN</b>								
T50018	MY RS 10 GW POWERRAIL BRAKE 78 [G]		3 - 10	28	31	1790	matt black/white	ISO 5355A, ISO 9523 Grip Walk, Full Diagonal Toe, FRP, AFS GW
T50118	MY RS 10 GW POWERRAIL BRAKE 85 [G]		3 - 10	28	31	1790	matt black/dark grey/mint	ISO 5355A, ISO 9523 Grip Walk, Full Diagonal Toe, FRP, AFS GW
T51118	MY RS 9 GW SLR/WOMENTR. BRAKE 78 [H]		2,5 - 9	26	27	1420	dark grey/white	ISO 5355A, ISO 9523 Grip Walk, Full Diagonal Toe, FRP, AFS GW
T51218	MY RS 9 GW SLR/WOMENTR. BRAKE 78 [H]		2,5 - 9	26	27	1420	solid white/black	ISO 5355A, ISO 9523 Grip Walk, Full Diagonal Toe, FRP, AFS GW
T51318	MY RS 9 GW SLR/WOMENTR. BRAKE 78 [H]		2,5 - 9	26	27	1420	dark grey/black/ bright orange	ISO 5355A, ISO 9523 Grip Walk, Full Diagonal Toe, FRP, AFS GW

Article No.	Model	Z-DIN	Height above ski toe	Height above ski heel	Weight (g)	Color	Technology
<b>TOUR</b>							
T70114	<b>AMBITION 10 W/O BRAKE [C]</b>		3 - 10	35	38 (*41)	1790 (1960)	solid white/black ISO 5355A, ISO 9523, ISO 9523 Grip Walk, ISO 9523 W/WTR, FRP, AFS, Telescopic shaft, Walkability
T70016	<b>TOUR RACE LITE W/O BRAKE</b>		-	5	6	110	yellow/black Walkability
T71117	<b>TOUR SPEED LITE 2.0 W/O BRAKE</b>		5 - 10	5	6	175	solid black/yellow Walkability
T70117	<b>TOUR SPEED TURN W/O BRAKE</b>		4 - 10	10	20	370	solid black/silver Walkability
T70218	<b>TOUR CLASSIC BRAKE 90</b>		4 - 10	19	29	599	solid black/silver Walkability
T70318	<b>TOUR CLASSIC BRAKE 105</b>		4 - 10	19	29	599	solid black/silver Walkability
T70418	<b>TOUR CLASSIC BRAKE 120</b>		4 - 10	19	29	599	solid black/silver Walkability
T70515	<b>TOUR CLASSIC DEMO BRAKE 90</b>		4 - 10	22	29	599	solid black/silver Walkability
T70615	<b>TOUR CLASSIC DEMO BRAKE 105</b>		4 - 10	22	29	599	solid black/silver Walkability

<b>FREESKI</b>							
T60818	<b>ATTACK² 16 GW W/O BRAKE [A]</b>		5 - 16	12 - 15	17	1940 (2240)	solid black/black ISO 5355A, ISO 9523 Grip Walk, FRP, AFS GW
T60618	<b>R16 BRAKE 85 [A]</b>		5 - 16	12,5	17	2420	matt black/yellow ISO 5355A, FRP
T60917	<b>ATTACK² 13 AT W/O BRAKE [A]</b>		4-13	17-22	24	1930 (2230)	solid black/black ISO 5355A, ISO 9523, ISO 9523 Grip Walk, ISO 9523 W/WTR, FRP, AFS
T61017	<b>ATTACK² 11 AT W/O BRAKE [L]</b>		3 - 11	17-22	28	1720 (1970)	solid black/black ISO 5355A, ISO 9523, ISO 9523 Grip Walk, ISO 9523 W/WTR, FRP, AFS

<b>JUNIOR</b>							
T80016	<b>RC4 Z9 AC BRAKE 78 [J]</b>		2,5-9	16	21	1490	solid black/yellow ISO 5355A, ISO 5355C, Full Diagonal Toe, FRP, AFS
T80116	<b>FJ7 AC BRAKE 78 [J]</b>		2 - 7,5	12	21	1400	solid black/yellow ISO 5355A, ISO 5355C, Full Diagonal Toe, FRP, AFS
T80216	<b>FJ7 AC SLR BRAKE 78 [H]</b>		2 - 7,5	21,5	27	1360	solid black/yellow ISO 5355A, ISO 5355C, Full Diagonal Toe, FRP, AFS
T80316	<b>FJ7 AC SLR BRAKE 78 [H]</b>		2 - 7,5	21,5	27	1360	solid black/white ISO 5355A, ISO 5355C, Full Diagonal Toe, FRP, AFS
T80616	<b>FJ4 AC SLR BRAKE 74 [I]</b>		0,75-4,5	21,5	15	1250	solid black/yellow ISO 5355A, ISO 5355C, Full Diagonal Toe, FRP, AFS
T80816	<b>FJ4 AC SLR BRAKE 74 [I]</b>		0,45-4,5	21,5	15	1250	solid black/white ISO 5355A, ISO 5355C, Full Diagonal Toe, FRP, AFS

<b>RENT</b>							
T90018	<b>XTR 10 PRO GW BRAKE 85 [D]</b>		2,5 - 10	26	31	2580	solid black/white ISO 5355A, ISO 9523 Grip Walk, Full Diagonal Toe, FRP, AFS GW, One Touch
T90017	<b>ATTACK² 13 AT DEMO W/O BRAKE [F]</b>		4-13	25-29	32	2250 (2550)	solid black/black ISO 5355A, ISO 9523, ISO 9523 Grip Walk, ISO 9523 W/WTR, FRP, AFS
T90217	<b>ATTACK² 11 AT DEMO W/O BRAKE [G]</b>		3 - 11	25-29	29,5	2130 (2430)	solid black/black ISO 5355A, ISO 9523, ISO 9523 Grip Walk, ISO 9523 W/WTR, FRP, AFS

**SPARE PARTS/BRAKES**

The Fischer OMS Spare Part Management offers all relevant information about ski bindings, technical data and their (spare) parts:  
<http://spareparts.fischersports.com>  
 User: spare\_fischer  
 Passwort: omsnew


**MBS**

Within the PowerRail line, Fischer introduces models with a unique feature for the general performance segment: MBS – Multi Boot Standard. These models are suitable for Alpine (ISO 5355), GripWalk, Walk Sole and Walk To Ride ski boots. Only two different positions are offered for easiest adjustment, making these bindings the ideal partner for on-snow demos or rentals! Adjustment is simple and easy: only two different positions (position 1 - Alpine/Grip Walk and position 2 - Walk Sole/Walk to Ride ski boots) are marked on the binding toe. Alter the marked position by turning with a screwdriver. No further adjustments or fine tuning with a paper strip are necessary. Done! MBS – the only mass-market feature with easy adjustment to different boot sole heights, from Alpine and GripWalk to Walk Sole and Walk to Ride ski boots. This feature makes these bindings the ideal partner for on-snow demos or rentals!

Art.No	LINE	Alpine Adult A – ISO 5355	Touring T – ISO 9523		
		Alpine Adult (A) (ISO 5355)	Grip Walk (GW)	Walk Sole/ Walk to Ride (W)	Touring (T) (ISO 9523)
T20017	MBS 13 RC4 Powerrail BRAKE 85 [F]	X	X	X	
T30617	MBS 12 Powerrail BRAKE 85 [F]	X	X	X	
T40517	MBS 11 Powerrail BRAKE 85 [G]	X	X	X	
T40617	MBS 10 Powerrail BRAKE 85 [G]	X	X	X	


**CORES**

**AIR POWER**




Ski core with less density. The reduced ski weight means easier handling and less energetic skiing.

**SANDWICH CONSTRUCTION**




Laminated construction with a wooden core and sidewalls to support the edges for highest stability, strength and durability.

**SANDWICH SIDEWALL CONSTRUCTION**



Wood core combined with ABS sidewalls in a classic Sandwich Construction for balanced flex and perfect rebound.

**SIDEWALL CONSTRUCTION**



Sidewall Construction to support the edges for highest stability, strength and durability.

**PAULOWNIA WOODCORE**



Ultralight wood used in ski making. Used specially for touring skis - either with cap or sandwich design.


**TECHNOLOGIES**

**BRILLIANT SELECTION CARBON**




Unidirectional latest generation carbon shell. With its fibre configuration in the direction of motion it becomes more dynamic and increases skiing enjoyment while staying stable. Also makes for additional weight reduction.

**AIR CARBON TI**




Wood Core with double Titanal shell, reinforced with Air Carbon. Perfect edge grip and extremely smooth running as a result.

**AIR CARBON**




Ultra lightweight and extremely strong high-tech material from the aerospace industry. Improves handling and performance.

**CARBON TECH**




Special network of carbon fibres with exceptional torsion properties and a balanced stiffness pattern at the same time.

**FIBER TECH**



Special glass fibre network with harmonious bending properties. The ski stands out through excellent turning action.

**CARBON-STRINGERS**



Special Carbon Stringers ensure that weight is kept sensationally low with balanced flex and an optimised weight-torsion ratio.

**AEROSHAPE**



Special lightweight design for extreme torsion stability.

**AIR TEC**



On the one hand, the milled structure makes the core 25 % lighter and, on the other hand maintains the outstanding ski performance.

**AIR TEC TI**



Air Tec + Titanal give you optimum performance and minimum weight.

**HOLE SKI TECHNOLOGY**



Lower mass inertia moment thanks to less weight in the ski's tip and tail for improved oscillation behaviour, perfectly smooth running and better turning and control.

**DUAL RADIUS SYSTEM**



Different radiuses at the ski tip and ski tail give you faster turn initiation and outstanding performance in both long and short turns.

**ROCKER**



The shorter contact length of the ski ensures that turn initiation is easier and requires less effort. Five different types: All Mountain ROCKER, Freeski ROCKER, Tour ROCKER, On Piste ROCKER, Hybrid ROCKER.

**RAZORSHAPE**



Levelled sidewalls give the ski its special, razor-sharp shape. First and foremost, of course, this saves weight. On the other hand, however, this new, distinctive ski shape offers sporty on-piste skiers additional speed and action as it has a smaller contact surface in the snow.

**ARAMID DIAGOTEX™**



Diagotex™, which is processed together with Aramid, reduces the vibrations of the ski. Skiing is smoother as a result and it harmonises the turn pattern. As a result, the best possible control can be achieved through perfect control characteristics.

**CARBON NOSE TIP AND TAIL**



Ultra slim shovel with carbon inlay improves maneuverability at high stability.

**CONCAVE SIDEWALL**



New manufacturing standard for easier edge tuning.

**DIAGOTEX™**




Innovative carbon grid for top torsional stability. For maximum power and stability in turns.

**TRIPLE RADIUS**



The Triple Radius shape enables better control and power transfer throughout the entire turn.

**CHARACTER SIZE**



The collection consists of various ski lengths – the perfect ski for every skiing style. For perfect short, medium or long turns.

**FREE MILLED TITANIUM**



Titanal visible on top surface. New, extremely robust manufacturing standard.

**CARBON TEX**



Extraordinarily strong and light carbon fiber strips overlaid in a flexible single laminated layer for torsional strength, stability and energy dispersion.

**PLATES**

**CURV BOOSTER**



The two-section plate makes cornering extremely quick and ensures optimum power transfer.

**SLR 2**



New, two-part system solution with minimum weight. For perfect power transfer.

**RACETRACK**



Optimised flex with free flex action, best possible piste contact, direct power transfer and straight boot position.

**RACE PLATE JR.**



New Junior Race Plate taken from the World Cup for junior competitions.

**TWIN POWERRAIL**



New two-part Powerrail system with reduced weight and better power transfer

**ALLRIDE**



Latest Powerrail version for enhanced power transfer. Special features: tool-free adjustment possible, suitable for rental.

**WOMEN**

**SLR2 WOMEN**



New, two-part system solution with minimum weight. For perfect power transfer.

**WOMEN BMP**



Forward binding mounting point to make turning easier for energy-saving skiing.

**BASE AND EDGE**

**WORLD CUP TUNING**



Edges and base are given an extremely precise World Cup level finish on the most modern grinding line in the world.






**WORLD CUP BASE**























Original World Cup base with inserts to protect the ski from burning out through heat build-up.



TECHNOLOGY		
BINDINGS		
<b>FULL DIAGONAL TOE</b>  The 180° release reacts in almost all fall directions. Protects ligaments and tendons – particularly in the knee.	<b>DIAGONAL HEEL</b>  This binding heel has a release arc of 150°. Lower release pressure, particularly on forward twisting falls.	<b>FRP</b>  Four rollers and glide inserts optimise flexibility and release characteristics of the binding.
<b>FREEFLEX PRO</b>  Freely-suspended heel section permits unrestricted ski flexing for optimum ski control.	<b>ABS</b>  Virtually frictionless release of the ski boot from the binding guarantees the highest possible level of safety.	<b>AFS</b>  Weight-optimised adapter with which the new Anti Friction Slider ensures you have the usual safety. Better stability as a result - both horizontally and vertically.

BOOTS TECHNOLOGY		
BOOT LINER		
<b>PRESSURE REDUCING TONGUE</b>  Totally new tongue construction with space for high insteps and navicular bone. Because of the special cut no pressure anymore.	<b>MOTION SUPPORT</b>  Pivot point fixed liner cuff allows rotation nearly without friction and for more durability of the liner.	<b>100% SEAMLESS TONGUE</b>  100% Seamless Tongue. Practically no friction anymore, perfect fit.
<b>ACTIVE FIT ZONES LINER</b>  Innovative liner actively supports the foot in three specific function zones: Comfort, Power, and Flex.	<b>POWER FIT TOEBOX</b>  6% wider shape of the toebox area. Rounder Shape in the Toearea. For Better instand fit, better blood circulation and comfort!	

BOOTS TECHNOLOGY		
SHELL		
<b>SKI WALK MODE</b>  Solid, easily accessed Ski Walk mode lever is fully integrated into the shell for ease of handling and protection from damage.	<b>GRIP WALK SOLE</b>  The rockered GripWalk Sole brings together performance in the binding with natural walking and more safety next to the slope.	
<b>VIBRAM®</b>  The recognized leader in performance outsole rubber for durability and grip in all conditions from the parking lot to exposed rock and ice.	<b>POWER LOCK</b>  The cuff is fixed to the lower shell for the strongest and best possible power transfer.	<b>LACE FRAME SYSTEM</b>  The special shell construction in combination with the Boa® Closure System enables perfect interaction between the boot and the foot for a perfect fit and maximum comfort.
<b>NO-TORSION BASE</b>  The carbon/Aramid plate used in the sole section ensures maximum torsional stiffness and direct power transfer to the ski.	<b>BOA® CLOSURE SYSTEM</b>  Enables uncomplicated, fast and millimetre-precise setting and adjustment of the boot. Easy to use with just one hand for quick boot entry and exit.	<b>FLEX CONTROL</b>  The shell's asymmetrical wall thickness guarantees maximum control and consistent boot flex in all temperatures and snow conditions so skiers can concentrate fully on the perfect curve.
<b>PULLEY LACE GUIDES</b>  The pulley-operated guides enable smooth power transfer from the instep to the toes and thus ensure that the shell is adapted perfectly to the individual anatomy of the foot.	<b>GRIP SOLE</b>  Walking plates made of a softer plastic ensure better, safer grip and safe walking on icy surfaces.	<b>VACU-PLAST CUFF &amp; SHELL</b>  Perfect fitting at 80C for the anatomy of the foot for direct control impulses and more rebound through greater elasticity. Greater temperature stability and 15% less weight.
<b>PRECISION STEERING</b>  The cuff's canting angle can be precisely adjusted around the vertical access for individualized fit and precise feedback in fast turns.	<b>CONNECTED FIT</b>  The precisely matched integration of inner boot and outer shell in 3-D enhances fit and maximizes effectiveness of AFZ benefits.	

TECHNOLOGY		
RENT		
<b>RENTALTRACK</b>  Performance plate with full Rental features including Colour Code for fast adjustment and barcode field.	<b>ONE TOUCH</b>  Adjustable in a single movement of the hand – binding setting according to XTR Colour Size Concept. Practical when renting out skis.	<b>XTR INFO</b>  Size and sole length on the loop - tampo print on the cuff / spoiler.
<b>ENFORCED BASE &amp; EDGES</b>  Reinforced edges and thicker base enable the ski to be used longer even if it has to endure frequent grinding.	<b>CERADUR</b>  Fibreglass material that protects the ski core like a shell. The result is a ski that is technically as new even after frequent use.	<b>ANTI CHIPPING</b>  Improved bonding of the top foil and laminate through a special rubber insert absorbs the forces exerted on the surface when skis are crossed. For a significant reduction of foil chipping.
<b>ADJUSTABLE TOOTHPLATES</b>  Easily adjustable toothplates for broad calves.	<b>SANITIZED</b>  All rental boots have Sanitized inner lining. Prevents unpleasant odours, bacteria and mould from forming.	

BAGS



Z00016



Z00116

**TEAMTOURER 126**  
**TEAMTRAVELLER 93**

Material 100% Duralite\*  
Volume Z00016: 126 l  
Z00116: 93 l  
Dimension Z00016: 81x39x40cm  
Z00116: 66x37x38cm

- Expandable compartment with front load access
- Bookstyle opening
- Zippered divider panel between upper and lower compartment
- Stands upright with molded feet and inline skate wheels
- Telescopic handle with soft grip



Z01118

**TEAM TROLLEY RACE 188**

Material 100% Polyester  
Volume 188 l  
Dimension 80x47x50cm

- Extra large bookstyle opening
- Extreme resistant & adjustable telescope handle
- Big & resistant wheel system
- Separate bottom compartment
- Internal acc. pocket with zip closure



Z00316



Z00716

**SPORTBAG 60**  
**SPORT DUFFEL 100**

Material 100% Duralite\*  
Volume Z00316: 60 l  
Z00716: 100 l  
Dimension Z00316: 61x33x30cm  
Z00716: 76x36x38cm

- U-shaped opening

Z00316  
• Removeable shoulder strap

Z00716  
• Hidden padded backpack straps  
• Inline skate wheels  
• Telescopic handle with soft grip

TRAVELBAGS



Z00416



Z00516

**BUSINESS CASE 28 /**  
**BACKPACK NOTEBOOK 29**

Material 100% Duralite\*  
Volume Z00416: 28 l  
Z00516: 29 l  
Dimension Z00416: 41x31x22cm  
Z00516: 40x30x24cm

Z00416  
• Padded 17" laptop sleeve  
• Adjustable, removable shoulder straps

Z00516  
• Large, multi-compartment design  
• Deluxe organizer compartment with multiple pockets and key fob

BACKPACKS



Z11018



Z01318 / Z03518 / Z05218

**BOOT & HELMET**  
**BACKPACK ALPINE RACE 36 /**  
**BACKPACK RACE**  
**70 / 55 / 40**

Material 100% Polyester  
Volume Z11018: 36 l  
Z01318: 40 l  
Z03518: 55 l  
Z05218: 70 l

- Bottle case
- Adjustable hip belt
- Waterproof bottom
- Stowable rain cover

Z11018  
• Separate compartment laterally  
• Stowable helmet net

Z01318, Z03518 & Z05218  
• Side pocket loading



Z05018

**BACKPACK ECO 25**

Material: 100% Polyester  
Volume Z05018: 25 l

Z05018  
• Organizer compartment front net with velcro closure  
• 2x bottle compartment



Z01617



Z05118

**BACKPACK NEO 30 /**  
**TRANSALP 35**

Material 100% Polyester  
Volume Z01617: 30 l  
Z05118: 35 l

Z01617  
• Adjustable hip and chest belt  
• Extra goggle pouch  
• Stowable helmet net

Z05118  
• Vertical & diagonal ski fixation  
• Icepick & external tool fixation  
• Hydration system ready  
• Waterproof bottom  
• Stowable helmet net



Z04115

**BOOT HELMET BAG**  
**ALPINE ECO**

Material 100% Polyester

- Lightweight
- Handle and padded shoulder strap
- Separate helmet pocket
- Goggle tube



Z04018

**SKIBOOTBAG ALPINE RACE**

Material 100% Polyester

- Padded handle straps for transportation
- Ventilation net
- Zippered side pocket
- Water resistant tarpaulin bottom
- Hidden backpack straps
- Mesh for helmet storage



Z12018

**SKIBOOTBAG ALPINE HEATED**

Material 100% Polyester

- Shoulder straps for transportation
- Double zipper
- Open mesh sleeve
- 230 / 12V Car adapter
- 3 Heating level (45, 60 and 75°C)
- Stowable mat for easy boot changing
- Stowable shoulder straps




Z11518

**SKICASE WITH BOOT POCKET  
ALPINE RACE WHEELS**

Material 100% Polyester  
Lengths 195cm

- Wheels and reinforced bottom
- Integrated boot pocket
- Handle straps
- Compression straps
- Double zipper




Z11818

**SKICASE ALPINE  
2 PAIR RACE WHEELS**

Material 100% Polyester  
Lengths 195cm

- Wheels and reinforced bottom
- Handle straps
- Compression straps
- Double zipper



Z11218

**SKICASE ALPINE  
1 PAIR RACE /  
RACE PERFORMANCE /  
FASHION**

Material 100% Polyester  
Lengths 175 / 190cm

- 15cm extension
- Handle Straps
- Compression straps
- Double zipper



Z11318

**SKICASE ALPINE  
3 PAIR RACE /  
RACE PERFORMANCE /  
FASHION**

Material 100% Polyester  
Lengths 190cm

- Handle straps
- Compression straps
- Double zipper



Z15217 / Z15317 /  
Z15417

**SKICASE ALPINE  
3 PAIR RACECODE**

Material 100% Polyester  
Lengths Z15217: 185cm  
Z15317: 205cm  
Z15417: 230cm

- Roll-in design
- Compression straps
- Double zipper
- Tarpaulin reinforcement at both end

# EASY CARE & WAX



## CARE BOTTLES



### EASY ANTI ICE LF FOR CROWN & PROFOIL PRODUCTS

- |             |        |   |
|-------------|--------|---|
| Article no. | C00017 | • Reduces icing effectively                       |
| Size        | 80ml   | • Easy to use                                     |
| Unit        | 12     | • For moist new snow and changing snow conditions |

### EASY ANTI ICE SKIN HF FOR ALL SKIN SKIS

**HYDRO-CARBONS FREE**

- |             |        |   |
|-------------|--------|---|
| Article no. | C00217 | • No negative effect on skin glue adhesion        |
| Size        | 80ml   | • Reduces icing effectively                       |
| Unit        | 12     | • For moist new snow and changing snow conditions |
|             |        | • Developed for skin skis                         |

## CLEAN BOTTLES



### EASY BASE CLEANER FOR ALL SKI BASES

- |             |        |                                   |
|-------------|--------|-----------------------------------|
| Article no. | C00117 | • Perfect ski care                |
| Size        | 80ml   | • Improved ski performance        |
| Unit        | 12     | • Basis for better wax absorption |

### EASY SKIN CLEANER FOR ALL SKIN SKIS

**HYDRO-CARBONS FREE**

- |             |        |  |
|-------------|--------|--|
| Article no. | C00317 | • No negative effect on skin glue adhesion |
| Size        | 80ml   | • Perfect ski care                         |
| Unit        | 12     | • Improved ski performance                 |
|             |        | • Developed for skin skis                  |



GLIDE BOTTLES



**EASY CLEAN & GLIDE LF**  
CLEANING AGENT AND GLIDE WAX

- |             |        |                                   |
|-------------|--------|-----------------------------------|
| Article no. | C00517 | • Perfect ski care                |
| Size        | 80ml   | • Improved gliding properties     |
| Unit        | 12     | • Basis for better wax absorption |

**EASY WAX LONG LIFE LF**  
HIGH DURABLE BASE WAX

- |             |        |                                |
|-------------|--------|--------------------------------|
| Article no. | C00617 | • Long-lasting                 |
| Size        | 80ml   | • Fluorinated liquid wax       |
| Unit        | 12     | • Basis for fast gliding waxes |

**EASY WAX PLUS LF**  
+10°C / -2°C, 50°F / 28°F

- |             |        |  |
|-------------|--------|--|
| Article no. | C00717 | • Ideal from recreational skiing to racing as a hobby  |
| Size        | 80ml   | • Easy to use  |
| Unit        | 12     | • For air temperatures from -2° to +10°C / 50° to 28°F |

**EASY WAX COLD LF**  
-2°C / -20°C, 28°F / -4°F

- |             |        |  |
|-------------|--------|--|
| Article no. | C00817 | • Ideal from recreational skiing to racing as a hobby  |
| Size        | 80ml   | • Easy to use  |
| Unit        | 12     | • For air temperatures from -2° to -20°C / 28° to -4°F |

WIPES



**EASY WIPE CLEAN & GLIDE LF**  
CLEANING AGENT AND GLIDE WAX

- |             |          |                                   |
|-------------|----------|-----------------------------------|
| Article no. | C01017   | • Perfect ski care                |
| Wipe        | 1x à 6ml | • Improved gliding properties     |
| Unit        | 50       | • Basis for better wax absorption |

**EASY WIPE ANTI ICE LF**  
FOR CROWN & PROFOIL PRODUCTS

- |             |          |   |
|-------------|----------|---|
| Article no. | C01117   | • Reduces icing effectively                       |
| Wipe        | 1x à 6ml | • Easy to use                                     |
| Unit        | 50       | • For moist new snow and changing snow conditions |

**EASY WIPE ANTI ICE SKIN HF**  
FOR ALL SKIN SKIS



- |             |          |   |
|-------------|----------|---|
| Article no. | C01217   | • No negative effect on skin glue adhesion        |
| Wipe        | 1x à 6ml | • Reduces icing effectively                       |
| Unit        | 50       | • For moist new snow and changing snow conditions |

KITS



**EASY ANTI ICE KIT**

Article no. C02017  
 Bottle à 80ml  
 Unit 5

Package of:  
 • Easy Anti Ice LF (80ml)  
 • Easy Base Cleaner (80ml)  
 • Easy Wax Cleaning Towel



**EASY SKIN CARE KIT**

Article no. C02117  
 Bottle à 80ml  
 Unit 5

Package of:  
 • Easy Anti Ice Skin HF (80ml)  
 • Easy Skin Cleaner (80ml)  
 • Easy Wax Cleaning Towel



**EASY WAX KIT**

Article no. C02217  
 Bottle à 80ml  
 Unit 5

Package of:  
 • Easy Clean & Glide LF (80ml)  
 • Easy Wax Plus LF (80ml)  
 • Easy Wax Cold LF (80ml)  
 • Brush Nylon



ACCESSORIES



**BRUSH NYLON**

Article no. C03017  
 Unit 10

**EASY WAX CLEANING TOWEL**

Article no. C03117  
 Unit 10

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---



SKIING IS NOT  
A LIFESTYLE.  
IT'S LIFE.

FISCHER SKIS US, LLC  
60 DARTMOUTH DRIVE  
AUBURN, NH 03032

[FISCHERSPORTS.COM](http://FISCHERSPORTS.COM)