



Quick Find Grid SFP Fiber Transceivers

Ensure reliable and cost-efficient network connections.

We build our SFP transceiver modules to exacting specifications, fully test them to ensure maximum performance, and offer lifetime warranties and support.

All StarTech.com SFP transceivers are MSA compliant.

10G Fiber SFP+:

Cisco SFP Part #	StarTech.com SKU#	Package	Network Layer Supported	Cable Type	Distance	DDM (DOM)	Compatible Cisco Devices	Compatible StarTech.com Products
SFP-10G-SR	SFP10GSRST	Single unit	10GBase-SR	Multi Mode	300m (984')	Yes	Routers: CRS 40x10GE, AR 9000 A9K, ASR 9000v, ASR 901, NCS 6000; IES 5000; Switches: Nexus 2000, 3000, 4000, 5000, 7000, 9000, Unified Computing System, Catalyst 2360, 3100, 2960-S, 2960-X, 2960-XR, 3560-E, 3560-X, 3560-CX, 3650, 3750-E, 3750-X, 3850, 4500, 4500-X, 4900, ME 4900, 6500, 6800, ME 3600X, ME 3800X; 5700 WLC	PEX20000SFPI PEX10000SFP
SFP-10G-LR	SFP10GLRST	Single unit	10GBase-LR	Single Mode	10km (6.2mi)	Yes	Routers: CRS 40x10GE, AR 9000 A9K, ASR 9000v, ASR 901, NCS 6000; IES 5000; Switches: Nexus 2000, 3000, 4000, 5000, 7000, 9000, Unified Computing System, Catalyst 2360, 3100, 2960-S, 2960-X, 2960-XR, 3560-E, 3560-X, 3560-CX, 3650, 3750-E, 3750-X, 3850, 4500, 4500-X, 4900, ME 4900, 6500, 6800, ME 3600X, ME 3800X; 5700 WLC	PEX20000SFPI PEX10000SFP
SFP-10G-LRM	SFP10GLRMST	Single unit	10GBase-LRM	Multi Mode	220m (722')	Yes	Routers: CRS 40x10GE; ASR 901, IES 5000; Switches: Nexus 7000, Catalyst 2360, 3100, 2960-S, 2960-X, 2960-XR, 3560-E, 3560-X, 3560-CX, 3650, 3750-E, 3750-X, 3850, 4500, 4500-X, 4900, ME 4900, 6500, 6800, ME 3600X, ME 3800X; 5700 WLC	PEX20000SFPI PEX10000SFP



TALK TO A TECH ADVISOR

PHONE
1.800.265.1844

LIVE CHAT
www.startech.com/chat

Learn more about SFP fiber transceivers from StarTech.com:

<http://www.startech.com/sfp>

Gigabit Fiber SFP's:

Cisco SFP Part #	StarTech.com SKU#	Package	Network Layer Supported	Cable Type	Distance	DDM (DOM)	Compatible Cisco Devices	Compatible StarTech.com Products
SFP-GE-S	SFPGESST	Single unit	1000Base-SX	Multi Mode	550m (1804')	Yes	Switches: ME 3400, ME 3400G, 3400E, 3400EG, ME 3600X, ME 3800X; Catalyst 3750 Metro, 3500 Series WS-C3560 , WS-C3560G, WS-C3560V2, WS-C3560E, WS-C3560X, 3650 Series; Nexus 5000, 7000, Unified Computing System N10 ; Routers: 7200 Series uBR7200, 7300-NSE-150, 7600, 10000 (ESR-HH-1GE), uBR1000 (ESR-HH), 10700, SPAs (SPA-xX); CRS 20-1GE-FLEX, ASR 901 Series , ASR-1000 Series, AR 9000/9000v, MWR 2941; WLAN 5700	ET91000SFP2 ET91000SFP2C MCM1110SFP ET1110PSE PEX1000SFP2 IES101002SFP
GLC-SX-MM	SFPGLCSXMMST	Single unit	1000Base-SX	Multi Mode	550m (1804')	No	Switches: Catalyst Express 500, 520, ME 2400, ME 3400, ME 3400G, 3400E, 3400EG, ME 3600X, ME 3800X, ME 4900, ME 6500, Catalyst 3750 Metro, 2900 WS-C2948G; 2940, 2950 WS-C2950ST; 2960, 2970, 2975, 3560, 3650, 3750, 3850, IE5000, 4500, 4500X, 4900, 6500, 6800, 2350, 2360, 3000, Nexus 2000, 3000, 4000, 5000, 7000, 9000, CSS 11500, Unified Computing System; Routers: 1921, 1941, 2600, 2800, 2900, 3700, 3800, 3900, 7200, 7300, 7600, 12000, ASR 901 Series , NAM 2200 Series, 5700 WLC	ET91000SFP2 ET91000SFP2C MCM1110SFP ET1110PSE PEX1000SFP2 IES101002SFP
	GLCSXMM10PST	10 Pack						
GLC-LH-SM	SFPGLCLHSMST	Single unit	1000Base-LX/LH	Multi Mode / Single Mode	550m (1804') / 10km (6.2mi)	No	Switches: Catalyst Express 500, 520, ME2400, ME 3400, Catalyst 3750 Metro, ME 3600X, ME 3800X, ME 4900, ME 6500; WS-C2948G-GE-TX, C2940, C2950ST, C2960, C2960G, C2960+, C2960S, C2960S-F, C2960C, C2960X, C2960XR, C2960 CX, C2970G, C2975GS; C3560, C3560G, C3560V2, C3560E, C3560X, C3560CX, C3560C, C3650, C3750, C3750G, C3750V2, C3750E, C3750X, C3850; IE2000, IE2000U, IE3000, IE3010, IE4000, IE5000; CGS-2520, Cisco 2000 (CGR 2010, GRWIC), 4500 WS-X4013+TS, X4013+10GE, X4448, X4506, X4516, X45, X4606, X4624, X4612, X4640, X4712, X4724, X4748, C4500X, 4900 C4948, C4948E, 4928, X4908, 6500, C6800IA, C6880, 2360, 3000, 3020, CBS3120, CBS3130, 3032, 3110, Nexus 2000, 3000, 4000, 5000, N10, N20, UCS, 7000, 9000, 11500; Routers: 892F, 1921, 1941, 2600, 2800, 2900, 3700, 3800, 3900, 7301, 7304-NSE-G100, 7300-NSE-150, 7600, CRS-16, CRS-FCC, CRS-8, ASR901, ASR-9000v, 12000, NAM 2200; 5700 WLC	ET91000SFP2 ET91000SFP2C MCM1110SFP ET1110PSE PEX1000SFP2 IES101002SFP
	GLCLHSM10PST	10 Pack						
GLC-LH-SMD	GLCLHSMDSST	Single unit	1000Base-LX/LH	Multi Mode / Single Mode	550m (1804') / 10km (6.2mi)	Yes	Switches: Catalyst Express 500, 520, ME2400, ME 3400, Catalyst 3750 Metro, ME 3600X, ME 3800X, ME 4900, ME 6500; WS-C2948G-GE-TX, C2940, C2950ST, C2960, C2960G, C2960+, C2960S, C2960S-F, C2960C, C2960X, C2960XR, C2960 CX, C2970G, C2975GS; C3560, C3560G, C3560V2, C3560E, C3560X, C3560CX, C3560C, C3650, C3750, C3750G, C3750V2, C3750E, C3750X, C3850; IE2000, IE2000U, IE3000, IE3010, IE4000, IE5000; CGS-2520, Cisco 2000 (CGR 2010, GRWIC), 4500 WS-X4013+TS, X4013+10GE, X4448, X4506, X4516, X45, X4606, X4624, X4612, X4640, X4712, X4724, X4748, C4500X, 4900 C4948, C4948E, 4928, X4908, 6500, C6800IA, C6880, 2360, 3000, 3020, CBS3120, CBS3130, 3032, 3110, Nexus 2000, 3000, 4000, 5000, N10, N20, UCS, 7000, 9000, 11500; Routers: 892F, 1921, 1941, 2600, 2800, 2900, 3700, 3800, 3900, 7201, uBR-7200, NPE-G2, 7301, 7300-NSE-150, 7600, 12000, uBR10000, SPAs, CRS-16, CRS-FCC, CRS-8, CRS-20-1GE, ASR901, ASR903, ASR 1001, 1002, 9000, 9001, 9922, 9000v, ASA 5500, MWR 2941, 5700 WLC	ET91000SFP2 ET91000SFP2C MCM1110SFP ET1110PSE PEX1000SFP2 IES101002SFP
	GLCLHSMDSST	10 Pack						



TALK TO A TECH ADVISOR

PHONE
1.800.265.1844

LIVE CHAT
www.startech.com/chat

Learn more about SFP fiber transceivers from StarTech.com:

<http://www.startech.com/sfp>

Gigabit Copper SFP's:

Cisco SFP Part #	StarTech.com SKU#	Package	Network Layer Supported	Cable Type	Distance	DDM (DOM)	Compatible Cisco Devices	Compatible StarTech.com Products
SFP-GE-T	SFPC1110	Single unit	1000Base-T	Copper (CAT 5/6)	100m (328')	Yes	Switches: ME3400, ME3400G, ME3400E, ME3400EG, ME3600X, ME3800x; Catalyst 3750 Metro, 3650, 3850, Nexus 3000, 5000, 7000, 9000 ; Routers - 7201, 7600 (WS-X6724, WS-X6748, RSP720, 7600-ES20, ES+20G, ES+40G, 76-ES Models), 10000 ESR-HH-1GE, uBR10000 ESR-HH-1GFE, RF Gateway RFGW-DS48, 10700; Shared Port Adapters (SPAs), CRS 42-1GE, ASR 901, 903, 1000, 9000, 9000v; MWR 2941; 5700 WLC	MCM1110SFP IES101002SFP
GLC-T	GLCTST	Single unit	1000Base-T	Copper (CAT 5/6)	100m (328')	No	Switches: ME2400, ME3400, 3400G, 3400E, ME3600X, ME3800X, ME4900, ME6500; Catalyst 3750 Metro, C2948G-GE-TX, C2940-8TF-S, C2950ST, C2960, 2960+, 2960S, 2960X, 2960XR, 2970, 2975, 3560, 3560G, 3560V2, 3560E, 3560X; 3650, 3750, 3750G, 3750V2, 3750E, 3750X, 3850-NM, 3850, IE2000, IE2000U, IE3000, IE3010, IE4000, IE5000, 4500 Series X4448, X4516-10GE, X45-SUP6, X4606, X4624, X4612, X4610, X4640, X4712, X45-SUP7, X45-SUP8, X4748, X4724, X4712; C4500X, 4900 Series C4948, 4928, C4948E, X4908; 6500 Series SUP720, SUP32, VS-S720, X6724, X6748, VS-S2T, X6904, 6800, 2350, CBS3030, 3040, 3120G, 3130G, 3110X; Nexus 2000, 3000, 4000, 5000, 7000, 9000, 11500; Unified Computing System N10, UCS, Routers: CGR 2010, GRWIC, 1921, 1941, 2600, 2800, 2900, 3700, 3800, 3900, 7300, 7600, ASR 901, SR9000v; NAM 2200	MCM1110SFP IES101002SFP
	GLCT10PKST	10 Pack						

100Base (Fast Ethernet) Fiber SFP's:

Cisco SFP Part #	StarTech.com SKU#	Package	Network Layer Supported	Cable Type	Distance	DDM (DOM)	Compatible Cisco Devices	Compatible StarTech.com Products
GLC-FE-100FX	SFPF1302C	Single unit	100Base-FX	Multi Mode	2km (1.2mi)	No	Switches: Catalyst 6500, ME6500, ME3400G, ME3400E, ME3400EG, ME2400, ME3600X, ME3800X; 4500 WS-X4248-FE-SFP; IE2000, IE2000U, IE3010, IE4000, IE5000, 2500 CGS-2520; 3750 (WS-C3750-24FS-S, C3750V2-24FS-S), 3560 (WS-C3560-8PC, WS-C3560-12PC-S), 3560-C (WS-C3560CG-8TC-S, 8PC-S); 2960, 2960 Plus, 2960-S, 2960-SF, 2960-C, Catalyst Express 500, 520, Routers: 1921, 1941, 2900, 3900, EHWIC-1GE-SFP-CU, 7600 WS-X6148-FE-SFP	PEX100SFP



TALK TO A TECH ADVISOR

PHONE
1.800.265.1844

LIVE CHAT
www.startech.com/chat

Learn more about SFP fiber transceivers from StarTech.com:

<http://www.startech.com/sfp>