





# ITEM INFORMATION COVER SHEET

ITEM #	MODEL #	MANUFACTURER	ITEM DESCRIPTION	CONTRACTOR INFORMATION			REMARKS	UTILITY INFORMATION		
				I	F	C		ELECTRICAL	SUPPLY	MECHANICAL: WASTE
RX142	fi-6130	Fujitsu	FOR PLACEMENT ONLY - ORDERED BY MEIJER ITS - Pharmacy document scanner	CC		EC	CC to install and provide data. EC to provide power.			

PARTS LIST:



EQUIPMENT CELL INFORMATION	
Date Revised:	7/25/2022
Date Created:	
Cell library:	layout_hardlines
Cell name(s):	HLRX142

Additional Information:

ITEM NUMBER: RX142



## Fujitsu fi-6130 Sheet-Fed Scanner



### [Buy Now!](#)

[PDF](#) [Datasheet](#)

May we suggest:

- [ScanAid](#)
- [Advance Exchange](#)

Related Items:

- [Flash Tour](#)

- [Overview](#)
- [Features](#)
- [Accessories](#)
- [Specifications](#)
- [Warranty](#)
- [Support](#)

Optimized for superior scanner performance and reliability

- Fast, 40ppm / 80ipm scanning in monochrome and grayscale
- Exceptional 300 dpi color scanning at 30ppm / 60ipm
- Advanced paper handling technology for the ultimate in feeding reliability
- Robust 50-page Automatic Document Feeder (ADF) with enhanced hard embossed card scanning
- Comes with Kofax® VRS® Professional, Adobe® Acrobat® Standard, and ScandAll Pro
- One-year Limited Warranty with available Advance Exchange program

### **The Fujitsu fi-6130 document scanner: productivity through innovation**

The Fujitsu fi-6130 sheet-fed scanner boosts your organization's document handling productivity without taking up too much space—or breaking the budget. This compact sheet-fed document scanner offers outstanding value for the money. With duplex scanning performance of up to 80 images per minute in monochrome and grayscale, the fi-6130 scanner handles up to 60 images per minute in color at 300 dpi, offering unparalleled image detail as well as speed.

### **Paper handling features prevent more scanner misfeeds than ever**

Engineered with one of the most advanced paper separation features in its class, the fi-6130 is the first workgroup scanner equipped with reversing roller technology\*, resulting in unmatched feeding reliability for a wide variety of document weights. The automatic document feeder (ADF) is capable of scanning documents up to 10 feet long, and also robust enough to feed up to three hard cards continuously or an embossed card up to 1.4 mm in thickness. Additionally, the fi-6130 harmoniously combines the security of Ultrasonic Double Feed Detection with the efficiency of Intelligent MultiFeed Function (iMFF) so that intentional double-feeds, such as a taped receipt or sticky note, can be manually bypassed while double-feed detection is enabled.

\* Statement true as of March 2008

## Fully-Loaded One Box Scanning Solution

The Fujitsu fi-6130 workgroup scanner includes everything organizations need to get up and scanning in one convenient box. The fi-6130 includes full versions of Kofax VRS® Professional, Adobe® Acrobat® Standard, and ScandAll Pro scanning software, to provide users with image enhancement functionality as well as the option of scanning directly to PDF, file, print or batch. And the one-year Limited Warranty, along with eligibility for our Advance Exchange Program, provides peace-of-mind. For full details on the Limited Warranty and on all service programs, go to [www.ImagingService.com](http://www.ImagingService.com) or call (800) 626-4686.

Click here for a list of [Parts and Consumables Resellers](#).

	Fujitsu Part #	Description
<b>Service</b>		
Advance Exchange Plus	CG01000-514601	Whole unit replacement program, Post-Warranty
Advance Exchange Plus, at Point of Sale	CG01000-514801	Whole unit replacement program, Post-Warranty
Depot Plus	CG01000-514701	5-day Unit Repair & Return, Post-Warranty
Depot Plus, at Point of Sale	CG01000-514901	5-day Unit Repair & Return, Post-Warranty
<b>Consumables</b>		
ScanAid Cleaning and Consumables Kit	CG01000-524801	Includes 1 brake roller, 1 pick roller and cleaning kit
Brake Roller	PA03540-0001	Consumable life: Every 200,000 sheets or one year
Pick Roller	PA03540-0002	Consumable life: Every 200,000 sheets or one year
<b>Options</b>		
Print Cartridge (3-Pack)	CA00050-0262	Ink cartridges
ScanRight Software IPC V2.5	PA43402-C22901	Image Enhancement Software
Imprinter	PA03540-D201	Kit includes imprinter unit, ink cartridge and operator's guide

Model	fi-6130	
<b>Functional Specifications</b>		
Image Sensor Type	Color Charge Coupled Device (CCD) x 2	
Light Source	White cold cathode discharge lamp	
Optical Resolution <sup>(1)</sup>	600 dpi	
Output Resolution	Color (24 bit)	50 to 600 dpi (adjustable by 1 dpi increments, 1200 dpi <sup>(2)</sup> )
	Grayscale (8 bit)	
	Monochrome	
Output Format	Color: 24 bit, 8 bit/4 bit; Grayscale: 8 bit, 4 bit; Monochrome: 1 bit	
AD Converter	1024 levels (10 bit)	
Output Mode	Dither / Error diffusion	
<b>Scanning speeds</b>		

Output (Letter/A4 size) <sup>(3)</sup>		Simplex	Duplex
Color <sup>(4)</sup>	200 dpi	30 ppm	60 ipm
	300 dpi	30 ppm	60 ipm
Grayscale <sup>(4)</sup> / Monochrome	200 dpi	40 ppm	80 ipm
	300 dpi	30 ppm	60 ipm
ADF capacity <sup>(5)</sup>		50 Sheets (letter/A4, 20 lb.)	
Document size	ADF minimum	2 in. x 3 in. (52mm x 74mm)	
	ADF maximum	8.5 in. x 14 in. (Legal)	
	Long Document	8.4 in. x 122 in. (10 feet) <sup>(9)</sup>	
ADF Feeding Paper Weight (Thickness)	Normal	11 to 56.2 lb. (41 to 210g/m <sup>2</sup> )	
	A8 sheets	34 to 56.2 lb. (127 to 210g/m <sup>2</sup> )	
	Card <sup>(6)</sup> (1.4 mm) <sup>(7)</sup>	Portrait and Landscape feeding <sup>(8)</sup>	
Interface		USB 2.0 / USB 1.1 (B type connector)	
<b>Physical Specifications</b>			
Power requirements		100-240 VAC, 50/60 Hz	
Power consumption		38 W or less (Sleep: less than 6.2W)	
Dimensions (WxDxH) <sup>(10)</sup>		11.8 x 6.4 x 6.2 in. (301 x 160 x 158 mm)	
Weight		9.24 lb. (4.2 kg)	
Environmental Compatibility <sup>(11)</sup>		ENERGY STAR® and RoHS	
Operating environment	Temperature	42° to 95°F (5° to 35°C)	
	Relative humidity	20%-80% (non-condensing)	
Inbox Contents		TWAIN, ISIS™, USB cable, AC adapter	
Bundled Software (DVD format)		Adobe® Acrobat® Standard, Kofax® VRS® Professional and ScandAll Pro	
Options		Software IPC, Imprinter	
OS Support		Microsoft® Windows® 2000 Professional / Microsoft® XP (32 bit/64 bit) / Microsoft® Windows Server™ 2003 (32 bit/64 bit) / Microsoft® Windows Vista™ (32 bit/64 bit)	
Feed Detection Features		Ultrasonic Double Feed Detection Sensor	
		Intelligent Multifeed Function (Manual Bypass)	
Other Features		Embossed and Hard Card Scanning Capability, Long Document Scanning, Automatic Color Recognition, Automatic Paper-Size Detection, Automatic De-skew Correction, Selectable White & Black Background (in ADF only).	
Limited Warranty		One-year. Advance Exchange program also available; restrictions apply. For full details, visit <a href="http://www.ImagingService.com">www.ImagingService.com</a> or call (800) 301-9475.	
Service Options		<b>Post-Warranty</b> - Advance Exchange Plus; restrictions apply. <b>Consumables</b> - ScanAid™ kits For full details, visit <a href="http://www.ImagingService.com">www.ImagingService.com</a> or call (800) 626-4686.	
Part Number		PA03540-B055	

- 2 Maximum output resolutions may vary, depending upon the size of the area being scanned and whether the scanner is scanning in simplex or duplex.
- 3 Scanning limitations brought about by scanning mode, document size and available memory may occur when scanning at high resolutions (600dpi or higher).
- 4 Actual scanning speeds are affected by data transmission and software processing times.
- 5 JPEG compressed figures.
- 6 Maximum capacity varies, depending upon paper weight.
- 7 Supports ISO7810 embossed cards.
- 8 Able to digitize cards that are up to 1.25mm thick when scanning in monochrome at 200dpi (60ppm).
- 9 Capable of scanning up to 3 cards at a time. (Note: does not support multi-embossed card feedability.)
- 10 The scanning of documents that exceed 35 inches in length will be limited to using TWAIN at 200 dpi or less.
- 11 Excluding the ADF paper chute and stacker.
- PFU Limited, a Fujitsu company, has determined that this product meets RoHS requirements (2005/95/EC).

---

All Rights Reserved, Copyright © FUJITSU 2000 - 2009