

Spec Sheet

Micro SD to Micro USB / USB OTG Adapter Card Reader For Android Devices

StarTech ID: MSDREADU2OTG



The MSDREADU2OTG Micro SD to USB/Micro USB Adapter lets you turn a Micro SD card into an external USB storage solution that can interface with any USB-enabled computer or OTG-enabled device, such as Samsung Galaxy smartphones and tablets.

Expand the storage capabilities of your OTG-enabled smartphone or tablet, by creating an external storage device that you can also connect to your USB-enabled computer, and transfer files from one device to another with standard USB and Micro USB interface options.

Maximize portability by creating a compact, external storage solution that you can connect to your smartphone, tablet or laptop computer. For a hassle-free setup, the OTG adapter supports plug-and-play installation and is natively supported by any USB-enabled computer or any OTG-enabled mobile device.

The MSDREADU2OTG is backed by a StarTech.com 2-year warranty and free lifetime technical support.



www.startech.com 1 800 265 1844

StarTechcom

Hard-to-find made easy®

Spec Sheet





Applications

- Expand available storage on your smartphone by adding an OTG storage drive
- Quickly transfer files to your smartphone or tablet without connecting to a computer or network
- Turn an unused Micro SD card into a ultra-portable USB storage solution
- Take your important data with you on an SD card and access it from your computer or smartphone when you need it

Features

- Converts Micro SD to standard USB or Micro USB
- Compatible with OTG-enabled Smartphones and USB-enabled computers
- Small, lightweight design
- Plug-and-play installation

www.startech.com
1 800 265 1844

StarTechcom

Hard-to-find made easy®

Spec Sheet

Technical Specifications

Warranty	2 Years
Bus Type	USB 2.0
Chipset ID	Genesys - GL823
Drive Installation	Fixed
Number of Drives	1
Max Drive Capacity	Tested with MSD cards up to 64GB
Maximum Data Transfer Rate	e 480 Mbps
Memory Media Type	Mini-SD, Micro-SD (Mini/Micro Secure Digital)
Type and Rate	USB 2.0 - 480 Mbit/s
UASP Support	No
Drive Connectors	1 - MicroSD Receptacle
Host Connectors	1 - USB A (4 pin) Male
Host Connectors	1 - USB Micro-B (5 pin) Male
OS Compatibility	OS independent; No software or drivers required
Humidity	5% ~ 80% RH
Operating Temperature	0°C to 50°C (32°F to 122°F)
Storage Temperature	-20°C to 60°C (-4°F to 140°F)
Product Height	0.2 in [5 mm]
Product Length	1.6 in [40 mm]
Product Weight	0.1 oz [4 g]
Product Width	0.5 in [12 mm]
Shipping (Package) Weight	0.8 oz [24 g]
Included in Package	1 - Micro SD to USB / Micro USB OTG Adapter

www.startech.com 1 800 265 1844



Hard-to-find made easy®

Certifications, Reports and Compatibility

CE

RoHS Compliant Available





Spec Sheet

www.startech.com 1 800 265 1844