




The lung of your kitchen!

Cooking range is the heart of the kitchen while the exhaust hood is the lung. UNICO® professional-standard exhaust hood comes with powerfully exhaust system that effectively eliminates grease and smell no matter what kind of dishes you are whipping up.




unico® is a registered trademark of Kitchen Concepts (HK) Ltd.

UNICO® Exhaust Hood Specifications



Model	FH1000	FH1200	FH1330	FH1400	FH1500
Dimensions (W x D x H) mm	1000 x 650 x 450	1200 x 650 x 450	1330 x 650 x 450	1400 x 650 x 450	1500 x 650 x 450
Exhaust rate	700 cfm	800 cfm	900 cfm	900 cfm	1,000 cfm
Static pressure	20 mm W.G.				
Lighting type	2 x LED spotlight (12V)			3 x LED spotlight (12V)	
Filter type	Stainless steel "V" baffles grease filter				
Power requirement	220V / 50Hz / 1ph				

Installation Drawing with Exhaust System



Remarks: The exhaust hood can be custom made according to customer's requirement.


New Grease-Free Cooking Experience!

The new UNICO® Water-Wash Hood is powerful yet easy to operate. Its unique water-wash system gives you a wonderful cooking experience with No grease, No smell and No hassle.




unico® is a registered trademark of Kitchen Concepts (HK) Ltd.

UNICO® Water Wash Hood Specifications




Model	WHA1000	WHA1200	WHA1330	WHA1400	WHA1500
Dimensions (W x D x H) mm	1000 x 550 x 600	1200 x 550 x 600	1330 x 550 x 600	1400 x 550 x 600	1500 x 550 x 600
Exhaust rate	800 cfm	1,000 cfm	1,100 cfm	1,100 cfm	1,200 cfm
Static pressure	45 mm W.G.				
Water inlet	16 mm (1/2")				
Water outlet	40 mm (1 1/2")				
Power requirement	220V / 50Hz / 1ph				

Operation Diagram



Installation Drawing



Remarks: The water wash exhaust hood is only available in standard size as stated above.