

	DATA SHEET	
Valid from: 19-12-2018	DYMO® XTL™ marking kit & marking tape	

Cable and component marking.
Indoor and outdoor marking.
DYMO® XTL™ marking kit with industrial label maker XTL™ 300 or XTL™ 500.



Delivery:

DYMO® XTL™ marking kit is delivered in a bag with label marker, marking tape, batteries, charger and quick guide.

Other product data:

ETIM Classification: EC001288

Advantages:

- Marking in one bag for both cables and components.
- Can be used both for indoor and outdoor marking.
- Time-saving features to simplify labelling.
- On screen print preview and colour display.
- Built-in label application s make getting started easy.
- Pre-loaded label templates ensure perfect formatting to save time.
- Many different industrial label types available.

Related products:

For the DYMO® XTL™ Marking kit there are many different labels available in the assortment, such as multifunctional vinyl, permanent polyester, shrink tube, laminated cable label and preformatted labels.

Storage:

Cool and dry in original packaging.

Creator: Fleximark/LR	Document: DB83257106EN FLEXIMARK DYMO XTL Marking kit and tape Version: 02	Page 1 of 9
-----------------------	--	-------------

	DATA SHEET	
Valid from: 19-12-2018	DYMO® XTL™ marking kit & marking tape	

Technical data Marking kit with XTL™ 300

Printing system XTL 300:	Heat transfer
Maximum label width:	24mm
Label type:	DYMO XTL
Screen size:	71.12 mm colour
Print speed:	23 mm/s
Keyboard:	QWERTY
Resolution:	300 dpi
Printable rows:	11
Barcodes:	Code 128 (Auto), Code 39, code 39 Mod, EAN8, EAN13, UPC-A, Codabar, PDF-417, QR Code
Knife:	Manual
Memory:	41MB
PC connection:	Yes
Software:	DYMO ID (free of charge, downloadable)
Compability:	Windows 7 and later

Included in package:

- Label printer DYMO XTL 500.
- Charger, USB cable, Bag with strap.
- Rechargeable lithium-polymer batteries.
- 1st 24mm x 7m cassette multi-function vinyl, BK/WH.
- 1st 21mm x 39mm laminated cord-/cable marking, BK/WH, 150 labels.
- Quick guide & Card for software download.



Product data:

Art. no.	Article type	Packaging unit	Unit
83257106	FLEXIMARK DYMO XTL Kit 300 24	1	1
Accessories			
83257218	FLEXIMARK DYMO XTL 300 AC Adapter EU	1	1
83257219	FLEXIMARK DYMO XTL 300 Cutter	1	1
83257220	FLEXIMARK DYMO XTL 300/LM 500TS Battery	1	1

Technical data Marking kit with XTL™ 500:

Creator: Fleximark/LR	Document: DB83257106EN FLEXIMARK DYMO XTL Marking kit and tape Version: 02	Page 2 of 9
-----------------------	---	-------------

DATA SHEET



Valid from:
19-12-2018

DYMO® XTL™ marking kit & marking tape

"Printing system XTL 500:

Maximum label width:

Label type:

Screen size:

Print speed:

Keyboard:

Resolution:

Printable rows:

Barcodes:

Knife:

Memory:

PC connection:

Software:

Compability:

Heat transfer

54mm

DYMO XTL

109.22 mm colour

28 mm/s

QWERTY

300 dpi

24

Code 128 (Auto), Code 39, code 39 Mod, EAN8, EAN13, UPC-A, Codabar, PDF-4-17, QR Code

Automatic

41MB

Yes

DYMO ID (free of charge, downloadable)

Windows 7 and later

Included in package:

Label printer DYMO XTL 500.

Charger and USB cable.

Rechargeable lithium-polymer batteries.

1st 54mm x 7m cassette multi-function vinyl, BK/WH.

1st 38mm x 39mm laminated cord-/cable marking, black/white, 150 labels.

Quick guide & Card for software download.



Product data:

Art. no.	Article type	Packaging unit	Unit
83257107	FLEXIMARK DYMO XTL Kit 500 54	1	1
Accessories			
83257221	FLEXIMARK DYMO XTL 500 AC ADAPTER	1	1
83257222	FLEXIMARK DYMO XTL 500 Cutter	1	1
83257223	FLEXIMARK DYMO XTL 500 Li-14.8V Battery	1	1

	DATA SHEET	
Valid from: 19-12-2018	DYMO® XTL™ marking kit & marking tape	

Industrial labels for tough environments.
 Many different label types available.
 Suits DYMO® XTL™ 300 Label printer or DYMO® XTL™ 500.



Delivery:

DYMO® XTL™ Marking tapes are delivered separately.

Other product data:

ETIM Classification: EC001288

Advantages:

- Many different industrial label types available
- High resistance towards moisture, UV, chemicals and much more
- Applicable on many different usage areas
- UL969 approval (Standard for Marking and Labelling Systems)

Storage:

Cool and dry in original packaging.

	DATA SHEET	
Valid from: 19-12-2018	DYMO® XTL™ marking kit & marking tape	

DYMO® XTL™ INDUSTRIAL MARKING TAPE

Advantages industrial marking tape:

Pre-defined industrial labels for XTL label printers.
Ideal marking for flat surfaces.
Easier printing of label series.
UL recognised as a component to UL969.

Technical data industrial marking tape:

Material:	Vinyl
Temperature area:	-40°C to +60°C
Mounting surface:	Flat and structured
Usage:	Indoor and outdoor
Resistance:	UV, moisture
UL Approval:	UL969, RoHS

Product data industrial marking tape:

Art. no.	Article type	Colour	Size (mm)	Packaging unit	Unit
83257110	FLEXIMARK DYMO XTL Label 12x12WH	White	12x12	250	1
83257111	FLEXIMARK DYMO XTL Label 12x25WH	White	12x25	250	1
83257112	FLEXIMARK DYMO XTL Label 12x38WH	White	12x38	185	1
83257113	FLEXIMARK DYMO XTL Label 25x25WH	White	25x25	250	1
83257114	FLEXIMARK DYMO XTL Label 9x25WH	White	9x25	250	1
83257115	FLEXIMARK DYMO XTL Label 12x19WH	White	12x19	250	1
83257116	FLEXIMARK DYMO XTL Label 19x25WH	White	19x25	250	1
83257117	FLEXIMARK DYMO XTL Label 25x51WH	White	25x51	100	1
83257118	FLEXIMARK DYMO XTL Label 51x76WH	White	51x76	100	1

DYMO® XTL™ LAMINATED MARKING TAPE

Advantages Laminated marking tape:

Industrial laminated cable wraps.
Pre-sized with laminated overwrap to protect printing area.
Resistance towards chemicals, oil, moisture, abrasion and fading.
UL recognized as a component to UL968.

Technical data Laminated marking tape:

Material:	Vinyl
Temperature range:	-40°C to +80°C
Mounting surface:	Round surface
Usage:	Indoor
Resistance:	UV, oil, moisture, chemicals
UL Approved:	UL969, RoHS

Product data Laminated marking tape:

Art. no.	Article type	Colour	Size (mm)	Packaging unit	Unit
83257119	FLEXIMARK DYMO XTL Label LAM 21x21WH	White	21x21	250	1
83257120	FLEXIMARK DYMO XTL Label LAM 21x39WH	White	21x39	150	1
83257121	FLEXIMARK DYMO XTL Label LAM 21x102WH	White	21x102	75	1
83257122	FLEXIMARK DYMO XTL Label LAM 38x21WH	White	38x21	250	1
83257123	FLEXIMARK DYMO XTL Label LAM 38x39WH	White	38x39	150	1
83257124	FLEXIMARK DYMO XTL Label LAM 38x102WH	White	38x102	75	1
83257125	FLEXIMARK DYMO XTL Label LAM 51x21WH	White	51x21	250	1
83257126	FLEXIMARK DYMO XTL Label LAM 51x39WH	White	51x39	100	1
83257127	FLEXIMARK DYMO XTL Label LAM 51x102WH	White	51x102	70	1

	DATA SHEET	
Valid from: 19-12-2018	DYMO® XTL™ marking kit & marking tape	

DYMO® XTL™ PRE-FORMATED MARKING TAPE

Advantages Pre-formatted marking tape:

Industrial pre-sized safety labels.

Coloured headers included according to OSHA, ANSI och ISO colour standards.

Ideal marking for flat surfaces.

UL recognised as a component to UL969.

Technical data Pre-formatted marking tape:

Material:	Vinyl
Temperature range:	-40°C till +60°C
Mounting:	flat and structured surface
Usage:	Indoor and outdoor
Resistance:	UV, moisture
UL Approval:	UL969, RoHS
Colour standard:	OSHA, ANSI, ISO

Product data Pre-formatted marking tape:

Art. no.	Article type	Colour	Header text	Size (mm)	Packaging unit	Unit
83257128	FLEXIMARK DYMO XTL Label 51x102OG&WH	Orange & White	-	51x102	70	1
83257129	FLEXIMARK DYMO XTL Label 51x102YE&WH	Yellow & White	-	51x102	70	1
83257130	FLEXIMARK DYMO XTL Label 51x102BU&WH	Blue & White	NOTICE	51x102	70	1
83257131	FLEXIMARK DYMO XTL Label 51x102RD&WH	Red & White	DANGER	51x102	70	1

DATA SHEET		
Valid from: 19-12-2018	DYMO® XTL™ marking kit & marking tape	

DYMO® XTL™ SHRINK TUBE MARKING

Advantages Shrink tube marking:

Industrial shrink tube.
Shrink ratio 3:1 ensures a secure fit on cables.
UL recognized as a component to UL969.

Technical data Shrink tube marking:

Material:	Polyolefin
Temperature range:	Maximum +125°C
Mounting:	Round surface
Shrink ratio:	3:1
Usage:	Indoor
Resistance:	UV, oil, moisture, chemicals
UL Approval:	UL224, RoHS
MIL-spec & SAE:	MIL-M-8153, MIL-STD-202G, SAE-DTL-230535 (class 1 & 3)

Product data Shrink tube marking:

Art. no.	Article type	Colour	Size (mm)	Packaging unit	Unit
83257132	FLEXIMARK DYMO XTL Heat-Shrink 6x34WH	White	6x34	81	1
83257133	FLEXIMARK DYMO XTL Heat-Shrink 12x34WH	White	12x34	65	1
83257134	FLEXIMARK DYMO XTL Heat-Shrink 24x34WH	White	24x34	60	1
83257135	FLEXIMARK DYMO XTL Heat-Shrink 54x34WH	White	54x34	25	1
83257136	FLEXIMARK DYMO XTL Heat-Shrink 6x47WH	White	6x47	81	1
83257137	FLEXIMARK DYMO XTL Heat-Shrink 12x47WH	White	12x47	65	1
83257138	FLEXIMARK DYMO XTL Heat-Shrink 24x47WH	White	24x47	60	1
83257139	FLEXIMARK DYMO XTL Heat-Shrink 54x47WH	White	54x47	25	1
Art. no.	Article type	Colour	Size (m)	Packaging unit	Unit
83257214	FLEXIMARK DYMO XTL Heat-Shrink 6BK/WH	White	2.7 m	1	1
83257215	FLEXIMARK DYMO XTL Heat-Shrink 12BK/WH	White	2.7 m	1	1
83257216	FLEXIMARK DYMO XTL Heat-Shrink 24BK/WH	White	2.7 m	1	1
83257217	FLEXIMARK DYMO XTL Heat-Shrink 54BK/WH	White	2.7 m	1	1

**DYMO®
XTL™
FLAT
MARKING
TAPE**

Advantages Flat marking tape:

Industrial label for flat surfaces.
Marking of panels etc.
Transparent blank surface on label for professional appearance.
UL identified as component to UL969.

Technical data Flat marking tape:

Material:	Polyester
Temperature range:	-40°C to +60°C
Mounting:	Flat and structured surfaces
Usage:	Indoor and outdoor
Resistance:	UV, oil, moisture, chemicals
UL Approval:	UL969, RoHS
Colour standard:	OSHA, ANSI, ISO

Product data Flat marking tape:

Art. no.	Article type	Colour	Size (m)	Packaging unit	Unit
83257140	FLEXIMARK DYMO XTL Label Flat 6WH	White	9.1	1	1
83257141	FLEXIMARK DYMO XTL Label Flat 9WH	White	9.1	1	1
83257142	FLEXIMARK DYMO XTL Label Flat 12WH	White	9.1	1	1
83257143	FLEXIMARK DYMO XTL Label Flat 6TR	Transparent	9.1	1	1
83257144	FLEXIMARK DYMO XTL Label Flat 9TR	Transparent	9.1	1	1
83257145	FLEXIMARK DYMO XTL Label Flat 12TR	Transparent	9.1	1	1

	DATA SHEET	
Valid from: 19-12-2018	DYMO® XTL™ marking kit & marking tape	

DYMO® XTL™ CABLE MARKING TAPE

Advantages Cable marking tape:

Industrial label with flexible cable wraps.
 Ideal for marking wires, cables and round surfaces.
 Tear proof material.
 Resistance towards damage when pulled through tight spaces and conduits.
 UL recognized as a component to UL968.

Technical data Cable marking tape:

Material: Nylon
 Temperature range: -40°C to +80°C
 Mounting: Round surface
 Usage: Indoor
 Resistance: UV, oil, moisture, chemicals
 UL Approval: UL969, RoHS

Product data Cable marking tape:

Art. no.	Article type	Colour	Size (m)	Packaging unit	Unit
83257211	FLEXIMARK DYMO XTL Cable wrap 12BK/WH	White	5.5	1	1
83257212	FLEXIMARK DYMO XTL Cable wrap 19BK/WH	White	5.5	1	1
83257213	FLEXIMARK DYMO XTL Cable wrap 24BK/WH	White	5.5	1	1

DYMO® XTL™ Vinyl MARKING TAPE

Advantages Vinyl marking tape:

Industrial multi-function vinyl label.
 Ideal for indoor and outdoor marking.
 Resistance towards moisture, chemical and UV.
 Wide range of colours to fit with OSHA, ANSI and ISO colour standards and workplace communication and safety.
 UL recognised as a component to UL969.

Technical data Vinyl marking tape:

Material: Vinyl
 Temperature range: -40°C to +60°C
 Mounting: Flat, round and structured surface, flag label
 Usage: Indoor and outdoor
 Resistance: UV, oil, moisture, chemicals
 UL Approval: UL969, RoHS
 Colour standard: OSHA, ANSI, ISO

Product data Vinyl marking tape:

Art. no.	Article type	Colour	Size (m)	Packaging unit	Unit
83257146	FLEXIMARK DYMO XTL Label VIN 12BK/TR	Transparent	7	1	1
83257147	FLEXIMARK DYMO XTL Label VIN 19BK/TR	Transparent	7	1	1
83257148	FLEXIMARK DYMO XTL Label VIN 24BK/TR	Transparent	7	1	1
83257149	FLEXIMARK DYMO XTL Label VIN 41BK/TR	Transparent	7	1	1
83257150	FLEXIMARK DYMO XTL Label VIN 54BK/TR	Transparent	7	1	1
83257151	FLEXIMARK DYMO XTL Label VIN 12RD/TR	Transparent	7	1	1
83257152	FLEXIMARK DYMO XTL Label VIN 19RD/TR	Transparent	7	1	1
83257153	FLEXIMARK DYMO XTL Label VIN 24RD/TR	Transparent	7	1	1
83257154	FLEXIMARK DYMO XTL Label VIN 41RD/TR	Transparent	7	1	1
83257155	FLEXIMARK DYMO XTL Label VIN 54RD/TR	Transparent	7	1	1
83257156	FLEXIMARK DYMO XTL Label VIN 12BK/WH	White	7	1	1

DATA SHEET



Valid from:
19-12-2018

DYMO® XTL™ marking kit & marking tape

83257157	FLEXIMARK DYMO XTL Label VIN 19BK/WH	White	7	1	1
83257158	FLEXIMARK DYMO XTL Label VIN 24BK/WH	White	7	1	1
83257159	FLEXIMARK DYMO XTL Label VIN 41BK/WH	White	7	1	1
83257160	FLEXIMARK DYMO XTL Label VIN 54BK/WH	White	7	1	1
83257161	FLEXIMARK DYMO XTL Label VIN 12RD/WH	White	7	1	1
83257162	FLEXIMARK DYMO XTL Label VIN 19RD/WH	White	7	1	1
83257163	FLEXIMARK DYMO XTL Label VIN 24RD/WH	White	7	1	1
83257164	FLEXIMARK DYMO XTL Label VIN 41RD/WH	White	7	1	1
83257165	FLEXIMARK DYMO XTL Label VIN 54RD/WH	White	7	1	1
83257166	FLEXIMARK DYMO XTL Label VIN 12WH/RD	Red	7	1	1
83257167	FLEXIMARK DYMO XTL Label VIN 19WH/RD	Red	7	1	1
83257168	FLEXIMARK DYMO XTL Label VIN 24WH/RD	Red	7	1	1
83257169	FLEXIMARK DYMO XTL Label VIN 41WH/RD	Red	7	1	1
83257170	FLEXIMARK DYMO XTL Label VIN 54WH/RD	Red	7	1	1
83257171	FLEXIMARK DYMO XTL Label VIN 12BK/OG	Orange	7	1	1
83257172	FLEXIMARK DYMO XTL Label VIN 19BK/OG	Orange	7	1	1
83257173	FLEXIMARK DYMO XTL Label VIN 24BK/OG	Orange	7	1	1
83257174	FLEXIMARK DYMO XTL Label VIN 41BK/OG	Orange	7	1	1
83257175	FLEXIMARK DYMO XTL Label VIN 54BK/OG	Orange	7	1	1
83257176	FLEXIMARK DYMO XTL Label VIN 12BK/YE	Yellow	7	1	1
83257177	FLEXIMARK DYMO XTL Label VIN 19BK/YE	Yellow	7	1	1
83257178	FLEXIMARK DYMO XTL Label VIN 24BK/YE	Yellow	7	1	1
83257179	FLEXIMARK DYMO XTL Label VIN 41BK/YE	Yellow	7	1	1
83257180	FLEXIMARK DYMO XTL Label VIN 54BK/YE	Yellow	7	1	1
83257181	FLEXIMARK DYMO XTL Label VIN 12WH/BU	Blue	7	1	1
83257182	FLEXIMARK DYMO XTL Label VIN 19WH/BU	Blue	7	1	1
83257183	FLEXIMARK DYMO XTL Label VIN 24WH/BU	Blue	7	1	1
83257184	FLEXIMARK DYMO XTL Label VIN 41WH/BU	Blue	7	1	1
83257185	FLEXIMARK DYMO XTL Label VIN 54WH/BU	Blue	7	1	1
83257186	FLEXIMARK DYMO XTL Label VIN 12WH/GN	Green	7	1	1
83257187	FLEXIMARK DYMO XTL Label VIN 19WH/GN	Green	7	1	1
83257188	FLEXIMARK DYMO XTL Label VIN 24WH/GN	Green	7	1	1
83257189	FLEXIMARK DYMO XTL Label VIN 41WH/GN	Green	7	1	1
83257190	FLEXIMARK DYMO XTL Label VIN 54WH/GN	Green	7	1	1
83257191	FLEXIMARK DYMO XTL Label VIN 12WH/BN	Brown	7	1	1
83257192	FLEXIMARK DYMO XTL Label VIN 19WH/BN	Brown	7	1	1
83257193	FLEXIMARK DYMO XTL Label VIN 24WH/BN	Brown	7	1	1
83257194	FLEXIMARK DYMO XTL Label VIN 41WH/BN	Brown	7	1	1
83257195	FLEXIMARK DYMO XTL Label VIN 54WH/BN	Brown	7	1	1
83257196	FLEXIMARK DYMO XTL Label VIN 12WH/VT	Violet	7	1	1
83257197	FLEXIMARK DYMO XTL Label VIN 19WH/VT	Violet	7	1	1
83257198	FLEXIMARK DYMO XTL Label VIN 24WH/VT	Violet	7	1	1
83257199	FLEXIMARK DYMO XTL Label VIN 41WH/VT	Violet	7	1	1
83257200	FLEXIMARK DYMO XTL Label VIN 54WH/VT	Violet	7	1	1
83257201	FLEXIMARK DYMO XTL Label VIN 12WH/BK	Black	7	1	1
83257202	FLEXIMARK DYMO XTL Label VIN 19WH/BK	Black	7	1	1
83257203	FLEXIMARK DYMO XTL Label VIN 24WH/BK	Black	7	1	1
83257204	FLEXIMARK DYMO XTL Label VIN 41WH/BK	Black	7	1	1
83257205	FLEXIMARK DYMO XTL Label VIN 54WH/BK	Black	7	1	1
83257206	FLEXIMARK DYMO XTL Label VIN 12BK/GY	Grey	7	1	1
83257207	FLEXIMARK DYMO XTL Label VIN 19BK/GY	Grey	7	1	1
83257208	FLEXIMARK DYMO XTL Label VIN 24BK/GY	Grey	7	1	1
83257209	FLEXIMARK DYMO XTL Label VIN 41BK/GY	Grey	7	1	1
83257210	FLEXIMARK DYMO XTL Label VIN 54BK/GY	Grey	7	1	1

Note:

Pictures are not to scale and do not represent detailed images of each product.