### **Data sheet**

# **HP Officejet Enterprise Color MFP X585 series**



An HP Officejet for the enterprise—up to twice the speed and half the cost per page of lasers.<sup>1,2</sup>

A printing revolution for business. HP Officejet Enterprise MFPs deliver color prints at up to twice the speed and half the cost per page of color lasers plus copy, scan, and fax.<sup>1,2,8</sup> They're designed for advanced workflow—and built to last.



HP Officeiet Enterprise Color MFP X585dn



**HP Officejet Enterprise Color MFP X585f** 



HP Officejet Enterprise Color Flow MFP X585z

### Faster than lasers—for less1,2

- Quality color, up to half the cost. Spend up to 50% less per page compared with color lasers.<sup>2</sup>
- Accelerate business printing and keep productivity high—print up to twice as fast as lasers.<sup>1</sup>
- Rely on pigment inks for durable documents that are water-, fade-, and smear-resistant.5
- Designed for speed—enable full-page-width printing at high speeds with HP PageWide Technology.

### Fully loaded for the enterprise

- Be confident that sensitive business data is protected with advanced security solutions.
- Centrally monitor and control your printers with HP Web Jetadmin.<sup>6</sup>
- Deploy new features through upgradable firmware and add solutions to expand the capabilities of this MFP.
- Enable optional wireless direct printing and NFC touch-to-print technology—no need to access the network.<sup>3,4</sup>

### Performance you can rely on

- High volume, high value—get exceptional value from Original HP high-capacity black ink cartridges.<sup>10</sup>
- Up to the task—choose a robust MFP designed for demanding, high-volume workloads.
- Rely on longevity—this MFP is designed for less maintenance, with minimal consumable parts.
- Loaded for productivity—tackle large print jobs with a paper capacity of up to 1,050 sheets.<sup>7</sup>

### Make workflow faster

- Worry-free scanning—capture every page and detect potential misfeeds before they slow you down.<sup>9</sup>
- Finish faster—scan in a single pass and send documents to network folders, email, and more. 11
- Manage jobs directly at the MFP, using the 8-inch (20.3 cm) color touchscreen with image preview.
- Fast, accurate input—enter data more quickly and accurately using the pull-out keyboard.9

Comparison based on manufacturers' published specifications of fastest-available color mode (as of December 2013) and includes color laser MFPs \$3,000 USD, based on market share as reported by IDC as of Q3 2013 and HP internal testing of printer in fastest-available color mode (sample 4-page category documents tested from ISO 24734). For more information, see <a href="https://docs.pre-page">https://docs.pre-page</a> (CPP) claimis based on the majority of color laser MFPs \$\$,000 USD as of December 2013, based on market share as reported by IDC as of Q3 2013. ISO yield is based on continuous printing in default mode. CPP comparisons for laser supplies are based on published specifications of the manufacturers' highest-capacity cartridges. For details, see <a href="https://docs.pr.com/go/oficejet.CPP">https://docs.pr.com/go/oficejet.CPP</a> based on HP 980 ink cartridges' estimated street price. For more information, see <a href="https://docs.pr.com/go/olearnaboutsupplies">https://docs.pr.com/go/olearnaboutsupplies</a> Wireless direct printing requires purchase of optional module. Mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP. For details, see <a href="https://docs.pr.com/go/olearnaboutsupplies">https://docs.pr.com/go/olearnaboutsupplies</a> wireless-direct-capable MFP prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP. For details, see <a href="https://docs.pr.com/go/olearnaboutsupplies">https://docs.pr.com/go/olearnaboutsupplies</a> wireless-direct-capable MFP prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP. For details, see <a href="https://docs.pr.com/go/olearnaboutsupplies">https://docs.pr.com/go/olearnaboutsupplies</a> wir

# **Product walkaround**

- 1 Intuitive 8-inch (20.3 cm) HP Easy Select pivoting touchscreen color control panel
- 2 Hardware integration pocket for solution integration
- 3 Easy access USB port to save and print files directly
- 4 Pull-out keyboard for easy, accurate data entry (z bundle only)
- 5 Front door allows convenient access to easy to replace ink cartridges
- 6 50-sheet multipurpose tray with long paper extension
- 7 Integrated automatic two-sided printing
- 8 Power On/Off button
- 9 100-sheet automatic document feeder with single-pass, two-sided scanning and HP EveryPage with ultrasonic double-feed detection<sup>1</sup>
- 10 Platen glass color scanner handles up to legal size (216 by 356 mm)
- 11 300-sheet output bin with long paper extension
- 12 500-sheet input tray 2
- 13 796 MHz processor, 1.75 GB RAM
- 14 320 GB HP High-Performance Secure Hard Disk
- 15 Two internal host USB 2.0 type ports for third-party solutions
- 16 Hi-Speed USB 2.0 printing port
- 17 HP Jetdirect Gigabit Ethernet print server
- 18 Foreign interface harness (for connecting external devices)
- 19 Access port for optional Kensington-style lock
- 20 Fax port, RJ-11
- 21 Hi-Speed USB 2.0 port for connecting third-party devices

### HP Officejet Enterprise Color Flow MFP X585z shown





Back I/O panel close-up

# Series at a glance







Model	HP Officejet Enterprise Color MFP X585dn	HP Officejet Enterprise Color MFP X585f	HP Officejet Enterprise Color Flow MFP X585z
Part number	B5L04A	B5L05A	B5L06A
ADF input capacity	Up to 50 sheets	Up to 50 sheets	Up to 100 sheets
HP EveryPage ultrasonic double-feed detection	Not available	Not available	✓
Two-sided scanning	Reversing ADF	Reversing ADF	Single-pass duplexing ADF
OCR (optical character recognition)	Optional with HP DSS	Optional with HP DSS	✓
Large pull-out keyboard	Not available	Not available	✓
Fax	Optional	✓	✓

 $<sup>^{\</sup>mbox{\tiny 1}}$  Available only on HP Office jet Enterprise Color Flow MFP X585z.

## **HP Services**

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

HP Care Pack Services provide comprehensive suite of protection services designed to keep HP Hardware software up and running so employees can stay productive.

Choose from:

**Next Business Day Onsite Repair:** Makes an HP technician available at customer's premise the next business day, if the issue cannot be resolved remotely.

### Same Day Onsite - 4 hour 9x5 and 13x5:

Sends an HP technician to customer's site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.

**Next Business Day Onsite with Defective Media Retention:** Customers can retain their hard disk drive and keep control of sensitive data.

For care pack availability visit: hp.com/go/cpc











# **Top Features**

Keep productivity high while keeping your bottom line in mind. These powerful HP MFPs deliver color documents at up to twice the speed and half the cost per page of color lasers. <sup>1,2</sup> Proven HP PageWide Technology makes it possible.

Designed for the demands of business, this MFP delivers the enterprise features you need. Make it easy on IT, with advanced security and management solutions, easy upgrades and mobile printing options.

Bolster your fleet with an MFP that goes the distance. Load large projects and let it handle the job while employees move on with business. Like an HP LaserJet, this MFP is built to last.

Give your office powerful productivity with all the features of lasers. Count on super-fast, dual-sided scanning, a color touchscreen with image preview, and an integrated keyboard for smooth data entry.

Accessories	
B5L07A	HP Officejet Enterprise 500-sheet paper tray
B5L08A	HP Officejet Enterprise Printer Cabinet & Stand
J8026A	HP Jetdirect 2700w USB Wireless Print Server
J8029A	HP NFC/Wireless Direct Accessory
CC487A	HP MFP Analog Fax Accessory 500
L2718A	HP 100 ADF Roller Replacement Kit
B5L09A	HP Officejet Ink Collection Unit
Supplies <sup>1</sup>	
D8J07A	HP 980 Cyan Original Ink Cartridge (6,600 pages)
D8J08A	HP 980 Magenta Original Ink Cartridge (6,600 pages)
D8J09A	HP 980 Yellow Original Ink Cartridge (6,600 pages)
D8J10A	HP 980 Black Original Ink Cartridge (10,000 pages)
Services	
U1PB8E	HP 2-year Next business day Color Officejet X585 MFP Hardware Support
U1PB9E	HP 3-year Next business day Color Officejet X585 MFP Hardware Support
U1PC0E	HP 4-year Next business day Color Officejet X585 MFP Hardware Support
U1PC1E	HP 5-year Next business day Color Officejet X585 MFP Hardware Support
U1PC2E	HP 3-year 4 hour 9 x 5 Color Officejet X585 MFP Hardware Support
U1PC4E	HP 4-year 4 hour 9 x 5 Color Officejet X585 MFP Hardware Support
U1PC6E	HP 5-year 4 hour 9 x 5 Color Officejet X585 MFP Hardware Support
U1PC8E	HP 3-year Next business day+Defective Media Retention Color Officejet X585 MFP Support
U1PC9E	HP 4-year Next business day+Defective Media Retention Color Officejet X585 MFP Support
U1PD0E	HP 5-year Next business day+Defective Media Retention Color Officejet X585 MFP Support
U1PE0PE	HP 1-year Post Warranty Next business day Color Officejet X585 MFP Hardware Support
U1PE1PE	HP 2-year Post Warranty Next business day Color Officejet X585 MFP Hardware Support
U1PE2PE	HP 1-year Post Warranty 4 hour 9 x 5 Color Officejet X585 MFP HW Support
U1PE3PE	HP 1-year Post Warranty 4 hour 13 x 5 Color Officejet X585 MFP HW Support
U1PE4PE	HP 1-year Post Warranty Next business day+Defective Media Retention Color Officejet X585 MFP Support
U1PE5PE	HP 1-year Post Warranty Channel Partner only Remote and Parts Color Officejet X585 MFP Support
U1PE6PE	HP 1-year PW Next business day Call to Repair with Defective Media Retention Color Officejet X585 MFP Support
U1PE7PE	HP 1-year PW 2nd Business day Call to Repair with Defective Media Retention Color Officejet X585 MFP Support

Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see hp.com/go/learnaboutsupplies

# **HP Officejet Enterprise Color MFP X585 series**

Technical specifications	HP Officejet Enterprise Color MFP X585dn (B5L04A)	HP Officejet Enterprise Color MFP X585f (B5L05A)	HP Officejet Enterprise Color Flow MFP X585z (B5L06A)		
iO functions	Print, scan, and copy; AiO multitasking supported: Yes	Print, scan, copy and fax; AiO	multitasking supported: Yes		
ıplex print options		Automatic (standard)			
int speed¹	ISO speed: Up to 42 ppm black, Up to 44 ppm color; Maximum, letter: Up to 75 ppm black, Up to 75 ppm color				
st page out	Black (ready): As fast as 8 sec; Color (ready): As fast as 8 sec				
int resolution	Black (best): Up to 1200 x 1200 optimized dpi from 600 x 600 input dpi (on Color Lok®, Plain, HP Premium Presentation Matte, and HP Brochure Matte)				
	Color (best): Up to 2400 x 1200 optimized daj from 600 x 600 input dpi (on HP Advanced Photo Papers)  Up to 2400 x 1200 optimized a factor and on the Advanced Photo Papers)  Up to 2400 x 1200 optimized a factor and on the Advanced Photo Papers)				
int technology	HP PageWide Technology with pigmented inks				
nt cartridges number	1 each (black, cyan, magenta, yellow)				
bile printing capability <sup>2</sup>	HP ePrint, Apple AirPrint™				
andard print languages	HP PCL 5, HP PCL 5c (HP PCL 5c driver available from the Web only), HP Postscript Level 3 emulation, native PDF printing (v 1.4)				
inter smart software features	HP ePrint, Apple AirPrint™, Open Extensibility Platform, FutureSmart Firmware, HP Auto-On/Auto-Off, print preview, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, job separator				
inter management	HP Web Jetadmin; HP Utility (Mac)				
an type/technology	Type: Flatbed, ADF; Technology: Charge Coupled Device (CCD)				
an speed	Normal, letter: Up to 44 ipm (b&w); up to 44 ipm (co	olor); <b>Duplex:</b> Up to 16 ipm (b&w), up to 16 ipm (color)	Up to 65 ipm (b&w); up to 63 ipm (color)		
			Duplex: Up to 89 ipm (b&w), up to 66 ipm (color)		
an resolution		inhanced: Up to 600 dpi; Hardware: Up to 600 x 600 dpi; Optical: Up to 600 d MTIFF, XPS, PDF/A	IPI PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, Text (OCR), Unicode Text (OCR), RTF (I		
an file format	PDF, JPEG, HFF, I	MILLE, XDS, PDF/A	Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OC		
an input modes	Front panel applications: Copy F. mail Cayo to Notwork Folder Cayo to US	SB, Save to Device Memory, Open Extensibility Platform (OXP) applications	Front panel applications: Copy, E-mail, Save to Network Folder, Sav		
an input modes	From paner applications, copy, E-mair, save to Network Folder, save to of	56, Save to Device Memory, Open Extensibility Platform (OAP) applications	to SharePoint, Save to USB, Save to Device Memory, Open Extensibil		
			Platform (OXP) applications		
an size maximum		<b>Flatbed:</b> 8.5 x 14 in (216 x 356 mm)	, , , , , , , , , , , , , , , , , , ,		
nner advanced features	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dp; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets				
depth/Grayscale levels		Bit Depth: 24-bit; Grayscale: 256			
py speed <sup>3</sup>		ISO speed: Up to 44 ppm black & color			
py resolution	Black (text and graphics): Up to 600 >	600 dpi (Flatbed), 300 x 600 dpi (ADF); Color (text and graphics): Up to 600	x 600 dpi (Flatbed), 300 x 600 dpi (ADF)		
x. no. of copies		Up to 9,999 copies			
pier resize	איינוס איינו פון פון איינוס איינו פון פון איינו פון פון איינו פון פון פון פון פון פון פון פון פון פו				
pier settings	Two-sided copying, scalability, image adjustments (darkness, cont	trast, background cleanup, sharpness), N-up, N or Z-ordering, content orientati	on, collation, booklet, ID Scan, job build, edge-to-edge, job storage		
x speed	Not applicable		per page		
x resolution	Not applicable	Black (standard): 203 x 98 dpi; Black and White (fine): 204 x 196 dpi; Black			
x features	Not applicable	Auto fax reduction supported: Yes; Auto-Redialing: Yes; Fax delayed			
		supported: Yes; Junk barrier supported: Yes; Maximum speed di	aling numbers: Up to 9,999 numbers; PC interface supported: Yes		
andard connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device;	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10	)/100/1000T network; 1 Foreign Interface; 1 Hardware Integration Pock		
	1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface;	Internal USB Host;	; 1 Fax modem port		
	1 Hardware Integration Pocket; 2 Internal USB Host				
twork capabilities	Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Ba	Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-T, 100Base-T, 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; iPsec (standard); 802.11b/g/n wireless networking (opinion of the print of th			
	Optional, enabled with purchase of a hardware accessory				
<u> </u>		Optional, enabled with purchase of a hardware accessory	gabit Ethernet, ii see (standard), ooz. 1 Tofg/11 willeless networking topin		
emory		Optional, enabled with purchase of a hardware accessory 1792 MB (system memory)	gual Ethernet, if see (standard), ode. 1 10/9/11 whereas networking (option		
emory rocessor speed		Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz			
emory ocessor speed uty cycle (monthly)4	Up	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory)			
emory ocessor speed aty cycle (monthly) <sup>4</sup> aper handling	Up	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz o to 75,000 pages; <b>Recommended monthly page volume:</b> <sup>5</sup> 2,000 to 6,000 pa			
emory rocessor speed uty cycle (monthly) <sup>4</sup> sper handling Input	Up	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz to 75,000 pages; <b>Recommended monthly page volume</b> ; \$2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray			
emory rocessor speed uty cycle (monthly)* sper handling Input Output		Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz to 75,000 pages; <b>Recommended monthly page volume</b> : \$2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin	ges		
emory rocessor speed uty cycle (monthly)* sper handling Input Output	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc	Optional, enabled with purchase of a hardware accessory 1792 MB (system memony) 796 MHz to 75,000 pages; <b>Recommended monthly page volume:</b> 2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, s	ges .atin, matte, other inkjet photo), envelopes, labels, cards, specialty pape		
emory ocessor speed utty cycle (monthly) <sup>4</sup> uper handling Input Output Media type	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glossy broc	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz to 75,000 pages; <b>Recommended monthly page volume:</b> \$2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, tri-fold brochure, Hagaski, greeting cards, other inkjet spe	ges satin, matte, other inkjet photo), envelopes, labels, cards, specialty paper ecialty paper)		
emory ocessor speed styte yccle (monthly) <sup>4</sup> sper handling Input Output Media type Media weight	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glossy broc 60 to 120 g/m² (plain pape	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz 1796 MHz 10 to 75,000 pages; <b>Recommended monthly page volume:</b> 2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, ti-fold brochure, tagaki, greeting cards, other inkjet spe r/; 125 to 300 g/m² (photo); 75 to 90 g/m² (erwelope); 120 to 180 g/m² (broth)	ges  atin, matte, other inkjet photo), envelopes, labels, cards, specialty paper  cialty paper)  ure); 163 to 200 g/m² (card)		
emory ocessor speed tyty cycle (monthly) <sup>4</sup> per handling nput Uutput Media type Media weight Media sizes custom	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glossy broc 60 to 120 g/m² (plain page Tray 1: 3 x 5 is	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz to 75,000 pages; <b>Recommended monthly page volume:</b> 2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet spe i); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broch nt o 8.5 x 14 in; <b>Tray 2</b> : 4.0 x 8.3 in to 8.5 x 11.7 in; <b>Optional Tray 3</b> : 4.0 x 8.3	ges  satin, matte, other inkjet photo), envelopes, labels, cards, specialty paper ecialty paper) urue): 163 to 200 g/m² (card) in to 8.5 x 14 in		
emory  ocessor speed  tity cycle (monthly) <sup>4</sup> per handling  nput  Dutput  Media type  Media weight  Media sizes custom  ADF capacity	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glossy broc 60 to 120 g/m² (plain pape <b>Tray 1:</b> 3 × 5 Standard.	Optional, enabled with purchase of a hardware accessory 1792 MB (system memony) 796 MHz to 75,000 pages; <b>Recommended monthly page volume:</b> 2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet speri; 125 to 300 g/m² (throbot); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broch nto 8.5 x 14 in; <b>Tray 2:</b> 4.0 x 8.3 in to 8.5 x 11.7 in; <b>Optional Tray 3:</b> 4.0 x 8.3, 50 sheets	ges latin, matte, other inkjet photo), envelopes, labels, cards, specialty paper scialty paper) ure); 163 to 200 g/m² (card) in to 8.5 x 14 in Standard, 100 sheets		
emory occessor speed occ	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glossy broc 60 to 120 g/m² (plain pape <b>Tray 1:</b> 3 × 5 Standard.	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz 10 to 75,000 pages; <b>Recommended monthly page volume:</b> 2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet glossy; 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broch to 8.5 x 14 in; <b>Tray 2:</b> 4.0 x 8.3 in to 8.5 x 11.7 in; <b>Optional Tray 3:</b> 4.0 x 8.3 is 50 sheets x 26.4 x 23.8 in (800 x 670 x 604 mm) with MP tray down and extended, mair	ges latin, matte, other inkjet photo), envelopes, labels, cards, specialty paper scialty paper) ure); 163 to 200 g/m² (card) in to 8.5 x 14 in Standard, 100 sheets		
emory rocessor speed uty cycle (monthly)* uper handling Input Output Media type  Media weight Media sizes custom ADF capacity imensions (W x D x H) eight	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glossy broc 60 to 120 g/m² (Jain pape <b>Tray 1:</b> 3 × 5 Standard	Optional, enabled with purchase of a hardware accessory 1792 MB (system memony) 796 MHz to 75,000 pages; <b>Recommended monthly page volume:</b> 2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet speri; 125 to 300 g/m² (throbot); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broch nto 8.5 x 14 in; <b>Tray 2:</b> 4.0 x 8.3 in to 8.5 x 11.7 in; <b>Optional Tray 3:</b> 4.0 x 8.3, 50 sheets	ges latin, matte, other inkjet photo), envelopes, labels, cards, specialty paper scialty paper) ure); 163 to 200 g/m² (card) in to 8.5 x 14 in Standard, 100 sheets		
emory rocessor speed uty cycle (monthly)* sper handling input Output Media type  Media weight Media sizes custom ADF capacity imensions (W x D x H) eight	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glossy broc 60 to 120 g/m² (plain pape Tray 1: 3 × 51 Standard, 21 × 21.5 × 22.6 in (533 × 546 × 574 mm); Max: 31.5	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz to 75,000 pages; <b>Recommended monthly page volumes</b> ; 2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, tif-fold brochure, Hagaki, greeting cards, other inkjet spe 1,125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broch nto 8.5 x 14 lit, <b>Tray 2:</b> 4.0 x 8.3 in to 8.5 x 11.7 in; <b>Optional Tray 3:</b> 4.0 x 8.3 50 sheets ix 26.4 x 23.8 in (800 x 670 x 604 mm) with MP tray down and extended, mair 80 lb (36.3 kg) HP Officejet Enterprise Color XS85f MFP, Introductory HP Officejet Black,	ges  atin, matte, other inkjet photo), envelopes, labels, cards, specialty paper cialty paper) urue; 163 to 200 g/m² (card) in to 8.5 x 14 in  Standard, 100 sheets tray extended, output tray extension in legal position  HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet Bla		
emory ocessor speed styr cycle (monthly)* oper handling input Output Media type Media weight Media sizes custom ADF capacity mensions (W x D x H) eight	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glossy broc 60 to 120 g/m² (plain pape Tray 1: 3 x 5 ii Standard. 21 x 21.5 x 22.6 in (533 x 546 x 574 mm); Max: 31.5  HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages,	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz 1795 MHz 10 to 75,000 pages; <b>Recommended monthly page volume:</b> 2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet speri?; 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broch to 8.5 x 14 in; <b>Tray 2:</b> 4.0 x 8.3 in to 8.5 x 11.7 in; <b>Optional Tray 3:</b> 4.0 x 8.3 is 05 sheets x 26.4 x 23.8 in (800 x 670 x 604 mm) with MP tray down and extended, main 80 lb (36.3 kg) HP Officejet Enterprise Color XSB/MF; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages,	ges  latin, matte, other inkjet photo), envelopes, labels, cards, specialty paper  lure); 163 to 200 g/m² (card)  in to 8.5 x 14 in  Standard, 100 sheets  1 tray extended, output tray extension in legal position  HP Officejet Enterprise Color X585z MFP; Introductory HP Officejet Bit  Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages,		
emory ocessor speed styr cycle (monthly)* oper handling input Output Media type Media weight Media sizes custom ADF capacity mensions (W x D x H) eight	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glossy broc 60 to 120 g/m² (plain paper Tray 1: 3 × 5 ii Standard: 21 × 21.5 × 22.6 in (533 × 546 × 574 mm); Max: 31.5 ii Plain (plain paper) HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color ~3,400 pages), Hardware Install Guide: Warranty card; Software	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz to 75,000 pages; <b>Recommended monthly page volume:</b> 2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paperl, photo (glossy, gloss, soft gloss, sheer, recycled, bond, other inkjet plain paperl, photo (glossy, gloss, soft gloss, sheer, recycled, bond, other inkjet plain paperl, photo (glossy, gloss, soft gloss, sheer, recycled, bond, other inkjet sperity; 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broch nto 8.5 x 14 in; <b>Tray 2:</b> 4.0 x 8.3 in to 8.5 x 11.7 in; <b>Optional Tray 3:</b> 4.0 x 8.3, 50 sheets x 26.4 x 23.8 in (800 x 670 x 604 mm) with MP tray down and extended, mair 80 lb (36.3 kg)  HP Officejet Enterprise Color X585f MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print carridges (Black: ~7,800 pages, Color ~3,400 pages), Hardware Install Guide; Warranty card; Software	ges  atin, matte, other inkjet photo), envelopes, labels, cards, specialty paper  ure); 163 to 200 g/m² (card)  in to 8.5 x 14 in  Standard, 100 sheets  1 tray extended, output tray extension in legal position  HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet Blackyan, Yellow, Magenta print cartridges (Black: ~7,800 pages), Ladvavare Install Guide; Warranty card; Softwa		
emory  ocessor speed  tity cycle (monthly) <sup>4</sup> per handling  nput  Dutput  Media type  Media weight  Media spees custom  ADF capacity  mensions (W x D x H)  eight  hat's in the box <sup>4</sup>	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glossy broc 60 to 120 g/m² (plain pape Tray 1: 3 × 5 is 5 is 5 is 5 is 60 to 120 g/m² (plain pape 12 × 21.5 × 22.6 in (533 × 546 × 574 mm); Max: 31.5 HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black ~ 7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz 20 to 75,000 pages; Recommended monthly page volume; 2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet speir); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broch 10 8,5 x 14 in; Tray 2: 4,0 x 8.3 in to 8,5 x 11.7 in; Optional Tray 3: 4,0 x 8.3 50 sheets ix 26.4 x 23.8 in (800 x 670 x 604 mm) with MP tray down and extended, mair 80 lb (36.3 kg)  HP Officejet Enterprise Color X585f MEP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages), Hardware Install Guide; Warranty card, Software and electronic documentation on CI—ROM; Power cord	ges  atin, matte, other inkjet photo), envelopes, labels, cards, specialty paper cialty paper) uure); 163 to 200 g/m² (card) in to 8.5 x 14 in  Standard, 100 sheets  tray extended, output tray extension in legal position  HP Officejet Enterprise Color XS85z MFP, Introductory HP Officejet Bl. Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages), Hardware install Guide; Warranty card, Softwe and electronic documentation on CP-ROM; Powc cord		
emory  ocessor speed tyty cycle (monthly) <sup>4</sup> per handling input  Output  Media type  Media weight  Media sizes custom  ADF capacity  mensions (W x D x H)  eight hat's in the box <sup>4</sup>	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glossy broc 60 to 120 g/m² (plain pape Tray 1: 3 × 5 is 5 is 5 is 5 is 60 to 120 g/m² (plain pape 12 × 21.5 × 22.6 in (533 × 546 × 574 mm); Max: 31.5 HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black ~ 7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz to 75,000 pages; <b>Recommended monthly page volume:</b> 2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, Hagaki, greeting cards, other inkjet sperit; 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broch to 8.5 x 14 in; <b>Tray 2:</b> 4.0 x 8.3 in to 8.5 x 11.7 in; <b>Optional Tray 3:</b> 4.0 x 8.3 in 50 sheets x 26.4 x 23.8 in (800 x 670 x 604 mm) with MP tray down and extended, main 80 lb (36.3 kg) HP Officejet Enterprise Color XS85f MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3.400 pages); Hardware Install Guide; Warranty, card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty, one-year technical phone support, chat, and e-mai	ges  atin, matte, other inkjet photo), envelopes, labels, cards, specialty paper cialty paper) uure); 163 to 200 g/m² (card) in to 8.5 x 14 in  Standard, 100 sheets n tray extended, output tray extension in legal position  HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet Bla Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages), Hardware Install Guide; Warranty card, Softwe and electronic documentation on CD-ROM; Power cord		
emory rocessor speed uty cycle (monthly)* sper handling Input Output Media type  Media weight Media sizes custom ADF capacity imensions (W x D x H) eight hat's in the box*	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glossy broc 60 to 120 g/m² (plain paper Tray 1: 3 x 5 is 5 tandard; 21 x 21.5 x 22.6 in (533 x 546 x 574 mm); Maxx 31.5 HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color ~3,400 pages), fauld for discounting the color of the colo	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz 50 to 75,000 pages; <b>Recommended monthly page volume:</b> \$2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paperl, photo (glossy, gloss, soft gloss, s hed, recycled, bond, other inkjet plain paperl, photo (glossy, gloss, soft gloss, s hed, recycled, bond, other inkjet plain paperl, photo (glossy, gloss, soft gloss, s hed, recycled, bond, other inkjet plain paperl, photo (glossy, gloss, soft gloss, s hed, recycled, bond, other inkjet plain paperl, photo (glossy, gloss, soft gloss, s hed, recycled, bond, other inkjet plain paperl, photo (glossy, gloss, soft gloss, s hed, recycled, bond, glossy, gloss, s hed, recycled, glossy, glossy, gloss, glossy, gloss, gloss, glossy, gloss, gloss, glossy, gloss, gloss	ges  Latin, matte, other inkjet photo), envelopes, labels, cards, specialty paper  Lurel; 163 to 200 g/m² (card)  In to 8.5 x 14 in  Standard, 100 sheets  In tray extended, output tray extension in legal position  HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet Black: ~7,800 pages,  Color: ~3,400 pages], Hardware Install Guide; Warranty card; Softwa  and electronic documentation on CD-ROM; Power cord		
emory rocessor speed uty cycle (monthly)* sper handling Input Output Media type  Media weight Media sizes custom ADF capacity imensions (W x D x H) eight hat's in the box*	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glossy broc 60 to 120 g/m² (plain pape Tray 1: 3 × 5 is 5 tandard, 21 × 21.5 × 22.6 in (533 × 546 × 574 mm); Max: 31.5 HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages), Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Vista (3.	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz 20 to 75,000 pages; Recommended monthly page volume; 2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet ge vi; 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broch to 8,5 x 14 in; Tray 2: 4,0 x 8.3 in to 8,5 x 11.7 in; Optional Tray 3: 4,0 x 8.3 50 sheets x 26,4 x 23.8 in (800 x 670 x 604 mm) with MP tray down and extended, mair 80 lb (36.3 kg) HP Officejet Enterprise Color X585f MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages), Hardware Install Guide; Warranty card, Software and electronic documentation on CI—ROM; Power cord One-year, onsite warranty, one-year technical phone support, chat, and e-mai Blue Angel, ENERGY STAR® qualified, EPEAT® Silver	ges  aatin, matte, other inkjet photo), envelopes, labels, cards, specialty paper cialty paper) uure); 163 to 200 g/m² (card) in to 8.5 x 14 in  Standard, 100 sheets 1 tray extended, output tray extension in legal position  HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet Black: ~7,800 pages, Color: ~3,400 pages); Hardware install Guide; Warranty card, Softwa and electronic documentation on CD-ROM; Power cord il dows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit);		
emory ocessor speed tyty cycle (monthly)* typer handling Input Output Media type Media weight Media sizes custom ADF capacity mensions (W x D x H) eight hat's in the box*  arranty features tergy efficiency compliance	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glosy broc.)  60 to 120 g/m² (plain paper)  Tray 1: 3 x 5 ii  Standard.  21 x 21.5 x 22.6 in (533 x 546 x 574 mm); Max: 31.5  HP Officejet Enterprise Color X585dn MFP, Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color:~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord  Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 Windows Server 2008 (32-bit & 64-bit); Windows Server 2008 R2	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz 1795 MHz 2 to 75,000 pages; <b>Recommended monthly page volume:</b> \$2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, ti-rjold brochure, Hagadi, greeting cards, other inkjet spe r/); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto) 10 8.5 x 14 in; <b>Tray 2:</b> 4.0 x 8.3 in to 8.5 x 11.7 in; <b>Optional Tray 3:</b> 4.0 x 8.3 . 50 sheets ix 26.4 x 23.8 in (800 x 670 x 604 mm) with MP tray down and extended, mair 80 lb (36.3 kg) HP Officejet Enterprise Color X585f MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty; one-year technical phone support, that, and e-mai Blue Angel, ENERGY STAR® qualified, EPEAT® Silver 2-bit & 64-bit); Windows Server 2012 (64-bit); Mac OS x V10.6, OS x V10.7 Lion, OS x (50 x V10.7 Lion, OS x	ges  aatin, matte, other inkjet photo), envelopes, labels, cards, specialty paper  urel; 163 to 200 g/m² (card)  in to 8.5 x 14 in  Standard, 100 sheets  1 tray extended, output tray extension in legal position  HP Officejet Enterprise Color X585z MFP; Introductory HP Officejet Bits  (Van, Yellow, Magenta print cartridges (Black: ~7.800 pages,  Color: ~3,400 pages); Hardware Install Guide; Warranty card; Softwa  and electronic documentation on CD-ROM; Power cord  it  dows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit);  (V10.8 Mountain Lion. For the latest operating system support see:		
emory rocessor speed uty cycle (monthly)* sper handling Input Output Media type  Media weight Media sizes custom ADF capacity imensions (W x D x H) eight hat's in the box*	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glossy broc 60 to 120 g/m² (plain paper Tray 1: 3 × 5 1 × 12.5 × 12	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz 20 to 75,000 pages; Recommended monthly page volume; 2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet ge vi; 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broch to 8,5 x 14 in; Tray 2: 4,0 x 8.3 in to 8,5 x 11.7 in; Optional Tray 3: 4,0 x 8.3 50 sheets x 26,4 x 23.8 in (800 x 670 x 604 mm) with MP tray down and extended, mair 80 lb (36.3 kg) HP Officejet Enterprise Color X585f MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages), Hardware Install Guide; Warranty card, Software and electronic documentation on CI—ROM; Power cord One-year, onsite warranty, one-year technical phone support, chat, and e-mai Blue Angel, ENERGY STAR® qualified, EPEAT® Silver	ges  satin, matte, other inkjet photo), envelopes, labels, cards, specialty paper cicilty paper)  urel; 163 to 200 g/m² (card) in to 8.5 x 14 in  Standard, 100 sheets  It ray extended, output tray extension in legal position  HP Officejet Enterprise Color X585z MFP; Introductory HP Officejet Bla  Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages), Color: ~3,400 pages), Hardware Install Guide; Warranty card; Softwa and electronic documentation on CD-ROM; Power cord  dows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); (v10.8 Mountain Lion. For the latest operating system support see: Software; Linux (hplip.net); Novell (novell.com/print); SAP device types		
ircless capability lemony rocessor speed uty cycle (monthly)* aper handling input Output Media type Media weight Media sizes custom ADF capacity imensions (W x D x H) leight fhat's in the box*  larranty features mergy efficiency compliance ompatible operating systems	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glossy broc 60 to 120 g/m² (plain pape Tray 1: 3 × 51)  Tray 1: 3 × 51  Standard, 21 × 21.5 × 22.6 in (533 × 546 × 574 mm); Max: 31.5  HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages, Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord  Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrik and Windows Air Apple.com/kb/ht4356; Android; Citrik and Windows Air Apple.com/kb/ht4356; Android; Citrik and Windows Apple.com/kb/h	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz 1795 MHz 10 10 75,000 pages; Recommended monthly page volume; 2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet speri); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broch to 8.5 x 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3: 4.0 x 8.3 50 sheets ix 26.4 x 23.8 in (800 x 670 x 604 mm) with MP tray down and extended, mair 80 lb (36.3 kg) HP Officejet Enterprise Color XS85f MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty, one-year technical phone support, chat, and e-mail Blue Angel, ENERGY STAR® qualified, EPEAT® Silver 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Winc (64-bit); Windows 7 (32-bit & 64-bit); Windows Fores (Dp. com/golyd); HP PPint Software Driver Hp. com/go/sap/print); UNIX hp. com/go/unix; UNIX JetDirect hp. com/go	ges  aatin, matte, other inkjet photo), envelopes, labels, cards, specialty paper cialty paper) ure); 163 to 200 g/m² (card) in to 8.5 x 14 in  Standard, 100 sheets 1 tray extended, output tray extension in legal position  HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet Blt Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Softwa and electronic documentation on CD-ROM; Power cord il  dows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); V 10.8 Mountain Lion. For the latest operating system support see: software; Linux (phip) net); Novell (novell.com/iprint); SAP device types to/jetdirectunix_software		
emory ocessor speed tyty cycle (monthly) <sup>4</sup> per handling input Output Media type Media weight Media sizes custom ADF capacity mensions (W x D x H) eight hat's in the box <sup>4</sup> arranty features tergy efficiency compliance inpatible operating systems	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glossy broc 60 to 120 g/m² (plain paper Tray 1: 3 x 5 is 5 tandard.  21 x 21.5 x 22.6 in (533 x 546 x 574 mm); Max: 31.5 HP Officejet Enterprise Color X585dn MFP, Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color:~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord  Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 Air Print support.apple.com/kb/ht4356; Android: Citrix and Windows Theodore 15 ph.com/go/sap/drivers; HP-UX 10.20, 11.x, 11.i; IBM AIX 3.2.5 or higher, Mac Co S x v 10.6, OS x v 1	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz 1795 MHz 10 to 75,000 pages; <b>Recommended monthly page volume:</b> 12,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, ti-rjold brochure, Hagadi, greeting cards, other inkjet spe r/); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (envelope); 120 to	ges  aatin, matte, other inkjet photo), envelopes, labels, cards, specialty pape cialty paper)  urel; 163 to 200 g/m² (card) in to 8.5 x 14 in  Standard, 100 sheets  1 tray extended, output tray extension in legal position  HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet Bit Cyan, Yellow, Magenta print cartridges (Black: ~7.800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Softwa and electronic documentation on CD-ROM; Power cord it  dows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); (v10.8 Mountain Lion. For the latest operating system support see: software; Linux (Inplip.net); Novell (novell.com/iprint); SAP device types of)etdirectunix_software  erver, Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high		
emory  occessor speed  tyt cycle (monthly) <sup>4</sup> per handling  nput  Dutput  Media type  Media weight  Media sizes custom  ADF capacity  mensions (W x D x H)  Helght  hat's in the box <sup>4</sup> arranty features  ergy efficiency compliance  mpatible operating systems	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glossy broc 60 to 120 g/m² (plain pape Tray 1: 3 × 5)  Tray 1: 3 × 5)  Standard  21 × 21.5 × 22.6 in (533 × 546 × 574 mm); Max: 31.5  HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,000 pages, Hardware Install Guide: Warranty card; Software and electronic documentation on CD-ROM; Power cord  Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 AirPrint support.apple.com/kb/ht/356; Android; Citrix and Windows T in p.com/go/sapkirvers;  HP-UX 10.20, 11.x, 11.i; IBM AIX 31.2.5 or higher; Windows So X v 10.6, 0 X v 1 (SPARC systems only); SuSe Linux & x or higher; Windows 2003 (SP2+) (64-bit); Windows Systems only); SuSe Linux & x or higher; Windows 2003 (SP2+) (64-bit); Windows 20	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz 1795 MHz 10 10 75,000 pages; Recommended monthly page volume; 2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet speri); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broch to 8.5 x 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3: 4.0 x 8.3 50 sheets ix 26.4 x 23.8 in (800 x 670 x 604 mm) with MP tray down and extended, mair 80 lb (36.3 kg) HP Officejet Enterprise Color XS85f MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty, one-year technical phone support, chat, and e-mail Blue Angel, ENERGY STAR® qualified, EPEAT® Silver 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Winc (64-bit); Windows 7 (32-bit & 64-bit); Windows Fores (Dp. com/golyd); HP PPint Software Driver Hp. com/go/sap/print); UNIX hp. com/go/unix; UNIX JetDirect hp. com/go	ges  atin, matte, other inkjet photo), envelopes, labels, cards, specialty paper cialty paper) ure); 163 to 200 g/m² (card) in to 8.5 x 14 in  Standard, 100 sheets 1 tray extended, output tray extension in legal position  HP Officejet Enterprise Color X585z MFP; Introductory HP Officejet Bl. Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware install Guide; Warranty card, Softwa and electronic documentation on CD-ROM; Power cord il dows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); (v10.8 Mountain Lion. For the latest operating system support see: software; Linux (hplip.net); Novell (novell.com/lprint); SAP device types po/jetdirectunix_software erver, Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high 2-bit 8.64-bit); Windows YE (SP3+) (64-bit); Window		
emory  rocessor speed  uty cycle (monthly)*  aper handling  Input  Output  Media type  Media weight  Media sizes custom  ADF capacity  mensions (W x D x H)  eight  hat's in the box*  arranty features  arranty features  mergy efficiency compliance  mapatible operating systems	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glosy broc 60 to 120 g/m² (plain pape Tray 1: 3 x 5 ii Standard. 21 x 21.5 x 22.6 in (533 x 546 x 574 mm); Max: 31.5 HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows Theory (SP3) (S	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz 1795 MHz 10 10 75,000 pages; Recommended monthly page volume; 2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, s hure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet soline, make brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet soline, make brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet soline, soline, make brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet soline, soline, make brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet soline, soline, and soline, sol	ges  aatin, matte, other inkjet photo), envelopes, labels, cards, specialty paper)  ure); 163 to 200 g/m² (card)  in to 8.5 x 14 in  Standard, 100 sheets  1 tray extended, output tray extension in legal position  HP Officejet Enterprise Color X585z MFP; Introductory HP Officejet Bit Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Softwa and electronic documentation on CD-ROM; Power cord it  Jows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); (v10.8 Mountain Lion. For the latest operating system support see: software; Linux (hplip.net), Novell (novell.com/iprint); SAP device types of/jetdirectums, Software erver; Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high et 32-bit a8 64-bit); Windows Vista Ready; Windows XP (29-3) (64-bit); Window Server 2		
emory ocessor speed tyty cycle (monthly) <sup>4</sup> per handling input Output Media type Media weight Media sizes custom ADF capacity mensions (W x D x H) eight hat's in the box <sup>4</sup> arranty features tergy efficiency compliance inpatible operating systems impatible network operating stems	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glossy broc 60 to 120 g/m² (plain paper (light, pages) broc 760 to 120 g/m² (plain pages) Fray 1: 3 x 5 is Standard.  21 x 21.5 x 22.6 in (533 x 546 x 574 mm); Max: 31.5 M	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz 1795 MHz 10 to 75,000 pages; <b>Recommended monthly page volume:</b> 2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet ps ir); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broch 10 8.5 x 14 in; <b>Tray 2:</b> 4.0 x 8.3 in to 8.5 x 11.7 in; <b>Optional Tray 3:</b> 4.0 x 8.3 50 sheets x 26.4 x 23.8 in (800 x 670 x 604 mm) with MP tray down and extended, main 80 1b (36.3 kg) HP Officejet Enterprise Color XS85f MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages), Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty; one-year technical phone support, chat, and e-mai Blue Angel, ENERGY STAR® qualified, EPEAT® Silver 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit); Windows 6 (32-bit) & 64-bit); Windows 6 (32-bit) & 64-bit); Windows 6 (32-bit),	ges  atin, matte, other inkjet photo), envelopes, labels, cards, specialty pape cialty paper)  urel; 163 to 200 g/m² (card)  in to 8.5 x 14 in  Standard, 100 sheets  1 tray extended, output tray extension in legal position  HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet Bit. Cyan, Yellow, Magenta print cartridges (Black: ~7.800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Softwa and electronic documentation on CD-ROM; Power cord it  dows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); (v10.8 Mountain Lion. For the latest operating system support see: software; Linux (hplip.net); Novell (novell.com/iprint); SAP device types (orjetdirectunix. software)  erver, Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high 12-bit & 64-bit); Windows (12-bit and 64-bit); Windows SP2 (13-bit 64-bit); Windows (13-bit and 64-bit); Windows SP2 (13-bit 64-bit); Windows SP2 (13-		
emory ocessor speed tyty cycle (monthly) <sup>4</sup> per handling input Output Media type Media weight Media sizes custom ADF capacity mensions (W x D x H) eight hat's in the box <sup>4</sup> arranty features tergy efficiency compliance inpatible operating systems impatible network operating stems	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glossy broc 60 to 120 g/m² (plain pape in 120 g/m²	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz 796 MHz 70 to 75,000 pages; <b>Recommended monthly page volume:</b> 2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, s hure, matte brochure, tri-fold brochure, Hagaki greeting cards, other inkjet spe r/; 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to shoets 75 of sheets 75 of sheets 76 September 18 of	ges  actin, matte, other inkjet photo), envelopes, labels, cards, specialty paper cialty paper)  ure); 163 to 200 g/m² (card)  in to 8.5 x 14 in  Standard, 100 sheets  1 tray extended, output tray extension in legal position  HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet Blic Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware install Guide; Warranty card, Softwe and electronic documentation on CD-ROM; Power cord  il dows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); (v10.8 Mountain Lion. For the latest operating system support see: software; Linux (hplip.net); Novell (novell.com/iprint); SAP device types poljetdirectunix_software  erver, Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high 2.bit & 64-bit); Windows XP (SP3-4); (64-bit); Windows KP (SP3-4); (64-bit); Windows KP Cybra-Oscala and Windows XP Home, Windows XP Porfessional and Windows Vista  was Server 2012 (64-bit); Windows XP (SP2-1); CD-ROM or DVD drive,		
emory ocessor speed tyty cycle (monthly) <sup>4</sup> per handling input Output Media type Media weight Media sizes custom ADF capacity mensions (W x D x H) eight hat's in the box <sup>4</sup> arranty features tergy efficiency compliance inpatible operating systems impatible network operating stems	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glosy broc.)  60 to 120 g/m² (plain paper)  Tray 1: 3 x 5 ii  Standard.  21 x 21.5 x 22.6 in (533 x 546 x 574 mm); Max: 31.5  HP Officejet Enterprise Color X585dn MFP, Introductory HP Officejet Black, (yan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord  Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows T hpt.com/go/sap/drivers;  HP-UX 10.20, 11.x, 11.; IBM AIX 3.2.5 or higher; Mac OS X v 10.6, OS X v 1 (SPARC systems only); SuSe Linux 8.x or higher; Mardows 2003 (SP2) (64-bit); Windows 2013 (32-bit and 64-bit); Windows Server 2008 R2 (64-bit); Windows 1 PC: Windows SW Windows Vista; Windows 7 (SP1+); Windows Server or Internet connection; Dedicated universal serial bus (USB 1.1 or or Internet connection; Dedicated universal serial bus (USB 1.1 or or Internet connection; Dedicated universal serial bus (USB 1.1 or or Internet connection; Dedicated universal serial bus (USB 1.1 or or or internet connection; Dedicated universal serial bus (USB 1.1 or or or internet connection; Dedicated universal serial bus (USB 1.1 or or or internet connection; Dedicated universal serial bus (USB 1.1 or	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz 20 to 75,000 pages; <b>Recommended monthly page volume:</b> 2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paperl, photo (glossy, gloss, soft gloss, s hed, recycled, bond, other inkjet plain paperl, photo (glossy, gloss, soft gloss, s hed, recycled, bond, other inkjet plain paperl, photo (glossy, gloss, soft gloss, s hed, recycled, bond, other inkjet plain paperl, photo (glossy, gloss, soft gloss, s hed, recycled, bond, other inkjet plain paperl, photo (glossy, gloss, soft gloss, s hed, recycled, bond, other inkjet plain paperl, photo (glossy, gloss, soft gloss, s hed, recycled, bond, other inkjet plain paperl, photo (glossy, glossy, glosy, glossy, glossy, glossy, glossy, glossy, glossy, glossy, glossy	ges  atin, matte, other inkjet photo), envelopes, labels, cards, specialty pape;  urel; 163 to 200 g/m² (card)  in to 8.5 x 14 in  Standard, 100 sheets  n tray extended, output tray extension in legal position  HP Officejet Enterprise Color XS85z MFP, Introductory HP Officejet Bild, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color-~3,400 pages); Hardware Install Guide; Warranty card; Softwarand electronic documentation on CD-ROM; Power cord and electronic documentation on CD-ROM; Power cord lillows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); Vx10.8 Mountain Lion. For the latest operating system support see: software; Linux (hplip.net); Novell (novell.com/iprint); SAP device types objetdirectunix, software  verver, Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high \$2-bit & 64-bit); Windows VXP (SP3+) (64-bit); Windows VXP (SP3+) (64-bit); Windows XP (SP3+) (FV); Windows VXP (SP3+) (FV); Windows VXP (SP3+) (FV); Windows VXP (SP3+); CD-ROM or DVD drive, em compatible hardware system requirements see microsoft.com; 1.1 or 2.0), or network connection; 1.68 of available hard-disk space;		
emory ocessor speed tyty cycle (monthly) <sup>4</sup> per handling input Output Media type Media weight Media sizes custom ADF capacity mensions (W x D x H) eight hat's in the box <sup>4</sup> arranty features tergy efficiency compliance inpatible operating systems impatible network operating stems	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glosy broc.)  60 to 120 g/m² (plain paper)  Tray 1: 3 x 5 ii  Standard.  21 x 21.5 x 22.6 in (533 x 546 x 574 mm); Max: 31.5  HP Officejet Enterprise Color X585dn MFP, Introductory HP Officejet Black, (yan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord  Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows T hpt.com/go/sap/drivers;  HP-UX 10.20, 11.x, 11.; IBM AIX 3.2.5 or higher; Mac OS X v 10.6, OS X v 1 (SPARC systems only); SuSe Linux 8.x or higher; Mardows 2003 (SP2) (64-bit); Windows 2013 (32-bit and 64-bit); Windows Server 2008 R2 (64-bit); Windows 1 PC: Windows SW Windows Vista; Windows 7 (SP1+); Windows Server or Internet connection; Dedicated universal serial bus (USB 1.1 or or Internet connection; Dedicated universal serial bus (USB 1.1 or or Internet connection; Dedicated universal serial bus (USB 1.1 or or Internet connection; Dedicated universal serial bus (USB 1.1 or or or internet connection; Dedicated universal serial bus (USB 1.1 or or or internet connection; Dedicated universal serial bus (USB 1.1 or or or internet connection; Dedicated universal serial bus (USB 1.1 or	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz 1795 MHZ 10 to 75,000 pages; Recommended monthly page volume: \$2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, their inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, ti-fold brochure, Hagaki, greeting cards, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, ti-fold brochure, Hagaki, greeting cards, other inkjet ps with the start of the sta	ges  atin, matte, other inkjet photo), envelopes, labels, cards, specialty pape;  urel; 163 to 200 g/m² (card)  in to 8.5 x 14 in  Standard, 100 sheets  n tray extended, output tray extension in legal position  HP Officejet Enterprise Color XS85z MFP, Introductory HP Officejet Bild, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color-~3,400 pages); Hardware Install Guide; Warranty card; Softwarand electronic documentation on CD-ROM; Power cord and electronic documentation on CD-ROM; Power cord lillows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); Vx10.8 Mountain Lion. For the latest operating system support see: software; Linux (hplip.net); Novell (novell.com/iprint); SAP device types objetdirectunix, software  verver, Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high \$2-bit & 64-bit); Windows VXP (SP3+) (64-bit); Windows VXP (SP3+) (64-bit); Windows XP (SP3+) (FV); Windows VXP (SP3+) (FV); Windows VXP (SP3+) (FV); Windows VXP (SP3+); CD-ROM or DVD drive, em compatible hardware system requirements see microsoft.com; 1.1 or 2.0), or network connection; 1.68 of available hard-disk space;		
emory cocessor speed tyt cycle (monthly) <sup>4</sup> per handling nput Dutput Media type Media weight Media sizes custom ADF capacity mensions (W x D x H) elight arranty features ergy efficiency compliance mpatible operating systems  mpatible network operating stems  nimum system requirements	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (gosys broc.)  60 to 120 g/m² (plain paper)  Tray 1: 3 x 5 ii  Standard.  21 x 21.5 x 22.6 in (533 x 546 x 574 mm); Max: 31.5  HP Officejet Enterprise Color X585dn MFP, Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord  Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows T (SPARC systems only); SuSe Linux 8x or higher; Mac OS X v 10.6, OS X v 1 (SPARC systems only); SuSe Linux 8x or higher; Madows 2003 (SP2) (64-XP (SP3 +) Home: Windows XP (SP3 +) Home windows XP (SP3 +) Home or internet connection; Delicated universal serial bus (USB 1.1 or Mac: Mac OS X v 10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-  Operating temperature range: SP to 86° F (15 to 30° C): Recomme	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz 1795 MHZ 10 to 75,000 pages; Recommended monthly page volume: 2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, thi-fold brochure, Hagadi, greeting cards, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, thi-fold brochure, Hagadi, greeting cards, other inkjet sperit; 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broch 10.8.5 x 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3: 4.0 x 8.3 . 50 sheets ix 26.4 x 23.8 in (800 x 670 x 604 mm) with MP tray down and extended, main 80 lb 16.3 kg) HP Officejet Enterprise Color X585f MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3.400 pages); Hardware Install Guide; Warranty, card; Software and electronic documentation on CD-R0M; Power cord One-year, onsite warranty, one-year technical phone support, chat, and e-mai Blue Angel, ENERGY STAR® qualified, EPEAT® Sliver 2-bit 8.64-bit; Windows 7 (32-bit 8.64-bit; Windows 8 (32-bit 8.64-bit), Winc (64-bit); Windows Server 2012 (64-bit); Mac OS x V10.6, OS X V10.7 Lion, OS X erminal Services (hp.com/gol/aplc); HP ePrint Software briver hp.com/gol/eprint SAP Print hp.com/gol/sapl/print); UNIX hp.com/gol/unix; UNIX Lytic High cuts years Server 2012 (64-bit); For Microsoft It/96 compatibility use Windows Vista (3 al; Windows X PGS-3+) Profressional and Windows Vista; Windows (56-bit); Windows 2003 (SP1+); Windows Server 2008, R2 (64-bit); Windo 2003 (SP1+); Windows Server 2008 R2 (64-bit); Windo 2003 (SP1+); Windows Server 2008, R2 (64-bit); Windo 2003 (SP1-1); Windows Server 2008, Windows Server 2008, R2 (64-bit); Windo	ges  aatin, matte, other inkjet photo), envelopes, labels, cards, specialty paper)  ure); 163 to 200 g/m² (card)  in to 8.5 x 14 in  Standard, 100 sheets  I tray extended, output tray extension in legal position  HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet Bit Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Softwa and electronic documentation on CD-ROM; Power cord  Il dows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); (v10.8 Mountain Lion. For the latest operating system support see: software; Linux (hplip.net); Novell (novell.com/nprint); SAP device types (offedirectunis, software erver; Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high st-bit & 64-bit); Windows XP (SP3+) (64-bit); Window SP (SP3+) (64-bit); Windows XP (SP3+)		
emory ocessor speed tyt cycle (monthly) <sup>4</sup> per handling input Output Media type Media weight Media sizes custom ADF capacity mensions (W x D x H) eight hat's in the box <sup>4</sup> arranty features irranty features irr	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glossy broc 60 to 120 g/m² (plain paper (light, more plain paper) (light) page 17 kg 1: 3 x 5 is 5 kg 12 x 21.5 x 22.6 in (533 x 546 x 574 mm); Max; 31.5 y 12 x 21.5 x 22.6 in (533 x 546 x 574 mm); Max; 31.5 y 12 x 21.5 x 22.6 in (533 x 546 x 574 mm); Max; 31.5 y 12 x 21.5 x 22.6 in (533 x 546 x 574 mm); Max; 31.5 y 12 x 21.5 x 22.6 in (533 x 546 x 574 mm); Max; 31.5 y 12 x 21.5 x 22.6 in (533 x 546 x 574 mm); Max; 31.5 y 12 x 21.5 x 22.6 in (533 x 546 x 574 mm); Max; 31.5 y 12 x 21.5 x 21.5 y 12 x 21.	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz 796 MHz 70 to 75,000 pages; <b>Recommended monthly page volume:</b> 2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, s hure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet spe rd; 125 to 300 g/m² (photo); 75 to 90 g/m² (ernvelope); 120 to 180 g/m² (broto) nto 8.5 x 14 in; <b>Tray 2:</b> 4.0 x 8.3 in to 8.5 x 11.7 in; <b>Optional Tray 3:</b> 4.0 x 8.3 50 sheets x 26.4 x 23.8 in (800 x 670 x 604 mm) with MP tray down and extended, mair 80 lb (36.3 kg) HP Officejet Enterprise Color X585f MFP, Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-R0M; Power cord One-year, onsite warranty; one-year technical phone support, chat, and e-mai Blue Angel, ENERGY STAR® qualified, EPEAT® Silver 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Winc (64-bit); Windows Server 2012 (64-bit); Mac SV v10.6, GS v10.7 Lion, OS v erminal Services (hp.com/go/upd); HP ePrint Software Driver hp.com/go/eprints Ap Print hp.com/go/sapprint); UNIX hp.com/go/unix; UNIX jetDirect hp.com/go 0.7 Lion, OS X v 10.8 Mountain Lion; Windows 2000; MPE-ix; Clirix MetaFrame Sc bit); Windows Server 2003 (SP2+); Windows Ferminal Services; Windows Vista (3 al; Windows X (PS3+) Porfessional and Windows Vista; Windows (SP3+) Porfessional and Windows Vista; Windows 2003, Windows (SP3+) Porfessional and Windows Service 2012 (64-bit); Windows 6200; MPE-ix; Clirix MetaFrame Sc bit); Windows Server 2008 (MB available hard disk space; Operating system compatible hardware system requirements see apple.com ended operating system compatible hardware system requirements see apple.com ended operating system compatible hardware system requirements.	ges  atin, matte, other inkjet photo), envelopes, labels, cards, specialty pape cialty paper)  urel; 163 to 200 g/m² (card)  in to 8.5 x 14 in  Standard, 100 sheets  1 tray extended, output tray extension in legal position  HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet Bit. Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Softwa and electronic documentation on CD-ROM; Power cord it  dows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); Vindows Server; Linux (hplip.net); Novell (novell.com/iprint); SAP device types to consider the construction of the latest operating system support see: software; Linux (hplip.net); Novell (novell.com/iprint); SAP device types to construct the construction of		
emory  rocessor speed  uty cycle (monthly) <sup>4</sup> sper handling  Input  Output  Media weight  Media sizes custom  ADF capacity  imensions (W x D x H)  eight  hat's in the box <sup>4</sup> arranty features  sergy efficiency compliance  sompatible operating systems  ompatible network operating  ristems  inimum system requirements	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glossy broc 60 to 120 g/m² (plain paper (light, more plain paper) (light) page 17 kg 1: 3 x 5 is 5 kg 12 x 21.5 x 22.6 in (533 x 546 x 574 mm); Max; 31.5 y 12 x 21.5 x 22.6 in (533 x 546 x 574 mm); Max; 31.5 y 12 x 21.5 x 22.6 in (533 x 546 x 574 mm); Max; 31.5 y 12 x 21.5 x 22.6 in (533 x 546 x 574 mm); Max; 31.5 y 12 x 21.5 x 22.6 in (533 x 546 x 574 mm); Max; 31.5 y 12 x 21.5 x 22.6 in (533 x 546 x 574 mm); Max; 31.5 y 12 x 21.5 x 22.6 in (533 x 546 x 574 mm); Max; 31.5 y 12 x 21.5 x 21.5 y 12 x 21.	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz 1795 MHZ 10 to 75,000 pages; Recommended monthly page volume: 2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, thi-fold brochure, Hagadi, greeting cards, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, thi-fold brochure, Hagadi, greeting cards, other inkjet sperit; 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broch 10.8.5 x 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3: 4.0 x 8.3 . 50 sheets ix 26.4 x 23.8 in (800 x 670 x 604 mm) with MP tray down and extended, main 80 lb 16.3 kg) HP Officejet Enterprise Color X585f MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3.400 pages); Hardware Install Guide; Warranty, card; Software and electronic documentation on CD-R0M; Power cord One-year, onsite warranty, one-year technical phone support, chat, and e-mai Blue Angel, ENERGY STAR® qualified, EPEAT® Sliver 2-bit 8.64-bit; Windows 7 (32-bit 8.64-bit; Windows 8 (32-bit 8.64-bit), Winc (64-bit); Windows Server 2012 (64-bit); Mac OS x V10.6, OS X V10.7 Lion, OS X erminal Services (hp.com/gol/aplc); HP ePrint Software briver hp.com/gol/eprint SAP Print hp.com/gol/sapl/print); UNIX hp.com/gol/unix; UNIX Lytic High cuts years Server 2012 (64-bit); For Microsoft It/96 compatibility use Windows Vista (3 al; Windows X PGS-3+) Profressional and Windows Vista; Windows (56-bit); Windows 2003 (SP1+); Windows Server 2008, R2 (64-bit); Windo 2003 (SP1+); Windows Server 2008 R2 (64-bit); Windo 2003 (SP1+); Windows Server 2008, R2 (64-bit); Windo 2003 (SP1-1); Windows Server 2008, Windows Server 2008, R2 (64-bit); Windo	ges  atin, matte, other inkjet photo), envelopes, labels, cards, specialty pape cialty paper)  urel; 163 to 200 g/m² (card)  in to 8.5 x 14 in  Standard, 100 sheets  1 tray extended, output tray extension in legal position  HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet Bit. Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Softwa and electronic documentation on CD-ROM; Power cord it  dows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); Vindows Server; Linux (hplip.net); Novell (novell.com/iprint); SAP device types to consider the construction of the latest operating system support see: software; Linux (hplip.net); Novell (novell.com/iprint); SAP device types to construct the construction of		
emory ocessor speed tyt cycle (monthly) <sup>4</sup> per handling input Output Media weight Media sizes custom ADF capacity mensions (W x D x H) eight hat's in the box <sup>4</sup> arranty features in yeight feither openating systems in the system requirements wironmental ranges oustic	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glossy broc.  60 to 120 g/m² (plain paper  Tray 1: 3 x 5 ii  Standard  21 x 21.5 x 22.6 in (533 x 546 x 574 mm); Maxx 31.5  HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color-3,400 pages), Endware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord  Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 Air/Print support.apple.com/kb/ht4356; Android; Citrix and Windows The Color (SP4) (SP3) or greater) (32-bit & 64-bit); Windows Server 2008 R2 Air/Print support.apple.com/kb/ht4356; Android; Citrix and Windows The Color (SP4) (SP3) Home; Windows XP (SP3) Ho	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz 796 MHz 70 to 75,000 pages; <b>Recommended monthly page volume:</b> 2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, s hure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet spe rd; 125 to 300 g/m² (photo); 75 to 90 g/m² (ernvelope); 120 to 180 g/m² (broto) nto 8.5 x 14 in; <b>Tray 2:</b> 4.0 x 8.3 in to 8.5 x 11.7 in; <b>Optional Tray 3:</b> 4.0 x 8.3 50 sheets x 26.4 x 23.8 in (800 x 670 x 604 mm) with MP tray down and extended, mair 80 lb (36.3 kg) HP Officejet Enterprise Color X585f MFP, Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-R0M; Power cord One-year, onsite warranty; one-year technical phone support, chat, and e-mai Blue Angel, ENERGY STAR® qualified, EPEAT® Silver 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Winc (64-bit); Windows Server 2012 (64-bit); Mac SV v10.6, GS v10.7 Lion, OS v erminal Services (hp.com/go/upd); HP ePrint Software Driver hp.com/go/eprints Ap Print hp.com/go/sapprint); UNIX hp.com/go/unix; UNIX jetDirect hp.com/go 0.7 Lion, OS X v 10.8 Mountain Lion; Windows 2000; MPE-ix; Clirix MetaFrame Sc bit); Windows Server 2003 (SP2+); Windows Ferminal Services; Windows Vista (3 al; Windows X (PS3+) Porfessional and Windows Vista; Windows (SP3+) Porfessional and Windows Vista; Windows 2003, Windows (SP3+) Porfessional and Windows Service 2012 (64-bit); Windows 6200; MPE-ix; Clirix MetaFrame Sc bit); Windows Server 2008 (MB available hard disk space; Operating system compatible hardware system requirements see apple.com ended operating system compatible hardware system requirements see apple.com ended operating system compatible hardware system requirements.	ges  actin, matte, other inkjet photo), envelopes, labels, cards, specialty paper cialty paper)  ure); 163 to 200 g/m² (card)  in to 8.5 x 14 in  Standard, 100 sheets  1 tray extended, output tray extension in legal position  HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet Blic Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware install Guide; Warranty card; Softwe and electronic documentation on CD-ROM; Power cord  dows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); (v10.8 Mountain Lion. For the latest operating system support see: software; Linux (hplip.net); Novell (novell.com/iprint); SAP device types polyetdirectunix_software  erver, Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high 2.5 bit & 64-bit); Windows KP (SP3+) (64-bit); Windows KP (SP3+) (64-bit); Windows KP CyB3+) (64-bit); Windows KP CyB3+); CyB3+) (64-bit); Windows KP CyB3+) (64-bit); Windows KP CyB3+); CyB3+) (64-bit); Windows KP CyB3+); CyB3+		
emory cocessor speed tyt cycle (monthly) <sup>4</sup> per handling nput Doutput Media type Media weight Media sizes custom ADF capacity mensions (W x D x H) eight hat's in the box <sup>4</sup> arranty features ergy efficiency compliance mpatible operating systems mpatible network operating stems nimum system requirements vironmental ranges oustic wer	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glosy broc 60 to 120 g/m² (plain paper Tray 1: 3 x 5 is 5 tandard.  21 x 21.5 x 22.6 in (533 x 546 x 574 mm); Max: 31.5  HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord  Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows The National State of Sta	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz 796 MHz 70 to 75,000 pages; Recommended monthly page volume; 2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, ti-fold torochure, Hagaki, greeting cards, other inkjet spe rg), 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto) hto 8,5 x 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3: 4.0 x 8.3 .50 sheets ix 26.4 x 23.8 in (800 x 670 x 604 mm) with MP tray down and extended, mair 80 lb (36.3 kg) HP Officejet Enterprise Color X585f MPP, Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty; one-year technical phone support, that, and e-mai Blue Angel, ENERGY STAR® qualified, EPEAT® Silver 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Winc (64-bit); Windows Server 2012 (64-bit); Mac (54-bit); Mc (54-bit); Mc (58-bit); Mc (59-bit); Mc (59-bit); Mc (59-bit); Mc (59-bit); Mc (59-bit); Mc (59-bit); Mc (50-bit); Mc (5	ges  aatin, matte, other inkjet photo), envelopes, labels, cards, specialty paper)  ure); 163 to 200 g/m² (card)  in to 8.5 x 14 in  Standard, 100 sheets  1 tray extended, output tray extension in legal position  HP Officejet Enterprise Color XS85z MFP, Introductory HP Officejet BIL  Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Softwa and electronic documentation on CD-ROM; Power cord  il  Jows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); (v10.8 Mountain Lion. For the latest operating system support see: Software; Linux (hplip.net); Novell (novell.com/iprint); SAP device types offyedirectums, software erver; Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high 22-bit & 64-bit); Windows VS tax Ready; Windows XP (529-1) (64-bit); Windows Sterver andows XP Home, Windows XP Professional and Windows Vista ows Server 2012 (64-bit); Windows XP (SP2+); CD-ROM or DVD drive, ern compatible hardware system requirements see microsoft.com; 1.1 or 2.0), or network connection; 1 GB of available hard-disk space; idity range: 5 to 90% RH; Operating humidity range: 20 to 80% RH; torage Altitude (Imperial): 4572 m ssions: 53 dB(A) (printing at 43 ppm) consumption: 67 watts (Pirinting), 34 watts (Ready), 9 watts (Sleep),		
emory ocessor speed try cycle (monthly) <sup>4</sup> typer handling Input Output Media type Media weight Media sizes custom ADF capacity mensions (W x D x H) eight hat's in the box <sup>4</sup> arranty features tergy efficiency compliance impatible operating systems ompatible network operating sistems inimum system requirements avironmental ranges coustic	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glosy broc 60 to 120 g/m² (plain paper Tray 1: 3 x 5 is 5 tandard.  21 x 21.5 x 22.6 in (533 x 546 x 574 mm); Max: 31.5  HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord  Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows The National State of Sta	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz 1795 MHZ 10 to 75,000 pages; Recommended monthly page volume:\$ 2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet per ir); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broch 10 8.5 x 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3: 4.0 x 8.3 50 sheets ix 26.4 x 23.8 in (800 x 670 x 604 mm) with MP tray down and extended, main 80 to 16.6 3 kg) HP Officejet Enterprise Color XS85f MFP; Introductory HP Officejet Black, (yan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty; one-year technical phone support, chat, and e-mai Blue Angel, ENERGY STAR® qualified, EPEAT® Sliver 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit); Windows 16 (4-bit); Windows 17 (20-bit); Windows 17 (20-bit); Windows 17 (20-bit); Windows 18 (20-bit); Window	ges  aatin, matte, other inkjet photo), envelopes, labels, cards, specialty pape cialty paper)  ure); 163 to 200 g/m² (card) in to 8.5 x 14 in  Standard, 100 sheets  1 tray extended, output tray extension in legal position  HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet Bit Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Softwa and electronic documentation on CD-ROM; Power cord in the color of the colo		
emory rocessor speed uty cycle (monthly) <sup>4</sup> aper handling Input Output Media wight Media wight Media sizes custom ADF capacity Imensions (W x D x H) eight hat's in the box <sup>4</sup> arranty features energy efficiency compliance ompatible operating systems  ompatible network operating systems  inimum system requirements  nvironmental ranges coustic ower	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glossy broc.  60 to 120 g/m² (plain paper  Tray 1: 3 x 5 ii  Standard  21 x 21.5 x 22.6 in (S33 x S46 x 574 mm); Maxx 31.5  HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages), Endware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord  Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows Thy Color (SPARC Systems only); SuSe Linux 8.x or higher; Windows 2003 (SP2+) (64-XP (SP3+) Home; Windows XP (SP3+) Profession (32-bit and 64-bit); Window Server 2008 R2 (64-bit); Window Ferver 2008 R3 (64-bit); Window Server 2008 R3 (64-bit); Window SP (SP3+) Profession (95-1)	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz 796 MHz 70 to 75,000 pages; Recommended monthly page volume; 2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, ti-fold torochure, Hagaki, greeting cards, other inkjet spe rg), 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto) hto 8,5 x 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3: 4.0 x 8.3 .50 sheets ix 26.4 x 23.8 in (800 x 670 x 604 mm) with MP tray down and extended, mair 80 lb (36.3 kg) HP Officejet Enterprise Color X585f MPP, Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty; one-year technical phone support, that, and e-mai Blue Angel, ENERGY STAR® qualified, EPEAT® Silver 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Winc (64-bit); Windows Server 2012 (64-bit); Mac (54-bit); Mc (54-bit); Mc (58-bit); Mc (59-bit); Mc (59-bit); Mc (59-bit); Mc (59-bit); Mc (59-bit); Mc (59-bit); Mc (50-bit); Mc (5	actin, matte, other inkjet photo), envelopes, labels, cards, specialty paper cialty paper)  ure); 163 to 200 g/m² (card)  in to 8.5 x 14 in  Standard, 100 sheets  1 tray extended, output tray extension in legal position  HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet Blic Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages); Hardware Install Guide; Warranty card. Softwe and electronic documentation on CD-ROM; Power cord of the color was an electronic documentation on CD-ROM; Power cord of the color was served by the color was s		
emory rocessor speed uty cycle (monthly)* aper handling input Output Media type  Media weight Media sizes custom ADF capacity imensions (W x D x H) leight hat's in the box*  arranty features nergy efficiency compliance ompatible operating systems  ompatible network operating rstems inimum system requirements  nvironmental ranges coustic ower isplay	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glossy broc 60 to 120 g/m² (plain paper (light, more plain paper) (light) page 17 ya 1: 3 x 5 is 18 candard 21 x 21.5 x 22.6 in (533 x 546 x 574 mm); Max; 31.5 experience place	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz 796 MHz 70 to 75,000 pages; Recommended monthly page volume; 2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, tri-fold brochure, Hagadi, greeting cards, other inkjet spe r/); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (envelope); 120 g/m²	ges  aatin, matte, other inkjet photo), envelopes, labels, cards, specialty paper)  urel; 163 to 200 g/m² (card)  in to 8.5 x 14 in  Standard, 100 sheets  1 tray extended, output tray extension in legal position  HP Officejet Enterprise Color X585z MFP; Introductory HP Officejet Bitc Cyan, Yellow, Magenta print cartridges (Black: ~7.800 pages, Color: ~3.400 pages); Hardware Install Guide; Warranty card; Softwarand electronic documentation on CD-ROM; Power cord it  dows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); (Yol.8 Mountain Lion. For the latest operating system support see: software; Linux (Inplip.net); Novell (novell.com/iprint); SAP device types (opjetdirectunix. software)  erver; Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or highs 2-bit & 64-bit); Windows Sista Ready; Windows XP (SP3+) (64-bit); Windows Server 2012 (64-bit); Windows S (32-bit and 64-bit); Windows Server 2 and Windows Server 2 (100 km Server) (100 km); Windows XP (SP2+); CD-ROM or DVD drive, em compatible hardware system requirements see microsoft.com; 1.1 or 2.0), or network connection; 1 GB of available hard-disk space; idity range: 5 to 90% RH; Operating humidity range: 20 to 80% RH; itorage Attitude (imperial): 4572 m  sslons: 53 dB(A) (printing at 43 ppm)  consumption: 67 watts (Printing), 34 watts (Ready), 9 watts (Sleep), feault shipping configuration)		
emory rocessor speed uty cycle (monthly)* sper handling Input Output Media type  Media weight Media sizes custom ADF capacity imensions (W x D x H) eight hat's in the box*	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glossy broc 60 to 120 g/m² (plain paper (light, more plain paper) (light) page 17 ya 1: 3 x 5 is 18 candard 21 x 21.5 x 22.6 in (533 x 546 x 574 mm); Max; 31.5 experience place	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz 1795 MHZ 10 to 75,000 pages; Recommended monthly page volume:\$ 2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, tri-fold brochure, Hagaki, greeting cards, other inkjet per ir); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broch 10 8.5 x 14 in; Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3: 4.0 x 8.3 50 sheets ix 26.4 x 23.8 in (800 x 670 x 604 mm) with MP tray down and extended, main 80 to (36.3 kg) HP Officejet Enterprise Color XS85f MFP; Introductory HP Officejet Black, (yan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color; ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty; one-year technical phone support, chat, and e-mai Blue Angel, ENERGY STAR® qualified, EPEAT® Silver 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 61 (32-bit & 64-bit); Windows 61 (32-bit & 64-bit); Windows 61 (32-bit); A (32-bit); Windows 61 (32-bit); A (32-bit); Windows 61 (32	ges  aatin, matte, other inkjet photo), envelopes, labels, cards, specialty paper octalty paper)  urel; 163 to 200 g/m² (card)  in to 8.5 x 14 in  Standard, 100 sheets  I tray extended, output tray extension in legal position  HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet Black: ~7,800 pages, Color: ~3,400 pages), Hardware Install Guide; Warranty card; Softwa and electronic documentation on CD-ROM; Power cord it  dows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); (v10.8 Mountain Lion. For the latest operating system support see: software; Linux (hplip.net); Novell (novell.com/iprint); SAP device types (ofjetdirectunix_software)  erver; Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or highet (32-bit and 64-bit); Windows SV (82-bit); Red-bit); Windows SV (87-bit); Vindows XP (97-bit); G4-bit); Windows XP Home, Windows XP Home, Windows XP Professional and Windows Vista ows Server 2012 (64-bit); Windows XP (97-bit); CD-ROM or DVD drive, em compatible hardware system requirements see microsoft.com; 1.1 or 2.0), or network connection; 1 GB of available hard-disk space; idity range: 5 to 90% RH; Operating humidity range: 20 to 80% RH; itorage Attitude (imperial): 4572 m  ssions: 53 dB(A) (printing at 43 ppm)  consumption: 67 watts (Printing), 34 watts (Ready), 9 watts (Sleep), fealut shipping configuration)		
emory  ocessor speed  uty cycle (monthly)*  aper handling  input  Output  Media type  Media weight  Media sizes custom  ADF capacity  mensions (W x D x H)  eight  hat's in the box*  arranty features  arranty features  arranty features  inimum system requirements  inimum system requirements  inimum system requirements  invironmental ranges  coustic  ower  isplay	Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunc (glossy broc 60 to 120 g/m² (plain paper (plain	Optional, enabled with purchase of a hardware accessory 1792 MB (system memory) 796 MHz 796 MHz 70 to 75,000 pages; Recommended monthly page volume; 2,000 to 6,000 pa 500-sheet input tray, 50-sheet multi-purpose tray 300-sheet face-down output bin hed, recycled, bond, other inkjet plain paper), photo (glossy, gloss, soft gloss, shure, matte brochure, tri-fold brochure, Hagadi, greeting cards, other inkjet spe r/); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broto); 75 to 90 g/m² (envelope); 120 to 180 g/m² (envelope); 120 g/m²	into 8.5 x 14 in Standard, 100 sheets  Tay extended, output tray extension in legal position  HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet Blac Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Color: ~3,400 pages), Hardware Install Guide, Warranty card; Softwa and electronic documentation on CD-ROM; Power cord il  dows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); (v10.8 Mountain Lion. For the latest operating system support see: software; Linux (hplip.net); Novell (novell.com/iprint); SAP device types (ofjetdirectunix. software); Linux (hplip.net); Novell (novell.com/iprint); SAP device types (ofjetdirectunix. software); Linux (hplip.net); Novell (novell.com/iprint); SAP device types (ofjetdirectunix. software); Linux (hplip.net); Novell (novell.com/iprint); SAP device types (ofjetdirectunix. software); Linux (hplip.net); Novell (novell.com/iprint); SAP device types (ofjetdirectunix); Windows XP (SP2-1); Cla-RoM or DVD drive, em compatible hardware system requirements see microsoft.com; 1. or 2.0), or network connection; 1 GB of available hard-disk space; addity range: 5 to 90% RH; (bperating humidity range: 20 to 80% RH; (torage Altitude (Imperial): 4572 m sissions: 53 dB(A) (printing at 43 ppm) consumption? 67 watts (Printing), 34 watts (Ready), 9 watts (Sleep), efault shipping configuration)  nstaller dde Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts ulation available at hp.com/go/laserjetfonts		

150 speeds measured using ISO/IEC 24734. Excludes first page or first set of ISO test pages. For details see hp.com/go/printerclaims? Requires an Internet connection to the printer. Feature works with any connected Internet- and email-capable device. Requires HP Web Services Account Registration. Print times may vary. For a list of supported documents, and image types, see hp.com/go/eprintecriter. And for additional solutions, see hp.com/go/mobile-printing-solutions. Supports the following devices running iOS 4.2 or later: iPad®, iPad® 2, iPhone® GISG or later), iPod touch® GIT depeneation or later). Works with HPS AirPrint™ enabled printers and requires the printer be connected to the same network as your iOS device. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint Loop, iPad, iPhone, and iPod touch are trademarks of Apple Pinc, registered in the U.S. and total countries. 3 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. 9 Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. 5 HP recommends that the number of pages per month of imaged output to within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. 5 Average color composite (I/MIY) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <a href="https://example.com/power/life/independent/factors/factors/factors/factors/factors/factors/factors/factors/factors/

### To learn more, visit hp.com

© Copyright 2014 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group. NetWare® is a trademark of Novell, Inc. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks.

