



HVAC | 2022
US MSRP PRICE BOOK

Effective: January 16, 2023



TABLE OF CONTENTS

3

FURNACES

- 3 9700 Series Two Stage
- 4 9600 Series Two Stage
- 5 9600Q Series Two Stage
- 6 9500 Series Single Stage

7

COOLING

- 7 NT Series Central Air Conditioners
- 8 SEER2 Central Air Conditioners

9

COILS

- 9 Uncased Coils
- 11 Cased Coils

14

WINTER AIR CONDITIONER COVERS

- 14 Winter Air Conditioner Covers

15

HEAT PUMPS

- 15 NS18 Series Central Heat Pumps and Air Handlers
- 16 SEER2/HSPF2 Heat Pump Series

17

DUCTLESS

- 17 Inverter Ductless Split
- 19 Multi Zone Split Unit

20

THERMOSTATS

21

INDOOR AIR QUALITY

- 21 UV-C Technology

22

CONDO PACK

- 22 11.7 SEER2 High-Efficiency Gas
- 24 11.7 SEER2 Mid-Efficiency Gas
- 26 11.7 SEER2 High-Efficiency Electric
- 28 11.7 SEER2 Duct Only
- 29 Static Airflow Rates

Prices listed in US dollars. Napoleon strives for accuracy and the information in this Price Book reflects the information available at the time of publication. Occasionally, product specifications are updated or prices change without notice due to circumstances beyond our control. A correction notice will be issued if inaccuracies occur. The most current version of the Price Book can always be accessed through the dealer portal on my.napoleon.com. Wolf Steel Ltd reserves the right to make changes to prices and products without notice.

24 Napoleon Road, Barrie, Ontario, Canada L4M 0G8

Technical Inquiries
Email: hvacsupport@napoleon.com
Phone: 1-888-721-8324

Dealer Experience Team (For all PO and Order Inquiries)
Email: hvacsales@napoleon.com
Phone: 1-888-721-7253



FURNACES

9700 SERIES TWO STAGE up to 97% Ultra High-Efficiency Gas Furnace



FEATURES & BENEFITS

- Up to 97% AFUE
- UV-C Technology Furnace Kit
- WHISPER QUIET™ Operation
- Modular Components
- Variable Speed Motor
- Patented Vortex Technology
- Two-Stage Heating
- Stainless steel primary and secondary heat exchanger
- FlexFit - Upflow, Right, Left
- SureView Burner Window

FUEL TYPE**

- Natural Gas or Propane

*Average airflow rate. **Ships as natural gas.



HEAT EXCHANGER
LIMITED WARRANTY



UNIT REPLACEMENT
LIMITED WARRANTY



PARTS
LIMITED WARRANTY

PART ID	INPUT HIGH FIRE (BTU/H)	INPUT LOW FIRE (BTU/H)	EXTERNAL STATIC PRESSURE RANGE	CFM HIGH FIRE*	CFM LOW FIRE*	RETURN AIR (IN)	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
WUV035T2AA-N	35,000	24,500	ESP: 0.10" WC- 0.50" WC	517	395	14 X 23	34 x 17.5 x 31	16.25 x 19.625	137	\$3,639
WUV050T3AA-N	52,500	36,750	ESP: 0.12" WC- 0.50" WC	732	576	14 X 23	34 x 17.5 x 31	16.25 x 19.625	142	\$3,939
WUV070T3AA-N	70,000	49,000	ESP: 0.15" WC - 0.50" WC	1,167	905	14 X 23	34 x 17.5 x 31	16.25 x 19.625	149	\$4,170
WUV070T4BA-N	70,000	49,000	ESP: 0.15" WC - 0.50" WC	972	748	14 X 23	34 x 22.5 x 31	21.25 x 19.625	169	\$4,435
WUV090T5BA-N	87,500	61,250	ESP: 0.20" WC- 0.50" WC	1,206	914	14 X 23	34 x 22.5 x 31	21.25 x 19.625	174	\$4,501
WUV105T5BA-N	105,000	73,000	ESP: 0.20" WC- 0.50" WC	1,526	1,156	14 X 23	34 x 22.5 x 31	21.25 x 19.625	187	\$4,684

OPTIONS/ACCESSORIES

PART ID	DESCRIPTION	MSRP
NNA-NC1625-A	MERV 11 Media Filter (16 x 25)	\$142
NNA-NC2025-A	MERV 11 Media Filter (20 x 25)	\$158
NT144HCNPH	1H/1C Non Programmable Thermostat - Horizontal	\$67
NT144HCNPV	1H/1C Non Programmable Thermostat - Vertical	\$67
NT151HCPV	1H/1C 5/2 Day Programmable Thermostat - Vertical	\$83
NT86HCEZ	1H/1C EZ Set Non Programmable Thermostat	\$94
NT953H2CP	3H/2C 7-Day Programmable Thermostat - 12 sq.in. Touchscreen	\$319
UVB18	18 Watt UV-C Replacement Lamp	\$83
W250-0009	MERV 11 Filter - 3 Pack (16 x 25)	\$158
W250-0010	MERV 11 Filter - 3 Pack (20 x 25)	\$170
W370-0019	Concentric Vent Kit - 2"	\$175
W370-0020	Concentric Vent Kit - 3"	\$221
W370-0258	Conversion Kit, NG to LP WPV/WUV	\$177
W370-0259	Conversion Kit, LP TO NG WPV/WUV	\$102





FEATURES & BENEFITS

- Up to 96% AFUE
- WHISPER QUIET™ Operation
- UV-C Technology Furnace Kit - optional
- Modular Components
- Variable Speed Motor
- Patented Vortex Technology
- Two-Stage Heating
- Energy Star Rated * Excludes WPV120T5BA-N
- FlexFit - Upflow, Right, Left, Down
- SureView Burner Window

FUEL TYPE**

- Natural Gas or Propane

*Average airflow rate. **Ships as natural gas.



HEAT EXCHANGER
LIMITED WARRANTY



PARTS &
UNIT REPLACEMENT
LIMITED WARRANTY



PART ID	INPUT HIGH FIRE (BTU/H)	INPUT LOW FIRE (BTU/H)	EXTERNAL STATIC PRESSURE RANGE	CFM HIGH FIRE*	CFM LOW FIRE*	RETURN AIR (IN)	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
WPV035T2AA-N	35,000	24,000	ESP: 0.10" WC - 0.50" WC	517	395	14 X 23	34 x 17.5 x 29.5	16.25 x 19.625	126	\$2,558
WPV050T3AA-N	53,000	37,000	ESP: 0.12" WC - 0.50" WC	732	576	14 X 23	34 x 17.5 x 29.5	16.25 x 19.625	133	\$2,812
WPV070T3AA-N	70,000	49,000	ESP: 0.15" WC - 0.50" WC	1,167	905	14 X 23	34 x 17.5 x 29.5	16.25 x 19.625	140	\$2,922
WPV070T4BA-N	70,000	49,000	ESP: 0.15" WC - 0.50" WC	972	748	14 X 23	34 x 22.5 x 29.5	21.25 x 19.625	158	\$3,082
WPV090T5BA-N	88,000	61,000	ESP: 0.20" WC - 0.50" WC	1,206	914	14 X 23	34 x 22.5 x 29.5	21.25 x 19.625	166	\$3,231
WPV105T5BA-N	105,000	73,000	ESP: 0.20" WC - 0.50" WC	1,526	1,156	14 X 23	34 x 22.5 x 29.5	21.25 x 19.625	170	\$3,317
WPV120T5BA-N	120,000	72,000	ESP: 0.20" WC - 0.50" WC	1,833	1,306	14 X 23	34 x 22.5 x 29.5	21.25 x 19.625	170	\$3,396

OPTIONS/ACCESSORIES

PART ID	DESCRIPTION	MSRP
NNA-NC1625-A	MERV 11 Media Filter (16 x 25)	\$142
NNA-NC2025-A	MERV 11 Media Filter (20 x 25)	\$158
NT144HCNPH	1H/1C Non Programmable Thermostat - Horizontal	\$67
NT144HCNPV	1H/1C Non Programmable Thermostat - Vertical	\$67
NT151HCPV	1H/1C 5/2 Day Programmable Thermostat - Vertical	\$83
NT86HCEZ	1H/1C EZ Set Non Programmable Thermostat	\$94
NT953H2CP	3H/2C 7-Day Programmable Thermostat - 12 sq.in. Touchscreen	\$319
W010-2785	UV-C Technology - Standard Grade Furnace Kit	\$317
W250-0009	MERV 11 Filter - 3 Pack (16 x 25)	\$158
W250-0010	MERV 11 Filter - 3 Pack (20 x 25)	\$170
W370-0019	Concentric Vent Kit - 2"	\$175
W370-0020	Concentric Vent Kit - 3"	\$221
W370-0031	KIT, CONVERSION LP TO NG (GAS FURN)	\$70
W370-0258	Conversion Kit, NG to LP WPV/WUV	\$177
W370-0259	Conversion Kit, LP TO NG WPV/WUV	\$102

FURNACES

9600Q SERIES TWO STAGE up to 96% High-Efficiency Gas Furnace



FEATURES & BENEFITS

- Up to 96% AFUE
- WHISPER QUIET™ Operation
- Modular Components
- Multi Speed Motor
- Patented Vortex Technology
- Two-Stage Heating
- Energy Star Rated
- FlexFit - Upflow, Right
- SureView Burner Window - optional

FUEL TYPE**

- Natural Gas or Propane

*Average airflow rate. **Ships as natural gas.



HEAT EXCHANGER (REGISTERED)
LIMITED WARRANTY



PARTS & UNIT REPLACEMENT
LIMITED WARRANTY



PART ID	INPUT HIGH FIRE (BTU/H)	INPUT LOW FIRE (BTU/H)	EXTERNAL STATIC PRESSURE RANGE	CFM HIGH FIRE*	CFM LOW FIRE*	RETURN AIR (IN)	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
WSX040T2AB-N	40,000	28,000	ESP: 0.10" WC - 0.50" WC	557	341	14 X 23	34 x 17.5 x 29.5	16.25 x 19.625	127	\$2,088
WSX060T3AB-N	60,000	42,000	ESP: 0.12" WC - 0.50" WC	922	638	14 X 23	34 x 17.5 x 29.5	16.25 x 19.625	131	\$2,198
WSX080T3AB-N	80,000	56,000	ESP: 0.20" WC - 0.50" WC	1,087	669	14 X 23	34 x 17.5 x 29.5	16.25 x 19.625	141	\$2,419

OPTIONS/ACCESSORIES

PART ID	DESCRIPTION	MSRP
NNA-NC1625-A	MERV 11 Media Filter (16 x 25)	\$142
NNA-NC2025-A	MERV 11 Media Filter (20 x 25)	\$158
NT144HCNPH	1H/1C Non Programmable Thermostat - Horizontal	\$67
NT144HCNPV	1H/1C Non Programmable Thermostat - Vertical	\$67
NT151HCPV	1H/1C 5/2 Day Programmable Thermostat - Vertical	\$83
NT86HCEZ	1H/1C EZ Set Non Programmable Thermostat	\$94
NT953H2CP	3H/2C 7-Day Programmable Thermostat - 12 sq.in. Touchscreen	\$319
W250-0009	MERV 11 Filter - 3 Pack (16 x 25)	\$158
W250-0010	MERV 11 Filter - 3 Pack (20 x 25)	\$170
W370-0019	Concentric Vent Kit - 2"	\$175
W370-0020	Concentric Vent Kit - 3"	\$221
W370-0258	Conversion Kit, NG to LP WPV/WUV	\$177
W370-0259	Conversion Kit, LP TO NG WPV/WUV	\$102
WGW17	Glass Wedge Kit - SureView Burner Window	\$105

IMPORTANT: PRODUCT MUST BE REGISTERED FOR FULL WARRANTY
Products may not be exactly as shown.



FURNACES

9500 SERIES SINGLE STAGE up to 95% High-Efficiency Gas Furnace



FEATURES & BENEFITS

- Up to 95% AFUE
- WHISPER QUIET™ Operation
- Modular Components
- Vortex Technology
- Multi-Speed Motor
- Single-Stage Heating
- FlexFit - Upflow, Right, Left, Down

FUEL TYPE**

- Natural Gas or Propane



HEAT EXCHANGER
LIMITED WARRANTY



PARTS &
UNIT REPLACEMENT
LIMITED WARRANTY

*Average airflow rate. **Ships as natural gas.

PART ID	INPUT HIGH FIRE (BTU/H)	INPUT LOW FIRE (BTU/H)	EXTERNAL STATIC PRESSURE RANGE	CFM HIGH FIRE*	CFM LOW FIRE*	RETURN AIR (IN)	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
WPX030S2AA-N	30,000		ESP: 0.10" WC - 0.50" WC	495		14 X 23	34 x 17.5 x 29.5	16.25 x 19.625	121	\$2,058
WPX040S2AA-N	40,000		ESP: 0.10" WC - 0.50" WC	691		14 X 23	34 x 17.5 x 29.5	16.25 x 19.625	120	\$2,120
WPX060S3AA-N	60,000		ESP: 0.12" WC - 0.50" WC	921		14 X 23	34 x 17.5 x 29.5	16.25 x 19.625	128	\$2,237
WPX080S3AA-N	80,000		ESP: 0.20" WC - 0.50" WC	1,284		14 X 23	34 x 17.5 x 29.5	16.25 x 19.625	134	\$2,325
WPX100S5BA-N	100,000		ESP: 0.20" WC - 0.50" WC	1,581		14 X 23	34 x 22.5 x 29.5	21.25 x 19.625	163	\$2,770

OPTIONS/ACCESSORIES

PART ID	DESCRIPTION	MSRP
NNA-NC1625-A	MERV 11 Media Filter (16 x 25)	\$142
NNA-NC2025-A	MERV 11 Media Filter (20 x 25)	\$158
NT144HCNPH	1H/1C Non Programmable Thermostat - Horizontal	\$67
NT144HCNPV	1H/1C Non Programmable Thermostat - Vertical	\$67
NT151HCPV	1H/1C 5/2 Day Programmable Thermostat - Vertical	\$83
NT86HCEZ	1H/1C EZ Set Non Programmable Thermostat	\$94
NT953H2CP	3H/2C 7-Day Programmable Thermostat - 12 sq.in. Touchscreen	\$319
W250-0009	MERV 11 Filter - 3 Pack (16 x 25)	\$158
W250-0010	MERV 11 Filter - 3 Pack (20 x 25)	\$170
W370-0018	Conversion Kit - Natural Gas To Propane	\$177
W370-0019	Concentric Vent Kit - 2"	\$175
W370-0020	Concentric Vent Kit - 3"	\$221



COOLING

NT SERIES CENTRAL AIR CONDITIONERS

While Quantities Last



FEATURES & BENEFITS

- R-410A refrigerant and High-Efficiency Compressor
- Factory Installed Liquid Line Dryer
- Micro-Channel Condenser
- Swept Fan Blades
- Permanently lubricated PSC motor
- Motor assembly is removable from top of unit
- Service valves and refrigerant connections are located outside the cabinet for easy accessibility and servicing
- Electrical connections are accessible through a removable service panel
- Energy Star Rated (16 SEER only)



PARTS & COMPRESSOR
LIMITED WARRANTY

NT 13 SEER AIR CONDITIONER

PART ID	TONNAGE	SEER	MAX. FUSE/ BREAKER (A)	COOLING CAPACITY BTU/H	LINE SET DIAMETERS LIQUID (IN)	LINE SET DIAMETERS SUCTION (IN)	PRODUCT DIMENSIONS H X W X D (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
NT13A018C-1	1.5	13	15	17,400	3/8	3/4	27 x 24 x 24	150	\$1,852
NT13A024C-1	2	13	20	22,400	3/8	3/4	27 x 24 x 24	150	\$1,912
NT13A030C-1	2.5	13	25	28,600	3/8	3/4	27 x 24 x 24	150	\$2,142
NT13A036C-1	3	13	30	33,800	3/8	3/4	27 x 29.5 x 29.5	180	\$2,347
NT13A042B-1	3.5	13	35	37,800	3/8	7/8	27 x 29.5 x 29.5	180	\$2,807
NT13A048B-1	4	13	40	45,000	3/8	7/8	38.875 x 29.5 x 29.5	230	\$2,994
NT13A060B-1	5	13	50	53,500	3/8	7/8	38.875 x 29.5 x 29.5	230	\$3,406

NT 14 SEER AIR CONDITIONER

PART ID	TONNAGE	SEER	MAX. FUSE/ BREAKER (A)	COOLING CAPACITY BTU/H	LINE SET DIAMETERS LIQUID (IN)	LINE SET DIAMETERS SUCTION (IN)	PRODUCT DIMENSIONS H X W X D (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
NT14A018B-1	1.5	14	20	18,800	3/8	3/4	27 x 24 x 24	150	\$2,058
NT14A024B-1	2	14	25	23,400	3/8	3/4	27 x 24 x 24	150	\$2,185
NT14A030B-1	2.5	14.5	25	28,600	3/8	3/4	27 x 29.5 x 29.5	180	\$2,495
NT14A036B-1	3	14	30	33,800	3/8	7/8	27 x 29.5 x 29.5	180	\$2,642
NT14A042B-1	3.5	14	35	38,000	3/8	7/8	38.875 x 29.5 x 29.5	230	\$3,078
NT14A048B-1	4	14	35	44,000	3/8	7/8	38.875 x 29.5 x 29.5	230	\$3,268
NT14A060B-1	5	14	50	53,500	3/8	7/8	47.875 x 29.5 x 29.5	230	\$3,795

NT 16 SEER AIR CONDITIONER

PART ID	TONNAGE	SEER	MAX. FUSE/ BREAKER (A)	COOLING CAPACITY BTU/H	LINE SET DIAMETERS LIQUID (IN)	LINE SET DIAMETERS SUCTION (IN)	PRODUCT DIMENSIONS H X W X D (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
NT16A018B-1	1.5	15	20	19,100	3/8	3/4	27 x 29.5 x 29.5	180	\$2,352
NT16A024B-1	2	15	25	24,000	3/8	3/4	27 x 29.5 x 29.5	180	\$2,471
NT16A030B-1	2.5	15	25	29,400	3/8	3/4	27 x 29.5 x 29.5	180	\$2,792
NT16A036B-1	3	15	30	35,600	3/8	7/8	38.875 x 29.5 x 29.5	230	\$2,898
NT16A042B-1	3.5	15	35	41,500	3/8	7/8	38.875 x 29.5 x 29.5	230	\$3,377
NT16A048B-1	4	15	35	45,000	3/8	7/8	47.875 x 29.5 x 29.5	250	\$3,566
NT16A060B-1	5	15	50	56,500	3/8	7/8	47.875 x 29.5 x 29.5	230	\$4,096

16 Seer is achieved based on matching with specific coils

OPTIONS/ACCESSORIES

PART ID	DESCRIPTION	MSRP
W370-0231	Hard Start Kit - 1.5, 2 and 2.5 Ton REV C Air Conditioners	\$77
W370-0247	Hard Start Kit - 3 Ton REV C Air Conditioners	\$89

IMPORTANT: PRODUCT MUST BE REGISTERED FOR FULL WARRANTY
Products may not be exactly as shown.





FEATURES & BENEFITS

- R-410A refrigerant and High-Efficiency Compressor
- Factory Installed Liquid Line Dryer
- Micro-Channel Condenser
- Swept Fan Blades
- Permanently lubricated PSC motor
- Motor assembly is removable from top of unit
- Service valves and refrigerant connections are located outside the cabinet for easy accessibility and servicing
- Electrical connections are accessible through a removable service panel;

13.4 SEER2 CENTRAL AIR CONDITIONER WITH ROTARY COMPRESSOR

PART ID	TONNAGE	SEER2 (SEER)	MAX. FUSE/BREAKER (A)	COOLING CAPACITY BTU/H	LINE SET DIAMETERS LIQUID (IN)	LINE SET DIAMETERS SUCTION (IN)	PRODUCT DIMENSIONS H X W X D (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
WTACR0018RA1-N	1.5	13.4 (14)	15	18,600	3/8	3/4	27 x 24 x 24	150	Coming Soon
WTACR0024RA1-N	2	13.4 (14)	15	23,200	3/8	3/4	27 x 24 x 24	150	Coming Soon
WTACR0030RA1-N	2.5	13.4 (14)	20	28,400	3/8	3/4	27 x 24 x 24	150	Coming Soon
WTACR0036RA1-N	3	13.4 (14)	30	33,800	3/8	3/4	27 x 29.5 x 29.5	180	Coming Soon

13.4 SEER2 CENTRAL AIR CONDITIONER WITH SCROLL COMPRESSOR

PART ID	TONNAGE	SEER2 (SEER)	MAX. FUSE/BREAKER (A)	COOLING CAPACITY BTU/H	LINE SET DIAMETERS LIQUID (IN)	LINE SET DIAMETERS SUCTION (IN)	PRODUCT DIMENSIONS H X W X D (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
WTACS0018RA1-N	1.5	13.4 (14)	20	18,600	3/8	3/4	27 x 24 x 24	150	Coming Soon
WTACS0024RA1-N	2	13.4 (14)	25	23,200	3/8	3/4	27 x 24 x 24	150	Coming Soon
WTACS0030RA1-N	2.5	13.4 (14.5)	25	28,400	3/8	3/4	27 x 29.5 x 29.5	180	Coming Soon
WTACS0036RA1-N	3	13.4 (14)	30	33,600	3/8	3/4	27 x 29.5 x 29.5	180	Coming Soon
WTACS0042RA1-N	3.5	13.4 (14)	35	37,600	3/8	7/8	38.875 x 29.5 x 29.5	230	Coming Soon
WTACS0048RA1-N	4	13.4 (14)	35	43,500	3/8	7/8	38.875 x 29.5 x 29.5	230	Coming Soon
WTACS0060RA1-N	5	13.4 (14)	50	53,000	3/8	7/8	47.875 x 29.5 x 29.5	250	Coming Soon

14.3 SEER2 CENTRAL AIR CONDITIONER WITH SCROLL COMPRESSOR

PART ID	TONNAGE	SEER2 (SEER)	MAX. FUSE/BREAKER (A)	COOLING CAPACITY BTU/H	LINE SET DIAMETERS LIQUID (IN)	LINE SET DIAMETERS SUCTION (IN)	PRODUCT DIMENSIONS H X W X D (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
WTBCS0018RA1-N	1.5	14.3 (15)	20	18,900	3/8	3/4	27 x 29.5 x 29.5	180	Coming Soon
WTBCS0024RA1-N	2	14.3 (15)	25	23,800	3/8	3/4	27 x 29.5 x 29.5	180	Coming Soon
WTBCS0030RA1-N	2.5	14.3 (15)	25	29,200	3/8	3/4	27 x 29.5 x 29.5	180	Coming Soon
WTBCS0036RA1-N	3	14.3 (15)	30	35,200	3/8	3/4	38.875 x 29.5 x 29.5	230	Coming Soon
WTBCS0042RA1-N	3.5	14.3 (15)	35	41,000	3/8	7/8	38.875 x 29.5 x 29.5	230	Coming Soon
WTBCS0048RA1-N	4	13.8 (15)	35	45,000	3/8	7/8	47.875 x 29.5 x 29.5	250	Coming Soon
WTBCS0060RA1-N	5	13.8 (14.5)	50	56,000	3/8	7/8	47.875 x 29.5 x 29.5	250	Coming Soon



NOTE

Napoleon's NT Series air conditioners are certified with coils that are manufactured by a trusted third party vendor. All listings can be found on the AHRI online directory at www.ahridirectory.org. Contact your Napoleon Account Executive to discuss questions regarding match-ups and ratings.

COIL	DESCRIPTION	PRODUCT DIMENSIONS H X W X D (IN)	WEIGHT (LBS)	MSRP
HE21124A140A0004AP	Generic Service Coil - 1.5 & 2.0 Ton	13 x 14 x 19 1/2	20	\$610
HE31130A155A0000AP	Generic Service Coil - 2.5 Ton	13 x 15 1/2 x 19 1/2	24	\$749
HE32136A155A0000AP	Generic Service Coil - 3.0 Ton	15 x 15 1/2 x 19 1/2	28	\$822
HE34142A200A0004AP	Generic Service Coil - 3.5 Ton	19 x 20 x 19 1/2	35	\$1,074
HE35148A200A0004AP	Generic Service Coil - 4.0 Ton	21 x 20 x 19 1/2	39	\$1,131
HE36160A200A0004AP	Generic Service Coil - 5.0 Ton	23 x 20 x 19 1/2	41	\$1,320

COIL	13 SEER	AHRI#	SEER	EER	PRODUCT DIMENSIONS H X W X D (IN)	WEIGHT (LBS)	MSRP
HE21924A140A0000AP	NT13A018C-1	205782666	13	10.5	13 x 14 x 19 1/2	20	\$723
HE22118A140A0004AP		205758326	13	11	15 x 14 x 19 1/2	20	\$616
HE32936A155A0000AP		205782649	13	11	15 x 15 1/2 x 19 1/2	28	\$961
HE21924A140A0000AP	NT13A024C-1	205782668	13	10.5	13 x 14 x 19 1/2	20	\$723
HE22124A140A0004AP		205758327	13	11	15 x 14 x 19 1/2	21	\$610
HE32936A155A0000AP		205782654	13	11	15 x 15 1/2 x 19 1/2	28	\$961
HE24930A155A0004AP	NT13A030C-1	205788611	13	10.7	19 x 15 1/2 x 19 1/2	27	\$853
HE32936A155A0000AP		205804286	13	11	15 x 15 1/2 x 19 1/2	28	\$961
HE32936A155A0000AP	NT13A036C-1	206749840	13	11	15 x 15 1/2 x 19 1/2	28	\$961
HE35948A200A0000AP	NT13A042B-1	10296111	13	11	21 x 20 x 19 1/2	39	\$1,221
HE35948A200A0000AP	NT13A048B-1	10296112	13	11	21 x 20 x 19 1/2	39	\$1,221
HE37960A200A0000AP	NT13A060B-1	202613409	13	11	25 x 20 x 19 1/2	27	\$1,476
HE50960A205A0000AP		203404702	13	11	27 x 20 1/2 x 19 1/2	28	\$1,748

COILS

UNCASED COILS

Recommended for use with
NT 13/14 and 16 SEER air conditioners



NOTE

Napoleon's NT Series air conditioners are certified with coils that are manufactured by a trusted third party vendor. All listings can be found on the AHRI online directory at www.ahridirectory.org. Contact your Napoleon Account Executive to discuss questions regarding match-ups and ratings.

COIL	14 SEER	AHRI#	SEER	EER	PRODUCT DIMENSIONS H X W X D (IN)	WEIGHT (LBS)	MSRP
HE32936A155A0000AP	NT14A018B-1	203404699	14	12.2	15 x 15 1/2 x 19 1/2	28	\$961
HE32936A155A0000AP	NT14A024B-1	10513758	14	12	15 x 15 1/2 x 19 1/2	28	\$961
HE32936A155A0000AP	NT14A036B-1	10513762	14	12	15 x 15 1/2 x 19 1/2	28	\$961
HE35948A200A0000AP	NT14A042B-1	10513747	14	11.7	21 x 20 x 19 1/2	39	\$1,221
HE37960A200A0000AP		202613407	14	12	25 x 20 x 19 1/2	27	\$1,476
HE37960A200A0000AP	NT14A048B-1	10513750	14	11.5	25 x 20 x 19 1/2	27	\$1,476
HE37960A200A0000AP	NT14A060B-1	10513753	14	11.5	25 x 20 x 19 1/2	27	\$1,476

COIL	14.5 SEER	AHRI#	SEER	EER	PRODUCT DIMENSIONS H X W X D (IN)	WEIGHT (LBS)	MSRP
HE36936A155A0000AP	NT14A024B-1	10513759	14.5	12.2	23 x 15 1/2 x 19 1/2	41	\$1,408
HE50960A205A0000AP	NT14A042B-1	10513749	14.5	12	27 x 20 1/2 x 19 1/2	28	\$1,748
HE36936A155A0000AP	NT16A030B-1	10581076	14.5	12.5	23 x 15 1/2 x 19 1/2	41	\$1,408
HE36936A155A0000AP	NT16A036B-1	10581078	14.5	12.5	23 x 15 1/2 x 19 1/2	41	\$1,408
HE37960A200A0000AP	NT16A042B-1	202613408	14.5	12.2	25 x 20 x 19 1/2	27	\$1,476
HE50960A205A0000AP	NT16A060B-1	10581066	14.5	12	27 x 20 1/2 x 19 1/2	28	\$1,748

COIL	15 SEER	AHRI#	SEER	EER	PRODUCT DIMENSIONS H X W X D (IN)	WEIGHT (LBS)	MSRP
HE32936A155A0000AP	NT14A030B-1	10513761	15	12.2	15 x 15 1/2 x 19 1/2	28	\$961
HE32936A155A0000AP	NT16A018B-1	10581071	15	12.5	15 x 15 1/2 x 19 1/2	28	\$961
HE32936A155A0000AP	NT16A024B-1	10581074	15	12.5	15 x 15 1/2 x 19 1/2	28	\$961
HE50960A205A0000AP	NT16A042B-1	10581069	15	12.5	27 x 20 1/2 x 19 1/2	28	\$1,748
HE37960A200A0000AP	NT16A048B-1	10581064	15	12.2	25 x 20 x 19 1/2	27	\$1,476





NOTE

Napoleon's NT Series air conditioners are certified with coils that are manufactured by a trusted third party vendor. All listings can be found on the AHRI online directory at www.ahridirectory.org. Contact your Napoleon Account Executive to discuss questions regarding match-ups and ratings.

*Coils with suffix 22AP are multi-positional. Coils with suffix 05AP are upflow/downflow only.

COIL	13 SEER	AHRI#	SEER	EER	PRODUCT DIMENSIONS H X W X D (IN)	WEIGHT (LBS)	MSRP
DE21930C175B1605AP	NT13A018C-1	205782821	13	10.5	16 1/2 x 17 1/2 x 20 1/2	30	\$766
DE21930C175B1622AP		205782821	13	10.5	16 1/2 x 17 1/2 x 20 1/2	35	\$979
DE22118C175B1605AP		205758326	13	11	16 1/2 x 17 1/2 x 20 1/2	33	\$751
DE31930C175B1622AP		205782647	13	11	16 1/2 x 17 1/2 x 20 1/2	38	\$1,196
DE32936C175B1605AP		205782649	13	11	16 1/2 x 17 1/2 x 20 1/2	46	\$1,097
DE32936C175B1622AP		205782649	13	11	16 1/2 x 17 1/2 x 20 1/2	46	\$1,305
DE21930C175B1605AP	NT13A024C-1	205782822	13	10.5	16 1/2 x 17 1/2 x 20 1/2	30	\$766
DE21930C175B1622AP		205782822	13	10.5	16 1/2 x 17 1/2 x 20 1/2	35	\$979
DE22124C175B1605AP		205758327	13	11	16 1/2 x 17 1/2 x 20 1/2	33	\$751
DE24936C175B2005AP	NT13A030C-1	205804282	13	10.5	20 1/2 x 17 1/2 x 20 1/2	40	\$1,089
DE24936C175B2022AP		205804282	13	10.5	20 1/2 x 17 1/2 x 20 1/2	47	\$1,265
DE31930C175B1605AP		205804284	13	10.5	16 1/2 x 17 1/2 x 20 1/2	38	\$1,036
DE31930C175B1622AP		205804284	13	10.5	16 1/2 x 17 1/2 x 20 1/2	38	\$1,196
DE32936C175B1605AP		205804286	13	11	16 1/2 x 17 1/2 x 20 1/2	46	\$1,097
DE32936C175B1622AP		205804286	13	11	16 1/2 x 17 1/2 x 20 1/2	46	\$1,305
DE32936C175B1605AP	NT13A036C-1	206749840	13	11	16 1/2 x 17 1/2 x 20 1/2	46	\$1,097
DE32936C175B1622AP		206749840	13	11	16 1/2 x 17 1/2 x 20 1/2	46	\$1,305
DE35948C225B2205AP	NT13A042B-1	10296111	13	11	25 1/2 x 22 1/2 x 20 1/2	60	\$1,269
DE35948C225B2222AP		10296111	13	11	25 1/2 x 22 1/2 x 20 1/2	60	\$1,612
DE35948C225B2205AP	NT13A048B-1	10296112	13	11	25 1/2 x 22 1/2 x 20 1/2	60	\$1,269
DE35948C225B2222AP		10296112	13	11	25 1/2 x 22 1/2 x 20 1/2	60	\$1,612
DE48960C225B2705AP	NT13A060B-1	205754828	13	11	27 1/2 x 22 1/2 x 20 1/2	66	\$1,568
DE50960C225B2722AP		203404702	13	11	27 1/2 x 22 1/2 x 20 1/2	72	\$1,803
DE22124C175B1622AP	NT13A024C-1	205758327	13	11	16 1/2 x 17 1/2 x 20 1/2	28	\$959



NOTE

Napoleon's NT Series air conditioners are certified with coils that are manufactured by a trusted third party vendor. All listings can be found on the AHRI online directory at www.ahridirectory.org. Contact your Napoleon Account Executive to discuss questions regarding match-ups and ratings.

COIL	14 SEER	AHRI#	SEER	EER	PRODUCT DIMENSIONS H X W X D (IN)	WEIGHT (LBS)	MSRP
DE31930C175B1605AP	NT14A018B-1	10513756	14	12	16 1/2 x 17 1/2 x 20 1/2	38	\$1,036
DE31930C175B1622AP		10513756	14	12	16 1/2 x 17 1/2 x 20 1/2	38	\$1,196
DE32936C175B1605AP		203404699	14	12.2	16 1/2 x 17 1/2 x 20 1/2	46	\$1,097
DE32936C175B1622AP		203404699	14	12.2	16 1/2 x 17 1/2 x 20 1/2	46	\$1,305
DE32936C175B1605AP	NT14A024B-1	10513758	14	12	16 1/2 x 17 1/2 x 20 1/2	46	\$1,097
DE32936C175B1622AP		10513758	14	12	16 1/2 x 17 1/2 x 20 1/2	46	\$1,305
DE32936C175B1605AP	NT14A036B-1	10513762	14	12	16 1/2 x 17 1/2 x 20 1/2	46	\$1,097
DE32936C175B1622AP		10513762	14	12	16 1/2 x 17 1/2 x 20 1/2	46	\$1,305
DE35948C225B2205AP	NT14A042B-1	10513747	14	11.7	25 1/2 x 22 1/2 x 20 1/2	60	\$1,269
DE35948C225B2222AP		10513747	14	11.7	25 1/2 x 22 1/2 x 20 1/2	60	\$1,612
DE48960C225B2705AP	NT14A048B-1	10513751	14	11.7	27 1/2 x 22 1/2 x 20 1/2	66	\$1,568
DE48960C225B2705AP	NT14A060B-1	10513754	14	11.7	27 1/2 x 22 1/2 x 20 1/2	66	\$1,568
DE48960C225B2705AP	NT16A060B-1	10581065	14	11.7	27 1/2 x 22 1/2 x 20 1/2	66	\$1,568

COIL	14.5 SEER	AHRI#	SEER	EER	PRODUCT DIMENSIONS H X W X D (IN)	WEIGHT (LBS)	MSRP
DE35936C175B2205AP	NT14A018B-1	10513757	14.5	12.2	25 1/2 x 17 1/2 x 20 1/2	60	\$1,232
DE35936C175B2222AP		10513757	14.5	12.2	25 1/2 x 17 1/2 x 20 1/2	60	\$1,386
DE36936C175B2505AP	NT14A024B-1	10513759	14.5	12.2	25 1/2 x 17 1/2 x 20 1/2	57	\$1,463
DE37936C175B2505AP	NT14A036B-1	10513763	14.5	12.2	25 1/2 x 17 1/2 x 20 1/2	61	\$1,526
DE48960C225B2705AP	NT14A042B-1	10513748	14.5	12	27 1/2 x 22 1/2 x 20 1/2	66	\$1,568
DE50960C225B2722AP		10513749	14.5	12	27 1/2 x 22 1/2 x 20 1/2	72	\$1,803
DE52960C225B3105AP	NT14A048B-1	10513752	14.5	12	31 1/2 x 22 1/2 x 20 1/2	72	\$1,902
DE52960C225B3105AP	NT14A060B-1	10513755	14.5	12	31 1/2 x 22 1/2 x 20 1/2	72	\$1,902
DE36936C175B2505AP	NT16A030B-1	10581076	14.5	12.2	25 1/2 x 17 1/2 x 20 1/2	57	\$1,463
DE36936C175B2505AP	NT16A036B-1	10581078	14.5	12.2	25 1/2 x 17 1/2 x 20 1/2	57	\$1,463
DE48960C225B2705AP	NT16A048B-1	10581063	14.5	12.2	27 1/2 x 22 1/2 x 20 1/2	66	\$1,568
DE50960C225B2722AP	NT16A060B-1	10581066	14.5	12	27 1/2 x 22 1/2 x 20 1/2	72	\$1,803

COILS

CASED COILS

Recommended for use with
NT 13/14 and 16 SEER air conditioners



NOTE

Napoleon's NT Series air conditioners are certified with coils that are manufactured by a trusted third party vendor. All listings can be found on the AHRI online directory at www.ahridirectory.org. Contact your Napoleon Account Executive to discuss questions regarding match-ups and ratings.

COIL	14 SEER	AHRI#	SEER	EER	PRODUCT DIMENSIONS H X W X D (IN)	WEIGHT (LBS)	MSRP
DE31930C175B1605AP	NT14A030B-1	10513760	15	12.5	16 1/2 x 17 1/2 x 20 1/2	38	\$1,036
DE31930C175B1622AP		10513760	15	12.5	16 1/2 x 17 1/2 x 20 1/2	38	\$1,196
DE32936C175B1605AP		10513761	15	12.5	16 1/2 x 17 1/2 x 20 1/2	46	\$1,097
DE32936C175B1622AP		10513761	15	12.5	16 1/2 x 17 1/2 x 20 1/2	46	\$1,305
DE31930C175B1605AP	NT16A018B-1	10581070	15	12.5	16 1/2 x 17 1/2 x 20 1/2	38	\$1,036
DE31930C175B1622AP		10581070	15	12.5	16 1/2 x 17 1/2 x 20 1/2	38	\$1,196
DE32936C175B1605AP		10581071	15	12.5	16 1/2 x 17 1/2 x 20 1/2	46	\$1,097
DE32936C175B1622AP		10581071	15	12.5	16 1/2 x 17 1/2 x 20 1/2	46	\$1,305
DE31930C175B1605AP	NT16A024B-1	10581073	15	12.2	16 1/2 x 17 1/2 x 20 1/2	38	\$1,036
DE31930C175B1622AP		10581073	15	12.2	16 1/2 x 17 1/2 x 20 1/2	38	\$1,196
DE32936C175B1605AP		10581074	15	12.5	16 1/2 x 17 1/2 x 20 1/2	46	\$1,097
DE32936C175B1622AP		10581074	15	12.5	16 1/2 x 17 1/2 x 20 1/2	46	\$1,305
DE47936C175B3105AP	NT16A030B-1	10581077	15	12.5	29 1/2 x 17 1/2 x 20 1/2	72	\$1,619
DE47936C175B3105AP	NT16A036B-1	10581079	15	12.5	29 1/2 x 17 1/2 x 20 1/2	72	\$1,619
DE48960C225B2705AP	NT16A042B-1	10581068	15	12.5	27 1/2 x 22 1/2 x 20 1/2	66	\$1,568
DE50960C225B2722AP	NT16A048B-1	10581064	15	12.5	27 1/2 x 22 1/2 x 20 1/2	72	\$1,803





PART ID	COMPATIBLE AIR CONDITIONERS	PRODUCT DIMENSIONS H X W (IN)	PRODUCT NET WEIGHT LBS	MSRP
NCR-2427	NT13A018C-1 WTACR0018RA1-N NT13A024C-1 WTACR0024RA1-N NT14A018B-1 WTACS0018RA1-N NT14A024B-1 WTACS0024RA1-N	27 x 24	1.6	\$75



NCR-2927	NT13A030C-1 NT13A036C-1 NT14A030B-1 WTACS0030RA1-N NT14A036B-1 WTACS0036RA1-N NT16A018B-1 WTBCS0018RA1-N NT16A024B-1 WTBCS0024RA1-N NT16A030B-1 WTBCS0030RA1-N NT16A036B-1 WTBCS0036RA1-N	27 x 29	2.1	\$87
----------	--	---------	-----	-------------



NCR-2939	NT13A042B-1 NT13A048B-1 NT14A042B-1, WTACS0042RA1-N NT14A048B-1, WTACS0048RA1-N NT16A042B-1 WTBCS0042RA1-N	39 x 29	2.7	\$93
----------	---	---------	-----	-------------



NCR-2948	NT13A060B-1 NT14A060B-1 NT16A048B-1 WTACS0060RA1-N NT16A060B-1 WTBCS0060RA1-N WTBCS0048RA1-N	48 x 29	3.3	\$98
----------	--	---------	-----	-------------

HEAT PUMPS

NS18 SERIES CENTRAL HEAT PUMPS AND AIR HANDLERS



FEATURES & BENEFITS

- 100% HEAT 100% COOL
- 18 SEER, 10.5 HSPF
- 2 to 5 tons of heating & cooling capacity
- Ideal for more temperate climates, featuring the widest heating and cooling range available in the industry. Napoleon's 2-5 ton heat pump models provide heating for your home when temperatures dip down to -30°C (-22°F) as well as comfortable cooling when temperatures reach 54°C (129.2°). *See individual units for exact temperature range
- Compatible with any furnace or coil match ups with a controller having 24V communication
- Low vibration design for quiet operation
- NRCAN Greener Homes & BC Betterhomes Certified



PARTS & COMPRESSOR
LIMITED WARRANTY

NS18 SERIES HEAT PUMP											
PART ID	TONNAGE	SEER	HSPF ZONE 4	MAX. FUSE BREAKER (A)	COOLING CAPACITY (BTU/H)	HEATING CAPACITY (BTU/H)	LINE SET DIAMETERS LIQUID (IN)	LINE SET DIAMETERS SUCTION (IN)	PRODUCT DIMENSIONS H X W X D (IN)	PRODUCT NET WEIGHT LBS	MSRP
NS18HV24A36	2 ~ 3	20 - 2T 18 - 3T	10.5 - 2T 10 - 3T	35	24,000 - 36,000	24,000 - 36,000	3 / 8	3 / 4	32.25 x 37 x 18.125	217.2	\$3,708
NS18HV48A60	4~5	18 - 4T 17 - 5T	10.5 - 4T 10.0 - 5T	45	48,000 - 54,000	48,000 - 54,000	3 / 8	3 / 4	53.75 x 39.375 x 14.5	308.7	\$4,719

*SEER rating and HSPF 4 rating depends on the type and capacity of the indoor units combined with these outdoor units.

OPTIONS/ACCESSORIES

PART ID	DESCRIPTION	MSRP
WCPGS1900	Brazed Connection Pipe Sub-assy for refrigerant gas line diameter 19 mm	\$43
WCPLQ0952	Brazed Connection Pipe Sub-assy for refrigerant liquid line diameter 9.52 mm	\$14



FEATURES & BENEFITS

- Fully insulated design minimizes indoor noise level
- Removable front panel allows blower and coil assemblies to slide-out for easy serviceability
- Filter rack located at the top of the unit for convenient maintenance and installation
- Electric Heater (optional): 5kW/8kW/10kW/15kW/20kW
- Flex Fit installation options: horizontal left and right, vertical



PARTS
LIMITED WARRANTY

18 SEER AIR HANDLER					
PART ID	TONNAGE	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
NPFx24A36A	2 ~ 3	48.25 x 21.25 x 21.25	20 x 11.625	156.5	\$2,696
NPFx48A60A	4 ~ 5	57 x 24.75 x 21.25	20 x 11.625	203	\$3,371

OPTIONS/ACCESSORIES

PART ID	DESCRIPTION	MSRP
WHS5KW	Optional Electric Strip Heater - 5 kW, Compatible to 2T, 3T AHU	\$182
WHS8KW	Optional Electric Strip Heater - 8 kW, Compatible to 2T, 3T AHU	\$246
WHS10KW	Optional Electric Strip Heater - 10 kW, Compatible to 3T, 4T, 5T AHU	\$257
WHS15KW	Optional Electric Strip Heater - 15 kW, Compatible to 4T, 5T AHU	\$439
WHS20KW	Optional Electric Strip Heater - 20 kW, Compatible to 4T, 5T AHU	\$508

IMPORTANT: PRODUCT MUST BE REGISTERED FOR FULL WARRANTY
Products may not be exactly as shown.



HEAT PUMPS

SEER2/HSPF2 HEAT PUMP SERIES

Coming soon!



FEATURES & BENEFITS

- 100% HEAT 100% COOL
- 16 SEER2, 9 HSPF2 IV
- 2 to 5 tons of heating & cooling capacity
- Ideal for more temperate climates, featuring the widest heating and cooling range available in the industry. Napoleon's 2-5 ton heat pump models provide heating for your home when temperatures dip down to -30°C (-22°F) as well as comfortable cooling when temperatures reach 54°C (129.2°). *See individual units for exact temperature range
- Compatible with any furnace or coil match ups with a controller having 24V communication
- Low vibration design for quiet operation
- NRCAN Greener Homes & BC Betterhomes Certified

SEER2/ HSPF2 HEAT PUMP SERIES

PART ID	TONNAGE	SEER2 (SEER)	HSPF2 (HSPF) ZONE 4	MAX. FUSE BREAKER (A)	COOLING CAPACITY (BTU/H)	HEATING CAPACITY (BTU/H)	LINE SET DIAMETERS LIQUID (IN)	LINE SET DIAMETERS SUCTION (IN)	PRODUCT DIMENSIONS H X W X D (IN)	PRODUCT NET WEIGHT LBS	MSRP
WSEHV2436RA1-N	2 ~ 3	17 (20) - 2T 16 (18) - 3T	9 (10.5) - 2T 9 (10.0) - 3T	35	24,000 - 36,000	24,000 - 36,000	3 / 8	3 / 4	32.25 x 37 x 18.125	217.2	Coming Soon
WSEHV4860RA1-N	4-5	17 (18) - 4T 16 (17) - 5T	9 (10.5) - 4T 9 (10.0) - 5T	45	48,000 - 54,000	48,000 - 54,000	3 / 8	3 / 4	53.375 x 39.375 x 14.5	308.7	Coming Soon



FEATURES & BENEFITS

- Fully insulated design minimizes indoor noise level
- Removable front panel allows blower and coil assemblies to slide-out for easy serviceability
- Filter rack located at the top of the unit for convenient maintenance and installation
- Electric Heater (optional): 5kW/8kW/10kW/15kW/20kW
- Flex Fit installation options: horizontal left and right, vertical



PARTS
LIMITED WARRANTY

18 SEER AIR HANDLER

PART ID	TONNAGE	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
NPFX24A36A	2 ~ 3	48.25 x 21.25 x 21.25	20 x 11.625	156.5	\$2,696
NPFX48A60A	4 ~ 5	57 x 24.75 x 21.25	20 x 11.625	203	\$3,371

OPTIONS/ACCESSORIES

PART ID	DESCRIPTION	MSRP
WHS5KW	Optional Electric Strip Heater - 5 kW, Compatible to 2T, 3T AHU	\$182
WHS8KW	Optional Electric Strip Heater - 8 kW, Compatible to 2T, 3T AHU	\$246
WHS10KW	Optional Electric Strip Heater - 10 kW, Compatible to 3T, 4T, 5T AHU	\$257
WHS15KW	Optional Electric Strip Heater - 15 kW, Compatible to 4T, 5T AHU	\$439
WHS20KW	Optional Electric Strip Heater - 20 kW, Compatible to 4T, 5T AHU	\$508





PARTS, COMPRESSOR & SYSTEM
LIMITED WARRANTY

FEATURES & BENEFITS

- Efficient and contemporary looking indoor units
- Available capacities: 12,000 BTU/h, 18,000 BTU/h, 24,000 BTU/h
- Works even at 50°C (122°F)
- Wi-Fi Capable (NDWC-KT to be purchased separately)
- Conveniently adjust the settings on the remote control to: Sleep Mode, LED light, room temperature, turning unit on/off
- Higher efficiency rating, 21 SEER

21 SEER COOLING ONLY SERIES

PART ID	DESCRIPTION	SEER 2 (SEER)	ZONE 4	ZONE 5	COOLING CAPACITY (BTU/H)	HEATING CAPACITY (BTU/H)	MAX. FUSE BREAKER (A)	LINE SET DIAMETERS LIQUID (IN)	LINE SET DIAMETERS SUCTION (IN)	MSRP
NDCAS21-12	NDCAS21-12 Ductless Air Conditioner - Shipped in 2 PCS. NDCAS21-12-I, NDCAS21-12-O	21 (21)	N/A	N/A	11,500	N/A	30	1 / 4	1 / 2	\$1,492
NDCAS21-18	NDCAS21-18 Ductless Air Conditioner - Shipped in 2 PCS. NDCAS21-18-I, NDCAS21-18-O	21 (21)	N/A	N/A	17,500	N/A	20	1 / 4	1 / 2	\$2,112
NDCAS21-24	NDCAS21-24 Ductless Air Conditioner - Shipped in 2 PCS. NDCAS21-24-I, NDCAS21-24-O	20 (20)	N/A	N/A	22,000	N/A	20	3 / 8	5 / 8	\$2,853



PARTS, COMPRESSOR & SYSTEM
LIMITED WARRANTY



FEATURES & BENEFITS

- Efficient and contemporary looking indoor units
- Available capacities : 12,000 BTU/h, 18,000 BTU/h, 24,000 BTU/h
- Energy Star rated
- NEEP certified and approved
- All indoor units compatible to Multizone Outdoor unit
- Operating range -25°C (-13°F) to 50°C (122°F)
- Wi-Fi Capable (NDWC-KT to be purchased separately)
- Conveniently adjust the settings on the remote control to: Sleep Mode, LED light, room temperature, turning unit on/off
- Higher efficiency rating, 22 SEER

22 SEER HEAT PUMP SERIES

PART ID	DESCRIPTION	SEER 2 (SEER)	HSPF 2 (HSPF) ZONE 4	ZONE 5	COOLING CAPACITY (BTU/H)	HEATING CAPACITY (BTU/H)	MAX. FUSE BREAKER (A)	LINE SET DIAMETERS LIQUID (IN)	LINE SET DIAMETERS SUCTION (IN)	MSRP
NDHAS22-12	NDHAS22-12 Ductless Heat Pump - Shipped in 2 PCS. NDHAS22-12-I, NDHAS22-12-O	22.2 (23.1)	10.8 (11)	9.1	12,000	12,000	15	1 / 4	1 / 2	\$2,305
NDHAS22-18	NDHAS22-18 Ductless Heat Pump - Shipped in 2 PCS. NDHAS22-18-I, NDHAS22-18-O	24 (24)	10.5 (11.6)	9	18,000	18,000	30	1 / 4	1 / 2	\$2,990
NDHAS22-24	NDHAS22-24 Ductless Heat Pump - Shipped in 2 PCS. NDHAS22-24-I, NDHAS22-24-O	21 (21)	8.5 (10)	8.5	24,000	24,000	30	3 / 8	3 / 4	\$3,941

IMPORTANT: PRODUCT MUST BE REGISTERED FOR FULL WARRANTY
Products may not be exactly as shown.





PARTS, COMPRESSOR & SYSTEM
LIMITED WARRANTY



FEATURES & BENEFITS

- Very high efficiency rating
- New look indoor unit & remote control
- Available capacities : 9,000 BTU/h, 12,000 BTU/h, 18,000 BTU/h, 24,000 BTU/h & 36,000 BTU/h
- Energy Star Rated & NEEP approved up to 24,000 BTU/h capacity
- Controlling range of temperature is wider, the lowest

- temperature changes to 16°C/60°F from 17°C/ 62°F
- Operating range -30°C (-22°F) to 50°C (122°F) up to 24,000 BTU/h capacity
- Includes a stylish remote control with intelligent eye. Conveniently adjust settings such as: Sleep Mode, LED light, room temperature, turning unit on/off. Remote will also follow you and your core temperature! Wi-Fi Capable (NDWC-KT to be purchased separately)

26 SEER HEAT PUMP SERIES

PART ID	DESCRIPTION	SEER 2 (SEER)	HSPF 2 (HSPF) ZONE 4	ZONE 5	COOLING CAPACITY (BTU/H)	HEATING CAPACITY (BTU/H)	MAX. FUSE BREAKER (A)	LINE SET DIAMETERS LIQUID (IN)	LINE SET DIAMETERS SUCTION (IN)	MSRP
NDHAS26-09	NDHAS26-09 Ductless Heat Pump - Shipped in 2 PCS. NDHAS26-09-I, NDHAS26-09-O	28.1 (28.1)	11.5 (13)	11	9,000	11,800	15	1 / 4	3 / 8	\$2,595
NDHAS26-12	NDHAS26-12 Ductless Heat Pump - Shipped in 2 PCS. NDHAS26-12-I, NDHAS26-12-O	25.5 (25.5)	10.4 (13)	10.5	12,000	12,000	15	1 / 4	1 / 2	\$2,742
NDHAS26-18	NDHAS26-18 Ductless Heat Pump- Shipped in 2 PCS. NDHAS26-18-I, NDHAS26-18-O	21.5 (21.5)	11.3 (13)	11	18,000	18,000	25	1 / 4	1 / 2	\$3,365
NDHAS26-24	NDHAS26-24 Ductless Heat Pump - Shipped in 2 PCS. NDHAS26-18-I, NDHAS26-18-O	21.5 (21.5)	11.4 (13)	10	29,000	24,000	35	3 / 8	5 / 8	\$4,785
NDHAS26-36	NDHAS26-36 Ductless Heat Pump- Shipped in 2 PCS. NDHAS26-36-I, NDHAS26-36-O	17.5 (20)	8 (9)	7.4	36,000	36,000	35	3 / 8	5 / 8	\$5,478

OPTIONS/ACCESSORIES

PART ID	DESCRIPTION	MSRP
NDWC-KT	Napoleon Ductless Wifi Kit - Optional Item, connects with the indoor unit	\$80





**PARTS, COMPRESSOR
& SYSTEM**
LIMITED WARRANTY



FEATURES & BENEFITS

- Very high efficiency rating
- New look indoor unit & remote control
- Indoor capacities: 9,000 BTU/h, 12,000 BTU/h, 18,000 BTU/h & 24,000 BTU/h
- Energy Star Rated & NEEP approved
- Conveniently adjust settings such as: Sleep Mode, LED light, room temperature, turning unit on/off. Remote will also follow you and your core temperature! Wi-Fi Capable (NDWC-KT to be purchased separately)

MULTI ZONE										
PART ID	DESCRIPTION	SEER 2 (SEER)	HSPF 2 (HSPF) ZONE 4	ZONE 5	COOLING CAPACITY (BTU/H)	HEATING CAPACITY (BTU/H)	MAX. FUSE BREAKER (A)	LINE SET DIAMETERS LIQUID (IN)	LINE SET DIAMETERS SUCTION (IN)	MSRP
NDHAM-28-0	Ductless Heat Pump Outdoor, 28,000 BTU	22 (22.6)	9.8 (10)	10.1	28,000	28,000	30	3 X 1/4	2 x 3/8 + 1 x 1/2	\$3,756
NDHAM-36-0	Ductless Heat Pump Outdoor, 36,000 BTU	20 (20)	9.7 (10.8)	11	37,000	36,000	60	4 X 1/4	2 x 3/8 + 2 x 1/2	\$5,175
NDHAS22-09-I	Ductless Heat Pump Indoor, 9,000 BTU	N/A	N/A	N/A	9,000	9,000	N/A	1 / 4	1 / 2	\$745
NDHAS22-12-I	Ductless Heat Pump Indoor, 12,000 BTU	N/A	N/A	N/A	12,000	12,000	N/A	1 / 4	1 / 2	\$761
NDHAS22-18-I	Ductless Heat Pump Indoor, 18,000 BTU	N/A	N/A	N/A	18,000	18,000	N/A	1 / 4	1 / 2	\$976
NDHAS22-24-I	Ductless Heat Pump Indoor, 24,000 BTU	N/A	N/A	N/A	24,000	24,000	N/A	1 / 4	1 / 2	\$1,120



THERMOSTATS



PART ID	DESCRIPTION	PRODUCT NET WEIGHT (LBS)	MSRP
NT953H2CP	3H/2C 7-Day Programmable Thermostat - 12 sq.in. Touchscreen	1	\$319



NT86HCEZ	1H/1C EZ Set Non Programmable Thermostat	1	\$94
----------	--	---	------



NT144HCNPH	1H/1C Non Programmable Thermostat - Horizontal	1	\$67
------------	--	---	------



NT144HCNPV	1H/1C Non Programmable Thermostat - Vertical	1	\$67
------------	--	---	------



NT151HCPV	1H/1C 5/2 Day Programmable Thermostat - Vertical	1	\$83
-----------	--	---	------



WSC43BA-KT	Napoleon EQHUB Smart Thermostat	1.45	\$335
------------	---------------------------------	------	-------

* Please check with your sales AE before placing orders.





Full Kit



Twin Kit



Furnace Kit

FEATURES & BENEFITS

- Chemical-Free Sanitization
- Technology from Philips
- Sanitizes molds, germs, bacteria and viruses – Coronaviruses included
- Same technology used in hospitals
- Available in two sanitization strength levels

MEDICAL GRADE AIR TREATMENT MEDICAL UNITS CONTAIN 60 WATT ULTRA VIOLET LAMP THAT PRODUCES 17 WATT OF UV-C LIGHT

PART ID	DESCRIPTION	WATTAGE	PRODUCT NET WEIGHT LBS	MSRP
UVHFS120WB	UV MOD&LANCE HI OUTPUT 120W SS W/BALLAST	120	10	\$1,030
UVHMS120WB	UV MODULE HI OUTPUT 120W SS W/BALLAST	120	9	\$791
UVHLS060W0	UV LOW OUTPUT ADD ON W/BALLAST	120	9	\$316

STANDARD GRADE AIR TREATMENT STANDARD GRADE UNITS CONTAIN 18 WATT ULTRA VIOLET LAMP THAT PRODUCES 5 WATT OF UV-C LIGHT

PART ID	DESCRIPTION	WATTAGE	PRODUCT NET WEIGHT LBS	MSRP
UVLFS036WB	UV LANCE HI OUTPUT 60W SS W/O BALLAST	36	10	\$651
UVLMS036WB	UV MODULE LOW OUTPUT 36W SS W/BALLAST	36	9	\$599
UVLAS018WB	UV LOW OUTPUT ADD ON W/BALLAST	120	9	\$316
UVLAS018W0	UV LOW OUTPUT ADD ON W/BALLAST	120	9	\$267
UVLLS018W0	UV MODULE HI OUTPUT 120W SS W/BALLAST	120	9	\$254
W010-2785	UV-C Technology - Standard Grade Furnace Kit	18	1	\$317

REPLACEMENT ULTRA VIOLET LAMPS

PART ID	DESCRIPTION	WATTAGE	PRODUCT NET WEIGHT LBS	MSRP
UVB18	18 Watt UV-C Replacement Lamp	18	1	\$83
UVB60	60 Watt UV-C Replacement Kit	60	1	\$219

*Kits need to come with ballast if they are installed with a furnace that does not already have a ballast (i.e. all furnaces except 9700)



FEATURES & BENEFITS

- Up to 96.8% AFUE / Thermal Efficiency
- Modular Design; Architectural Grilles Available - 15 color options available
- Three-piece design allows individual component handling for easy installation and serviceability
- All indoor access to parts and maintenance activities
- Innovative, dual slide out chassis for either heating or cooling components for service
- Both sections can be independently, fully or partially removed for servicing
- With spare modules, building management can do quick swap outs to maintain climate in the apartment/condo while troubleshooting non-functioning units off line
- Designed for direct replacement of the individual modules at the end of their service life instead of the complete appliance
- All control harnesses are separated with modular quick disconnects, so module swap outs do not require time consuming rewiring;



Wall Sleeves

PART ID	DESCRIPTION	PRODUCT DIMENSIONS H X W X D (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
CWSMUA-TP	Condo Pack 12" Wall Sleeve - Taupe	44.875 x 28.875 x 12.59	45	\$370
CWSMUA19-TP	Condo Pack 19" Wall Sleeve - Taupe	44.875 x 28.875 x 18.89	61	\$571



Architectural Grilles

PART ID	DESCRIPTION	PRODUCT DIMENSIONS H X W X D (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
CAGMHA-ML	Architectural Grilles for High Efficiency Gas - Mill Finish, Unpainted	44.875 x 28.875 x 1.265	22.5	\$453
CAGMHA-TP	Architectural Grilles for High Efficiency Gas - Painted Standard Taupe	44.875 x 28.875 x 1.265	22.5	\$632
CAGMHA-XX	Architectural Grilles for High Efficiency Gas - Painted Custom Color	44.875 x 28.875 x 1.265	22.5	\$632

15,000 BTU

PART ID	AFUE	HEATING CAPACITY (BTU/H)	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-C15A-F12A-A	96.8%	14,500	12,300	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	328	\$6,900
P-C15A-F18A-A	96.8%	14,500	16,900	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	349	\$6,979
P-C15A-F24A-A	96.8%	14,500	21,200	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	349	\$7,056

30,000 BTU

PART ID	AFUE	HEATING CAPACITY (BTU/H)	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-C30A-F12A-A	93.0%	28,000	12,300	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	328	\$6,979
P-C30A-F18A-A	93.0%	28,000	16,900	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	349	\$7,056
P-C30A-F24A-A	93.0%	28,000	21,200	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	349	\$7,134

40,000 BTU

PART ID	AFUE	HEATING CAPACITY (BTU/H)	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-C40A-F12A-A	91.7%	37,000	12,300	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	328	\$7,056
P-C40A-F18A-A	91.7%	37,000	16,900	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	349	\$7,134
P-C40A-F24A-A	91.7%	37,000	21,200	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	349	\$7,212

50,000 BTU

PART ID	AFUE	HEATING CAPACITY (BTU/H)	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-C50A-F12A-A	90.6%	45,300	12,300	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	328	\$7,134
P-C50A-F18A-A	90.6%	45,300	16,900	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	349	\$7,212
P-C50A-F24A-A	90.6%	45,300	21,200	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	349	\$7,289



FEATURES & BENEFITS

- Modular Design
- Architectural Grilles Available - 15 color options available
- Three-piece design allows individual component handling for easy installation and serviceability
- All indoor access to parts and maintenance activities
- Innovative, dual slide out chassis for either heating or cooling components for service
- Both sections can be independently fully or partially removed for servicing
- With spare modules, building management can do quick swap outs to maintain climate in the apartment/condo while troubleshooting non-functioning units off line
- Designed for direct replacement of the individual modules at the end of their service life instead of the complete appliance
- All control harnesses are separated with modular quick disconnects, so module swap outs do not require time consuming rewiring



Wall Sleeves

PART ID	DESCRIPTION	PRODUCT DIMENSIONS H X W X D (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
CWSMUA-TP	Condo Pack 12" Wall Sleeve - Taupe	44.875 x 28.875 x 12.59	45	\$370
CWSMUA19-TP	Condo Pack 19" Wall Sleeve - Taupe	44.875 x 28.875 x 18.89	61	\$571



Architectural Grilles

PART ID	DESCRIPTION	PRODUCT DIMENSIONS H X W X D (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
CAGMHA-ML	Architectural Grilles for High Efficiency Gas - Mill Finish, Unpainted	44.875 x 28.875 x 1.265	22.5	\$453
CAGMHA-TP	Architectural Grilles for High Efficiency Gas - Painted Standard Taupe	44.875 x 28.875 x 1.265	22.5	\$632
CAGMHA-XX	Architectural Grilles for High Efficiency Gas - Painted Custom Color	44.875 x 28.875 x 1.265	22.5	\$632

26,000 BTU

PART ID	AFUE	HEATING CAPACITY (BTU/H)	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-S26A-F12A-A	80.0%	21,000	12,300	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	328	\$6,281
P-S26A-F18A-A	80.0%	21,000	16,900	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	349	\$6,358
P-S26A-F24A-A	80.0%	21,000	21,200	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	349	\$6,435

38,000 BTU

PART ID	AFUE	HEATING CAPACITY (BTU/H)	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-S38A-F12A-A	80.0%	30,400	12,300	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	328	\$6,281
P-S38A-F18A-A	80.0%	30,400	16,900	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	349	\$6,358
P-S38A-F24A-A	80.0%	30,400	21,200	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	349	\$6,435

51,000 BTU

PART ID	AFUE	HEATING CAPACITY (BTU/H)	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-S51A-F12A-A	80.0%	41,000	12,300	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	328	\$6,358





FEATURES & BENEFITS

- Modular Design
- Both sections can be independently, fully or partially removed for servicing
- Architectural Grilles Available - 15 color options available
- Three piece design allows individual component handling for easy installation and serviceability
- All indoor access to parts and maintenance activities
- Innovative, dual slide out chassis for either heating or cooling components for service
- With spare modules, building management can do quick swap outs to maintain climate in the apartment/condo while troubleshooting non functioning units off line
- Designed for direct replacement of the individual modules at the end of their service life instead of the complete appliance
- All control harnesses are separated with modular quick disconnects, so module swap outs do not require time consuming rewiring



Wall Sleeves

PART ID	DESCRIPTION	PRODUCT DIMENSIONS H X W X D (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
CWSMUA-TP	Condo Pack 12" Wall Sleeve - Taupe	44.875 x 28.875 x 12.59	45	\$370
CWSMUA19-TP	Condo Pack 19" Wall Sleeve - Taupe	44.875 x 28.875 x 18.89	61	\$571



Architectural Grilles

PART ID	DESCRIPTION	PRODUCT DIMENSIONS H X W X D (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
CAGMMA-ML	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Mill Finish, Unpainted	44.875 x 28.875 x 1.265	22.5	\$426
CAGMMA-TP	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Mill Finish, Unpainted	44.875 x 28.875 x 1.265	22.5	\$593
CAGMMA-XX	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Mill Finish, Unpainted	44.875 x 28.875 x 1.265	22.5	\$593

5 KILOWATT

PART ID	240V/ 208V	KW HEATING 240V/208V	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-E05A-F12A-A	4.8/3.6	4.8/3.6	12,300	24 1/8 X 7 1/8	43.1/8 x 28 x 32	8 x 16	321	\$6,435
P-E05A-F18A-A	4.8/3.6	4.8/3.6	12,300	24 1/8 X 7 1/8	43.1/8 x 28 x 32	8 x 16	331	\$6,514
P-E05A-F24A-A	4.8/3.6	4.8/3.6	12,300	24 1/8 X 7 1/8	43.1/8 x 28 x 32	8 x 16	331	\$6,591

7.5 KILOWATT

PART ID	240V/ 208V	KW HEATING 240V/208V	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-E07A-F12A-A	7.3/5.5	7.3/5.5	18,400	24 1/8 X 7 1/8	43.1/8 x 28 x 32	8 x 16	322	\$6,591
P-E07A-F18A-A	7.3/5.5	7.3/5.5	18,400	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	332	\$6,668
P-E07A-F24A-A	7.3/5.5	7.3/5.5	18,400	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	332	\$6,745

10 KILOWATT


PART ID	240V/ 208V	KW HEATING 240V/208V	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-E10A-F12A-A	9.6/7.2	9.6/7.2	24,600	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	323	\$6,668
P-E10A-F18A-A	9.6/7.2	9.6/7.2	24,600	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	333	\$6,745
P-E10A-F24A-A	9.6/7.2	9.6/7.2	24,600	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	333	\$6,822

15 KILOWATT

PART ID	240V/ 208V	KW HEATING 240V/208V	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT DIMENSIONS H X W X D (IN)	PLENUM OPENING W X L (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-E15A-F12A-A	14.4/10.8	14.4/10.8	36,900	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	324	\$6,745
P-E15A-F18A-A	14.4/10.8	14.4/10.8	36,900	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	334	\$6,822
P-E15A-F24A-A	14.4/10.8	14.4/10.8	36,900	24 1/8 X 7 1/8	43.125 x 28 x 32	8 x 16	334	\$6,900

CONDO PACK

11.7 SEER2 DUCT ONLY



11.7 SEER2 DUCT ONLY

PART ID	COOLING CAPACITY (BTU/H)	RETURN AIR	PRODUCT HEIGHT (IN)	PRODUCT WIDTH (IN)	PRODUCT DEPTH (IN)	PLENUM OPENING LENGTH (IN)	PLENUM OPENING WIDTH (IN)	PRODUCT NET WEIGHT LBS	MSRP
P-DNHA-F12A-A	12,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	309	\$3,846
P-DNHA-F18A-A	17,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	320	\$4,385
P-DNHA-F24A-A	23,000	24 1/8 X 7 1/8	43 1/8	28	32	8	16	320	\$4,487



Architectural Grilles

PART ID	DESCRIPTION	PRODUCT DIMENSIONS H X W X D (IN)	PRODUCT NET WEIGHT (LBS)	MSRP
CAGMMA-ML	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Mill Finish, Unpainted	44.875 x 28.875 x 1.265	22.5	\$544
CAGMMA-TP	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Mill Finish, Unpainted	44.875 x 28.875 x 1.265	22.5	\$758
CAGMMA-XX	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Mill Finish, Unpainted	44.875 x 28.875 x 1.265	22.5	\$758

OPTIONS/ACCESSORIES

PART ID	DESCRIPTION	MSRP
CWSMUA-TP	Condo Pack 12" Wall Sleeve - Taupe	\$379
CWSMUA19-TP	Condo Pack 19" Wall Sleeve - Taupe	\$435
CAGMMA-ML	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Mill Finish, Unpainted	\$422
CAGMMA-TP	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Painted Standard Taupe	\$587
CAGMMA-XX	Architectural Grilles - Mid-Efficiency, Electric and Duct Only - Painted Custom Color	Request Quote



HIGH-EFFICIENCY CFM AT EXTERNAL STATIC PRESSURE, INCHES WATER COLUMN

PART ID	HEATING	SETTING	SPEED TAP#	0.1"	0.2"	0.3"	0.4"	0.5"
C15A	15 kBTU/h	FACTORY	5	440	390	330	295	240
		HIGH	4	570	530	495	470	415
C30A	30 kBTU/h	FACTORY	4	770	745	730	705	695
		HIGH	3	770	745	730	705	695
C40A	40 kBTU/h	FACTORY	3	770	745	730	705	695
		HIGH	2	925	910	885	870	840
C50A	50 kBTU/h	FACTORY	2	925	910	885	870	840
		HIGH	N/A	N/A	N/A	N/A	N/A	N/A
A12A	1.0 ton	FACTORY	5	440	390	330	295	240
		HIGH	4	570	530	495	470	415
A18A	1.5 ton	FACTORY	1	645	600	560	530	470
		HIGH	3	770	745	730	705	695
A24A	2.0 ton	FACTORY	1	830	810	780	760	720
		HIGH	2	925	910	885	870	840



AIRFLOW - 1.0 & 1.5 TON MODELS - SCFM AT EXTERNAL STATIC PRESSURE IN W.C.

HEATING								
PART ID	BTU/H	SETTING	SPEED	0.1"	0.2"	0.3"	0.4"	0.5"
S26A	26K	FACTORY	5	430	430	405	330	285
		HIGH	4	565	535	525	490	420
S38A	38K	FACTORY	4	565	535	525	490	420
		HIGH	3	3770	745	730	710	690
S51A	51K	FACTORY	3	770	745	730	710	690
		HIGH	2	930	900	885	865	860
S64A	64K	FACTORY	2	930	900	885	865	860
		HIGH	N/A	N/A	N/A	N/A	N/A	N/A
HEATING								
PART ID	BTU/H	SETTING	SPEED	0.1"	0.2"	0.3"	0.4"	0.5"
A12A	1.0 TON	FACTORY	5	430	430	405	330	285
		HIGH	4	565	535	525	490	420
A18A	1.5 TON	FACTORY	1	665	630	620	575	500
		HIGH	3	770	745	730	710	690

AIRFLOW - 2.0 TON MODELS - SCFM AT EXTERNAL STATIC PRESSURE IN W.C.

HEATING								
PART ID	BTU/H	SETTING	SPEED	0.1"	0.2"	0.3"	0.4"	0.5"
S26A	26K	FACTORY	5	455	410	380	330	290
		HIGH	4	555	530	500	475	430
S38A	38K	FACTORY	4	555	530	500	475	430
		HIGH	3	770	755	725	710	675
S51A	51K	FACTORY	3	790	770	740	715	695
		HIGH	2	955	935	910	885	855
S64A	64K	FACTORY	2	955	935	910	885	855
		HIGH	N/A	N/A	N/A	N/A	N/A	N/A
COOLING								
PART ID	BTU/H	SETTING	SPEED	0.1"	0.2"	0.3"	0.4"	0.5"
A24A	2.0 TON	FACTORY	1	870	840	820	795	775
		HIGH	2	955	935	910	885	855



NAPOLEON

CELEBRATING OVER 40 YEARS OF HOME COMFORT PRODUCTS



napoleon.com

24 Napoleon Road, Barrie, Ontario, Canada L4M 0G8
103 Miller Drive, Crittenden, Kentucky, USA 41030
7200 Trans Canada Highway, Montreal, Quebec, Canada H4T 1A3

PHONE: 1-888-721-7253
hvacsales@napoleon.com

Printed in Canada
Effective: January 16, 2023
v23-01-17