

Color laser multifunction product



# Lexmark XC2132

Robust. Reliable performance.



Color



7-inch touch  
screen



Copy



Scan



Fax



Solutions



Up to 50  
ppm



Duplex



Network

## Color laser multifunction product

Founded in 1991 from an IBM heritage in Lexington, Kentucky, Lexmark is focused on delivering tailored solutions to solve the unique challenges businesses face. Lexmark's broad portfolio of high-quality products, solutions and services help improve productivity, increase efficiency and empower employees to perform at their best.

### Eco-responsible

Printing responsibly and reducing the impact of printing on the environment is a win for your business and your budget. Our goal is to design, package and deliver innovative products and solutions that produce high-quality output with reliable performance. And at the same time, help you minimize the number of cartridges you use over the life of a printer and conserve paper and energy.

The Lexmark Cartridge Collection Program provides a variety of methods for free returns of your empty cartridges to Lexmark or our collection partners. Program availability and details vary by country.

### Environmental protection is a shared responsibility

Through work with industry groups, Lexmark helps guide the formation of standards and principles for environmental sustainability.

#### Our memberships include:

- ▶ AeA Europe
- ▶ Ecma International
- ▶ Electronics Industry Citizenship Coalition (EICC)
- ▶ DIGITALEUROPE
- ▶ Information Technology Industry Council (ITI)
- ▶ ITI Environmental Leadership Council



## Color laser multifunction product

### Powerful performance

The Lexmark XC2132 multifunction product will help propel your business forward. Our solutions capable, eco-friendly systems can simplify processes and help you quickly respond to changing business needs.

- ▶ Process even the most complex jobs utilizing the 800MHz dual-core processing power and up to 3GB of memory, with print and copy speeds up to 32 ppm with time to first page in as little as 10.5 seconds, in black (monochrome)
- ▶ Produce professional color in-house, on demand output with a system that delivers consistent image quality on a diverse range of materials
- ▶ Advanced copy functions let you interrupt long print runs to make a quick copy and proof the first copy set before completing your copy job

### Accurate color

The Lexmark XC2132 MFP delivers rich, consistent color printing that can enhance your company's materials and brand. It's faster and more reliable than ever.

- ▶ Professional color matching - Lexmark Named Color Replacement and PANTONE® calibration make it easy to develop a consistent brand image by accurate color matching
- ▶ High resolution graphics - with up to true 1200x1200 dpi resolution, images and graphics stay crisp. Lexmark's Unison™ Toner ensures consistent quality, too
- ▶ Super fast and quiet output - quickly print, copy and scan up to 32 pages per minute plus produce a 1-page color document in as little as 11.5 seconds in color

### Easy and intuitive

The Lexmark XC2132 is designed for easy operation to allow you to stay focused on customer engagements instead of routine maintenance.

- ▶ Easy to navigate 7-inch touch screen provides audible feedback to make completing tasks intuitive and with print and scan preview features you can select documents or specific pages within a document
- ▶ Extend your environmental responsibility with energy-efficient settings such as the sleep button and hibernate mode and the instant warmup fuser helps reduce energy consumption and improve time to first page
- ▶ Manage your devices with available software, scan to multiple destinations, including scan to network, email, FTP, fax and more
- ▶ For higher volume print needs, optional input capacity can be added to keep jobs moving





### Automate critical processes

Our solutions are designed with your productivity in mind. The Lexmark XC2132 lets you interact with business applications directly on the device or with a server, on premise or hosted in the cloud. Reduce unnecessary printing and simplify work processes with Lexmark solutions.

### Navigate to efficiency

The Lexmark color touch screen is a key access point to your device. The customizable, 7-inch interface gives you the ability to preview thumbnails of documents prior to printing, as well as change print job settings at the device. You can even view, select and print specific pages within a document directly from the touch screen. Its easy-to-use, intuitive navigation provides fast access to the functions and shortcuts.

### Examples of preloaded solutions on XC2132 MFPs



#### Multi Send

Capture and route a document to multiple destinations simultaneously and print a copy if you choose. Documents can be routed to email, network folders or FTP sites.



#### Forms and Favorites

Eliminate waste and inefficiencies associated with preprinted forms. Store frequently printed forms, marketing materials or other documents online, then print them on demand.



#### Scan to Network Basic

Scan a hard-copy document and route the image to one of 100 predefined or public shared network folders.



#### Customer Support

Easily send information about your device to your authorized dealer.



## Color laser multifunction product



### Professional-quality output is only part of the story

By leveraging our industry expertise, you can generate efficiency and increase productivity across business processes to gain the power you need to move ahead. Lexmark technology solutions are tailored to your business environment—where business interactions and decisions are happening.

Empower your employees with workflow solutions that refine work processes, capture critical data and deliver information to the right place, at the right time and in the right format.

Contact your Lexmark Business Solutions Dealer for specific vertical solutions.\*

### Keep sensitive information and documents secure

Lexmark builds network devices with security in mind to protect your data and documents throughout your entire workflow. Our wide range of security functions include device management, device hardening and device operation.

**Device management.** Tools include administrative access and passwords, HTTPS, SNMPv3, IP security (IPSec) and 802.1x support to remotely monitor and manage device usage.

**Device hardening.** Includes port filtering, TCP connection filtering, hard disk encryption, hard disk wiping and digitally signed firmware updates that enhance the security of the device's network interface.

**Device operation.** Reduce vulnerabilities with authentication and authorization features, address book lookup via LDAP over SSL and device lockout for protection of user information.

### Lexmark has shown its strength and leadership with respect to security

- ▶ Forming and chairing the group that created the IEEE 2600 standards for security on hardcopy devices
- ▶ Becoming the first hard-copy device manufacturer to take a holistic approach with the National Information Assurance Partnership (NIAP) Common Criteria evaluation

\*Optional software available. Licensing fees apply.



1.

#### Intuitive color touch screen

Operate your device with ease through smart and intuitive navigation. Receive audible feedback when you use the touch screen.



2.

#### Flexible media handling

Print on a wide range of media with built-in 2-sided printing. Add additional input capacity up to 1450 pages for higher volume output needs.



3.

#### Professional color matching

Lexmark Color Replacement and PANTONE® calibration make it easy to develop a consistent brand image by accurately matching your colors.



4.

#### Automatic document feeder

Save time by scanning both sides of your document with robust color-scanning capabilities.



5.

#### Direct USB

The front USB port allows for convenient walk-up preview.



6.

#### Lexmark smart solutions

Reduce unnecessary printing and simplify work processes through solutions applications preloaded on your device. Choose additional Lexmark solutions to fit your unique workflow needs.



7.

#### Innovative Unison™ toner


Get advanced toner science, powerful enough to deliver consistently outstanding image quality with a shake free print system.



8.

#### Eco-friendly features

Easy-to-access features like eco-mode reduce paper and toner consumption. The sleep button and hibernate mode make it easy to print responsibly and help you save energy.



- Standard
- Optional

## XC2132

### Part # Models

28E0600 Lexmark XC2132

### Part # Laser toner/print cartridge

70C0Z10 Black Imaging Kit  
 70C0Z50 Black and Color Imaging Kit  
 70C0D10 Black Developer Unit  
 70C0D20 Cyan Developer Unit  
 70C0D30 Magenta Developer Unit  
 70C0D40 Yellow Developer Unit  
 70C0P00 Photoconductor Unit  
 C540X75G Waste Toner Bottle

### Part # Paper handling

38C0626 550-sheet duo tray with 100-sheet feeder  
 38C0636 550-sheet tray

### Part # Furniture

35S8502 Adjustable printer stand  
 3073173 Swivel cabinet

### Part # Memory options

57X9016 1024MBx32 DDR3 RAM  
 57X9012 2048MBx32 DDR3-RAM  
 57X9101 256MB Flash Memory Card  
 57X9115 Japanese Font Card  
 57X9114 Korean Font Card  
 57X9112 Simplified Chinese Font Card  
 57X9110 Traditional Chinese Font Card

### Part # Application solutions

38C5054 CX510 Forms and barcode card  
 38C5054 CX510 Card for PRESCRIBE Emulation

### Part # Connectivity

1021294 USB (2 Meter) Cable  
 27X0125 Lexmark MarkNet 8352 802.11b/g/n Wireless

### Part # Service parts

40X7615 Fuser Maintenance kit, 110-120V  
 40X7610 Image Transfer Unit  
 40X7622 Fuser, 110-120V  
 40X9108 ADF Separator Roller



Product specifications	Lexmark XC2132
<b>Printing</b>	
Display	Lexmark e-Task 7-inch (17.8 cm) color touch screen
Print Speed: Up to <sup>4</sup>	Black: 32 ppm / Color: 32 ppm
Time to First Page: As fast as	Black: 10.5 seconds / Color: 11.5 seconds
Print Resolution	Black: 1200 x 1200 dpi, 4800 Color Quality (2400 x 600 dpi) / Color: 1200 x 1200 dpi, 4800 Color Quality (2400 x 600 dpi)
Memory / Processor	Standard: 1024 MB / Maximum: 3072 MB / Dual Core, 800 MHz
Hard Disk	Included in configuration
Recommended Monthly Page Volume <sup>2</sup>	1500 - 7000 pages
Maximum Monthly Duty Cycle: Up to <sup>3</sup>	85000 pages per month
<b>Copying</b>	
Copy Speed: Up to <sup>4</sup>	Black: 32 cpm / Color: 32 cpm
Time to First Copy: As fast as	Black: 10.8 seconds / Color: 11.6 seconds
<b>Scanning</b>	
Scanner Type / ADF Scan	Flatbed scanner with ADF / RADF (Reversing Duplex)
Duplex Scan Speed: Up to	Black: 13 / 14 sides per minute / Color: 13 / 14 sides per minute
Simplex Scan Speed: Up to	Black: 30 / 32 sides per minute / Color: 30 / 32 sides per minute
<b>Faxing</b>	
Modem Speed	ITU T.30, V.34 Half-Duplex, 33.6 Kbps
<b>Supplies</b>	
Laser Cartridge Yields (up to) <sup>1</sup>	3,000-page Color (CMY) Extra High Yield Cartridges, 6,000-page Black Extra High Yield Cartridge
Photoconductor Estimated Yield: Up to <sup>5</sup>	40,000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage
Cartridge(s) Shipping with Product <sup>7</sup>	4,000-page Color (CMY) Extra High Yield Return Program Toner Cartridges, 8,000-page Black Extra High Yield Return Program Toner Cartridge
<b>Paper Handling</b>	
Included Paper Handling	250-Sheet Input, 150-Sheet Output Bin, Integrated Duplex, Single-Sheet Manual Feed
Optional Paper Handling	550-Sheet Tray, 550-Sheet Duo Tray with 100-Sheet Feeder
Paper Input Capacity: Up to	Standard: 250+1 pages 20 lb or 75 gsm bond / Maximum: 1450+1 pages 20 lb or 75 gsm bond
Paper Output Capacity: Up to	Standard: 150 pages 20 lb or 75 gsm bond / Maximum: 150 pages 20 lb or 75 gsm bond
Media Types Supported	Card Stock, Paper Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide.
Media Sizes Supported	A4, A5, Executive, Folio, JIS-B5, Legal, Letter, Universal, Oficio
<b>General Information<sup>4</sup></b>	
Standard Ports	USB 2.0 Specification Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000), Front USB 2.0 Specification Hi-Speed Certified Port (Type A), Rear USB 2.0 Specification Hi-Speed Certified Port (Type A)
Optional Network Ports	MarkNet N8352 802.11b/g/n Wireless
Noise Level: Operating	Print: 50 dBA / Copy: 50 dBA / Scan: 49 dBA
Specified Operating Environment	Temperature: 16 to 32°C (60 to 90°F), Humidity: 8 to 80% Relative Humidity, Altitude: 0 - 2896 Meters (9,500 Feet)
Size (in. - H x W x D) / Weight (lb.)	18.44 x 17.48 x 23.2 in. / 62 lb.

<sup>1</sup>Yield at approximately 5% print coverage per color. <sup>2</sup>Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. <sup>3</sup>Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. <sup>4</sup>Printers are sold subject to certain license/agreement conditions. See [www.lexmark.com/printerlicense](http://www.lexmark.com/printerlicense) for details. <sup>5</sup>Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity. <sup>6</sup>Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: [www.lexmark.com/ISOspeeds](http://www.lexmark.com/ISOspeeds). <sup>7</sup>Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798.

© 2015 Lexmark and the Lexmark logo are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. ENERGY STAR® is a U.S. registered mark.

AirPrint and the AirPrint logo are trademarks of Apple Inc.

15VW0M4371

