



2Compute, uw AcerPoint van vertrouwen

2Compute bvba, Schooldreef 73-75, B-9050 Gentbrugge - Tel: 09 232 10 73 - Email: info@2compute.be - BTW: BE 0462.510.945 - Webshop: www.2compute.net



Ean-code	Artikelcode Acer	Omschrijving
----------	------------------	--------------

- LCD Monitor -
Pricelist August 13th, 2013

V Series LCD

Specifications	
	LCD size 43 cm / 17", 338 x 270mm
	Resolution: 1280x1024
	Panel technology: TN+Film
	Pixel Pitch: 0.264mm
	PPI: 96
	Frequency H/V: 30-80KHz/55-75Hz
	Color: 16.2M colors (6 bit)
	Viewing Angles CR 5:1: 176° (H) , 176° (V)
	Viewing Angles CR 10:1: 160° (H) , 160° (V)
	Contrast: 20.000:1 (ACM)
	Brightness: 250cd/m ²
	Response time: 5ms
	Input signal: VGA (Analog D-sub)
	Power consumption: Energy Star 5.0 on: 13.9 W / Max on: - / Off: <0.52W / Standby 0.58W.
	Power adapter: internal
	Wallmount: VESA (100mm*100mm)
	Kensington Lock Support
	Weight: 3.75Kg (net)
	Dimensions (WxHxD) 376*370.2*160.2 mm
	Compliances: CE, TÜV GS, TCO5.0, ISO9241-307
	Accessories: all European power cables and VGA cable
	TCO 5.0
	Color: Black
	Warranty: 3 Years Bring-in Service

4717276147419 ET.BV3RE.D20 V173DOb - 43cm / 17" LCD - 5:4 - Analog - 20.000:1 - 5ms - ECO - Black - ES 5.0 - TCO 5.0

Specifications	
	LCD size 43 cm / 17", 338 x 270mm
	Resolution: 1280x1024
	Panel technology: TN+film LED Backlight
	Pixel Pitch: 0.264mm
	PPI: 96
	Frequency H/V: 30-80KHz/55-75Hz
	Color: 16.2M colors (6 bit)
	Viewing Angles CR 5:1: 176° (H) , 176° (V)
	Viewing Angles CR 10:1: 160° (H) , 160° (V)
	Contrast: 20.000:1 (ACM)
	Brightness: 250cd/m ²
	Response time: 5ms
	Input signal: VGA (Analog D-sub)
	Power consumption: Energy Star 5.0 on: 13.9 W / Max on: - / Off: <0.52W / Standby 0.58W.
	Power adapter: internal
	Wallmount: VESA (100mm*100mm)
	Kensington Lock Support
	Weight: 3.75Kg (net)
	Dimensions (WxHxD) 376*370.2*160.2 mm
	Compliances: CE, TÜV GS, TCO5.0, ISO9241-307
	Accessories: all European power cables and VGA cable
	TCO 5.0
	Color: Black
	Warranty: 3 Years Bring-in Service

[N] 4712196795689 UM.BV6EE.001 V176LB - 43cm / 17" LED LCD - 5:4 - Analog - 100M:1 - 5ms - ECO - Black - ES 6.0 - TCO 6.0

Specifications	
	LCD size: 47cm / 18.5" Wide 410 x 230mm
	Resolution: 1366x768 @60Hz Aspect Ratio:16:9
	Panel technology: TN+film LED Backlight
	Pixel Pitch: 0.3mm
	PPI: 85
	Frequency H/V: 30-80KHz / 55-75Hz
	Color: 16.7M colors (6 + HiFRC)

Viewing Angles CR 10:1: 170° (h) 160° (v)
Contrast: 100M:1 (ACM)
Brightness: 250cd/m²
Response time: 5ms
Input signal: Analog (D-sub)
Power consumption: Energy Star 6.0 on: 11,5 W / Min on: - / Off: 0.35W / Standby 0.45W
Power adapter: internal
Wallmount: VESA (100mm*100mm)
Kensington Lock Support
Weight: 2.72Kg (net) 3.8Kg (Gross)
Dimensions (WxHxD) 441 x 353 x 191mm
Compliances: CE, TÜV GS, ISO9241-307
TCO6.0 & Energy Star 6.0
Accessories: all European power cables and VGA cable
Color: Black
Warranty: 3 Years Bring-in Service
Palletsize: 122 units

[E] 4712196625047 UM.XV6EE.A03 V196HQLAb - 47cm / 18.5" Wide LED LCD - 1366x768 - 16:9 HD - Analog - 100M:1 - 5ms - ECO - 250Nits - Black - ES 6.0 - TCO'06

Specifications

LCD size 48 cm / 19" Wide, 408 x 255mm
Resolution: 1440x900 Aspect Ratio:16:10
Panel technology: TN+film LED Backlight
Pixel Pitch: 0.283
PPI: 90
Frequency H/V: 30-80KHz / 55-75Hz
Color: 16.7M colors (6 + HiFRC)
Viewing Angles CR 10:1: 170° (h) 160° (v)
Contrast: 100M:1 (ACM)
Brightness: 250cd/m²
Response time: 5ms
Input signal: Dual (VGA & DVI w/HDCP)
Power consumption: Energy Star 6.0 on: 13.0W / Min on: - / Off: <0.35W / Standby 0.45W
Power adapter: internal
Wallmount: VESA (100mm*100mm)
Kensington Lock Support
Weight: 3.11Kg (net) 4.3Kg (Gross)
Dimensions (WxHxD) 440 x 378 x 191mm
Compliances: CE, TÜV GS, ISO9241-307
TCO6.0 & Energy Star 6.0
Accessories: all European power cables and VGA cable
Two internal speaker 1W x2
Color: Black
Warranty: 3 Years Bring-in Service
Palletsize: 122 units

4712196624651 UM.CV6EE.005 V196WLBmd - 48cm / 19" Wide LED LCD - 1440x900 - 16:10 HD - Analog & DVI - 100M:1 - 5ms - Speakers - Black - ES 6.0 - TCO 6.0

Specifications

LCD size 48 cm / 19". 376 x 301mm
Resolution: 1280x1024 Aspect Ratio: 5:4
Panel technology: TN+film LED Backlight
Pixel Pitch: 0.294mm
PPI: 86
Frequency H/V: 30-80KHz / 55-75Hz
Color: 16.7M colors (6 bit + HiFRC)
Viewing Angles CR 10:1: 170° (H) , 160° (V)
Contrast: 100M:1 (ACM)
Brightness: 250cd/m²
Response time: 5ms
Input signal: VGA (Analog D-sub) & DVI-D (with HDCP)
Power consumption: Energy Star 6.0 on: 15.8W / Min on: - / Off: <0.35W / Standby 0.46W
Power adapter: internal
Wallmount: VESA (100mm*100mm)
Kensington Lock Support
Weight: 3.10Kg (net) 4.46Kg (Gross)
Dimensions (WxHxD) 406.4 x 408 x 207 mm
Compliances: CE, TÜV GS, ISO9241-307
TCO6.0 & Energy Star 6.0
Accessories: all European power cables and VGA cable (no DVI cable)
Color: Black
Warranty: 3 Years Bring-in Service
Palletsize: 110 stuks

4712196640927 UM.CV6EE.013 V196Lbd - 48cm / 19" LED LCD - 1280x1024 - 5:4 - Analog & DVI - 100M:1 - 5ms - ECO - Black - ES 6.0 - TCO'06

Specifications

LCD size 55cm / 21.5" Wide, 476.6*268.1mm
Resolution: 1920x1080 Aspect Ratio: 16:9
Display technology: VA Wide Viewing Angle + LED Backlight
Pixel Pitch: 0.248mm
PPI: 99
Frequency H/V: 30-80KHz / 55-75Hz
Color: 16.7M colors (6+HiFRC)
Viewing Angles CR 5:1 & 10:1: 178° (H) , 178° (V)
Contrast: 100M:1 (ACM)
Brightness: 250 cd/m²

Response time: 5ms
 Input signal: VGA (Analog D-sub) & DVI-D (with HDCP)
 Power consumption: Energy Star 6.0 Min on: 19.5W / Off: 0.25W / Standby 0.35W
 Power adapter: internal (100V-240V)
 Wallmount: VESA (100mm*100mm)
 Kensington Lock: Supported
 Weight: 3.66Kg (net) 4.83Kg (Gross)
 Dimension (WxHxD): 508 x 390 x 206.8mm
 Compliances: CE, TÜV GS, ISO9241-307
 TCO6.0 & Energy Star 6.0
 Accessories: all European power cables and VGA cable (no DVI cable)
 Color: Black
 Warranty: 3 Years Bring-in Service
 Palletsize: 100 stuks

4712196668075 [UM.WV6EE.A01](#) [V226HQLAbd - 55cm / 21.5" Wide LED LCD - 1920x1080 - 16:9 FHD - VA Panel - Analog & DVI - 100M:1 - 5ms - ECO - Black - ES 6.0 - TCO 6.0](#)

Specifications	
LCD size	56 cm / 22" Wide 473.8x296.1mm
Resolution:	1680x1050 Aspect Ratio: 16:10
Display technology:	TN + film, LED Backlight
Pixel Pitch:	0.282mm
PPI:	90.1
Frequency H/V:	30-80KHz / 55-75Hz
Color:	16.7M colors (6+HiFRC)
Viewing Angles CR 10:1:	170° (H) , 160° (V)
Contrast:	100M:1
Brightness:	250 cd/m²
Response time:	5ms
Input signal:	VGA (Analog D-sub) & DVI-D (with HDCP)
Power consumption:	Energy Star 6.0 on: 17.2W / Min on: -W / Off: 0.35W / Standby 0.45W
Power adapter:	internal (100V-240V)
Wallmount:	VESA (100mm*100mm)
Kensington Lock:	Supported
Weight:	3.52Kg (net) 5.00Kg (Gross)
Dimension (WxHxD)	505.8 x 419.1 x 207 mm
Compliances:	CE, TÜV GS, ISO9241-307
TCO6.0 & Energy Star	6.0
Two internal speaker	2W x2
Color:	Black
Warranty:	3 Years Bring-in Service
Palletsize:	88 stuks

4712196624989 [UM.EV6EE.008](#) [V226WLbmd - 56cm / 22" Wide LED LCD - 1680x1050 - 16:10 - Analog & DVI - 100M:1 - 5ms - Speakers - ECO - Black - ES 6.0 - TCO 6.0](#)

Specifications	
LCD size	58 cm / 23" Wide 509.8x286.8mm
Resolution:	1920x1080 Aspect Ratio: 16:9
Display technology:	IPS + LED Backlight
Pixel Pitch:	0.265mm
PPI:	96
Frequency H/V:	54.2-83.8KHz/49-75Hz
Color:	16.7M colors (6+HiFRC)
Viewing Angles CR 5:1 & 10:1:	178° (H) , 178° (V)
Contrast:	100M:1
Brightness:	250 cd/m²
Response time:	6ms
Input signal:	VGA (Analog D-sub) & DVI-D (with HDCP)
Power consumption:	Energy Star 6.0 on: 17.2W / Min on: -W / Off: 0.35W / Standby 0.45W
Power adapter:	internal (100V-240V)
Wallmount:	VESA (100mm*100mm)
Kensington Lock:	Supported
Weight:	4.50Kg (net) 5.50Kg (Gross) (est. Values)
Dimension (WxHxD)	505.8 x 419.1 x 207 mm
Compliances:	CE, TÜV GS, ISO9241-307
TCO6.0 & Energy Star	6.0
Color:	Black
Warranty:	3 Years Bring-in Service
Palletsize:	80 stuks

4712196738457 [UM.VV6EE.001](#) [V236HLbd - 58cm / 23" Wide LED LCD - 1920x1080 - 16:9 FHD - IPS Panel - Analog & DVI - 100M:1 - 6ms - Speakers - ECO - Black - ES 6.0 - TCO 6.0](#)

Specifications	
LCD size	61cm / 24 "Wide 531x299mm
Resolution:	1920x1080@60Hz Aspect Ratio: 16:9
Panel technology:	VA Wide Angle + LED Backlight
Pixel Pitch:	0.276mm
PPI:	92
Frequency H/V:	30-80KHz / 55-75Hz
Color:	16.7M colors (6+HiFRC)
Viewing Angles CR 10:1:	170° (H) , 160° (V)
Contrast:	100M:1
Brightness:	250 cd/m²
Response time:	5ms
Input signal:	VGA (Analog D-sub) & DVI-D (with HDCP)
Power consumption:	Energy Star 6.0 on: 20.9 W / Max on: - / Off: <0.35W / Standby <0.45W
Power adapter:	internal (100V-240V)

Wallmount: VESA (100mm*100mm)
Kensington Lock: Supported
Weight: 3.90Kg (net) 5.44Kg (Gross)
Dimension (WxHxD) 567 x 422.2 x 206.8
Compliances: CE, TÜV GS, ISO9241-307
TCO6.0 & Energy Star 6.0
Two internal speaker 2W x2
Color: Black
Warranty: 3 Years Bring-in Service
Palletsize: 80 stuks

4712196627041 [UM.FV6EE.005](#) [V246HLbmd - 61cm / 24" Wide LCD - 1920x1080 - 16:9 FHD LED - Analog & DVI - 100M:1 - 5ms - Speakers Black - ES 6.0 - TCO 6.0](#)

Specifications

LCD size 69cm / 27" Wide
Resolution: 1920x1080@60Hz Aspect Ratio: 16:9
Display technology: VA Wide Viewing Angle + LED Backlight
Pixel Pitch: 0.311mm
PPI: 82
Frequency H/V: 30-80KHz / 55-75Hz
Color: 16.7M colors (6+HiFRC)
Viewing Angles CR 5:1 & 10:1: 178° (H) , 178° (V)
Contrast:100M:1 (ACM)
Brightness: 250 cd/m²
Response time: 6ms
Input signal: VGA + DVI (w/ HDCP) + DisplayPort
Power consumption: Energy Star 6.0 on: 24.1 W / Max on: - / Off: <0.48W / Standby <0.35W (est. Values)
Power adapter: External (100V-240V)
Wallmount: VESA (100mm*100mm)
Kensington Lock: Supported
Weight: 4.50Kg (net) 5.50Kg (Gross) (est. Values)
Dimension (WxHxD) 639.7 x 463.4 x 242
Compliances: CE, TÜV GS, ISO9241-307
TCO6.0 & Energy Star 6.0
Two internal speaker 1.5W x2
Color: Black
Warranty: 3 Years Bring-in Service
Palletsize: 59 stuks

4712196644123 [UM.HV6EE.009](#) [V276HLbmdp - 69cm / 27" Wide LCD - 1920x1080 - 16:9 FHD LED - VA Panel - Analog, DVI & DisplayPort - 100M:1 - 6ms - Black - ES 6.0 - TCO 6.0](#)

B Series LCD

Specifications

LCD size 48 cm / 19", 376x301mm
Resolution: 1280x1024@75Hz Aspect Ratio: 5:4
Panel technology: TN+film LED Backlight
Pixel Pitch: 0.294mm
PPI: 86
Color: 16.7M colors (6+ HiFRC)
Viewing Angles CR 10:1: 170° (H) , 160° (V)
Contrast: 100M:1
Brightness: 250cd/m²
Response time: 5ms
Adjustments: 150 mm up/down, 60° left/right, 5° forward/35° back
Input signal: VGA (Analog D-sub) & DVI-D (with HDCP)
Power consumption: Energy Star 6.0 on: 18.5 W / Max on: 21.5 W / Off: 0.0W / Standby 0.53W
Power adapter: internal (100V-240V)
Wallmount: VESA (100mm*100mm)
Kensington Lock: Supported
Weight: 5.33Kg (net) 6.83Kg (Gross)
Dimensions (WxHxD): 406.4 x 519.2 x 221
Compliances: CE, TÜV GS, ISO9241-307
TCO6.0 & Energy Star 6.0
Zero Bright Dot Warranty
Two internal speaker 1W x2
Color: dark grey
Warranty: 3 Years Bring-in Service
Palletsize: 110 stuks

4712196654924 [UM.CB6EE.005](#) [B196Lymdr - 48cm / 19" LED LCD - 1280x1024 - 5:4 - Analog & DVI - 100M:1 - 5ms - Speakers - height adjustable \(150mm\) - ZBD - ECO - Dark Grey - ES 6.0 - TCO 6.0](#)

Specifications

LCD size 56 cm / 22" Wide
Resolution: 1680x1050@60Hz LED
Pixel Pitch: 0.282
PPI: 90.1
Color: 16.7M colors (6+ HiFRC)
Viewing Angles CR 5:1: 176° (H) , 176° (V)
Viewing Angles CR 10:1: 170° (H) , 160° (V)
Contrast: 12.000.000:1 (ACM)
Brightness: 250cd/m²
Response time: 5ms
Height adjustment: 110 mm up/down, 35° left/right, 5° forward/15° back
Pivot Degrees: 90
Input signal: VGA + DVI (w/ HDCP) + DisplayPort

Two internal speaker 1W x2
 Power consumption: Energy Star 5.0 on: 15.6W / Max on: - W / Off: 0.31W / Standby 0.42W
 Power adapter: internal (100V-240V)
 Wallmount: VESA (100mm*100mm)
 Kensington Lock: Supported
 Weight: Netto: 6.0Kg
 Dimensions (WxHxD): 506x357x216
 Zero Bright Dot Warranty
 Backlight type: LED
 TCO 5.2
 Color: dark grey
 Warranty: 3 Years Bring-in Service

[E] 4712196201173 UM.EB3EE.A01 B223PWLAmYdr - 56cm / 22" Wide LCD - 16:10 - LED - Analog - DVI - Displayport - 100M:1 - 5ms - Speakers - height adjustable & pivot - ZBD - Dark Grey - ES 5.0 - TCO 5.2

Specifications

LCD size 56 cm / 22"Wide 473.8x296.1mm
 Resolution: 1680x1050@60Hz Aspect Ratio: 16:10
 Panel technology: TN+film LED Backlight
 Pixel Pitch: 0.282
 PPI: 90.1
 Color: 16.7M colors (6+ HiFRC)
 Viewing Angles CR 10:1: 170° (H) , 160° (V)
 Contrast: 100M:1
 Brightness: 250cd/m²
 Response time: 5ms
 Adjustments: 150 mm up/down, 60° left/right, 5° forward/35° back, Pivot 90°
 Input signal: VGA + DVI (w/HDCP)
 Power consumption: Energy Star 6.0 on: 17.2W / Max on: - W / Off: 0.35W / Standby 0.45W
 Power adapter: internal (100V-240V)
 Wallmount: VESA (100mm*100mm)
 Kensington Lock: Supported
 Weight: 5.75Kg (net) 7.50Kg (Gross)
 Dimensions (WxHxD): 505.8 x 334.1 x 221.2
 Compliances: CE, TÜV GS, ISO9241-307
 TCO6.0 & Energy Star 6.0
 Zero Bright Dot Warranty
 Two internal speaker 1W x2
 Color: dark grey
 Warranty: 3 Years Bring-in Service
 Palletsize: 60 stuks

4712196640743 UM.EB6EE.005 B226WLYmYdr - 56cm / 22" Wide LCD - 1680x1050 - 16:10 - LED - Analog & DVI - 100M:1 - 5ms - Speakers - height adjustable (150mm) & pivot - ZBD - Dark Grey - ES 6.0 - TCO 6.0

Specifications

LCD size 58 cm / 23"Wide
 Resolution: 1920x1080@60Hz FHD LED
 Pixel Pitch: 0.265
 PPI: 96
 Color: 16.7M colors (6+ HiFRC)
 Viewing Angles CR 5:1: 176° (H) , 170° (V)
 Viewing Angles CR 10:1: 170° (H) , 160° (V)
 Contrast: 100M:1 (ACM)
 Brightness: 250cd/m²
 Response time: 5ms
 Height adjustment: 110 mm up/down, 35° left/right, 5° forward/15° back
 Input signal: Analoge (D-sub), DVI-D
 Two internal speaker 1.5W x2
 Power consumption: Energy Star 5.0 on: 24.9W / Max on: - W / Off: 0.47W / Standby 0.47W
 Power adapter: internal (100V-240V)
 Wallmount: VESA (100mm*100mm)
 Kensington Lock: Supported
 Weight: Netto: 8.5Kg
 Dimensions (WxHxD): 544.5x385x234.7
 Zero Bright Dot Warranty
 Backlight type: LED
 TCO 5.0
 Color: dark grey
 Warranty: 3 Years Bring-in Service

4712196197087 UM.VB3EE.B01 B233HLBOymdh - 58cm / 23" Wide LCD - 16:9 - LED - Analog & DVI - 100M:1 - 5ms - Speakers - height adjustable - ZBD - Dark Grey - ES 5.0 - TCO 5.2

Specifications

LCD size 61cm / 24"Wide
 Resolution: 1920x1200@60Hz FHD LED
 Panel technology: IPS LED Backlight
 Pixel Pitch: 0.276mm
 PPI: 92
 Colors: 16.7M (6+HiFRC)
 Viewing Angle: 178° (H) , 178° (V)
 Contrast: 100.000.000:1
 Brightness: 300cd/m²
 Response time: 14ms
 Height adjustment: 110 mm up/down, 35° left/right, 5° forward/15° back
 Pivot Degrees: 90
 Input signal: VGA + DVI (w/HDCP) + DisplayPort

Speakers 2x 1w
 Power consumption: ES 5.0 on 17.15 W / Standby 0.55 W / Sleep 0.45 W
 Power adapter: internal (100V-240V)
 Wallmount: VESA (100mm*100mm)
 Kensington Lock: Supported
 Weight: 7.6 Kg
 Display dimensions: 531 x 299mm
 Dimension (WxHxD) 567*393*235mm
 Zero Bright Dot Warranty
 Color: dark grey
 Warranty: 3 Years Bring-in Service

[E] 4712196201265 UM.FB3EE.A05 B243PWLAYmdr - 61cm / 24" Wide LCD - 16:10 IPS LED - Analog - DVI - Displayport - 100M:1 - 14ms - Speakers - height adj. & pivot - ZBD - Black - ES 5.0 - TCO 5.2

Specifications

LCD size 61cm / 24" Wide 531x299mm
 Resolution: 1920x1080@60Hz FHD LED Aspect Ratio: 16:9
 Panel technology: TN+film LED Backlight
 Pixel Pitch: 0.276mm
 PPI: 92
 Colors: 16.7M (6+HiFRC)
 Viewing Angles CR 10:1: 170° (H) , 160° (V)
 Contrast: 100M:1
 Brightness: 250cd/m²
 Response time: 5ms
 Adjustments: 150 mm up/down, 60° left/right, 5° forward/35° back, Pivot 90°
 Pivot Degrees: 90
 Input signal: VGA + DVI (w/HDCP)
 Power consumption: ES 6.0 on 20.9 W / Standby 0.55 W / Sleep 0.45 W
 Power adapter: internal (100V-240V)
 Wallmount: VESA (100mm*100mm)
 Kensington Lock: Supported
 Weight: 7.6 Kg
 Dimension (WxHxD) 567*385.5*221.2mm
 Compliances: CE, TÜV GS, ISO9241-307
 TCO6.0 & Energy Star 6.0
 Zero Bright Dot Warranty
 Speakers 2x 2w
 Color: dark grey
 Warranty: 3 Years Bring-in Service
 Palletsize: 43 stuks

4712196649937 UM.FB6EE.009 B246HLYmdr - 61cm / 24" Wide LCD - 1920x1080 - 16:9 FHD LED - Analog & DVI - 100M:1 - 5ms - Speakers - height adjustable (150mm) & pivot - ZBD - Black - ES 6.0 - TCO 6.0

S series LCD

Specifications

LCD size 58cm / 23" Wide
 Resolution: 1920x1080@60Hz
 Panel technology: E-IPS LED Backlight
 Pixel Pitch: 0.265 mm
 PPI: 96
 Frequency H/V: 30-80KHz/55-75Hz
 Color: 16.7M colors (6 + HiFRC)
 Viewing Angles CR 5:1: 178° (H) , 178° (V)
 Viewing Angles CR 10:1: 178° (H) , 178° (V)
 Contrast: 100M:1 (ACM)
 Brightness: 250cd/m²
 Response time: 2ms
 Input signal: Analog & 2x HDMI
 Power consumption: Energy Star 5.0 on: 26.0 W / Sleep 0.5W / Standby 0.40W
 Power adapter: External Adapter
 Wallmount: No
 Kensington Lock Support
 Weight: 4.2 Kg (net)
 Dimensions (WxHxD) 548 x 405 x 142mm
 Compliances: CE, TÜV GS, MPRII, ISO9241-307
 Accessories: all European power cables and VGA cable, NO HDMI cables
 MPRII
 Color: Black
 Warranty: 3 Years Bring-in Service

[E] 4712196432317 UM.VS5EE.B01 S235HLBmii 58cm / 23" Wide LCD - 16:9 FHD IPS LED - ZeroFrame - Analog - 2x HDMI - 100M:1 - 6ms - Speakers - ECO - CrystalBrite - Black - ES 5.0 - MPRII

Specifications

LCD size 69cm / 27" Wide
 Resolution: 1920x1080@60Hz
 Panel technology: E-IPS LED
 Pixel Pitch: 0.311 mm
 PPI: 82
 Frequency H/V: 30-80KHz / 55-75Hz
 Color: 16.7M colors
 Viewing Angles CR 5:1: 178° (H) , 178° (V)
 Viewing Angles CR 10:1: 178° (H) , 178° (V)
 Contrast: 100M:1 (ACM)

Brightness: 250cd/m²
 Response time: 6ms
 Input signal: VGA + 2x HDMI (w/ HDCP)
 Power consumption: Energy Star 5.0 on: 36.0 W
 Power adapter: External Adapter
 Wallmount: No
 Kensington Lock Support
 Weight: 6.8 Kg (net) 9.7Kg (Gross)
 Dimensions (WxHxD) 622 x 450 x 142mm (14.7mm ZeroFrame Profile thickness)
 Compliances: CE, TÜV GS, ISO9241-307 MPRII
 Accessories: all European power cables and VGA cable, NO HDMI cables
 Color: Black
 Warranty: 3 Years Bring-in Service

4712196332334 UM.HS5EE.001

S275HLbmii 69cm / 27" Wide LCD - 16:9 FHD IPS LED - Analog & 2x HDMI - 100.000.000:1 - 6ms - Speakers - ECO - CrystalBrite - Zeroframe - Black - ES 5.0 - MPRII

T series LCD

Specifications

LCD size 58cm / 23" Wide
 Resolution: 1920x1080@60Hz
 Panel technology: E-IPS LED
 Pixel Pitch: 0.265 mm
 PPI: 96
 Frequency H/V: 54.2-83.8KHz/49-75Hz
 Color: 16.7M colors (6 + HiFRC)
 Viewing Angles CR 5:1: 178°/178°
 Viewing Angles CR 10:1: 178°/178°
 Contrast: 100M:1
 Brightness: 250cd/m²
 Response time: 5ms
 Input signal: VGA + DVI + HDMI® + USB (1up + 3down)
 Power consumption: 25.4 W / Sleep 0.53W / Standby 0.48W
 Power adapter: External 65W Power Adapter
 Wallmount: VESA (100mm*100mm)
 Kensington Lock Support
 10 finger Touch: Ten-point multi-touch allows pinch-to-zoom, rotate images, and scroll
 Microsoft Windows 8 certified
 Tilt: 8°~ 60°
 Weight: 5.7 Kg (net) 7.9Kg (Gross)
 Dimensions (WxHxD) 574 x 455 x 50mm (38mm Profile Thickness)
 Compliances: CE, TÜV GS, ISO9241-307, MPRII
 Accessories: all European power cables, VGA and DVI cable, NO HDMI cables
 Color: Black
 Warranty: 3 Years Bring-in Service

4712196332419 UM.VT2EE.001

T232HLbmidz Touch - 58cm / 23" wide IPS LED - 16:9 - FHD - Analog, DVI & HDMI - 10 finger Touch - Speakers - USB Hub - Black - MPRII - ES 5.0 - Win8 Compliant

Specifications

LCD size 69cm / 27" Wide
 Resolution: 1920x1080@60Hz
 Panel technology: WVA
 Pixel Pitch: 0.311 mm
 PPI: 82
 Frequency H/V: 30-80KHz/55-75Hz
 Color: 16.7M colors (6 + HiFRC)
 Viewing Angles CR 5:1: 178° (H) , 178° (V)
 Viewing Angles CR 10:1: 178° (H) , 178° (V)
 Contrast: 100M:1
 Brightness: 300cd/m²
 Response time: 5ms
 Input signal: VGA + DVI + HDMI® + USB (1up + 3down)
 Power consumption: TBD
 Power adapter: External 65W Power Adapter
 Wallmount: VESA (100mm*100mm)
 Kensington Lock Support
 10 finger Touch: Ten-point multi-touch allows pinch-to-zoom, rotate images, and scroll
 Microsoft Windows 8 certified
 Tilt: 10°~ 60°
 Weight: TBD
 Dimensions (WxHxD) 660 x 493 x 50mm (38mm Profile Thickness)
 Compliances: CE, TÜV GS, ISO9241-307, MPRII
 Accessories: all European power cables, VGA and DVI cable, NO HDMI cables
 Color: Black
 Warranty: 3 Years Bring-in Service

4712196332631 UM.HT2EE.001

T272HLbmidz Touch - 69cm / 27" wide VA LED - 16:9 - FHD - Analog, DVI & HDMI - 10 finger Touch - Speakers - USB Hub - Black - MPRII - ES 5.0 - Win8 Compliant

Specials: Android All in One

Specifications

LCD size 55cm / 21.5" Wide, 476.6*268.1mm
 Resolution: 1920x1080 Aspect Ratio: 16:9
 Display technology: VA Wide Viewing Angle + LED Backlight

Android 4.0 Ice Cream Sandwich
Pixel Pitch: 0.248mm
2 point multi-touch (optical)
1.2 MP HD webcam,
MicroSD storage expansion
3 USB 2.0 ports
WiFi and Bluetooth
TI OMAP 4428, Dual-core ARM Coretex-A9,
8 GB eMMC uitbreidbaar naar 40GB & 1 GB RAM
PPI: 102
Frequency H/V: 30-80KHz / 55-75Hz
Color: 16.7M colors (6+HiFRC)
Viewing Angles CR 5:1 & 10:1: 178° (H) , 178° (V)
Contrast: 100M:1 (ACM)
Brightness: 250 cd/m²
Response time: 12ms
Input signal: Micro HDMI + USB2.0 + MicroSD
Power consumption: 27W / Off: 0.48W / Standby 0.48W
Power adapter: external (100V-240V)
Wallmount: VESA (100mm*100mm)
Kensington Lock: Supported
Weight: 4.8Kg (net) 5.8Kg (Gross)
Dimension (WxHxD): 512.8x359.5x56.6
Compliances: CE, TÜV GS, ISO9241-307
Accessories: all European power cables and VGA cable (no DVI cable)
Color: Black
Warranty: 3 Years Bring-in Service
Palletsize: 72 stuks

4712196844066 UM.WD0EE.A10

DA220HQLAsmiacg - 55cm (21.5") Wide, 16:9 - FHD LED - VA Glare panel - 12ms - 100M:1 - 250nits - Android ICS - TI OMAP 4428, Dual-core ARM Coretex-A9, 1Ghz - 8 GB eMMC & 1 GB RAM - Optical 2 finger Touch - microHDMI - MM - Micro-SD - USB Hub - 1.2MP Webcam - 802.11 b/g/n WIFI - Bluetooth - MPRII - Black - ACM - EcoDisplay