


THE POSSIBILITIES ARE INFINITE **FUJITSU**

Italy

End User Reference Price List

Prices Valid From : February 2012





Content

News and Highlights	3	LIFEBOOK E781	31	CELSIUS H710	86	PRIMERGY RX300 S6	156
Positioning	4	LIFEBOOK P701	32	CELSIUS H910	87	PRIMECENTER M1	158
		LIFEBOOK P771	33	CELSIUS W410	88	Rack Servers Accessories	161
Positioning Zero Client	6	LIFEBOOK NH751	34	CELSIUS W510	89	Rack Servers Options	170
Zero Clients	7	LIFEBOOK Accessories	35	CELSIUS M470	90		
Portable Zero Clients	8	LIFEBOOK Options	37	CELSIUS R570	92	Positioning PRIMERGY Blade	196
				CELSIUS R670	93	PRIMERGY BX400 S1	198
Positioning Tablet PC	9	Positioning FUTRO	50	CELSIUS Accessories	95	PRIMERGY BX620 S4	199
LIFEBOOK T901	11	FUTRO S550-2	51	CELSIUS Options	100	PRIMERGY BX620 S5	200
LIFEBOOK T730	13	FUTRO S700	52			PRIMERGY BX900 S1	201
LIFEBOOK T731	14	FUTRO S900	53	Positioning Displays	117	PRIMERGY BX92x S2	202
LIFEBOOK T580	15	FUTRO Accessories	54	Displays	118	PRIMERGY BX960 S1	203
STYLISTIC Q550	16	FUTRO Options	56			PRIMERGY SX650	204
TABLET PC Accessories	17			Positioning Keyboard & Security	119	PRIMERGY SX910 S1	205
TABLET PC Options	19	Positioning ESPRIMO	60	Keyboards	120	PRIMERGY SX940 S1	206
		ESPRIMO C	61			PRIMERGY SX960 S1	207
Positioning Notebook	23	ESPRIMO E	62	Positioning PRIMERGY Tower	121	PRIMERGY SX980 S1	208
LIFEBOOK SH531	24	ESPRIMO P	67	PRIMERGY TX150 S7	122	PRIMERGY NX650 NAS	209
LIFEBOOK LH531	25	ESPRIMO Q	71	Tower Servers Accessories	125	Blade Servers Accessories	210
LIFEBOOK S751	26	ESPRIMO Accessories	72	Tower Servers Options	134	Blade Servers Options	217
LIFEBOOK S761	27	ESPRIMO Options	74				
LIFEBOOK S781	28			Positioning PRIMERGY Rack	154		
LIFEBOOK E751	29	CELSIUS Positioning	84	PRIMERGY RX100 S7	155		



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

News and Highlights



ZERO CLIENTS

The Zero Client is a revolutionary new way of supplying standard office applications to your business. As a front-end device designed for a desktop virtualization environment, it delivers a full desktop experience at a fraction of the normal cost. The Zero Client is a manageable, space-saving solution for large deployments offering exceptional security, an extremely long lifecycle, excellent reliability and absolutely no noise during operation. Thanks to Desktop Virtualization, a Zero Client deployment allows a business to deploy IT resources flexibly and react quickly to changing users and working locations



STYLISTIC Q550

As a busy mobile professional, you want a Slate PC which is as good at working as your after-hours device is at playing. The STYLISTIC Q550 is the first slate to really work for you whether you're in a large corporation, government or small businesses. It delivers an excellent usability experience, with flexible options for creating business content and collaborating with others. Being Windows® 7 Professional based, it integrates with institutional platforms and provides security for enterprises with users who work on the move.



LIFEBOOK T901

The Fujitsu LIFEBOOK T901 is an ultra versatile lightweight convertible notebook for the professional user. Its brilliant, bi-directional rotatable, high-bright LED display including LED rotation indicators is a pleasure to use. With the LIFEBOOK T901 you can either work with multiple finger-touch or with the multifunctional pen. Berliner Glass ensures highest reliability.



**LIFEBOOK S
Series**

The LIFEBOOK S Series gives professional users the optimum combination of performance, modularity and flexibility: the functionality and ease of use of a desktop in a slimline, lightweight package. The integrated modem, network adapter, optional Bluetooth and wireless LAN are complemented by a multifunctional bay. The latest Intel Core 2Duo technology provide you long battery life away from the power socket.



**LIFEBOOK E
Series**

The LIFEBOOK E Series always follows a simple philosophy: only the best will do. Top notch performance with only 2.7 kg makes this notebook as one of the lightest in its class. The comprehensive security features, separate SmartCard reader, TPM and Fingerprint modules make your sensible data safe and secure – anytime, anywhere.

Take advantage of the growing network of wireless working and catch up emails where ever you are via optional embedded UMTS.



**LIFEBOOK P
Series**

The LIFEBOOK P Series fits in any bag - meeting the most demanding airport restrictions. At only 1.3 kg this lightweight combines superior style with exceptional performance and state-of-the-art connectivity, including embedded mobile broadband access and excellent communications ability. Thanks to video conferencing support with the integrated ConfCamera, this 12.1-inch screen beauty is truly a maximum. It provides all standard interfaces, and tops it off with a exceptional long battery run time. The integrated EcoButton extends the battery life even further. In short, true mobility becomes reality.



The Fujitsu LIFEBOOK NH751 notebook is a mobile cinema that enables users to experience their films, photos, social networking and games in stunning quality on a brilliant widescreen 43.9 cm (17.3-inch) display with powerful NVIDIA® GeForce® GT 525M discrete graphics with NVIDIA® Optimus™ technology, whenever and wherever they want. While the spill-resistant keyboard provides extra reliability, high-gloss black finish, frameless display and

LIFEBOOK NH751



FUTRO

outstanding slim profile make the notebook a real head-turner.

The Fujitsu Thin Clients are perfect devices for server-based computing and Virtual Workplace solutions.

High energy-efficiency and silent operation without fans and rotating disk drives guarantee a pleasant working environment and the lowest running costs.



ESPRIMO

Fujitsu presents a range of PCs characterized by high ergonomic standards, sophisticated product concepts and the best economy. Fujitsu has the right system to suit every customer's requirements.

0-Watt PC - equipped with innovative technology from Fujitsu. Our patented 0-Watt PC technology reduces energy consumption in off- / hibernating mode to 0.0 watts, without reducing manageability.



CELSIUS

Do you want to access your workstation remotely? Then the CELSIUS RemoteAccess solution is the right choice for you. It enables you to separate your hardware from data input and output while keeping at the same time the real workstation user experience and performance. With the CELSIUS M470, CELSIUS R570 and CELSIUS R670 our offering of mid-range and high-end workstations got a refresh to meet highest demands.



Displays & Accessories

The PRIMERGY SX940 S1 Direct Attached Storage Blade Disk

The new Fujitsu displays of the P Line ECO provide all the proven features superior displays can offer and additional unique energy saving solutions like 0-watt power save mode and automatic brightness control. The new 22-inch wide is the first with the new standard TCO Displays 5.0.

Always something new in the Peripherals Portfolio: e.g. keyboards and wireless sets in glossy piano black design fitting perfectly to the new lifestyle displays. Accessories and Security Devices according to latest technologies meet the latest market needs.



PRIMERGY
TX100 S1

PRIMERGY TX industry standard tower servers: efficient, rock solid, record-breaking performance. PRIMERGY TX servers benefit from over 20 years pioneering work in the field of Green IT. That is how TX servers reach industry – leading performance per watt ratios, lowering the environmental impact and running costs. TX servers can easily be managed locally or remotely via the PRIMERGY ServerView Suite, saving IT admin costs. That's efficient performance. Our made-to-measure service packages take care of your system every step of the way. Rest assured, PRIMERGY TX servers are put through 5000 boot cycles - that's rock solid performance. PRIMERGY TX servers are flexible systems capable of using up to two processors and up to 20 hard disks. Tower to rack mounting kits are available to move to a consolidated rack infrastructure. TX servers have a tradition of setting record-breaking performance levels. So, whether you use them as tower or rack servers, for file, print or application purposes, you will benefit from record-breaking performance. PRIMERGY TX: a tower of strength.



SX940 S1

The PRIMERGY SX940 S1 Direct Attached Storage Blade Disk can be used to extend the internal storage capacity of PRIMERGY BX92x Server Blades. A maximum of four internal disk drives greatly extends the maximum amount of disk storage of a Server Blade. One Storage Blade occupies a Blade slot within the PRIMERGY BX900 S1 system unit; it is positioned either on the left or right to an adjacent BX92x Server Blade, or between the two. The 1x 4 or 2x 2 disk drives of one SX940 S1 are driven by 1 or 2 integrated, highly functional SAS/RAID controllers with 512 Mbyte cache and BU. Each controller provides RAID levels 0, 1, 5 and 6. The connection to each Server Blade is realized via a midplane link to the high performing PCIe x4 interfaces of each Server Blade's system board.



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Professional Products Positioning



ZERO CLIENTS

The Zero Client is a revolutionary new way of supplying standard office applications to your business. As a front-end device designed for a desktop virtualization environment, it delivers a full desktop experience at a fraction of the normal cost. The Zero Client is a manageable, space-saving solution for large deployments offering exceptional security, an extremely long lifecycle, excellent reliability and absolutely no noise during operation. Thanks to Desktop Virtualization, a Zero Client deployment allows a business to deploy IT



STYLISTIC

The STYLISTIC ST Series is thin, approximately A4 in size, only 1.6 kg and replaces your need for paper and clipboard. Boasting a robust, high-tech design, it offers a 12.1-inch display making it ideal for working while standing or walking, indoors or outside. The Intel® Centrino® Core 2 Duo processor means you can work for a whole business day. And outstanding connectivity with embedded broadband access, WLAN and Bluetooth means you can get in a full day of work without having to return to the office.



FUTRO

The FUTRO product line of smart, expandable thin clients is the ideal solution for server-based networks, particularly in terms of availability and data security. The user can neither access the operating system nor store data on the smart terminal.



ESPRIMO

Our PCs provide pure performance while balancing economic and environmental considerations. ESPRIMO PCs feature state-of-the-art technology from AMD and Intel® and are the perfect basis for productive working environments. They are quiet and cool with intelligent ergonomic designs, perfect manageability and security features. To make them as environmentally aware as possible, they are built with especially selected materials to minimize the impact on the environment.



CELSIUS

Computing power, memory space, graphics systems, expansion possibilities – even the most powerful of standard PCs are quick to reach their limits outside classic office and communication applications. Application fields such as simulation, animation, construction, and digital content creation require systems that offer maximum performance on all levels: CELSIUS workstations.



**Displays &
Peripherals**

Positioned in three segments the Fujitsu displays offer the right model for every desire - from multifunctional all-rounders, advanced displays, which are highly ergonomic and comfortable, also for entertainment, and the superior class for highest demands in terms of performance, graphics and multimedia.

Input devices for every desire: wired and wireless, optical and laser



PRIMERGY

PRIMERGY is based on the standard architecture for good reason. Due to their high level of standardization, x86/EM64T and Dual-Core / Quad-Core servers deliver the best price/performance ratio. The Fujitsu extensive product range, coupled with more than 20 years of experience in the IT market, means that we can build reliable and flexible IT infrastructures for our customers. PRIMERGY servers are the ideal choice for ensuring greater competitiveness and success in modern e-business environments.



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Positioning Zero Clients



ZERO CLIENTS

The Zero Client is a revolutionary new way of supplying standard office applications to your business. As a front-end device designed for a desktop virtualization environment, it delivers a full desktop experience at a fraction of the normal cost. The Zero Client is a manageable, space-saving solution for large deployments offering exceptional security, an extremely long lifecycle, excellent reliability and absolutely no noise during operation. Thanks to Desktop Virtualization, a Zero Client deployment allows a business to deploy IT resources flexibly and react quickly to changing users

and working locations



PORTABLE ZERO CLIENTS

The migration from fat client to virtual desktop infrastructures is gaining in popularity. Fujitsu's Zero Client MZ900 leverages this trend while enabling existing desktops and notebooks to be used as the virtual desktop device. This allows you to access personal virtual desktops from anywhere. Finally you are now able to realize cost savings while benefitting from the advantages of Zero Client virtualization - maximum flexibility, maximum savings.



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Zero Clients Series

The Zero Clients D602 and DZx are a revolutionary new way of supplying standard office applications to your business. As a silent, space-saving front-end device designed for a desktop virtualization environment, the Zero Clients securely and reliably delivers a full desktop experience at a fraction of the normal cost.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
ZERO Client DZ19-2					
Zero Client DZ19-2	Zero Client DZ19-2 , with 48.3cm (19") LED backlit display, 4-in-1 Stand, 1x RJ45 LAN, 4x USB 2.0, 1x DVI-I, 1x audio-in, 1x audio out, Status LEDs and function keys, power cable. , Including Zero Client Controller software (download from http://support.ts.fujitsu.com) with 1 year update right., Supports virtual infrastructures with: , - VMware®: ESX, ESXi, vCenter, View, - Citrix®: XenDesktop with either XenServer, VMware® ESX, or Microsoft® Hyper-V, - Microsoft®: Hyper-V with SCVMM		BDL:DZ19-2	366,00	
ZERO Client DZ22-2					
Zero Client DZ22-2	Zero Client DZ22-2 , with 55.9cm (22") LED backlit display, 4-in-1 Stand, 1x RJ45 LAN (incl. support for PoE with compatible midspans), 4x USB 2.0, , 1x DVI-I, 1x audio-in, 1x audio out, Status LEDs and function keys, power cable. , Including Zero Client Controller software (download from http://support.ts.fujitsu.com) with 1 year update right., Supports virtual infrastructures with: , - VMware®: ESX, ESXi, vCenter, View, - Citrix®: XenDesktop with either XenServer, VMware® ESX, or Microsoft® Hyper-V, - Microsoft®: Hyper-V with SCVMM		BDL:DZ22-2	425,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Portable Zero Clients Series

The migration from fat client to virtual desktop infrastructures is gaining in popularity. Fujitsu's Zero Client MZ900 leverages this trend while enabling existing desktops and notebooks to be used as the virtual desktop device. This allows you to access personal virtual desktops from anywhere. Finally you are now able to realize cost savings while benefitting from the advantages of Zero Client virtualization - maximum flexibility, maximum savings.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
Portable Zero Client MZ900					
Zero Client MZ900	Zero Client MZ900 , with 1x USB 2.0, lanyard. , Including Zero Client Controller software (download from http://support.ts.fujitsu.com) with 1 year update right., Supports virtual infrastructures with: , - VMware®: ESX, ESXi, vCenter, View, - Citrix®: XenDesktop with either XenServer, VMware® ESX, or Microsoft® Hyper-V, - Microsoft®: Hyper-V with SCVMM	BDL:MZ900	159,00		



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Positioning Tablet PC



**LIFEBOOK
T901**

The Fujitsu LIFEBOOK T901 is an ultra versatile lightweight convertible notebook for the professional user. Its brilliant, bi-directional rotatable, high-bright LED display including LED rotation indicators is a pleasure to use. With the LIFEBOOK T901 you can either work with multiple finger-touch or with the multifunctional pen. Berliner Glass ensures highest reliability.



LIFEBOOK T730

The LIFEBOOK T730 is a 12.1-inch Tablet PC based on the new Intel® Core™ i7 vPro™ technology that supports the new multiple touch technology. With the dual digitizer this multifunctional device accepts input either with a pen or with your fingers, just as occasion demands. With the optional integrated GPS technology you will never get lost and be on track. With the modular bay and the port replicator this device answers all questions concerning mobile flexibility!



LIFEBOOK T580

With the new LIFEBOOK T580 you can alternate between a keyboard, a stylus, or your fingers in seconds. Featuring a rotatable 10.1-inch display it's the perfect solution for working on the move. Through integrated GPS you'll always be able to find your way around. And there is no need to feel burdened by your notebook any longer, at just 1.4kg it's easy to take wherever you like!



STYLISTIC Q550

As a busy mobile professional, you want a Slate PC which is as good at working as your after-hours device is at playing. The STYLISTIC Q550 is the first slate to really work for you whether you're in a large corporation, government or small businesses. It delivers an excellent usability experience, with flexible options for creating business content and collaborating with others. Being Windows® 7 Professional based, it integrates with institutional platforms and provides security for enterprises with users who work on the move.



**STYLISTIC
Accessories**

Extend your STYLISTIC tablet PC to your needs. More convenience for your business trips and more functionality enabling easy working. Fujitsu offers a vast range of accessories for your STYLISTIC ST Series: docking unit, power supply devices, different storage media and special cases that provide maximum protection while transportation.



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK T901

The Fujitsu LIFEBOOK T901 is an ultra versatile lightweight convertible notebook for the professional user. Its brilliant, bi-directional rotatable, high-bright LED display including LED rotation indicators is a pleasure to use. With the LIFEBOOK T901 you can either work with multiple finger-touch or with the multifunctional pen. Berliner Glass ensures highest reliability.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK T901					
	Base unit with 33.8cm (13.3") TFT wide-view high-bright WXGA LED Display with magnesium cover, Dual digitizer for pen input plus capacitive multi-touch screen (anti-glare), Intel Chipset QM67 with Intel AMT 7.0 functionality (vPro requires Core i5-25xx/ i7 processor plus Intel W-LAN plus TPM module), supports maximum 8 GB Dual Channel DDR3 1333MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd battery, 2nd HDD (SATA-II) or weight-saver. Mobile Intel HD or HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel LAN, Intel HD Audio, 2 digital microphones and 2 loudspeakers integrated, touchpad, scroll wheel, ambient-light sensor, G-Sensor, fingerprint sensor (SmartAccess Fingerprint & Security Software), LED status indicators, LED hinge rotation indicators, application buttons, Kensington Lock., Interfaces: 1x ExpressCard Type 34mm/54mm, Smart Card reader slot, SD/MS Card reader, VGA, HDMI, 1x bootable USB 3.0, 2x bootable USB 2.0 (1x with off-charge function), RJ45 for LAN, optional SIM-Card Reader for UMTS or RJ11 interface for Modem, IEEE1394 Firewire, audio in (line-in, microphone), audio out (line-out, headphones), port replicator connector., Tablet pen, pen tether, cleaning cloth, notebook case.				
LB T901 DUAL DIG. /I7-2640M/4 GB/DVD/ (Promo)	LB T901 DUAL DIG. /I7-2640M/4 GB/DVD/ 500GB 7.2K/WLAN INTEL 6205/BT V3.0/CAM/ TPM/ERASEDISK/CK INT/AC-ADAP/1ST BATT/ CABLE EU/KB I/COA_W7_MM_PROFES/	LKN:T9010M0005IT			

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK T901					
LIFEBOOK T901 Dual Digitizer	Base unit with 33.8cm (13.3") TFT wide-view high-bright WXGA LED Display with magnesium cover, Dual digitizer for pen input plus capacitive multi-touch screen (anti-glare), Intel Chipset QM67 with Intel AMT 7.0 functionality (vPro requires Core i5-25xx/ i7 processor plus Intel W-LAN plus TPM module), supports maximum 8 GB Dual Channel DDR3 1333MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd battery, 2nd HDD (SATA-II) or weight-saver. Mobile Intel HD or HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel LAN, Intel HD Audio, 2 digital microphones and 2 loudspeakers integrated, touchpad, scroll wheel, ambient-light sensor, G-Sensor, fingerprint sensor (SmartAccess Fingerprint & Security Software), LED status indicators, LED hinge rotation indicators, application buttons, Kensington Lock., Interfaces: 1x ExpressCard Type 34mm/54mm, Smart Card reader slot, SD/MS Card reader, VGA, HDMI, 1x bootable USB 3.0, 2x bootable USB 2.0 (1x with off-charge function), RJ45 for LAN, optional SIM-Card Reader for UMTS or RJ11 interface for Modem, IEEE1394 Firewire, audio in (line-in, microphone), audio out (line-out, headphones), port replicator connector., Tablet pen, pen tether, cleaning cloth, notebook case.	S26391-K333-V100	1.312,00		



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK T901

LIFEBOOK T901 Active Digitizer	<p>Base unit with 33.8cm (13.3") TFT wide-view high-bright WXGA LED Display with anti-glare Berliner Glass and magnesium cover, Active digitizer for pen input, Intel Chipset QM67 with Intel AMT 7.0 functionality (vPro requires Core i5-25xx/ i7 processor plus Intel W-LAN plus TPM module), supports maximum 8 GB Dual Channel DDR3 1333MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd battery, 2nd HDD (SATA-II) or weight-saver. Mobile Intel HD or HD3000 integrated graphics, SATA-III Interface for internal HDD, 10/100/1000 MBit Intel LAN, Intel HD Audio, 2 digital microphones and 2 loudspeakers integrated, touchpad, scroll wheel, ambient-light sensor, G-Sensor, fingerprint sensor (incl. SmartAccess Fingerprint & Security Software), LED status indicators, LED hinge rotation indicators, application buttons, Kensington Lock., Interfaces: 1x ExpressCard Type 34mm/54mm, Smart Card reader slot, SD/MS Card reader, VGA, HDMI, 1x bootable USB 3.0, 2x bootable USB 2.0 (1x with off-charge function), RJ45 for LAN, optional SIM-Card Reader for UMTS or RJ11 interface for Modem, IEEE1394 Firewire, audio in (line-in, microphone), audio out (line-out, headphones), port replicator connector., Tablet pen, pen tether, cleaning cloth, notebook case.</p>	S26391-K333-V200	1.095,00
--------------------------------	--	------------------	----------



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK T730

The LIFEBOOK T730 is a 12.1-inch Tablet PC based on the new Intel® Core™ i7 vPro™ technology that supports the new multiple touch technology. With the dual digitizer this multifunctional device accepts input either with a pen or with your fingers, just as occasion demands. With the optional integrated GPS technology you will never get lost and be on track. With the modular bay and the port replicator this device answers all questions concerning mobile flexibility!

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK T730					
	LB T730 /30,7CM WXGA STA/I3-370M/2 GB/ (Promo)	LB T730 /30,7CM WXGA STA/I3-370M/2 GB/ DVD/320GB/CAM/WLAN INTEL 6200/BT 2.1/ NO UMTS/CK EU/KB I/COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/W7_PRO64_O1MULL_MA/	LKN:T7300M0001IT		Phased out
	LB T730 /30,7CM WXGA STA/I3-380M/4 GB/ (Promo)	LB T730 /30,7CM WXGA STA/I3-380M/4 GB/ DVD/320GB/CAM/WLAN INTEL 6200/BT 2.1/ NO UMTS/CK EU/KB I/COA_W7_MM_PROFES/W7_PRO64_O1MULL_MA/W7_RDVD_32+64_PROF/	LKN:T7300M0004IT		Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK T730					
	LIFEBOOK T730	Base unit with LCD 30.7cm (12.1") TFT WXGA non-glare LED Display and Touchscreen, Dual Digitizer (for pen operation and finger touch operation). Intel® Chipset QM57 with Intel® AMT functionality, supports maximum 8 GB Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd battery, 2nd HDD or weight-saver. Intel® HD graphics, Serial ATA HDD interface, 10/100/1000 MBit Intel® LAN, Intel® HD Audio, 2 microphones and 2 loudspeakers integrated, touchpad incl. scroll-sensor, ambient-light sensor, G-Sensor, fingerprint sensor (incl. SmartCase Logon+ Fingerprint & Security Software), LED status indicators, application buttons, Kensington Lock., Interfaces: 1x ExpressCard Type 34mm/54mm, SD/MS Card reader, VGA, HDMI, 3x USB 2.0, RJ45 for LAN, SIM-Card Reader for UMTS, Firewire, audio in (line-in, microphone), audio out (line-out, headphones), docking connector., AC Adapter 19V/80W, stylus pen, pen tether, cleaning-cloth, notebook case.	S26391-K314-V100	578,00	Phased out



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK T731

The powerful Fujitsu LIFEBOOK T731 is a lightweight flexible 30.7 cm (12.1-inch) convertible Tablet PC which supports modern multiple-touch technology and allows input with up to 5 fingers at the same time as well as precise pen input. Thanks to the very bright display with its wide perspective, the integrated ambient light sensor and support for all the main radio technologies you are optimally equipped for every business trip. The notebook's modular bay helps you to stay flexible when working, either when travelling, in the office or at home.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK T731					
	LB T731 /30,7CM WXGA STA/I3-2330M/4 GB/ (Promo)	LB T731 /30,7CM WXGA STA/I3-2330M/4 GB/ DVD/320GB 7.2K/UMTS READY/ WLAN INTEL 6205/BT V3.0/CAM/ERASEDISK/ CK INT/AC-ADAP/1ST BATT/CABLE EU/KB I,	LKN:T7310M0001IT		
	LB T731 /30,7CM WXGA STA/I5-2520M/4 GB/ (Promo)	LB T731 /30,7CM WXGA STA/I5-2520M/4 GB/ DVD/500GB 7.2K/UMTS READY/ WLAN INTEL 6205/BT V3.0/CAM/TPM/ ERASEDISK/CK INT/AC-ADAP/1ST BATT/,	LKN:T7310M0002IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK T731					
	LIFEBOOK T731	Base unit with LCD 30.7cm (12.1") TFT WXGA non-glare LED Display with magnesium cover, Dual Digitizer for pen input plus capacitive multi-touch screen for finger input. Intel Chipset QM67 with Intel AMT 7.0 functionality (vPro requires Core i5-25xx/i7 processor plus Intel WLAN plus TPM module), supports maximum 8 GB Dual Channel DDR3 1333MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optional optical disk drive, 2nd battery, 2nd HDD (SATA-II) or weight-saver. Mobile Intel HD or HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel LAN, Intel HD Audio, 2 digital microphones and 2 loudspeakers integrated, touchpad, ambient-light sensor, G-Sensor, fingerprint sensor (incl. Omnipass Fingerprint & Security Software), LED status indicators, application buttons, Kensington Lock. Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)., Interfaces: 1x ExpressCard Type 54mm, SD/MS Card reader, VGA, HDMI, 2x USB 2.0, 1x USB 3.0 (with off-charge function), RJ45 for LAN, optional SIM-Card Reader for UMTS, IEEE 1394 Firewire, audio in (line-in, microphone), audio out (line-out, headphones), port replicator connector., Tablet pen, pen tether, cleaning-cloth, notebook case.	S26391-K335-V100	650,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK T580

With the new LIFEBOOK T580 you can alternate between a keyboard, a stylus, or your fingers in seconds. Featuring a rotatable 10.1-inch display it's the perfect solution for working on the move. Through integrated GPS you'll always be able to find your way around. And there is no need to feel burdened by your notebook any longer, at just 1.4kg it's easy to take wherever you like!

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK T580					
	LB T580 i3 /2 GB/320GB/CAM/ (Promo)	LB T580 i3 /2 GB/320GB/CAM/ WLAN INTEL 6200/BT V2.1/NO UMTS/CK EU/ KB I/COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/W7_PRO64_O1MULTI_MA/	LKN:T5800M0001IT		Phased out
	LB T580 i5 /4 GB/320GB/CAM/ (Promo)	LB T580 i5 /4 GB/320GB/CAM/ WLAN INTEL 6200/BT V2.1/NO UMTS/CK EU/ KB I/COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/W7_PRO64_O1MULTI_MA/	LKN:T5800M0002IT		Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK T580					
	LIFEBOOK T580 i3-380UM	Base unit with 25.7cm (10.1") HD Display with LED backlight. Dual Digitizer with touch screen for pen operation and finger touch operation. Intel Chipset HM55 with Intel Core i3 Processor i3-380UM, supports maximum 8 GB Dual Channel DDR3 800MHz PC6400 RAM (2 DIMM slots). Intel HD graphics, Serial ATA HDD interface, 10/100/1000 MBit LAN, touchpad, ambient-light sensor, G-Sensor, smart card slot, fingerprint sensor, LED status indicators, tablet buttons, Kensington Lock. Fujitsu Recovery to recover factory image (Hard Disk Based Recovery), Interfaces: SD Card reader, VGA, HDMI, 2x USB 2.0, RJ45 for LAN, SIM-Card Reader for UMTS, audio in (line-in, microphone), audio out (line-out, headphones), stylus pen, pen tether, cleaning-cloth, notebook case.	S26391-K318-V100	713,00	
	LIFEBOOK T580 i5-560UM	Base unit with 25.7cm (10.1") HD Display with LED backlight. Dual Digitizer with touch screen for pen operation and finger touch operation. Intel Chipset HM55 with Intel Core i5 Processor i5-560UM, supports maximum 8 GB Dual Channel DDR3 800MHz PC6400 RAM (2 DIMM slots). Intel HD graphics, Serial ATA HDD interface, 10/100/1000 MBit LAN, touchpad, ambient-light sensor, G-Sensor, smart card slot, fingerprint sensor, LED status indicators, tablet buttons, Kensington Lock. Fujitsu Recovery to recover factory image (Hard Disk Based Recovery), Interfaces: SD Card reader, VGA, HDMI, 2x USB 2.0, RJ45 for LAN, SIM-Card Reader for UMTS, audio in (line-in, microphone), audio out (line-out, headphones), stylus pen, pen tether, cleaning-cloth, notebook case.	S26391-K318-V200	806,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

STYLISTIC Q550

As a busy mobile professional, you want a Slate PC which is as good at working as your after-hours device is at playing. The STYLISTIC Q550 is the first slate to really work for you whether you're in a large corporation, government or small businesses. It delivers an excellent usability experience, with flexible options for creating business content and collaborating with others. Being Windows® 7 Professional based, it integrates with institutional platforms and provides security for enterprises with users who work on the move.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
STYLISTIC Q550					
	STYLISTIC Q550 with Intel® Atom™ Z670	Base unit with 25.7cm (10.1") TFT wide-view high-bright WXGA LED Display, Dual digitizer for pen input plus capacitive multi-touch screen (anti-glare), Intel SM35 Express Chipset with Intel Atom Z670, 2GB memory (DDR2, 800MHz). Mobile Intel GMA 600 graphics, SATA-II Interface for internal HDD and Intel HD Audio. 802.11abgn Wireless LAN with 1x Dual Band antenna. Bluetooth 3.0 with 1x antenna. 2 webcams (1x front and 1x rear), 2 digital microphones and 1 loudspeaker integrated, G-Sensor, fingerprint sensor, LED status indicators, application buttons. Interfaces: Smart Card reader slot, SD Card reader, HDMI, 1x bootable USB 2.0, optional SIM-Card Reader for UMTS, audio out (line-out, headphones), docking connector. , 4-cell Lithium-Polymer battery (5.240mAh). Including Tablet pen, pen tether, cleaning cloth.	S26391-K334-V100	628,00	
	STYLISTIC Q550 with Intel® Atom Z690	Base unit with 25.7cm (10.1") TFT wide-view high-bright WXGA LED Display, Dual digitizer for pen input plus capacitive multi-touch screen (anti-glare), Intel SM35 Express Chipset with Intel Atom Z690, 2GB memory (DDR2, 800MHz). Mobile Intel GMA 600 graphics, SATA-II Interface for internal HDD and Intel HD Audio. 802.11abgn Wireless LAN with 1x Dual Band antenna. Bluetooth 3.0 with 1x antenna. 2 webcams (1x front and 1x rear), 2 digital microphones and 1 loudspeaker integrated, G-Sensor, fingerprint sensor, LED status indicators, application buttons. Interfaces: Smart Card reader slot, SD Card reader, HDMI, 1x bootable USB 2.0, optional SIM-Card Reader for UMTS, audio out (line-out, headphones), docking connector. , 4-cell Lithium-Polymer battery (5.240mAh). Including Tablet pen, pen tether, cleaning cloth.	S26391-K334-V200	628,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Accessories

Category	Description	Details	STYLISTIC Q550	STYLISTIC ST5010 / ST5010D	STYLISTIC ST5011 / ST5011D	STYLISTIC ST5020	STYLISTIC ST6012	Product Code	EUP (€)	Comments
Accessories & services matrix										
Memory										
	2GB DDR3-1066	1 Modul, PC3-8500 ub					x	S26391-F436-L200	73,00	
OS/Application-SW										
	Drivers & Utility (XP/Vista/7) LIFEBOOK	incl. Nero 7 Essentials S					x	S26361-F2007-L903	17,00	Phased out
	Drivers&Utility DVD (Win7) LIFEBOOK		x					S26361-F2010-L201	22,00	
UPS/Power supply										
	External battery charger, incl. 16V AC		x					S26391-F778-L400	187,00	
	Battery 4cell 38Wh (5.240mAh)		x					S26391-F916-L200	133,00	
	AC Adapter 19V/40W		x					S26391-F916-L500	44,00	
Security										
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM		x	x	x		S26361-F1571-L201	16,00	Phased out
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM		x	x	x		S26361-F1571-L210	118,00	Phased out
	Absolute Track, Abo. 1Y.	Single key licence, for more info please check hint box / product description	x				x	S26361-F2009-L101	19,00	
	Absolute Track, Abo. 2Y.	Single key licence, for more info please check hint box / product description	x				x	S26361-F2009-L102	29,00	
	Absolute Track, Abo. 3Y.	Single key licence, for more info please check hint box / product description	x				x	S26361-F2009-L103	37,00	
	Data Protection, Abo. 1Y.	Single key licence, for more info please check hint box / product description	x				x	S26361-F2009-L104	30,00	
	Data Protection, Abo. 2Y.	Single key licence, for more info please check hint box / product description	x				x	S26361-F2009-L105	46,00	
	Data Protection, Abo. 3Y.	Single key licence, for more info please check hint box / product description	x				x	S26361-F2009-L106	57,00	
	ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description	x				x	S26361-F2009-L107	35,00	
	ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description	x				x	S26361-F2009-L108	56,00	
	ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description	x				x	S26361-F2009-L109	78,00	
	Absolute Track, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description	x				x	S26361-F2009-L201	19,00	
	Absolute Track, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description	x				x	S26361-F2009-L202	29,00	
	Absolute Track, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description	x				x	S26361-F2009-L203	37,00	
	Data Protection, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description	x				x	S26361-F2009-L204	30,00	
	Data Protection, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description	x				x	S26361-F2009-L205	46,00	
	Data Protection, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description	x				x	S26361-F2009-L206	57,00	
	ComputraceOne, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description	x				x	S26361-F2009-L207	35,00	
	ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description	x				x	S26361-F2009-L208	56,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Accessories

Category	Description	Details	STYLISTIC Q550	STYLISTIC ST5010 / ST5010D	STYLISTIC ST5011 / ST5011D	STYLISTIC ST5020	STYLISTIC ST6012	Product Code	EUP (€)	Comments
Accessories & services matrix										
Security (Continued)										
	ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description	x				x	S26361-F2009-L209	78,00	
	SmartCase Logon+ license (1-99 licenses)	includes 1 license,, for orders up to 99 licenses,, no software, no data medium					x	S26361-F2727-L100	20,00	
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smardcard / Fingerprint for XP/Vista/Win7, no eLux support, Version 3.0.3	x	x	x	x	x	S26361-F2727-L730	43,00	
	RFID SmartCardReader USB SCL011	RFID SmartCardReader USB SCL011 with stand in white box packing	x				x	S26381-F11-L100	38,00	
	SmartCard CARDOS V4.4. 2PCS	2 SmartCard CardOS 4.4, 68 KByte EEPROM		x	x	x		S26381-F305-L102	45,00	
	SmartCard CARDOS V4.4. 10PCS	10 SmartCard CardOS 4.4, 68 KByte EEPROM		x	x	x		S26381-F305-L110	204,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface	x				x	S26381-F331-L220	25,00	
	PalmSecure Mouse Login Kit	PalmSecure Login Kit enclosed optical USB Mouse with integrated vein sensor for biometric authentication. USB 2.0 bus powered, 3 buttons incl. scroll-wheel. Set contains also the palm guide,quick start guide, manual and OmniPass login software CD. 1.5 m USB cable, brown box.	x				x	S26381-K435-L100	310,00	
Miscellaneous										
	Pen & tether set		x					S26391-F796-L810	55,00	
	Screen protection foil (2 pieces)		x					S26391-F917-L300	44,00	
Cables										
	power cable EU	black, 2-pole, 1,8 m	x				x	T26139-Y2540-V113	9,00	
	power cable UK	black, 2-pole, 1,8 m	x				x	T26139-Y2540-V213	9,00	
	power cable US	black, 2-pole, 1,8 m	x				x	T26139-Y2540-V313	9,00	
Input Devices										
	Presenter IV Air	2.4 GHz presener with laser pointer, mouse und Gamepad function	x				x	S26381-K440-L100	47,00	
Additional Software										
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x					U11081-C301	1.225,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Options

Category	Description	Details	STYLISTIC Q550	Product Code	EUP (€)	Comments
Options matrix						
Hard Disks						
	SSD SATA 30GB FDE		x	S26391-F913-E300	222,00	
	SSD SATA 62GB FDE		x	S26391-F913-E620	333,00	
	SSD SATA 128GB FDE		x	S26391-F913-E820	444,00	
Communication/Network						
	No UMTS / No GPS		x	S26391-F915-E110	2,00	
	UMTS module Sierra Wireless Gobi 3000	including GPS functionality	x	S26391-F915-E120	88,00	
	GPS module		x	S26391-F915-E130	44,00	
Mobile Security						
	TPM module		x	S26391-F959-E300	8,00	
Country kits						
	Country Kit DE	incl. safety manual (D), Getting Started, Service Desk Information	x	S26391-F918-E100	8,00	
	Country Kit Int	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information	x	S26391-F918-E200	8,00	
	Country Kit GB	incl. safety manual (GB/ARA), Getting Started, Service Desk Information	x	S26391-F918-E300	8,00	
Power supply						
	AC Adapter 19V/40W		x	S26391-F916-E500	17,00	
	Additional battery 2cell 19Wh (2.620mAh)		x	S26391-F916-E100	44,00	
	Additional battery 4cell 38Wh (5.240mAh)		x	S26391-F916-E200	55,00	
	Power cable EU		x	S26391-F878-E210	5,00	
	Power cable US		x	S26391-F878-E220	5,00	
	Power cable GB		x	S26391-F878-E230	5,00	
Port Replicator						
	Cradle		x	S26391-F917-E100	33,00	
OS/Application-SW						
	Drivers&Utility DVD		x	S26361-F2010-E201	2,00	
	OEM Office Home and Student 2010 MPI MM	Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote 2010, Package contains: License, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN,, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x	S26361-F2010-E281	112,00	
	OEM Office Home and Business 2010 MPI MM	Activates Preload Windows Office Home and Business 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook2010, Package contains: License, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN,, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x	S26361-F2010-E282	189,00	
	OEM Office Professional 2010 MPI MM	Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License	x	S26361-F2010-E283	323,00	
	License EU/MM - Windows 7 Home Premium	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x	S26361-F2010-E243	104,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Options

Category	Description	Details	STYLISTIC Q550	Product Code	EUP (€)	Comments
Options matrix						
OS/Application-SW (Continued)						
	License EU/MM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x	S26361-F2010-E253	133,00	
	Win7 HomePremium32 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E341	8,00	
	Win7 HomePremium32 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E342	8,00	
	Win7 HomePremium32 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E343	8,00	
	Win7 HomePremium32 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E344	8,00	
	Win7 HomePremium32 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E345	8,00	
	Win7 Pro32 RU+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E356	4,00	
	Win7 Pro32 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E351	4,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Options

Category	Description	Details	STYLISTIC Q550	Product Code	EUP (€)	Comments
Options matrix						
OS/Application-SW (Continued)						
	Win7 Pro32 NODRIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E352	4,00	
	Win7 Pro32 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E353	4,00	
	Win7 Pro32 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E354	4,00	
	Win7 Pro32 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E355	4,00	
	REC-DVD Win7 Home Premium 32 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish	x	S26361-F2010-E543	4,00	
	REC-DVD Win7 Home Premium 32 RU		x	S26361-F2010-E542	4,00	
	REC-DVD Win7 Professional 32 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish	x	S26361-F2010-E553	3,00	
	REC-DVD 2 Win7 MAIN+Office2010s	Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Office 2010 incl. Office Starter - 32bit, MAIN (Main European MuLi), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E751	2,00	
	REC-DVD 2 Win7 EM+SE+Office2010s	Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Office 2010 incl. Office Starter - 32bit, EM-SE (Emerging Markets&Southern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	S26361-F2110-E753	2,00	
Mouse						
	Mouse 400NB Black		x	S26391-F428-E100	17,00	
Miscellaneous						



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Tablet PC Options

Category	Description	Details	STYLISTIC Q550	Product Code	EUP (€)	Comments
Options matrix						
Miscellaneous (Continued)						
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	x	S26391-F782-E200	3,00	
	Folio Case		x	S26391-F917-E200	23,00	
	MED Kit	Content: Manual and certification according to IEC 60601-1-2. Preparation for further certifications in medical segment and relevant only for integration partners of medical products. Not relevant for end customers.,	x	S26391-F918-E900	6,00	

Windows®. Life without Walls™. Fujitsu recommends Windows 7.

Positioning Notebooks



**LIFEBOOK S
Series**

The LIFEBOOK S Series gives professional users the optimum combination of performance, modularity and flexibility: the functionality and ease of use of a desktop in a slimline, lightweight package. The integrated modem, network adapter, optional Bluetooth and wireless LAN are complemented by a multifunctional bay. The latest Intel Core 2Duo technology provide you long battery life away from the power socket.



**LIFEBOOK E
Series**

The LIFEBOOK E Series always follows a simple philosophy: only the best will do. Top notch performance with only 2.7 kg makes this notebook as one of the lightest in its class. The comprehensive security features, separate SmartCard reader, TPM and Fingerprint modules make your sensible data safe and secure – anytime, anywhere.

Take advantage of the growing network of wireless working and catch up emails where ever you are via optional embedded UMTS.



**LIFEBOOK P
Series**

The LIFEBOOK P Series fits in any bag - meeting the most demanding airport restrictions. At only 1.3 kg this lightweight combines superior style with exceptional performance and state-of-the-art connectivity, including embedded mobile broadband access and excellent communications ability. Thanks to video conferencing support with the integrated ConfCamera, this 12.1-inch screen beauty is truly a maximum. It provides all standard interfaces, and tops it off with a exceptional long battery run time. The integrated EcoButton extends the battery life even further. In short, true mobility becomes reality.



LIFEBOOK NH751

The The Fujitsu LIFEBOOK NH751 notebook is a mobile cinema that enables users to experience their films, photos, social networking and games in stunning quality on a brilliant widescreen 43.9 cm (17.3-inch) display with powerful NVIDIA® GeForce® GT 525M discrete graphics with NVIDIA® Optimus™ technology, whenever and wherever they want. While the spill-resistant keyboard provides extra reliability, high-gloss black finish, frameless display and outstanding slim profile make the notebook a real head-turner.



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK SH531

The compact Fujitsu LIFEBOOK SH531 is the perfect everyday mobile companion at home, in the office, at school or on the go. With its 33.8 cm (13.3-inch) display this 1.9 kg notebook is small and light enough for every trip. Stay connected with family and colleagues via WLAN, or upgrade your LIFEBOOK SH531 with an external UMTS solution in its 34 mm ExpressCard slot.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK SH531					
LIFEBOOK SH531	LCD 13.3" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM65 chipset with integrated Mobile Intel HD Graphics, DDRIII-1333 (2 DIMM slots), camera 1,3 Mpix, 10/100/1000 Mbitps-LAN, integrated WLAN a/b/g/n, Bluetooth V3.0 + EDR, 4 in 1 card reader SD/MS/MSPPro/MMC, 34 mm Express Card Slot, integrated digital microphone, Touchpad, DVD- Super-Multi-Writer or Bluray Combo Drive, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 6 cell battery, AC adapter 19V/60W, Interfaces: VGA , HDMI, 3 x USB 2.0, RJ45 for LAN, audio in and audio out, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)		S26391-K336-V100	450,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK LH531

The Fujitsu LIFEBOOK LH531 is the perfect choice, if you are looking for an all-purpose notebook. Weighing only 2.2 kg this 35.6 cm (14-inch) notebook is small and light enough for every trip, and at the same time big enough to check emails, surf the web, edit your pictures or watch a movie conveniently. With the optionally integrated Blu-ray Disc™ drive you even can enjoy high-definition entertainment at its best.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK LH531					
LIFEBOOK LH531 BLACK	LCD 14" Anti-Glare 16:9 HD (1366 x 768) LED Backlight, Intel HM65 chipset with integrated Mobile Intel HD Graphics, DDRIII-1333 (2 DIMM slots), camera 1,3 Mpix, 10/100/1000 Mbitps-LAN, integrated WLAN a/b/g/n, Bluetooth V3.0 + EDR, 4 in 1 card reader SD/MS/MSPro/MMC, integrated digital microphone, Touchpad, DVD- Super-Multi-Writer or Bluray Combo Drive, Kensington lock slot, Driver and Utility DVD (DUDVD) , incl. 6 cell battery, AC adapter 19V/60W, Interfaces: VGA , HDMI, 4 x USB 2.0, RJ45 for LAN, audio in and audio out, Win7 64-bit, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery)		S26391-K325-V200	434,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK S751

The Fujitsu LIFEBOOK S751 offers the perfect balance between low weight and high-end performance. Weighing only 2.3 kg it is a light modular 35.6cm (14-inch) notebook. A flexible modular bay and a phantastic battery life enable convenient working. Optional embedded 3G/UMTS and optional webcam enable connectivity anytime, anywhere.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK S751					
LIFEBOOK S751		Base unit, Chipset Intel HM65, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD or HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 4x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x Docking connector., Fujitsu Recovery (Hard Disk Based Recovery), , globales model, , , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra, Please be aware, that Microphones are not part of the base unit and can be ordered separately	S26391-K322-V100	426,00	
LIFEBOOK S751 vPro		Base unit, Chipset Intel QM67 (supports vPro), supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD or HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 1x USB 3.0, 3x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x Docking connector., Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Fujitsu Recovery (Hard Disk Based Recovery), , Please be aware, that Microphones are not part of the base unit and can be ordered separately, vpro Logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module	S26391-K322-V200	448,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK S761

The Fujitsu LIFEBOOK S761 is the perfect notebook for users who are looking for a light-weight system but don't want to compromise on performance. With the 33.8cm (13.3-inch) display and starting from just 1.66 kg it is equipped with a full-featured performance processor. Thanks to the modular bay you can extend battery life for working all day. With features like fingerprint sensor and TPM, your notebook is secured from any data theft.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK S761					
	LB S761 QM67 /13.3" HD T&L/I5-2520M/ (Promo)	LB S761 QM67 /13.3" HD T&L/I5-2520M/ 4 GB/DVD/500GB 7.2K/UMTS READY/NO MODEM/ WLAN INTEL 6205/BT V3.0/MIC&CAM/ FP SENSOR + SW/TPM/CK INT/AC-ADAP/,	LKN:S7610M0004IT		
	LB S761 QM67 /13.3" HD T&L/I7-2640M/ (Promo)	LB S761 QM67 /13.3" HD T&L/I7-2640M/ 4 GB/DVD/500GB 7.2K/UMTS READY/ WLAN INTEL 6205/BT V3.0/MIC&CAM/ FP SENSOR + SW/TPM/ERASEDISK/CK INT/,	LKN:S7610M0010IT		
Base unit configurations					
LIFEBOOK S761					
	LIFEBOOK S761 vPro	Base unit, Intel QM67 Chipset with vPro technology, supports maximum 8 GB Dual Channel DDR3 1066MHz PC8500 RAM (2 DIMM slots). Modular bay concept for optical drive and 2nd battery. Mobile Intel HD oder HD3000 integrierte Graphik, S-ATA III Schnittstelle für interne HDD, 10/100/1000 MBit Intel 82579LM, Intel High Definition Audio, 1 digital microphone integrated, touchpad and ScrollWheel, G-sensor, LED Status display,application buttons, Kensington Lock connector, Sleeve Case., supports iAMT 7.0: vProLogo requires Core i5-25xx/ i7 processor, Intel W-LAN & TPM module, Interfaces: 1x ExpressCard, 1x SD Card reader, 1x VGA, 1x HDMI, 1x USB 3.0, 2x USB 2.0 thereof 1 with anytime charging functionality, 1x RJ45 for LAN, 1x RJ11 optional for analogue modem, microphone in, audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra, Please be aware, that Microphones are not part of the base unit and can be ordered separately	S26391-K321-V100	680,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK S781

The Fujitsu LIFEBOOK S781 is a reliable notebook in 35.6 cm (14 inch) format with a high quality magnesium lid and only 2.3 kg, offering you the perfect balance between lightweight and stability. The modular bay offers a large number of extension options, such as a second battery or a second disk drive for flexible working in the office or on the move. Optional embedded 3G/UMTS allows you to stay connected wherever you are and to recall your business data.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK S781					
	LB S781 /14.0" HD+/I7-2640M/4 GB/DVD/ (Promo)	LB S781 /14.0" HD+/I7-2640M/4 GB/DVD/ 500GB 7.2K/UMTS READY/WLAN INTEL 6205/ BT V3.0/MIC&CAM/FP SENSOR + SW/TPM/ ERASEDISK/CK INT/AC-ADAP/1ST BATT/	LKN:S7810M0001IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK S781					
	LIFEBOOK S781	Base unit, Chipset Intel QM67 (supports vPro), supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 1x USB 3.0, 3x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x Docking connector., Fujitsu Recovery (Hard Disk Based Recovery), . Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that Microphones are not part of the base unit and can be ordered separately, vpro Logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module	S26391-K322-V300	470,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK E751

The simple philosophy behind Fujitsu LIFEBOOK E751: only the best is good enough. State-of-the-art Intel® technology and high speed Intel® integrated graphics ensure brilliant graphics and best performance. This 39.6 cm (15.6-inch) notebook supports HD or HD+ display with LED backlight. With features like fingerprint and Fujitsu's Advanced Theft Protection (ATP) your notebook is secured from any data theft.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK E751					
	LB E751 HM65 /"15.6"" HD"/i3-2330M/4 GB/ (Promo)	LB E751 HM65 /"15.6"" HD"/i3-2330M/4 GB/ DVD/SSD 128GB/UMTS READY/ WLAN INTEL 6205/BT V3.0/MIC&CAM/CK INT/ AC-ADAP/1ST BATT/CABLE EU/KB V,	LKN:E7510M0014IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK E751					
	LIFEBOOK E751	Base unit, Chipset Intel HM65, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD or HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 4x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , global model, , Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra, Please be aware, that Microphones are not part of the base unit and can be ordered separately	S26391-K326-V100	473,00	
	LIFEBOOK E751 with 10-key KB	Base unit, Chipset Intel HM65, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD or HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 4x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, the AC Cable & the 1st Battery extra, Please be aware, that Microphones are not part of the base unit and can be ordered separately	S26391-K326-V110	484,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK E751

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK E751 (Continued)					
	LIFEBOOK E751 vPro	Base unit, Chipset Intel QM67 (supports vPro), supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD or HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 1x USB 3.0, 3x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector., Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that Microphones are not part of the base unit and can be ordered separately., Please be aware, that vPro logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module	S26391-K326-V200	492,00	
	LIFEBOOK E751 vPro with 10-key KB	Base unit, Chipset Intel QM67 (supports vPro), supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD or HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 1x USB 3.0, 3x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector., Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that Microphones are not part of the base unit and can be ordered separately., Please be aware, that vPro logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module	S26391-K326-V210	504,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK E781

The Fujitsu LIFEBOOK E781 meets the requirements of the most demanding of users: the highperformance 39.6 cm (15.6 inch) notebook has a robust yet lightweight magnesium lid and offers you high resolution thanks to HD, HD+ and Full HD with LED backlight. Security functions such as Advanced Theft Protection (ATP) and fingerprint sensor reliably protect your notebook against all types of data theft.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK E781					
	LB E781 VPRO 10-KEY /15.6" HD+/I7-2640M/ (Promo)	LB E781 VPRO 10-KEY /15.6" HD+/I7-2640M/ 4 GB/DVD/500GB 7.2K/UMTS READY/ WLAN INTEL 6205/BT V3.0/MIC&CAM/ FP SENSOR + SW/TPM/ERASEDISK/CK INT/	LKN:E7810M0001IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK E781					
	LIFEBOOK E781 vPro QM67 with 10-key KB	Base unit, Chipset Intel QM67 (supports vPro), supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk (S-ATA-II). Mobile Intel HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit Intel 82579 LM LAN, Intel High Definition Audio, 1 Express Card slot type 34/54, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 1x USB 3.0, 3x USB 2.0 thereof 1x E-SATA/USB combo, RJ45, RJ11 optional, 1x audio in, 1x audio out, 1x serial (RS232), 1x Docking connector., Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that Microphones are not part of the base unit and can be ordered separately., Please be aware, that vPro logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module	S26391-K326-V310	525,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK P701

Highest performance level of all components as well as new high speed Intel® graphics and a 12.1- inch (30.7 cm) WXGA display make the slim and handy notebook a real mobile companion for all situations. Thanks to very low weight, robust design, anytime USB charge and much more the Fujitsu LIFEBOOK P701 is prepared for everyday business and mobile usage and grants effective working even for the most demanding of users.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK P701					
	LB P701 HM65 i5-2520M /12.1" WXGA/4 GB/ (Promo)	LB P701 HM65 i5-2520M /12.1" WXGA/4 GB/ 500GB 7.2K/UMTS READY/WLAN INTEL 6205/ BT V3.0/MIC&CAM/FP SENSOR + SW/TPM/ CK INT/AC-ADAP/1ST BATT/CABLE EU/KB I/	LKN:P701XM0002IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK P701					
	LIFEBOOK P701 HM65 i3-2330M	Base unit, Chipset Intel HM65, Intel i3-2330M CPU, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Mobile Intel HD3000 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, RJ45, 1x audio in, 1x audio out, 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC cable and 1st Battery extra	S26391-K327-V330	738,00	
	LIFEBOOK P701 HM65 i5-2520M	Base unit, Chipset Intel HM65, Intel i5-2520M CPU, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Mobile Intel HD3000 integrated graphics, S-ATA III interface for internal HDD, 10/100/1000 MBit Intel 82579 V LAN, Intel High Definition Audio, 1 Express Card slot type 34, 1xSmart Card reader, SD Card reader, integrated Touchpad with Gesture support, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, RJ45, 1x audio in, 1x audio out, 1x Docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC cable and 1st Battery extra	S26391-K327-V500	863,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK P771

Small, lightweight and nevertheless high performance? The answer to those requirements is the Fujitsu LIFEBOOK P771. With one of the smallest footprints in the 12-inch market and weighing only 1.3 kg, it offers the user quite a range of goodies: all standard interfaces and connectivity features like embedded 3G/UMTS, WLAN and Bluetooth®. Thanks to the modular bay you can extend battery life for working all day. With features like fingerprint sensor and TPM, your notebook is secured from any data theft.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
LIFEBOOK P771					
LB P771 QM67 I7-2617M /4 GB/DVD/ (Promo)	LB P771 QM67 I7-2617M /4 GB/DVD/ 320GB 7.2K/UMTS READY/WLAN INTEL 6205/ BT V3.0/MIC&CAM/FP SENSOR + SW/TPM/ CK INT/AC-ADAP/1ST BATT/CABLE EU/KB I,	LKN:P7710M0001IT			
LB P771 QM67 I7-2617M /4 GB/DVD/ (Promo)	LB P771 QM67 I7-2617M /4 GB/DVD/ 500GB 7.2K/UMTS GOBI 3000/ WLAN INTEL 6205/BT V3.0/MIC&CAM/ FP SENSOR + SW/TPM/CK INT/AC-ADAP/,	LKN:P7710M0002IT			

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK P771					
LIFEBOOK P771 glossy black	LCD 30.7 cm (12.1") WXGA TFT antiglare LED Display, glossy black, Intel QM67 chipset, Intel Core i7-2617M (1.5 GHz), supports max. 8 GB Dual Channel DDR3 1333MHz PC10600 system memory (2 DIMM slots), Intel HD3000 integrated graphics, S-ATA III Interface for internal HDD,10/100/1000 MBit/s Intel 82579LM, Intel High Definition Audio, 1 integrated microphone, Touchpad with ScrollWheel, G-Sensor, application buttons, Kensington Lock, cleaning-cloth, notebook case, Modular bay concept for optical drive and 2nd battery, supports iAMT 7.0: vPro Logo requires Intel W-LAN & TPM module, Interfaces: 1x ExpressCard, 1x SD Card reader, 1x VGA, 1x HDMI, 2x USB 3.0, 1x USB 2.0 thereof 1 (all with anytime charging functionality), 1x RJ45 for LAN, microphone in, audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra	S26391-K328-V100	1.188,00		
LIFEBOOK P771 matt	LCD 30.7 cm (12.1") WXGA TFT antiglare LED Display with compound lid, matt, Intel QM67 chipset, Intel Core i5-2520M (2.5 GHz), supports max. 8 GB Dual Channel DDR3 1333MHz PC10600 system memory (2 DIMM slots), Intel HD3000 integrated graphics, S-ATA III Interface for internal HDD, 10/100/1000 MBit/s Intel 82579LM, Intel High Definition Audio, 1 integrated microphone, Touchpad with ScrollWheel, G-Sensor, application buttons, Kensington Lock, notebook case, Modular bay concept for optical drive and 2nd battery, supports iAMT 7.0: vPro Logo requires Intel W-LAN & TPM module, Interfaces: 1x ExpressCard, 1x SD Card reader, 1x VGA, 1x HDMI, 2x USB 3.0, 1x USB 2.0 thereof 1 (all with anytime charging functionality), 1x RJ45 for LAN, microphone in, audio out, docking connector, Fujitsu Recovery (Hard Disk Based Recovery), , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra	S26391-K328-V200	962,00		



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK NH751

The Fujitsu LIFEBOOK NH751 notebook is a mobile cinema that enables users to experience their films, photos, social networking and games in stunning quality on a brilliant widescreen 43.9 cm (17.3-inch) display with powerful NVIDIA® GeForce® GT 525M discrete graphics with NVIDIA® Optimus™ technology, whenever and wherever they want. While the spill-resistant keyboard provides extra reliability, high-gloss black finish, frameless display and outstanding slim profile make the notebook a real head-turner.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
LIFEBOOK NH751					
	LIFEBOOK NH751 HD+	Base unit 17.3" (43.9cm, 16:9) HD+ LED Display based Intel® HM65, supports maximum 8 GB Dual channel DDR3 1333 MHz memory (2 DIMM slots), NVIDIA® GeForce® GT 525M with 1GB dedicated DDR3 VRAM, Bluetooth V. 3.0, Serial ATA HDD interface, 10/100/1000 MBit LAN, integrated WLAN, integrated 1.3 megapixel WebCam, 5 way speakers, digital microphone, touchpad with scroll buttons, LED status indicators, spill-proof keyboard, Kensington Lock connector, 4-in-1 card reader, including Li-Ion 8-cell battery 5.200 mAh, AC adapter 19V/120W, , Interfaces: 1x VGA, 1xHDMI, 4x USB 2.0, 1x RJ45 for LAN, 1x line-in, 1x mic-in, 1x headphone out, ExpressCard Slot 34/54mm, 1xDC-in, 1x kensington lock	S26391-K320-V100	550,00	
	LIFEBOOK NH751 FHD 2GB VRAM	""Base unit 17.3" (43.9cm, 16:9) Full-HD LED Display based Intel HM65, supports maximum 8 GB Dual channel DDR3 1333 MHz memory (2 DIMM slots), NVIDIA GeForce GT 525M with 2GB dedicated DDR3 VRAM, Bluetooth V. 3.0, Serial ATA HDD interface, 10/100/1000 MBit LAN, integrated WLAN, integrated 1.3 megapixel WebCam, 5 way speakers, digital microphone, touchpad with scroll buttons, LED status indicators, spill-proof keyboard, Kensington Lock connector, 4-in-1 card reader, including Li-Ion 8-cell battery 5.200 mAh, AC adapter 19V/120W, Fujitsu Recovery to recover factory image (Hard Disk Based Recovery), , , , , Interfaces: 1x VGA, 1xHDMI 1.4a, 1x USB 3.0, 3x USB 2.0, 1x RJ45 for LAN, 1x line-in, 1x mic-in, 1x headphone out, ExpressCard Slot 34/54mm, 1xDC-in, 1x kensington lock""	S26391-K320-V400	628,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A630	LIFEBOOK A631/AH531	LIFEBOOK A631/AH531/GFO	LIFEBOOK E751	LIFEBOOK E781	LIFEBOOK LH531	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P771	LIFEBOOK S751	LIFEBOOK S761	LIFEBOOK S781	LIFEBOOK SH531	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T901	Product Code	EUP (€)	Comments		
Options matrix																								
Thin Client Kit																								
	Thin Client Upgrade Kit LIFEBOOK	administrative component to avoid non-functional configurations.				x				x		x									S26391-F994-E100	3,00		
LCD-Display																								
	30.7 cm (12.1") WXGA premium LED	Wide-View High-Bright LED Display														x					S26391-F660-E100	178,00		
	30.7 cm (12.1") WXGA standard LED															x					S26391-F660-E200	95,00		
	30.7 cm (12.1") WXGA premium LED																x				S26391-F920-E100	167,00		
	30.7 cm (12.1") WXGA standard LED																x				S26391-F920-E200	84,00		
	39.6 cm (15.6") HD compound LED	39.6 cm (15.6-inch), LED backlight, (HD), anti-glare display, compound lid, 1366 x 768 pixel, 220 cd/m²				x															S26391-F940-E100	89,00		
	39.6 cm (15.6") HD+ compound LED	39.6 cm (15.6-inch), LED backlight, (HD+), anti-glare display, compound lid, 1600x900 pixel, 220 cd/m²				x															S26391-F940-E200	110,00		
	30.7 cm (12.1") WXGA compound LED	30.7 cm (12.1-inch), LED backlight, (WXGA), anti-glare display, compound lid, 1280x800 pixel, 200 cd/m								x											S26391-F960-E100	89,00		
	39.6 cm (15.6") HD magnesium LED	39.6 cm (15.6-inch), LED backlight, (HD), anti-glare display, magnesium lid, 1366 x 768 pixel, 220 cd/m²						x													S26391-F940-E300	123,00		
	39.6 cm (15.6") HD+ magnesium LED	39.6 cm (15.6-inch), LED backlight, (HD+), anti-glare display, magnesium lid, 1600x900 pixel, 220 cd/m²						x													S26391-F940-E400	150,00		
	39.6 cm (15.6") FHD magnesium LED							x													S26391-F940-E500	206,00		
	33.8 cm (13.3") HD compound LED	33.8 cm (13.3-inch), LED backlight, (HD), anti-glare display, compound lid, 1366 x 768 pixel, 200 cd/m, EPEAT Silver certification											x								S26391-F950-E100	78,00		
	35.6 cm (14.0") HD compound LED	35.6 cm (14.0-inch), LED backlight, (HD), anti-glare display, compound lid, 1366 x 768 pixel, 220 cd/m²										x									S26391-F980-E100	99,00		
	33.8 cm (13.3") HD T&L magnesium LED	33.8 cm (13.3-inch), LED backlight, (HD), anti-glare display, Magnesium lid, 1366 x 768 pixel, 200 cd/m, EPEAT Gold certification											x								S26391-F950-E200	200,00		
	35.6 cm (14.0") HD+ compound LED	35.6 cm (14.0-inch), LED backlight, (HD+), anti-glare display, compound lid, 1600x900 pixel, 220 cd/m²										x									S26391-F980-E200	133,00		
	35.6 cm (14.0") HD magnesium LED	35.6 cm (14.0-inch), LED backlight, (HD), anti-glare display, magnesium lid, 1366 x 768 pixel, 220 cd/m²											x								S26391-F980-E300	112,00		
	35.6 cm (14.0") HD+ magnesium LED	35.6 cm (14.0-inch), LED backlight, (HD+), anti-glare display, magnesium lid, 1600x900 pixel, 220 cd/m²												x							S26391-F980-E400	139,00		
Processor																								
	Intel Core i3-370M 2.40GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)																		x	S26391-F532-E370	155,00		
	Intel Core i3-380M 2.53GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)																			x	S26391-F640-E380	155,00	
	Intel Core i7-2640M 2.8GHz 4MB																					S26391-F981-E264	400,00	
	Intel Core i5-2540M 2.6GHz 3MB	2.60 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, TXT				x	x					x	x									S26391-F981-E254	287,00	
	Intel Core i5-2520M 2.5GHz 3MB	2.50 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, TXT				x	x					x	x									S26391-F981-E252	262,00	
	Intel Core i5-2450M 2.5GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)				x	x					x	x									S26391-F981-E245	208,00	
	Intel Core i5-2430M 2.4GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)				x	x					x	x									S26391-F981-E243	208,00	
	Intel Core i3-2350M 2.3GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)				x	x					x	x									S26391-F981-E235	162,00	
	Intel Core i3-2330M 2.2GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)				x	x					x	x									S26391-F981-E233	162,00	
	Intel Celeron B810 1.6GHz 2MB																					S26391-F981-E810	123,00	
	Intel Core i7-2640M 2.8GHz 4MB					x																S26391-F482-E264	400,00	
	Intel Core i5-2450M 2.5GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)				x	x															S26391-F482-E245	208,00	
	Intel Core i3-2350M 2.3GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)				x	x															S26391-F482-E235	162,00	
	Intel Core i3-2330M 2.2GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)											x								x	S26391-F881-E233	162,00	
	Intel Core i3-2350M 2.3GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)							x	x					x							S26391-F472-E235	162,00	
	Intel Core i3-2330M 2.2GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)							x	x					x							S26391-F472-E233	162,00	
	Intel Core i3-2350M 2.3GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)											x								x	S26391-F881-E235	162,00	
	Intel Core i5-2430M 2.4GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)											x								x	S26391-F881-E243	208,00	
	Intel Core i5-2450M 2.5GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)							x	x					x							S26391-F472-E245	208,00	
	Intel Core i5-2430M 2.4GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)							x	x					x							S26391-F472-E243	208,00	
	Intel Core i5-2450M 2.5GHz 3MB	not for Corporate Projects (only for Retail, SMB, education and government)											x								x	S26391-F881-E245	208,00	
	Intel Core i5-2540M 2.6GHz 3MB												x									S26391-F881-E254	287,00	
	Intel Core i5-2520M 2.5GHz 3MB												x								x	S26391-F881-E252	262,00	
	Intel Core i7-2620M 2.7GHz 4MB													x								S26391-F472-E262	400,00	Phased out
	Intel Core i7-2640M 2.8GHz 4MB													x								S26391-F472-E264	400,00	
	Intel Core i7-2640M 2.8GHz 4MB																				x	S26391-F881-E264	400,00	
	Intel Core i7-2670QM 2.2GHz 6MB	not for Corporate Projects (only for Retail, SMB, education and government)								x												S26391-F472-E267	287,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK AH531/GFO	LIFEBOOK E751	LIFEBOOK E781	LIFEBOOK LH531	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P771	LIFEBOOK S751	LIFEBOOK S761	LIFEBOOK S781	LIFEBOOK SH531	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T901	Product Code	EUP (€)	Comments	
Options matrix																							
Communication/Network (Continued)																							
	UMTS ready (no module, antennas incl.)	necessary to be able to upgrade later with UMTS Upgrade Kit (S26391-F985-L120)									x									S26391-F975-E125	12,00		
	UMTS ready (no module, antennas incl.)	necessary to be able to upgrade later with UMTS Upgrade Kit (S26391-F985-L120)									x										S26391-F975-E525	12,00	
	UMTS ready (no module, antennas incl.)	necessary to be able to upgrade later with UMTS Upgrade Kit (S26391-F985-L120)										x									S26391-F985-E125	12,00	
	UMTS ready (no module, antennas incl.)	necessary to be able to upgrade later with UMTS Upgrade Kit (S26391-F985-L120)											x								S26391-F985-E225	12,00	
	UMTS ready (no module, antennas incl.)	necessary to be able to upgrade later with UMTS Upgrade Kit (S26391-F985-L120)																x			S26391-F925-E125	12,00	
	UMTS ready (no module, antennas incl.)	necessary to be able to upgrade later with UMTS Upgrade Kit (S26391-F985-L120)				x															S26391-F945-E125	12,00	
	UMTS ready (no module, antennas incl.)						x														S26391-F945-E225	12,00	
	UMTS module Sierra Wireless Gobi 3000	including GPS functionality											x								S26391-F955-E120	88,00	
	UMTS module Sierra Wireless Gobi 3000									x											S26391-F965-E120	88,00	
	UMTS module Sierra Wireless Gobi 3000										x										S26391-F975-E120	88,00	
	UMTS module Sierra Wireless Gobi 3000											x									S26391-F975-E520	88,00	
	UMTS module Sierra Wireless Gobi 3000												x								S26391-F985-E120	88,00	
	UMTS module Sierra Wireless Gobi 3000													x							S26391-F985-E220	88,00	
	Modem																		x		S26391-F885-E130	10,00	
	No Modem													x							S26391-F955-E135	2,00	
	No UMTS										x										S26391-F975-E530	2,00	
	No Modem					x	x					x		x							S26391-F985-E135	2,00	
	Modem														x						S26391-F955-E130	10,00	
	Modem					x	x					x		x							S26391-F985-E130	10,00	
	No WLAN					x	x		x	x	x	x						x	x		S26391-F955-E210	2,00	
	WLAN Atheros 802.11b/g/n (WW)					x	x		x	x	x	x						x	x		S26391-F955-E230	10,00	
	Intel Centrino 6205 802.11a/b/g/n (WWW)					x	x		x	x	x	x						x	x		S26391-F955-E240	22,00	
	No Bluetooth																		x		S26391-F885-E310	2,00	
	No Bluetooth																		x		S26391-F925-E310	2,00	
	No Bluetooth					x	x			x	x	x	x	x							S26391-F955-E310	2,00	
	Bluetooth V3.0 module																		x		S26391-F885-E320	22,00	
	Bluetooth V3.0 module																		x		S26391-F925-E320	23,00	
	Bluetooth module V3.0																				S26391-F955-E320	23,00	
	Bluetooth module V3.0									x											S26391-F965-E320	23,00	
	Bluetooth module V3.0										x										S26391-F975-E320	23,00	
	Modem adapter kit (EU) w/ modem cable	includes all adapter for EU				x	x					x		x						x	S26391-F646-E100	33,00	
Multimedia Module																							
	No camera																			x	S26391-F920-E600	8,00	
	2.0Mpixels camera																			x	S26391-F920-E610	23,00	
	No camera																			x	S26391-F880-E500	8,00	
	1 x digital microphone													x							S26391-F950-E500	6,00	
	1 x digital microphone										x										S26391-F960-E500	6,00	
	1 x digital microphone											x									S26391-F970-E500	6,00	
	No camera																			x	S26391-F880-E510	8,00	
	2.0Mpixels camera																			x	S26391-F880-E600	23,00	
	1 x digital microphone & 1.3Mpix webcam													x							S26391-F950-E600	17,00	
	1 x digital microphone & 1.3Mpix webcam										x	x									S26391-F960-E600	17,00	
	1 x digital microphone & 2.0Mpix webcam																				S26391-F970-E600	23,00	
	2.0Mpixels camera																			x	S26391-F880-E610	23,00	
	Dummy module					x							x								S26391-F980-E700	3,00	
	2x digital array microphones					x							x								S26391-F980-E710	8,00	
	2x digital array mics & 1.3Mpix Webcam					x							x								S26391-F980-E720	23,00	
	Dummy module													x							S26391-F980-E800	3,00	
	2x digital array microphones														x						S26391-F980-E810	8,00	
	2x digital array mics & 2.0Mpix Webcam														x						S26391-F980-E820	26,00	
Mobile Security																							
	No Fingerprint					x															S26391-F949-E100	4,00	
	No Fingerprint													x							S26391-F859-E100	4,00	
	No Fingerprint										x										S26391-F969-E100	4,00	
	No Fingerprint											x									S26391-F979-E100	4,00	
	No Fingerprint												x		x						S26391-F989-E100	4,00	
	No Fingerprint					x	x														S26391-F949-E110	4,00	
	No Fingerprint																				S26391-F979-E110	4,00	
	Fingerprint sensor & software					x															S26391-F949-E200	28,00	
	Fingerprint sensor & software														x						S26391-F959-E200	28,00	
	Fingerprint sensor & software										x										S26391-F969-E200	28,00	
	Fingerprint sensor & software											x									S26391-F979-E200	28,00	
	Fingerprint sensor & software												x								S26391-F989-E200	28,00	
	Fingerprint sensor & software					x	x														S26391-F949-E210	28,00	
	Fingerprint sensor & software																				S26391-F979-E210	28,00	
	TPM module					x	x			x	x	x	x	x					x	x	S26391-F959-E300	8,00	
	EraseDisk	Firmware-embedded, unique feature to erase sensible data unrecoverable from the hard disk				x	x			x	x	x	x	x						x	S26391-F993-E100	23,00	
	SystemLock3	SystemLock3 Smartcard BIOS Pre-Boot Authentication				x	x			x	x	x	x	x						x	S26391-F993-E200	18,00	Orderable from: 15/02/2012
	SmartCase Logon+ 3.2.2	Supports secure authentication, password container, SSO, drive encrypt, smartcard, biometrics				x	x			x	x	x	x	x						x	S26361-F2011-E740		Orderable from: 15/02/2012
	Kensington Lock cable					x	x			x	x	x	x	x						x	S26391-F959-E400	55,00	
Country kits																							
	Country Kit DE	incl. safety manual (D), Getting Started, Service Desk Information																			S26391-F479-E100	8,00	
	Country Kit Int.	supporting also India, incl. safety manual (Int), Getting Started, Service Desk Information																			S26391-F479-E200	8,00	
	Country Kit GB	incl. safety manual (GB/ARA), Getting Started, Service Desk Information																			S26391-F479-E300	8,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK AH531/GFO	LIFEBOOK E751	LIFEBOOK E781	LIFEBOOK LH531	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P771	LIFEBOOK S751	LIFEBOOK S761	LIFEBOOK S781	LIFEBOOK SH531	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T901	Product Code	EUP (€)	Comments	
OS/Application-SW (Continued)																							
	OEM Office Home and Student 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note.: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only., Not to be distributed to small business or the United States Federal Government.				x				x	x	x	x								S26361-F2110-E177	115,00	
	Win Embedded Standard 7 SC EN LIFEBOOK License EU/MM - Windows 7 Home Premium	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x	x	x			x	x						x						S26361-F2010-E206 S26361-F2009-E243	79,00 96,00	
	Win Embedded Standard 7 DE LIFEBOOK License EU/MM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x	x	x			x	x			x			x						S26361-F2010-E204 S26361-F2009-E253	69,00 123,00	
	Win Embedded Standard 7 EN LIFEBOOK eLux RL + Scout built-in license LIFEBOOK						x			x	x										S26361-F2010-E207 S26361-F2010-E209	69,00 70,00	
	OEM Office Home and Student 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note.: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only., Not to be distributed to small business or the United States Federal Government.				x				x	x	x	x		x	x					S26361-F2110-E180	115,00	
	OEM Office Home and Student 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note.: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only., Not to be distributed to small business or the United States Federal Government.				x				x	x	x	x		x	x					S26361-F2110-E181	115,00	
	OEM Office Home and Business 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note.: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.				x				x	x	x	x		x	x					S26361-F2110-E182	199,00	
	License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).						x	x						x						S26361-F2009-E252	116,00	
	OEM Office Home and Business 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note.: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.				x				x	x	x	x		x	x					S26361-F2110-E185	199,00	
	OEM Office Home and Business 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note.: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.				x				x	x	x	x		x	x					S26361-F2110-E186	199,00	
	OEM Office Professional 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note.: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.				x				x	x	x	x		x	x					S26361-F2110-E187	343,00	
	OEM Office Professional 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note.: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.				x				x	x	x	x		x	x					S26361-F2110-E190	343,00	
	License EM - Windows 7 Professional	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro						x	x						x						S26361-F2009-E254	123,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK AH531/GFO	LIFEBOOK E751	LIFEBOOK E781	LIFEBOOK LH531	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P771	LIFEBOOK S751	LIFEBOOK S761	LIFEBOOK S781	LIFEBOOK SH531	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T901	Product Code	EUP (€)	Comments
Options matrix																						
OS/Application-SW (Continued)																						
	OEM Office Professional 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.				x				x	x	x	x			x	x		x	S26361-F2110-E191	343,00	
	OEM Office Home and Student 2010 MPI MM	Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote 2010, Package contains: License, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN., NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.				x	x			x	x	x	x					x	x	S26361-F2010-E281	112,00	
	Drivers&Utility DVD(XP/Vista/7) LIFEBOOK License EM-MEA - Windows 7 Professional	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe						x	x							x				S26361-F2010-E198 S26361-F2009-E255	2,00 123,00	
	OEM Office Home and Business 2010 MPI MM	Activates Preload Windows Office Home and Business 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook2010, Package contains: License, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN., NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.				x	x			x	x	x	x					x	x	S26361-F2010-E282	189,00	
	OEM Office Professional 2010 MPI MM	Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License				x	x			x	x	x	x					x	x	S26361-F2010-E283	323,00	
	OEM Office Home and Student 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only., Not to be distributed to small business or the United States Federal Government.						x	x											S26361-F2009-E177	106,00	Phased out
	OEM Office Home and Student 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only., Not to be distributed to small business or the United States Federal Government.						x	x											S26361-F2009-E180	106,00	Phased out
	OEM Office Home and Student 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only., Not to be distributed to small business or the United States Federal Government.						x	x											S26361-F2009-E181	106,00	Phased out



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK AH531/GFO	LIFEBOOK E751	LIFEBOOK E781	LIFEBOOK LH531	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P771	LIFEBOOK S751	LIFEBOOK S761	LIFEBOOK S781	LIFEBOOK SH531	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T901	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																						
	OEM Office Home and Business 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.							x	x										S26361-F2009-E182	183,00	Phased out
	OEM Office Home and Business 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.							x	x										S26361-F2009-E185	183,00	Phased out
	OEM Office Home and Business 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.							x	x										S26361-F2009-E186	183,00	Phased out
	OEM Office Professional 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.							x	x										S26361-F2009-E187	315,00	Phased out
	OEM Office Professional 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.							x	x										S26361-F2009-E190	315,00	Phased out
	OEM Office Professional 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note: Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.							x	x										S26361-F2009-E191	315,00	Phased out
	OEM Office Home and Student 2010 MPI MM	Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote 2010, Package contains: License only, For recovery purposes Fujitsu Recovery or RDVD is needed!, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN., NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.							x	x										S26361-F2009-E271	106,00	
	OEM Office Home and Business 2010 MPI MM	Activates Preload Windows Office Home and Business 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook2010, Package contains: License only, For recovery purposes Fujitsu Recovery or RDVD is needed!, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN., NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.							x	x										S26361-F2009-E272	183,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK AH531/GFO	LIFEBOOK E751	LIFEBOOK E781	LIFEBOOK LH531	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P771	LIFEBOOK S751	LIFEBOOK S761	LIFEBOOK S781	LIFEBOOK SH531	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T901	Product Code	EUP (€)	Comments	
OS/Application-SW (Continued)																							
	OEM Office Professional 2010 MPI MM	Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License only. For recovery purposes Fujitsu Recovery or RDVD is needed. , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same. , With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.						x	x						x					S26361-F2009-E273	315,00		
	Drivers&Utility DVD(XP/Vista/7) LIFEBOOK															x					S26361-F2010-E166	3,00	
	Drivers&Utility DVD (Win7) LIFEBOOK										x								x		S26361-F2010-E167	2,00	
	License EM-INDIA Windows 7 Professional	EM-INDIA. Select for shipments to: India						x	x						x						S26361-F2009-E258	123,00	
	No Operating System		x	x	x			x	x						x						S26361-F1818-E100	2,00	
	Win7 HomePremium64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x			x	x						x						S26361-F2109-E441	3,00	
	Win7 HomePremium64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x						x						S26361-F2109-E442	3,00	
	Win7 HomePremium64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x						x						S26361-F2109-E443	3,00	
	Win7 HomePremium64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak) , Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x						x						S26361-F2109-E444	3,00	
	Win7 HomePremium64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x						x						S26361-F2109-E446	3,00	
	Win7 Pro64 MAIN + Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x			x	x						x						S26361-F2109-E451	3,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK AH531/GFO	LIFEBOOK E751	LIFEBOOK E781	LIFEBOOK LH531	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P771	LIFEBOOK S751	LIFEBOOK S781	LIFEBOOK SH531	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T901	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																					
	Win7 Pro64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x										S26361-F2109-E452	3,00	
	Win7 Pro64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x										S26361-F2109-E453	3,00	
	Win7 Pro64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x										S26361-F2109-E454	3,00	
	License EU/MM - Windows 7 Home Premium	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.				x	x			x	x	x	x	x	x	x	x	x	S26361-F2010-E243	104,00	
	REC-DVD Win7 Home Basic 64 RUS	RUS							x										S26361-F2009-E632	3,00	
	License EU/MM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.				x	x			x	x	x	x	x	x	x	x	x	S26361-F2010-E253	133,00	
	REC-DVD Win7 Home Basic 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR						x											S26361-F2009-E633	3,00	
	REC-DVD Win7 Home Premium 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x			x	x										S26361-F2009-E643	3,00	
	REC-DVD Win7 Professional 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR						x	x										S26361-F2009-E653	3,00	
	REC-DVD Win7 Prof. 32+64bit All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x														S26361-F2009-E753	3,00	
	REC-DVD 2 Win7 MAIN+Office2010s	Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Office 2010 incl. Office Starter - 32bit, MAIN (Main European MuLi), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x			x	x										S26361-F2109-E751	3,00	
	REC-DVD 2 Win7 NORDIC+Office2010s	Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Office 2010 incl. Office Starter - 32bit, NORDICS (Nordic Region), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x										S26361-F2109-E752	3,00	
	REC-DVD 2 Win7 EM+SE+Office2010s	Sprachen: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Office 2010 inkl. Office Starter - 32bit, EM-SE (Emerging Markets&Southern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.						x	x										S26361-F2109-E753	3,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK AH531/GFO	LIFEBOOK E751	LIFEBOOK E781	LIFEBOOK LH531	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P771	LIFEBOOK S751	LIFEBOOK S761	LIFEBOOK S781	LIFEBOOK SH531	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T901	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																						
	REC-DVD 2 Win7 IBER+NE+Office2010s	Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Office 2010 incl. Office Starter - 32bit, IBER-NE (Iberia and Northern Europe). For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.							x	x										S26361-F2109-E754	3,00	
	Win7 HomePremium64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch). Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.				x	x			x	x	x	x	x	x	x	x	x	x	S26361-F2110-E441	8,00	
	Win7 HomePremium64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish). Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.				x	x			x	x	x	x	x	x	x	x	x	x	S26361-F2110-E442	8,00	
	Win7 Pro64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch). Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.				x	x			x	x	x	x	x	x	x	x	x	x	S26361-F2110-E451	4,00	
	REC-DVD Win7 Home Premium 64 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish				x	x			x	x	x	x	x	x	x	x	x	x	S26361-F2010-E643	3,00	
	REC-DVD Win7 Professional 32 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish														x	x			S26361-F2010-E553	3,00	
	REC-DVD Win7 Professional 64 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish				x	x			x	x	x	x	x	x	x	x	x	x	S26361-F2010-E653	3,00	
	REC-DVD Win7 Prof. 32+64bit All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish				x	x			x	x	x	x	x	x	x	x	x	x	S26361-F2010-E753	2,00	
	REC-DVD 2 Win7 MAIN+Office2010s	Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Office 2010 incl. Office Starter - 32bit, MAIN (Main European MuLi). For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.				x	x			x	x	x	x	x	x	x	x	x	x	S26361-F2110-E751	2,00	
	REC-DVD 2 Win7 EM+SE+Office2010s	Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Office 2010 incl. Office Starter - 32bit, EM-SE (Emerging Markets&Southern Europe). For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.				x	x			x	x	x	x	x	x	x	x	x	x	S26361-F2110-E753	2,00	
UPS/Power supply																						
	2nd AC Adapter 19V/80W (w/o AC cable)															x				S26391-F778-E500	17,00	
	AC Adapter 19V/60W	2nd AC Adapter for LB P770, 1st and 2nd AC Adapter for LB T580 as LB T580 has no AC Adapter included in base unit														x				S26391-F794-E500	17,00	
	slim AC Adapter 19V/60W	1st and 2nd AC Adapter for LB T580 as LB T580 has no AC Adapter included in base unit														x				S26391-F794-E510	33,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

LIFEBOOK Options

Category	Description	Details	LIFEBOOK A530	LIFEBOOK A531/AH531	LIFEBOOK AH531/GFO	LIFEBOOK E751	LIFEBOOK E781	LIFEBOOK LH531	LIFEBOOK NH751	LIFEBOOK P701	LIFEBOOK P771	LIFEBOOK S751	LIFEBOOK S761	LIFEBOOK S781	LIFEBOOK SH531	LIFEBOOK T580	LIFEBOOK T730	LIFEBOOK T731	LIFEBOOK T901	Product Code	EUP (€)	Comments
Options matrix																						
UPS/Power supply (Continued)																						
	2nd Cable EU															x	x			S26391-F794-E610	5,00	
	2nd Cable GB															x	x			S26391-F794-E620	5,00	
	2nd Cable US															x	x			S26391-F794-E630	5,00	
	1st Battery 6cells, 5800 mAh															x				S26391-F795-E400	70,00	
	1st Battery 3cells, 2900 mAh															x				S26391-F795-E450	55,00	
	1st Battery 6cells, 5200 mAh																x			S26391-F795-E500	67,00	
	1st Battery 6cells, 5800 mAh																x			S26391-F795-E600	74,00	
Security																						
	TPM module V1.2																x	x		S26391-F646-E300	8,00	
	SmartCard reader for ExpressCard slot									x		x					x	x		S26391-F658-E100	55,00	
Mouse																						
	Mouse 400NB Black					x	x			x	x	x	x	x	x	x	x	x	x	S26391-F428-E100	17,00	
Miscellaneous																						
	MED Kit	Content: Manual and certification according to IEC 60601-1-2. Preparation for further certifications in medical segment and relevant only for integration partners of medical products. Not relevant for end customers.,														x				S26391-F665-E500	6,00	
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note				x	x			x	x	x	x	x	x	x	x	x	x	S26391-F782-E200	3,00	
	MED Kit	Content: Manual and certification according to IEC 60601-1-2. Preparation for further certifications in medical segment and relevant only for integration partners of medical products. Not relevant for end customers.															x			S26391-F796-E710	6,00	
	MED Kit	Content: Manual and certification according to IEC 60601-1-2. Preparation for further certifications in medical segment and relevant only for integration partners of medical products. Not relevant for end customers.,																	x	S26391-F888-E900	6,00	
	MED Kit	Content: Manual and certification according to IEC 60601-1-2. Preparation for further certifications in medical segment and relevant only for integration partners of medical products. Not relevant for end customers., , ,																x		S26391-F928-E900	6,00	
Keyboard /Mouse																						
	Remote Control RC900	Remote Control RC900, micro receiver, manual, batteries								x										S26381-K456-E100	15,00	
Desk View																						
	DV Adv. Migration (DVD + 1 Lic.)	DeskView Advanced Migration DVD incl. 1 License, , Components: - Data Migration (Migration of personalizations, settings, links, favorites, etc.), - System Migration (Virtualization of HDDs and full systems), - Secure Deletion (secure deletion of data on HDDs via multiple options of deletion algorithms), , Efficient tool that supports you migration your old system to a new system including the secure deletion of the data on your old HDD. Supports Windows XP, Windows Vista and Windows 7 (32 Bit and 64 Bit architectures),							x	x										S26361-F4040-E10	39,00	



Positioning FUTRO thin clients



FUTRO S100

The compact and cost-efficient FUTRO S100 is your perfect entry thin client for Server-Based Computing and Virtual Workplace solutions. High energy-efficiency and silent operation without fans and rotating disk drives guarantee a pleasant working environment and lowest running costs.



**FUTRO S450
FUTRO S500**

This small but powerful and expandable thin client is your ideal client for server-based computing. No matter if used with RDP or ICA protocol, as thin client for Windows terminal services or as Java based network terminal, FUTRO S Series always helps you to minimize the Total Cost of Ownership. Low power consumption, no fans and rotating drives turn the FUTRO S Series into a very reliable and silent thin client.



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO S550-2

The small but powerful FUTRO S550 is your ideal client for server-based computing and virtual workplace solutions: for Windows Terminal services or as a Java-based network terminal. Low power consumption, no fans nor rotating drives make your system a reliable and quiet thin client.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
FUTRO S550-2					
FUTRO S550-2		FUTRO S550-2, Processor: AMD Sempron 200U (1 GHz),, Graphics: ATI Radeon X1250,, LAN: 10/100/1000 Mbit/s Fast Ethernet,, mouse, DVI-VGA-adapter, external A/C adapter, Interfaces: 1x DVI-I, (Dual Monitor support with optional DVI-D adapter or optional DVI-I to DVI-D / VGA adapter cable, 2x PS/2 (1x mouse, 1x keyboard), 8x USB2.0 (2x front, 4x rear, 2x internal), 2 x serial, audio (rear): 1x audio in, 1x audio out, audio (front) 1x headphone, 1x microphone, 1x LAN RJ45, SCR optional, PCI Slot midsize (optional riser card in combination with a PCI card)	S26361-K528-V301	310,00	Phased out



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO S700

The powerful FUTRO S700 is your ideal thin client for server-based computing and virtual workplac solutions. An optimized thermal concept and the latest flash drive technology make fans and rotating parts obsolete. This results in superior ergonomics due to noiseless operation and significantly increased reliability. The outstanding manageability solution makes it easy to administer while reducing total cost of ownership. Latest AMD™ Fusion® technology offers excellent performance at a reasonable price.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
FUTRO S700					
FUTRO S700		, FUTRO S700 Base unit : Mainboard type D3003-B miniITX; Chipset AMD A55E Controller Hub, AMD G-Series G-T44R, max. 2 GB, 1 SO DIMM (DDR3, 1066 MHz) slots ; ; Graphics: ATI Radeon HD 6250 ; Audio: Realtek ALC262; LAN: Built-in 10/100/1000 MBit/s; Slots: ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: line-in / microphone, 1 x DC-in, 1 DP x DisplayPort, 1 DVI-I x DVI, 8 x USB 2.0 total, 2 x USB front, 4 x USB rear, 2 x USB internal, 1 x Kensington Lock support, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2),	S26361-K1040-V100	227,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO S900

The powerful FUTRO S900 is your ideal thin client for server-based computing and virtual workplace solutions. An optimized thermal concept and the latest flash drive technology make fans and rotating parts obsolete. This results in superior ergonomics due to noiseless operation and significantly increased reliability. Additional slots offer the opportunity to meet all demands for the most challenging scenarios and outstanding manageability solution makes it easy to administer while reducing total cost of ownership. Latest AMD™ Fusion® technology offers excellent performance at a reasonable price.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
FUTRO S900					
FUTRO S900		, FUTRO S900 Base unit : Mainboard type D3003-A miniITX; Chipset AMD A55E Controller Hub, AMD G-Series G-T44R, max. 4 GB, 2 SO DIMM (DDR3, 1066 MHz) slots ; Graphics: ATI Radeon HD 6250 ; Audio: Realtek ALC262; LAN: Built-in 10/100/1000 MBit/s; Slots: 1 x PCI slots, 1 x PCI-Express x1; Interfaces: 1 x Audio: line-in, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: line-in / microphone, 1 x DC-in, 1 DP x DisplayPort, 1 DVI-I x DVI, 8 x USB 2.0 total, 2 x USB front, 4 x USB rear, 2 x USB internal, 1 x Kensington Lock support, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2),	S26361-K1050-V100	294,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO Accessories

Category	Description	Details	FUTRO A300 eLux	FUTRO A300 WEC	FUTRO C200 i915GV	FUTRO C400	FUTRO DC20-1	FUTRO S100	FUTRO S200	FUTRO S2xx	FUTRO S300	FUTRO S450-2	FUTRO S550-2	FUTRO S700	FUTRO S900	Product Code	EUP (€)	Comments
Accessories & services matrix																		
Graphics																		
	Y-cable DVI/VGA	Dual Monitoring support											x	x	x	S26361-F2421-L100	39,00	
	DVI-D Adapter for Dual DVI	Dual Monitoring											x	x		S26361-F2421-L110	39,00	
	NVIDIA Quadro NVS 300 512MB PCIe x16LP	Connectors: 1x LFH59, PCIe x16, adapters and cables must be ordered separately													x	S26361-F2748-L997	106,00	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor												x	x	S26361-F2391-L200	22,00	
	DVI/VGA Adapter	for connection of one VGA-monitor												x	x	S26361-F2391-L1	13,00	
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors													x	S26361-F2391-L101	28,00	
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors													x	S26361-F2391-L102	30,00	
Communication/Network																		
	Dual Serial interface PCI card	Dual Port RS232 via splitter cable												x		S26361-F3465-L2	33,00	Phased out
	Dual Serial interface PCI card	Dual Port RS232 via splitter cable												x		S26361-F3465-L3	38,00	
	Dual serial card PCIe x1														x	S26361-F3465-L4	38,00	
	2nd LAN/PoE module													x	x	S26361-F3466-L1	38,00	
	WLAN 802.11g/Draft													x	x	S26361-F4525-L10	55,00	
	PCI Parallel Card LP (1 port)	EPP/ ECP, 1 x 25 Pin D-SUB parallel socket, without Riser Card												x	x	S26361-F3465-L1	26,00	
OS/Application-SW																		
	License for Scout EP	Client license for Scout EP including 2 years of software support. A client license for Scout EP (S26361-F2727-L701) is required, if more than 25 Thin Clients shall be managed and no existing client licenses for Scout EP are available. (Scout EP comes with free management for up to 25 Thin Clients. For 26 or more systems, each Thin Client requires a client license for Scout EP.)	x	x			x					x	x	x	x	S26361-F2727-L701	45,00	
	License for eLux RL	License for eLux including 2 years of software support. (No client licenses for Scout EP are included.)	x	x			x					x	x	x	x	S26361-F2727-L702	40,00	
	Subscription Key eLux/Scout	Subscription Key for eLux to prolong the software support for 12 months. (For the utilization of the Subscription Key, a valid client license for Scout EP is required.)	x	x			x					x	x	x	x	S26361-F2727-L703	17,00	
	FLUENDO Codec Package	The FLUENDO Codec Package includes the licenses for using multimedia codecs in combination with eLux RL. The codecs itself are pre-installed on our eLux RL operating system. When ordering the FLUENDO Codec Package, you will receive a license key which allows to use the codecs on your Thin Client. . . Following codecs are covered: MP3, WMA stereo, AAC stereo, AC3 stereo, WMV, H264, MPEG4 part2 and MPEG2. .	x	x			x					x	x	x	x	S26361-F2727-L704	10,00	
	Windows MultiPoint Server 2010 CAL						x	x								S26361-F2010-L270	67,00	
	Windows MPS 2011 CAL						x	x								S26361-F2011-L170	67,00	
	License for PowerTerm WBT	License for PowerTerm InterConnect from Ericom. PowerTerm InterConnect is an emulation suite that allows you to connect to IBM mainframes, IBM AS/400, Unix, VAX/Alpha OpenVMS, Tandem (NSK), HP-3000 and Data General. To use this software, you must have the PowerTerm InterConnect! (powerterm) package installed. The software includes a 30-minute trial period.	x	x			x					x	x	x	x	S26361-F2600-L144	28,00	
Security																		
	SmartCard Reader	internal												x		S26361-F1260-L802	33,00	
	SmartCard reader internal USB FUTRO S900	chipcard reader internal built in optional, USB interface, w/o SmartCard													x	S26361-F1260-L803	28,00	
	SmartCase Logon+ license (1-99 licenses)	includes 1 license, for orders up to 99 licenses, no software, no data medium												x		S26361-F2727-L100	20,00	
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smartcard / Fingerprint for XP/Vista/Win7, no eLux support, Version 3.0.3												x		S26361-F2727-L730	43,00	
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface	x	x	x			x	x			x	x	x	x	S26361-F331-L220	25,00	
Miscellaneous																		
	Riser Card													x		S26361-F2421-L200	22,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO Accessories

Category	Description	Details	FUTRO A300 elux	FUTRO A300 WEC	FUTRO C200 I915GV	FUTRO C400	FUTRO DC20-1	FUTRO S100	FUTRO S200	FUTRO S2xx	FUTRO S300	FUTRO S450-2	FUTRO S550-2	FUTRO S700	FUTRO S900	Product Code	EUP (€)	Comments
Accessories & services matrix																		
Miscellaneous (Continued)																		
	AC-Adapter 20V/40W													x	x	S26361-F2542-L14	15,00	
	PCI Riser														x	S26361-F2542-L19	28,00	
	PCIe Riser														x	S26361-F2542-L20	28,00	
	Horizontal foot kit												x	x	x	S26361-F2542-L290	10,00	
	VESA Kit w/ subadapter S4**/5**/7**/9**	Mounting kit for attaching Thin Clients to the rear of TFT displays. Attachable to most LCDs in combination with the included subadapter.											x	x	x	S26361-F2601-L530	55,00	
	Vesa Kit FUTRO S100	holder for TFT (15"-20") and PC (max 105x370x400mm)						x								S26361-F2601-L540	59,00	
	VESA Kit w/o subadapter S4**/5**/7**/9**	VESA Kit for FUTRO S450-2, FUTRO S550-2, FUTRO S700 and FUTRO S900 w/o VESA subadapter. . . , For FUTRO S100 please select S26361-F2601-L540.										x	x	x	x	S26361-F2601-L550	44,00	
	VESA Mounting Kit FUTRO C400				x											S26361-F2601-L560	23,00	
	VESA subadapter							x						x	x	S26361-F2601-L600	22,00	
	Universal PC-TFT holder	for TFT (15"-20") and PC (max 105x370x400mm)		x						x	x					S26361-F2542-L35	123,00	
Cables																		
	Cable powercord (IND), 1.8m, black	black, 1.8m, suitable for: India, 3 wire												x	x	T26139-Y1752-L10	10,00	
	power cable EU	black, 2-pole, 1.8 m	x	x				x				x	x	x	x	T26139-Y2540-V113	9,00	
	power cable UK	black, 2-pole, 1.8 m	x	x				x				x	x	x	x	T26139-Y2540-V213	9,00	
	power cable US	black, 2-pole, 1.8 m	x	x				x				x	x	x	x	T26139-Y2540-V313	9,00	
	Cable Powercord (USA, Desktop),1.8m	grey or black, 1.8m, for USA/CAN (Desktops),3 wire												x	x	T26139-Y1741-V10	4,00	
	Cable Powercord (CH), 1.8m, black	black, 1.8m, Switch, 3 wire												x	x	T26139-Y1743-V10	4,00	
	Cable Powercord (UK), 1.8m, black	black, 1.8m, suitable for: Great Britain, 3 wire												x	x	T26139-Y1744-V10	4,00	
	Cable Powercord (I), 1.8m, black	black, 1.8m, suitable for: Italy, 3 wire												x	x	T26139-Y1745-V10	4,00	
	Cable FTP CAT 5e, 5m	Standard-LAN-cable, RJ45				x	x									T26139-Y2425-M5	9,00	
	Cable FTP CAT 5e, 10m	Standard-LAN-cable, RJ45				x	x									T26139-Y2425-M10	17,00	
Additional Software																		
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs									x	x	x			U10987-C501	1.225,00	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs									x	x	x			U10987-C513	1.225,00	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs									x	x	x			U10987-C525	500,00	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0									x	x	x			U10987-C500	36,00	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0. Cryptographic module, for openFT V11.0, Attention export restrictions									x	x	x			U10987-C499	15,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO Options

Category	Description	Details	FUTRO S450-2	FUTRO S550-2	FUTRO S700	FUTRO S900	Product Code	EUP (€)	Comments
Options matrix									
Approvals/dependencies									
	Energy Star 5.0			x		x	S26361-F2600-E170	3,00	
Memory									
	2GB DDR2-667,SODIMM	SODIMM		x			S26361-F2879-E400	60,00	
	1 GB DDR3-1066 SODIMM				x	x	S26361-F4408-E1	25,00	
	2 GB DDR3-1066 SODIMM				x	x	S26361-F4408-E2	45,00	
	1 GB DDR2-667		x	x			S26361-F2879-E300	33,00	
Graphics									
	No Adapter for VGA/DVI/DP				x	x	S26361-F2391-E10	3,00	
	Y-cable DVI/VGA	Dual Monitoring support; Currently not available with eLux RL 3.x	x	x	x	x	S26361-F2421-E100	17,00	
	DVI-D Adapter for Dual DVI	Dual Monitoring	x	x			S26361-F2421-E110	28,00	
	NVIDIA Quadro NVS 300 512MB PCIe x16LP	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately				x	S26361-F2748-E997	84,00	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor			x	x	S26361-F2391-E200	17,00	
	DVI/VGA Adapter	for connection of one VGA-monitor			x	x	S26361-F2391-E1	6,00	
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors				x	S26361-F2391-E101	17,00	
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors				x	S26361-F2391-E102	19,00	
Hard Disks									
	1 GB mSATA				x	x	S26361-F3666-E1	34,00	Orderable from: 14/02/2012
	CF 1 GB (80x)	CF module IDE, 1 GB	x	x			S26361-F3616-E100	20,00	
	2 GB mSATA	Does not contain mSATA adapter and eLux+Scout license, those have to be ordered separately.				x	S26361-F3666-E2	38,00	
	CF 2 GB (300x)	CF module IDE, 2 GB	x	x			S26361-F3617-E100	30,00	
	4 GB mSATA	Does not contain mSATA adapter and eLux+Scout license, those have to be ordered separately.				x	S26361-F3666-E4	55,00	
	CF 4GB			x			S26361-F3520-E100	55,00	
	8 GB mSATA	Does not contain mSATA adapter and eLux+Scout license, those have to be ordered separately.				x	S26361-F3666-E8	99,00	
	CF 16GB	300x		x			S26361-F3538-E100	199,00	
	16 GB mSATA	Does not contain mSATA adapter and eLux+Scout license, those have to be ordered separately.				x	S26361-F3666-E16	177,00	
Communication/Network									
	Internal speaker				x	x	S26361-F2542-E13	22,00	
	PCI Riser					x	S26361-F2542-E19	22,00	
	PCIe Riser					x	S26361-F2542-E20	22,00	
	Dual Serial interface PCI card	Dual Port RS232 via splitter cabel		x			S26361-F3465-E2	28,00	Phased out
	Dual Serial interface PCI card	Dual Port RS232 via splitter cabel		x			S26361-F3465-E3	23,00	
	Dual serial card PCIe x1					x	S26361-F3465-E4	23,00	
	2nd LAN/PoE module				x	x	S26361-F3466-E1	44,00	
	WLAN 802.11g/Draft				x	x	S26361-F4525-E10	16,00	
	PCI Parallel Card LP (1 port)	EPP/ ECP, 1 x 25 Pin D-SUB parallel socket.PCI Card not supported in the OS. Additional driver installation necessary		x		x	S26361-F3465-E1	16,00	
Country kits									
	Country kit FUTRO S-series INT/D/CH/IDK		x	x			S26361-F2841-E100	8,00	
	Country kit FUTRO S-series (GB/IL)		x	x			S26361-F2841-E101	8,00	
	Country kit FUTRO S-series (US)		x	x			S26361-F2841-E106	8,00	
	LBP FUTRO S Serie (INT)				x	x	S26361-F2841-E200	8,00	
	Made in Germany sticker	The „Made in Germany“ sticker prominently displays this universally admired differentiating product value	x	x	x	x	S26391-F404-E911	2,00	
OS/Application-SW									
	Windows Embedded Standard_A	Windows Embedded Standard 2009 (WES 2009) incl. Altiris agent (additional software from Symantec is required)		x			S26361-F2009-E144	88,00	
	Windows Embedded Standard_SC	Windows Embedded Standard 2009 (WES 2009) incl. SCOUT agent (Scout Enterprise license S26361-F2727-L701 additionally required)		x			S26361-F2009-E145	73,00	
	Windows Embedded Standard_7_SC German	Windows Embedded Standard 7 with Scout EP agent. (The license for Scout EP is not included and has to be ordered additionally.)		x			S26361-F2009-E147	79,00	
	Windows Embedded Standard_7 German	Windows Embedded Standard 7 without manageability agent.		x			S26361-F2009-E148	69,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO Options

Category	Description	Details	FUTRO S450-2	FUTRO S550-2	FUTRO S700	FUTRO S900	Product Code	EUP (€)	Comments
Options matrix									
OS/Application-SW (Continued)									
	Windows Embedded Standard_7_SC English	Windows Embedded Standard 7 with Scout EP agent. (The license for Scout EP is not included and has to be ordered additionally.)	x				S26361-F2009-E193	79,00	
	Windows Embedded Standard_7 English	Windows Embedded Standard 7 without manageability agent.	x				S26361-F2009-E194	69,00	
	Rec.DVD eLux RL3	Recovery-DVD for eLux RL 3.x. No licenses for eLux or Scout EP are included.			x	x	S26361-F2727-E708	3,00	
	eLux RL w/o license	Image without a license	x	x			S26361-F2727-E701	5,00	
	eLux RL3 w/o license	Pre-installed eLux RL 3.x. No licenses for eLux or Scout EP are included., Licensing is possible with existing licenses (e.g. in case of exchanging Thin Clients) or with the optional eLux-License S26361-F2727-L702. (If no license is available, the Thin Client can be booted 40 times.)			x	x	S26361-F2727-E705	6,00	
	eLux RL with license	Scout Agent und Scout Workgroup, Scout Enterprise Version 10 can manage up to 25 Thin Clients without an additional license key. Therefore, the license type SCOUT EP S26361-F2727-L701 is only required for installations with more than 25 clients.Including 2 years software support	x	x			S26361-F2727-E702	36,00	
	eLux RL3 with license	Pre-installed eLux RL 3.x with license for eLux and including 2 years of software support. No client license for Scout EP is included., A client license for Scout EP (S26361-F2727-L701) is required, if more than 25 Thin Clients shall be managed and no existing client licenses for Scout EP are available. (Scout EP comes with free management for up to 25 Thin Clients. For 26 or more systems, each Thin Client requires a client license for Scout EP.)			x	x	S26361-F2727-E706	38,00	
	eLux RL + Scout builtin license	Scout Agent and Scout Workgroup, Scout Enterprise V10 or higher can manage up to 25 Thin Clients and no extra license key is necessary., The license Scout EP S26361-F2727-L701 is only necessary if you install more than 25 Thin Clients. 2 years software support included.	x	x			S26361-F2727-E704	70,00	
	License eLux RL3 + Scout built-in	Pre-installed eLux RL 3.x with client licenses for eLux and Scout EP; including 2 years of software support.			x	x	S26361-F2727-E707	70,00	
	Win Embedded Standard_7 German	German version of Windows Embedded Standard 7 without manageability agent., Size on storage device ca. 3.6 GB. If additional software shall be installed, a mSATA module with at least 8 GB is recommended.			x	x	S26361-F2009-E208	69,00	
	Win Embedded Standard_7 English	English version of Windows Embedded Standard 7 without manageability agent., Size on storage device ca. 3.6 GB. If additional software shall be installed, a mSATA module with at least 8 GB is recommended.			x	x	S26361-F2009-E211	69,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO Options									
Category	Description	Details	FUTRO S450-2	FUTRO S550-2	FUTRO S700	FUTRO S900	Product Code	EUP (€)	Comments
Options matrix									
OS/Application-SW (Continued)									
	Win Embedded Standard_7_SC German	German version of Windows Embedded Standard 7 with manageability agent for Scout EP. No client license for Scout EP is included., A client license for Scout EP (S26361-F2727-L701) is required, if more than 25 Thin Clients shall be managed and no existing client licenses for Scout EP are available. (Scout EP comes with free management for up to 25 Thin Clients. For 26 or more systems, each Thin Client requires a client license for Scout EP.), Size on storage device ca. 3.8 GB. If additional software shall be installed, a mSATA module with at least 8 GB is recommended.			x	x	S26361-F2009-E207	79,00	
	Win Embedded Standard_7_SC English	English version of Windows Embedded Standard 7 with manageability agent for Scout EP. No client license for Scout EP is included., A client license for Scout EP (S26361-F2727-L701) is required, if more than 25 Thin Clients shall be managed and no existing client licenses for Scout EP are available. (Scout EP comes with free management for up to 25 Thin Clients. For 26 or more systems, each Thin Client requires a client license for Scout EP.), Size on storage device ca. 3.8 GB. If additional software shall be installed, a mSATA module with at least 8 GB is recommended.			x	x	S26361-F2009-E210	79,00	
	Rec.DVD WES7 German	Recovery-DVD for the German version of Windows Embedded Standard 7. No license for Windows Embedded Standard is included.,			x	x	S26361-F2009-E802	3,00	
	Rec.DVD WES7 English	Recovery-DVD for the English version of Windows Embedded Standard 7. No license for Windows Embedded Standard is included.,			x	x	S26361-F2009-E805	3,00	
	Rec.DVD WES7 SC German	Recovery-DVD for the German version of Windows Embedded Standard 7 with manageability agent for Scout EP. No licenses for Windows Embedded Standard or Scout EP are included.,			x	x	S26361-F2009-E801	3,00	
	Rec.DVD WES7 SC English	Recovery-DVD for the English version of Windows Embedded Standard 7 with manageability agent for Scout EP. No licenses for Windows Embedded Standard or Scout EP are included.,			x	x	S26361-F2009-E804	3,00	
	No Recovery DVD				x	x	S26361-F2009-E807	2,00	
	No Operating System		x	x	x	x	S26361-F1818-E100	2,00	
UPS/Power supply									
	AC-Adapter 20V/40W				x	x	S26361-F2542-E14	10,00	
	Kein AC-Adapter				x	x	S26361-F2542-E18	2,00	
	Cable powercord (DE,...), 1.8m, black	black, 1.8m, suitable for: Germany, France, Austria, etc.			x	x	T26139-Y2540-E100	6,00	
	Cable powercord (GB), 1.8m, black	black, 1.8m, suitable for: Great Britain, Ireland			x	x	T26139-Y2540-E200	6,00	
	Cable powercord (US), 1.8m, black	black, 1.8m, suitable for: US, 2 wire			x	x	T26139-Y2540-E300	6,00	
	Cable powercord (IN), 1.8m, black	black, 1.8m, suitable for: India, 2 wire			x	x	T26139-Y2540-E600	6,00	
Security									
	SmartCard reader internal, USB 2.0	chipcard reader f. FUTRO S500 requires internal USB interface		x		x	S26361-F1260-E802	19,00	
	SmartCase Logon+	Authentication, Password Manager, SecureDrive, supports SmardCard / Fingerprint / TPM Win XP/Vista-32/Win7,no eLux support, Version 3.0.3		x			S26361-F2727-E730	23,00	
Mouse									
	No Mouse				x	x	S26361-F2542-E12	2,00	
	Optical tilt USB mouse M500T grey		x	x	x	x	S26361-F2542-E226	7,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

FUTRO Options

Category	Description	Details	FUTRO S450-2	FUTRO S550-2	FUTRO S700	FUTRO S900	Product Code	EUP (€)	Comments
Options matrix									
Mouse (Continued)									
	Optical tilt USB mouse M500T grey		x	x	x	x	S26361-F2542-E227	12,00	
	ECO Mouse M440 grey		x	x	x	x	S26361-F2542-E228	16,00	
	PC MOUSE 500T BLACK	optical mouse with 3 keys and tilt-wheel-function, black and anthrazit, 1000 dpi, new design with Fujitsu logo, usb cable 1,8m, white box packed	x	x	x	x	S26381-K426-E100	7,00	
	Mouse M480 black	optical mouse with 3 keys, black and anthrazit, 1000 dpi, new design with Fujitsu logo, usb cable 1,8m, white box packed	x	x	x	x	S26381-K431-E100	6,00	
Miscellaneous									
	Horizontal foot kit		x	x	x	x	S26361-F2542-E290	5,00	
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	x	x	x	x	S26361-F2542-E90	4,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Positioning ESPRIMO



ESPRIMO C

The ESPRIMO C Green PC is your perfect partner for smallest space. The ultra small form factor PC combines latest technology with environmentally conscious product design to minimize impact on the environment. With its silent product concept and service friendly cabinet, the ESPRIMO C offers best working conditions.



ESPRIMO E

Put your performance on the desk. The ESPRIMO E Green PC is a small form factor PC setting new desktop standards. ESPRIMO E offers highly reliable computing power for every business demands. Due to latest technologies, highest ergonomic and silent product design the ESPRIMO E Green PC is for every customer who requires high computing power. It can be positioned either horizontally or vertically.



ESPRIMO P

Your every day business performer. The ESPRIMO P Green PC microtower offers highest performance and best expandability. With various system modifications, the ESPRIMO P is tailored to every business use to reasonable value. Working with ESPRIMO P is stress free. It is ergonomic, silent and reliable.



ESPRIMO Q

The ESPRIMO Q Series opens a new chapter on performance, size and design. With its extremely small and stylish design, the new Mini PC satisfies a so far unanswered business need: PC becomes fashionable. Add an eye catcher to your desk.



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO C

Don't let yourself be fooled from the size of the ESPRIMO C. Although it's an ultra small form factor system presenting latest chipset and processor technologies and offers Multibay functionality like a notebook. Make profit from the small form factor design because you need less space.

ESPRIMO PCs are built with specially selected material to minimize impact on the environment. Production and selection of material are optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.

Working with the ESPRIMO C is stress-free. It is small, ergonomic, silent and reliable. It is easy to administrate and secure. In short, this highly reliable premium PC is particularly tailor-made to your business demands.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
ESPRIMO C700					
	Base unit, proprietary system board D3064, Intel iQ65 chipset with max. 32GB address space, 4x DIMM slots DDR3 1333 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 2 drive bays (1x 5.25" slim, externally accessible, 1x 3.5" internally), 1 low profile PCIe x16 slot, 3x serial ATA II ports (3GB/s/NCQ), 225W wide range power supply (90% efficiency), optical USB tilt wheel mouse., DeskView license included., , Interfaces: 2x serial external (powered), 2x PS/2, 6x USB 2.0 rear, 1x USB 2.0 internal, 4x USB 2.0 in front, 1x DisplayPort, 1x DVI, audio (3x rear, 2x in front), 1x LAN RJ45, 1x VGA (via DVI to VGA adapter, part of shipment) , optional: Lock in front panel, Intrusion switch, SmartCard reader				
ESP C700 /CORE I3-2100/4 GB/DVD SM/ (Promo)	ESP C700 /CORE I3-2100/4 GB/DVD SM/ 500GB SATA III/CK I/KB400PS2/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/RDVD2 WIN7 MAIN/W7_PRO64_O1MULI_MA/		LKN:C_700S0001IT		
ESP C700 /CORE I5-2400/4 GB/DVD SM/ (Promo)	ESP C700 /CORE I5-2400/4 GB/DVD SM/ 500GB SATA III/CK I/KB400PS2/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/RDVD2 WIN7 MAIN/W7_PRO64_O1MULI_MA/		LKN:C_700S0002IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO C700					
ESPRIMO C700	Base unit, proprietary system board D3064, Intel iQ65 chipset with max. 32GB address space, 4x DIMM slots DDR3 1333 MHz (dual channel technology, needs the same memory capacity in each channel), graphics (Direct X10)/ audio/ Intel LAN (10/100/1000) on board, 2 drive bays (1x 5.25" slim, externally accessible, 1x 3.5" internally), 1 low profile PCIe x16 slot, 3x serial ATA II ports (3GB/s/NCQ), 225W wide range power supply (90% efficiency), optical USB tilt wheel mouse., DeskView license included., , Interfaces: 2x serial external (powered), 2x PS/2, 6x USB 2.0 rear, 1x USB 2.0 internal, 4x USB 2.0 in front, 1x DisplayPort, 1x DVI, audio (3x rear, 2x in front), 1x LAN RJ45, 1x VGA (via DVI to VGA adapter, part of shipment) , optional: Lock in front panel, Intrusion switch, SmartCard reader		S26361-K1014-V100	296,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO E

Put your performance on the desk. The ESPRIMO E is a small form factor PC that can either be positioned vertical or horizontal. With its chipset diversity and a managed lifecycle up to 18 months, the ESPRIMO E is the right solution for customer requiring a high quality desktop.

ESPRIMO PC is built with specially selected material to minimize impact on the environment. Production and selection of material is optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.

Working with the ESPRIMO E Series is stress-free: it is ergonomic, silent and reliable. It is easy to administer and secure. Different product specifications are the basis to fit the ESPRIMO E best in your working environment. In short, this highly reliable PC is particularly tailor-made to your business demands.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
ESPRIMO E500					
<p>ESPRIMO E500 E85+ Base unit: ; Mainboard type D2991 ATX; Chipset Intel B65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 1 x PCI slots, 2 x PCI-Express x1, 1 x PCI-Express 2.0 x16, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHC; 280 W power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 (DVI-D) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 10 x USB 2.0 total, 2 x USB front, 6 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 x VGA,</p>					
ESP E500 E85+ /CORE I3-2100/4 GB/DVD SM/ (Promo)	ESP E500 E85+ /CORE I3-2100/4 GB/DVD SM/ 500GB SATA III/CK I/KB400PS2/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ RDVD2 WIN7 MAIN/W7_PRO64_O1MULI_MA/	LKN:E0500P0001IT			
ESPRIMO E700					
<p>ESPRIMO E700 E90+ Base unit: ; Mainboard type D3061 ATX; Chipset Intel Q65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHC; 280 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including;; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 14 x USB 2.0 total, 4 x USB front, 8 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adapter, part of shipment) x VGA,</p>					
ESP E700 E90+ /CORE I5-2400/4 GB/DVD SM/ (Promo)	ESP E700 E90+ /CORE I5-2400/4 GB/DVD SM/ 500GB SATA III/CK I/KB400PS2/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ RDVD2 WIN7 MAIN/W7_PRO64_O1MULI_MA/	LKN:E0700P0001IT			
ESPRIMO E900					
<p>ESPRIMO E900 0-Watt Base unit: vPRO logo with Core i5 or Core i7 processors; Mainboard type D3062 ATX; Chipset Intel Q67, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 6 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHC RAID 1/0; 280 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including;; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 14 x USB 2.0 total, 4 x USB front, 8 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adapter, part of shipment) x VGA,</p>					
ESP E900 0-WATT /CORE I7-2600/4 GB/ (Promo)	ESP E900 0-WATT /CORE I7-2600/4 GB/ DVD SM/1000GB SATA III/CK I/KB400PS2/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ RDVD2 WIN7 MAIN/W7_PRO64_O1MULI_MA/	LKN:E0900P0001IT			



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO E					
Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
ESPRIMO E900 (Continued)					
Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO E400					
	ESPRIMO E400 E85+	ESPRIMO E400 E85+ Base unit: ; Mainboard type D2990 ATX; Chipset Intel H61, max. 8 GB, 2 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, identical memory modules in each channel are necessary (minimum 2 modules); Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x16, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit) NCQ AHCI; 250 W power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DVI, optional x USB 3.0 total, 8 x USB 2.0 total, 2 x USB front, 4 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2), 1 x VGA,	S26361-K1180-V400	185,00	
ESPRIMO E500					
	ESPRIMO E500 E85+	ESPRIMO E500 E85+ Base unit: ; Mainboard type D2991 ATX; Chipset Intel B65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 1 x PCI slots, 2 x PCI-Express x1, 1 x PCI-Express 2.0 x16, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 (DVI-D) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 10 x USB 2.0 total, 2 x USB front, 6 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 x VGA,	S26361-K1337-V310	236,00	
ESPRIMO E700					



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO E

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
ESPRIMO E700 (Continued)					
	ESPRIMO E700 E90+	ESPRIMO E700 E90+ Base unit: ; Mainboard type D3061 ATX; Chipset Intel Q65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including;; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 14 x USB 2.0 total, 4 x USB front, 8 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adapter, part of shipment) x VGA,	S26361-K1337-V210	262,00	
	ESPRIMO E700 E85+	ESPRIMO E700 E85+ Base unit: ; Mainboard type D3061 ATX; Chipset Intel Q65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including;; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 14 x USB 2.0 total, 4 x USB front, 8 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adapter, part of shipment) x VGA,	S26361-K1337-V220	252,00	
ESPRIMO E705					



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO E

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
ESPRIMO E705 (Continued)					
ESPRIMO E705 E85+		ESPRIMO E705 E85+ Base unit: ; Mainboard type D3091 ATX; Chipset AMD 880G, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: ATI Radeon HD 4250; Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Broadcom BCM57780; Slots: 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 6 x Serial ATA II NCQ and 3 GBit AHCI Raid 1/0; 280 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including;; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (Dual link DVI-I) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 12 x USB 2.0 total, 4 x USB front, 6 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adapter, part of shipment) x VGA,	S26361-K1337-V520	245,00	
ESPRIMO E900					
ESPRIMO E900 0-Watt		ESPRIMO E900 0-Watt Base unit: vPRO logo with Core i5 or Core i7 processors; Mainboard type D3062 ATX; Chipset Intel Q67, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 6 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI Raid 1/0; 280 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including;; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 14 x USB 2.0 total, 4 x USB front, 8 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adapter, part of shipment) x	S26361-K1337-V100	440,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO E

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
ESPRIMO E900 (Continued)					
	ESPRIMO E900 E90+	ESPRIMO E900 E90+ Base unit: vPRO logo with Core i5 or Core i7 processors; Mainboard type D3062 ATX; Chipset Intel Q67, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 6 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI Raid 1/0; 280 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including;; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 14 x USB 2.0 total, 4 x USB front, 8 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adapter, part of shipment) x	S26361-K1337-V110	418,00	
	ESPRIMO E900 E85+	ESPRIMO E900 E85+ Base unit: vPRO logo with Core i5 or Core i7 processors; Mainboard type D3062 ATX; Chipset Intel Q67, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, or 2x PCI full high via Riser, Drive bays: 1 x 3.5-inch external bays, 1 x 3.5-inch internal bays, 1 x 5.25-inch external bays; 6 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI Raid 1/0; 280 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including;; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 14 x USB 2.0 total, 4 x USB front, 8 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adapter, part of shipment) x	S26361-K1337-V120	407,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO P

Combine high expandability with latest technology. With its expandability and its chipset diversity ESPRIMO P is the right solution for customer requiring a high quality microtower with a managed lifecycle up to 18 month

ESPRIMO PC is built with specially selected material to minimize impact on the environment. Production and selection of material is optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.

Working with the ESPRIMO P Series is stress-free: it is ergonomic, silent and reliable. It is easy to administer and secure. Different product specifications are the basis to fit the ESPRIMO P best in your working environment. In short, this highly reliable PC is particularly tailor-made to your business demands.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
ESPRIMO P700					
	ESPRIMO P700 E90+ Base unit : Mainboard type D3061 ATX; Chipset Intel Q65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 14 x USB 2.0 total, 4 x USB front, 8 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adapter, part of shipment) x VGA,				
ESP P700 E90+ /CORE I5-2500/4 GB/DVD SM/ (Promo)	ESP P700 E90+ /CORE I5-2500/4 GB/DVD SM/ 500GB SATA III/CK /KB400PS2/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/ W7_PRO64_O1MULTI_MA/RDVD2 WIN7 MAIN/		LKN:P0700P0002IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO P400					
ESPRIMO P400 E85+	ESPRIMO P400 E85+ Base unit : Mainboard type D2990 ATX; Chipset Intel H61, max. 8 GB, 2 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, identical memory modules in each channel are necessary (minimum 2 modules).; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 2 x PCI-Express x1, 1 x PCI-Express 2.0 x16, Drive bays: 1 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit) NCQ AHCI; 330 W power supply; Optical USB wheel mouse; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 (DVI-D) x DVI, optional x USB 3.0 total, 8 x USB 2.0 total, 2 x USB front, 4 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 2 x Mouse / Keyboard (PS/2), 1 x VGA,		S26361-K1017-V300	185,00	
ESPRIMO P500					



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO P

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO P500 (Continued)					
	ESPRIMO P500 E85+	ESPRIMO P500 E85+ Base unit: ; Mainboard type D2991 ATX; Chipset Intel B65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Realtek RTL 8111E; Slots: 1 x PCI slots, 2 x PCI-Express x1, 1 x PCI-Express 2.0 x16, Drive bays: 1 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 4 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W power supply; Optical USB wheel mouse; ; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 (DVI-D) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 10 x USB 2.0 total, 2 x USB front, 6 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 x VGA,	S26361-K1017-V120	234,00	
ESPRIMO P700					
	ESPRIMO P700 E90+	ESPRIMO P700 E90+ Base unit: ; Mainboard type D3061 ATX; Chipset Intel Q65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including;; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 14 x USB 2.0 total, 4 x USB front, 8 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adapter, part of shipment) x VGA,	S26361-K1015-V210	262,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO P					
Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO P700 (Continued)					
	ESPRIMO P700 E85+	ESPRIMO P700 E85+ Base unit: ; Mainboard type D3061 ATX; Chipset Intel Q65, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 V; Slots: 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 5 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI; 280 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including;; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 14 x USB 2.0 total, 4 x USB front, 8 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adapter, part of shipment) x VGA,	S26361-K1015-V220	252,00	
ESPRIMO P705					
	ESPRIMO P705 E85+	ESPRIMO P705 E85+ Base unit: ; Mainboard type D3091 ATX; Chipset AMD 880G, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: ATI Radeon HD 4250; Audio: Realtek ALC663; LAN: 10/100/1000 MBit/s Broadcom BCM57780; Slots: 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 6 x Serial ATA II NCQ and 3 GBit AHCI Raid 1/0; 280 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including;; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (Dual link DVI-I) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 12 x USB 2.0 total, 4 x USB front, 6 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adapter, part of shipment) x VGA,	S26361-K1015-V520	245,00	
ESPRIMO P900					



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO P					
Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO P900 (Continued)					
	ESPRIMO P900 0-Watt	ESPRIMO P900 0-Watt Base unit: vPRO logo with Core i5 or Core i7 processors; Mainboard type D3062 ATX; Chipset Intel Q67, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 6 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI Raid 1/0; 280 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including;; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 14 x USB 2.0 total, 4 x USB front, 8 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adapter, part of shipment) x VGA,	S26361-K1015-V100	440,00	
	ESPRIMO P900 E90+	ESPRIMO P900 E90+ Base unit: vPRO logo with Core i5 or Core i7 processors; Mainboard type D3062 ATX; Chipset Intel Q67, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 6 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI Raid 1/0; 280 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including;; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 14 x USB 2.0 total, 4 x USB front, 8 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adapter, part of shipment) x VGA,	S26361-K1015-V110	418,00	
	ESPRIMO P900 E85+	ESPRIMO P900 E85+ Base unit: vPRO logo with Core i5 or Core i7 processors; Mainboard type D3062 ATX; Chipset Intel Q67, max. 32 GB, 4 DIMM (DDR3) slots 1333 MHz, Dual channel support. For dual channel performance, a minimum of 2 memory modules have to be ordered. Capacity per channel has to be the same. > 16 GB support with future memory modules; Graphics: Intel HD Graphics or HD Graphics 2000 (depending on CPU); Audio: Conexant CX20642; LAN: 10/100/1000 MBit/s Intel 82579 LM; Slots: 1 x PCI slots, 1 x PCI-Express x1, 1 x PCI-Express 2.0 x4 (mech. x16), 1 x PCI-Express 2.0 x16, Drive bays: 2 x 3.5-inch external bays, 2 x 3.5-inch internal bays, 2 x 5.25-inch external bays; 6 x Serial ATA II (3 GBit) Serial ATA III (6 GBit) NCQ AHCI Raid 1/0; 280 W power supply; Optical USB tilt wheel mouse; DeskView 10.x client management including;; Interfaces: 1 x Audio: line-in, 1 x Audio: line-in / microphone, 1 x Audio: line-out, 1 x Front audio: headphone, 1 x Front audio: microphone, 1 x DisplayPort, 1 (DVI-I) x DVI, 1 (optional) x eSATA, optional x USB 3.0 total, 14 x USB 2.0 total, 4 x USB front, 8 x USB rear, 2 x USB internal, 1 x Ethernet (RJ-45), 1 (optional) x Parallel (25pin with EPP and ECP), 2 x Mouse / Keyboard (PS/2), 1 x Serial (RS-232) (9pin, 16 byte FIFO, 16550 compatible), 1 (via DVI to VGA adapter, part of shipment) x VGA,	S26361-K1015-V120	407,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Q

The ESPRIMO Q Series opens a new chapter on performance, size and design.

With its extremely small and stylish design, the Mini PC satisfies a so far unanswered business need: PC becomes fashionable. Powered by the latest Intel® Mobile Technology, the ESPRIMO Q Series fulfills the requirements of a fully-fledged PC.

Don't buy expandability you never use and gain more space on your desk. You'll profit from its low energy consumption, as well as from its whisper silent noise level.

Add an eye catcher to your desk.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
ESPRIMO Q900					
ESPRIMO Q900	vPro with Core i5 processors, , Base unit, proprietary form factor, Intel iQM67 chipset with max. 8GB memory, 2x SODIMM slot DDR3 1333 MHz, graphics/ audio/ Intel LAN (10/100/1000) on board, 2 drive bays (1x 5.25" slim slot-in, externally accessible, 1x 2.5" internally), 90W wide range power supply, optical USB scroll mouse; keyboard only optional., DeskView license included., , Interfaces: 5x USB 2.0 rear, 2x USB 3.0 in front, 1x DisplayPort, 1x DVI, audio (3x rear; optical SPDIF out), 1x LAN RJ45, 1x DVI/VGA adapter included in base unit, , optional:, 1 MiniCard (for WLAN module), 1 Bluetooth module, 1 Multicard reader		S26361-K1011-V100	308,00	



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

ESPRIMO Accessories

Category	Description	Details	ESPRIMO C5731	ESPRIMO C700	ESPRIMO E3521	ESPRIMO E3721	ESPRIMO E400	ESPRIMO E400	ESPRIMO E4645	ESPRIMO E5731	ESPRIMO E700	ESPRIMO E705	ESPRIMO E710	ESPRIMO E7308	ESPRIMO E900	ESPRIMO E900	ESPRIMO P2560	ESPRIMO P2760	ESPRIMO P3521	ESPRIMO P400	ESPRIMO P400	ESPRIMO P510	ESPRIMO P545	ESPRIMO P5731	ESPRIMO P700	ESPRIMO P705	ESPRIMO P7308	ESPRIMO P900	ESPRIMO P900	ESPRIMO Q1510	ESPRIMO Q510	ESPRIMO Q900	ESPRIMO Q900	ESPRIMO Q910	Product Code	EUP (%)	Comments				
OS/Application-SW (Continued)																																									
	FLUENDO Codec Package	The FLUENDO Codec Package includes the licenses for using multimedia codecs in combination with eLux RL. The codecs itself are pre-installed on our eLux RL operating system. When ordering the FLUENDO Codec Package, you will receive a license key which allows to use the codecs on your Thin Client. Following codecs are covered: MP3, WMA stereo, AAC stereo, AC3 stereo, WMV, H264, MPEG4 part2 and MPEG2. .	x								x																										S26361-F2727-L704	10,00			
	Windows MultiPoint Server 2010 CAL																							x													S26361-F2010-L270	67,00			
	Windows MPS 2011 CAL																								x												S26361-F2011-L170	67,00			
	Drivers&Utilities DVD (XP) ESPRIMO DT	incl. Nero Essentials S, Norton Internet Security	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2007-L910	16,00			
	Drivers&Utilities DVD (VISTA/7) ESPRIMO	incl. Nero Essentials S, Norton Internet Security	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2007-L901	16,00			
Security																																									
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F1260-L521	28,00			
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b.64 KByte EEPROM	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F1571-L201	16,00	Phased out		
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b.64 KByte EEPROM	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F1571-L210	118,00	Phased out		
	SmartCase Logon+ license (1-99 licenses)	includes 1 license., for orders up to 99 licenses., no software, no data medium	x	x	x				x	x					x	x								x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2727-L100	20,00			
	SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smartcard / Fingerprint for XP/Vista/Win7, no eLux support, Version 3.0.3	x	x	x				x	x					x	x																					S26361-F2727-L730	43,00			
	SmartCase Logon+ 3.2.2	Supports secure authentication, password container, SSO, drive encrypt, smartcard, biometrics	x						x	x														x	x	x											S26361-F2727-L740	42,00	Orderable from: 29/02/2012		
	SmartCard CARDOS V4.4. 1PCS	1 SmartCard CardOS 4.4, 68 KByte EEPROM	x																																		S26361-F305-L101	23,00			
	SmartCard CARDOS V4.4. 2PCS	2 SmartCard CardOS 4.4, 68 KByte EEPROM	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F305-L102	45,00			
	SmartCard CARDOS V4.4. 10PCS	10 SmartCard CardOS 4.4, 68 KByte EEPROM	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F305-L110	204,00			
	Smartcardreader USB Solo 3 extem 3310V2	PC/OS and XP / Vista compatible, USB interface	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F331-L220	25,00		
Miscellaneous																																									
	4 Rubber feet for vertical position						x	x																														S26361-F2542-L480	12,00		
	ESPRIMO Q mounting kit	incl. VESA subadapter																																				S26361-F2542-L75	52,00		
	VESA subadapter																																						S26361-F2601-L600	22,00	
	Feet for vertical position (set)					x	x	x	x	x	x	x	x	x	x	x																							S26361-F2542-L200	12,00	
	Rear USB 2.0 connector	2x USB 2.0																																					S26361-F2438-L215	9,00	
	Blanking Plate 5.25" drive bays, 10 pcs.				x	x	x	x																															S26361-F2542-L326	14,00	
	Blanking Plate 5.25" drive bays, 3 pcs.	3x 5.25" covers & drive cage																																					S26361-F2542-L328	14,00	
	Blanking Plate + cage 3.5" bay, 6 pcs.																																						S26361-F2542-L329	10,00	
	Universal PC-TFT holder	for TFT (15"-20") and PC (max 105x70x400mm)	x	x	x	x																																	S26361-F2542-L35	123,00	
Cables																																									
	Monitor outlet cable	necessary to contact monitor directly to the PC																																					S26361-F2542-L57	10,00	
	Cable for 2. USB device																																						S26361-F2581-L10	13,00	
Additional Software																																									
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		U1081-C301	1.225,00		
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		U1081-C311	1.225,00		
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		U1081-C321	500,00		
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		U1081-C300	30,00		
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		U1081-C299	15,00		
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		U10987-C501	1.225,00		
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		U10987-C513	1.225,00		
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		U10987-C525	500,00		
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		U10987-C500	36,00		
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		U10987-C499	15,00		



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO E400	ESPRIMO E500	ESPRIMO E700	ESPRIMO E705	ESPRIMO E900	ESPRIMO P2560	ESPRIMO P400	ESPRIMO P500	ESPRIMO P700	ESPRIMO P705	ESPRIMO P900	ESPRIMO PH300	ESPRIMO Q900	Product Code	EUP (€)	Comments
Options matrix																			
Approvals/dependencies																			
	Housing for 2 full height PCI cards					x	x	x									S26361-F2542-E427	20,00	
	FastOn							x						x			S26361-F2550-E120	6,00	
	Energy Star approval	Limited configuration					x						x				S26361-F2550-E140	3,00	
	China (CCC) approval					x		x				x		x			S26361-F2550-E150	3,00	
	Thin Client Upgrade Kit eLux ESPRIMO		x			x											S26361-F2542-E510	22,00	
	Thin Client Upgrade Kit WEST ESPRIMO		x			x											S26361-F2542-E520	3,00	
Multi Workplace Computing																			
	Host for MVC 2011 STD max. 10 seats	This order number provides a Host configuration guidance of RECOMMENDED system components for the named number of max. seats. , Don't select this number for a flexible components selection. , For more information please click on the PC-Architect "remarks" button. , Find additional information in our partners portal. , https://partners.fujitsu.com/products/cleents/thin_clients/Pages/mvc.aspx										x					S26361-F2011-E173	3,00	Phased out
Processor																			
	Pentium E6600	3.06 GHz, 2 MB SLC, 1066 MHz FSB, dual core, LGA775, incl. heat sink, technologies: VT-x							x								S26361-F3473-E660	54,00	
	Celeron G530	incl. Intel HD Graphics, 2.40 GHz, 2 MB total cache, dual core/2 threads, LGA1155, technologies: VT-x,	x	x	x	x		x		x	x	x		x			S26361-F4020-E530	40,00	
	Pentium G620	incl. Intel HD Graphics, 2.60 GHz, 3 MB total cache, dual core/2 threads, technologies: VT-x	x		x	x		x		x	x	x		x			S26361-F4050-E620	72,00	Phased out
	Pentium G630	incl. Intel HD Graphics, 2.70 GHz, 3 MB total cache, dual core/2 threads, LGA1155	x	x	x	x		x		x	x	x		x			S26361-F4050-E630	72,00	
	Pentium G840	incl. Intel HD Graphics, 2.80 GHz, 3 MB total cache, dual core/2 threads, LGA1155, technologies: VT-x	x		x	x		x		x	x	x		x			S26361-F4050-E840	84,00	Phased out
	Pentium G850	incl. Intel HD Graphics, 2.90 GHz, 3 MB total cache, dual core/2 threads, LGA1155, technologies: VT-x,	x	x	x	x		x		x	x	x		x			S26361-F4050-E850	84,00	
	Core i3-2100	incl. Intel HD Graphics 2000, 3.10 GHz, 3 MB total cache, dual core/4 threads, LGA1155, technologies: VT-x	x		x	x		x		x	x	x		x			S26361-F4493-E210	146,00	
	Core i3-2120	incl. Intel HD Graphics 2000, 3.30 GHz, 3 MB total cache, dual core/4 threads, LGA1155, technologies: VT-x,	x	x	x	x		x		x	x	x		x	x		S26361-F4493-E212	146,00	
	Core i5-2320	incl. Intel HD Graphics 2000, 3.00 GHz, 6 MB total cache, quad core/4 threads, LGA1155, technologies: VT-x,		x						x							S26361-F4494-E232	226,00	
	Core i5-2400	incl. Intel HD Graphics 2000, 3.10 GHz, 6 MB total cache, quad core/4 threads, LGA1155, technologies: VT-x, TXT	x	x	x	x		x		x	x	x		x			S26361-F4494-E240	237,00	
	Core i5-2500	incl. Intel HD Graphics 2000, 3.30 GHz, 6 MB total cache, quad core/4 threads, LGA1155, technologies: VT-x, TXT	x	x	x	x		x		x	x	x		x			S26361-F4494-E250	258,00	
	Core i7-2600	incl. Intel HD Graphics 2000, 3.40 GHz, 8 MB total cache, quad core/8 threads, LGA1155, technologies: VT-x, TXT	x	x	x	x		x		x	x	x		x			S26361-F4495-E260	362,00	
	Celeron B800	incl. graphics, 1.50 GHz, 2 MB total cache, dual core/2 threads, technologies: VT-x														x	S26361-F4020-E800	40,00	Phased out
	Celeron B815	incl. graphics, 1.60 GHz, 2 MB total cache, dual core/2 threads, technologies: VT-x														x	S26361-F4020-E815	38,00	
	Pentium B940	incl. graphics, 2.00 GHz, 2 MB total cache, dual core/2 threads, Attention: not for Corporate Projects (only for SOHO)														x	S26361-F3548-E940	75,00	Phased out
	Pentium B960	incl. graphics, 2.00 GHz, 2 MB total cache, dual core/2 threads, Attention: not for Corporate Projects (only for SOHO)														x	S26361-F3548-E960	75,00	
	Core i3-2330M	incl. graphics, 2.20 GHz, 3 MB total cache, dual core/4 threads, LGA1156, technologies: VT-x, Attention: not for Corporate Projects (only for SMB, education and government)														x	S26361-F4018-E233	157,00	Phased out
	Core i3-2350M	incl. Intel HD Graphics, 2.60 GHz, 3 MB total cache, dual core/2 threads, technologies: VT-x														x	S26361-F4493-E235	157,00	
	Intel Core i5-2520M	incl. graphics, 2.50 GHz, 3 MB total cache, dual core/4 threads, LGA1156, technologies: VT-x														x	S26361-F4019-E252	274,00	
	Athlon II X2 220	2.8 GHz, 1 MB total cache, socket AM2, dual core, incl. heat sink, AMD-V					x						x				S26361-F3416-E220	52,00	
	Athlon II X2 265	3.3 GHz, 2 MB total cache, socket AM3, dual core, incl. heat sink, AMD-V					x						x				S26361-F3416-E265	69,00	
	Phenom II X2 560	3.3 GHz, 7 MB total cache, socket AM3, dual core, incl. heat sink, AMD-V					x						x				S26361-F3513-E560	104,00	
	Phenom II X4 960T	3.0 GHz, 8 MB total cache, socket AM3, quad core, incl. heat sink, AMD-V					x						x				S26361-F3513-E960	142,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO E400	ESPRIMO E500	ESPRIMO E700	ESPRIMO E705	ESPRIMO E900	ESPRIMO P2560	ESPRIMO P400	ESPRIMO P500	ESPRIMO P700	ESPRIMO P705	ESPRIMO P900	ESPRIMO PH300	ESPRIMO Q900	Product Code	EUP (€)	Comments
Processor (Continued)																			
	FX-4100	3.6 GHz, 8 MB total cache, socket AM3+, quad core, incl. heat sink, AMD Turbo Core, ,					x						x				S26361-F4021-E410	193,00	
Memory																			
	2GB DDR3-1333	1 module PC 1333, DIMM				x							x				S26361-F4404-E2	20,00	
	4GB DDR3-1333	1 module PC 1333, DIMM				x							x				S26361-F4404-E3	38,00	
	2GB DDR3-1066	1 module PC 1066, DIMM							x								S26361-F4402-E2	20,00	
	2GB DDR3-1333	1 module PC 1333, DIMM	x	x	x	x		x		x	x	x		x			S26361-F3378-E2	20,00	
	4GB DDR3-1333	1 module PC 1333, DIMM	x	x	x	x		x		x	x	x		x	x		S26361-F3378-E3	38,00	
	2GB DDR3-1333	1 module PC 1333 (PC3-10600), SO-DIMM														x	S26361-F4407-E2	20,00	
	4GB DDR3-1333	1 module PC 1333 (PC3-10600), SO-DIMM														x	S26361-F4407-E3	38,00	
Graphics																			
	DVI Extension Adapter FH	PCIe, DVI-D extension for onboard graphics, 2 monitor mode (1 DVI-D + 1 VGA) possible							x								S26361-F3305-E211	7,00	Phased out
	ATI Radeon HD5450 512 MB	PCIe, dual monitor (2 DVI-I/ VGA), HDCP, DirectX11, incl. 2 Adapter, DVI-VGA							x	x	x	x	x	x			S26361-F3535-E545	44,00	
	NVIDIA GeForce 405 DisplayPort 512MB FH	PCIe Gen2, Dual Monitor (1x DVI-I, 1x display port), Dual link, HDCP, DirectX10, incl. Adapter DVI-VGA, DDR3							x	x	x	x	x				S26361-F3000-E407	44,00	
	NVIDIA GeForce 405 DisplayPort 512MB LP	Low Profile, PCIe Gen2, Dual Monitor (1x DVI-I, 1x display port), Dual link, HDCP, DirectX10, incl. Adapter DVI-VGA, DDR3	x	x	x	x	x										S26361-F3000-E405	44,00	
	NVIDIA GeForce GT420 DisplayPort 1GB FH	PCIe Gen2, DVI-I, VGA, HDCP, DirectX11, dual link, display port							x	x	x	x	x	x			S26361-F3000-E422	77,00	
	NVIDIA GeForce GT420 DisplayPort 1GB LP	PCIe Gen2, DVI-I, HDCP, DirectX11, dual link, display port	x	x	x	x	x										S26361-F3000-E420	77,00	
	NVIDIA Quadro NVS 300 512MB PCIe x16	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately								x	x	x	x				S26361-F2748-E38	84,00	
	2nd NVIDIA Quadro NVS 300 512MB PCIe x16	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately									x	x	x				S26361-F2748-E138	84,00	
	NVIDIA Quadro NVS 300 512MB PCIe x16LP	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately	x	x	x	x	x										S26361-F2748-E338	77,00	
	2nd NVIDIA Quadro NVS 300 512MB PCIe x16	Connectors: 1x LFH 59, PCIe x16, adapters and cables must be ordered separately				x	x	x									S26361-F2748-E438	77,00	
	No Energy Star + Blue Angel approval												x	x			S26361-F2550-E110	3,00	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F2391-E200	17,00	
	DVI/VGA Adapter	for connection of one VGA-monitor	x	x	x	x	x	x	x	x	x	x	x				S26361-F2391-E1	6,00	
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors	x	x	x	x	x				x	x	x	x			S26361-F2391-E101	17,00	
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors	x	x	x	x	x				x	x	x	x			S26361-F2391-E102	19,00	
Removable Media Drives																			
	ODD cover (dummy drive)	necessary when no ODD is configured														x	S26361-F2542-E52	4,00	
	Cable for 2nd ODD								x	x	x						S26361-F2581-E23	4,00	
	Card Reader 8-in-1 ESPRIMO Q	SD/MMC/RS MMC/xD/MS/MS Pro														x	S26361-F3077-E16	10,00	
	DVD SATA	occupies accessible 5.25"- bay, DVD software must be ordered separately	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F3418-E510	16,00	
	DVD SuperMulti SATA	occupies accessible 5.25"- bay, DVD software must be ordered separately	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F3420-E510	22,00	
	Blu-ray Disc Triple Writer SATA	occupies 5.25"-bay, BD read/write + DVD read/write +CD read/write, Blu-ray Playback SW must be ordered separately	x	x	x	x	x		x	x	x	x	x				S26361-F3523-E510	166,00	
	BD Triple Writer SATA slim (tray)	occupies 5.25"-bay, BD read/write + DVD read/write + CD read/write, Blu-ray Playback SW must be ordered separately	x	x	x	x	x		x	x	x	x	x				S26361-F3716-E100	110,00	
	Cable for 2nd ODD	necessary for the operation of the 2nd optical disc drive												x			S26361-F2581-E20	4,00	
	MultiCard Reader 20in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F3077-E5	10,00	
	MCR 20in1 + USB 3.0 front con., 3.5"	requires USB 3.0 PCIe x1 card; occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type	x	x	x	x	x		x	x	x	x	x				S26361-F3077-E15	14,00	
	DVD SuperMulti SATA slim	occupies accessible 5.25"- bay, DVD software must be ordered separately	x														S26361-F3429-E510	30,00	
	DVD SuperMulti SATA Slot-in slim	occupies accessible 5.25"- bay, DVD software must be ordered separately	x														S26361-F3522-E510	37,00	
	DVD SuperMulti SATA Slot-in slim	occupies accessible 5.25"- bay, DVD software must be ordered separately													x		S26361-F3630-E200	37,00	
	Blu-Ray Combo SATA Slot-in slim	occupies 5.25"-bay, BD read + DVD read/write +CD read/write, Blu-ray Playback SW must be ordered separately													x		S26361-F3562-E200	154,00	
Hard Disks																			



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO E400	ESPRIMO E500	ESPRIMO E700	ESPRIMO E705	ESPRIMO E900	ESPRIMO P2560	ESPRIMO P400	ESPRIMO P500	ESPRIMO P700	ESPRIMO P705	ESPRIMO P900	ESPRIMO PH300	ESPRIMO Q900	Product Code	EUP (€)	Comments
Options matrix																			
Hard Disks (Continued)																			
	mSATA Adapter	Adapter does not contain mSATA modules. Those (and the eLux+Scout license) have to be ordered separately.	x			x											S26361-F2542-E530	22,00	
	HDD SATA II 320GB 5.4k 2.5" AF	occupies 2.5"-bay (internal); Disk imaging software of the customer must be 4k sector size/advanced format ready.														x	S26361-F3658-E320	80,00	
	HDD SATA II 500GB 5.4k 2.5" AF	occupies 2.5"-bay (internal); Disk imaging software of the customer must be 4k sector size/advanced format ready.														x	S26361-F3658-E500	98,00	
	1 GB mSATA		x			x											S26361-F3666-E1	34,00	Orderable from: 14/02/2012
	2 GB mSATA	Does not contain mSATA adapter and eLux+Scout license, those have to be ordered separately.	x			x											S26361-F3666-E2	38,00	
	4 GB mSATA	Does not contain mSATA adapter and eLux+Scout license, those have to be ordered separately.	x			x											S26361-F3666-E4	55,00	
	8 GB mSATA	Does not contain mSATA adapter and eLux+Scout license, those have to be ordered separately.	x			x											S26361-F3666-E8	99,00	
	16 GB mSATA	Does not contain mSATA adapter and eLux+Scout license, those have to be ordered separately.	x			x											S26361-F3666-E16	177,00	
	SSD SATA III 128GB high speed	occupies 3.5"-bay (internal), incl. frame, very fast 2.5" solid state drive with SATA 6GB/s interface, no WinXP support	x	x	x	x	x	x		x	x						S26361-F3680-E128	266,00	
	SSD SATA II 128GB high speed	very fast 2.5" solid state drive with SATA 3GB/s interface, no WinXP support													x		S26361-F3679-E128	266,00	
	SSD SATA III 128GB high speed	very fast 2.5" solid state drive with SATA 6GB/s interface, incl. easy rail, no WinXP support										x	x	x			S26361-F3681-E128	266,00	
	SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support	x	x	x	x	x	x		x	x						S26361-F3680-E256	455,00	
	SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support										x	x	x			S26361-F3681-E256	455,00	
	SSD 128GB high speed	occupies 3.5"-bay (internal), incl. frame, very fast 2.5" solid state drive with SATA 3GB/s interface, no WinXP support	x	x	x	x	x	x		x	x						S26361-F3575-E100	299,00	
	SSD 128GB high speed FDE	very fast 2.5" solid state drive with SATA 3GB/s interface, no WinXP support													x		S26361-F3584-E100	276,00	
	SSD 128GB high speed FDE	very fast 2.5" solid state drive with SATA 3GB/s interface, incl. easy rail, no WinXP support										x	x	x			S26361-F3639-E100	276,00	
	HDD SATA III 250GB 7.2k	occupies 3.5"-bay (internal).	x	x	x	x	x	x		x	x						S26361-F3660-E250	60,00	
	HDD SATA III 250GB 7.2k	occupies 3.5"-bay (internal).										x	x	x			S26361-F3660-E251	60,00	
	HDD SATA III 320GB 7.2k	occupies 3.5"-bay (internal).	x	x	x	x	x	x		x	x						S26361-F3660-E320	63,00	
	HDD SATA III 320GB 7.2k	occupies 3.5"-bay (internal).										x	x	x			S26361-F3660-E321	63,00	
	HDD SATA III 500GB 7.2k	occupies 3.5"-bay (internal).	x	x	x	x	x	x		x	x						S26361-F3660-E500	72,00	
	HDD SATA III 500GB 7.2k	occupies 3.5"-bay (internal).										x	x	x			S26361-F3660-E501	72,00	
	HDD SATA III 1000GB 7.2k	occupies 3.5"-bay (internal).	x	x	x	x	x	x		x	x	x	x	x			S26361-F3660-E100	112,00	
	HDD SATA II 250GB 5.4k 2.5"	occupies 2.5"-bay (internal)													x		S26361-F3528-E10	73,00	
	HDD SATA II 160GB 7.2k 2.5"	belegt 2.5"-Einbauplatz (intern)													x		S26361-F3560-E200	66,00	
	HDD SATA II 160GB 7.2k 2.5	occupies 2.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology										x	x	x			S26361-F3640-E100	66,00	
	HDD SATA II 160GB 7.2k 2.5" incl. frame	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology	x	x	x	x	x	x		x	x	x	x				S26361-F3661-E160	66,00	
	HDD SATA II 250GB 7.2k	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology								x							S26361-F3212-E100	60,00	Phased out
	HDD SATA II 320GB 7.2k	occupies 3.5"-bay (internal)								x							S26361-F3570-E100	63,00	Phased out
	HDD SATA II 500GB 7.2k	occupies 3.5"-bay (internal)													x		S26361-F3435-E100	76,00	
	HDD SATA II 1000GB 7.2k	occupies 3.5"-bay (internal)								x				x	x		S26361-F3568-E100	106,00	
	HDD SATA III 500GB 7.2k BC	occupies 3.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology	x			x	x	x				x	x	x			S26361-F3497-E100	104,00	
	Cable for 2nd HDD/SSD	necessary for the operation of the 2nd HDD or SSD	x	x	x	x	x	x		x	x	x	x	x			S26361-F2581-E30	3,00	
Communication/Network																			
	Bluetooth Q900															x	S26361-F2542-E6	22,00	
	WLAN 2x2 agn															x	S26361-F3108-E10	16,00	
	USB 3.0 PCIe x1		x	x	x	x	x	x		x	x	x	x	x			S26361-F3050-E10	26,00	
	Gigabit Ethernet PCIe x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash manageability for AMD platforms, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0	x	x	x	x	x	x		x	x	x	x	x			S26361-F3067-E60	16,00	
	Gigabit Ethernet PCIe x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash manageability, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0								x	x	x	x	x			S26361-F3067-E90	16,00	
	Modem adapter kit (EU)	includes all adapter for EU								x							S26361-F3145-E50	10,00	Phased out
	WLAN III, 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB interface; only EMEA	x	x	x	x	x	x		x	x	x	x	x			S26361-F3108-E5	16,00	
	Parallel Interface LP	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot			x	x	x	x									S26361-F2542-E30	3,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO E400	ESPRIMO E500	ESPRIMO E700	ESPRIMO E705	ESPRIMO E900	ESPRIMO P2560	ESPRIMO P400	ESPRIMO P500	ESPRIMO P700	ESPRIMO P705	ESPRIMO P900	ESPRIMO PH300	ESPRIMO Q900	Product Code	EUP (€)	Comments
Options matrix																			
Communication/Network (Continued)																			
	Parallel Interface FH	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height				x	x	x	x		x	x	x	x			S26361-F2542-E34	3,00	
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot	x														S26361-F2542-E60	3,00	
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot; low profile	x		x	x	x	x									S26361-F2542-E40	3,00	
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot; full height				x	x	x			x	x	x	x			S26361-F2542-E70	4,00	
	Dual serial card PCIe x1	Dual Port RS232 via splitter cable	x	x	x	x	x	x		x	x	x	x	x			S26361-F3316-E6	22,00	
	Dual serial card PCIe x1, powered	Dual Port RS232 via splitter cable	x	x	x	x	x	x		x	x	x	x	x			S26361-F3316-E7	23,00	
Country kits																			
	Country kit (CDN,US)	incl. power cord (US), safety manuals (EU+, non EU)	x	x	x	x	x	x			x	x	x	x			S26361-F2930-E100	8,00	
	Country kit (D)	Germany; incl. power cord (Euro), safety manual (DE)	x	x	x	x	x	x		x	x	x	x	x			S26361-F2930-E101	8,00	
	Country kit (I)	incl. power cord (I), safety manual (I)	x	x	x	x	x	x		x	x	x	x	x	x		S26361-F2930-E104	8,00	
	Country kit (GB)	incl. power cord (GB), safety manual (GB)	x	x	x	x	x	x		x	x	x	x	x			S26361-F2930-E105	8,00	
	Country kit (INT, power cord GB)	incl. power cord (GB), safety manual (INT)	x	x	x	x	x	x		x	x	x	x	x			S26361-F2930-E110	8,00	
	Country kit ESPRIMO Q (INT, power cord EU)	incl. power cord (Euro), safety manual (INT)													x		S26361-F2930-E122	8,00	
	Country kit ESPRIMO Q (I)	incl. power cord (IT), safety manual (IT)													x		S26361-F2930-E123	8,00	
	Country kit ESPRIMO Q (INT, power cord GB)	incl. power cord (GB), safety manual (INT)													x		S26361-F2930-E124	8,00	
	Country kit ESPRIMO Q (CDN, US)	incl. power cord (US), safety manual (INT)													x		S26361-F2930-E127	8,00	
	Country kit ESPRIMO Q (D)	incl. power cord (Euro), safety manual (INT)													x		S26361-F2930-E128	8,00	
	Country kit (INT, no power cord)	without power cord, incl. safety manual (INT)	x	x	x	x	x	x		x	x	x	x	x			S26361-F2930-E135	8,00	
	Country kit EU-cable (EU+)	incl. power cord (Euro), safety manual (EU+)	x	x	x	x	x	x		x	x	x	x	x			S26361-F2930-E141	8,00	
	Made in Germany sticker	The „Made in Germany“ sticker prominently displays this universally admired differentiating product value	x	x	x	x	x	x		x	x	x	x	x			S26391-F404-E911	2,00	
OneBox-Keyboards																			
	KBPC PX ECO US	KBPC PX ECO US, professional GreenIT keyboard, US-English, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x			x	x	x	x			S26381-K341-E110	26,00	
	KBPC PX ECO D	KBPC PX ECO D, professional GreenIT keyboard, Layout German, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x			x	x	x	x			S26381-K341-E120	26,00	
	KBPC PX ECO INT/D	KBPC PX ECO INT/D professional GreenIT keyboard, Layout International German, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x			x	x	x	x			S26381-K341-E122	26,00	
	KBPC PX ECO GB	KBPC PX ECO GB, professional GreenIT keyboard, Layout Great Britain, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x			x	x	x	x			S26381-K341-E165	26,00	
	KBPC PX ECO I	KBPC PX ECO I, professional GreenIT keyboard, Layout Italy, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest	x	x	x	x	x	x			x	x	x	x			S26381-K341-E185	26,00	
	KB520 US	KB520 keyboard standard, marble grey, US, cable USB 2m,	x	x	x	x	x	x		x	x	x	x	x			S26381-K520-E102	13,00	
	KB520 DE	KB520 keyboard standard, marble grey, Germany, cable USB 2m,	x	x	x	x	x	x		x	x	x	x	x			S26381-K520-E120	13,00	
	KB520 GB	KB520 keyboard standard, marble grey, Great Britain, cable USB 2m,	x	x	x	x	x	x		x	x	x	x	x			S26381-K520-E165	13,00	
	KB520 IT	KB520 keyboard standard, marble grey, Italy, cable USB 2m,	x	x	x	x	x	x		x	x	x	x	x			S26381-K520-E185	13,00	
	KB400 USB black US	KB400 USB INT USA, SLIM value keyboard black, international and USA layout, USB	x	x	x	x	x	x		x	x	x	x	x			S26381-K550-E402	10,00	
	KB400 USB black D	KB400 USB D, SLIM value keyboard black, german layout, USB	x	x	x	x	x	x		x	x	x	x	x			S26381-K550-E420	10,00	
	KB400 USB black GB	KB400 USB GB, SLIM value keyboard black, english layout, USB	x	x	x	x	x	x		x	x	x	x	x			S26381-K550-E465	10,00	
	KB400 USB black I	KB400 USB I, SLIM value keyboard black, italian layout, USB	x	x	x	x	x	x		x	x	x	x	x			S26381-K550-E485	10,00	
	KB400 PS2 US	KB400 PS2 US, SLIM value Keyboard black US english PS2	x	x	x	x	x	x		x	x	x	x	x			S26381-K551-E402	10,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO E400	ESPRIMO E500	ESPRIMO E700	ESPRIMO E705	ESPRIMO E900	ESPRIMO P2560	ESPRIMO P400	ESPRIMO P500	ESPRIMO P700	ESPRIMO P705	ESPRIMO P900	ESPRIMO PH300	ESPRIMO Q900	Product Code	EUP (€)	Comments
Options matrix																			
OneBox-Keyboards (Continued)																			
	KB400 PS2 black US	KB400 PS2 US, SLIM value Keyboard black US english PS2	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K551-E410	10,00	Phased out
	KB400 PS2 black D	KB400 PS2 D, SLIM value Keyboard black Germany PS2	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K551-E420	10,00		
	KB400 PS2 black GB	KB400 PS2 GB, SLIM value Keyboard black UK PS2	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K551-E465	10,00		
	KB400 PS2 black I	KB400 PS2 I, SLIM value Keyboard black Italian PS2	x	x	x	x	x	x	x	x	x	x	x	x	x	S26381-K551-E485	10,00		
	Keyboard KB900 USB US	KB900 USB USA, american layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x				x	x	x	x		S26381-K560-E402	16,00		
	Keyboard KB900 USB D	KB900 USB D, german layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x				x	x	x	x		S26381-K560-E420	16,00		
	Keyboard KB900 USB GB	KB900 USB GB, english layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x				x	x	x	x		S26381-K560-E465	16,00		
	Keyboard KB900 USB IT	KB900 USB I, italian layout, spill-proof, black, 1.8 m USB cable	x	x	x	x	x				x	x	x	x		S26381-K560-E485	16,00		
	PS2 Keyboard Cable 2,0m	Keyboard cable PS2 for KBPC PX ECO, ca. 2,0 m length	x			x	x	x				x	x	x		T26139-Y4530-E1	4,00		
OS/Application-SW																			
	Nero 9 Essentials XL	Recording software, Showtime, (DVD-video but no Blu-ray playback), BackItUp/ on DVD	x	x	x	x	x	x			x	x	x	x	x	x	S26361-F1818-E893	10,00	
	Rec.DVD eLux RL3	Recovery-DVD for eLux RL 3.x. No licenses for eLux or Scout EP are included.	x			x										S26361-F2727-E708	3,00		
	Rec.DVD WES7 German		x			x										S26361-F2009-E811	3,00		
	Rec.DVD WES7 English		x			x										S26361-F2009-E812	3,00		
	Rec.DVD WES7 SC German		x			x										S26361-F2009-E813	3,00		
	Rec.DVD WES7 SC English		x			x										S26361-F2009-E814	3,00		
	License eLux RL3 + Scout built-in	Pre-installed eLux RL 3.x with client licenses for eLux and Scout EP; including 2 years of software support.	x			x										S26361-F2727-E707	70,00		
	Win Embedded Standard_7 German	German version of Windows Embedded Standard 7 without manageability agent., Size on storage device ca. 3.6 GB. If additional software shall be installed, a mSATA module with at least 8 GB is recommended.	x			x										S26361-F2009-E208	69,00		
	Win Embedded Standard_7 English	English version of Windows Embedded Standard 7 without manageability agent., Size on storage device ca. 3.6 GB. If additional software shall be installed, a mSATA module with at least 8 GB is recommended.	x			x										S26361-F2009-E211	69,00		
	Win Embedded Standard_7_SC German	German version of Windows Embedded Standard 7 with manageability agent for Scout EP. No client license for Scout EP is included., A client license for Scout EP (S26361-F2727-L701) is required, if more than 25 Thin Clients shall be managed and no existing client licenses for Scout EP are available. (Scout EP comes with free management for up to 25 Thin Clients. For 26 or more systems, each Thin Client requires a client license for Scout EP.). Size on storage device ca. 3.8 GB. If additional software shall be installed, a mSATA module with at least 8 GB is recommended.	x			x										S26361-F2009-E207	79,00		
	Win Embedded Standard_7_SC English	English version of Windows Embedded Standard 7 with manageability agent for Scout EP. No client license for Scout EP is included., A client license for Scout EP (S26361-F2727-L701) is required, if more than 25 Thin Clients shall be managed and no existing client licenses for Scout EP are available. (Scout EP comes with free management for up to 25 Thin Clients. For 26 or more systems, each Thin Client requires a client license for Scout EP.). Size on storage device ca. 3.8 GB. If additional software shall be installed, a mSATA module with at least 8 GB is recommended.	x			x										S26361-F2009-E210	79,00		
	Windows MultiPoint Server 2011 Standard											x				S26361-F2011-E160	239,00		
	Windows MultiPoint Server 2011 Premium	Languages: English, French, German, Chinese (Hong Kong), Hungarian, Italian, Japanese, Korean, Polish, Portuguese (Brazil), Portuguese (Iberian), Russian, Spanish, Chinese (simplified), Chinese (traditional), Turkish										x				S26361-F2011-E161	499,00		
	Windows MPS 2011 CAL											x				S26361-F2011-E170	62,00	Phased out	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options																			
Category	Description	Details	ESPRIMO C700	ESPRIMO E400	ESPRIMO E500	ESPRIMO E700	ESPRIMO E705	ESPRIMO E900	ESPRIMO P2560	ESPRIMO P400	ESPRIMO P500	ESPRIMO P700	ESPRIMO P705	ESPRIMO P900	ESPRIMO PH300	ESPRIMO Q900	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																			
	License EU/MM - Windows 7 Home Premium	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E243	96,00	
	License EU/MM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E253	123,00		
	License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E252	116,00		
	Linux	on DVD, open source	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-E894	3,00		
	License EM - Windows 7 Professional	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E254	123,00		
	License EM-MEA - Windows 7 Professional	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E255	123,00	
	OEM Office Home and Student 2010 MPI MM	Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote 2010, Package contains: License only. For recovery purposes Fujitsu Recovery or RDVD is needed! , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E271	106,00		
	OEM Office Home and Business 2010 MPI MM	Activates Preload Windows Office Home and Business 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook2010, Package contains: License only. For recovery purposes Fujitsu Recovery or RDVD is needed! , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E272	183,00		



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO E400	ESPRIMO E500	ESPRIMO E700	ESPRIMO E705	ESPRIMO E900	ESPRIMO P2560	ESPRIMO P400	ESPRIMO P500	ESPRIMO P700	ESPRIMO P705	ESPRIMO P900	ESPRIMO PH300	ESPRIMO Q900	Product Code	EUP (€)	Comments
Options matrix																			
OS/Application-SW (Continued)																			
	OEM Office Professional 2010 MPI MM	Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License only, For recovery purposes Fujitsu Recovery or RDVD is needed., The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E273	315,00	
	License EM-INDIA Windows 7 Professional Blu-ray playback software	EM-INDIA. Select for shipments to: India DVD-video and Blu-ray playback, on DVD., Blu-ray playback is not supported under Windows XP if the system runs on Intel onboard graphics.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2009-E258 S26361-F2007-E420	123,00 33,00	
	No Operating System		x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1818-E100	2,00	
	Win7 HomePremium64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E441	3,00	
	Win7 HomePremium64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E442	3,00	
	Win7 HomePremium64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E443	3,00	
	Win7 HomePremium64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E444	3,00	
	Win7 HomePremium64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E446	3,00	
	Win7 Pro32 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E351	3,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options																			
Category	Description	Details	ESPRIMO C700	ESPRIMO E400	ESPRIMO E500	ESPRIMO E700	ESPRIMO E705	ESPRIMO E900	ESPRIMO P2560	ESPRIMO P400	ESPRIMO P500	ESPRIMO P700	ESPRIMO P705	ESPRIMO P900	ESPRIMO PH300	ESPRIMO Q900	Product Code	EUP (€)	Comments
Options matrix																			
OS/Application-SW (Continued)																			
	Win7 Pro32 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish). Note: Included Office 2010 and Office 2010 Starter are 32bit applications... For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E352	3,00	
	Win7 Pro32 EM+SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish). Note: Included Office 2010 and Office 2010 Starter are 32bit applications... For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E353	3,00	
	Win7 Pro32 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian). Note: Included Office 2010 and Office 2010 Starter are 32bit applications... For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E355	3,00	
	Win7 Pro 32 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU. Note: Included Office 2010 and Office 2010 Starter are 32bit applications... For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E356	3,00	
	Win7 Pro64 MAIN + Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch). Note: Included Office 2010 and Office 2010 Starter are 32bit applications... For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E451	3,00	
	Win7 Pro64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish). Note: Included Office 2010 and Office 2010 Starter are 32bit applications... For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E452	3,00	
	Win7 Pro64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish). Note: Included Office 2010 and Office 2010 Starter are 32bit applications... For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E453	3,00	
	Win7 Pro64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak). Note: Included Office 2010 and Office 2010 Starter are 32bit applications... For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2109-E454	3,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO E400	ESPRIMO E500	ESPRIMO E700	ESPRIMO E705	ESPRIMO E900	ESPRIMO P2560	ESPRIMO P400	ESPRIMO P500	ESPRIMO P700	ESPRIMO P705	ESPRIMO P900	ESPRIMO PH300	ESPRIMO Q900	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)																			
	Win7 Starter32 EM+SE+Office2010s	Preload: Multi-EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications. For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x					x	x						S26361-F2109-E313	3,00	
	Drivers&Utilities DVD (XP) ESPRIMO DT	incl. Nero Essentials S, Norton Internet Security Trial 90 days		x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2007-E910	3,00	
	Drivers&Utilities DVD (VISTA/7) ESPRIMO	incl. Nero Essentials S, Norton Internet Security Trial 90 days	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2007-E901	3,00	
	REC-DVD Win7 HomeBasic 32bit RUS	RU	x	x	x	x	x	x		x	x	x	x	x			S26361-F2009-E532	3,00	
	REC-DVD Win7 Professional 32 RUS	RU	x	x	x	x	x	x		x	x	x	x	x			S26361-F2009-E552	3,00	
	REC-DVD Win7 Home Premium 64 All Multi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x	x	x	x		x	x	x	x	x			S26361-F2009-E643	3,00	
	REC-DVD Win7 Professional 32 All Multi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x	x	x	x		x	x	x	x	x			S26361-F2009-E553	3,00	
	REC-DVD Win7 Professional 64 All Multi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x	x	x	x		x	x	x	x	x			S26361-F2009-E663	3,00	
	REC-DVD Win7 Prof. 32+64bit All Multi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR	x	x	x	x	x	x		x	x	x	x	x			S26361-F2009-E753	3,00	
	REC-DVD 2 Win7 MAIN+Office2010s	Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Office 2010 incl. Office Starter - 32bit, MAIN (Main European Multi), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x		x	x	x	x	x			S26361-F2109-E751	3,00	
	REC-DVD 2 Win7 NORDIC+Office2010s	Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Office 2010 incl. Office Starter - 32bit, NORDICS (Nordic Region), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x		x	x	x	x	x			S26361-F2109-E752	3,00	
	REC-DVD 2 Win7 EM+SE+Office2010s	Sprachen: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Office 2010 inkl. Office Starter - 32bit, EM-SE (Emerging Markets&Southern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x		x	x	x	x	x			S26361-F2109-E753	3,00	
	REC-DVD 2 Win7 IBER+NE+Office2010s	Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Office 2010 incl. Office Starter - 32bit, IBER-NE (Iberia and Northern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x	x	x	x	x		x	x	x	x	x			S26361-F2109-E754	3,00	
Security	EraseDisk	Firmware-embedded, unique feature to erase sensible data unrecoverable from the hard disk, e.g. if the system will be sold. Please notice, that SSD (Solid State Disk) cannot be deleted in a secure method.	x			x	x	x				x	x	x			S26361-F2542-E435	30,00	
	SmartCase Logon+ 3.2.2	Supports secure authentication, password container, SSO, drive encrypt, smartcard, biometrics	x			x		x				x		x			S26361-F2727-E740	14,00	Orderable from: 29/02/2012
	SystemLock3	SystemLock3 is a UEFI BIOS smartcard pre-boot authentication (PBA) feature.	x			x		x				x		x			S26361-F2727-E745	18,00	Orderable from: 10/02/2012
	Smartcardreader USB Solo 3 extem 3310V2	PC/SC and XP / Vista compatible, USB interface , black, USB cable	x	x	x	x	x	x			x	x	x	x			S26381-F331-E220	23,00	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, wo SmartCard	x	x	x	x	x	x			x	x	x	x			S26361-F1260-E520	18,00	
Mouse	Grey Upgrade Mouse M440 ECO		x	x	x	x	x	x		x	x	x	x	x			S26361-F2542-E225	16,00	
	Laser Mouse GL9000					x	x	x				x	x	x			S26381-K438-E100	17,00	
	Grey mouse instead of black USB	upgrade mouse for system unit,USB 2.0 interface,allows horizontal scrolling	x	x	x	x	x	x		x	x	x	x	x			S26361-F2542-E216	6,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

ESPRIMO Options

Category	Description	Details	ESPRIMO C700	ESPRIMO E400	ESPRIMO E500	ESPRIMO E700	ESPRIMO E705	ESPRIMO E900	ESPRIMO P2560	ESPRIMO P400	ESPRIMO P500	ESPRIMO P700	ESPRIMO P705	ESPRIMO P900	ESPRIMO PH300	ESPRIMO Q900	Product Code	EUP (€)	Comments
Options matrix																			
Mouse (Continued)																			
	Grey USB/PS2 mouse inst.of blk USB	upgrade mouse for system unit,Logitech, USB 2.0 interface incl.adapter to PS/2, allows horizontal scrolling	x	x	x	x	x	x		x	x	x	x	x			S26361-F2542-E217	9,00	
Miscellaneous																			
	Interner Lautsprecher				x							x					S26361-F2542-E21	6,00	
	Med-Kit ESPRIMO/CELSIUS	incl. license and manual	x			x						x					S26361-F2542-E250	26,00	
	Lock in front panel					x	x	x									S26361-F2542-E326	6,00	
	Intrusion switch					x	x	x				x	x	x			S26361-F2542-E426	4,00	
	Rubber feet for vertical position (4)					x	x	x									S26361-F2542-E480	4,00	
	Monitor outlet cable	necessary to contact monitor directly to the PC				x		x				x		x			S26361-F2542-E57	4,00	
	Cable for second internal USB device											x		x			S26361-F2581-E10	3,00	
	Lock in front panel C700		x														S26361-F2542-E333	6,00	
	Intrusion switch		x														S26361-F2542-E322	4,00	
	Key lock in side door	for lock of housing										x	x	x			S26361-F2542-E323	6,00	
	Feet for vertical position (set)					x	x	x	x	x							S26361-F2542-E200	4,00	
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	x	x	x	x	x	x		x	x	x	x	x	x		S26361-F2542-E90	4,00	
	No TPM TLS	for countries with import regulations	x			x	x	x				x	x	x	x		S26361-F3436-E2	3,00	
Keyboard /Mouse																			
	Remote Control RC900	Remote Control RC900, micro receiver, manual, batteries														x	S26381-K456-E100	15,00	
Desk View																			
	DV Adv. Migration (DVD + 1 Lic.)	DeskView Advanced Migration DVD incl. 1 License. , Components: , - Data Migration (Migration of personalizations, settings, links, favorites, etc.), - System Migration (Virtualization of HDDs and full systems), - Secure Deletion (secure deletion of data on HDDs via multiple options of deletion algorithms), , Efficient tool that supports you migration your old system to a new system including the secure deletion of the data on your old HDD. Supports Windows XP, Windows Vista and Windows 7 (32 Bit and 64 Bit architectures),.	x	x	x	x	x	x		x	x	x	x	x	x		S26361-F4040-E10	39,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Positioning CELSIUS workstations



**CELSIUS H
Series**

CELSIUS H Series. Powerful mobile workstation. If you run power-hungry 3D applications that demand no compromise on the graphics side, you'll appreciate the CELSIUS H. The system offers the power of a full-fledged workstation: Editing 3D OpenGL graphics in real time, running computer simulations and computing multimedia animations wherever you are.



**CELSIUS W
Series**

CELSIUS W Series. High-End PC / Entry-Level workstation
If you need more power and more expandability than a desktop PC can offer, choose the entry-level workstation CELSIUS W Series. The CELSIUS W Series offers workstation performance - in combination with fastest generation of processors, chipsets and graphic cards.



**CELSIUS M
Series**

CELSIUS M Series. Mid-range workstation.
Do you need more power, more memory, more data security, and more expandability than a conventional PC can offer? Then choose the mid-range workstation CELSIUS M Series. CELSIUS workstations are equipped with the very latest technology and system components to deliver high-end performance. CELSIUS are certified for a huge variety of software applications.



**CELSIUS R
Series**

CELSIUS R Series. High-end workstation.
You need a powerful, dual-processor workstation and want to choose from a large range of graphics subsystems. The CELSIUS R Series is ready for all challenges. What is more, the CELSIUS R Series offers great expandability. Latest technology combined with top performance components makes this the optimum hardware choice for power hungry applications.



**CELSIUS
RemoteAccess**

CELSIUS RemoteAccess

Do you want to access your workstation remotely? Then the CELSIUS RemoteAccess solution is the right choice for you. It enables you to separate your hardware from data input and output while keeping at the same time the real workstation user experience and performance.

(See Accessories page)



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS H710

The Fujitsu CELSIUS H710 delivers workstation power in a 39.6 cm (15.6-inch) notebook form factor. Featuring the 2nd generation Intel® Core™ processors and powerful NVIDIA® graphics, the CELSIUS H710 delivers uncompromising performance without tethering you to the office. Secure and reliable, it is ideal for business environments such as CAD and digital content creation.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
CELSIUS H710					
	CELS H710 /15.6" HD+ LED/I5-2520M/4GB/ (Promo)	CELS H710 /15.6" HD+ LED/I5-2520M/4GB/ DVD/500GB 7.2K/NO UMTS/NO MODEM/ WLAN INTEL 6205/BT V2.1/2X MIC + WEBCAM/ FINGERPRINT/TPM/CK INT/AC ADAP 19V/120W/	LKN:H7100W0002IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS H710					
	CELSIUS H710	Base unit, Mobile Intel® QM67 Express Chipset (CougarPoint), supports vPro, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Modular bay concept for optical drives, 2nd Battery or 2nd hard disk. Modular bay concept for optical drives, 2nd Battery or 2nd hard disk. NVidia Quadro 1000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel 82579LM (w/ AMT 7.x), Intel High Definition Audio and 2 Microphones integrated, 1x PC Card slot type I/II, 1x Express Card slot type 34/54, 1x Smart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, 1x USB 3.0, 1x E-SATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 120W., , Modular bay concept for optical drives, second battery or second hard disk drive, , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that the Fingerprint sensor can be configured optionally., Please be aware, that vPro logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module., If you configure the Blu-ray burner it will come with Playback Software included., Please note that the modem cannot be configured for China. Please use the "No Modem" option instead., For Russia please	S26391-K323-V100	999,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS H910

The Fujitsu CELSIUS H910 delivers high-end workstation power in a 43.9 cm (17.3-inch) notebook form factor. Featuring the 2nd generation Intel® Core™ processors and high-end NVIDIA® graphics, the CELSIUS H910 delivers uncompromising performance without tethering you to the office. Secure and reliable, it is ideal for business environments such as high end CAD, digital content creation, virtualization and Virtual Reality.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS H910					
	CELSIUS H910 Dual Core	Base unit for Intel Dual Core processors, Mobile Intel® QM67 Express Chipset (CougarPoint), supports vPro, supports Dual Channel DDR3 1333MHz PC10600 RAM (2 DIMM slots). Fixed optical drive internal 2nd hard disk optionally available. Nvidia Quadro 3000M oder 4000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel 82579LM (w/ AMT 7.x), Intel High Definition Audio and integrated Microphone, 1x Express Card slot type 34/54, 1x Smart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, 1x USB 3.0, 1x E-SATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 210W., , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that vPro logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module., If you configure the Blu-ray burner it will come with Playback Software included., , Front interfaces: 1 x wireless switch , , Left side interfaces: 1 x Kensington, 1 x AC adapter, 1 x USB 3.0, 1 x memory card slot, 1 x Smartcard reader slot, , Right side interfaces: 1 x Audio in, 1 x Audio out, 1 x eSATA, 2 x USB 2.0, 1 x Expresscard slot Type 34/54, , Rear interfaces: 1 x RJ45 for LAN, 1 x USB 2.0, 1 x DisplayPort, 1 x VGA, , Interfaces in battery bay: SIM card	S26391-K324-V100	899,00	
	CELSIUS H910 Quad Core	Base unit for Intel Quad Core processors, Mobile Intel® QM67 Express Chipset (CougarPoint), supports vPro, supports Dual Channel DDR3 1333MHz PC10600 RAM (4 DIMM slots). Fixed optical drive internal 2nd hard disk optionally available. Nvidia Quadro 3000M oder 4000M OpenGL graphics with 2GB DDR3 memory, serial ATA HDD interface, 10/100/1000 MBit Intel 82579LM (w/ AMT 7.x), Intel High Definition Audio and integrated Microphone, 1x Express Card slot type 34/54, 1x Smart Card reader, SD Card reader, integrated Touchpad, LED-Status display, connector for Kensington Lock, Interfaces: 1x VGA, 1x Displayport, 3x USB 2.0, 1x USB 3.0, 1x E-SATA, RJ45 for LAN, 1x audio in, 1x audio out, 1x Docking connector, AC Adapter 19V, 210W., , Dual channel memory performance will be supported, if the system is equipped with a pair of equal memory modules., , Please do not forget to configure the AC Adapter, AC Cable & 1st Battery extra., Please be aware, that vPro logo requires i5-25xx/ i7 processors, Intel W-LAN & TPM module., If you configure the Blu-ray burner it will come with Playback Software included., , Front interfaces: 1 x wireless switch , , Left side interfaces: 1 x Kensington, 1 x AC adapter, 1 x USB 3.0, 1 x memory card slot, 1 x Smartcard reader slot, , Right side interfaces: 1 x Audio in, 1 x Audio out, 1 x eSATA, 2 x USB 2.0, 1 x Expresscard slot Type 34/54, , Rear interfaces: 1 x RJ45 for LAN, 1 x USB 2.0, 1 x DisplayPort, 1 x VGA, , Interfaces in battery bay: SIM card	S26391-K324-V200	933,00	



CELSIUS W410

Your gateway to workstation power

CELSIUS W410

The CELSIUS W410 is an excellent system providing advanced performance for workstation applications. Powered by the 2nd generation Intel® Core™ processor family and available with a wide selection of professional graphics cards, this system offers you advanced power and productivity of workstation technology and is ideal for business environments such as entry-level 2D CAD.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS W410					
CELSIUS W410	Base unit, system board D3062, 300 W wide range power supply, optical USB tilt scroll mouse; Chipset: Intel Q67., , Slots: , 4 DIMM-sockets (max. 16 GB, DDR3-1333, dual channel), 4 slots: 1x PCIe 2.0 x16, 1x PCIe 2.0 x4 (mechanical x16), 1x PCIe x1, 1x PCI (32-bit / 33 MHz)., , Onboard I/O-devices: , Intel HD Graphics or HD Graphics 2000 (depending on CPU), network controller Intel 82579LM, Serial ATA controller (6 Ports 2 thereof SATA III; RAID 0 or 1 for HDDs) und HD-audio Conexant CX20642., , Bays:., 6 (2x 5,25" and 2x 3,5" externally accessible, 2x 3,5" internal HDD-bays, 1x 2,5" internal HDD/SSD-bays)., , Front interfaces:., 4x USB 2.0, 1x audio out, 1x audio in., , , Rear interfaces:., 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) or 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter), 1x LAN RJ45, 8x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial;., , Internal interfaces:., 6x USB 2.0, , Embedded security (TPM 1.2), Disable / Hide TPM option	S26361-K1358-V115	403,00		



CELSIUS W510

Your gateway to workstation power

CELSIUS W510

The CELSIUS W510 is a productivity workstation with the latest Intel® Xeon® processors and professional graphics that act together to deliver performance and flexibility. This system is the ideal choice for business environments such as 3D CAD, financial forecasting and digital content creation, giving you the performance to boost your productivity.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS W510					
CELSIUS W510	Base unit, system board D3067, 300 W wide range power supply, optical USB tilt scroll mouse; chipset: Intel C206; , , Slots: , 4 DIMM-sockets (max. 32 GB, DDR3-1333, ECC or non ECC, dual channel), 7 card slots: 1x PCIe 2.0 x16, 1x PCIe 2.0 x4 (mechanical x16), 2x PCIe x1, 3x PCI (32-bit / 33 MHz); , , Onboard I/O-devices: , Intel® HD Graphics 2000 or HD Graphics P3000 (depends on CPU), network controller Intel 82579LM, serial ATA controller (6 ports – 2 thereof SATAIII; RAID 0, 1 or 5 for HDDs) and HD audio Conexant CX20642; , , Bays;: 8 (2x 5,25" and 2x 3,5" externally accessible, 4x 3,5" internal HDD-bays or [2x 3,5" internal HDD-bays and 2x 3,5" internal HDD/SSD-bays] - all internal HDD-bays accessible from the front); , , Front interfaces: , 4x USB 2.0, 1x audio out, 1x audio in. , , Rear interfaces: , 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) or 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter) (all graphics connectors depending on processor), 1x LAN RJ45, 8x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial; , , Internal interfaces;: 4x USB 2.0, 1x USB 2.0 with standard connector. , , Embedded security (TPM 1.2) , Disable / Hide TPM option	S26361-K1359-V115	458,00		
CELSIUS W510 POWER					
CELSIUS W510 POWER	Base unit, system board D3067, 500 W wide range power supply, optical USB tilt scroll mouse; chipset: Intel C206; , , Slots: , 4 DIMM-sockets (max. 32 GB, DDR3-1333, ECC or non ECC, dual channel), 7 card slots: 1x PCIe 2.0 x16, 1x PCIe 2.0 x4 (mechanical x16), 2x PCIe x1, 3x PCI (32-bit / 33 MHz); , , Onboard I/O-devices: , Intel HD Graphics 2000 or HD Graphics P3000 (depends on CPU), network controller Intel 82579LM, serial ATA controller (6 ports 2 thereof SATAIII; RAID 0, 1 or 5 for HDDs) and HD audio Conexant CX20642; , , Bays;: 8 (2x 5,25" and 2x 3,5" externally accessible, 4x 3,5" internal HDD-bays or [2x 3,5" internal HDD-bays and 2x 3,5" internal HDD/SSD-bays] - all internal HDD-bays accessible from the front); , , Front interfaces: , 4x USB 2.0, 1x audio out, 1x audio in. , , Rear interfaces: , 1x DP + 1x DVI or 1x DP + 1x VGA (via incl. DVI/VGA adapter) or 2x DVI (2nd DVI via optional DP/DVI adapter cable) or 1x DVI (via optional DP/DVI adapter cable) + 1x VGA (via incl. DVI/VGA adapter) (all graphics connectors depending on processor), 1x LAN RJ45, 8x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial; , , Internal interfaces;: 4x USB 2.0, 1x USB 2.0 with standard connector. , , Embedded security (TPM 1.2) , Disable / Hide TPM option	S26361-K1359-V215	492,00		



CELSIUS M470

Your new "thoroughbred" workstation

CELSIUS M470

The CELSIUS M Series is the single-processor platform with a particularly well-balanced ratio between price and performance. The CELSIUS M470 incorporates the latest advances in performance technologies enabling you to meet increasingly demanding schedules using professional applications such as CAD/CAE, virtual reality and finance. To ensure that those tasks run with maximum system stability, the CELSIUS M470 is certified and optimized for all leading workstation ISV applications. The premium status display provides comprehensive diagnostic information at a glance even without running the OS.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
CELSIUS M470-2					
	CELS M470-2 /XEON W3530/2x2GB/DP CABLE/	CELS M470-2 /XEON W3530/2x2GB/DP CABLE/ Q 2000/ODD CABLE/DVD SM/HD CABLE/ 300GB 10K/CK EU EU+/VISTA DUDVD/ COA_W7_MM_PROFES/W7_RDVD64_PRO_ABC/,	DVI:TOPM472C42-800	1.856,00	
	CELS M470-2 /XEON W3530/2x2GB/DP CABLE/	CELS M470-2 /XEON W3530/2x2GB/DP CABLE/ Q 2000/ODD CABLE/DVD SM/HD CABLE/ 300GB 10K/CK EU EU+/VISTA DUDVD/ COA_W7_MM_PROFES/W7_RDVD64_PRO_ABC/,	DVI:TOPM472C42-911	1.856,00	
	CELS M470-2 /XEON W3565/2x2GB/DP CABLE/	CELS M470-2 /XEON W3565/2x2GB/DP CABLE/ Q 4000/ODD CABLE/DVD SM/HD CABLE/ 300GB 10K/CK EU EU+/VISTA DUDVD/ COA_W7_MM_PROFES/W7_RDVD64_PRO_ABC/,	DVI:TOPM472C52-800	2.116,00	
	CELS M470-2 /XEON W3565/2x2GB/DP CABLE/	CELS M470-2 /XEON W3565/2x2GB/DP CABLE/ Q 4000/ODD CABLE/DVD SM/HD CABLE/ 300GB 10K/CK EU EU+/VISTA DUDVD/ COA_W7_MM_PROFES/W7_RDVD64_PRO_ABC/,	DVI:TOPM472C52-911	2.116,00	
<p>, Base unit, prepared for rack mounting (rack mount kit optionally available), ATX systemboard D2778, power supply 700W, optical USB tilt scroll mouse; , Chipset: Intel X58 Express, Intel 82801JR I/O Controller Hub (ICH10R); , Premium Status-LCD, Syleus system management, DeskView license included. , , Slots: , 6 DIMM-slots, 3 channels; , 6 expansion slots: 2x PCIe Gen2 x16, 1x PCIe x4 Gen2 (mechanical x8), 1x PCIe x4 Gen1 (mechanical x8), 2x PCI (32-bit / 33 MHz); , Onboard I/O-devices; , 1x network controller Realtek 8111CP (1 Port, GB-LAN, ASF 2.0), Serial ATA Controller (6 Ports, RAID 0, 1, 5, 10), FireWire (IEEE 1394a), HD-audio Realtek ALC 663, , Bays: , 3x 5.25" FlexiBays externally accessible and 4 internal HDD-bays, , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in, 1x FireWire (IEEE 1394a), , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial, 1x FireWire (IEEE 1394a), , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option,</p>					
	CELS M470-2 POW /XEON W3550/4x2GB/ (Promo)	CELS M470-2 POW /XEON W3550/4x2GB/ NO GRAPHICS/DVD SM/ODD CABLE/ 1000GB SATA II/HD CABLE/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:M4702W0004IT		
	CELS M470-2 POW /XEON W3565/4x2GB/ (Promo)	CELS M470-2 POW /XEON W3565/4x2GB/ NO GRAPHICS/DVD SM/ODD CABLE/ 1000GB SATA II/HD CABLE/CK I/KB400PS2I/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:M4702W0006IT		

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS M470-2					



CELSIUS M470

Your new "thoroughbred" workstation

CELSIUS M470

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS M470-2 (Continued)					
	CELSIUS M470-2 power	, Base unit, prepared for rack mounting (rack mount kit optionally available), ATX systemboard D2778, power supply 700W, optical USB tilt scroll mouse; Chipset: Intel X58 Express, Intel 82801JR I/O Controller Hub (ICH10R); Premium Status-LCD, Syleus system management, DeskView license included., , Slots: , 6 DIMM-slots, 3 channels; , 6 expansion slots: 2x PCIe Gen2 x16, 1x PCIe x4 Gen2 (mechanical x8), 1x PCIe x4 Gen1 (mechanical x8), 2x PCI (32-bit / 33 MHz), , Onboard I/O-devices: , 1x network controller Realtek 8111CP (1 Port, GB-LAN, ASF 2.0), Serial ATA Controller (6 Ports, RAID 0, 1, 5, 10), FireWire (IEEE 1394a), HD-audio Realtek ALC 663, , Bays: , 3x 5.25" FlexiBays externally accessible and 4 internal HDD-bays, , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in, 1x FireWire (IEEE 1394a), , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial, 1x FireWire (IEEE 1394a), , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option,	S26361-K990-V915	583,00	
	CELSIUS M470-2	Base unit, prepared for rack installation (rack mount kit optionally available), ATX systemboard D2778, power supply 500W, optical USB tilt scroll mouse; Chipset: Intel x58 Express, Intel 82801JR I/O Controller Hub (ICH10R); Premium Status-LCD, Syleus system management, DeskView license included., , Slots: , 6 DIMM-slots, 3 channels; , 6 expansion slots: 2x PCIe Gen2 x16, 1x PCIe x4 Gen2 (mechanical x8), 1x PCIe x4 Gen1 (mechanical x8), 2x PCI (32-bit / 33 MHz), , Onboard I/O-devices: , 1x network controller Realtek 8111CP (1 Port, GB-LAN, ASF 2.0), Serial ATA Controller (6 Ports, RAID 0, 1, 5, 10), FireWire (IEEE 1394a), HD-audio Realtek ALC 663, , Bays: , 3x 5.25" FlexiBays externally accessible and 4 internal HDD-bays, , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in, 1x FireWire (IEEE 1394a), , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial, 1x FireWire (IEEE 1394a), , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option,	S26361-K990-V815	538,00	



CELSIUS R570

Your compact "powerhouse" workstation

CELSIUS R570

The CELSIUS R series is the dual-processor platform in the mid-range and high-end sector with a great selection of graphics subsystems. Energy efficiency and state-of-the-art microprocessor technology make this compact powerhouse the ideal solution for fields of activity, such as computer aided design, engineering, mechanical design, simulation, virtual reality, visualization, digital content creation and finance. To ensure that those tasks run with maximum system stability, the CELSIUS R570 is certified and optimized for all leading workstation ISV applications. The premium status display provides comprehensive diagnostic information at a glance even without running the OS.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
CELSIUS R570-2					
CELSIUS R570-2		Base unit, prepared for rack mounting (rack mount kit optionally available), CEB systemboard D2628, power supply 700 W, optical USB tilt scroll mouse;, Chipsets: Intel 5520, Intel 82801JR I/O Controller Hub (ICH10R);, Premium Status-LCD, Syleus system management, DeskView license included., , Slots: , 6 DIMM-slots, 6 channels (each CPU with 3); , 6 expansion slots: 2x PCIe Gen2 x16, 1x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCIe x4 Gen1 (mechanical PCIe x8), 2x PCI (32-bit / 33 MHz), , Onboard I/O-devices:, network controller Realtek 8111CP (1 Port, GB-LAN, ASF 2.0), Serial ATA Controller (6 Ports, RAID 0, 1, 5, 10), HD-audio Realtek ALC 663, , Bays: , 3x 5.25" FlexiBays externally accessible and 4 internal HDD-bays , , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in;,, , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial, , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option	S26361-K994-V515	739,00	
CELSIUS R570-2 power		Base unit, prepared for rack mounting (rack mount kit optionally available), CEB systemboard D2628, power supply 1000 W, optical USB tilt scroll mouse;, Chipsets: Intel 5520, Intel 82801JR I/O Controller Hub (ICH10R);, Premium Status-LCD, Syleus Systemmanagement, DeskView license included., , Slots: , 6 DIMM-slots, 6 channels (each CPU with 3); , 6 expansion slots: 2x PCIe Gen2 x16, 1x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCIe x4 Gen1 (mechanical PCIe x8), 2x PCI (32-bit / 33 MHz), , Onboard I/O-devices: network controller Realtek 8111CP (1 Port, GB-LAN, ASF 2.0), Serial ATA Controller (6 Ports, RAID 0, 1, 5, 10), HD-audio Realtek ALC 663, , Bays: , 3x 5.25" FlexiBays externally accessible and 4 internal HDD-bays , , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in;,, , Rear interfaces: 1x LAN RJ45, 6x USB 2.0, 2x audio in, 1x audio out, 2x PS/2 for mouse and keyboard, 1x serial, , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option	S26361-K994-V615	784,00	



CELSIUS R670

The new uncompromising high-end workstation

CELSIUS R670

The CELSIUS R series is the dual-processor platform for the mid-range and high-end segment with a great selection of graphics subsystems. Through the combination of standard-setting microprocessor technology and energy efficiency, the generous CELSIUS R670 embodies with its numerous expansion options the ideal system for memory-consuming applications. The CELSIUS R670 is the ideal solution for business segments, such as computer aided design and engineering, mechanical design, simulation, virtual reality, visualization, digital content creation and finance. To ensure that those tasks run with maximum system stability, the CELSIUS R670 is certified and optimized for all leading workstation ISV applications. The premium status display provides comprehensive diagnostic information at a glance even without running the OS.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
CELSIUS R670-2					
	CELS R670-2 /XEON X5650/2x2GB/DP CABLE/	CELS R670-2 /XEON X5650/2x2GB/DP CABLE/ Q 2000/ODD CABLE/DVD SM/HD CABLE/ 300GB 10K/CK EU EU+/VISTA DUDVD/ COA_W7_MM_PROFES/W7_RDVD64_PRO_ABC/,	DVI:TOPR672C42-800	3.087,00	
	CELS R670-2 /XEON X5650/2x2GB/DP CABLE/	CELS R670-2 /XEON X5650/2x2GB/DP CABLE/ Q 2000/ODD CABLE/DVD SM/HD CABLE/ 300GB 10K/CK EU EU+/VISTA DUDVD/ COA_W7_MM_PROFES/W7_RDVD64_PRO_ABC/,	DVI:TOPR672C42-911	3.087,00	
	CELS R670-2 /XEON X5650/2x2GB/DP CABLE/	CELS R670-2 /XEON X5650/2x2GB/DP CABLE/ Q 4000/ODD CABLE/DVD SM/HD CABLE/ 300GB 10K/CK EU EU+/VISTA DUDVD/ COA_W7_MM_PROFES/W7_RDVD64_PRO_ABC/,	DVI:TOPR672C52-800	3.347,00	
	CELS R670-2 /XEON X5650/2x2GB/DP CABLE/	CELS R670-2 /XEON X5650/2x2GB/DP CABLE/ Q 4000/ODD CABLE/DVD SM/HD CABLE/ 300GB 10K/CK EU EU+/VISTA DUDVD/ COA_W7_MM_PROFES/W7_RDVD64_PRO_ABC/,	DVI:TOPR672C52-911	3.347,00	
<p>, Base unit, prepared for rack mounting (rack mount kit optionally available), CEB systemboard D2618, power supply 1000 W, optical USB tilt scroll mouse;, Chipsets: Intel 5520, Intel 82801JB I/O Controller Hub (ICH10);, Premium Status-LCD, Syleus system management, LSI-SAS Controller 1068E, DeskView license included,, Slots: , 12 DIMM-slots (each CPU with 6), 6 channels (each CPU with 3); , 6 expansion slots: 2x PCIe Gen2 x16, 3x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCI (32-bit / 33 MHz), , Onboard I/O-devices: 2xnetwork controller Realtek 8111CP (2 Ports, GB-LAN, ASF 2.0), SAS Controller (8 ports, RAID 0 and 1E), Serial ATA Controller (4 Ports), FireWire controller (IEEE 1394a), HD-audio Realtek ALC 663, , Bays: , 3x 5,25" FlexiBays externally accessible and 4 internal HDD-bays , , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in. 1x FireWire (IEEE 1394a), , Rear interfaces: 2x LAN RJ45, 1x eSATA, 6x USB 2.0, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial, 1x FireWire (IEEE 1394a), , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option,</p>					
	CELS R670-2 /XEON E5620/2x2GB/ (Promo)	CELS R670-2 /XEON E5620/2x2GB/ NO GRAPHICS/ODD CABLE/DVD SM/HD CABLE/ 500GB SATA II/CK I/KB400PS2/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:R6702W0004IT		
	CELS R670-2 /XEON E5630/3x2GB/ (Promo)	CELS R670-2 /XEON E5630/3x2GB/ NO GRAPHICS/DVD SM/ODD CABLE/ 1000GB SATA III/HD CABLE/CK I/KB400PS2/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:R6702W0005IT		
	CELS R670-2 /XEON E5640/4x2GB/ (Promo)	CELS R670-2 /XEON E5640/4x2GB/ NO GRAPHICS/DVD SM/ODD CABLE/ 1000GB SATA III/HD CABLE/CK I/KB400PS2/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:R6702W0006IT		
	CELS R670-2 /XEON X5660/3x4GB/ (Promo)	CELS R670-2 /XEON X5660/3x4GB/ NO GRAPHICS/DVD SM/ODD CABLE/ 1000GB SATA III/HD CABLE/CK I/KB400PS2/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:R6702W0007IT		
	CELS R670-2 /XEON E5645/3x2GB/ (Promo)	CELS R670-2 /XEON E5645/3x2GB/ NO GRAPHICS/DVD SM/ODD CABLE/ 1000GB SATA III/HD CABLE/CK I/KB400PS2/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/,	LKN:R6702W0010IT		



CELSIUS R670

The new uncompromising high-end workstation

CELSIUS R670

Model	Description	Details	Product Code	EUP (€)	Comments
-------	-------------	---------	--------------	---------	----------

Standard products

CELSIUS R670-2 (Continued)

	CELS R670-2 /XEON E5649/4x2GB/ (Promo)	CELS R670-2 /XEON E5649/4x2GB/ NO GRAPHICS/DVD SM/ODD CABLE/ 1000GB SATA II/HD CABLE/CK I/KB400PS2/ COA_W7_MM_PROFES/W7_RDVD_32+64_PROF/	LKN:R6702W0011IT		
--	--	--	------------------	--	--

Model	Description	Details	Product Code	EUP (€)	Comments
-------	-------------	---------	--------------	---------	----------

Base unit configurations

CELSIUS R670-2

CELSIUS R670-2		<p>, Base unit, prepared for rack mounting (rack mount kit optionally available), CEB systemboard D2618, power supply 1000 W, optical USB tilt scroll mouse;, Chipsets: Intel 5520, Intel 82801JB I/O Controller Hub (ICH10);, Premium Status-LCD, Syleus system management, LSI-SAS Controller 1068E, DeskView license included., , Slots: , 12 DIMM-slots (each CPU with 6), 6 channels (each CPU with 3); , 6 expansion slots: 2x PCIe Gen2 x16, 3x PCIe x4 Gen2 (mechanical PCIe x8), 1x PCI (32-bit / 33 MHz), , Onboard I/O-devices: 2xnetwork controller Realtek 8111CP (2 Ports, GB-LAN, ASF 2.0), SAS Controller (8 ports, RAID 0 and 1E), Serial ATA Controller (4 Ports), FireWire controller (IEEE 1394a), HD-audio Realtek ALC 663, , Bays: , 3x 5,25" FlexiBays externally accessible and 4 internal HDD-bays , , Front interfaces: 2x USB 2.0, 1x audio out, 1x audio in. 1x FireWire (IEEE 1394a), , Rear interfaces: 2x LAN RJ45, 1x eSATA, 6x USB 2.0, 2x audio in, 1x audio out, 1x S/PDIF out, 2x PS/2 for mouse and keyboard, 1x serial, 1x FireWire (IEEE 1394a) , , Internal interfaces: 2x USB 2.0, 1x USB 2.0 with standard connector, , Embedded security (TPM 1.2) - Infineon, Disable / Hide TPM option,</p>	S26361-K991-V415	984,00	
----------------	--	--	------------------	--------	--



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

CELSIUS Accessories

Category	Description	Details	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H910	CELSIUS M470-2	CELSIUS M720	CELSIUS R670-2	CELSIUS R670-2	CELSIUS R620	CELSIUS W280	CELSIUS W410	CELSIUS W420	CELSIUS W510	CELSIUS W510 POWER	CELSIUS W520	CELSIUS W520 POWER	Product Code	EUP (€)	Comments
Processor	Xeon E5645 2.40GHz 12MB Turbo Boost	2.40 GHz, 12 MB Turbo Boost, 6 cores/12 threads						x	x	x										S26361-F3612-L245	712.00	
	Xeon X5647 2.93GHz 12MB Turbo Boost	2.93 GHz, 12 MB Turbo Boost, 4 cores/8 threads							x	x	x									S26361-F3612-L247	1,000.00	
	Xeon E5649 2.53GHz 12MB Turbo Boost	2.53 GHz, 12 MB Turbo Boost, 6 cores/12 threads							x	x	x									S26361-F3612-L249	1,000.00	
	Xeon X5672 3.20GHz 12MB Turbo Boost	3.20 GHz, 12 MB Turbo Boost, 4 cores/8 threads							x	x	x									S26361-F3612-L972	1,867.00	
	Xeon X5675 3.06GHz 12MB Turbo Boost	3.06 GHz, 12 MB Turbo Boost, 6 cores/12 threads							x	x	x									S26361-F3612-L975	1,867.00	
	Xeon X5687 3.60GHz 12MB Turbo Boost	3.60 GHz, 12 MB Turbo Boost, 4 cores/8 threads							x		x									S26361-F3612-L987	2,167.00	
	Xeon X5690 3.46GHz 12MB Turbo Boost	3.46 GHz, 12 MB Turbo Boost, 6 cores/12 threads							x		x									S26361-F3612-L990	2,167.00	
	Xeon E5-2603 1.80GHz 10MB	1.80 GHz, 10 MB Cache, 6.4 GT/s QPI, 4 Cores,							x			x								S26361-F4536-L603	340.00	New product. Orderable from: 01/03/2012
	Xeon E5-2609 2.40GHz 10MB	2.40 GHz, 10 MB Cache, 6.4 GT/s QPI, 4 Cores,							x			x								S26361-F4536-L609	522.00	New product. Orderable from: 01/03/2012
	Xeon E5-2620 2.00GHz 15MB Turbo Boost	2.00 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores,							x			x								S26361-F4536-L620	713.00	New product. Orderable from: 01/03/2012
	Xeon E5-2630 2.30GHz 15MB Turbo Boost	2.30 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores,							x			x								S26361-F4536-L630	1,120.00	New product. Orderable from: 01/03/2012
	Xeon E5-2630L 2.0GHz 15MB	2.00 GHz, 15 MB Cache, 6.4 GT/s QPI, 6 Cores,							x			x								S26361-F4536-L630	910.00	New product. Orderable from: 01/03/2012
	Xeon E5-2637 3.0GHz 20MB Turbo Boost	3.00 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 2 Cores,							x			x								S26361-F4536-L637	1,510.00	New product. Orderable from: 01/03/2012
	Xeon E5-2640 2.5GHz 15MB Turbo Boost	2.50 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores,							x			x								S26361-F4536-L640	1,513.00	New product. Orderable from: 01/03/2012
	Xeon E5-2643 3.3GHz 20MB Turbo Boost	3.30 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 4 Cores,							x			x								S26361-F4537-L643	1,494.00	New product. Orderable from: 01/03/2012
	Xeon E5-2650 2.0GHz 20MB Turbo Boost	2.00 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,							x			x								S26361-F4536-L650	1,879.00	New product. Orderable from: 01/03/2012
	Xeon E5-2650L 1.8GHz 20MB Turbo Boost	1.80 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 8 Cores,							x			x								S26361-F4536-L650	1,466.00	New product. Orderable from: 01/03/2012
	Xeon E5-2660 2.20GHz 20MB Turbo Boost	2.20 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,							x			x								S26361-F4536-L660	2,128.00	New product. Orderable from: 01/03/2012
	Xeon E5-2665 2.40GHz 20MB Turbo Boost	2.40 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,							x			x								S26361-F4537-L665	1,927.00	New product. Orderable from: 01/03/2012
	Xeon E5-2667 2.9GHz 20MB Turbo Boost	2.90 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 6 Cores,							x			x								S26361-F4537-L667	2,708.00	New product. Orderable from: 01/03/2012
	Xeon E5-2670 2.6GHz 20MB Turbo Boost	2.60 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,							x			x								S26361-F4537-L670	2,074.00	New product. Orderable from: 01/03/2012
	Xeon E5-2680 2.7GHz 20MB Turbo Boost	2.70 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,							x			x								S26361-F4537-L680	2,307.00	New product. Orderable from: 01/03/2012
	Xeon E5-2687W 3.1GHz 20MB Turbo Boost	3.10 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,							x			x								S26361-F4537-L687	2,477.00	New product. Orderable from: 01/03/2012
	Xeon E5-2690 2.9GHz 20MB Turbo Boost	2.90 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,							x			x								S26361-F4537-L690	2,632.00	New product. Orderable from: 01/03/2012
	Xeon L5609 1.86 GHz, 12 MB Turbo Boost,	1.86 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores								x	x									S26361-F3612-L309	633.00	
	Xeon L5630 2.13 GHz, 12 MB Turbo Boost,	2.13 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores								x	x									S26361-F3612-L330	712.00	
	Xeon L5640 2.40 GHz, 12 MB Turbo Boost,	2.40 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 6 cores									x	x								S26361-F3612-L340	1,344.00	
	Xeon E5603 1.60GHz 8MB Turbo Boost	1.60 GHz, 8 MB cache, 4 cores/4 threads							x	x	x									S26361-F3539-L113	322.00	
	Xeon E5606 2.13GHz 8MB Turbo Boost	2.13 GHz, 8 MB cache, 4 cores/4 threads							x	x	x									S26361-F3539-L116	300.00	
	Xeon E5607 2.26GHz 8MB Turbo Boost	2.26 GHz, 8 MB cache, 4 cores/4 threads							x	x	x									S26361-F3539-L117	362.00	
	Xeon E5620 2.40 GHz, 12 MB Turbo Boost,	2.40 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores								x	x									S26361-F3612-L220	666.00	
	Xeon E5630 2.53 GHz, 12 MB Turbo Boost,	2.53 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores									x	x								S26361-F3612-L230	917.00	
	Xeon E5640 2.66 GHz, 12 MB Turbo Boost,	2.66 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores										x	x							S26361-F3612-L240	1,278.00	
	Xeon X5650 2.66 GHz, 12 MB Turbo Boost,	2.66 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores										x	x							S26361-F3612-L950	1,645.00	
	Xeon X5660 2.80 GHz, 12 MB Turbo Boost,	2.80 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores										x	x							S26361-F3612-L960	2,000.00	
	Xeon X5667 3.06 GHz, 12 MB Turbo Boost,	3.06 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores										x	x							S26361-F3612-L967	2,334.00	
	Xeon X5670 2.93 GHz, 12 MB Turbo Boost,	2.93 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores										x	x							S26361-F3612-L970	2,334.00	
	Xeon X5677 3.46 GHz, 12 MB Turbo Boost,	3.46 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores											x							S26361-F3612-L977	2,723.00	
	Xeon X5680 3.33 GHz, 12 MB Turbo Boost,	3.33 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores											x							S26361-F3612-L980	2,723.00	
Memory	8GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary							x								x	x		S26361-F3379-L4	834.00	
	2 GB DDR3 1066 MHz PC3-8500	1 Modul. PC3-8500 ub			x															S26391-F504-L100	73.00	
	2GB DDR3-1333 PC3-10600				x															S26391-F505-L200	73.00	
	4GB DDR3-1333 PC3-10600				x															S26391-F505-L300	128.00	
	2GB DDR3-1333 PC3-10600					x	x													S26391-F892-L200	73.00	
	4GB DDR3-1333 PC3-10600					x	x													S26391-F892-L400	128.00	
	8GB DDR3-1333 PC3-10600					x	x													S26391-F892-L800	1,110.00	
	2GB DDR3-1066 SO-DIMM PC3-8500		x	x																S26391-F736-L250	73.00	
	2GB DDR3-1333	1 module PC 1333, DIMM											x							S26361-F4401-L2	49.00	
	4GB DDR3-1333	1 module PC 1333, DIMM											x							S26361-F4401-L3	76.00	
	2GB DDR3-1333	1 module PC 1333, DIMM												x		x	x			S26361-F3378-L2	49.00	
	4GB DDR3-1333	1 module PC 1333, DIMM												x		x	x			S26361-F3378-L3	76.00	
	1GB DDR3-1333	1 module				x			x	x										S26361-F3375-L403	33.00	
	2GB DDR3-1600								x											S26361-F3383-L404	55.00	New product. Orderable from: 01/03/2012
	1GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary							x	x	x									S26361-F3377-L413	52.00	
	2GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary							x	x	x									S26361-F3377-L414	77.00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Accessories

Category	Description	Details	CELSIUS H85	CELSIUS H70	CELSIUS H700	CELSIUS H710	CELSIUS H910	CELSIUS M70-2	CELSIUS M720	CELSIUS R970-2	CELSIUS R670-2	CELSIUS R820	CELSIUS W800	CELSIUS W410	CELSIUS W420	CELSIUS W510	CELSIUS W520	CELSIUS W520 POWER	Product Code	EUP (€)	Comments
Memory (Continued)																					
	4GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary						x		x	x								S26361-F3377-L415	173.00	
	2GB DDR3-1600 ECC								x			x						x	S26361-F3383-L414	74.00	New product. Orderable from: 01/03/2012
	4GB DDR3-1600 ECC								x			x							S26361-F3383-L415	113.00	New product. Orderable from: 01/03/2012
	8GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary.						x											S26361-F3383-L416	792.00	New product. Orderable from: 01/03/2012
	2GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary														x	x		S26361-F3379-L2	77.00	
	4GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary														x	x		S26361-F3379-L3	173.00	
	2GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary								x	x								S26361-F3377-L424	95.00	
	4GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary								x	x								S26361-F3377-L425	206.00	
	8GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary								x	x								S26361-F3377-L426	700.00	
	16GB DDR3-1600 rg ECC	1 module, same number of modules for each processor necessary								x	x								S26361-F3374-L427	889.00	
	2GB DDR3-1600 rg ECC											x							S26361-F3383-L424	99.00	New product. Orderable from: 01/03/2012
	4GB DDR3-1600 rg ECC											x							S26361-F3383-L425	199.00	New product. Orderable from: 01/03/2012
	8GB DDR3-1600 rg ECC											x							S26361-F3383-L426	217.00	New product. Orderable from: 01/03/2012
Graphics																					
	NVIDIA Quadro NVS 300 512MB PCIe x16	Connectors: 1x LPH 59, PCIe x16, adapters and cables must be ordered separately						x	x	x	x	x	x	x	x	x	x	x	S26361-F2748-L38	99.00	
	NVIDIA Quadro NVS 295 256MB PCIe x1	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o adapters						x		x	x								S26361-F2748-L235	106.00	
	NVIDIA Quadro NVS 295 256MB PCIe x16	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o adapters						x		x	x	x							S26361-F2748-L236	106.00	
	NVIDIA Quadro NVS 450 2x256MB 4xDP	Connectors: 4x DP or up to 4x DVI-D via optional DP/DVI adapter cable, PCIe x16, w/o adapters						x	x	x	x	x	x	x	x	x	x	x	S26361-F2748-L245	410.00	
	NVIDIA Quadro 400 512MB	Connectors: 1x DVI-I and 1x DP, PCIe x16, w/o adapters						x		x	x		x	x	x	x	x	x	S26361-F2856-L41	110.00	
	NVIDIA Quadro 600 1GB	Connectors: 1x DVI-I dual link and 1x DP; PCIe x16, w/o adapters						x	x	x	x	x	x	x	x	x	x	x	S26361-F2856-L61	178.00	
	NVIDIA Quadro 2000 1GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16, w/o adapters						x	x	x	x	x	x	x	x	x	x	x	S26361-F2856-L201	467.00	
	NVIDIA Quadro 2000D 1GB	Connectors: 2x DVI-I dual link, PCIe x16, w/o adapters.						x	x	x	x	x	x	x	x	x	x	x	S26361-F2856-L202	473.00	
	NVIDIA Quadro 4000 2GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16, w/o adapters						x	x	x	x	x				x			S26361-F2856-L401	800.00	
	NVIDIA Quadro 5000 2.5GB	Connectors: 1x DVI-I dual link and 2x DP, stereo; 1x DVI/VGA-adapter; PCIe x16						x	x	x	x	x				x			S26361-F2856-L501	2,212.00	
	NVIDIA Quadro 6000 6GB	Connectors: 1x DVI-I dual link and 2x DP, stereo; 2x DVI/VGA-adapter; PCIe x16						x	x	x	x	x							S26361-F2856-L601	4,145.00	
	ATI FirePro V3800 512 MB	Connectors: 1x DVI-I dual link, 1x DP; PCIe x16; w/o adapters						x	x	x	x	x	x			x	x		S26361-F2530-L380	106.00	
	AMD FirePro V3900 1 GB	Connectors: 1x DVI-I dual link, 1x DP; PCIe x16; w/o adapters, .						x				x				x	x		S26361-F2530-L390	118.00	New product. Orderable from: 05/03/2012
	ATI FirePro V4800 1 GB	Connectors: 1x DVI-I dual link, 2x DP; PCIe x16; w/o adapters						x		x	x	x	x			x	x		S26361-F2530-L480	184.00	Phased out
	AMD FirePro V4900 1 GB	Connectors: 1x DVI-I dual link and 2x DP, PCIe x16, w/o adapters, .						x		x	x	x	x	x	x	x	x	x	S26361-F2530-L490	228.00	
	ATI FirePro V5800 1 GB	Connectors: 1x DVI-I dual link, 2x DP; PCIe x16; w/o adapters						x		x	x	x	x			x	x		S26361-F2530-L580	400.00	
	AMD FirePro V5900 2 GB	Connectors: 1x DVI-I dual link and 2x DP, PCIe x16, w/o adapters, .						x		x	x	x	x	x	x	x	x	x	S26361-F2530-L590	434.00	
	ATI FirePro V7800 2 GB	Connectors: 1x DVI-I dual link, 2x DP, PCIe x16, w/o adapters						x		x	x								S26361-F2530-L780	833.00	Phased out
	AMD FirePro V7900 2 GB	Connectors: 4x DP, PCIe x16, w/o adapters, .						x		x	x	x				x			S26361-F2530-L790	745.00	
	CELSIUS RemoteAccess Card x1	Host for PCoIP, 2x DVI-I, 10/100/1000 Mbps LAN, PCIe x1						x	x	x	x					x	x	x	S26361-F3565-L1	295.00	
	CELSIUS RemoteAccess Portal	PCoIP, 2x DVI-I, 10/100/1000 Mbps LAN, 4x USB, audio						x	x	x	x					x	x	x	S26361-K1322-V1	295.00	
	NVIDIA Tesla C2075 Computing-Processor	Connectors: 1x DVI-I, PCIe x16, .						x		x	x								S26361-F2856-L209	2,167.00	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor		x				x	x	x	x	x	x	x	x	x	x	x	S26361-F2391-L200	22.00	
	DVI/VGA Adapter	for connection of one VGA-monitor		x				x	x	x	x	x	x	x	x	x	x	x	S26361-F2391-L1	13.00	
	LFH69/ 2x DVI-I adapter cable	for connection of two DVI-I monitors		x				x	x	x	x	x	x	x	x	x	x	x	S26361-F2391-L101	28.00	
	LFH69/ 2x DP adapter cable	for connection of two Display Port monitors		x				x	x	x	x	x	x	x	x	x	x	x	S26361-F2391-L102	30.00	
	SLI bridge for NVIDIA graphics	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, stereo, PCI-E card								x	x								S26361-F2542-L95	78.00	
Removable Media Drives																					
	MCR 20in1 + USB 3.0 front con., 5.25"	occupies accessible 5.25"- bay and requires internal USB 2.0 interface, front connector USB 3.0. Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type						x		x	x								S26361-F3077-L14	40.00	
	MCR 20in1 + USB 3.0 front con., 3.5"	requires USB 3.0 PCIe x1 card; occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0. Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type											x	x	x	x	x	x	S26361-F3077-L15	30.00	
	Weight saver for modular bay							x											S26391-F777-L300	17.00	
	Blu-ray burner								x										S26391-F894-L200	133.00	
	DVD Super multi (reader/writer)							x											S26391-F984-L100	77.00	



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

CELSIUS Accessories

Category	Description	Details	CELSIUS H85	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H910	CELSIUS M470-2	CELSIUS M720	CELSIUS R970-2	CELSIUS R670-2	CELSIUS R820	CELSIUS W880	CELSIUS W410	CELSIUS W420	CELSIUS W510	CELSIUS W510 POWER	CELSIUS W520	CELSIUS W520 POWER	Product Code	EUP (€)	Comments
Accessories & services matrix																						
Removable Media Drives (Continued)																						
	Blu-ray Disc Triple Writer SATA					x														S26391-F984-L200	133.00	
	2nd HDD bay module (without HDD)				x															S26391-F984-L600	33.00	
	weight saver																			S26391-F440-L300	17.00	
	DVD SATA	occupies accessible 5.25" bay, without DVD-video playback software			x			x	x	x	x	x	x	x	x	x	x	x	x	S26391-F3418-L510	30.00	
	DVD SuperMulti SATA	occupies accessible 5.25" bay, DVD burning software included (without DVD-video playback software)						x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3420-L510	40.00	
	Blu-ray Disc Triple Writer SATA	occupies 5.25" bay, BD read/write + DVD read/write +CD read/write						x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3523-L510	267.00	
	MultiCard Reader 20in1 USB 2.0 3.5"	occupies accessible 3.5" bay and requires internal USB interface. Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type												x	x	x	x	x	x	S26361-F3077-L5	20.00	
	MultiCard Reader 20in1 USB 2.0 5.25"	occupies accessible 5.25" bay and requires internal USB interface. Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type						x	x	x										S26361-F3077-L4	28.00	
SCSI/RAID/SAS controller																						
	SAS Controller D2507 (LSI1064e)x4	4 ports incl. cables, PCIe x4						x	x											S26361-F3976-L1	133.00	
	SAS/SATA cable for RAID controller	for RAID controller D2616, plugs for 4x HDD,						x		x										S26361-F2581-L47	18.00	
	4-Port SAS-UpgradeRom	incl. license for RAID 5							x											S26361-F2581-L49	26.00	New product,Orderable from: 01/03/2012
	8-Port SAS-UpgradeRom	incl. license for RAID 5											x							S26361-F2581-L43	26.00	New product,Orderable from: 01/03/2012
Communication/Network																						
	Gigabit Ethernet PCIe x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash manageability for AMD platforms, RJ45, WoL, autotetect, PXE Boot, PCI Express 2.0												x	x	x	x	x	x	S26361-F3067-L60	28.00	
	Dual 1 Gigabit Ethernet PCIe x4					x	x	x	x	x										S26361-F3067-L80	144.00	
	IB HCA 40GB 1 Kanal QDR	InfiniBand HCA 40GB/s, 1-port, QDR																		S26361-F4475-L102	620.00	
	IB HCA 40GB 2 Kanal QDR	InfiniBand HCA 40GB/s, 2-port, QDR																		S26361-F4475-L202	850.00	
	USB 3.0 PCIe x1					x	x	x					x	x	x	x	x	x		S26361-F3050-L10	30.00	
	Gigabit Ethernet PCIe x1	Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autotetect, PXE Boot, driver CD, PCI Express, full height/ low profile				x	x	x	x	x	x									S26361-F3067-L30	26.00	
	Dual 10 Gigabit Ethernet PCIe x8	FTS D2755, without SFP+ modules				x	x	x	x	x										S26361-F3067-L70	377.00	
	WLAN III, 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB interface; only EMEA				x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3108-L5	30.00	
	Modem 56k	PCI board, NT not supported, adapter/ RJ11 modem cable to be ordered separately, full height											x							S26361-F3088-L2	17.00	Phased out
	Parallel Interface FH	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height						x					x	x	x	x	x	x		S26361-F2542-L34	10.00	
	eSATA Interface FH	for eSATA peripherals, occupies one internal SATA interface and one slot, full height						x	x	x	x	x	x	x	x	x	x	x		S26361-F2542-L70	13.00	
	Dual serial card PCIe x1	Dual Port RS232 via splitter cabel				x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F3316-L6	37.00	
	Dual serial card PCIe x1, powered	Dual Port RS232 via splitter cabel				x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F3316-L7	42.00	
Rack-Infrastructure																						
	Rack mounting kit CELSIUS							x	x	x	x									S26361-F2581-L101	245.00	
OS/Application-SW																						
	Drivers&Utilities DVD Mobile H	incl. Nero Essentials S, Norton Internet Security Trial 90 days				x	x													S26361-F2010-L199	45.00	
	Drivers&Utilities DVD CELSIUS XP/ Vista	incl. Nero Essentials S, Norton Internet Security						x	x	x	x	x	x	x	x	x	x	x		S26361-F2007-L909	22.00	
UPS/Power supply																						
	2nd battery																			S26391-F777-L200	144.00	
	2pin AC Adapter 19V/120W																			S26391-F896-L700	66.00	
	AC Adapter 19V/210W																			S26391-F896-L500	88.00	
	Battery 8cell 5800mAh					x	x													S26391-F896-L700	133.00	
Security																						
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard												x	x	x	x	x	x	S26361-F1260-L521	26.00	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard, CELSIUS M, R, V only						x	x	x	x									S26361-F1260-L522	26.00	
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1571-L201	16.00	Phased out
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1571-L210	118.00	Phased out
	Absolute Track, Abo. 1Y.	Single key licence, for more info please check hint box / product description				x	x	x												S26361-F2009-L101	19.00	
	Absolute Track, Abo. 2Y.	Single key licence, for more info please check hint box / product description				x	x	x												S26361-F2009-L102	29.00	
	Absolute Track, Abo. 3Y.	Single key licence, for more info please check hint box / product description				x	x	x												S26361-F2009-L103	37.00	
	Data Protection, Abo. 1Y.	Single key licence, for more info please check hint box / product description				x	x	x												S26361-F2009-L104	30.00	
	Data Protection, Abo. 2Y.	Single key licence, for more info please check hint box / product description				x	x	x												S26361-F2009-L105	46.00	
	Data Protection, Abo. 3Y.	Single key licence, for more info please check hint box / product description				x	x	x												S26361-F2009-L106	57.00	
	ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description				x	x	x												S26361-F2009-L107	35.00	
	ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description				x	x	x												S26361-F2009-L108	56.00	
	ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description				x	x	x												S26361-F2009-L109	78.00	



Windows®. Life without Walls™. Fujitsu recommends Windows 7.

CELSIUS Accessories

Category	Description	Details	CELSIUS H85	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H910	CELSIUS M470-2	CELSIUS M720	CELSIUS R970-2	CELSIUS R670-2	CELSIUS R820	CELSIUS W280	CELSIUS W410	CELSIUS W420	CELSIUS W510	CELSIUS W520 POWER	CELSIUS W520	CELSIUS W520 POWER	Product Code	EUP (€)	Comments
Security (Continued)																						
ATP, Data Protection, PE, Abo. 1Y.	Single key licence, for more info please check hint box / product description			x	x	x														S26361-F2009-L113	48.00	
ATP, Data Protection, PE, Abo. 2Y.	Single key licence, for more info please check hint box / product description				x	x	x													S26361-F2009-L114	77.00	
ATP, Data Protection, PE, Abo. 3Y.	Single key licence, for more info please check hint box / product description					x	x	x												S26361-F2009-L115	94.00	
ATP, ComputraceOne, Abo. 1Y.	Single key licence, for more info please check hint box / product description					x	x	x												S26361-F2009-L116	54.00	
ATP, ComputraceOne, Abo. 2Y.	Single key licence, for more info please check hint box / product description						x	x	x											S26361-F2009-L117	88.00	
ATP, ComputraceOne, Abo. 3Y.	Single key licence, for more info please check hint box / product description							x	x	x										S26361-F2009-L118	116.00	
Absolute Track, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description						x	x	x											S26361-F2009-L201	19.00	
Absolute Track, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description							x	x	x										S26361-F2009-L202	29.00	
Absolute Track, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description								x	x	x									S26361-F2009-L203	37.00	
Data Protection, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description							x	x	x										S26361-F2009-L204	30.00	
Data Protection, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description								x	x	x									S26361-F2009-L205	46.00	
Data Protection, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description									x	x	x								S26361-F2009-L206	57.00	
ComputraceOne, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description								x	x	x									S26361-F2009-L207	35.00	
ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description									x	x	x								S26361-F2009-L208	56.00	
ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description										x	x	x							S26361-F2009-L209	78.00	
ATP, Data Protection, PE, Abo. 1Y. Master	Master key for multiple licences, for more info please check hint box / product description									x										S26361-F2009-L213	48.00	
ATP, Data Protection, PE, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description										x	x	x							S26361-F2009-L214	77.00	
ATP, Data Protection, PE, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description											x	x	x						S26361-F2009-L215	94.00	
ATP, ComputraceOne, Abo. 2Y. Master	Master key for multiple licences, for more info please check hint box / product description									x	x	x								S26361-F2009-L217	88.00	
ATP, ComputraceOne, Abo. 3Y. Master	Master key for multiple licences, for more info please check hint box / product description										x	x	x							S26361-F2009-L218	116.00	
SCA Express	ExpressCard SmartCard adapter, Model Fujitsu, Bios support; SmartLogon plus support																			S26361-F2432-L720	44.00	
SmartCase Logon+ license (1-99 licenses)	includes 1 license., for orders up to 99 licenses., no software, no data medium									x	x	x	x	x	x					S26361-F2727-L100	20.00	
SmartCase Logon+ CD 1 license	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smartcard / Fingerprint for XP/Vista/Win7., no eLux support, Version 3.0.3										x	x	x	x	x					S26361-F2727-L730	43.00	
SmartCase Logon+ 3.2.2	Supports secure authentication, password container, SSO, drive encrypt, smartcard, biometrics																			S26361-F2727-L740	42.00	Orderable from: 29/02/2012
RFID SmartCardReader USB SCL011	RFID SmartCardReader USB SCL011 with stand in white box packing																			S26381-F11-L100	38.00	
SmartCard CARDOS V4.4. 1PCS	1 SmartCard CardOS 4.4, 68 KByte EEPROM																			S26381-F305-L101	23.00	
SmartCard CARDOS V4.4. 2PCS	2 SmartCard CardOS 4.4, 68 KByte EEPROM																			S26381-F305-L102	45.00	
SmartCard CARDOS V4.4. 10PCS	10 SmartCard CardOS 4.4, 68 KByte EEPROM																			S26381-F305-L110	204.00	
Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface																			S26381-F331-L220	25.00	
PalmSecure Mouse Login Kit	PalmSecure Login Kit enclosed optical USB Mouse with integrated vein sensor for biometric authentication. USB 2.0 bus powered, 3 buttons incl. scroll-wheel. Set contains also the palm guide, quick start guide, manual and OmniPass login software CD. 1.5 m USB cable, brown box.																			S26381-K435-L100	310.00	
Miscellaneous																						
Locking HDD cage																				S26361-F2542-L332	10.00	
UMTS upgrade kit	only usable if system was ordered with UMTS Ready Kit																			S26391-F985-L120	110.00	
iButton for RAID 5 support	incl. license for RAID 5																			S26361-F2581-L44	44.00	
Casters for CELSIUS M, R & V	Available in systems serial no. higher than YBSJ001400 (CELSIUS V830) and YBWM004000 (CELSIUS M440).																			S26361-F2581-L200	84.00	
Rear USB 2.0 connector	2x USB 2.0																			S26361-F2438-L215	9.00	
Blanking Plate 5.25" drive bays, 10 pcs.																				S26361-F2542-L326	14.00	
Blanking Plate 5.25" drive bays, 10 pcs.																				S26361-F2542-L325	28.00	
Cables																						
power cable EU	black, 2-pole, 1.8 m																			T26139-Y2540-V113	9.00	



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

CELSIUS Accessories

Category	Description	Details	CELSIUS H265	CELSIUS H270	CELSIUS H700	CELSIUS H710	CELSIUS H910	CELSIUS M470-2	CELSIUS M720	CELSIUS R970-2	CELSIUS R670-2	CELSIUS R820	CELSIUS W280	CELSIUS W410	CELSIUS W420	CELSIUS W510	CELSIUS W510 POWER	CELSIUS W520	CELSIUS W520 POWER	Product Code	EUP (€)	Comments	
Accessories & services matrix																							
Cables (Continued)																							
	power cable UK	black, 2-pole, 1,8 m			x	x															T26139-Y2540-V213	9,00	
	power cable US	black, 2-pole, 1,8 m			x	x															T26139-Y2540-V313	9,00	
	Cable for 2. USB device							x	x	x	x	x	x	x							S26361-F2581-L10	13,00	
	Cable Powercord (D), 1.8m	grey, 1,8m, suitable for: Germany, Austria, Belgium, Netherlands, Finland, France, Italy, Spain, Portugal, Russian, Turkey, 3 wire					x														T26139-Y1740-V10	4,00	
	Cable Powercord (USA, Desktop), 1.8m	grey or black, 1.8m, for USA/CAN (Desktops), 3 wire						x													T26139-Y1741-V10	4,00	
	Cable Powercord (UK), 1.8m, black	black, 1.8m, suitable for: Great Britain, 3 wire							x												T26139-Y1744-V10	4,00	
	Power cord three-wire EU	Power cord three-wire EU	x	x		x															S26361-F2581-L310	10,00	
Input Devices																							
	Presenter IV Air	2.4 GHz presenter with laser pointer, mouse und Gamepad function	x	x	x																S26381-K440-L100	47,00	
Additional Software																							
	OPENFT-1 (WINDOWS) V11.0	License openFT (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		U11081-C301	1.225,00	
	OPENFT-FTAM-1 (WINDOWS) V11.0	License openFT-FTAM (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x			x	x	x	x	x	x								U11081-C311	1.225,00	
	OPENFT-FTP-1 (WINDOWS) V11.0	License openFT-FTP (WINDOWS) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x			x	x	x	x	x									U11081-C321	500,00	
	OPENFT-SW-CD (WINDOWS) V11.0	Medium for Windows systems, CD-ROM openFT-SW V11.0	x	x	x			x	x	x	x	x									U11081-C300	30,00	
	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Attention export restrictions	x	x	x			x	x	x	x	x									U11081-C299	15,00	
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x				x	x	x	x	x									U10987-C501	1.225,00	
	OPENFT-FTAM-1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x				x	x	x	x	x									U10987-C513	1.225,00	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x				x	x	x	x	x									U10987-C525	500,00	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x				x	x	x	x	x									U10987-C500	36,00	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Attention export restrictions	x	x				x	x	x	x	x									U10987-C499	15,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS H710	CELSIUS H910	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W510	CELSIUS W510 POWER	Product Code	EUP (€)	Comments
Options matrix															
LCD-Display															
	39,6 cm (15.6") HD+ magnesium LED		x										S26391-F890-E100	78,00	
	39,6 cm (15.6") FHD magnesium LED		x										S26391-F890-E200	134,00	
	43,9 cm (17.3") FHD LED			x									S26391-F890-E500	150,00	
Approvals/dependencies															
China (CCC) approval				x			x		x	x	x		S26361-F2550-E150	3,00	
GS approval		non glossy front bezel to fulfill GS approval		x	x	x	x	x	x				S26361-F2555-E200	3,00	
Energy Star compliance		ENERGY Star compliance allows configurations which do not violate the EPA regulations for workstations.			x								S26361-F2600-E110	3,00	
Energy Star compliance		ENERGY Star compliance allows configurations which do not violate the EPA regulations for workstations.					x						S26361-F2600-E120	3,00	
Energy Star compliance		ENERGY Star compliance allows configurations which do not violate the EPA regulations for workstations.						x					S26361-F2600-E130	3,00	
Processor															
	Intel Core i7-2640M 2.8GHz 4MB		x	x									S26391-F981-E264	400,00	
	Intel Core i5-2540M 2.6GHz 3MB	2.60 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, TXT	x	x									S26391-F981-E254	287,00	
	Intel Core i5-2520M 2.5GHz 3MB	2.50 GHz, 3 MB total cache, dual core/4 threads, technologies: VT-x, TXT	x	x									S26391-F981-E252	262,00	
	Intel Core i7-2720QM 2.2GHz 6MB	2.20 GHz, 6 MB total cache, quad core/8 threads, technologies: VT-x, TXT	x	x									S26391-F981-E272	410,00	
	Intel Core i7-2760QM 2.4GHz 6MB	2.40 GHz, 6 MB total cache, quad core/8 threads, technologies: VT-x, TXT,	x	x									S26391-F981-E276	410,00	
	Intel Core i7-2820QM 2.3GHz 8MB	2.30 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, TXT	x	x									S26391-F981-E282	557,00	
	Intel Core i7-2860QM 2.5GHz 8MB	2.50 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, TXT,	x	x									S26391-F981-E286	557,00	
	Intel Core i7-2920XM 2.5GHz 8MB	2.50 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, TXT		x									S26391-F981-E292	967,00	
	Intel Core i7-2960XM 2.7GHz 8MB	2.70 GHz, 8 MB total cache, quad core/8 threads, technologies: VT-x, TXT,		x									S26391-F981-E296	967,00	
	Xeon E5-1603 2.80GHz 10MB	2.80 GHz, 10 MB Cache, 4 Cores,				x							S26361-F4537-E603	211,00	New product,Orderable from: 01/03/2012
	Xeon E5-1607 3.00GHz 10MB	3.00 GHz, 10 MB Cache, 4 Cores,				x							S26361-F4537-E607	255,00	New product,Orderable from: 01/03/2012
	Xeon E5-1620 3.60GHz 10MB Turbo Boost	3.60 GHz, 10 MB Turbo Boost, 4 Cores,				x							S26361-F4537-E620	606,00	New product,Orderable from: 01/03/2012
	Xeon E5-1650 3.20GHz 12MB Turbo Boost	3.20 GHz, 12 MB Turbo Boost, 6 Cores,				x							S26361-F4537-E650	752,00	New product,Orderable from: 01/03/2012
	Xeon E5-1660 3.30GHz 15MB Turbo Boost	3.30 GHz, 15 MB Turbo Boost, 6 Cores,				x							S26361-F4537-E660	1.295,00	New product,Orderable from: 01/03/2012
	Xeon E5-2603 1.80GHz 10MB	1.80 GHz, 10 MB Cache, 6.4 GT/s QPI, 4 Cores,				x			x				S26361-F4536-E603	269,00	New product,Orderable from: 01/03/2012
	2nd Xeon E5-2603	1.80 GHz, 10 MB Cache, 6.4 GT/s QPI, 4 Cores, ,							x				S26361-F4539-E603	287,00	New product,Orderable from: 01/03/2012
	Xeon E5-2609 2.40GHz 10MB	2.40 GHz, 10 MB Cache, 6.4 GT/s QPI, 4 Cores, ,				x			x				S26361-F4536-E609	386,00	New product,Orderable from: 01/03/2012
	2nd Xeon E5-2609	2.40 GHz, 10 MB Cache, 6.4 GT/s QPI, 4 Cores, ,							x				S26361-F4539-E609	404,00	New product,Orderable from: 01/03/2012
	Xeon E5-2620 2.0GHz 15MB Turbo Boost	2.00 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores, ,				x			x				S26361-F4536-E620	499,00	New product,Orderable from: 01/03/2012
	2nd Xeon E5-2620	2.00 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores, ,							x				S26361-F4539-E620	517,00	New product,Orderable from: 01/03/2012
	Xeon E5-2630 2.3GHz 15MB Turbo Boost	2.30 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores, ,				x			x				S26361-F4536-E630	789,00	New product,Orderable from: 01/03/2012
	2nd Xeon E5-2630	2.30 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores, ,							x				S26361-F4539-E630	807,00	New product,Orderable from: 01/03/2012
	Xeon E5-2630L 2.0GHz 15MB	2.00 GHz, 15 MB Cache, 6.4 GT/s QPI, 6 Cores,				x			x				S26361-F4535-E630	762,00	New product,Orderable from: 01/03/2012
	2nd Xeon E5-2630L	2.00 GHz, 15 MB Cache, 6.4 GT/s QPI, 6 Cores, ,							x				S26361-F4538-E630	780,00	New product,Orderable from: 01/03/2012
	Xeon E5-2637 3.0GHz 20MB Turbo Boost	3.00 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 2 Cores, ,				x			x				S26361-F4536-E637	1.130,00	New product,Orderable from: 01/03/2012
	2nd Xeon E5-2637	3.00 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 2 Cores, ,							x				S26361-F4539-E637	1.148,00	New product,Orderable from: 01/03/2012
	Xeon E5-2640 2.5GHz 15MB Turbo Boost	2.50 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores, ,				x			x				S26361-F4536-E640	1.124,00	New product,Orderable from: 01/03/2012
	2nd Xeon E5-2640	2.50 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 6 Cores, ,							x				S26361-F4539-E640	1.142,00	New product,Orderable from: 01/03/2012
	Xeon E5-2643 3.3GHz 20MB Turbo Boost	3.30 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 4 Cores, ,				x			x				S26361-F4537-E643	1.080,00	New product,Orderable from: 01/03/2012
	2nd Xeon E5-2643	3.30 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 4 Cores, ,							x				S26361-F4540-E643	1.098,00	New product,Orderable from: 01/03/2012
	Xeon E5-2650 2.0GHz 20MB Turbo Boost	2.00 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,				x			x				S26361-F4536-E650	1.340,00	New product,Orderable from: 01/03/2012
	2nd Xeon E5-2650	2.00 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,							x				S26361-F4539-E650	1.340,00	New product,Orderable from: 01/03/2012
	Xeon E5-2650L 1.8GHz 20MB Turbo Boost	1.80 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 8 Cores				x			x				S26361-F4535-E650	1.353,00	New product,Orderable from: 01/03/2012
	2nd Xeon E5-2650L	1.80 GHz, 15 MB Turbo Boost, 7.2 GT/s QPI, 8 Cores,							x				S26361-F4538-E650	1.371,00	New product,Orderable from: 01/03/2012
	Xeon E5-2660 2.2GHz 20MB Turbo Boost	2.20 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,				x			x				S26361-F4536-E660	1.577,00	New product,Orderable from: 01/03/2012
	2nd Xeon E5-2660	2.20 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,							x				S26361-F4539-E660	1.595,00	New product,Orderable from: 01/03/2012



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS H710	CELSIUS H810	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W510	CELSIUS W510 POWER	Product Code	EUP (€)	Comments
Processor (Continued)															
	Xeon E5-2665 2.4GHz 20MB Turbo Boost	2.40 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,			x				x				S26361-F4537-E665	1,708,00	New product,Orderable from: 01/03/2012
	2nd Xeon E5-2665	2.40 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,								x			S26361-F4540-E665	1,725,00	New product,Orderable from: 01/03/2012
	Xeon E5-2667 2.9GHz 20MB Turbo Boost	2.90 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 6 Cores				x			x				S26361-F4537-E667	1,980,00	New product,Orderable from: 01/03/2012
	2nd Xeon E5-2667	2.90 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 6 Cores,								x			S26361-F4540-E667	1,998,00	New product,Orderable from: 01/03/2012
	Xeon E5-2670 2.6GHz 20MB Turbo Boost	2.60 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,					x		x				S26361-F4537-E670	1,993,00	New product,Orderable from: 01/03/2012
	2nd Xeon E5-2670	2.60 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,								x			S26361-F4540-E670	2,011,00	New product,Orderable from: 01/03/2012
	Xeon E5-2680 2.7GHz 20MB Turbo Boost	2.70 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,					x		x				S26361-F4537-E680	2,054,00	New product,Orderable from: 01/03/2012
	2nd Xeon E5-2680	2.70 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,								x			S26361-F4540-E680	2,072,00	New product,Orderable from: 01/03/2012
	Xeon E5-2687W 3.1GHz 20MB Turbo Boost	3.10 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores, ,					x		x				S26361-F4537-E687	2,222,00	New product,Orderable from: 01/03/2012
	2nd Xeon E5-2687W	3.10 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,								x			S26361-F4540-E687	2,239,00	New product,Orderable from: 01/03/2012
	Xeon E5-2690 2.9GHz 20MB Turbo Boost	2.90 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,					x		x				S26361-F4537-E690	2,394,00	New product,Orderable from: 01/03/2012
	2nd Xeon E5-2690	2.90 GHz, 20 MB Turbo Boost, 8.0 GT/s QPI, 8 Cores,								x			S26361-F4540-E690	2,412,00	New product,Orderable from: 01/03/2012
	Celeron G530	incl. Intel HD Graphics, 2.40 GHz, 2 MB total cache, dual core/2 threads, LGA1155, technologies: VT-x,									x		S26361-F4020-E530	40,00	
	Pentium G620	incl. Intel HD Graphics, 2.60 GHz, 3 MB total cache, dual core/2 threads, technologies: VT-x									x		S26361-F4050-E620	72,00	Phased out
	Pentium G630	incl. Intel HD Graphics, 2.70 GHz, 3 MB total cache, dual core/2 threads, LGA1155									x		S26361-F4050-E630	72,00	
	Pentium G840	incl. Intel HD Graphics, 2.80 GHz, 3 MB total cache, dual core/2 threads, LGA1155, technologies: VT-x									x		S26361-F4050-E840	84,00	Phased out
	Pentium G850	incl. Intel HD Graphics, 2.90 GHz, 3 MB total cache, dual core/2 threads, LGA1155, technologies: VT-x,									x		S26361-F4050-E850	84,00	
	Core i3-2100	incl. Intel HD Graphics 2000, 3.10 GHz, 3 MB total cache, dual core/4 threads, LGA1155, technologies: VT-x								x	x	x	S26361-F4493-E210	146,00	
	Core i3-2120	incl. Intel HD Graphics 2000, 3.30 GHz, 3 MB total cache, dual core/4 threads, LGA1155, technologies: VT-x,								x	x	x	S26361-F4493-E212	146,00	
	Core i5-2400	incl. Intel HD Graphics 2000, 3.10 GHz, 6 MB total cache, quad core/4 threads, LGA1155, technologies: VT-x, TXT								x			S26361-F4494-E240	237,00	
	Core i5-2500	incl. Intel HD Graphics 2000, 3.30 GHz, 6 MB total cache, quad core/4 threads, LGA1155, technologies: VT-x, TXT								x			S26361-F4494-E250	258,00	
	Core i7-2600	incl. Intel HD Graphics 2000, 3.40 GHz, 8 MB total cache, quad core/8 threads, LGA1155, technologies: VT-x, TXT								x			S26361-F4495-E260	362,00	
	Xeon E3-1220 3.10GHz 8MB Turbo Boost	3.10 GHz, 8 MB Turbo Boost, 4 cores/4 threads, technologies: VT-x, TXT								x	x		S26361-F4498-E220	251,00	
	Xeon E3-1225 3.10GHz 6MB Turbo Boost	incl. Intel HD Graphics P3000, 3.10 GHz, 6 MB Turbo Boost, 4 cores/4 threads, technologies: VT-x, TXT									x	x	S26361-F4497-E225	255,00	
	Xeon E3-1230 3.20GHz 8MB Turbo Boost	3.20 GHz, 8 MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT								x	x		S26361-F4498-E230	286,00	
	Xeon E3-1235 3.20GHz 8MB Turbo Boost	incl. Intel HD Graphics P3000, 3.20 GHz, 8 MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT								x	x		S26361-F4497-E235	297,00	
	Xeon E3-1240 3.30GHz 8MB Turbo Boost	3.30 GHz, 8 MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT								x	x		S26361-F4498-E240	308,00	
	Xeon E3-1245 3.30GHz 8MB Turbo Boost	incl. Intel HD Graphics P3000, 3.30 GHz, 8 MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT									x	x	S26361-F4497-E245	319,00	
	Xeon E3-1270 3.40GHz 8MB Turbo Boost	3.40 GHz, 8 MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT								x	x		S26361-F4498-E270	403,00	
	Xeon E3-1275 3.40GHz 8MB Turbo Boost	incl. Intel HD Graphics P3000, 3.40 GHz, 8 MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT								x	x		S26361-F4497-E275	412,00	
	Xeon E3-1280 3.50GHz 8MB Turbo Boost	3.50 GHz, 8 MB Turbo Boost, 4 cores/8 threads, technologies: VT-x, TXT								x	x		S26361-F4498-E280	741,00	
	Xeon L5609 1.86 GHz, 12 MB Turbo Boost,	1.86 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores				x	x	x					S26361-F3612-E309	522,00	
	2nd Xeon L5609	1.86 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores						x	x				S26361-F3613-E309	539,00	
	Xeon L5630 2.13 GHz, 12 MB Turbo Boost,	2.13 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores				x	x	x					S26361-F3612-E330	655,00	
	2nd Xeon L5630	2.13 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores						x	x				S26361-F3613-E330	673,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS H710	CELSIUS H810	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W510	CELSIUS W510 POWER	Product Code	EUP (€)	Comments
Options matrix	Processor (Continued)														
	Xeon L5640 2.26 GHz, 12 MB Turbo Boost,	2.26 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 6 cores		x	x	x							S26361-F3612-E340	1.179,00	
	2nd Xeon L5640	2.26 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 6 cores					x	x					S26361-F3613-E340	1.196,00	
	Xeon E5603 1.60GHz 8MB	1.60 GHz, 8 MB cache, 4 cores/4 threads		x	x	x							S26361-F3539-E113	247,00	
	2nd Xeon E5603	1.60 GHz, 8 MB cache, 4 cores/4 threads					x	x					S26361-F3540-E113	265,00	
	Xeon E5606 2.13GHz 8MB	2.13 GHz, 8 MB cache, 4 cores/4 threads		x	x	x							S26361-F3539-E116	288,00	
	2nd Xeon E5606	2.13 GHz, 8 MB cache, 4 cores/4 threads					x	x					S26361-F3540-E116	306,00	
	Xeon E5607 2.26GHz 8MB	2.26 GHz, 8 MB cache, 4 cores/4 threads		x	x	x							S26361-F3539-E117	355,00	
	2nd Xeon E5607	2.26 GHz, 8 MB cache, 4 cores/4 threads					x	x					S26361-F3540-E117	373,00	
	Xeon E5620 2.40 GHz, 12 MB Turbo Boost,	2.40 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores		x	x	x							S26361-F3612-E220	466,00	
	2nd Xeon E5620	2.40 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores					x	x					S26361-F3613-E220	484,00	
	Xeon E5630 2.53 GHz, 12 MB Turbo Boost,	2.53 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores		x	x	x							S26361-F3612-E230	700,00	
	2nd Xeon E5630	2.53 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores					x	x					S26361-F3613-E230	718,00	
	Xeon E5640 2.66 GHz, 12 MB Turbo Boost,	2.66 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores		x	x	x							S26361-F3612-E240	982,00	
	2nd Xeon E5640	2.66 GHz, 12 MB Turbo Boost, 5.86 GT/s QPI, 4 cores					x	x					S26361-F3613-E240	999,00	
	Xeon E5645 2.40GHz 12MB Turbo Boost	2.40 GHz, 12 MB Turbo Boost, 6 cores/12 threads		x	x	x							S26361-F3612-E245	700,00	
	2nd Xeon E5645	2.40 GHz, 12 MB Turbo Boost, 6 cores/12 threads					x	x					S26361-F3613-E245	718,00	
	Xeon X5647 2.93GHz 12MB Turbo Boost	2.93 GHz, 12 MB Turbo Boost, 4 cores/8 threads		x		x							S26361-F3612-E247	964,00	
	2nd Xeon X5647	2.93 GHz, 12 MB Turbo Boost, 4 cores/8 threads						x					S26361-F3613-E247	982,00	
	Xeon E5649 2.53GHz 12MB Turbo Boost	2.53 GHz, 12 MB Turbo Boost, 6 cores/12 threads		x	x	x							S26361-F3612-E249	964,00	
	2nd Xeon E5649	2.53 GHz, 12 MB Turbo Boost, 6 cores/12 threads					x	x					S26361-F3613-E249	982,00	
	Xeon X5650 2.66 GHz, 12 MB Turbo Boost,	2.66 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores		x	x	x							S26361-F3612-E950	1.180,00	
	2nd Xeon X5650	2.66 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores					x	x					S26361-F3613-E950	1.180,00	
	Xeon X5660 2.80 GHz, 12 MB Turbo Boost,	2.80 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores		x	x	x							S26361-F3612-E960	1.410,00	
	2nd Xeon X5660	2.80 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores					x	x					S26361-F3613-E960	1.428,00	
	Xeon X5667 3.06 GHz, 12 MB Turbo Boost,	3.06 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores		x	x	x							S26361-F3612-E967	1.679,00	
	2nd Xeon X5667	3.06 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores					x	x					S26361-F3613-E967	1.697,00	
	Xeon X5670 2.93 GHz, 12 MB Turbo Boost,	2.93 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores		x	x	x							S26361-F3612-E970	1.658,00	
	2nd Xeon X5670	2.93 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores					x	x					S26361-F3613-E970	1.675,00	
	Xeon X5672 3.20GHz 12MB Turbo Boost	3.20 GHz, 12 MB Turbo Boost, 4 cores/8 threads		x	x	x							S26361-F3612-E972	1.666,00	
	2nd Xeon X5672	3.20 GHz, 12 MB Turbo Boost, 4 cores/8 threads					x	x					S26361-F3613-E972	1.684,00	
	Xeon X5675 3.06GHz 12MB Turbo Boost	3.06 GHz, 12 MB Turbo Boost, 6 cores/12 threads		x	x	x							S26361-F3612-E975	1.658,00	
	2nd Xeon X5675	3.06 GHz, 12 MB Turbo Boost, 6 cores/12 threads					x	x					S26361-F3613-E975	1.675,00	
	Xeon X5677 3.46 GHz, 12 MB Turbo Boost,	3.46 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores		x		x							S26361-F3612-E977	2.106,00	
	2nd Xeon X5677	3.46 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 4 cores						x					S26361-F3613-E977	2.124,00	
	Xeon X5680 3.33 GHz, 12 MB Turbo Boost,	3.33 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores		x		x							S26361-F3612-E980	2.106,00	
	2nd Xeon X5680	3.33 GHz, 12 MB Turbo Boost, 6.4 GT/s QPI, 6 cores						x					S26361-F3613-E980	2.124,00	
	Xeon X5687 3.60GHz 12MB Turbo Boost	3.60 GHz, 12 MB Turbo Boost, 4 cores/8 threads		x		x							S26361-F3612-E987	2.106,00	
	2nd Xeon X5687	3.60 GHz, 12 MB Turbo Boost, 4 cores/8 threads						x					S26361-F3613-E987	2.124,00	
	Xeon X5690 3.46GHz 12MB Turbo Boost	3.46 GHz, 12 MB Turbo Boost, 6 cores/12 threads		x		x							S26361-F3612-E990	2.106,00	
	2nd Xeon X5690	3.46 GHz, 12 MB Turbo Boost, 6 cores/12 threads						x					S26361-F3613-E990	2.124,00	
	Xeon W3503 2.40GHz 4MB	4.8 GT/s QPI, 2 cores			x								S26361-F3541-E103	264,00	
	Xeon W3505 2.53GHz 4MB	4.8 GT/s QPI, 2 cores			x								S26361-F3541-E105	296,00	
	Xeon W3520 2.66GHz 8MB Turbo Boost	4.8 GT/s QPI, 4 cores			x								S26361-F3541-E320	384,00	
	Xeon W3530 2.80 GHz, 8 MB Turbo Boost,	2.80 GHz, 8 MB Turbo Boost, 4.8 GT/s QPI, 4 cores		x									S26361-F3541-E330	384,00	
	Xeon W3550 3.06GHz 8MB Turbo Boost	4.8 GT/s QPI, 4 cores			x								S26361-F3541-E350	387,00	
	Xeon W3565 3.20 GHz, 8 MB Turbo Boost,	3.20 GHz, 8 MB Turbo Boost, 4.8 GT/s QPI, 4 cores			x								S26361-F3541-E365	387,00	
	Xeon W3670 3.20GHz 12MB Turbo Boost	3.20 GHz, 12 MB Turbo Boost, 4.8 GT/s QPI, 6 cores		x									S26361-F3614-E570	744,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS H710	CELSIUS H810	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W510	CELSIUS W510 POWER	Product Code	EUP (€)	Comments
Options matrix															
Processor (Continued)															
	Xeon W3690 3.46GHz 12MB Turbo Boost	3.46 GHz, 12 MB Turbo Boost, 6 cores/12 threads		x									S26361-F3614-E590	1,274.00	
Memory															
	8GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary		x						x	x		S26361-F3379-E4	655.00	
	2GB DDR3-1333 PC3-10600		x	x									S26391-F892-E200	23.00	
	2GB DDR3-1333 PC3-10600			x									S26391-F892-E210	23.00	
	4GB DDR3-1333 PC3-10600		x	x									S26391-F892-E400	45.00	
	4GB DDR3-1333 PC3-10600			x									S26391-F892-E410	45.00	
	8GB DDR3-1333 PC3-10600		x	x									S26391-F892-E800	500.00	
	8GB DDR3-1333 PC3-10600			x									S26391-F892-E810	500.00	
	2GB DDR3-1333	1 module PC 1333, DIMM								x	x	x	S26361-F3378-E2	20.00	
	4GB DDR3-1333	1 module PC 1333, DIMM								x	x	x	S26361-F3378-E3	38.00	
	2GB DDR3-1600					x							S26361-F3383-E404	25.00	New product,Orderable from: 01/03/2012
	1GB DDR3-1333	1 module		x		x	x						S26361-F3375-E403	23.00	
	1GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary		x		x	x						S26361-F3377-E413	38.00	
	2GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary		x		x	x						S26361-F3377-E414	47.00	
	4GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary		x		x	x						S26361-F3377-E415	92.00	
	2GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary,				x			x				S26361-F3383-E414	52.00	New product,Orderable from: 01/03/2012
	4GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary,				x			x				S26361-F3383-E415	103.00	New product,Orderable from: 01/03/2012
	8GB DDR3-1600 ECC	1 module, same number of modules for each processor necessary,				x							S26361-F3383-E416	515.00	New product,Orderable from: 01/03/2012
	2GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary								x	x		S26361-F3379-E2	47.00	
	4GB DDR3-1333 ECC	1 module, same number of modules for each processor necessary								x	x		S26361-F3379-E3	92.00	
	2GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary					x	x					S26361-F3377-E424	68.00	
	4GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary					x	x					S26361-F3377-E425	122.00	
	8GB DDR3-1333 rg ECC	1 module, same number of modules for each processor necessary					x	x					S26361-F3377-E426	266.00	
	16GB DDR3-1066 rg ECC	1 module, same number of modules for each processor necessary					x	x					S26361-F3374-E427	666.00	
	2GB DDR3-1600 rg ECC	1 module, same number of modules for each processor necessary							x				S26361-F3383-E424	73.00	New product,Orderable from: 01/03/2012
	4GB DDR3-1600 rg ECC	1 module, same number of modules for each processor necessary							x				S26361-F3383-E425	133.00	New product,Orderable from: 01/03/2012
	8GB DDR3-1600 rg ECC	1 module, same number of modules for each processor necessary							x				S26361-F3383-E426	192.00	New product,Orderable from: 01/03/2012
Graphics															
	NVIDIA Quadro 3000M			x									S26391-F891-E300	599.00	
	NVIDIA Quadro 4000M			x									S26391-F891-E400	1,088.00	
	NVIDIA Quadro 5010M			x									S26391-F891-E500	2,222.00	
	NVIDIA Quadro NVS 300 512MB PCIe x16	Connectors: 1x LFH59, PCIe x16, adapters and cables must be ordered separately			x	x	x	x	x	x	x	x	S26361-F2748-E38	84.00	
	NVIDIA Quadro NVS 295 256MB PCIe x1	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o adapters			x		x	x					S26361-F2748-E235	84.00	
	2nd NVIDIA Quadro NVS 295 256MB PCIe x1	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o adapters			x		x	x					S26361-F2748-E135	84.00	
	NVIDIA Quadro NVS 295 256MB PCIe x16	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o adapters			x		x	x					S26361-F2748-E236	84.00	
	NVIDIA Quadro NVS 450 2x256MB 4xDP	Connectors: 4x DP or up to 4x DVI-D via optional DP/DVI adapter cable, PCIe x16, w/o adapters			x	x	x	x	x	x	x		S26361-F2748-E245	377.00	
	No Energy Star + Blue Angel approval									x	x	x	S26361-F2550-E110	3.00	
	NVIDIA Quadro 400 512MB	Connectors: 1x DVI-I and 1x DP, PCIe x16, w/o adapters		x		x	x		x	x	x		S26361-F2856-E41	92.00	
	NVIDIA Quadro 600 1GB	Connectors: 1x DVI-I dual link and 1x DP; PCIe x16; w/o adapters		x	x	x	x	x	x	x	x		S26361-F2856-E61	155.00	
	NVIDIA Quadro 2000 1GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters		x	x	x	x	x	x	x	x		S26361-F2856-E201	450.00	
	Second NVIDIA Quadro 2000 1GB	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o adapters		x	x	x	x	x					S26361-F2856-E203	450.00	
	NVIDIA Quadro 2000D 1GB	Connectors: 2x DVI-I dual link, PCIe x16, w/o adapters,		x	x	x	x	x	x	x	x		S26361-F2856-E202	455.00	
	Second NVIDIA Quadro 2000D 1GB	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o adapters		x	x		x						S26361-F2856-E204	455.00	
	NVIDIA Quadro 4000 2GB	Connectors: 1x DVI-I dual link and 2x DP; PCIe x16; w/o adapters		x	x	x	x	x			x		S26361-F2856-E401	710.00	
	Second NVIDIA Quadro 4000 2GB	Connectors: up to 2x display ports or up to 2x DVI-D via DP DVI adapter cable; w/o adapters		x	x	x	x						S26361-F2856-E402	710.00	
	NVIDIA Quadro 5000 2.5GB	Connectors: 1x DVI-I dual link and 2x DP, stereo; 1x DVI/VGA-adapter; PCIe x16		x	x	x	x	x			x		S26361-F2856-E501	1,644.00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS H710	CELSIUS H810	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W510	CELSIUS W510 POWER	Product Code	EUP (€)	Comments
Options matrix															
Graphics (Continued)															
	Second NVIDIA Quadro 5000 2.5GB	Connectors: 1x DVI-I dual link and 2x DP, stereo; 1x DVI/VGA-adapter; PCIe x16			x	x	x	x	x				S26361-F2856-E502	1,644.00	
	NVIDIA Quadro 6000 6GB	Connectors: 1x DVI-I dual link and 2x DP, stereo, 2x DVI/VGA-adapter, PCIe x16			x	x	x	x	x				S26361-F2856-E601	3,610.00	
	Second NVIDIA Quadro 6000 6GB	Connectors: 1x DVI-I dual link and 2x DP, stereo, 2x DVI/VGA-adapter, PCIe x16			x	x	x	x	x				S26361-F2856-E602	3,610.00	
	ATI FirePro V3800 512 MB	Connectors: 1x DVI-I dual link, 1x DP; PCIe x16; w/o adapters			x		x	x		x	x		S26361-F2530-E380	84.00	
	AMD FirePro V3900 1 GB	Connectors: 1x DVI-I dual link, 1x DP; PCIe x16; w/o adapters,				x			x				S26361-F2530-E390	96.00	New product,Orderable from: 05/03/2012
	ATI FirePro V4800 1 GB	Connectors: 1x DVI-I dual link, 2x DP; PCIe x16; w/o adapters			x		x	x		x	x		S26361-F2530-E480	166.00	Phased out
	AMD FirePro V4900 1 GB	Connectors: 1x DVI-I dual link and 2x DP, PCIe x16, w/o adapters,			x	x	x	x	x	x	x		S26361-F2530-E490	199.00	
	ATI FirePro V5800 1 GB	Connectors: 1x DVI-I dual link, 2x DP; PCIe x16; w/o adapters			x		x	x		x	x		S26361-F2530-E580	377.00	
	AMD FirePro V5900 2 GB	Connectors: 1x DVI-I dual link and 2x DP, PCIe x16, w/o adapters,			x	x	x	x	x	x	x		S26361-F2530-E590	410.00	
	ATI FirePro V7800 2 GB	Connectors: 1x DVI-I dual link, 2x DP,, PCIe x16, w/o adapters			x		x	x			x		S26361-F2530-E780	666.00	Phased out
	AMD FirePro V7900 2 GB	Connectors: 4 x DP, PCIe x16, w/o adapters,			x	x	x	x	x		x		S26361-F2530-E790	722.00	
	CELSIUS RemoteAccess Card x1	Host for PCoIP, 2x DVI-I, 10/100/1000 Mbps LAN, PCIe x1			x	x	x	x	x		x		S26361-F3565-E1	295.00	
	NVIDIA Tesla C2075 Computing-Processor	Connectors: 1x DVI-I, PCIe x16,			x	x	x	x	x				S26361-F2856-E209	2,055.00	
	Zweite NVIDIA Tesla C2075				x	x	x	x	x				S26361-F2856-E998	2,055.00	
	Display Port/ DVI-D adapter cable	for connection of one DVI-D monitor			x	x	x	x	x	x	x		S26361-F2391-E200	17.00	
	DVI/VGA Adapter	for connection of one VGA-monitor			x	x	x	x	x	x	x		S26361-F2391-E1	6.00	
	LFH59/ 2x DVI-I adapter cable	for connection of two DVI-I monitors			x	x	x	x	x	x	x		S26361-F2391-E101	17.00	
	LFH59/ 2x DP adapter cable	for connection of two Display Port monitors			x	x	x	x	x	x	x		S26361-F2391-E102	19.00	
	SLI bridge for NVIDIA graphics						x	x	x				S26361-F2542-E95	44.00	
	No graphics	Attention: System has got no functional graphics.			x		x	x					S26361-F2748-E999	39.00	
	No graphics card				x				x		x		S26361-F2748-E998	10.00	
Removable Media Drives															
	Cable for 2nd ODD										x		S26361-F2581-E23	4.00	
	Cable for 2nd ODD					x					x		S26361-F2581-E24	4.00	
	DVD-RW Dual Double Layer Super Multi				x								S26391-F894-E100	39.00	
	Blu-ray burner /w Playback Software				x								S26391-F894-E200	217.00	
	Weight saver for modular bay				x								S26391-F984-E400	4.00	
	DVD Super Multi (reader/writer)	Nero on driver DVD			x								S26391-F984-E100	39.00	
	Blu-ray Triple Writer incl. Playback SW	Blu-ray read/write + DVD read/write + CD read/write; with playback software			x								S26391-F984-E200	217.00	
	2nd Battery 6cell 41Wh (3,800mAh)	Nero on driver DVD			x								S26391-F984-E500	122.00	
	DVD SATA	occupies accessible 5,25"- bay, DVD software must be ordered separately								x	x		S26361-F3418-E510	16.00	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay,DVD software must be ordered separately								x	x		S26361-F3420-E510	22.00	
	Blu-ray Disc Triple Writer SATA	occupies 5.25"-bay, BD read/write + DVD read/write +CD read/write, Blu-ray Playback SW must be ordered separately								x	x		S26361-F3523-E510	166.00	
	DVD SATA	occupies accessible 5,25"- bay,DVD software must be ordered separately			x	x	x	x	x				S26361-F3418-E530	17.00	
	DVD SuperMulti SATA	occupies accessible 5,25"- bay, DVD software must be ordered separately			x	x	x	x	x				S26361-F3420-E530	23.00	
	Blu-ray Disc Triple Writer SATA	occupies 5.25"-bay, BD read/write + DVD read/write + CD read/write, Blu-ray Playback SW must be ordered separately			x	x	x	x	x				S26361-F3523-E530	166.00	
	Cable for ODD				x								S26361-F2581-E21	4.00	
	Cable for ODD						x						S26361-F2581-E22	4.00	
	MultiCard Reader 20in1 USB 2.0 3.5"	occupies accessible 3.5"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type								x	x		S26361-F3077-E5	10.00	
	MCR 20in1 + USB 3.0 front con., 3.5"	requires USB 3.0 PCIe x1 card; occupies accessible 3.5"- bay and requires internal USB 2.0 interface, front connector USB 3.0, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type								x	x		S26361-F3077-E15	14.00	
	MultiCard Reader 20in1 USB 2.0 5.25"	occupies accessible 5,25"- bay and requires internal USB interface, Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type			x		x	x					S26361-F3077-E4	15.00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS H710	CELSIUS H810	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W510	CELSIUS W510 POWER	Product Code	EUP (€)	Comments
Options matrix															
Removable Media Drives (Continued)															
	MCR 20in1 + USB 3.0 front con., 5.25"	occupies accessible 5.25" - bay and requires internal USB 2.0 interface, front connector USB 3.0. Formats: CF I, CF II, IBM MD, SM, SD, Mini SD, Micro SD, SD HC, MMC, RS-MMC, MMC micro, MMC mobile, MS, MS Pro, MS Duo, MS Pro Duo, MS Micro, xD-Picture Card, xD-Picture Card M type, xD-Picture Card H type			x		x	x					S26361-F3077-E14	17,00	
Hard Disks															
	SSD SATA III 128GB high speed	very fast 2.5" solid state drive with SATA 6GB/s interface, incl. easy rail, , no WinXP support									x		S26361-F3681-E128	266,00	
	SSD SATA III 128GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, , no WinXP support			x		x	x					S26361-F3722-E128	288,00	New product
	SSD SATA III 128GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, , no WinXP support			x				x	x			S26361-F3682-E128	288,00	
	2nd SSD SATA III 128GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support			x			x		x			S26361-F3683-E128	288,00	
	SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support								x			S26361-F3681-E256	455,00	
	SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support			x			x		x	x		S26361-F3682-E256	455,00	
	2nd SSD SATA III 256GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support			x			x		x	x		S26361-F3683-E256	455,00	
	SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, , no WinXP support			x		x	x					S26361-F3680-E512	910,00	
	SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support								x			S26361-F3681-E512	910,00	
	SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support			x			x		x	x		S26361-F3682-E512	910,00	
	2nd SSD SATA III 512GB high speed	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support			x			x		x	x		S26361-F3683-E512	910,00	
	SSD 128GB high speed	occupies 3.5"-bay (internal), incl. frame, very fast 2.5" solid state drive with SATA 3GB/s interface, no WinXP support			x		x	x					S26361-F3575-E100	299,00	
	SSD 128GB high speed FDE	very fast 2.5" solid state drive with SATA 3GB/s interface, incl. easy rail, no WinXP support								x			S26361-F3639-E100	276,00	
	SSD 128GB high speed FDE	occupies 2.5"-bay (internal), very fast solid state drive with SATA 3GB/s interface and Full Disk Encryption, no WinXP support			x			x		x	x		S26361-F3662-E128	299,00	
	2nd SSD 128GB high speed FDE	occupies 2.5"-bay (internal), very fast solid state drive with SATA 3GB/s interface and Full Disk Encryption, no WinXP support			x			x		x	x		S26361-F3663-E128	299,00	
	SSD 256GB high speed FDE	occupies 3.5"-bay (internal), incl. frame, very fast 2.5" solid state drive with SATA 3GB/s interface, no WinXP support			x		x	x					S26361-F3576-E100	477,00	
	SSD 256GB high speed FDE	occupies 3.5"-bay (internal), incl. easy rail, very fast 2.5" solid state drive with SATA 3GB/s interface, no WinXP support								x			S26361-F3642-E100	477,00	
	SSD 256GB high speed FDE	occupies 2.5"-bay (internal), very fast solid state drive with SATA 3GB/s interface and Full Disk Encryption, no WinXP support			x			x		x	x		S26361-F3662-E256	477,00	
	2nd SSD 256GB high speed FDE	occupies 2.5"-bay (internal), very fast solid state drive with SATA 3GB/s interface and Full Disk Encryption, no WinXP support			x			x		x	x		S26361-F3663-E256	477,00	
	HDD SATA III 250GB 7.2k	occupies 3.5"-bay (internal),			x			x	x	x	x		S26361-F3660-E250	60,00	
	HDD SATA III 320GB 7.2k	occupies 3.5"-bay (internal)						x	x	x	x		S26361-F3660-E320	63,00	
	HDD SATA III 500GB 7.2k	occupies 3.5"-bay (internal)			x			x	x	x	x		S26361-F3660-E500	72,00	
	HDD SATA III 1000GB 7.2k	occupies 3.5"-bay (internal)			x			x	x	x	x		S26361-F3660-E100	112,00	
	HDD SATA 320GB 5.4k	HDD SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.	x	x									S26391-F893-E320	166,00	
	HDD SATA 320GB 5.4k XP optimized	HDD SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T., XP optimized	x	x									S26391-F893-E321	202,00	
	HDD SATA 320GB 5.4k FDE	Not for China, HDD SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T., full disk encryption	x	x									S26391-F893-E328	228,00	
	HDD SATA II 160GB 7.2k 2.5	occupies 2.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology								x			S26361-F3640-E100	66,00	
	HDD SATA II 160GB 7.2k 2.5" incl. frame	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology								x			S26361-F3661-E160	66,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS H710	CELSIUS H810	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W510	CELSIUS W510 POWER	Product Code	EUP (€)	Comments
Options matrix															
Hard Disks (Continued)															
	HDD SATA II 160GB 7.2k 2.5"	occupies 2.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology									x	x	S26361-F3664-E160	70,00	
	2nd HDD SATA II 160GB 7.2k 2.5"	occupies 2.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology										x	x	S26361-F3665-E160	70,00
	HDD SATA 500GB 7.2k	HDD SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.	x	x									S26391-F893-E507	252,00	
	2x HDD SATA 500GB 7.2k	2 x HDD SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.			x								S26391-F893-E509	406,00	
	HDD SATA 750GB 7.2k	HDD SATA, 7200 rpm, 750 GB, 2.5-inch, S.M.A.R.T.	x	x									S26391-F893-E757	296,00	
	2x HDD SATA 750GB 7.2k	2 x HDD SATA, 7200 rpm, 750 GB, 2.5-inch, S.M.A.R.T.,			x								S26391-F893-E759	442,00	
	HDD SATA II 320GB 7.2k	occupies 3.5"-bay (internal)			x		x						S26361-F3570-E100	63,00	Phased out
	HDD SATA II 500GB 7.2k	occupies 3.5"-bay (internal)			x		x						S26361-F3435-E100	76,00	
	HDD SATA II 1000GB 7.2k	occupies 3.5"-bay (internal)			x		x	x					S26361-F3568-E100	106,00	
	HDD SATA II 250GB 7.2k	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology			x		x	x					S26361-F3212-E30	63,00	
	HDD SATA III 500GB 7.2k BC	occupies 3.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology			x	x	x	x	x	x	x	x	S26361-F3497-E100	104,00	
	HDD SATA II 320GB 7.2k	occupies 3.5"-bay (internal)						x					S26361-F3705-E320	65,00	
	HDD SATA II 500GB 7.2k	occupies 3.5"-bay (internal)						x					S26361-F3705-E500	76,00	
	HDD SATA III 1000GB 7.2k BC	occupies 3.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology			x	x	x	x	x	x	x	x	S26361-F3521-E100	176,00	
	HDD SATA II 1000GB 7.2k	occupies 3.5"-bay (internal)						x					S26361-F3705-E100	113,00	
	HDD SATA II 2000GB 7.2k BC	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, compatible to SATA technology			x	x	x	x	x	x	x	x	S26361-F3590-E100	290,00	
	HDD SATA III 300GB 10k	occupies 3.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology			x	x	x	x	x	x	x	x	S26361-F3527-E10	226,00	
	HDD SATA III 600GB 10k	occupies 3.5"-bay (internal), supports NCQ and 6GB/s, compatible to SATA technology			x	x	x	x	x	x	x	x	S26361-F3632-E100	406,00	
	HDD SAS 300GB 15k	occupies 3.5"-bay (internal)			x		x	x					S26361-F3414-E20	237,00	
	HDD SAS 450GB 15k	occupies 3.5"-bay (internal)			x		x	x					S26361-F3518-E20	277,00	
	HDD SAS 600GB 15k	occupies 3.5"-bay (internal)			x		x	x					S26361-F3591-E100	417,00	
	HDD SAS 300GB 15k 6G 2.5"					x			x				S26361-F3738-E300	366,00	New product,Orderable from: 01/03/2012
	2nd HDD SAS 300GB 15k 6G 2.5"	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support				x			x				S26361-F3738-E302	366,00	New product,Orderable from: 01/03/2012
	HDD SAS 300GB 10k 6G 2.5"					x			x				S26361-F3737-E300	226,00	New product,Orderable from: 01/03/2012
	2nd HDD SAS 300GB 10k 6G 2.5"	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support				x			x				S26361-F3737-E302	226,00	New product,Orderable from: 01/03/2012
	HDD SAS 450GB 10k 6G 2.5"					x			x				S26361-F3737-E450	266,00	New product,Orderable from: 01/03/2012
	HDD SAS 600GB 10k 6G 2.5"					x			x				S26361-F3737-E600	417,00	New product,Orderable from: 01/03/2012
	2nd HDD SAS 600GB 10k 6G 2.5"	occupies 2.5"-bay (internal), very fast solid state drive with SATA 6GB/s interface, no WinXP support				x			x				S26361-F3737-E602	417,00	New product,Orderable from: 01/03/2012
	SSD 20GB(Intel Smart Response)/HDD 500GB	1x SSD SATA, 20 GB / 1x HDD SATA, 7200 rpm 500 GB (Intel Smart Response Technology)			x								S26391-F893-E815	333,00	
	SSD 20GB(Intel Smart Response)/HDD 750GB	1x SSD SATA, 20 GB / 1x HDD SATA, 7200 rpm 750 GB (Intel Smart Response Technology)			x								S26391-F893-E816	377,00	
	SSD SATA 128GB FDE	Not for China!, SSD SATA, 128 GB, 2.5-inch, full disk encryption	x	x									S26391-F893-E820	444,00	
	SSD SATA III 128GB 2.5"	SSD SATA III, 128 GB, 2.5-inch	x	x									S26391-F893-E821	410,00	
	SSD 128GB + HDD 750 GB	1x SSD SATA, 128 GB / 1x HDD SATA, 7200 rpm 750 GB, S.M.A.R.T.			x								S26391-F893-E823	610,00	
	SSD 128/HDD 500GB	1x SSD SATA, 128 GB / 1x HDD SATA, 7200 rpm 500 GB, S.M.A.R.T.			x								S26391-F893-E825	555,00	
	SSD highspeed 128/HDD 500GB	1x SSD SATA III, 128 GB / 1x HDD SATA, 7200 rpm 500 GB, S.M.A.R.T.			x								S26391-F893-E826	555,00	
	SSD SATA 256GB FDE	Not for China!, , SSD SATA, 256 GB, 2.5-inch, full disk encryption	x	x									S26391-F893-E830	877,00	
	SSD SATA III 256GB 2.5"	SSD SATA III, 256 GB, 2.5-inch	x	x									S26391-F893-E831	455,00	
	SSD 256GB + HDD 500 GB	1x SSD SATA, 256 GB / 1x HDD SATA, 7200 rpm 500 GB, S.M.A.R.T.			x								S26391-F893-E832	777,00	
	SSD 256GB + HDD 750 GB	1x SSD SATA, 256 GB / 1x HDD SATA, 7200 rpm 750 GB, S.M.A.R.T.			x								S26391-F893-E833	844,00	
	SSD SATA 512GB (FDE)	Not for China!, , SSD SATA 512 GB, 2.5-inch, full disk encryption	x	x									S26391-F893-E840	1,322,00	
	2x SSD SATA 512GB (FDE)	2 x SSD SATA, 512 GB, 2.5-inch, full disk encryption,			x								S26391-F893-E849	2,755,00	
	Cable for SATA HDD	necessary for each S-ATA hard disk drive			x		x	x					S26361-F2581-E31	3,00	
	Cable for SATA HDD										x		S26361-F2581-E35	3,00	
	Cable for SAS HDD							x					S26361-F2581-E41	3,00	
	Cable for SSD HDD							x					S26361-F2581-E42	3,00	
	Cable for 4x SAS HDD								x				S26361-F4030-E23	7,00	New product,Orderable from: 01/03/2012



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS H710	CELSIUS H810	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W510	CELSIUS W510 POWER	Product Code	EUPP (€)	Comments
Options matrix															
Hard Disks (Continued)															
	Kabel für 2x HDD										x	x	S26361-F4030-E2	7,00	
	Octuple Cold Plug Bracket				x			x					S26361-F4030-E8	7,00	New product,Orderable from: 05/03/2012
	Rails for 2x HDD 3.5"				x			x		x	x		S26361-F4030-E20	4,00	
	Rails for 2x HDD 2.5"				x			x		x	x		S26361-F4030-E40	4,00	
SCSI/RAID/SAS controller															
	SAS Controller D2507 (LSI1064e)x4	4 ports incl. cables, PCIe x4		x		x							S26361-F3976-E1	95,00	
	4-Port SAS-UpgradeRom	incl. license for RAID 5				x							S26361-F2581-E49	4,00	New product,Orderable from: 01/03/2012
	8-Port SAS-UpgradeRom	incl. license for RAID 5							x				S26361-F2581-E43	4,00	New product,Orderable from: 01/03/2012
Communication/Network															
	Dual 1 Gigabit Ethernet PCIe x4				x	x	x	x	x				S26361-F3067-E80	110,00	
	USB 3.0 PCIe x1				x	x	x	x	x	x			S26361-F3050-E10	26,00	
	Gigabit Ethernet PCIe x1, DS	FTS D2907, 10/100/1000 Mbit/s, Dash manageability for AMD platforms, RJ45, WoL, autodetect, PXE Boot, PCI Express 2.0								x	x	x	S26361-F3067-E60	16,00	
	No UMTS + No UMTS Antenna		x										S26391-F895-E110	2,00	
	No UMTS + UMTS Antenna	Not for China!	x										S26391-F895-E120	12,00	
	UMTS Sierra Wireless Gobi 3000	Not for China!	x										S26391-F895-E125	88,00	
	Modem module (NOT for China)	for China please use S26391-F895-E135 No Modem	x										S26391-F895-E130	10,00	
	No Modem		x										S26391-F895-E135	2,00	
	No WLAN		x	x									S26391-F955-E210	2,00	
	WLAN Atheros 802.11b/g/n (WW)		x	x									S26391-F955-E230	10,00	
	Intel Centrino 6205 802.11a/b/g/n (WW)		x	x									S26391-F955-E240	22,00	
	Gigabit Ethernet PCIe x1	Fujitsu D2807, 10/100/1000 Mbit/s, RJ45, WoL, autodetect, PXE Boot, PCI Express			x	x	x	x	x				S26361-F3067-E40	15,00	
	No Bluetooth		x										S26391-F895-E310	2,00	
	Bluetooth Module V2.1		x										S26391-F895-E320	23,00	
	Dual 10 Gigabit Ethernet PCIe x8	FTS D2755, without SFP+ modules			x	x	x	x	x				S26361-F3067-E70	344,00	
	InfiniBand HCA 40GB/s, 1-Port, QDR									x			S26361-F3067-E100	466,00	New product,Orderable from: 05/03/2012
	No UMTS + No UMTS Antenna			x									S26391-F895-E510	2,00	
	InfiniBand HCA 40GB/s, 2-Port, QDR									x			S26361-F3067-E110	633,00	New product,Orderable from: 05/03/2012
	UMTS Sierra Wireless Gobi 3000	Not for China!		x									S26391-F895-E525	88,00	
	No Bluetooth			x									S26391-F895-E610	2,00	
	Bluetooth Module V3.0			x									S26391-F895-E620	23,00	
	Modem adapter kit (EU) w/ modem cable	includes all adapter for EU	x										S26391-F646-E100	33,00	
	WLAN III, 802.11g/Draft-n	internal WLAN module, occupies 1 internal USB interface; only EMEA			x	x	x	x	x	x	x	x	S26361-F3108-E5	16,00	
	Parallel Interface FH	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot, full height		x						x	x	x	S26361-F2542-E34	3,00	
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot, full height			x	x	x	x	x	x	x	x	S26361-F2542-E70	4,00	
	Dual serial card PCIe x1	Dual Port RS232 via splitter cabel			x	x	x	x	x	x	x	x	S26361-F3316-E6	22,00	
	Dual serial card PCIe x1, powered	Dual Port RS232 via splitter cabel			x	x	x	x	x	x	x	x	S26361-F3316-E7	23,00	
Multimedia Module															
	2x Digital array microphones		x										S26391-F890-E710	8,00	
	2x Digital array mics + 2Mpix Webcam		x										S26391-F890-E720	26,00	
	Digital microphone			x									S26391-F890-E810	8,00	
	Digital mic + Webcam			x									S26391-F890-E820	26,00	
Mobile Security															
	No Fingerprint Module		x										S26391-F899-E100	4,00	
	Fingerprint Module incl. Smart Access		x										S26391-F899-E200	28,00	
	TPM module	Not for China!	x	x									S26391-F989-E300	8,00	
	EraseDisk	Firmware-embedded, unique feature to erase sensible data unrecoverable from the hard disk	x	x									S26391-F993-E100	23,00	
	Kensington Lock cable		x	x									S26391-F959-E400	55,00	
Country kits															
	Country kit (CDN,US)	incl. power cord (US), safety manuals (EU+, non EU)								x	x	x	S26361-F2930-E100	8,00	
	Country kit (D)	Germany; incl. power cord (Euro), safety manual (DE)			x	x	x	x	x	x	x	x	S26361-F2930-E101	8,00	
	Country kit (I)	incl. power cord (I),safety manual (I)			x	x	x	x	x	x	x	x	S26361-F2930-E104	8,00	
	Country kit (GB)	incl. power cord (GB),safety manual (GB)			x	x	x	x	x	x	x	x	S26361-F2930-E105	8,00	
	Country kit (INT, power cord GB)	incl. power cord (GB),safety manual (INT)			x	x	x	x	x	x	x	x	S26361-F2930-E110	8,00	
	Country kit (INT, no power cord)	without power cord, incl. safety manual (INT)			x	x	x	x	x	x	x	x	S26361-F2930-E135	8,00	
	Country kit EU-cable (EU+)	incl. power cord (Euro), safety manual (EU+)			x	x	x	x	x	x	x	x	S26361-F2930-E141	8,00	
	Country kit (D)			x									S26391-F898-E500	8,00	
	Country kit (GB)			x									S26391-F898-E600	8,00	
	Country Kit (INT)			x									S26391-F898-E700	8,00	
	Country kit (D)			x									S26391-F898-E100	8,00	
	Country Kit (INT)			x									S26391-F898-E200	8,00	
	Country kit (GB)			x									S26391-F898-E300	8,00	
	Made in Germany sticker	The „Made in Germany“ sticker prominently displays this universally admired differentiating product value			x	x	x	x	x	x	x	x	S26391-F404-E911	2,00	
Power supply															
	AC Adapter 19V/210W			x									S26391-F896-E500	66,00	
	Battery 8cell 5800mAh			x	x								S26391-F896-E700	77,00	
	Power cable EU			x									S26391-F878-E210	5,00	
	Power cable US			x									S26391-F878-E220	5,00	
	Power cable GB			x									S26391-F878-E230	5,00	
	AC cable for 2-pin China			x									S26391-F878-E240	6,00	
	3-pin Power cable EU			x									S26391-F878-E310	6,00	
	3pin AC Adapter 19V/120W	for Russia/GOST		x									S26391-F886-E400	33,00	
	AC cable for 3-pin EU			x									S26391-F878-E410	7,00	
	AC cable for 3-pin US			x									S26391-F878-E420	6,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS H710	CELSIUS H810	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W510	CELSIUS W510 POWER	Product Code	EUP (€)	Comments
Options matrix															
Power supply (Continued)															
	AC cable for 3-pin GB			x									S26391-F878-E430	7,00	
	AC cable for 3-pin China			x									S26391-F878-E440	6,00	
	2pin AC Adapter 19V/120W		x										S26391-F886-E700	28,00	
Port Replicator															
	Port replicator			x									S26391-F897-E100	77,00	
	Port Replicator		x										S26391-F987-E100	77,00	
OneBox-Keyboards															
	KBPC PX ECO US	KBPC PX ECO US, professional GreenIT keyboard, US-English, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest			x	x	x	x	x	x	x	x	S26381-K341-E110	26,00	
	KBPC PX ECO D	KBPC PX ECO D, professional GreenIT keyboard, Layout German, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest			x	x	x	x	x	x	x	x	S26381-K341-E120	26,00	
	KBPC PX ECO INT/D	KBPC PX ECO INT/D professional GreenIT keyboard, Layout International German, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest			x	x	x	x	x	x	x	x	S26381-K341-E122	26,00	
	KBPC PX ECO GB	KBPC PX ECO GB, professional GreenIT keyboard, Layout Great Britain, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest			x	x	x	x	x	x	x	x	S26381-K341-E165	26,00	
	KBPC PX ECO I	KBPC PX ECO I, professional GreenIT keyboard, Layout Italy, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest			x	x	x	x	x	x	x	x	S26381-K341-E185	26,00	
	KB520 US	KB520 keyboard standard, marble grey, US, cable USB 2m,			x	x	x	x	x	x	x	x	S26381-K520-E102	13,00	
	KB520 DE	KB520 keyboard standard, marble grey, Germany, cable USB 2m,			x	x	x	x	x	x	x	x	S26381-K520-E120	13,00	
	KB520 GB	KB520 keyboard standard, marble grey, Great Britain, cable USB 2m,			x	x	x	x	x	x	x	x	S26381-K520-E165	13,00	
	KB520 IT	KB520 keyboard standard, marble grey, Italy, cable USB 2m,			x	x	x	x	x	x	x	x	S26381-K520-E185	13,00	
	KB400 USB black US	KB400 USB INT USA, SLIM value keyboard black, international and USA layout, USB			x	x	x	x	x	x	x	x	S26381-K550-E402	10,00	
	KB400 USB black D	KB400 USB D, SLIM value keyboard black, german layout, USB			x	x	x	x	x	x	x	x	S26381-K550-E420	10,00	
	KB400 USB black GB	KB400 USB GB, SLIM value keyboard black, english layout, USB			x	x	x	x	x	x	x	x	S26381-K550-E465	10,00	
	KB400 USB black I	KB400 USB I, SLIM value keyboard black, italian layout, USB			x	x	x	x	x	x	x	x	S26381-K550-E485	10,00	
	KB400 PS2 US	KB400 PS2 US, SLIM value Keyboard black US english PS2			x	x	x	x	x	x	x	x	S26381-K551-E402	10,00	
	KB400 PS2 black US	KB400 PS2 US, SLIM value Keyboard black US english PS2			x	x	x	x	x	x	x	x	S26381-K551-E410	10,00	Phased out
	KB400 PS2 black D	KB400 PS2 D, SLIM value Keyboard black Germany PS2			x	x	x	x	x	x	x	x	S26381-K551-E420	10,00	
	KB400 PS2 black GB	KB400 PS2 GB, SLIM value Keyboard black UK PS2			x	x	x	x	x	x	x	x	S26381-K551-E465	10,00	
	KB400 PS2 black I	KB400 PS2 I, SLIM value Keyboard black Italien PS2			x	x	x	x	x	x	x	x	S26381-K551-E485	10,00	
	Keyboard KB900 USB US	KB900 USB USA, american layout, spill-proof, black, 1.8 m USB cable			x	x	x	x	x	x	x	x	S26381-K560-E402	16,00	
	Keyboard KB900 USB D	KB900 USB D, german layout, spill-proof, black, 1.8 m USB cable			x	x	x	x	x	x	x	x	S26381-K560-E420	16,00	
	Keyboard KB900 USB GB	KB900 USB GB, english layout, spill-proof, black, 1.8 m USB cable			x	x	x	x	x	x	x	x	S26381-K560-E465	16,00	
	Keyboard KB900 USB IT	KB900 USB I, italian layout, spill-proof, black, 1.8 m USB cable			x	x	x	x	x	x	x	x	S26381-K560-E485	16,00	
	Keyboard w/ TS 10key DE			x									S26391-F669-E121	39,00	
	Keyboard w/ TS 10key IT			x									S26391-F669-E123	39,00	
	Keyboard w/ TS 10key GB			x									S26391-F669-E125	39,00	
	Keyboard w/ TS 10key US			x									S26391-F669-E134	39,00	
	Keyboard w/ TS DE		x										S26391-F678-E121	23,00	
	Keyboard w/ TS IT		x										S26391-F678-E123	23,00	
	Keyboard w/ TS GB		x										S26391-F678-E125	23,00	
	Keyboard w/ TS US		x										S26391-F678-E134	23,00	
	Keyboard w/o TS DE		x										S26391-F678-E221	12,00	
	Keyboard w/o TS IT		x										S26391-F678-E223	12,00	
	Keyboard w/o TS GB		x										S26391-F678-E225	12,00	
	Keyboard w/o TS US		x										S26391-F678-E234	12,00	



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS H710	CELSIUS H810	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W510	CELSIUS W510 POWER	Product Code	EUPP (€)	Comments
Options matrix															
OneBox-Keyboards (Continued)															
	PS2 Keyboard Cable 2,0m	Keyboard cable PS2 for KBPC PX ECO, ca. 2,0 m length		x	x	x	x	x	x	x	x	x	T26139-Y4530-E1	4,00	
OS/Application-SW															
	Nero 9 Essentials XL	Recording software, Showtime, (DVD-video but no Blu-ray playback), BackItUp/ on DVD			x	x	x	x	x	x	x	x	S26361-F1818-E893	10,00	
	No Operating System		x	x									S26361-F2008-E100	4,00	
	Nero 9 Essentials XL	Recording software, Showtime, (DVD-video but no Blu-ray playback), BackItUp/ on DVD	x	x									S26361-F2008-E893	10,00	
	SAG CAT Client XP/ WIN7 Apr10	preloaded XP Prof., short documentation			x	x		x	x				S26361-F2009-E985	4,00	
	OEM Office Home and Student 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only., Not to be distributed to small business or the United States Federal Government.	x	x									S26361-F2110-E177	115,00	
	License EUMM - Windows 7 Home Premium	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.			x	x				x	x	x	S26361-F2009-E243	96,00	
	License EUMM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.			x	x	x	x	x	x	x	x	S26361-F2009-E253	123,00	
	OEM Office Home and Student 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only., Not to be distributed to small business or the United States Federal Government.	x	x									S26361-F2110-E180	115,00	
	OEM Office Home and Student 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only., Not to be distributed to small business or the United States Federal Government.	x	x									S26361-F2110-E181	115,00	
	OEM Office Home and Business 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x									S26361-F2110-E182	199,00	
	License RUS - Windows 7 Professional	RU/CIS. Select for shipments to Russia and CIS countries (Armenia, Azerbaijan, Belarus, Georgia, Kazakhstan, Kyrgyzstan, Moldova, Tajikistan, Turkmenistan, Ukraine, Uzbekistan).			x	x	x	x	x	x	x	x	S26361-F2009-E252	116,00	
	OEM Office Home and Business 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x									S26361-F2110-E185	199,00	
	OEM Office Home and Business 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x									S26361-F2110-E186	199,00	
	Drivers&Utilities DVD Mobile H	incl. Nero Essentials S, Norton Internet Security Trial 90 days	x	x									S26361-F2010-E199	3,00	
	OEM Office Professional 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note:, Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x									S26361-F2110-E187	343,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS H710	CELSIUS H810	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W510	CELSIUS W510 POWER	Product Code	EUP (€)	Comments
Options matrix															
OS/Application-SW (Continued)															
	OEM Office Professional 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x									S26361-F2110-E190	343,00	
	License EM - Windows 7 Professional	EM: Select for shipments to: Albania, Former Yugoslav Republic of Macedonia, Serbia, West Bank & Gaza, Yugoslav Republic of Montenegro			x	x	x	x	x	x	x	x	S26361-F2009-E254	123,00	
	OEM Office Professional 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for small business (500 or fewer employees) and home and consumer End Users only., Not to be distributed to the United States Federal Government.	x	x									S26361-F2110-E191	343,00	
	OEM Office Home and Student 2010 MPI MM	Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote 2010, Package contains: License, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN., NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x	x									S26361-F2010-E281	112,00	
	License EM-MEA - Windows 7 Professional	EM-MEA. Select for shipments to: Afghanistan, Algeria, Angola, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Cote d'Ivoire, Democratic Republic of the Congo, Djibouti, Egypt, Equatorial Guinea, Eritrea, Ethiopia, French Polynesia, Gabon, Ghana, Guinea, Guinea-Bissau, Iraq, Jordan, Kenya, Kuwait, Lebanon, Lesotho, Liberia, Libya, Madagascar, Malawi, Mali, Mauritania, Mauritius, Mayotte, Morocco, Mozambique, Namibia, New Caledonia, Niger, Nigeria, Oman, Pakistan, Qatar, Republic of the Congo, Reunion, Rwanda, Western Sahara, Saint Helena, São Tomé and Príncipe, Saudi Arabia, Senegal, Seychelles, Sierra Leone, Somalia, South Africa, Swaziland, Tanzania, The Gambia, Togo, Tunisia, Turkey, Uganda, United Arab Emirates, Yemen, Zambia, Zimbabwe			x	x	x	x	x	x	x	x	S26361-F2009-E255	123,00	
	OEM Office Home and Business 2010 MPI MM	Activates Preload Windows Office Home and Business 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook 2010, Package contains: License, , The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.	x	x									S26361-F2010-E282	189,00	
	OEM Office Professional 2010 MPI MM	Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access, Package contains: License	x	x									S26361-F2010-E283	323,00	
	OEM Office Home and Student 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note., Fujitsu Office 2010 preload is 32-bit for best compatibility., This product is for home and consumer End Users only. . Not to be distributed to small business or the United States Federal Government.			x		x	x					S26361-F2009-E177	106,00	Phased out



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS H710	CELSIUS H810	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W510	CELSIUS W510 POWER	Product Code	EUP (€)	Comments
Options matrix															
OS/Application-SW (Continued)															
	OEM Office Home and Student 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note: Fujitsu Office 2010 preload is 32-bit for best compatibility. This product is for home and consumer End Users only. Not to be distributed to small business or the United States Federal Government.			x		x	x					S26361-F2009-E180	106,00	Phased out
	OEM Office Home and Student 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note: Fujitsu Office 2010 preload is 32-bit for best compatibility. This product is for home and consumer End Users only. Not to be distributed to small business or the United States Federal Government.			x		x	x					S26361-F2009-E181	106,00	Phased out
	OEM Office Home and Business 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note: Fujitsu Office 2010 preload is 32-bit for best compatibility. This product is for small business (500 or fewer employees) and home and consumer End Users only. Not to be distributed to the United States Federal Government.			x		x	x					S26361-F2009-E182	183,00	Phased out
	OEM Office Home and Business 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note: Fujitsu Office 2010 preload is 32-bit for best compatibility. This product is for small business (500 or fewer employees) and home and consumer End Users only. Not to be distributed to the United States Federal Government.			x		x	x					S26361-F2009-E185	183,00	Phased out
	OEM Office Home and Business 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note: Fujitsu Office 2010 preload is 32-bit for best compatibility. This product is for small business (500 or fewer employees) and home and consumer End Users only. Not to be distributed to the United States Federal Government.			x		x	x					S26361-F2009-E186	183,00	Phased out
	OEM Office Professional 2010 (DE)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note: Fujitsu Office 2010 preload is 32-bit for best compatibility. This product is for small business (500 or fewer employees) and home and consumer End Users only. Not to be distributed to the United States Federal Government.			x		x	x					S26361-F2009-E187	315,00	Phased out
	OEM Office Professional 2010 (EN)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note: Fujitsu Office 2010 preload is 32-bit for best compatibility. This product is for small business (500 or fewer employees) and home and consumer End Users only. Not to be distributed to the United States Federal Government.			x		x	x					S26361-F2009-E190	315,00	Phased out
	OEM Office Professional 2010 (IT)	Product package contains 32 and 64-bit Office 2010 Recovery DVD., Note: Fujitsu Office 2010 preload is 32-bit for best compatibility. This product is for small business (500 or fewer employees) and home and consumer End Users only. Not to be distributed to the United States Federal Government.			x		x	x					S26361-F2009-E191	315,00	Phased out
	OEM Office Home and Student 2010 MPI MM	Activates Preload Windows Office Home and Student 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote 2010. Package contains: License only. For recovery purposes Fujitsu Recovery or RDVD is needed!., The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same., With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN, NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.			x	x	x	x	x	x	x	x	S26361-F2009-E271	106,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS H710	CELSIUS H810	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W510	CELSIUS W510 POWER	Product Code	EUP (€)	Comments
Options matrix															
OS/Application-SW (Continued)															
	OEM Office Home and Business 2010 MPI MM	Activates Preload Windows Office Home and Business 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook2010. Package contains: License only. For recovery purposes Fujitsu Recovery or RDVD is needed! . The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same. With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN., NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.		x	x	x	x	x	x	x	x	x	S26361-F2009-E272	183,00	
	OEM Office Professional 2010 MPI MM	Activates Preload Windows Office Professional 2010 32-bit (Mature Markets), Word, Excel, PowerPoint, OneNote, Outlook, Publisher, Access. Package contains: License only. For recovery purposes Fujitsu Recovery or RDVD is needed! . The installed Microsoft Windows 7 operating system language determines the Office 2010, language version it will be the same. With the Fujitsu OEM Windows 7 license and the pre-loaded language versions (MAIN., NORDICS, IBER-NE, EM-SE, SEE, RU) you can combine Office 2010 MPI Mature Market (MM), order codes they are working for all Windows 7 licenses and languages.			x	x	x	x	x	x	x	x	S26361-F2009-E273	315,00	
	License EM-INDIA Windows 7 Professional Blu-ray playback software	EM-INDIA. Select for shipments to: India DVD-video and Blu-ray playback, on DVD. . Blu-ray playback is not supported under Windows XP if the system runs on Intel onboard graphics.			x	x	x	x	x	x	x	x	S26361-F2009-E258	123,00	
					x	x	x	x	x	x	x	x	S26361-F2007-E420	33,00	
	No Operating System				x	x	x	x	x	x	x	x	S26361-F1818-E100	2,00	
	Win7 HomePremium64 MAIN+Office2010s	MuLi MAIN (Main European MuLi). Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch). Note: Included Office 2010 and Office 2010 Starter are 32bit applications. For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x				x	x	x	S26361-F2109-E441	3,00	
	Win7 HomePremium64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region). Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish). Note: Included Office 2010 and Office 2010 Starter are 32bit applications. For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x				x	x	x	S26361-F2109-E442	3,00	
	Win7 HomePremium64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe). Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish). Note: Included Office 2010 and Office 2010 Starter are 32bit applications. For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x				x	x	x	S26361-F2109-E443	3,00	
	Win7 HomePremium64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe). Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak). Note: Included Office 2010 and Office 2010 Starter are 32bit applications. For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x				x	x	x	S26361-F2109-E444	3,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS H710	CELSIUS H810	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W510	CELSIUS W510 POWER	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)															
	Win7 HomePremium64 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.		x	x					x	x	x	S26361-F2109-E446	3,00	
	Win7 Pro32 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x	x	x	x	x	x	x	S26361-F2109-E351	3,00	
	Win7 Pro32 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x	x	x	x	x	x	x	S26361-F2109-E352	3,00	
	Win7 Pro32 EM+SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x	x	x	x	x	x	x	S26361-F2109-E353	3,00	
	Win7 Pro32 SEE+Office2010s	MuLi SEE (South Eastern Europe), Languages: BG, EN, HR, HU, RO, SL, SR (Bulgarian, English, Croatian, Hungarian, Romanian, Slovenian, Serbian), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x	x	x	x	x	x	x	S26361-F2109-E355	3,00	
	Win7 Pro 32 RUS+Office2010s	Preload: Single Image RU (RU & CIS countries), Language: RU, Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x	x	x	x	x	x	x	S26361-F2109-E356	3,00	
	Win7 Pro64 MAIN + Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x	x	x	x	x	x	x	S26361-F2109-E451	3,00	
	Win7 Pro64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x	x	x	x	x	x	x	S26361-F2109-E452	3,00	



Windows®. Life without Walls™.

Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS H710	CELSIUS H810	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W510	CELSIUS W510 POWER	Product Code	EUP (€)	Comments
Options matrix															
OS/Application-SW (Continued)															
	Win7 Pro64 EM-SE+Office2010s	Preload: MuLi EM-SE (Emerging Markets and Southern Europe), Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x	x	x	x	x	x	x	S26361-F2109-E453	3,00	
	Win7 Pro64 IBER-NE+Office2010s	Preload: MuLi IBER-NE (Iberia and Northern Europe), Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x	x	x	x	x	x	x	S26361-F2109-E454	3,00	
	Drivers&Utilities DVD (XP/VISTA/7)	incl. Nero Essentials S, Norton Internet Security Trial 90 days			x	x	x	x	x	x	x	x	S26361-F2007-E909	3,00	
	REC-DVD Win7 HomeBasic 32bit RUS	RU										x	S26361-F2009-E532	3,00	
	License EUMM - Windows 7 Home Premium	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x	x									S26361-F2010-E243	104,00	
	License EUMM - Windows 7 Professional	This license is a global product (Mature Markets) and also for shipments in Emerging Markets. Please select the Emerging Market licenses for your country for marketing fund advantages (Jumpstart) in your region.	x	x									S26361-F2010-E253	133,00	
	REC-DVD Win7 Professional 32 RUS	RU			x	x	x	x	x	x	x	x	S26361-F2009-E552	3,00	
	REC-DVD Win7 Home Premium 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR			x	x				x	x	x	S26361-F2009-E643	3,00	
	REC-DVD Win7 Professional 32 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR			x	x	x	x	x	x	x	x	S26361-F2009-E553	3,00	
	REC-DVD Win7 Professional 64 All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR			x	x	x	x	x	x	x	x	S26361-F2009-E653	3,00	
	REC-DVD Win7 Prof. 32+64bit All MuLi	AR, BG, CS, DA, DE, EL, EN, ES, FI, FR, HR, HU, IS, IT, NO, NL, PL, PT, RO, RU, SK, SL, SR, SV, TR			x	x	x	x	x	x	x	x	S26361-F2009-E753	3,00	
	REC-DVD 2 Win7 MAIN+Office2010s	Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Office 2010 incl. Office Starter - 32bit, MAIN (Main European MuLi), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x	x	x	x	x	x	x	S26361-F2109-E751	3,00	
	REC-DVD 2 Win7 NORDIC+Office2010s	Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Office 2010 incl. Office Starter - 32bit, NORDICS (Nordic Region), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x	x	x	x	x	x	x	S26361-F2109-E752	3,00	
	REC-DVD 2 Win7 EM+SE+Office2010s	Sprachen: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Office 2010 inkl. Office Starter - 32bit, EM-SE (Emerging Markets&Southern Europe), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x	x	x	x	x	x	x	S26361-F2109-E753	3,00	



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS H710	CELSIUS H810	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W510	CELSIUS W510 POWER	Product Code	EUP (€)	Comments
OS/Application-SW (Continued)															
	REC-DVD 2 Win7 IBER+NE+Office2010s	Languages: CS, EN, ES, FR, PL, PT, SK (Czech, English, Spanish, French, Polish, Portuguese, Slovak), Office 2010 incl. Office Starter - 32bit, IBER-NE (Iberia and Northern Europe). For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.			x	x	x	x	x	x	x	x	S26361-F2109-E754	3,00	
	Win7 HomePremium64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x									S26361-F2110-E441	8,00	
	Win7 HomePremium64 NORDIC+Office2010s	Preload: MuLi NORDICS (Nordic Region), Languages: DA, EN, FI, NO, RU, SV (Danish, English, Finnish, Norwegian, Russian, Swedish), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x									S26361-F2110-E442	8,00	
	Win7 Pro64 MAIN+Office2010s	MuLi MAIN (Main European MuLi), Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Note: Included Office 2010 and Office 2010 Starter are 32bit applications., For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x									S26361-F2110-E451	4,00	
	REC-DVD Win7 Home Premium 64 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish	x	x									S26361-F2010-E643	3,00	
	REC-DVD Win7 Professional 32 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish	x	x									S26361-F2010-E553	3,00	
	REC-DVD Win7 Professional 64 All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish	x	x									S26361-F2010-E653	3,00	
	REC-DVD Win7 Prof. 32+64bit All MuLi	Arabic, Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Icelandic, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Turkish	x	x									S26361-F2010-E753	2,00	
	REC-DVD 2 Win7 MAIN+Office2010s	Languages: DE, EN, ES, FR, IT, NL (German, English, Spanish, French, Italian, Dutch), Office 2010 incl. Office Starter - 32bit, MAIN (Main European MuLi), For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x									S26361-F2110-E751	2,00	
	REC-DVD 2 Win7 EM+SE+Office2010s	Languages: AR, DE, EL, EN, FR, HE, TR (Arabic, German, Greek, English, French, Hebrew, Turkish), Office 2010 incl. Office Starter - 32bit, EM-SE (Emerging Markets&Southern Europe). For Activation of Office 2010 products Fujitsu OEM Office 2010 MPI licenses are needed! Preload works also for Office 2010 PKC (Product Key Cards) products from channel.	x	x									S26361-F2110-E753	2,00	
Security															



Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

CELSIUS Options

Category	Description	Details	CELSIUS H710	CELSIUS H910	CELSIUS M470-2	CELSIUS M720	CELSIUS R570-2	CELSIUS R670-2	CELSIUS R920	CELSIUS W410	CELSIUS W510	CELSIUS W510 POWER	Product Code	EUP (€)	Comments
Options matrix															
Security (Continued)															
	EraseDisk	Firmware-embedded, unique feature to erase sensible data unrecoverable from the hard disk, e.g. if the system will be sold. Please notice, that SSD (Solid State Disk) cannot be deleted in a secure method.									x		S26361-F2542-E435	30,00	
	SmartCase Logon+	Authentication, Password Manager, SecureDrive, supports SmartCard / Fingerprint / TPM W in XP/Vista-32/Win7, no eLux support, Version 3.0.3			x	x	x	x	x				S26361-F2727-E730	23,00	
	SmartCase Logon+ 3.2.2	Supports secure authentication, password container, SSO, drive encrypt, smartcard, biometrics								x	x	x	S26361-F2727-E740	14,00	Orderable from: 29/02/2012
	SystemLock3	SystemLock3 is a UEFI BIOS smartcard pre-boot authentication (PBA) feature.								x	x	x	S26361-F2727-E745	18,00	Orderable from: 10/02/2012
	Smartcardreader USB Solo 3 extern 3310V2	PC/SC and XP / Vista compatible, USB interface, black, USB cable			x	x	x	x	x	x	x	x	S26381-F331-E220	23,00	
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard			x	x	x	x	x	x	x	x	S26361-F1260-E520	18,00	
Mouse															
	Grey Upgrade Mouse M440 ECO				x	x	x	x	x	x	x	x	S26361-F2542-E225	16,00	
	Laser Mouse GL9000				x	x	x	x	x	x	x	x	S26381-K438-E100	17,00	
	Mouse 400NB Black		x	x									S26391-F428-E100	17,00	
	Grey mouse instead of black USB	upgrade mouse for system unit,USB 2.0 interface,allows horizontal scrolling			x	x	x	x	x	x	x	x	S26361-F2542-E216	6,00	
	Grey USB/PS2 mouse inst.of blk USB	upgrade mouse for system unit,Logitech, USB 2.0 interface incl.adapter to PS/2, allows horizontal scrolling			x	x	x	x	x	x	x	x	S26361-F2542-E217	9,00	
Miscellaneous															
	Med-Kit ESPRIMO/CELSIUS	incl. license and manual			x	x	x	x	x	x	x	x	S26361-F2542-E250	26,00	
	Key lock in side door	for lock of housing			x				x	x	x	x	S26361-F2542-E331	6,00	
	Intrusion switch									x			S26361-F2542-E426	4,00	
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note	x	x									S26391-F782-E200	3,00	
	Med Kit CELSIUS H710		x										S26391-F898-E900	6,00	
	Med Kit CELSIUS H910			x									S26391-F898-E910	6,00	
	Cable for second internal USB device				x	x	x	x	x	x			S26361-F2581-E10	3,00	
	Key lock in side door	for lock of housing								x			S26361-F2542-E323	6,00	
	Key lock in side door	for lock of housing			x		x	x					S26361-F2542-E324	6,00	
	Casters for CELSIUS M, R & V	Available in systems serial no. higher than YBSJ001400 (CELSIUS V830) and YBWM004000 (CELSIUS M440).			x	x	x	x	x				S26361-F2581-E200	55,00	
	MAC-address on PC & delivery note	media access control address printed on the type rating plate of the PC, packinglabel and the delivery note			x	x	x	x	x	x	x	x	S26361-F2542-E90	4,00	
	No TPM/ TLS	for countries with import regulations			x	x	x	x	x	x	x	x	S26361-F3436-E2	3,00	
Keyboard / Mouse															
	SPACE EXPLORER	3D motion controller USB, 15 programmable keys, manual, software, brown box.			x	x	x	x	x	x	x	x	S26381-K425-E100	288,00	
Desk View															
	DV Adv. Migration (DVD + 1 Lic.)	DeskView Advanced Migration DVD incl. 1 License, Components: - Data Migration (Migration of personalizations, settings, links, favorites, etc.), - System Migration (Virtualization of HDDs and full systems), - Secure Deletion (secure deletion of data on HDDs via multiple options of deletion algorithms), - Efficient tool that supports you migration your old system to a new system including the secure deletion of the data on your old HDD. Supports Windows XP, Windows Vista and Windows 7 (32 Bit and 64 Bit architectures).			x	x	x	x	x	x	x	x	S26361-F4040-E10	39,00	



Positioning Displays



P Line

Superior Displays - P Line and XL Line
 A feast for your eyes and a pleasure to use for work or multimedia:

- Ultra wide viewing angle and outstanding color performance
- 0.0 watt standby (P Line)
- Maximum connectivity
- Most advanced technical features



XL Line



B Line

Advanced Displays - B Line and SL Line
 Efficiency for intensive office or entertainment usage:

- Optimum ergonomics (B Line) with height adjust, tilt, swivel and on standard formats as well rotation
- Energy efficient: power save panel EPA 5.0, ECO button, EPEAT Silver
- Ultra high contrast (SL Line)
- High-flexible connectivity:
 e.g. 2 x HDMI (on selected models), DVI (HDCP) for wide screen displays



SL Line



A/E Line

All-round Displays - A/E Line and L Line
 Enter the world of LCD displays at an affordable price:

- Ergonomic or lifestyle design
- TCO'03 or TCO Displays 5.0
- Energy efficient - EPA 5.0, EPEAT Silver



L Line



Displays

P Line

- 0-Watt power save mode*
- Auto Brightness Control*
- UVA (Ultra Wide Viewing Angle)*
- Enhanced ergonomic height adjust stand
- HDMI for wide screen models
- Ready for Manageability
- 5th generation models in new design language
- *: on selected models

XL Line

- Advanced contrast ratio (ACR) up to 20,000:1
- ECO control button
- Video inputs HDMI, DVI and analog

* featured on selected models

B Line

- Energy saving solutions (as of Summer 2009)
 - Cut energy cost by half (versus Energy Star 4.1)
 - ECO operation mode for Energy Star 5.0
 - ECO button - direct access to ECO mode
- Flexible ergonomic stand
- Height Adjust, Tilt, Swivel, Rotation*
- DVI-D and analog interface
- Manageability

SL Line

- High ACR up to 10,000:1
- 2 x HDMI*, DVI*, analog interface
- Glossy black lifestyle design
- Full HD 1080P support*
- 16:9 ideal video format*
- Headphone jack*

A Line

- Energy saving solutions (as of Autumn 2009)
- Energy Star 5.0
- Tilt stand
- Analog interface
- Ergonomic Design

L Line

- Extra high ACR up to 10,000:1*
- 16:9* ideal video format
- Fast 5 ms response time
- Lifetime extender
- Theme Mode
- Glossy black lifestyle design

Category	Description	Details	Product Code	EUP (€)	Comments
Peripherals					
Displays					
	DISPLAY P23T-6P FPR 3D	DISPLAY P23T-6P FPR 3D P-Serie 58,4 cm (23" T) DP, DVI, VGA, USB-hub, black housing 3D-display w.polarization filter glasses	S26361-K1433-V170	333,00	



Positioning Input Devices & Security devices



Keyboards & Security

The keyboard is the most important interface between humans and the computer. Our keyboards are designed according to the latest ergonomic development and the non-abrasive laser inscription lasts a lifetime. The security keyboards conform to current market requirements and offer an perfect platform for security applications.



Keyboards & mice

Please look for your favourite keyboard amongst a vast choice of different types. We have the right keyboard for you, no matter if you only need basic functionality or enhanced business typing. For office and a long days work, our Premium Line keyboards are the right ones.

Choose the perfect mouse for your environment: small when on the road, regular sizes for the desk, left and right hand usage, wired or unwired, four way scroll function, high-precise optical or laser technology - whatever you desire!



Security devices

To serve and protect - we take care. There is no choice than our security devices if you want to protect your valuable data from beeing stolen, changed or copied. SmartCard technology helps to protect your data. Accompanying software completes the functionality of your SmartCard.



Input devices and Security

Keyboards

A keyboard is the most important interface between user and computer. All our keyboards are designed to do the job. Reliable, effective and persevering. But what's more: they come in attractive and stylish designs to highlight every working place. There is a choice between wired and wireless keyboards, and also of features like e.g. quick touch buttons or 2 additional USB Ports.

Mice

Mice for every working or private environment. Great choice in different sizes, with or without cable, high precision technology, ergonomic and easy to use.

Security devices

Data are often inestimable worths. But they can be deleted, copied and changed in a short time by anyone. With Fujitsu security devices the access to mobile and stationary systems is effectively secured.

Category	Description	Details	Product Code	EUP (€)	Comments
Peripherals					
Keyboard /Mouse					
	KBPC EM D	keyboard for emulation; functionality trimodular; light basic; incl. cable (PS/2) 1,4m; without driver	S26381-K257-L120	124,00	
	Keyboard cable PS2 4m round	with PS/2 plug; length 4m; for KBPC B,S,P,E,N,C,HK,P2	T26139-Y2530-V104	7,00	
	Keyboard cable with USB connector	Keyboard cable with USB and Western Plug lenght 2m; for KBPC SX, KBPC PX, KBPC NX	T26139-Y3812-V1	6,00	
	Keyboard cable with PS2 connector	Keyboard cable with PS/2 plug; length 2m; for KBPC PX	T26139-Y4530-V1	6,00	



Positioning PRIMERGY Tower Servers



PRIMERGY TX industry standard tower servers: efficient, rock solid, record-breaking performance. PRIMERGY TX servers benefit from over 20 years pioneering work in the field of Green IT. That is how TX servers reach industry – leading performance per watt ratios, lowering the environmental impact and running costs. TX servers can easily be managed locally or remotely via the PRIMERGY ServerView Suite, saving IT admin costs. That's efficient performance. Our made-to-measure service packages take care of your system every step of the way. Rest assured, PRIMERGY TX servers are put through 5000 boot cycles - that's rock solid performance. PRIMERGY TX servers are flexible systems capable of using up to two processors and up to 20 hard disks. Tower to rack mounting kits are available to move to a consolidated rack infrastructure. TX servers have a tradition of setting record-breaking performance levels. So, whether you use them as tower or rack servers, for file, print or application purposes, you will benefit from record-breaking performance. PRIMERGY TX: a tower of strength.





PRIMERGY TX150 S7

The PRIMERGY TX150 S7: the right system for SMEs or non-mission-critical decentralized infrastructures where the main focus is on expandability and availability. The expandability and availability come from the 6 expansion slots (5 of which PCIe Gen 2) and up to 8x 2.5" hot-plug hard disks. Increase the system's availability and energy efficiency through the use of optional redundant power supplies boasting up to 89% energy efficiency. The TX150 S7 also offers up to the latest generation Intel® Xeon® processor 3400 series single processor platform, delivering excellent energy-efficient performance at an attractive price. The PRIMERGY TX150 S7: the one processor tower server – maximized.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
PRIMERGY TX150 S7					
	PY TX150S7F/SFF/HOT PLUG PSU / (Promo)	PY TX150S7F/SFF/HOT PLUG PSU / CORE I3-540/2x2GB 1333 ECC U/DVD-RW SM/ RAID 6G 5/6 512MB/KB400USBIGREY/ POW.CORD/MOUSEM480GREY/,	LKN:T1507S0009IT		Phased out
	PY TX150S7F/SFF/HOT PLUG PSU / (Promo)	PY TX150S7F/SFF/HOT PLUG PSU / XEON X3430/3x2GB 1333 ECC U/DVD-RW SM/ RAID 6G 5/6 512MB/KB400USBIGREY/ POW.CORD/MOUSEM480GREY/,	LKN:T1507S0010IT		Phased out
Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.					
	PY TX150S7F/SFF/STANDARD PSU / (Promo)	PY TX150S7F/SFF/STANDARD PSU / CORE I3-540/2x2GB 1333 ECC U/DVD-RW SM/ RAID 6G 5/6 512MB/KB400USBIGREY/ POW.CORD/,	LKN:T1507S0005IT		Phased out
Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.					
	PY TX150S7F/SFF/HOT PLUG PSU / (Promo)	PY TX150S7F/SFF/HOT PLUG PSU / CORE I3-540/3x2GB 1333 ECC U/DVD-RW SM/ RAID 6G 5/6 512MB/KB400USBIGREY/ POW.CORD/,	LKN:T1507S0006IT		Phased out
	PY TX150S7F/SFF/HOT PLUG PSU / (Promo)	PY TX150S7F/SFF/HOT PLUG PSU / XEON X3430/4x2GB 1333 ECC R/DVD-RW SM/ RAID 6G 5/6 512MB/KB400USBIGREY/ POW.CORD/,	LKN:T1507S0007IT		Phased out

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX150 S7					



PRIMERGY TX150 S7

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX150 S7 (Continued)					
	PY TX150S7f/LFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V101	500,00	
	PY TX150S7f/LFF/hot plug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V201	525,00	
	PY TX150S7f/SFF/Standard PSU	Floorstand BU without processor and RAM, incl. 1 standard power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V301	540,00	
	PY TX150S7f/SFF/hot plug PSU	Floorstand BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V401	565,00	



PRIMERGY TX150 S7

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY TX150 S7 (Continued)					
	PY TX150S7/r/LFF/hot plug PSU	Rack based server 19" (5U), BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; 6 port SATA controller (for 4x 3.5" SATA HDD + DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 4 drive bays for hot plug 3.5" SATA/SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V601	545,00	
	PY TX150S7r/SFF/hot plug PSU	Rack based server 19" (5U), BU without processor and RAM, incl. 1 hot plug power supply module, lockable covers, 1 standard fans; systemboard for Dual Core Pentium/Core i3, Quad Core Xeon Processor and DDR3 RDIMM oder UDIMM; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port; SATA controller (for DVD) and 1 GBit Ethernet LAN onboard; Modular 8-Port RAID controller optional; 8 drive bays for hot plug 2.5" SATA/SAS/SSD HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, Management software and updates.	S26361-K1265-V801	585,00	



Tower Servers Accessories

Category	Description	Details	PRIMERGY TX100 S1	PRIMERGY TX100 S2	PRIMERGY TX100 S3	PRIMERGY TX100 S3p	PRIMERGY TX120	PRIMERGY TX120 S2	PRIMERGY TX120 S3	PRIMERGY TX120 S3p	PRIMERGY TX140 S1	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 S6	PRIMERGY TX150 S7	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX200 S4	PRIMERGY TX200 S5	PRIMERGY TX200 S6	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX300 S4	PRIMERGY TX300 S5	PRIMERGY TX300 S7	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Product Code	EUP (€)	Comments				
Processor	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																																		S26361-F3277-L200	275.00				
	Intel® Xeon® E5504 4C/4T 2.00 GHz 4 MB	Intel® Xeon® processor E5504 (4C/4T, 2.00 GHz, SLC: 4 x 256 KB, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																																		S26361-F3278-L200	455.00	Phased out			
	Intel Xeon E5506 4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: 4 x 256 KB, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																																			S26361-F3278-L213	425.00	Phased out		
	Intel® Xeon® E5520 4C/8T 2.26 GHz 8 MB	Intel® Xeon® processor E5520 (4C/8T, 2.26 GHz, SLC: 4 x 256 KB, TFC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																			S26361-F3279-L226	740.00	Phased out		
	Intel® Xeon® E5530 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor E5530 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TFC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																			S26361-F3279-L240	1.030.00	Phased out		
	Intel® Xeon® E5540 4C/8T 2.53 GHz 8 MB	Intel® Xeon® processor E5540 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TFC: 8 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																			S26361-F3279-L253	1.430.00	Phased out		
	Intel® Xeon® X5550 4C/8T 2.66 GHz 8 MB	Intel® Xeon® processor X5550 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TFC: 8 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																																			S26361-F3280-L267	1.850.00	Phased out		
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																				S26361-F3618-L240	470.00		
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel® Xeon® processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																				S26361-F3618-L253	960.00	Phased out	
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																				S26361-F3618-L266	905.00		
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																																				S26361-F3619-L266	1.080.00		
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																																				S26361-F3619-L280	1.300.00		
	Intel Xeon X5670 6C/12T 2.93 GHz 12 MB	Intel® Xeon® processor X5670 (6C/12T, 2.93 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																																				S26361-F3619-L293	2.230.00	Phased out	
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel® Xeon® processor X5675 (6C/12T, 3.06 GHz, SLC: -, TFC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																																				S26361-F3619-L306	1.500.00		
	Intel Xeon X5680 6C/12T 3.33 GHz 12 MB	Intel® Xeon® processor X5680 (6C/12T, 3.33 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																																				S26361-F3619-L333	2.560.00	Phased out	
	Intel Xeon X5690 6C/12T 3.46 GHz 12 MB	Intel® Xeon® processor X5690 (6C/12T, 3.46 GHz, SLC: -, TFC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																																				S26361-F3619-L346	1.805.00		
	Intel Xeon X5647 4C/8T 2.93 GHz 12 MB	Intel® Xeon® processor X5647 (4C/8T, 2.93 GHz, SLC: -, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 130 W) incl. heat sink																																				S26361-F3620-L293	885.00		
	Intel Xeon X5687 4C/8T 3.60 GHz 12 MB	Intel® Xeon® processor X5687 (4C/8T, 3.60 GHz, SLC: -, TFC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																																				S26361-F3620-L360	1.805.00		
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink																																				S26361-F3622-L213	665.00		
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink																																				S26361-F3622-L226	1.135.00		
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel® Xeon® processor E5645 (6C/12T, 2.40 GHz, SLC: -, TFC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink																																				S26361-F3633-L240	625.00		
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel® Xeon® processor E5603 (4C/4T, 1.60 GHz, SLC: -, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																				S26361-F3648-L160	255.00		
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel® Xeon® processor E5606 (4C/4T, 2.13 GHz, SLC: -, TFC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																																				S26361-F3648-L213	280.00		
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel® Xeon® processor E5649 (6C/12T, 2.53 GHz, SLC: -, TFC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink																																					S26361-F3649-L253	880.00	
	Memory	MEM 1GB DDR3-533 PC2-4200 ub ECC (1Mod)	1 module, unbuffered DDR2-533																																			S26361-F3000-L514	95.00	Phased out	
MEM 2GB DDR2-533 PC2-4200 ub ECC (1Mod)		1 module, unbuffered DDR2-533																																				S26361-F3000-L515	165.00	Phased out	
4GB 2x2GB DDR2-400 PC2-3200 rg ECC		2 modules, registered DDR2 400MHz																																				S26361-F3072-L523	500.00	Phased out	
MEM 8GB 2x4GB FBD667 PC2-5300F d ECC		2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																																					S26361-F3230-L524	570.00	Phased out
2GB DDR2-667 PC2-5300 ub d ECC		1 module, unbuffered DDR2 667MHz																																				S26361-F3237-L515	165.00	Phased out	
1 GB DDR3 1333 MHz PC3-10600 ub s ECC		1 GB (1 module(s) 1 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM																																					S26361-F3335-L513	35.00	
2 GB DDR3 1333 MHz PC3-10600 ub s/d ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM																																					S26361-F3335-L514	40.00		
4 GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM																																					S26361-F3335-L515	60.00		



Tower Servers Accessories

Category	Description	Details	PRIMERGY TX100S1	PRIMERGY TX100S2	PRIMERGY TX100S3	PRIMERGY TX100S3P	PRIMERGY TX120	PRIMERGY TX120S2	PRIMERGY TX120S3	PRIMERGY TX120S3P	PRIMERGY TX140S1	PRIMERGY TX150	PRIMERGY TX150S2	PRIMERGY TX150S3	PRIMERGY TX150S4	PRIMERGY TX150S5	PRIMERGY TX150S6	PRIMERGY TX150S7	PRIMERGY TX150SATA	PRIMERGY TX200	PRIMERGY TX200S2	PRIMERGY TX200S3	PRIMERGY TX200S4	PRIMERGY TX200S5	PRIMERGY TX200S6	PRIMERGY TX300	PRIMERGY TX300S2	PRIMERGY TX300S3	PRIMERGY TX300S4	PRIMERGY TX300S5	PRIMERGY TX300S6	PRIMERGY TX300S7	PRIMERGY TX600	PRIMERGY TX600S2	PRIMERGY TX600S3	Product Code	EUP (€)	Comments					
Memory (Continued)																																											
	2 GB DDR3 1333 MHz PC3-10600 ub s ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM				x				x																											S26361-F3335-L524	40.00					
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM																																				S26361-F3335-L525	60.00				
	8 GB DDR3 1333 MHz PC3-10600 ub d ECC	8 GB (1 module(s) 8 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM																																				S26361-F3335-L526	320.00				
	1GB DDR2-800 PC2-6400 ub d ECC 1 MODUL	1 modul, unbuffered DDR2 800MHz																																				S26361-F3870-L514	65.00	Phased out			
	2GB DDR2-800 PC2-6400 ub d ECC 1 MODUL	1 modul, unbuffered DDR2 800MHz																																				S26361-F3870-L515	105.00	Phased out			
	2GB DDR2-667 PC2-5300 reg ECC 1 module	1 Modul, registered single rank DDR2 667MHz																																				S26361-F3283-L515	130.00	Phased out			
	2 GB DDR3 1333 MHz PC3-10600 rg s/d ECC	2 GB (1 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																																				S26361-F3336-L514	80.00				
	4GB DDR2-667 PC2-5300 reg d ECC 1 module	1 Modul, registered dual rank DDR2 667MHz																																				S26361-F3283-L516	280.00	Phased out			
	4GB 2x2GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																																				S26361-F3263-L523	390.00	Phased out			
	4 GB DDR3 1333 MHz PC3-10600 rg d ECC	4 GB (1 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																																					S26361-F3336-L515	85.00			
	8GB 2x4GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																																					S26361-F3263-L524	570.00	Phased out		
	8 GB DDR3 1066 MHz PC3-8500 rg q ECC	8 GB (1 module(s) 8 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM																																					S26361-F3336-L516	145.00			
	1GB DDR2 ECC 800	1 module PC 800 (PC2-6400), ECC, DIMM	x																																			S26361-F3373-L413	65.00	Phased out			
	2GB DDR2 ECC 800	1 module PC 800 (PC2-6400), ECC, DIMM	x																																			S26361-F3373-L414	120.00	Phased out			
Graphics																																											
	Front-VGA interface	2nd optional VGA interface front side																																				S26361-F2571-L16	20.00				
	PY VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCIe-x1 graphic card	x	x	x																																	S26361-F2748-L537	135.00				
	PY LP VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCIe-x1 graphic card, low profile																																					S26361-F2748-L637	135.00			
Removable Media Drives																																											
	Blu-ray Triple Writer 1.6" SATA	Read: 8x BD-ROM, 16x DVD, 40x CD, Write: 6x BD, 16x DVD, 32x CD, BD DL and all CD/DVD formats, 1.6" fitting height	x	x	x	x																																	S26361-F3585-L2	345.00			
	F-D-L-HDD-Box2	for slim FDD or LocalView and DVD, 2x HDD																																					S26361-F2826-L101	100.00	Phased out		
	MountingKit DVD(s)+LSP/LSDD	for slim DVD, 1x Local Service Panel or Display																																					S26361-F2826-L204	30.00			
	F-D-L-HDD-Box2	for slim DVD, 1x Local Service Panel or Display, 2x HDD																																						S26361-F2826-L103	80.00		
	MountingKit DVD(s)+LSP/LSDD +SAS LFF HDD	for slim DVD, 1x Local Service Panel or Display, 2x HDD																																						S26361-F2826-L104	85.00		
	F-D-L-HDD-Box2	for slim FDD or LocalView or CSS and DVD, 2x HDD																																						S26361-F2826-L102	100.00	Phased out	
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, slimline 0.5" fitting height, black																																						S26361-F3269-L2	85.00		
	SFF 8xSAS HDD Box	Extension Box for 8 pc. 2.5" hotplug HDD																																						S26361-F2826-L114	165.00		
	Blu-ray Triple Writer slimline SATA	Read: 6x BD-ROM, 8x DVD, 24x CD, Write: 6x BD, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0.5" fitting height																																						S26361-F3641-L2	165.00		
	DVD-ROM 1.6" SATA	16x DVD, 48x CD, 1.6" fitting height, black bezel	x	x	x	x																																		S26361-F3266-L2	30.00		
	DVD-RW supermulti 1.6" SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, 1.6" fitting height, black bezel	x	x	x	x																																		S26361-F3267-L2	55.00		
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, slimline 0.5" fitting height, anthracite																																						S26361-F3269-L1	115.00	Phased out	
	RDX Drive USB 25MB/s 3.5" int	RDX Drive 25MB/s 3.5" intern., USB 2.0 Connector: USB 'B' with USB cable, 1.6" fitting height, with description (GUS)																																						S26361-F3857-L2	200.00	Phased out	
	RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" intern., USB 2.0 Connector: USB 'B' with USB cable, 1.6" fitting height, black bezel, with description (GUS)	x	x	x	x																																		S26361-F3857-L4	160.00		
	RDX Drive USB 25MB/s 3.5" internal	RDX Drive 25MB/s 3.5" intern., USB 2.0 Connector: USB 'B' with USB cable, 1.6" fitting height, with description (GUS)																																						S26361-F3857-L5	160.00		
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB 'B'; 1.6" fitting height, with USB cables for Econel, TX150, TX200 and TX300, with description (GUS) and cleaning cartridge	x	x	x	x																																			S26361-F3324-L4	500.00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB 'B' with USB cable kit 1.6" fitting height, with description (GUS) and cleaning cartridge																																							S26361-F3324-L2	625.00	Phased out
	Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB 'B' with USB cable kit 1.6" fitting height, with description (GUS) and cleaning cartridge																																							S26361-F3324-L5	500.00	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB 'B' with USB cable, 1.6" fitting height, black bezel, with cleaning cartridge	x	x	x	x																																			S26361-F3325-L4	685.00	
	Tape Kit DDS Gen6 80GB USB 3.5" intern	DDS Gen6 80GB 6MB/s 3.5" intern, USB 2.0 Connector: USB 'B' with USB cable, 1.6" fitting height, black bezel, with cleaning cartridge																																							S26361-F3325-L2	685.00	
	Tape Kit LTO2HH Ultr 200GB 24MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge																																							S26361-F4009-L4	1,280.00	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge																																							S26361-F3561-L4	1,395.00	
	Tape Kit LTO4HH 800GB 120MB/s SAS V2	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, with SAS cable, with cleaning cartridge																																							S26361-F3626-L2	1,950.00	
	Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, with SAS cable, with cleaning cartridge																																							S26361-F3627-L1	2,850.00	
SCSI/RAID/SAS controller																																											
	SCSI Ctrl L160 1- ch int/ext bp	Adaptec 29160LP, 1x U160 SCSI																																						S26361-F2737-L201	295.00	Phased out	
	68-Pin Kit for accessible drives	Cable with terminator																																						S26361-F2814-L6	65.00	Phased out	
	RAID Ctrl SAS 8 Port 256MB LSI	RAID-Ctrl, LSI MegaRAID SAS8344ELP, PCIe x4, 256MB Cache, 4 external ports, 4 internal ports, optional BBU, ->->-exclusive for external attachment of FibreCAT SX40 !!!, This SAS RAID controller supports SAS and SATA disks.																																							S26361-F3215-L1	765.00	Phased out
	RAID Ctrl BBU Upgrade 8344ELP LSI	BBU Upgrade for LSI 8344ELP																																						S26361-F3215-L10	220.00	Phased out	



Tower Servers Accessories

Category	Description	Details	PRIMERGY TX100S1	PRIMERGY TX100S2	PRIMERGY TX100S3	PRIMERGY TX100S3P	PRIMERGY TX120	PRIMERGY TX120S2	PRIMERGY TX120S3	PRIMERGY TX120S3P	PRIMERGY TX140S1	PRIMERGY TX150	PRIMERGY TX150S2	PRIMERGY TX150S3	PRIMERGY TX150S4	PRIMERGY TX150S5	PRIMERGY TX150S6	PRIMERGY TX150S7	PRIMERGY TX150SATA	PRIMERGY TX200	PRIMERGY TX200S2	PRIMERGY TX200S3	PRIMERGY TX200S4	PRIMERGY TX200S5	PRIMERGY TX200S6	PRIMERGY TX300	PRIMERGY TX300S2	PRIMERGY TX300S3	PRIMERGY TX300S4	PRIMERGY TX300S5	PRIMERGY TX300S6	PRIMERGY TX300S7	PRIMERGY TX600	PRIMERGY TX600S2	PRIMERGY TX600S3	Product Code	EUP (€)	Comments					
Accessories & services matrix																																											
Rack-Infrastructure (Continued)																																											
	RMK-F2_3-xU-Servers_13mm-Drop-in Rails	Telescopic full extract, drop-in mount, vario-carrier for toolless mounting, max. load 50 kg., Rack installation depth (19" pillar distance) between 714mm and 785mm									x																										S26361-F2735-L202	65.00					
	1 U cable arm, dragged	1 U cable arm, dragged																																				S26361-F2735-L8	40.00	Phased out			
	1 U cable arm, dragged	1 U cable arm, dragged																																				S26361-F2735-L500	50.00				
	1 U cable arm, dragged	1 U cable arm, dragged																																				S26361-F2735-L7	30.00				
	1 U cable arm, dragged	1 U cable arm, dragged																																				S26361-F2201-L20	50.00				
PRIMERGY-Software																																											
	IRMC advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection																																				S26361-F1790-L240	300.00				
	IRMC S2 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection																																					S26361-F1790-L241	300.00			
	IRMC S3 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection																																					S26361-F1790-L242	300.00			
	Win Server 2008 CAL (1 Device)	(1 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x	x	x	x	x	x	x																											S26361-F2566-L340	23.00				
	Win Server 2008 CAL (5 Device)	(5 Device) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x	x	x	x	x	x	x																												S26361-F2566-L341	101.00			
	Win Server 2008 CAL (1 User)	(1 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x	x	x	x	x	x	x																												S26361-F2566-L342	23.00			
	Win Server 2008 CAL (5 User)	(5 User) Access License Pack for Microsoft Windows Server 2008 Standard, Enterprise, Datacenter, multilingual	x	x	x	x	x	x	x	x	x																												S26361-F2566-L343	101.00			
	MS SysCtr VMM2008 R2 WorkGroupEdtn ROK	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition, English, ROK DVD, License.	x	x	x	x	x	x	x	x																													S26361-F2567-L20	380.00			
	MS SysCtr Esstnts 2010 ROK	MS System Center Essentials 2010, English, ROK DVD, License.	x	x	x	x	x	x	x	x																														S26361-F2567-L30	115.00		
	Win Srv 2008 R2 SP1 Foundation 1CPU ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Fnd (1 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x	x	x	x	x	x																														S26361-F2567-L301	165.00		
	Win Srv 2008 R2 Foundation 1CPU MLUJ ROK	Only for Fujitsu distributors. Win Srv 2008 R2 Fnd (1 CPU) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.	x	x	x	x	x	x	x	x																														S26361-F2567-L306	216.00	Phased out	
	MS SysCtr Esstnts 2010 Server ML 1-OSE	MS System Center Essentials 2010 Managed Server License 1 OSE Pack, OSE = Operating System Environment	x	x	x	x	x	x	x	x																														S26361-F2567-L31	90.00		
	MS SysCtr Esstnts 2010 Server ML 5-OSE	MS System Center Essentials 2010 Managed Server License 5 OSE Pack, OSE = Operating System Environment	x	x	x	x	x	x	x	x																														S26361-F2567-L32	430.00		
	MS SysCtr Esstnts 2010 Client ML 5-Pack	MS System Center Essentials 2010 Managed Client License 5 Pack.	x	x	x	x	x	x	x	x																														S26361-F2567-L33	75.00		
	MS SysCtr Esstnts 2010 Client ML 20-Pack	MS System Center Essentials 2010 Managed Client License 20 Pack.	x	x	x	x	x	x	x	x																															S26361-F2567-L34	295.00	Phased out
	Win Server 2008 RDS CAL (1 Device)	Remote Desktop Services Client Access, License for 1 device, License.	x	x	x	x	x	x	x	x																														S26361-F2567-L340	85.00		
	Win Server 2008 RDS CAL (5 Device)	Remote Desktop Services Client Access, License for 5 devices, License.	x	x	x	x	x	x	x	x																															S26361-F2567-L341	380.00	
	Win Server 2008 RDS CAL (1 User)	Remote Desktop Services Client Access, License for 1 user, License.	x	x	x	x	x	x	x	x																															S26361-F2567-L342	85.00	
	Win Server 2008 RDS CAL (5 User)	Remote Desktop Services Client Access, License for 5 users, License.	x	x	x	x	x	x	x	x																															S26361-F2567-L343	380.00	
	Win HPC Srv 2008 R2 Suite ROK	Only for Fujitsu Distributors. Win HPC Srv 2008 R2 Suite (1-4 CPU) ROK EN, JA, XT. ROK Recovery DVD Media Kit, COA, License																																							S26361-F2567-L360	750.00	
	Server/View Deployment Mgr 6 Single Lic.	Single license for operation of one client server (managed node) - no software!	x	x	x	x	x	x	x	x																															S26361-F2567-L302	140.00	
	Server/View Dept. Mgr. 6 Single Upgrade	for upgrades of one 5.x single license to version 6.0 - no software!	x	x	x	x	x	x	x	x																															S26361-F2567-L303	70.00	
	PRIMERGY MultiPath MPIO Upgrade to 5.01	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath MPIO, CD-ROM and License.	x	x	x	x	x	x	x	x																															S26361-F2566-L592	440.00	
	PRIMERGY MultiPath MPIO 5.01	for Windows Server 2008 and 2003, CD-ROM and License.	x	x	x	x	x	x	x	x																															S26361-F2566-L593	875.00	
	PRIMERGY MultiPath Upgrade to 5.01	for Windows Server 2008 and 2003, from a previous version of PRIMERGY MultiPath, CD-ROM and License.	x	x	x	x	x	x	x	x																															S26361-F2566-L594	440.00	
	PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003, CD-ROM and License.	x	x	x	x	x	x	x	x																															S26361-F2566-L595	875.00	
	Win Srv 2008 R2 SP1 Datactr 2CPU ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Dic (2 CPU) EN DE ES FR IT JA and worldwide language packs. ROK DVD, License.	x	x	x	x	x	x	x	x																															S26361-F2567-L331	2,690.00	
	Win Srv 2008 R2 SP1 Enterpr w/10CAL ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs. ROK DVD, License.	x	x	x	x	x	x	x	x																															S26361-F2567-L321	1,695.00	
	Win Srv 2008 R2 SP1 Standard w/5CAL ROK	Only for Fujitsu Broadline Distributors. Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and worldwide language packs. ROK DVD, License.	x	x	x	x	x	x	x	x																															S26361-F2567-L311	510.00	
	Win SBS Standard 2011 w/5CAL ROK EN	Windows Small Business Server Standard 2011 with 5 CAL, ROK, English, DVD Media set, COA, License	x	x	x	x	x	x	x	x																															S26361-F2567-L350	590.00	
	Win SBS Standard 2011 w/5CAL ROK DE	Windows Small Business Server Standard 2011 with 5 CAL, ROK, German, DVD Media set, COA, License	x	x	x	x	x	x	x	x																															S26361-F2567-L351	590.00	
	Win SBS Standard 2011 w/5CAL ROK IT	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Italian, DVD Media set, COA, License	x	x	x	x	x	x	x	x																															S26361-F2567-L352	835.00	
	Win SBS Standard 2011 w/5CAL ROK FR	Windows Small Business Server Standard 2011 with 5 CAL, ROK, French, DVD Media set, COA, License	x	x	x	x	x	x	x	x																															S26361-F2567-L353	590.00	



Tower Servers Accessories

Category	Description	Details	PRIMERGY TX100S1	PRIMERGY TX100S2	PRIMERGY TX100S3	PRIMERGY TX100S3-SP	PRIMERGY TX120	PRIMERGY TX120S2	PRIMERGY TX120S3	PRIMERGY TX120S3-SP	PRIMERGY TX140S1	PRIMERGY TX150	PRIMERGY TX150S2	PRIMERGY TX150S3	PRIMERGY TX150S4	PRIMERGY TX150S5	PRIMERGY TX150S6	PRIMERGY TX150S7	PRIMERGY TX150SATA	PRIMERGY TX200	PRIMERGY TX200S2	PRIMERGY TX200S3	PRIMERGY TX200S4	PRIMERGY TX200S5	PRIMERGY TX200S6	PRIMERGY TX300	PRIMERGY TX300S2	PRIMERGY TX300S3	PRIMERGY TX300S4	PRIMERGY TX300S5	PRIMERGY TX300S6	PRIMERGY TX300S7	PRIMERGY TX600	PRIMERGY TX600S2	PRIMERGY TX600S3	Product Code	EUP (€)	Comments	
Accessories & services matrix																																							
PRIMERGY-Software (Continued)																																							
Win SBS Standard 2011 w/5CAL ROK ES	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Spanish, DVD Media set, COA, License		x	x			x																														S26361-F2567-L354	590.00	
Win SBS Standard 2011 w/5CAL ROK CS	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Czech, DVD Media set, COA, License				x																																S26361-F2567-L355	590.00	
Win SBS Standard 2011 w/5CAL ROK PT	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Portuguese, DVD Media set, COA, License		x	x			x																														S26361-F2567-L356	590.00	
Win SBS Standard 2011 w/5CAL ROK NL	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Dutch, DVD Media set, COA, License				x																																S26361-F2567-L357	590.00	
Win SBS Standard 2011 w/5CAL ROK TR	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Turkish, DVD Media set, COA, License				x																																S26361-F2567-L358	590.00	
Win SBS Standard 2011 w/5CAL ROK HU	Windows Small Business Server Standard 2011 with 5 CAL, ROK, Hungarian, DVD Media set, COA, License				x																																S26361-F2567-L359	590.00	
Win SBS 2011 Prem Add-On w/5CAL ROK EN	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, English, DVD Media set, COA, License		x	x			x																														S26361-F2567-L370	895.00	
Win SBS 2011 Prem Add-On w/5CAL ROK DE	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, German, DVD Media set, COA, License		x	x			x																														S26361-F2567-L371	895.00	
Win SBS 2011 Prem Add-On w/5CAL ROK IT	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, Italian, DVD Media set, COA, License		x	x			x																														S26361-F2567-L372	895.00	
Win SBS 2011 Prem Add-On w/5CAL ROK FR	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, French, DVD Media set, COA, License		x	x			x																														S26361-F2567-L373	895.00	
Win SBS 2011 Prem Add-On w/5CAL ROK ES	Windows Small Business Server 2011 Premium Add-on with 5 CAL, ROK, Spanish, DVD Media set, COA, License		x	x			x																														S26361-F2567-L374	895.00	
Win SBS Essentials 2011 ROK MUL-Set1	Windows Small Business Server Essentials 2011, ROK, MUL set 1, DVD Media, COA, License, Language set 1: English (default language), German, Japanese, French, Spanish, Italian, Dutch, Polish, Portuguese.		x	x	x			x	x	x																											S26361-F2567-L378	375.00	
Win SBS Essentials 2011 ROK MUL-Set2	Windows Small Business Server Essentials 2011, ROK, MUL set 2, DVD Media, COA, License, Language set 2: English (default language), Chinese simplified (for PRC), Hungarian, Russian, Turkish, Swedish, Czech, Korean, Brazilian Portuguese.		x	x	x			x	x	x																											S26361-F2567-L379	280.00	
Win SBS 2011 CAL Suite (1 Device)	Microsoft Windows Small Business Server 2011 Client Access License Suite (1 Device); multi-language CAL.				x																																S26361-F2567-L380	45.00	
Win SBS 2011 CAL Suite (1 User)	Microsoft Windows Small Business Server 2011 Client Access License Suite (1 User); multi-language CAL.				x																																S26361-F2567-L381	45.00	
Win SBS 2011 CAL Suite (5 Device)	Microsoft Windows Small Business Server 2011 Client Access License Suite (5 Devices); multi-language CAL.				x																																S26361-F2567-L382	205.00	
Win SBS 2011 CAL Suite (5 User)	Microsoft Windows Small Business Server 2011 Client Access License Suite (5 Users); multi-language CAL.				x																																S26361-F2567-L383	205.00	
Win SBS 2011 Prem Add-on CAL (1 Device)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (1 Device); multi-language CAL.				x																																S26361-F2567-L384	55.00	
Win SBS 2011 Prem Add-on CAL (1 User)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (1 User); multi-language CAL.				x																																S26361-F2567-L385	55.00	
Win SBS 2011 Prem Add-on CAL (5 Device)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (5 Devices); multi-language CAL.				x																																S26361-F2567-L386	255.00	
Win SBS 2011 Prem Add-on CAL (5 User)	Microsoft Windows Small Business Server 2011 Premium Add-on Client Access License (5 Users); multi-language CAL.				x																																S26361-F2567-L387	255.00	
Win Srv 2008 R2 Datacenter 2CPU MUL ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Dto (2 CPU) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.		x	x				x	x	x																											S26361-F2567-L330	2.690.00	Phased out
Win Srv 2008 R2 Enterprise 10CAL MUL ROK	Only for Fujitsu distributors. Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.		x	x				x	x	x																											S26361-F2567-L320	2.308.00	Phased out
Win Srv 2008 R2 Standard 5CAL MUL ROK	Only for Fujitsu Distributors. Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. ROK DVD, License.		x	x				x	x	x																											S26361-F2567-L310	691.00	Phased out
Win Svcs 2008 R2 SP1 Service Pack DVD	Service Pack 1 Supplement DVD for Windows Servers 2008 R2.		x	x	x			x	x	x																											S26361-F2567-L391	25.00	
Win Svcs 2008 R2 SP1 Language Pack DVD	Language Pack Supplement DVD with 34 worldwide language packs for Windows Servers 2008 R2 SP1.		x	x	x			x	x	x																											S26361-F2567-L390	25.00	
Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only. No License. Requires an OEM or ROK licensed PRIMERGY server system		x	x	x			x	x	x																											S26361-F2565-L328	25.00	Phased out
Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only. No License. Requires an OEM or ROK licensed PRIMERGY server system		x	x	x			x	x	x																											S26361-F2565-L318	25.00	Phased out
PRIMERGY ServerView Suite subscription.	Subscription for 1 year with about 10 releases. The subscription is licensed only for PRIMERGY servers.		x	x	x			x	x	x																											U15000-C176	215.00	
ServerView Suite, latest version	Latest ServerView Suite Edition - including Installation Manager		x	x	x			x	x	x																											U15000-C289	25.00	
ServerView Deployment Manager V5	Software CD Full version, software only - no license		x	x	x			x	x	x																											U15000-C299	30.00	Phased out
ServerView Deployment Mgr 5 Single Lic.	Single license for operation of one client server (managed node) - no software!		x	x	x			x	x	x																											U15000-C300	140.00	
ServerView Depl. Mgr. 5 Single Upgrade	for upgrades of one 4.x single license to version 5.0 - no software!		x	x	x			x	x	x																											U15000-C301	70.00	Phased out



Tower Servers Accessories

Category	Description	Details	PRIMERGY TX100S1	PRIMERGY TX100S2	PRIMERGY TX100S3	PRIMERGY TX100S3P	PRIMERGY TX120	PRIMERGY TX120S2	PRIMERGY TX120S3	PRIMERGY TX120S3P	PRIMERGY TX140S1	PRIMERGY TX150	PRIMERGY TX150S2	PRIMERGY TX150S3	PRIMERGY TX150S4	PRIMERGY TX150S5	PRIMERGY TX150S6	PRIMERGY TX150S7	PRIMERGY TX150SATA	PRIMERGY TX200	PRIMERGY TX200S2	PRIMERGY TX200S3	PRIMERGY TX200S4	PRIMERGY TX200S5	PRIMERGY TX200S6	PRIMERGY TX300	PRIMERGY TX300S2	PRIMERGY TX300S3	PRIMERGY TX300S4	PRIMERGY TX300S5	PRIMERGY TX300S6	PRIMERGY TX300S7	PRIMERGY TX600	PRIMERGY TX600S2	PRIMERGY TX600S3	Product Code	EUP (€)	Comments	
Accessories & services matrix																																							
PRIMERGY-Software (Continued)																																							
	SUSE Linux ES 32SOC 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1 year subscription renewal.	x	x	x	x	x	x	x	x	x																									S26361-F2346-L611	249.00		
	SUSE Linux E 11 HAE 32SOC +1Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 1 year subscription renewal.	x	x	x	x	x	x	x	x																											S26361-F2346-L621	499.00	
	SUSE Linux ES SAP All-in-One 3Y	SUSE Linux Enterprise Server for SAP Business All-in-One Basic Subscription 3 years																																			S26361-F2346-L669	1,023.00	
	Debian-Ubuntu FSE Basic Support 1Y	Debian-Ubuntu FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 1-Year	x				x	x																													S26361-F2346-L411	95.00	
	Debian-Ubuntu FSE Basic Support 3Y	Debian-Ubuntu FSE Basic (email) Support Subscription for x86 and x86_64 1-Server 3-Years	x				x	x																													S26361-F2346-L412	228.00	
	Debian-Ubuntu FSE Standard Support 1Y	Debian-Ubuntu FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 1-Year	x				x	x																													S26361-F2346-L415	245.00	
	Debian-Ubuntu FSE Standard Support 3Y	Debian-Ubuntu FSE Standard (5x9) Support Subscription for x86 and x86_64 1-Server 3-Years	x				x	x																													S26361-F2346-L416	588.00	
	Debian-Ubuntu FSE Priority Support 1Y	Debian-Ubuntu FSE Priority (7x24) Support Subscription for x86 and x86_64 1-Server 1-Year	x				x	x																													S26361-F2346-L417	495.00	
	Debian-Ubuntu FSE Priority Support 3Y	Debian-Ubuntu FSE Priority (7x24) Support Subscription for x86 and x86_64 1-Server 3-Years	x				x	x																													S26361-F2346-L418	1,188.00	
	VMware Upgrade ESXi to STD w/o SP-3yr	VMware Upgrade ESXi to STD for 1 CPU (32GB vRAMCPU) - Mandatory 3 year Service Pack needed!																																			S26361-F2341-S702	895.00	
	VMware Upgrade ESXi to ENT w/o SP-1yr	VMware Upgrade ESXi to ENT for 1 CPU (64GB vRAMCPU) - Mandatory 1 year Service Pack needed!																																			S26361-F2341-S703	2,585.00	
	VMware Upgrade ESXi to ENT w/o SP-3yr	VMware Upgrade ESXi to ENT for 1 CPU (64GB vRAMCPU) - Mandatory 3 year Service Pack needed!																																			S26361-F2341-S704	2,585.00	
	VMware Upgrade ESXi to ENT-PL w/o SP-1yr	VMware Upgrade ESXi to ENT-Plus for 1 CPU (96GB vRAMCPU) - Mandatory 1 year Service Pack needed!																																			S26361-F2341-S705	3,145.00	
	VMware Upgrade ESXi to ENT-PL w/o SP-3yr	VMware Upgrade ESXi to ENT-Plus for 1 CPU (96GB vRAMCPU) - Mandatory 3 year Service Pack needed!																																			S26361-F2341-S706	3,145.00	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (32GB vRAMCPU) - Mandatory 1 year Service Pack needed!																																			S26361-F2341-L707	950.00	
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (32GB vRAMCPU) - Mandatory 3 year Service Pack needed!																																			S26361-F2341-L708	950.00	
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (64GB vRAMCPU) - Mandatory 1 year Service Pack needed!																																			S26361-F2341-L709	2,735.00	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU (64GB vRAMCPU) - Mandatory 3 year Service Pack needed!																																			S26361-F2341-L710	2,735.00	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAMCPU) - Mandatory 1 year Service Pack needed!																																			S26361-F2341-L711	3,330.00	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAMCPU) - Mandatory 3 year Service Pack needed!																																			S26361-F2341-L712	3,330.00	
	VMware STD AK(8CPU+VC-STD)w/o SP-1yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAMCPU) inc VC-STD - Mandatory 1 year Service Pack needed!																																			S26361-F2341-L730	9,520.00	
	VMware STD AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAMCPU) inc VC-STD - Mandatory 3 year Service Pack needed!																																			S26361-F2341-L731	9,520.00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAMCPU) inc VC-STD - Mandatory 1 year Service Pack needed!																																			S26361-F2341-L732	16,665.00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAMCPU) inc VC-STD - Mandatory 3 year Service Pack needed!																																			S26361-F2341-L733	16,665.00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAMCPU) inc VC-STD - Mandatory 1 year Service Pack needed!																																			S26361-F2341-L734	20,900.00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAMCPU) inc VC-STD - Mandatory 3 year Service Pack needed!																																			S26361-F2341-L735	20,900.00	
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU (192GB vRAMCPU) inc VC-FND-E - Mandatory 1 year Service Pack needed!																																			S26361-F2341-L740	4,280.00	
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU (192GB vRAMCPU) inc VC-FND-E - Mandatory 3 year Service Pack needed!																																			S26361-F2341-L741	4,280.00	
	VMware Upgrade STD to ENT w/o SP-1yr	VMware Upgrade vSphere STD to ENT for 1 CPU (64GB vRAMCPU) - Mandatory 1 year Service Pack needed!																																			S26361-F2341-S716	1,855.00	
	VMware Upgrade STD to ENT w/o SP-3yr	VMware Upgrade vSphere STD to ENT for 1 CPU (64GB vRAMCPU) - Mandatory 3 year Service Pack needed!																																			S26361-F2341-S717	1,855.00	
	VMware Upgrade STD to ENT-PL w/o SP-1yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU (96GB vRAMCPU) - Mandatory 1 year Service Pack needed!																																			S26361-F2341-S718	2,475.00	
	VMware Upgrade STD to ENT-PL w/o SP-3yr	VMware Upgrade vSphere STD to ENT-PL for 1 CPU (96GB vRAMCPU) - Mandatory 3 year Service Pack needed!																																			S26361-F2341-S719	2,475.00	
	VMware Upgrade ENT to ENT-PL w/o SP-1yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU (96GB vRAMCPU) - Mandatory 1 year Service Pack needed!																																			S26361-F2341-S720	614.00	
	VMware Upgrade ENT to ENT-PL w/o SP-3yr	VMware Upgrade vSphere ENT to ENT-PL for 1 CPU (96GB vRAMCPU) - Mandatory 3 year Service Pack needed!																																			S26361-F2341-S721	614.00	
	VMware Upgrade VCS FND to STD w/o SP-1yr	VMware Upgrade vCenter FND to STD for 1 Instance of vCenter - Mandatory 1 year Service Pack needed!																																			S26361-F2341-S728	3,465.00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX120 S3	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix										
Processor										
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink				x	x	S26361-F3277-E200	275,00	
	Intel Core i3-2100 2C/4T 3.10 GHz 3 MB	Intel® Core™ i3-2100 processor (2C/4T, 3.10 GHz, TLC: 3 MB, Turbo: No, 1333 MHz, 65 W) without heat sink	x	x				S26361-F3579-E210	190,00	
	Intel Celeron G530T 2C/2T 2.00 GHz 2 MB	Intel Celeron processor G530T (2C/2T, 2.00 GHz, TLC: 2 MB, Turbo: No, 1066 MHz, 35 W) without heat sink		x				S26361-F3579-E252	75,00	
	Intel Pentium G620 2C/2T 2.60 GHz 3 MB	Intel® Pentium® processor G620 (2C/2T, 2.60 GHz, TLC: 3 MB, Turbo: No, 1066 MHz, 65 W) without heat sink		x				S26361-F3579-E262	125,00	
	Intel Xeon E3-1220L 2C/4T 2.20 GHz 3 MB	Intel® Xeon® processor E3-1220L (2C/4T, 2.20 GHz, TLC: 3 MB, Turbo: No, 1333 MHz, 20 W) without heat sink		x				S26361-F3579-E312	325,00	
	Intel Xeon E3-1260L 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor E3-1260L (4C/8T, 2.40 GHz, TLC: 8 MB, Turbo: 3.30 GHz, 1333 MHz, 45 W) without heat sink		x				S26361-F3579-E316	475,00	
	Intel Xeon E3-1220 4C/4T 3.10 GHz 8 MB	Intel® Xeon® processor E3-1220 (4C/4T, 3.10 GHz, TLC: 8 MB, Turbo: 3.40 GHz, 1333 MHz, 80 W) without heat sink		x				S26361-F3579-E322	330,00	
	Intel Xeon E3-1230 4C/8T 3.20 GHz 8 MB	Intel® Xeon® processor E3-1230 (4C/8T, 3.20 GHz, TLC: 8 MB, Turbo: 3.60 GHz, 1333 MHz, 80 W) without heat sink		x				S26361-F3579-E323	365,00	
	Intel Xeon E3-1240 4C/8T 3.30 GHz 8 MB	Intel® Xeon® processor E3-1240 (4C/8T, 3.30 GHz, TLC: 8 MB, Turbo: 3.70 GHz, 1333 MHz, 80 W) without heat sink		x				S26361-F3579-E324	405,00	
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink				x	x	S26361-F3618-E240	470,00	
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink				x	x	S26361-F3618-E266	905,00	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink				x	x	S26361-F3619-E266	1.080,00	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink				x	x	S26361-F3619-E280	1.300,00	
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel® Xeon® processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink				x		S26361-F3619-E306	1.500,00	
	Intel Xeon X5690 6C/12T 3.46 GHz 12 MB	Intel® Xeon® processor X5690 (6C/12T, 3.46 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink				x		S26361-F3619-E346	1.805,00	
	Intel Xeon X5647 4C/8T 2.93 GHz 12 MB	Intel® Xeon® processor X5647 (4C/8T, 2.93 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 130 W) incl. heat sink				x		S26361-F3620-E293	885,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX120 S3	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix										
Processor (Continued)										
	Intel Xeon X5687 4C/8T 3.60 GHz 12 MB	Intel® Xeon® processor X5687 (4C/8T, 3.60 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink					x	S26361-F3620-E360	1.805,00	
	Intel Xeon L5609 4C/4T 1.86 GHz 12 MB	Intel® Xeon® processor L5609 (4C/4T, 1.86 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 40 W) incl. heat sink					x	S26361-F3621-E186	505,00	Phased out
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink					x	S26361-F3622-E213	665,00	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink					x	S26361-F3622-E226	1.135,00	
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel® Xeon® processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink					x	S26361-F3633-E240	625,00	
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel® Xeon® processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink					x	S26361-F3648-E160	255,00	
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel® Xeon® processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink					x	S26361-F3648-E213	280,00	
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel® Xeon® processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink					x	S26361-F3649-E253	880,00	
	Intel Pentium G6950 2C 2.80 GHz 3 MB	Intel® Pentium® processor G6950 (2C, 2.80 GHz, TLC: 3 MB, Turbo: No, 1066 MHz, 73 W) without heat sink				x		S26361-F3588-E280	170,00	
	Intel Core i3-540 2C/4T 3.06 GHz 4 MB	Intel® Core? i3-540 processor (2C/4T, 3.06 GHz, TLC: 4 MB, Turbo: No, 1333 MHz, 73 W) without heat sink				x		S26361-F3587-E306	215,00	
	Intel Xeon X3430 4C/4T 2.40 GHz 8 MB	Intel® Xeon® processor X3430 (4C/4T, 2.40 GHz, TLC: 8 MB, Turbo: 1/1/2/3, 1333 MHz, 95 W) without heat sink				x		S26361-F3578-E343	365,00	
	Intel Xeon X3450 4C/8T 2.66 GHz 8 MB	Intel® Xeon® processor X3450 (4C/8T, 2.66 GHz, TLC: 8 MB, Turbo: 1/1/4/4, 1333 MHz, 95 W) without heat sink				x		S26361-F3578-E345	450,00	
	Intel Xeon X3470 4C/8T 2.93 GHz 8 MB	Intel® Xeon® processor X3470 (4C/8T, 2.93 GHz, TLC: 8 MB, Turbo: 2/2/4/5, 1333 MHz, 95 W) without heat sink				x		S26361-F3578-E347	585,00	
	Intel Xeon L3406 2C/4T 2.26 GHz 4 MB	Intel® Xeon® processor L3406 (2C/4T, 2.26 GHz, TLC: 4 MB, Turbo: 2/2, 1066 MHz, 30 W) without heat sink				x		S26361-F3586-E226	365,00	
	Intel Xeon L3426 4C/8T 1.86 GHz 8 MB	Intel® Xeon® processor L3426 (4C/8T, 1.86 GHz, TLC: 8 MB, Turbo: 2/2/9/10, 1333 MHz, 45 W) without heat sink				x		S26361-F3586-E186	530,00	
Memory										
	2 GB DDR3 1333 MHz PC3-10600 ub s ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM	x	x				S26361-F3335-E524	40,00	
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM	x	x				S26361-F3335-E525	60,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX120 S3	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix										
Memory (Continued)										
	1 GB DDR3 1333 MHz PC3-10600 ub s ECC	1 GB (1 module(s) 1 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM			x			S26361-F3335-E513	35,00	
	2 GB DDR3 1333 MHz PC3-10600 ub s/d ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM			x			S26361-F3335-E514	40,00	
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM			x			S26361-F3335-E515	60,00	
	2 GB DDR3 1333 MHz PC3-10600 rg s/d ECC	2 GB (1 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM			x			S26361-F3336-E514	80,00	
	4 GB DDR3 1333 MHz PC3-10600 rg d ECC	4 GB (1 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM			x			S26361-F3336-E515	85,00	
	8 GB DDR3 1066 MHz PC3-8500 rg q ECC	8 GB (1 module(s) 8 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM			x			S26361-F3336-E516	145,00	
Memory Modules										
	Spare Channel Mode Installation	BIOS setup for spare mode, preinstallation ex factory				x	x	S26361-F3284-E1	5,00	
	Mirrored Channel Mode Installation	BIOS setup for mirrored mode, preinstallation ex factory				x	x	S26361-F3284-E3	5,00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory				x	x	S26361-F3284-E2	5,00	
	MM 4GB 2x2 DDR3 1333 MHz PC3-10600 rg s	2 modules 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 2GB usable memory for Mirrored Mode				x	x	S26361-F3604-E523	160,00	
	MM 8GB 2x4 DDR3 1333 MHz PC3-10600 rg s/d	2 modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode				x	x	S26361-F3604-E524	170,00	
	2 GB DDR3 1333 MHz PC3-10600 ub d	1 module 2GB 1333MHz, unbuffered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode				x	x	S26361-F3606-E513	40,00	
	2 GB DDR3 1333 MHz PC3-10600 rg s	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode				x	x	S26361-F3604-E513	80,00	
	MM 16GB 2x8 DDR3 1333 MHz PC3-10600 rg d	2 modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode				x	x	S26361-F3604-E525	290,00	
	4 GB DDR3 1333 MHz PC3-10600 rg s/d	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode				x	x	S26361-F3604-E514	85,00	
	MM 32GB 2x16 DDR3 1066 MHz PC3-8500 rg q	2 modules 16GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 16GB usable memory for Mirrored Mode					x	S26361-F3604-E526	820,00	
	SP 6GB 3x2 DDR3 1333 MHz PC3-10600 rg s	3 modules 2GB 1333MHz, 4GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=4GB Spare or 6GB Performance Mode				x	x	S26361-F3604-E533	240,00	
	8 GB DDR3 1333 MHz PC3-10600 rg d	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode				x	x	S26361-F3604-E515	145,00	
	MM 64GB 2x32 DDR3 1066 MHz PC3-8500 rg q	2 modules 32GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 32GB usable memory for Mirrored Mode					x	S26361-F3604-E527	4.850,00	
	SP12GB 3x4 DDR3 1333MHz PC3-10600 rg s/d	3 modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode				x	x	S26361-F3604-E534	255,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX120 S3	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments	
Options matrix											
Memory Modules (Continued)											
	MM 8GB 2x4 DDR3LV 1333 MHz 10600 rg s/d	2 LV modules 4GB 1366MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode					x	x	S26361-F3605-E524	170,00	
	16 GB DDR3 1066 MHz PC3-8500 rg q	1 module 16GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode						x	S26361-F3604-E516	410,00	
	SP 24GB 3x8 DDR3 1333 MHz PC3-10600 rg d	3 modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode					x	x	S26361-F3604-E535	435,00	
	MM 16GB 2x8 DDR3 LV 1333 MHz 10600 rg d	2 LV modules 8GB 1366MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode						x	S26361-F3605-E525	290,00	
	SP 48GB 3x16 DDR3 1066 MHz PC3-8500 rg q	3 modules 16GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=32GB Spare or 48GB Performance Mode						x	S26361-F3604-E536	1.230,00	
	32 GB DDR3 1066 MHz PC3-8500 rg q ECC	1 module 32GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode						x	S26361-F3604-E517	2.425,00	
	SP 96GB 3x32 DDR3 1066 MHz PC3-8500 rg q	3 modules 32GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=64GB Spare or 96GB Performance Mode						x	S26361-F3604-E537	7.275,00	
	4 GB DDR3 LV 1333 MHz PC3-10600 rg s/d	1 LV module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode					x	x	S26361-F3605-E514	85,00	
	SP12GB 3x4 DDR3 LV1333 MHz 10600 rg s/d	3 LV modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode					x	x	S26361-F3605-E534	255,00	
	8 GB DDR3 LV 1333 MHz PC3-10600 rg d	1 LV module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode					x	x	S26361-F3605-E515	145,00	
	SP 24GB 3x8 DDR3 LV 1333 MHz 10600 rg d	3 LV modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode					x	x	S26361-F3605-E535	435,00	
Graphics											
	Front-VGA interface	2nd optional VGA interface front side						x	S26361-F2571-E16	20,00	
	PY VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCIe-x1 graphic card			x	x	x		S26361-F2748-E537	135,00	
	PY LP VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCIe-x1 graphic card, low profile		x					S26361-F2748-E637	135,00	
Removable Media Drives											
	Blu-ray Triple Writer 1.6" SATA	Read: 8x BD-ROM, 16x DVD, 40x CD, Write: 6x BD, 16x DVD, 32x CD, BD DL and all CD/DVD formats, 1.6" fitting height	x		x	x	x		S26361-F3585-E2	345,00	
	MountingKit DVD(s)+LSP/LSD	for slim DVD, 1x Local Service Panel or Display			x	x	x		S26361-F2826-E204	30,00	
	F-D-L-HDD-Box2	for slim DVD, 1x Local Service Panel or Display, 2x HDD						x	S26361-F2826-E103	80,00	
	MountingKit DVD(s)+LSP/LSD +SAS LFF HDD	for slim DVD, 1x Local Service Panel or Display, 2x HDD					x		S26361-F2826-E104	85,00	
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM,slimline 0.5" fitting height, black		x	x	x	x		S26361-F3269-E2	85,00	
	Blu-ray Triple Writer slimline SATA	Read: 6x BD-ROM, 8x DVD, 24x CD, Write: 6x BD, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0,5" fitting height	x	x	x	x	x		S26361-F3641-E2	165,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX120 S3	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix										
Removable Media Drives (Continued)										
	DVD-ROM 1.6" SATA	16x DVD, 48x CD, 1.6" fitting height, black bezel	x		x	x	x	S26361-F3266-E2	30,00	
	DVD-RW supermulti 1.6" SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, 1.6" fitting height, black bezel	x		x	x	x	S26361-F3267-E2	55,00	
	RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with description (G/US)	x		x	x	x	S26361-F3857-E4	160,00	
	RDX Drive USB 25MB/s 3.5" internal	RDX Drive 25MB/s 3.5" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)		x				S26361-F3857-E5	160,00	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, black bezel, with description (G/US) and cleaning cartridge	x		x	x	x	S26361-F3324-E4	500,00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, with description (G/US) and cleaning cartridge		x				S26361-F3324-E5	500,00	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge	x		x	x	x	S26361-F3325-E4	685,00	
	Tape Kit DDS Gen6 80GB USB 3.5" intern	DDS Gen6 80GB 6MB/s 3.5" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge		x				S26361-F3325-E2	685,00	
	Tape Kit LTO2HH Ultr 200GB 24MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge			x	x	x	S26361-F4009-E4	1.280,00	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge			x	x	x	S26361-F3561-E4	1.395,00	
	Tape Kit LTO4HH 800GB 120MB/s SAS V2	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge			x	x	x	S26361-F3626-E2	1.950,00	
	Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge			x	x	x	S26361-F3627-E1	2.850,00	
	Conversion Box 12x 2.5" HDD	Extension Box for 12 pc. 2.5" hotplug HDD					x	S26361-F2826-E135	350,00	
	SFF 8xSAS HDD Box	Extension Box for 8 pc. 2.5" hotplug HDD					x	S26361-F2826-E114	165,00	
Hard Disks										
	HD SATA 3G 250GB 7.2K HOT PLUG 3.5" ECO	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, economic			x	x	x	S26361-F3293-E250	125,00	
	HD SATA 3GB/s 250GB 7.2k non hot pl 3.5"	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, non hot plug, 3.5-inch, economic	x					S26361-F3574-E250	125,00	
	HD SATA 6G 250GB 7.2K HOT PLUG 3.5" ECO	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, economic			x			S26361-F3700-E250	125,00	
	HD SATA 6G 500GB 7.2K HOT PLUG 3.5" ECO	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, economic			x	x	x	S26361-F3700-E500	170,00	
	HD SATA 6G 500GB 7.2k NO HOT PL 3.5" ECO	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, non-hot-plug, 3.5-inch, economic	x					S26361-F3701-E500	170,00	
	SSD SAS 6G 100GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 100 GB, SLC, hot-plug, 2.5-inch, enterprise				x	x	S26361-F4541-E100	3.150,00	
	SSD SAS 6G 200GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 200 GB, SLC, hot-plug, 2.5-inch, enterprise				x	x	S26361-F4541-E200	5.690,00	
	SSD SAS 6G 400GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 400 GB, SLC, hot-plug, 2.5-inch, enterprise				x	x	S26361-F4541-E400	10.250,00	
	HD SATA 3G 500GB 7.2K NON HOT PL 3.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, non hot plug, 3.5-inch, business critical	x					S26361-F3334-E500	185,00	
	HD SATA 3G 1TB 7.2K NON HOT PL 3.5" BC	HDD SATA, 3 GB/s, 1000 GB, 7200 rpm, non hot plug, 3.5-inch, business critical	x					S26361-F3334-E100	275,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX120 S3	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix										
Hard Disks (Continued)										
	HD SATA 3G 500GB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, business critical			x	x	x	S26361-F3294-E500	185,00	
	HD SATA 3G 1TB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 3.5-inch, business critical			x	x	x	S26361-F3294-E100	275,00	
	HD SATA 3G 2TB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 2 TB, 7200 rpm, hot-plug, 3.5-inch, business critical			x	x	x	S26361-F3294-E200	455,00	
	SSD SATA 3G 32GB SLC HOT PLUG 2.5" EP	SSD SATA, 3 GB/s, 32 GB, SLC, hot-plug, 2.5-inch, enterprise			x	x	x	S26361-F3298-E32	655,00	
	SSD SATA 3G 64GB SLC HOT PLUG 2.5" EP	SSD SATA, 3 GB/s, 64 GB, SLC, hot-plug, 2.5-inch, enterprise			x	x	x	S26361-F3298-E64	1.130,00	
	HD SATA 3G 160GB 5.4K HOT PLUG 2.5" ECO	HDD SATA, 3 GB/s, 160 GB, 5400 rpm, hot-plug, 2.5-inch, economic	x	x	x	x	x	S26361-F3297-E160	180,00	Phased out
	HD SATA 3G 320GB 5.4K HOT PLUG 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic	x	x	x	x	x	S26361-F3297-E320	225,00	
	HD SATA 3G 500GB 5.4K HOT PLUG 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, hot-plug, 2.5-inch, economic	x	x	x	x	x	S26361-F3297-E500	235,00	
	HD SATA 3G 250GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 2.5-inch, business critical	x	x	x	x	x	S26361-F3601-E250	225,00	
	HD SATA 3G 500GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical	x	x	x	x	x	S26361-F3601-E500	235,00	
	HD SATA 3G 1TB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical	x	x	x	x	x	S26361-F3601-E100	355,00	
	HD SAS 6G 300GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise			x	x	x	S26361-F4005-E530	340,00	
	HD SAS 6G 450GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise			x	x	x	S26361-F4005-E545	440,00	
	HD SAS 6G 600GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 600 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise			x	x	x	S26361-F4005-E560	510,00	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	S26361-F4482-E130	245,00	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	S26361-F4482-E145	510,00	
	HD SAS 6G 600GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	S26361-F4482-E160	590,00	
	HD SAS 6G 900GB 10K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 900 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	S26361-F4482-E190	790,00	
	HD SAS 6G 73GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	S26361-F4482-E573	230,00	
	HD SAS 6G 146GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	S26361-F4482-E514	305,00	
	HD SAS 6G 300GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	S26361-F4482-E530	565,00	
SCSI/RAID/SAS controller										
	RAID Contr BBU Upgrade for RAID 5/6 V70	BBU Upgrade for LSI SAS1078 and LSI SAS2108					x	S26361-F3257-E170	165,00	
	RAID Contr BBU Upgrade for RAID 5/6 C55	BBU Upgrade for LSI SAS1078 and LSI SAS2108		x	x	x		S26361-F3257-E255	165,00	
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports	x	x	x	x		S26361-F3257-E4	110,00	
	RAID 0/1 SAS based on LSI MegaRAID 8Port	RAID-Ctrl, LSI MegaRAID SAS1068, PCIe x4, 8 internal ports	x	x	x			S26361-F3257-E8	135,00	
	SCSI Ctrl U320 1ch int/ext PCIe	Adaptec 29320LPE, 1x U320 SCSI		x	x	x		S26361-F3270-E1	195,00	
	SAS Ctrl 3GB/s 4int/4ext PCIe	SAS Controller 3GB/s 8 port, LSI SAS3442E-R		x	x	x		S26361-F3271-E1	210,00	
	SAS Ctrl 6G 8ext PCIe	SAS Controller 6GB/s 8 port, LSI SAS 9200-8e		x	x	x		S26361-F3628-E1	260,00	
	SAS Ctrl 6G 8ext PCIe lp	SAS Controller 6GB/s 8 port, LSI SAS 9200-8e LP	x					S26361-F3628-E201	260,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX120 S3	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix										
SCSI/RAID/SAS controller (Continued)										
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports		x	x	x	x	S26361-F3554-E8	165,00	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal ports	x	x	x	x	x	S26361-F3554-E512	385,00	
	RAID Ctrl SAS 6G 8Port ex 512MB FH LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU			x	x	x	S26361-F3593-E1	590,00	
	RAID Ctrl SAS 6G 8Port ex 512MB LP LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU		x				S26361-F3593-E201	590,00	
Fibre Channel										
	FC Ctrl 8GB/s 1 channel QLE2560 MMF LC	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber				x	x	S26361-F3631-E1	935,00	
	FC Ctrl 8GB/s 2 channel QLE2562 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber				x	x	S26361-F3631-E2	1.500,00	
	FC Ctrl 8GB/s 1 Chan LPe1250 MMF LC	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber				x	x	S26361-F3961-E1	935,00	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber				x	x	S26361-F3961-E2	1.500,00	
Connection Blades										
	SFP+ Module Multi Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blades, 1GB LAN connection blades with 10GB SFP+ uplink and the Fujitsu 10GBE Server Adapter D2755., For multi-mode short-range fiber optic cables up to 300m.		x	x	x	x	S26361-F3986-E3	405,00	
Communication/Network										
	Eth Ctrl 1x1Gbit PCIe Pro/1000PT Cu	Intel® Pro 1000PT 1 Port Server Adapter			x	x	x	S26361-F3241-E1	90,00	
	Eth Ctrl 1x1Gbit PCIe CT Desktop Cu Ip	Intel® GBit CT 1 Port Desktop Adapter Ip		x				S26361-F3516-E201	45,00	
	Eth Ctrl 2x1Gbit PCIe x4 D2735-2 Cu Ip	Ethernet Server Adapter Eth Ctrl 2x1Gbit PCIe x4 D2735-2 Cu Ip, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit		x				S26361-F3610-E202	155,00	
	Eth Ctrl 4x1Gbit PCIe x4 D2745 Cu Ip	Ethernet Server Adapter Eth Ctrl 4x1Gbit PCIe x4 D2745 Cu Ip, Based on Intel® LAN controller chip 82580EB, Usable with original Intel® driver kit		x				S26361-F3611-E201	375,00	
	Eth Ctrl 2x10Gbit PCIe x8 D2755 SFP+ Ip	Ethernet Server Adapter Eth Ctrl 2x10Gbit PCIe x8 D2755 SFP+ Ip		x				S26361-F3629-E202	500,00	
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller , PCIe 2.0 x 8 , SFP+ for opt. module or Twinax cable					x	S26361-F3592-E2	1.180,00	
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCe10102					x	S26361-F3592-E108	400,00	
	Eth Ctrl 1x1Gbit PCIe CT Desktop Cu	Intel® GBit CT 1 Port Desktop Adapter	x		x	x	x	S26361-F3516-E1	45,00	
	Eth Ctrl 1x1Gbit PCIe Pro/1000PF LC	Intel® Pro 1000PF 1 Port Server Adapter			x	x	x	S26361-F3242-E1	240,00	
	Eth Ctrl 2x10Gbit PCIe x8 D2755 SFP+	Ethernet Server Adapter Eth Ctrl 2x10Gbit PCIe x8 D2755 SFP+		x	x	x	x	S26361-F3629-E2	500,00	
	Eth Ctrl 2x1Gbit PCIe x4 D2735-2 Cu	Ethernet Server Adapter Eth Ctrl 2x1Gbit PCIe x4 D2735-2 Cu, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit			x	x	x	S26361-F3610-E2	155,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX120 S3	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix										
Communication/Network (Continued)										
	Eth Ctrl 4x1GBit PCIe x4 D2745 Cu	Ethernet Server Adapter Eth Ctrl 4x1GBit PCIe x4 D2745 Cu, Based on Intel® LAN controller chip 82580EB, Usable with original Intel® driver kit			x	x	x	S26361-F3611-E1	375,00	
	IB HCA 40GB 1 port QDR	InfiniBand HCA 40GB/s, 1-port, QDR					x	S26361-F4475-E102	620,00	
	IB HCA 40GB 2 port QDR	InfiniBand HCA 40GB/s, 2-port, QDR					x	S26361-F4475-E202	850,00	
Rack-Infrastructure										
	Rack installation ex works	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely pre-mounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.			x	x	x	SNP:SY-F1647E301-P	130,00	
	Cable mgmt. lateral for asym. PC racks	Cable management for server or storage subsystem 2U or higher mounted into asymmetrical PRIMECENTER racks			x	x	x	S26361-F2735-E7	30,00	
	cable arm 2U PCR M1 S and 3rd party racks	Cable arm 2U to be mounted at right or left rack pillar behind servers higher or equal 2U. Released for symmetrical PRIMECENTER M1 or 3rd party racks.			x	x	x	S26361-F2201-E20	50,00	
	RMK-F2_3-xU-Servers_13mm-Drop-in Rails	telescopic full extraction, drop-in mount.; vario-carrier for toolless mounting.; max. load 50 kg., Rack installation depth (19" pillar distance) between 714mm and 785mm			x	x	x	S26361-F2735-E202	65,00	
Country kits										
	region kit APAC/America/EMEA/India	Region-kit APAC/ America/EMEA/ India	x	x				S26361-F1452-E100	10,00	
OneBox-Keyboards										
	KBPC PX ECO US	KBPC PX ECO US, professional GreenIT keyboard, US-English, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest		x	x	x	x	S26381-K341-E110	26,00	
	KBPC PX ECO D	KBPC PX ECO D, professional GreenIT keyboard, Layout German, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest		x	x	x	x	S26381-K341-E120	26,00	
	KBPC PX ECO INT/D	KBPC PX ECO INT/D professional GreenIT keyboard, Layout International German, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest					x	S26381-K341-E122	26,00	
	KBPC PX ECO GB	KBPC PX ECO GB, professional GreenIT keyboard, Layout Great Britain, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest		x	x	x	x	S26381-K341-E165	26,00	
	KBPC PX ECO I	KBPC PX ECO I, professional GreenIT keyboard, Layout Italy, 45% renewable resources, PS2-USB, bright light grey/black, additional 5 comfort-, 1 power-key, power-on with PS2 and USB, comes with PVC free USB cable, palmrest		x	x	x	x	S26381-K341-E185	26,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX120 S3	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix										
OneBox-Keyboards (Continued)										
	KB520 US	KB520 keyboard standard, marble grey, US, cable USB 2m,			x		x	S26381-K520-E102	13,00	
	KB520 DE	KB520 keyboard standard, marble grey, Germany, cable USB 2m,			x		x	S26381-K520-E120	13,00	
	KB520 GB	KB520 keyboard standard, marble grey, Great Britain, cable USB 2m,			x		x	S26381-K520-E165	13,00	
	KB520 IT	KB520 keyboard standard, marble grey, Italy, cable USB 2m,			x		x	S26381-K520-E185	13,00	
	KB400 USB grey INT USA	KB400 USB INT US, SLIM value Keyboard black US		x	x	x	x	S26381-K550-E102	10,00	Phased out
	KB400 USB grey D	KB400 USB grey D, SLIM value Keyboard Germany		x	x	x	x	S26381-K550-E120	10,00	Phased out
	KB400 USB grey GB	KB400 USB grey GB, SLIM value Keyboard UK		x	x	x	x	S26381-K550-E165	10,00	Phased out
	KB400 USB grey I	KB400 USB grey I, SLIM value Keyboard Italy		x	x	x	x	S26381-K550-E185	10,00	Phased out
PRIMERGY-Software										
	iRMC S2 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection			x	x	x	S26361-F1790-E241	300,00	
	iRMC S3 advanced pack			x				S26361-F1790-E242	300,00	
	PRIMERGY DuplexDataManager 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	S26361-F2565-L596	2.745,00	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn OEM	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., English. OEM DVD, License.	x	x	x		x	S26361-F2567-E20	380,00	
	MS SysCtr Essntls 2010 OEM	MS System Center Essentials 2010. English. OEM DVD, License.	x	x	x	x	x	S26361-F2567-E30	115,00	
	Win Svr 2008 R2 SP1 Foundation 1CPU OEM	Win Srv 2008 R2 SP1 Fnd (1 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.		x	x			S26361-F2567-E301	165,00	
	Win Srv 2008 R2 Foundation 1CPU MULI OEM	Win Srv 2008 R2 Fnd (1 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x		x			S26361-F2567-E306	165,00	Phased out
	Win Srv 2008 R2 Foundation 1CPU PRC OEM	Win Srv 2008 R2 Fnd (1 CPU) Simplified Chinese. OEM DVD, License.	x	x	x			S26361-F2567-E308	155,00	
	Win SBS Essentials 2011 OEM MUL-Set1	Windows Small Business Server Essentials 2011, OEM, MUL set 1, DVD Media, COA, License, Language set 1:English (default language), German, Japanese, French, Spanish, Italian, Dutch, Polish, Portuguese.		x	x			S26361-F2567-E378	300,00	
	Win SBS Essentials 2011 OEM MUL-Set2	Windows Small Business Server Essentials 2011, OEM, MUL set 2, DVD Media, COA, License, Language set 2: English (default language), Chinese simplified (for PRC), Hungarian, Russian, Turkish, Swedish, Czech, Korean, Brazilian Portuguese.		x	x			S26361-F2567-E379	300,00	
	PRIMERGY MultiPath MPIO 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	S26361-F2565-E593	875,00	
	PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	S26361-F2565-E595	875,00	
	Win Svr 2008 R2 SP1 Datactr 2CPU OEM	Win Srv 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.		x	x	x	x	S26361-F2567-E331	2.690,00	
	Win Srv 2008 R2 SP1 Enterpr w/10CAL OEM	Win Srv 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.		x	x	x	x	S26361-F2567-E321	1.695,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX120 S3	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix										
PRIMERGY-Software (Continued)										
	Win Srv 2008 R2 SP1 Standard w/5CAL OEM	Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.		x	x	x	x	S26361-F2567-E311	530,00	
	Win SBS Standard 2011 w/5CAL OEM EN	Windows Small Business Server Standard 2011 with 5 CAL, OEM, English, DVD Media set, COA, License			x	x	x	S26361-F2567-E350	590,00	
	Win SBS Standard 2011 w/5CAL OEM DE	Windows Small Business Server Standard 2011 with 5 CAL, OEM, German, DVD Media set, COA, License			x	x	x	S26361-F2567-E351	590,00	
	Win SBS Standard 2011 w/5CAL OEM IT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Italian, DVD Media set, COA, License			x	x	x	S26361-F2567-E352	590,00	
	Win SBS Standard 2011 w/5CAL OEM FR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, French, DVD Media set, COA, License			x	x	x	S26361-F2567-E353	590,00	
	Win SBS Standard 2011 w/5CAL OEM ES	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Spanish, DVD Media set, COA, License			x	x	x	S26361-F2567-E354	590,00	
	Win SBS Standard 2011 w/5CAL OEM CS	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Czech, DVD Media set, COA, License			x	x	x	S26361-F2567-E355	590,00	
	Win SBS Standard 2011 w/5CAL OEM PT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Portuguese, DVD Media set, COA, License			x	x	x	S26361-F2567-E356	590,00	
	Win SBS Standard 2011 w/5CAL OEM NL	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Dutch, DVD Media set, COA, License			x	x	x	S26361-F2567-E357	590,00	
	Win SBS Standard 2011 w/5CAL OEM TR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Turkish, DVD Media set, COA, License			x	x	x	S26361-F2567-E358	590,00	
	Win SBS Standard 2011 w/5CAL OEM HU	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Hungarian, DVD Media set, COA, License			x	x	x	S26361-F2567-E359	590,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM EN	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, English, DVD Media set, COA, License			x	x	x	S26361-F2567-E370	895,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM DE	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, German, DVD Media set, COA, License			x	x	x	S26361-F2567-E371	895,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM IT	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Italian, DVD Media set, COA, License			x	x	x	S26361-F2567-E372	895,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM FR	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, French, DVD Media set, COA, License			x	x	x	S26361-F2567-E373	895,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM ES	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Spanish, DVD Media set, COA, License			x	x	x	S26361-F2567-E374	895,00	
	Win Srv 2008 R2 Datacenter 2CPU MULI OEM	Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x		x	x	x	S26361-F2567-E330	2.690,00	Phased out
	Win Srv 2008 R2 Enterprise 10CAL MUL OEM	Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x		x	x	x	S26361-F2567-E320	1.695,00	Phased out
	Win Srv 2008 R2 Standard 5CAL MULI OEM	Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x		x	x	x	S26361-F2567-E310	530,00	Phased out



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX120 S3	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix										
PRIMERGY-Software (Continued)										
	Win Web Srv 2008 R2 MULI OEM	Win Web Srv 2008 R2 1-4 CPU EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.			x	x	x	S26361-F2567-E302	305,00	
	Win Svrs 2008 R2 SP1 Service Pack DVD	Service Pack 1 Supplement DVD for Windows Servers 2008 R2.		x	x	x	x	S26361-F2567-E391	25,00	
	Win Svrs 2008 R2 SP1 Language Pack DVD	Language Pack Supplement DVD with 34 worldwide language packs for Windows Servers 2008 R2 SP1.		x	x	x	x	S26361-F2567-E390	25,00	
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x		x	x	x	S26361-F2565-E328	25,00	Phased out
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x	x	x	x	S26361-F2565-E318	25,00	Phased out
	Win HPC Srv 2008 R2 Suite OEM	Win HPC Srv 2008 R2 Suite (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.					x	S26361-F2567-E360	750,00	
	Win Srv 2008 R2 HPC Edition MUL OEM	Win Srv 2008 R2 HPC Edition (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.					x	S26361-F2567-E361	375,00	
	Win HPC Pack 2008 R2 Express MUL OEM	Win HPC Pack 2008 R2 Express (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.					x	S26361-F2567-E362	25,00	
	Win HPC Pack 2008 R2 Workstation MUL OEM	Win HPC Pack 2008 R2 Workstation OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.					x	S26361-F2567-E363	110,00	
	SUSE Linux ES 32SOC 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1 year subscription.	x	x	x	x	x	S26361-F2346-E611	249,00	
	SUSE Linux ES 32SOC 3Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 3 years subscription.		x	x	x	x	S26361-F2346-E612	670,00	
	SUSE Linux E 11 HAE 32SOC 3Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 3 years subscription.		x	x	x	x	S26361-F2346-E622	1.350,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 1 year	x	x	x	x	x	S26361-F2346-S101	331,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 3 years	x	x	x	x	x	S26361-F2346-S102	889,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 1 year	x	x	x	x	x	S26361-F2346-S103	497,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 3 years	x	x	x	x	x	S26361-F2346-S104	1.334,00	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 1 year	x	x	x	x	x	S26361-F2346-S105	830,00	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 3 years	x	x	x	x	x	S26361-F2346-S106	2.224,00	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 1 year	x	x	x	x	x	S26361-F2346-S111	538,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX120 S3	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix										
PRIMERGY-Software (Continued)										
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 3 years	x	x	x	x	x	S26361-F2346-S112	1.445,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 1 year	x	x	x	x	x	S26361-F2346-S113	808,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 3 years	x	x	x	x	x	S26361-F2346-S114	2.169,00	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 1 year	x	x	x	x	x	S26361-F2346-S115	1.347,00	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 3 years	x	x	x	x	x	S26361-F2346-S116	3.615,00	
	Red Hat EL HA 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 1 year	x	x	x	x	x	S26361-F2346-S121	220,00	
	Red Hat EL HA 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 3 years	x	x	x	x	x	S26361-F2346-S122	607,00	
	Red Hat EL RS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 1 year	x	x	x	x	x	S26361-F2346-S131	441,00	
	Red Hat EL RS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 3 years	x	x	x	x	x	S26361-F2346-S132	1.215,00	
	Red Hat EL SFS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 1 year	x	x	x	x	x	S26361-F2346-S141	110,00	
	Red Hat EL SFS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 3 years	x	x	x	x	x	S26361-F2346-S142	303,00	
	Red Hat EL LB 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 1 year	x	x	x	x	x	S26361-F2346-S151	110,00	
	Red Hat EL LB 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 3 years	x	x	x	x	x	S26361-F2346-S152	303,00	
	Red Hat EL HPN 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 1 year	x	x	x	x	x	S26361-F2346-S161	110,00	
	Red Hat EL HPN 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 3 years	x	x	x	x	x	S26361-F2346-S162	303,00	
	Red Hat EL EUS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 1 year	x	x	x	x	x	S26361-F2346-S171	138,00	
	Red Hat EL EUS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 3 years	x	x	x	x	x	S26361-F2346-S172	380,00	
	VMware vSphere Embedded UFM Device	VMware vSphere Embedded UFM Device Embedded UFM Storage Device , inc. ESXi Singel SRV Lic. (w/o SP)			x	x	x	S26361-F2341-E431	60,00	
	VMware ESXi 5.0 Single SRV w/o SP-1yr	VMware ESXi 5 Single Server for 1 CPU (32GB vRAM/CPU) - Mandatory 1 year Service Pack needed!		x	x	x	x	S26361-F2341-S700	10,00	
	VMware vSphere 5 Media Kit OEM	VMware vSphere 5 Media Kit OEM w/ ESX 4,vCenter 5,vShield,Backup-Restore , VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore - No License			x			S26361-F2341-E300	80,00	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (32GB vRAM/CPU) - Mandatory 1 year Service Pack needed!			x	x	x	S26361-F2341-E707	895,00	
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (32GB vRAM/CPU) - Mandatory 3 year Service Pack needed!			x	x	x	S26361-F2341-E708	895,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX120 S3	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix										
PRIMERGY-Software (Continued)										
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 1 year Service Pack needed!			x	x	x	S26361-F2341-E709	2.585,00	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 3 year Service Pack needed!			x	x	x	S26361-F2341-E710	2.585,00	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year Service Pack needed!			x	x	x	S26361-F2341-E711	3.145,00	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!			x	x	x	S26361-F2341-E712	3.145,00	
	VMware STD AK(8CPU+VC-STD)w/o SP-1yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!			x	x	x	S26361-F2341-E730	8.995,00	
	VMware STD AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!			x	x	x	S26361-F2341-E731	8.995,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!			x	x	x	S26361-F2341-E732	15.750,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!			x	x	x	S26361-F2341-E733	15.750,00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!			x	x	x	S26361-F2341-E734	19.750,00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!			x	x	x	S26361-F2341-E735	19.750,00	
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 1 year Service Pack needed!			x	x	x	S26361-F2341-S736	4.495,00	
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 3 year Service Pack needed!			x	x	x	S26361-F2341-S737	4.495,00	
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 1 year Service Pack needed!			x	x	x	S26361-F2341-S738	1.345,00	
	VMware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 3 year Service Pack needed!			x	x	x	S26361-F2341-S739	1.345,00	
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Mandatory 1 year Service Pack needed!			x	x	x	S26361-F2341-E740	4.045,00	
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Mandatory 3 year Service Pack needed!			x	x	x	S26361-F2341-E741	4.045,00	
	VMware Essentials w/1yr Sub,-no Support	VMware Essentials for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Inc. 1 year VMware Sub. - no Support			x	x	x	S26361-F2341-S800	504,00	
	VMware Essentials w/3yr Sub,-no Support	VMware Essentials for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Inc. 3 year VMware Sub. - no Support			x	x	x	S26361-F2341-S801	595,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX120 S3	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix										
PRIMERGY-Software (Continued)										
	VMware SRM STD 25 VM Pack w/7x24-1yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.			x	x	x	S26361-F2341-S802	4.969,00	
	VMware SRM STD 25 VM Pack w/7x24-3yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.			x	x	x	S26361-F2341-S803	6.510,00	
	VMware SRM STD 25 VM Pack w/5x9-1yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.			x	x	x	S26361-F2341-S804	4.810,00	
	VMware SRM STD 25 VM Pack w/5x9-3yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.			x	x	x	S26361-F2341-S805	6.104,00	
	VMware SRM ENT 25 VM Pack w/7x24-1yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.			x	x	x	S26361-F2341-S806	12.573,00	
	VMware SRM ENT 25 VM Pack w/7x24-3yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.			x	x	x	S26361-F2341-S807	16.483,00	
	VMware SRM ENT 25 VM Pack w/5x9-1yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.			x	x	x	S26361-F2341-S808	12.169,00	
	VMware SRM ENT 25 VM Pack w/5x9-3yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.			x	x	x	S26361-F2341-S809	15.454,00	
	VMware View ENT Start 10 CLI w/o SP-1yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!			x	x	x	S26361-F2341-S742	1.220,00	
	VMware View ENT Start 10 CLI w/o SP-3yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!			x	x	x	S26361-F2341-S743	1.220,00	
	VMware View ENT 100 CLI w/o SP-1yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!			x	x	x	S26361-F2341-S744	12.195,00	
	VMware View ENT 100 CLI w/o SP-3yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!			x	x	x	S26361-F2341-S745	12.195,00	
	VMware View ENT Add 10 CLI w/o SP-1yr	VMware View ENT Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL - Mandatory 1 year Service Pack needed!			x	x	x	S26361-F2341-S746	1.220,00	
	VMware View ENT Add 10 CLI w/o SP-3yr	VMware View ENT Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL - Mandatory 3 year Service Pack needed!			x	x	x	S26361-F2341-S747	1.220,00	
	VMware View ENT Add-On 10 CLI w/o SP-1yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License w/VDM - Mandatory 1 year Service Pack needed!			x	x	x	S26361-F2341-S748	730,00	
	VMware View ENT Add-On 10 CLI w/o SP-3yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License w/VDM - Mandatory 3 year Service Pack needed!			x	x	x	S26361-F2341-S749	730,00	
	VMware View PRE Start 10 CLI w/o SP-1yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!			x	x	x	S26361-F2341-S750	2.030,00	
	VMware View PRE Start 10 CLI w/o SP-3yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!			x	x	x	S26361-F2341-S751	2.030,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX120 S3	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix										
PRIMERGY-Software (Continued)										
	VMware View PRE 100 CLI w/o SP-1yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!			x	x	x	S26361-F2341-S752	20.295,00	
	VMware View PRE 100 CLI w/o SP-3yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!			x	x	x	S26361-F2341-S753	20.295,00	
	VMware View PRE Add 10 CLI w/o SP-1yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!			x	x	x	S26361-F2341-S754	2.030,00	
	VMware View PRE Add 10 CLI w/o SP-3yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!			x	x	x	S26361-F2341-S755	2.030,00	
	VMware View PRE Add-On 10 CLI w/o SP-1yr	VMware View PRE Add-On 10 Desktop VM's - Extends existing VS4 Lic. w/VDM,COMP,TA - Mandatory 1 year Service Pack needed!			x	x	x	S26361-F2341-S756	1.540,00	
	VMware View PRE Add-On 10 CLI w/o SP-3yr	VMware View PRE Add-On 10 Desktop VM's - Extends existing VS4 Lic. w/VDM,COMP,TA - Mandatory 3 year Service Pack needed!			x	x	x	S26361-F2341-S757	1.540,00	
	VMware vCloud Dir. 25 VM Pack w/7x24-1yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.			x	x	x	S26361-F2341-S810	3.992,00	
	VMware vCloud Dir. 25 VM Pack w/7x24-3yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.			x	x	x	S26361-F2341-S811	5.227,00	
	VMware Chargeback 25 VM Pack w/7x24-1yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.			x	x	x	S26361-F2341-S812	1.275,00	
	VMware Chargeback 25 VM Pack w/7x24-3yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.			x	x	x	S26361-F2341-S813	1.671,00	
	VMware vCloud Dir. 25 VM Pack w/5x9-1yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.			x	x	x	S26361-F2341-S814	3.865,00	
	VMware vCloud Dir. 25 VM Pack w/5x9-3yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.			x	x	x	S26361-F2341-S815	4.902,00	
	VMware Chargeback 25 VM Pack w/5x9-1yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.			x	x	x	S26361-F2341-S816	1.234,00	
	VMware Chargeback 25 VM Pack w/5x9-3yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.			x	x	x	S26361-F2341-S817	1.567,00	
UPS/Power supply										
	Power Supply Module 450W (hot plug)	for PS redundancy			x			S26113-F540-E11	170,00	
	Power Supply Module 800W HE (hot plug)	2nd gold PS hp for redundancy				x	x	S26113-F556-E10	215,00	
	Cable powercord (D...), 1.8m, grey	suitable for D, A, B, F, NL, FIN, N, S, E, P, RUS, TR	x	x	x	x	x	T26139-Y1740-E10	10,00	
	Cable powercord (USA), 1.8m, grey	suitable for USA, Cnd	x	x	x	x	x	T26139-Y1742-E10	10,00	
	Cable powercord (UK, S), 1.8m, grey	suitable for UK, IR	x	x	x	x	x	T26139-Y1744-E10	10,00	
	Cable powercord (It), 1.8m, grey	suitable for I	x	x	x	x	x	T26139-Y1745-E10	10,00	
	No powercord as order option	For Countries without specific cable orderable like e.g. China	x	x	x	x	x	T26139-Y3850-E10	2,00	
Mouse										
	Mouse M480 black	optical mouse with 3 keys, black and anthrazit, 1000 dpi, new design with Fujitsu logo, usb cable 1,8m, white box packed		x	x	x	x	S26381-K431-E100	6,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX120 S3	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix										
Mouse (Continued)										
	Mouse M480 grey	optical mouse with 3 keys, marble grey, 1000 dpi, usb cable 1,8m		x	x	x	x	S26381-K431-E101	6,00	
Miscellaneous										
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order			x			S26361-F1647-E410	25,00	
	LocalView Option Kit S2	LCD display with adapter			x	x	x	S26361-F2557-E105	70,00	
	LocalView Option Kit S2	LCD display with installation kit				x	x	S26361-F2557-E106	70,00	
	Customer Self Service Modul TX Server	Support for Customer Self Service (CSS), incl. adapter			x	x	x	S26361-F2557-E202	25,00	
	Customer Self Service Module RX Server	Support for Customer Self Service (CSS), incl. mounting kit				x	x	S26361-F2557-E205	25,00	
	Service LAN Option	ntegriert in die vordere Bedieneinheit		x				S26361-F2571-E27	20,00	
	Serial port option	Cable for 2nd RS-232-C 9 pin interface				x		S26361-F3120-E3	40,00	
	TX150S7 E-Star Fam1 certification	Limits configurations in accordance with Energy Star Server 1.0, for all base units with std PSU with dual core CPUs only			x			S26361-F3301-E151	3,00	
	TX150S7 E-Star Fam2 certification	Limits configurations in accordance with Energy Star Server 1.0, for all base units with red PSU with Xeon based CPUs only			x			S26361-F3301-E152	3,00	
	TX200S6 E-Star Fam1 Certification	Limits configurations in accordance with Energy Star Server 1.0				x		S26361-F3301-E201	3,00	
	TX300S6 E-Star Fam1 Certification	Limits configurations in accordance with Energy Star Server 1.0, for all base units					x	S26361-F3301-E301	3,00	
	TPM Module	Trusted Platform Module on motherboard, be aware of import restrictions!	x	x	x	x	x	S26361-F3552-E1	50,00	
	Serial port option	Cable with 9 pin D-SUB interface			x			S26361-F2571-E10	30,00	
	No RMK	no Rackmount-Kit - only with loose server order without rack mounting ex factory			x	x	x	S26361-F2735-E111	5,00	
SW Data Center Products										
	Citrix XD VDI, 10 U/D, 3yr SA	Citrix XD VDI, 10 U/D, 3yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x			x	x	S26361-F2341-E913	1.040,00	
	Citrix XD VDI, 50 U/D, 3yr SA	Citrix XD VDI, 50 U/D, 3yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x			x	x	S26361-F2341-E914	5.210,00	
	Citrix XD VDI, 100 U/D, 3yr SA	Citrix XD VDI, 100 U/D, 3yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download	x			x	x	S26361-F2341-E915	10.420,00	
	Citrix XD EE, 10 U/D, 3yr SA	Citrix XD EE, 10 U/D, 3yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x			x	x	S26361-F2341-E923	2.460,00	
	Citrix XD EE, 50 U/D, 3yr SA	Citrix XD EE, 50 U/D, 3yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x			x	x	S26361-F2341-E924	12.290,00	
	Citrix XD EE, 100 U/D, 3yr SA	Citrix XD EE, 100 U/D, 3yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download	x			x	x	S26361-F2341-E925	24.580,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX120 S3	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix										
SW Data Center Products (Continued)										
	Citrix XD PE, 10 U/D, 3yr SA	Citrix XD PE, 10 U/D, 3yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x			x	x	S26361-F2341-E933	3.750,00	
	Citrix XD PE, 50 U/D, 3yr SA	Citrix XD PE, 50 U/D, 3yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x			x	x	S26361-F2341-E934	18.750,00	
	Citrix XD PE, 100 U/D, 3yr SA	Citrix XD PE, 100 U/D, 3yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download	x			x	x	S26361-F2341-E935	37.500,00	
	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x			x	x	S26361-F2341-E960	2.170,00	
	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x			x	x	S26361-F2341-E961	10.830,00	
	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download	x			x	x	S26361-F2341-E962	21.670,00	
	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x			x	x	S26361-F2341-E963	3.460,00	
	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x			x	x	S26361-F2341-E964	17.290,00	
	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x			x	x	S26361-F2341-E965	34.580,00	
	Citrix XD EE-PE upgr, 10 U/D, 3yr SA	Citrix XD EE-PE upgr, 10 U/D, 3yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x			x	x	S26361-F2341-E966	2.210,00	
	Citrix XD EE-PE upgr, 50 U/D, 3yr SA	Citrix XD EE-PE upgr, 50 U/D, 3yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x			x	x	S26361-F2341-E967	11.040,00	
	Citrix XD EE-PE upgr, 100 U/D, 3yr SA	Citrix XD EE-PE upgr, 100 U/D, 3yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download	x			x	x	S26361-F2341-E968	22.080,00	
	Citrix XD VDI, 10 U/D, 1yr SA	Citrix XD VDI, 10 U/D, 1yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x			x	x	S26361-F2341-S913	790,00	
	Citrix XD VDI, 50 U/D, 1yr SA	Citrix XD VDI, 50 U/D, 1yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x			x	x	S26361-F2341-S914	3.960,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX120 S3	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
----------	-------------	---------	-------------------	-------------------	-------------------	-------------------	-------------------	--------------	---------	----------

Options matrix

SW Data Center Products (Continued)

Citrix XD VDI, 100 U/D, 1yr SA	Citrix XD VDI, 100 U/D, 1yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download	x				x	x	S26361-F2341-S915	7.920,00	
Citrix XD EE, 10 U/D, 1yr SA	Citrix XD EE, 10 U/D, 1yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x				x	x	S26361-F2341-S923	1.880,00	
Citrix XD EE, 50 U/D, 1yr SA	Citrix XD EE, 50 U/D, 1yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x				x	x	S26361-F2341-S924	9.380,00	
Citrix XD EE, 100 U/D, 1yr SA	Citrix XD EE, 100 U/D, 1yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download	x				x	x	S26361-F2341-S925	18.750,00	
Citrix XD PE, 10 U/D, 1yr SA	Citrix XD PE, 10 U/D, 1yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x				x	x	S26361-F2341-S933	2.920,00	
Citrix XD PE, 50 U/D, 1yr SA	Citrix XD PE, 50 U/D, 1yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x				x	x	S26361-F2341-S934	14.580,00	
Citrix XD PE, 100 U/D, 1yr SA	Citrix XD PE, 100 U/D, 1yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download	x				x	x	S26361-F2341-S935	29.170,00	
Citrix XD VDI-EE upgr, 10 U/D, 1yr SA	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download	x				x	x	S26361-F2341-S960	1.580,00	
Citrix XD VDI-EE upgr, 50 U/D, 1yr SA	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download	x				x	x	S26361-F2341-S961	7.920,00	
Citrix XD VDI-EE upgr, 100 U/D, 1yr SA	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download	x				x	x	S26361-F2341-S962	15.830,00	
Citrix XD VDI-PE upgr, 10 U/D, 1yr SA	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x				x	x	S26361-F2341-S963	2.630,00	
Citrix XD VDI-PE upgr, 50 U/D, 1yr SA	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x				x	x	S26361-F2341-S964	13.130,00	
Citrix XD VDI-PE upgr, 100 U/D, 1yr SA	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x				x	x	S26361-F2341-S965	26.250,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX120 S3	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
Options matrix										
SW Data Center Products (Continued)										
	Citrix XD EE-PE upgr, 10 U/D, 1yr SA	Citrix XD EE-PE upgr, 10 U/D, 1yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x			x	x	S26361-F2341-S966	1.380,00	
	Citrix XD EE-PE upgr, 50 U/D, 1yr SA	Citrix XD EE-PE upgr, 50 U/D, 1yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x			x	x	S26361-F2341-S967	6.880,00	
	Citrix XD EE-PE upgr, 100 U/D, 1yr SA	Citrix XD EE-PE upgr, 100 U/D, 1yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download	x			x	x	S26361-F2341-S968	13.750,00	
	SVRCVESC V22 (WIN) MED CD	ServerView Resource Coordinator VE Standard Media Pack (Windows) V2.2			x	x	x	U11420-C910	50,00	
	SVRCVESC V22 (LINUX) MED CD	ServerView Resource Coordinator VE Standard Media Pack (Linux) V2.2			x	x	x	U11420-C911	50,00	
	SVRCVEMGR V22 (WIN) RTU 1SVR 4C	Resource Coordinator VE Standard Server License for 1 Manager (Windows) 4CPU Class V2			x	x	x	U11420-C902	2.363,00	
	SVRCVEMGR V22 (WIN) UGRU 1 SVR 4C	Resource Coordinator VE Standard Server License for 1 Manager (Windows) 4CPU Class Upgrade from RCVE Preview V2			x	x	x	U11420-C922	2.363,00	
	SVRCVESHAGT V22 (WIN/LINUX) RTU 1SVR 4C	Resource Coordinator VE Standard Server License for 1 Agent (Windows or Linux) 4CPU Class V2			x	x	x	U11420-C903	517,00	
	SVRCVESAGT V22 (WIN/LINUX) RTU 10SVR 4C	Resource Coordinator VE Standard Server License for 10 Agents (Windows or Linux) 4 CPU Class V2			x	x	x	U11420-C904	4.033,00	
	SVRCVESAGT V22 (WIN/LINUX) RTU 18SVR 4C	Resource Coordinator VE Standard Server License for 18 Agents (Windows or Linux) 4 CPU Class V2			x	x	x	U11420-C905	7.869,00	
	SVRCVEFCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (FC) Option (Windows)			x	x	x	U11420-C906	100,00	
	SVRCVEMCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (MAC) Option (Windows)			x	x	x	U11420-C936	100,00	
	SVRCVESDEMO V2 (WIN/LINUX) RTU	ServerView Resource Coordinator VE Standard Demo License (1 System) V2			x	x	x	U11420-C907	0,01	
	SVRORDEMO V2 (WIN/LINUX) RTU	ServerView Resource Orchestrator Demo License (1 System) V2			x	x	x	U11420-C935	0,01	
	SVRORDVD V23 (WIN/LINUX) MED DVD	ServerView Resource Orchestrator Media Pack V2.3 for Windows			x	x	x	U11420-C939	50,00	
	XTN-CD V32 (PS) MED CD	x10sure CD 3.2; (Binaries / Documents) 1 Medium, German & English Version			x	x	x	U11420-C775	50,00	
	SVRORSVR V23 (WIN/LINUX) RTU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class V2			x	x	x	U11420-C940	1.331,00	
	XTN-B V32 (PS) RTU -1CN1AN	x10sure 3.2 - Base License (RtU for 1 Control Node + 1 Application Node; no support nor updates included)			x	x	x	U11420-C877	1.400,00	
	XTN-B V32 (PS) UgRTU -1CN1AN	x10sure 3.2 - Upgrade Base License (Upgrade RtU for 1 Control Node + 1 Application Node from x10sure 2.x or 3.0; for maintenance renewal only)			x	x	x	U11420-C773-U	1,00	
	XTN-N V32 (PS) RtU -1 Node	x10sure 3.2 RtU for 1 additional Application- or Spare Node; no support nor updates included			x	x	x	U11420-C878	1.100,00	
	SVRORSVR V23 (WIN/LINUX) RTU 10SVR 4C	ServerView Resource Orchestrator Server License (10 Server) 4CPU Class V2			x	x	x	U11420-C942	12.376,00	



Tower Servers Options

Category	Description	Details	PRIMERGY TX100 S3	PRIMERGY TX120 S3	PRIMERGY TX150 S7	PRIMERGY TX200 S6	PRIMERGY TX300 S6	Product Code	EUP (€)	Comments
----------	-------------	---------	-------------------	-------------------	-------------------	-------------------	-------------------	--------------	---------	----------

Options matrix

SW Data Center Products (Continued)

	XTN-N V32 (PS) UgRtU -1 Node	x10sure 3.2 - Upgrade License (Upgrade RtU for 1 additional Application or Spare Node from x10sure 2.x or 3.0; for maintenance renewal only)			x	x	x	U11420-C774-U	1,00	
	XTNIS-CD V31 (PS) MED CD	x10sure IS CD 3.1; (Binaries / Documents) 1 Medium, German & English Version			x		x	U11420-C776	50,00	
	SVRORSVR V23 (WIN/LINUX) RTU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class V2			x	x	x	U11420-C943	22.277,00	
	XTNIS-B V31 (PS) RTU -1CN1AN	x10sure IS 3.1 - License (RtU for one x10sure IS (Internal Storage) configuration consisting of 2 servers with internal RAID-storage; no support nor updates included)			x		x	U11420-C879	2.500,00	
	SVRORSVR V23 (WIN/LINUX) UGRTU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class RCVE Agent Upgrade V2			x	x	x	U11420-C946	814,00	
	SVRORSVR V23 (WIN/LINUX) UGRTU 10SVR 4C	ServerView Resource Orchestrator Server License (10 Server) 4CPU Class RCVE Agent Upgrade V2			x	x	x	U11420-C948	8.343,00	
	SVRORSVR V23 (WIN/LINUX) UGRTU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class RCVE Agent Upgrade V2			x	x	x	U11420-C949	14.408,00	



Positioning PRIMERGY Rack Servers



**PRIMERGY
RX100 S6**

The RX100 S6 meets the needs of business applications with its technical developments, such as Quad-Core Intel® Xeon® processor 3400 series and the upcoming generation of Intel® Dual-Core CPUs, integrated RAID 0/1/5/6 and a memory of up to 32 GB. It unites the advantages of low-cost SATA or SAS /SSD hard disk technology with a space-saving 1U chassis and a depth of less



**PRIMERGY
RX200 S5**

More for less with regard to data center energy-efficiency. Energy consumption and cooling in data centers is a “burning” issue. The innovative PRIMERGY Cool-safe™ system design of the new RX200 S5 rack server generation provides the right answers.



**PRIMERGY
RX300 S5**

Virtualized environments are the top application for RX300 systems and their new multicore CPUs in the Intel® Xeon® 5500 series. In this situation, several operating systems plus the installed applications have to run simultaneously on one and the same physical hardware. RX300 S5 provides all the platform features required for efficient virtualization.



**PRIMERGY
RX330 S1**

Corporate applications in data center server farms with central deployment and control demand increasing performance. The cost-efficient PRIMERGY RX330 S1 extends the PRIMERGY Rack portfolio and focuses rather on standard than on full feature set in comparison to RX300. RX330 S1 is offering enough local storage capacity to be used as a stand-alone AMD Opteron Quad-Core based application server and for server farms in scale-out environments with medium needs for availability features and



**PRIMERGY
RX600 S4**

4 Socket Multi-Core Xeon 7400 series rack server
Performance, capacity and stability for your critical applications. The exceptional extendability of the RX600 enables even more consolidation of servers and applications with state-of-the-art virtualization solutions and an excellent “best-in-class” efficiency.



**PRIMECENTER
SME**

The PRIMECENTER SME rack is the basis for mounting rack configurations with all Fujitsu products, such as servers, operating devices and storage systems. Based on the industry standards DIN 41494 and IEC 297, the PRIMECENTER SME rack can also accommodate other products on the market that comply with these standards.



PRIMERGY RX100 S7

PRIMERGY RX100 S7: for SMEs and data centers, looking for high availability, scalability and low TCO - in a 1U chassis. SME customers will find the RX100 S7 to be a highly versatile tool, which can be used as a web, file or print server. Data center customers can build on the RX100 S7 as a scalable entry-level virtualization platform, which offers up to Intel® Xeon® processor performance, optional redundant fan and hot-plug power supplies (with up to 94% efficiency!) and onboard dual gigabit LAN. The optional front service LAN will make the lives of data center staff easier too. PRIMERGY RX100 S7: Rack virtualization starts here!

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY RX100 S7					
	PY RX100S7/LFF/Standard PSU	Rack based server 19" (1U), BU without processor and RAM, incl. standard power supply module and 4 standard fans, RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (2 ports are used by SATA HDDs); 2 drive bays for hot plug 3.5" SATA or SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V101	485,00	
	PY RX100S7/LFF/Hot-Plug PSU	Rack based server 19" (1U), BU without processor and RAM, incl. hot-plug power supply module and 5 standard fans (1+4 redundant), RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (2 ports are used by SATA HDDs); 2 drive bays for hot plug 3.5" SATA or SAS HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V201	500,00	
	PY RX100S7/SFF/Standard PSU	Rack based server 19" (1U), BU without processor and RAM, incl. standard power supply module and 4 standard fans, RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (4 Ports are used by SATA HDDs); 4 drive bays for hot plug 2.5" SATA HDs, SAS HDs or SATA SSDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V301	495,00	
	PY RX100S7/SFF/Hot-Plug PSU	Rack based server 19" (1U), BU without processor and RAM, incl. hot-plug power supply module and 5 standard fans (1+4 redundant), RMK optional; systemboard for processor and DDR3 RAM PC3-10600 ECC; iRMC S3 onboard server management incl. graphics controller and 10/100/1000MBit Service LAN port; 2x 1 GBit Ethernet LAN (one port supported using VMWARE) and 6-Port SATA controller onboard (4 ports are used by SATA HDDs); 4 drive bays for hot plug 2.5" SATA HDs, SAS HDs or SATA SSDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1385-V401	510,00	



PRIMERGY RX300 S6

The PRIMERGY RX300 S6 is a 2 U rack server which has been optimized for virtualization purposes. It provides high, scalable I/O performance, extensive memory options, support for major hypervisor products and top performance with latest CPU technology. More precisely: 7xPCIe Gen2 prevent I/O bottlenecks, up to 384 GB of memory allow for optimal sizing of virtual environments and latest Intel® Xeon® 5600 series CPUs deliver best-in class performance. With its Cool-safe design elements like optimized cooling of the system and highly efficient power supplies the PRIMERGY RX300 S6 is the right system to face Green IT challenges. This 2U powerhouse is also an excellent choice processes.

Model	Description	Details	Product Code	EUP (€)	Comments
Standard products					
PRIMERGY RX300 S6					
	PY RX300S6 8X2.5 /2xXEON E5620/	PY RX300S6 8X2.5 /2xXEON E5620/ 6x2 GB RG S/DVD-RW SM SLIM/2xHD 300GB/ BBU UPGR. FSC RAID/RAID 6G 5/6 512MB/ RMK-F1_DL_CMA/CABLE MGMT PCR2/	SAG:NSN-R300L4-60R	4.285,00	New product
	PY RX300S6 8X2.5 /XEON E5620/4 GB/	PY RX300S6 8X2.5 /XEON E5620/4 GB/ DVD-RW SM SLIM/2xHD 300GB/ RAID 6G 5/6 512MB/RMK-F1_DL_CMA/ CABLE MGMT PCR2/PSU 800W GOLD HP/	SAG:NSN-R300M1-60R	3.255,00	New product
	PY RX300S6 8X2.5 /XEON E5620/4 GB/	PY RX300S6 8X2.5 /XEON E5620/4 GB/ DVD-RW SM SLIM/6xHD 300GB/U320/ RAID 6G 5/6 512MB/RMK-F1_DL_CMA/ CABLE MGMT PCR2/PSU 800W GOLD HP/	SAG:NSN-R300M2-60R	4.430,00	New product
Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 18 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 6 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack					
	PY RX300S6 6X3.5 /XEON E5640/3x4 GB/ (Promo)	PY RX300S6 6X3.5 /XEON E5640/3x4 GB/ DVD-RW SM SLIM/RAID 6G 5/6 512MB/ RMK-F1_1-2U SERVER/CABLE A.3RDPART/ ,	LKN:R3006S0002IT		Phased out
	PY RX300S6 6X3.5 /XEON E5645/ (Promo)	PY RX300S6 6X3.5 /XEON E5645/ 3x2 GB RG S/DVD-RW SM SLIM/ RAID 6G 5/6 512MB/CABLE MGMT PCR2/ RMK-F1_1-2U SERVER/	LKN:R3006S0007IT		Phased out
	PY RX300S6 6X3.5 /XEON E5649/3x4 GB/ (Promo)	PY RX300S6 6X3.5 /XEON E5649/3x4 GB/ DVD-RW SM SLIM/RAID 6G 5/6 512MB/ CABLE MGMT PCR2/RMK-F1_1-2U SERVER/ ,	LKN:R3006S0008IT		Phased out
Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 18 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 8 drive bays for hot plug 2.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.					
	PY RX300S6 8X2.5 /XEON E5640/3x4 GB/ (Promo)	PY RX300S6 8X2.5 /XEON E5640/3x4 GB/ DVD-RW SM SLIM/RAID 6G 5/6 512MB/ RMK-F1_1-2U SERVER/CABLE A.3RDPART/ ,	LKN:R3006S0003IT		Phased out
	PY RX300S6 8X2.5 /XEON E5645/ (Promo)	PY RX300S6 8X2.5 /XEON E5645/ 3x2 GB RG S/DVD-RW SM SLIM/ RAID 6G 5/6 512MB/CABLE MGMT PCR2/ RMK-F1_1-2U SERVER/	LKN:R3006S0009IT		Phased out
	PY RX300S6 8X2.5 /XEON E5649/3x4 GB/ (Promo)	PY RX300S6 8X2.5 /XEON E5649/3x4 GB/ DVD-RW SM SLIM/RAID 6G 5/6 512MB/ CABLE MGMT PCR2/RMK-F1_1-2U SERVER/ ,	LKN:R3006S0010IT		Phased out



PRIMERGY RX300 S6

Model	Description	Details	Product Code	EUP (€)	Comments
-------	-------------	---------	--------------	---------	----------

Standard products

PRIMERGY RX300 S6 (Continued)

Model	Description	Details	Product Code	EUP (€)	Comments
-------	-------------	---------	--------------	---------	----------

Base unit configurations

PRIMERGY RX300 S6

PY RX300S6 6x3.5 gold PSU	Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 18 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 6 drive bays for hot plug 3.5" SAS/SATA HDs; ServerView Suite Software Pack	S26361-K1344-V101	1.425,00	
PY RX300S6 8x2.5 gold PSU	Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 18 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 8 drive bays for hot plug 2.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1344-V201	1.425,00	
PY RX300S6 12x2.5 gold PSU	Rack based server 19" (2U), BU without processor and RAM, incl. 1 hot plug power supply module, 5 hot plug fans redundant; RMK optional; dual systemboard for Xeon DP processor and 18 slots for unbuffered or registered DDR3 ECC RAM as Standard- or Low Voltage; iRMC 2 onboard server management incl. graphics controller and 10/100MBit Service LAN port, 2 GBit Ethernet LAN onboard, Modular 8-Port RAID Controller optional; 12 drive bays for hot plug 2.5" SAS/SATA HDs; ServerView Suite Software Pack incl. ServerStart, ServerBooks, management software and updates.	S26361-K1344-V301	1.475,00	



PRIMECENTER M1

The trend to consolidation as a result of virtualization and optimization require environments that are more flexible and reliable. Decades of data center experience at Fujitsu result in the latest 19-inch Rack Family. The new Fujitsu PRIMECENTER racks are the foundation for meeting IT data center requirements. The PRIMECENTER Racks are the basis for building perfect data center infrastructures. The PRIMECENTER 19-inch Racks can be used to install Fujitsu solutions as well as third-party products. They meet all requirements for flexibility thanks to the multiple configuration options, cooling and maintenance features. In addition a broad portfolio of optional rack accessories complete the efficient rack infrastructure solutions.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMECENTER M1 Rack					
	PRIMECENTER M1 Rack 724S 24U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 724 S /24U),, Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x1203mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left and right with 1x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. For tilting security an additional tilting protection is required.	S26361-K827-V220	1.805,00	
	PRIMECENTER M1 Rack 742S 42U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 742 S /42U),, Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x2003mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left and right with 2x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries top (option: brush panels), down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V240	2.055,00	
	PRIMECENTER M1 Rack 616S 16U-1050x600	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 616 S /16U),, Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 600x1050x847mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V310	1.645,00	
Base unit configurations					
PRIMECENTER M1 Rack					
Model	Description	Details	Product Code	EUP (€)	Comments



PRIMECENTER M1

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMECENTER M1 Rack (Continued)					
	PRIMECENTER M1 Rack 724S 24U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 724 S /24U),, Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x1203mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left and right with 1x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. For tilting security an additional tilting protection is required.	S26361-K827-V220	1.805,00	
	PRIMECENTER M1 Rack 742S 42U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 742 S /42U),, Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x2003mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left and right with 2x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries top (option: brush panels), down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V240	2.055,00	
	PRIMECENTER M1 Rack 616S 16U-1050x600	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 616 S /16U),, Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 600x1050x847mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V310	1.645,00	
	PRIMECENTER M1 Rack 624S 24U-1050x600	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 624 S /24U),, Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 600x1050x1203mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation., For tilting security an additional tilting protection is required.	S26361-K827-V320	1.745,00	



PRIMECENTER M1

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMECENTER M1 Rack (Continued)					
	PRIMECENTER M1 Rack 642S 42U-1050x600	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 642 S /42U), Symmetrical large basic cabinet with 740mm post distance. , WxDxH = 600x1050x2003mm. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V340	1.995,00	
	PRIMECENTER M1 Rack 724A 24U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 724 A /24U), Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x1203mm. Shifted post for patented sideways cable management. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left with 4x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. , For tilting security an additional tilting protection is required.	S26361-K827-V120	1.805,00	
	PRIMECENTER M1 Rack 742A 42U-1050x700	19-inch Fujitsu PRIMECENTER M1 Rack (PCR M1 742 A /42U), Asymmetrical large basic cabinet with 740mm post distance. , WxDxH = 700x1050x2003mm. Shifted post for patented sideways cable management. With top cover, front door, twin rear door and side panels. Doors and side panels with same locks. Protection class IP20. Up to 200 different key cylinders. Doors with honey combs and up to 80% holes for horizontal self-ventilation of mounted systems. Cabling space front 80-100mm, rear up to 180mm., Mounting frame left with 6x1U vertical slots for e.g. 1U switches (max. 250mm/300mm incl. cabling deep; max. 3,5 kg) or for front-rear cabling; cable entries down and in rear right door (option: brush panel); inkl. packaging, shock-proof pallet and accessory pack (mounting material, documentation. For tilting security an additional tilting protection is required.	S26361-K827-V140	2.055,00	



Rack Servers Accessories

Category	Description	Details	PRIMERGY FX100 S2	PRIMERGY FX100 S3	PRIMERGY FX100 S4	PRIMERGY FX100 S5	PRIMERGY FX100 S6	PRIMERGY FX100 S7	PRIMERGY FX100 S7 P	PRIMERGY FX200	PRIMERGY FX200 S2	PRIMERGY FX200 S4	PRIMERGY FX200 S6	PRIMERGY FX200 S7	PRIMERGY FX200 S8	PRIMERGY FX200 S9	PRIMERGY FX200 S10	PRIMERGY FX200 S11	PRIMERGY FX200 S12	PRIMERGY FX200 S13	Product Code	EU(€)	Comments					
Processors (Continued)																												
Intel Xeon X5650	6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, T.LC: 12 MB, Turbo: 2/2/2/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																				S26361-F4417-L266	1,080.00					
Intel Xeon X5660	6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, T.LC: 12 MB, Turbo: 2/2/2/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																					S26361-F4417-L280	1,300.00				
Intel Xeon E5620	4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, T.LC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																					S26361-F4419-L240	470.00				
Intel Xeon E5640	4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, T.LC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																					S26361-F4419-L266	905.00				
Intel Xeon L5630	4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, T.LC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink																					S26361-F4421-L213	665.00				
Intel Xeon L5640	4C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, T.LC: 12 MB, Turbo: 2/2/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink																					S26361-F4421-L240	1,135.00				
CPU MEMORY Riser Board		CPU Memory Riser Board for 1 processor and 16 DIMM modules DDR3																				x	S26361-F4470-L100	2,495.00	Phased out			
Intel Xeon X7550	8C/16T 2.00 GHz 18 MB	Intel® Xeon® processor X7550 (8C/16T, 2.00 GHz, SLC: -, T.LC: 18 MB, Turbo: 1/2/3/3, 6.4 GT/s, 130 W) without heat sink																					x	S26361-F4471-L550	4,750.00	Phased out		
Intel Xeon E7-8837	8C/8T 2.67 GHz 24 MB	Intel® Xeon® processor E7-8837 (8C/8T, 2.67 GHz, SLC: -, T.LC: 24 MB, Turbo: 0/1/1/1, 6.4 GT/s, 130 W) incl. heat sink																					x	S26361-F4471-L837	2,575.00			
Intel Xeon E7-8830	8C/16T 2.13 GHz 24 MB	Intel® Xeon® processor E7-8830 (8C/16T, 2.13 GHz, SLC: -, T.LC: 24 MB, Turbo: 0/1/1/2, 6.4 GT/s, 105 W) incl. heat sink																					x	S26361-F4471-L833	2,725.00			
Intel Xeon E7-8850	10C/20T 2.00 GHz 24 MB	Intel® Xeon® processor E7-8850 (10C/20T, 2.00 GHz, SLC: -, T.LC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink																					x	S26361-F4471-L885	3,690.00			
Intel Xeon E7-8860	10C/20T 2.26 GHz 24 MB	Intel® Xeon® processor E7-8860 (10C/20T, 2.26 GHz, SLC: -, T.LC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink																					x	S26361-F4471-L886	4,885.00			
Intel Xeon E7-8870	10C/20T 2.40 GHz 30 MB	Intel® Xeon® processor E7-8870 (10C/20T, 2.40 GHz, SLC: -, T.LC: 30 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink																					x	S26361-F4471-L887	5,560.00			
Intel Xeon E5506	4C/4T 2.13 GHz 4 MB	Intel® Xeon® processor E5506 (4C/4T, 2.13 GHz, SLC: -, T.LC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																						S26361-F4479-L213	425.00	Phased out		
Intel Xeon E5603	4C/4T 1.80 GHz 4 MB	Intel® Xeon® processor E5603 (4C/4T, 1.80 GHz, SLC: -, T.LC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																						S26361-F4483-L160	255.00			
Intel Xeon E5606	4C/4T 2.13 GHz 8 MB	Intel® Xeon® processor E5606 (4C/4T, 2.13 GHz, SLC: -, T.LC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																						S26361-F4484-L213	280.00			
Intel Xeon E5645	6C/12T 2.40 GHz 12 MB	Intel® Xeon® processor E5645 (6C/12T, 2.40 GHz, SLC: -, T.LC: 12 MB, Turbo: 1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink																						S26361-F4485-L240	625.00			
Intel Xeon E5649	6C/12T 2.53 GHz 12 MB	Intel® Xeon® processor E5649 (6C/12T, 2.53 GHz, SLC: -, T.LC: 12 MB, Turbo: 1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink																						S26361-F4486-L253	880.00			
Intel Xeon X5675	6C/12T 3.06 GHz 12 MB	Intel® Xeon® processor X5675 (6C/12T, 3.06 GHz, SLC: -, T.LC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																						S26361-F4487-L306	1,500.00			
Intel Xeon X5690	6C/12T 3.40 GHz 12 MB	Intel® Xeon® processor X5690 (6C/12T, 3.40 GHz, SLC: -, T.LC: 12 MB, Turbo: 1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																						S26361-F4488-L346	1,805.00			
Intel Xeon X5647	4C/8T 2.93 GHz 12 MB	Intel® Xeon® processor X5647 (4C/8T, 2.93 GHz, SLC: -, T.LC: 12 MB, Turbo: 1/1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 130 W) incl. heat sink																						S26361-F4489-L293	885.00			
Intel Xeon X5687	4C/8T 3.60 GHz 12 MB	Intel® Xeon® processor X5687 (4C/8T, 3.60 GHz, SLC: -, T.LC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																						S26361-F4490-L360	1,805.00			
CPU MEMORY Riser Board RX800 S2		CPU Memory Riser Board for 1 processor and 16 DIMM modules DDR3																					x	S26361-F4524-L100	1,995.00			
Memory																												
MEM 1GB DDR2-533 PC2-4200 ub ECC 1 mod		1 module, unbuffered DDR2-533																						S26361-F3000-L514	85.00	Phased out		
MEM 2GB DDR2-533 PC2-4200 ub ECC 1 mod		1 module, unbuffered DDR2-533																						S26361-F3000-L515	165.00	Phased out		
MEM 4GB DDR2-400 PC2-3200 m ECC		2 modules, registered DDR2 400MHz																						S26361-F3072-L523	500.00	Phased out		
Memory Board RX800 S4		Memory board with 8 DIMM Slots each																						S26361-F3125-L440	300.00	Phased out		
MEM 8GB 2x4GB FBDB67 PC2-5300F d ECC		2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																						S26361-F3230-L524	570.00	Phased out		
1 GB DDR3 1333 MHz PC3-10600 ub s ECC		1 GB (1 module(s) 1 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM																							S26361-F3335-L513	35.00		
2 GB DDR3 1333 MHz PC3-10600 ub s/d ECC		2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM																							S26361-F3335-L514	40.00		
4 GB DDR3 1333 MHz PC3-10600 ub d ECC		4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM																							S26361-F3335-L515	60.00		
2 GB DDR3 1333 MHz PC3-10600 ub s ECC		2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM																							S26361-F3335-L524	40.00		
4 GB DDR3 1333 MHz PC3-10600 ub d ECC		4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM																							S26361-F3335-L525	60.00		
8 GB DDR3 1333 MHz PC3-10600 ub d ECC		8 GB (1 module(s) 8 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM																							S26361-F3335-L526	320.00		
1GB DDR2-800 PC2-6400 ub d ECC 1 MODUL		1 modul, unbuffered DDR2 800MHz																							S26361-F3870-L514	65.00	Phased out	
2GB DDR2-800 PC2-6400 ub d ECC 1 MODUL		1 modul, unbuffered DDR2 800MHz																							S26361-F3870-L515	105.00	Phased out	
Memory Board RX800 S5		Memory board for up to two sets of DDR3 memory (with 4 DIMMs each)																							S26361-F3990-L100	300.00	Phased out	
Memory Board RX800 S6		Memory board for up to two sets of DDR3 LV memory (with 4 DIMMs each)																							S26361-F3990-L600	240.00		
16GB (4x4) DDR3 1333 MHz PC3-10600 rg d		16 GB (4 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM																						x	S26361-F4472-L644	340.00		
32GB (4x8) DDR3 1333 MHz PC3-10600 rg d		32 GB (4 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM																							x	S26361-F4472-L645	580.00	
64GB (4x16) DDR3 1066 MHz PC3-8500 rg q		64 GB (4 module(s) 16 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM																							x	S26361-F4472-L646	1,640.00	
16GB 4x4 DDR3 LV 1333 MHz PC3-10600 rg s		16 GB (4 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM																							x	S26361-F4523-L942	340.00	
32GB 4x8 DDR3 LV 1333 MHz PC3-10600 rg d		32 GB (4 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM																							x	S26361-F4523-L943	580.00	
64GB 4x16 DDR3 LV 1066 MHz PC3-8500 rg q		64 GB (4 module(s) 16 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM																							x	S26361-F4523-L945	1,640.00	
4GB 2xGB FBDB67 PC2-5300F d ECC		2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																								S26361-F3263-L523	390.00	Phased out
4GB 2xGB FBDB67 PC2-5300F d ECC		2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																								S26361-F3263-L523	390.00	Phased out
8GB 2x4GB FBDB67 PC2-5300F d ECC		2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																								S26361-F3263-L624	570.00	Phased out
4 GB DDR3 1333 MHz PC3-10600 rg d ECC		4 GB (1 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																								S26361-F3336-L515	85.00	
16GB 2x8GB FBDB67 PC2-5300F d ECC		2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																								S26361-F3263-L625	2,175.00	Phased out
8GB 2x4GB FBDB67 PC2-5300F d ECC		2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																								S26361-F3263-L624	570.00	Phased out
8 GB DDR3 1066 MHz PC3-8500 rg q ECC		8 GB (1 module(s) 8 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM																								S26361-F3336-L516	145.00	



Rack Servers Accessories

Category	Description	Details	PRIMERGY F1100 S2	PRIMERGY F1100 S3	PRIMERGY F1100 S4	PRIMERGY F1100 S5	PRIMERGY F1100 S6	PRIMERGY F1100 S7 P	PRIMERGY F1200	PRIMERGY F1200 S2	PRIMERGY F1200 S4	PRIMERGY F1200 S6	PRIMERGY F1200 S7	PRIMERGY F1200 S9	PRIMERGY F1200 S1	PRIMERGY F1200 S2	PRIMERGY F1200 S3	PRIMERGY F1200 S4	PRIMERGY F1200 S5	PRIMERGY F1200 S6	PRIMERGY F1200 S7	PRIMERGY F1200 S8	PRIMERGY F1200 S9	Product Code	EU Price (€)	Comments					
Memory (Continued)																															
	8GB (4x2) DDR3 1333 MHz PC3-10600 rg d	8 GB (4 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																								S26361-F4003-L643	320,00				
	16GB (4x4) DDR3 1333 MHz PC3-10600 rg s	16 GB (4 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																									S26361-F4003-L642	340,00			
	16GB (4x4) DDR3 1333 MHz PC3-10600 rg d	16 GB (4 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																									S26361-F4003-L644	825,00	Phased out		
	32GB (4x8) DDR3 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																									S26361-F4003-L645	580,00			
	64GB (4x16) DDR3 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM																									S26361-F4003-L646	1.640,00			
Graphics																															
	Front-VGA interface	2nd optional VGA interface front side																									S26361-F2571-L16	20,00			
	PY VGA Card 512MB PCIe x1	NVIDIA NVS 300 512MB PCIe-x1 graphic card, low profile																									S26361-F2748-L537	135,00			
	PY VGA Card 512MB PCIe x1	NVIDIA NVS 300 512MB PCIe-x1 graphic card, low profile																										S26361-F2748-L637	135,00		
Removable Media Drives																															
	Blu-ray Triple Writer 1.6" SATA	Read: 8x BD-ROM, 16x DVD, 48x CD, Write: 6x BD, 16x DVD, 32x CD, BD DL, and all DVD/DL formats, 1.6" fitting height																										S26361-F3585-L2	345,00		
	DVD-RW supermulti slimline SATA	all CDDVD formats, DUAL/DL, DVD-RAM, slimline 0.5" fitting height, black bezel																										S26361-F3269-L2	85,00		
	Blu-ray Triple Writer slimline SATA	Read: 8x BD-ROM, 16x DVD, 48x CD, Write: 6x BD, 16x DVD, 32x CD, BD DL, and all CDDVD formats, slimline 0.5" fitting height																										S26361-F3641-L2	165,00		
	DVD-ROM 1.6" SATA	16x DVD, 48x CD, 1.6" fitting height, black bezel																										S26361-F3266-L2	30,00		
	DVD-RW supermulti 1.6" SATA	all CDDVD formats, DUAL/DL, DVD-RAM, 1.6" fitting height, black bezel																										S26361-F3267-L2	55,00		
	DVD-RW supermulti slimline SATA	all CDDVD formats, DUAL/DL, DVD-RAM, slimline 0.5" fitting height, anthracite																										S26361-F3269-L1	115,00	Phased out	
	RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" intern., USB 2.0 Connector, USB 19" with USB cable, 1.6" fitting height, black bezel, with description (GUS)																										S26361-F3857-L4	160,00		
	RDX Drive USB 25MB/s 3.5" internal	RDX Drive 25MB/s 3.5" intern., USB 2.0 Connector, USB 19" with USB cable, 1.6" fitting height, with description (GUS)																										S26361-F3857-L5	160,00		
	RDX Drive USB 25MB/s 3.5" internal	RDX Drive 25MB/s 3.5" intern., USB 2.0, with USB cable, 1.6" black, with tape cage 2 x 3.5", with specific USB cable																										S26361-F3857-L7	210,00		
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector, USB 19", 1.6" fitting height, with USB cable for Escort, TX150, TX200 and TX300, with description (GUS) and cleaning cartridge																											S26361-F3324-L4	500,00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector, USB 19" with USB cable kit, 1.6" fitting height, with description (GUS) and cleaning cartridge																											S26361-F3324-L5	500,00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	data transfer: 3MB/s, USB 2.0, 1.6" black, within tape cage 2 x 3.5", with specific USB cable, with description (GUS), with cleaning cartridge																											S26361-F3324-L7	550,00	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern., USB 2.0 Connector, USB 19" with USB cable, 1.6" fitting height, black bezel, with cleaning cartridge																											S26361-F3325-L4	685,00	
	Tape Kit DDS Gen6 80GB USB 3.5" intern	DDS Gen6 80GB 6MB/s 3.5" intern., USB 2.0 Connector, USB 19" with USB cable, 1.6" fitting height, black bezel, with cleaning cartridge																											S26361-F3325-L2	685,00	
	Tape Kit LTO2HH Ultr 200GB 24MB/s SAS	SAS 3GB interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge																											S26361-F4009-L4	1.280,00	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge																											S26361-F3561-L4	1.395,00	
	Tape Kit LTO4HH 800GB 120MB/s SAS V2	SAS 6GB interface, mini-SAS connector, 1.6" fitting height, with SAS cable, with cleaning cartridge																											S26361-F3626-L2	1.950,00	
	Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB interface, mini-SAS connector, 1.6" fitting height, with SAS cable, with cleaning cartridge																											S26361-F3627-L1	2.850,00	
SCSI/Raid/SAS controller																															
	SCSI Ctrl U160 1 ch internal	Adaptec 29160LP, 1x U160 SCSI																											S26361-F2737-L201	295,00	Phased out
	Raid Ctrl SAS 8 Port 256MB LSI	Raid-Chr, LSI MegaRAID SAS8344ELP, PCIe x6, 256MB Cache, 4 external ports, 4 internal ports, optional BBU, >>>redirection for external attachment of FibreCAT SX40 II, This SAS RAID controller supports SAS and SATA disks.																											S26361-F3215-L1	765,00	Phased out
	Raid Ctrl BBU Upgrade 8344ELP LSI	BBU Upgrade for LSI 8344ELP																											S26361-F3215-L10	220,00	Phased out
	Raid Ctrl SAS 8 Port 256MB LP LSI	Raid-Chr, LSI MegaRAID SAS8344ELP, PCIe x6, 256MB Cache, 4 external ports, 4 internal ports, optional BBU, >>>redirection for external attachment of FibreCAT SX40 II, This SAS RAID controller supports SAS and SATA disks.																											S26361-F3215-L201	765,00	Phased out
	Raid Contr BBU Upgrade for RAID 5/6	BBU Upgrade for Fujitsu SAS/SATA RAID Controller for RAID Chr. F3257 256MB and 512MB																											S26361-F3257-L10	235,00	Phased out
	Raid Contr BBU Upgrade for RAID 5/6	BBU Upgrade for LSI SAS 1078 and LSI SAS2108 incl. cable 16cm, 55cm, 70cm																											S26361-F3257-L110	165,00	
	Raid Contr BBU Upgrade for RAID 5/6 C	BBU Upgrade for LSI SAS 1078 and LSI SAS2108 incl. cable 16cm, 55cm, 70cm																											S26361-F3257-L210	165,00	
	4-Port SAS cable for ports 5 and 6	Upgrade kit from 4 to 6 HDs necessary for max. 6HDs																											S26361-F3257-L250	25,00	
	Raid 0/1 SAS based on LSI MegaRAID 4Port	Raid-Chr, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports																											S26361-F3257-L4	110,00	
	Raid 0/1 SAS based on LSI MegaRAID 8Port	Raid-Chr, LSI MegaRAID SAS1068, PCIe x4, 8 internal ports																											S26361-F3257-L8	135,00	
	SCSI Ctrl U1320 1ch internal PCIe	Adaptec 29320LPE, 1x U1320 SCSI																											S26361-F3270-L1	195,00	
	SCSI Ctrl U1320 1ch internal PCIe lp	Adaptec 29320LPE, 1x U1320 SCSI, low profile																											S26361-F3270-L201	195,00	
	SAS Ctrl 3GB/s 4int4ext PCIe	SAS Controller 3GB/s 8 port, LSI SAS3442E-R																											S26361-F3271-L1	210,00	
	SAS Ctrl 3GB/s 8 port PCIe FH EFI	SAS Controller 3GB/s 8 port, based on chip LSI SAS1068 full height LSI 80900																											S26361-F3271-L2	210,00	
	SAS Ctrl 3GB/s 4int4ext PCIe lp	SAS Controller 3GB/s 8 port, based on chip LSI SAS1068 Low Profile																											S26361-F3271-L201	210,00	
	Raid Ctrl SAS 6G 8Port ext 512M FH/LP LSI	Raid-Chr, LSI MegaRAID based on Controller SAS2108, PCIe x4, 512MB Cache with ECC, 8 external ports, without BBU																											S26361-F3593-L501	590,00	
	SAS Ctrl 6G 8ext PCIe FH/LP	SAS Controller 6GB/s 8 port, based on chip LSI SAS2008																											S26361-F3628-L501	260,00	
	Raid Ctrl SAS 8Port opt remote BBU LSI	optional BBU for LSI MegaRAID SAS8880E																											S26361-F3890-L11	220,00	Phased out
	Raid Ctrl SAS 8Port opt Onboard BBU LSI	optional BBU for LSI MegaRAID SAS8880E																											S26361-F3890-L12	175,00	
	Raid Ctrl SAS 8Port 512M FH/LP LSI	Raid-Chr, LSI MegaRAID SAS8880E, PCIe x4, 512MB Cache, 8 external ports, without BBU																											S26361-F3890-L501	740,00	Phased out
	Raid Upgrade Kit RX100 S6	consisting of SAS Cable and bracket																											S26361-F4414-L1	45,00	
	Raid Upgrade Kit RX100 S7	consisting of SAS Cable																											S26361-F4414-L2	50,00	
	Raid Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x6, 8 internal ports																											S26361-F3554-L8	165,00	
	Raid Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal port																											S26361-F3654-L512	385,00	
Fibre Channel																															
	FC Ctrl 4GB/s QLE2460 MMF LC	QLE2460, 4GB/s, 1 channel FC controller, PCIe x4, full height MMF LC interface. This controller is in PRIMERGY server not certified for Microsoft Cluster.																											S26361-F3483-L1	1.230,00	Phased out
	FC Ctrl 24GB/s QLE2462 MMF LC	QLE2462, 4GB/s, 2 channel FC controller, PCIe x4, full height MMF LC interface. This controller is in PRIMERGY server not certified for Microsoft Cluster.																											S26361-F3483-L2	1.895,00	Phased out
	FC Ctrl 4GB/s QLE2460 MMF LC LP	QLE2460, 4GB/s, 1 channel FC controller, PCIe x4, low profile, MMF LC interface. This controller is in PRIMERGY server not certified for Microsoft Cluster.																											S26361-F3483-L201	1.230,00	Phased out



Rack Servers Accessories

Category	Description	Details	PRIMERGY FX100 S2	PRIMERGY FX100 S3	PRIMERGY FX100 S4	PRIMERGY FX100 S5	PRIMERGY FX100 S6	PRIMERGY FX100 S7	PRIMERGY FX200	PRIMERGY FX200 S2	PRIMERGY FX200 S3	PRIMERGY FX200 S4	PRIMERGY FX200 S5	PRIMERGY FX200 S6	PRIMERGY FX200 S7	PRIMERGY FX200 S8	PRIMERGY FX200 S9	PRIMERGY FX200 S10	PRIMERGY FX200 S11	PRIMERGY FX200 S12	PRIMERGY FX200 S13	PRIMERGY FX200 S14	PRIMERGY FX200 S15	PRIMERGY FX200 S16	PRIMERGY FX200 S17	PRIMERGY FX200 S18	PRIMERGY FX200 S19	PRIMERGY FX200 S20	Product Code	EUPL (€)	Comments	
Rack Channel (Continued)																																
FC Ctrl 2x4GBits QLE2462 MMF LC LP	QLE2462, 4GBits, 2 channel FC controller, PCIe x4, low profile, MMF LC interface. This controller is in PRIMERGY's server not certified for Microsoft Cluster.									x	x	x	x																S26361-F3483-L202	1,895.00	Phased out	
FC Ctrl 8GBits 1 channel QLE2560 MMF LC	1 channel 8GBits FC controller PCIe 2.0 x 4 or PCIe x8 SFF interface for 50um Fiber																													S26361-F3631-L1	935.00	
FC Ctrl 8GBits 2 channel QLE2562 MMF LC	2 channel 8GBits FC controller PCIe 2.0 x 4 or PCIe x8 SFF interface for 50um Fiber																													S26361-F3631-L2	1,500.00	
FC Ctrl 8GBits 1 channel QLE2560 MMF LC LP	1 channel 8GBits FC controller PCIe 2.0 x 4 or PCIe x8 SFF interface for 50um Fiber																													S26361-F3631-L201	935.00	
FC Ctrl 8GBits 2 channel QLE2562 MMF LC LP	2 channel 8GBits FC controller PCIe 2.0 x 4 or PCIe x8 SFF interface for 50um Fiber																													S26361-F3631-L202	1,500.00	
FC Ctrl 4GBits LPe1150 MMF LC	LPe1150, 4GBits, 1-channel FC controller, PCIe x4, MMF LC interface																													S26361-F3306-E1	1,170.00	Phased out
FC Ctrl 2x4GBits LPe11002 MMF LC	LPe11002, 4GBits, 2-channel FC controller, PCIe x4, MMF LC interface																													S26361-F3306-L2	1,795.00	Phased out
FC Ctrl 4GBits LPe1150 MMF LC LP	LPe1150, 4GBits, 1-channel FC controller, PCIe x4, low profile, MMF LC interface																													S26361-F3306-L201	1,170.00	Phased out
FC Ctrl 2x4GBits LPe11002 MMF LC LP	LPe11002, 4GBits, 2-channel FC controller, PCIe x4, low profile, MMF LC interface																													S26361-F3306-L202	1,795.00	Phased out
FC CTRL 8GBITS LPE1250 MMF LC FH	1 channel 8GBits FC controller PCIe 2.0 x 4 or PCIe x8 SFF interface for 50um Fiber																													S26361-F3614-L1	935.00	
FC Ctrl 8GBits 2 Chan LPe12002 MMF LC	2 channel 8GBits FC controller PCIe 2.0 x 4 or PCIe x8 SFF interface for 50um Fiber																													S26361-F3614-L2	1,500.00	
FC CTRL 8GBITS LPE1250 MMF LC LP	1 channel 8GBits FC controller PCIe 2.0 x 4 or PCIe x8 Low Profile SFF interface for 50um Fiber																													S26361-F3614-L201	935.00	
FC Ctrl 8GBits 2 Chan LPe12002 MMF LC LP	2 channel 8GBits FC controller PCIe 2.0 x 4 or PCIe x8 Low Profile SFF interface for 50um Fiber																													S26361-F3614-L202	1,500.00	
Communication/Network																																
Eth Ctrl 1x1GBit PCIx2 PR01000GT Cu	Intel PRO 1000 GT desktop adapter																													S26361-F1342-L2	75.00	Phased out
Eth Ctrl 2x1GBit PCIx PR01000GT Cu Ip	Intel Pro 1000GT Dual Port Server Adapter, low profile PCI		x	x																										S26361-F3227-L202	225.00	Phased out
Eth Ctrl 2x1GBit PCIe PR01000PT Cu	Intel Pro 1000PT 2 Port Server Adapter																													S26361-F3228-L1	175.00	Phased out
Eth Ctrl 2x1GBit PCIe PR01000PT Cu Ip	Intel Pro 1000PT 2 Port Server Adapter		x	x																										S26361-F3228-L201	175.00	Phased out
Eth Ctrl 1x1GBit PCIe PR01000PT Cu	Intel® Pro 1000PT 1 Port Server Adapter																													S26361-F3241-L1	90.00	
Eth Ctrl 1x1GBit PCIe PR01000PT LC	Intel® Pro 1000PT 1 Port Server Adapter																													S26361-F3242-L1	240.00	
Eth Ctrl 1x1GBit PCIe PR01000PF LC Ip	Intel® Pro 1000PF 1 Port Server Adapter		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		S26361-F3242-L201	240.00		
Eth Ctrl 4x1GBit PCIe PR01000PT Cu	Intel Pro 1000PT Quad Port Server Adapter with full height bracket																													S26361-F3462-L1	490.00	Phased out
Eth Ctrl 4x1GBit PCIe PR01000PT Cu Ip	Intel Pro 1000PT Quad Port Server Adapter with low profile bracket		x																											S26361-F3462-L201	490.00	Phased out
Eth Ctrl 1x1GBit PCIe CT Desktop Cu	Intel® GBt CT 1 Port Desktop Adapter																													S26361-F3516-L1	45.00	
Eth Ctrl 1x1GBit PCIe CT Desktop Cu Ip	Intel® GBt CT 1 Port Desktop Adapter Ip		x	x	x																									S26361-F3516-L201	45.00	
Eth Ctrl 1x1GBit PCIe PR01000PT Cu Ip	Intel Pro 1000PT 1 Port Server Adapter		x	x	x																									S26361-F3241-L201	90.00	
FCoE Ctrl 10GBits 2 channel OCe11012 MMF	2 Channel 10GBits FCoE Controller, PCIe 2.0 x 8, SFP+ for opt module or Twinax cable																													S26361-F3592-L2	1,180.00	
Eth Ctrl 2x1GBit PCIe w/ D2735-2 Cu	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe w/ D2735-2 Cu, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit		x	x	x																									S26361-F3610-L502	155.00	
Eth Ctrl 4x1GBit PCIe w/ D2745 Cu	Ethernet Server Adapter Eth Ctrl 4x1GBit PCIe w/ D2745 Cu, Based on Intel® LAN controller chip 82576EB, Usable with original Intel® driver kit		x	x	x																									S26361-F3611-L501	375.00	
Eth Ctrl 2x10GBit PCIe w/ X520-DA2 SFP+	Intel® Ethernet Server Adapter X520-DA2 for SFP+ modules and SFP+ twinax cables		x																											S26361-F3555-L501	810.00	Phased out
Intel SFP+ Module MMF 10GBE LC	Intel Ethernet SFP+ Optics - SR, SFP+ Module Multi Mode Fiber 10GBE LC																													S26361-F3555-L900	735.00	
Eth Ctrl 2x10GBit PCIe w/ D2755 SFP+	Ethernet Server Adapter Eth Ctrl 2x10GBit PCIe w/ D2755 SFP+		x	x	x																									S26361-F3629-L502	500.00	
FCoE Ctrl 10GBits 2 channel OCe11012 MMF	2 Channel 10GBits FCoE Controller, PCIe 2.0 x 8, Low Profile, SFP+ for opt module or Twinax cable																													S26361-F3592-L202	1,180.00	
SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCe11012		x																											S26361-F3592-L108	400.00	
B HCA 40GB 1 Kanal DDR	InfiniBand HCA40GBs, 1-port, DDR																													S26361-F4475-L102	620.00	
B HCA 40GB 2 Kanal DDR	InfiniBand HCA40GBs, 2-port, DDR																													S26361-F4474-L202	850.00	
Eth Ctrl 2x1GBit PCIx PR01000MT Cu	Intel Pro 1000MT 2 Port Server Adapter		x																											S26361-F3011-L1	725.00	Phased out
Rack Infrastructure																																
RMK-F1_1-2U Server	telescopic rail, full extraction with vario-carrier, pre-assembled with centre screw, Rack installation depth (19" pillar distance) between 714mm and 785mm		x	x																										S26361-F2735-L101	220.00	Phased out
RMK-F1_RX600 S4	full extraction with vario-carrier, pre-assembled with centre screw																													S26361-F2735-L106	95.00	Phased out
Rack Mount Kit for RX600																														S26361-F2735-L109	180.00	
RMK-P_1-2U servers	telescopic rail, partial extraction with vario-carrier, pre-assembled with centre screw, Rack installation depth (19" pillar distance) between 714mm and 785mm		x	x																										S26361-F2735-L110	55.00	
RMK-F1_DL_CMA	Loose delivery Telescopic drop-in rails, full extraction with vario-carrier, pre-assembled with centre screw with cable management adapter for tool less mountable cable management arm, Rack installation depth (19" pillar distance) between 714mm and 785mm																													S26361-F2735-L140	55.00	
RMK-F1_DL_CMA_0RL			x	x																										S26361-F2735-L145	95.00	
Cable mount for 19" PC-Rack																														S26361-F4474-L202	850.00	
Rack Mount Kit/F1-C S7 LV	RMK for server max. 2U or max. 35 Kg. Drop-in-Rails with Cable Management Adapter, ... , Vario-carrier length variable 569-614mm with Quick-Release-Lever-support, ... , Adjustable mounting depth for racks until 912mm rack pillar distance (depth).																													S26361-F2735-L175	90.00	New Product/Deliverable from: 27/02/2012, Orderable from: 09/03/2012
Cable carrying plate DC-PC-racks	additional tray for side-wise routing and filing of cable bunks for DC-PC-racks																													S26361-F2735-L20	50.00	Phased out
RMK-F2_3-xU Servers_13mm-Drop-in Rails	Telescopic full extract. drop-in mount. vario-carrier for toolless mounting, max. load 50 kg., Rack installation depth (19" pillar distance) between 714mm and 785mm																													S26361-F2735-L202	65.00	
RMK-F2_DL_0RL (new)	Telescopic rails full extraction, drop-in mount, vario-carrier for tool less mounting with quick release lever for rack pillars with square holes (9.5mm) or round holes (7.1mm), max. load 50kg., Rack installation depth (19" pillar distance) between 714mm and 785mm																													S26361-F2735-L245	115.00	Phased out
Adapter angle PC-DC-Rack, 3U till 200Kg	Adapter angle PC-DC-Rack, 3U till 200Kg																													S26361-F2735-L31	30.00	
Clamp nut set, M6, h=2.5mm	Clamp nut set, M6, h=2.5mm		x	x																										S26361-F2735-L500	50.00	
Cable mgmt. lateral for asym. PC racks	Cable management for																															



Rack Servers Accessories

Category	Description	Details	PRIMERGY FX100 S2	PRIMERGY FX100 S3	PRIMERGY FX100 S4	PRIMERGY FX100 S5	PRIMERGY FX100 S6	PRIMERGY FX100 S7P	PRIMERGY FX200 S2	PRIMERGY FX200 S3	PRIMERGY FX200 S4	PRIMERGY FX200 S5	PRIMERGY FX200 S6	PRIMERGY FX200 S7	PRIMERGY FX200 S8	PRIMERGY FX300 S2	PRIMERGY FX300 S3	PRIMERGY FX300 S4	PRIMERGY FX300 S5	PRIMERGY FX300 S6	PRIMERGY FX300 S7	PRIMERGY FX300 S8	PRIMERGY FX300 S9	PRIMERGY FX300 S10	PRIMERGY FX300 S11	PRIMERGY FX300 S12	PRIMERGY FX300 S13	PRIMERGY FX300 S14	PRIMERGY FX300 S15	PRIMERGY FX300 S16	PRIMERGY FX300 S17	PRIMERGY FX300 S18	PRIMERGY FX300 S19	PRIMERGY FX300 S20	Product Code	EU(€)	Comments						
Media (Continued)	VAA cleaning label	Label for VAA cleaning cartridge																																	D-CL-VAA2-LAB	2,00							
	VAA cleaning cartridge	VAA cleaning cartridge																																		D-CL-VAA2-X01	33,00						
	VAA cleaning cartridge with label	VAA cleaning cartridge																																		D-CL-VAA2-X01L	33,00						
	DAT160 data cartridge no label	DAT160 data cartridge without label																																		D-CR-DAT160-MX-01	21,00						
	DAT72 data cartridge no label	DAT72 data cartridge without label																																		D-CR-DAT72-MX-01	14,00						
	LTO2 data cartridge Fuji no label	LTO2 data cartridge without label from Fuji, 200 GB native capacity																																			D-CR-FJ-LTO2-01	21,00					
	LTO2 data cartridge Fuji with label	LTO2 data cartridge with label from Fuji, 200 GB native capacity																																			D-CR-FJ-LTO2-01L	21,00					
	LTO3 data cartridge Fuji no label	LTO3 data cartridge without label from Fuji, 400 GB native capacity																																			D-CR-FJ-LTO3-01	21,00					
	LTO3 data cartridge Fuji with label	LTO3 data cartridge with label from Fuji, 400 GB native capacity																																			D-CR-FJ-LTO3-01L	21,00					
	LTO4 data cartridge Fuji no label	LTO4 data cartridge without label from Fuji, 800 GB native capacity																																			D-CR-FJ-LTO4-01	23,00					
	LTO4 data cartridge Fuji with label	LTO4 data cartridge with label from Fuji, 800 GB native capacity																																			D-CR-FJ-LTO4-01L	23,00					
	LTO5 data cartridge Fuji no label	LTO5 data cartridge without label from Fuji, 1500 GB native capacity																																			D-CR-FJ-LTO5-01	49,00					
	LTO5 data cartridge Fuji with label	LTO5 data cartridge with label from Fuji, 1500 GB native capacity																																			D-CR-FJ-LTO5-01L	54,00					
	LTO2 data cartridge IBM no label	LTO2 data cartridge without label from IBM, 200 GB native capacity																																			D-CR-LTO2-IB-01	32,00					
	LTO2 data cartridge IBM with label	LTO2 data cartridge with label from IBM, 200 GB native capacity																																			D-CR-LTO2-IB-01L	32,00					
	LTO2 data cartridge Maxell no label	LTO2 data cartridge without label from Maxell, 200 GB native capacity																																			D-CR-LTO2-MX-01	22,00					
	LTO2 data cartridge Maxell with label	LTO2 data cartridge with label from Maxell, 200 GB native capacity																																			D-CR-LTO2-MX-01L	23,00					
	VAA barcode label	Label for VAA data cartridge																																			D-CR-VAA2-LAB	2,00					
	VAA-2/320 data carrt 40/80GB	data capacity in VAA2 mode: 40 GB, data capacity in VAA320 mode: 80 GB																																				D-CR-VAA2-X10-01	37,00				
	VAA-2/320 data carrt 40/80GB with label	data capacity in VAA2 mode: 40 GB, data capacity in VAA320 mode: 80 GB																																				D-CR-VAA2-X10-01L	38,00				
	VAA-2/320 data carrt 80/160GB	data capacity in VAA2 mode: 80 GB, data capacity in VAA320 mode: 160 GB																																				D-CR-VAA2-X23-01	68,00				
	VAA-2/320 data carrt 80/160GB with label	data capacity in VAA2 mode: 80 GB, data capacity in VAA320 mode: 160 GB																																				D-CR-VAA2-X23-01L	69,00				
	RDX Cartridge 160/320GB	RDX Cartridge 160GB uncompressed / 320GB compressed																																				S26361-F3857-L160	160,00				
	RDX Cartridge Pack 10x 160/320GB	Package 10x RDX Cartridge 160GB uncompressed / 320GB compressed																																				S26361-F3857-L169	1.000,00				
	RDX Cartridge 320/640GB	RDX Cartridge 320GB uncompressed / 640GB compressed																																				S26361-F3857-L320	160,00				
	RDX Cartridge Pack 10x 320/640GB	Package 10x RDX Cartridge 320GB uncompressed / 640GB compressed																																					S26361-F3857-L329	1.520,00			
	LTO3 data cartridge IBM no label	LTO3 data cartridge without label from IBM, 400 GB native capacity																																				D-CR-LTO3-IB-01	25,00				
	LTO4 data cartridge IBM no label	LTO4 data cartridge without label from IBM, 800 GB native capacity																																				D-CR-LTO4-IB-01	25,00				
	LTO3 data cartridge IBM with label	LTO3 data cartridge with label from IBM, 400 GB native capacity																																					D-CR-LTO3-IB-01L	26,00			
	LTO4 data cartridge IBM with label	LTO4 data cartridge with label from IBM, 800 GB native capacity																																					D-CR-LTO4-IB-01L	26,00			
	LTO cleaning label horizontal	label for LTO cleaning cartridges																																				D-CL-LTO-LAB	2,00				
	LTO3 barcode label horizontal	label for LTO-3 data cartridges																																				D-CR-LTO3-LAB	2,00				
	LTO4 barcode label horizontal	label for LTO-4 data cartridges																																				D-CR-LTO4-LAB	2,00				
	LTO5 barcode label horizontal	label for LTO-5 data cartridges																																				D-CR-LTO5-LAB	2,00				
	RDX Cartridge 500GB/1000GB	RDX Cartridge 500GB uncompressed / 1000GB compressed																																					S26361-F3857-L500	205,00			
	RDX Cartridge 1TB	RDX Cartridge 1TB uncompressed / 2TB compressed																																					S26361-F3857-L600	300,00			
Cables	Cable powercord (IND), 1.8m, black	black, 1.8m, suitable for India, 3 wire with Euro socket connector																																					T26139-V1752-L10	10,00			
	Cable powercord rack, 4m																																						T26139-V1968-L10	16,00			
Additional Software	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer, Data medium CD-ROM Activation of file encryption, "nrgpio module" to openFT V8 and V8.1	x	x	x																																		U11081-C157	15,00			
	OPENFT-FTAM2 (WINDOWS) V8.0	openFT - openFileTransfer, Right to Use for usage in automated unattended mode, fir 1 system with 1 to 4 CPUs	x	x	x																																			U11081-C171	1.125,00		
	OPENFT-FTAM2-U (WINDOWS) V8.0	openFT - FTAM Update Right to Use for usage in automated unattended mode, fir 1 system with 1 to 4 CPUs	x	x	x																																			U11081-C177	562,00		
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer, Data medium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 /ME	x	x	x																																			U11081-C183	30,00		
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer, Right to Use for usage in automated unattended mode, fir 1 system with 1 to 4 CPUs	x	x	x																																			U11081-C186	1.125,00		
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer, Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs	x	x	x																																			U11081-C192	451,00		
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module to openFT V10.0; Attention export restrictions	x	x	x																																				U11081-C199	15,00	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0	x	x	x																																			U11081-C201	30,00		
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	x																																				U11081-C202	1.225,00	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x	x																																				U11081-C203	1.994,00	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x	x																																				U11081-C204	3.988,00	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	x																																				U11081-C207	710,00	
	OPENFT-FTAM1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x	x																																				U11081-C212	1.225,00	
	OPENFT-FTAM2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode																																									



Rack Servers Accessories

Category	Description	Details	PRIMERGY FX100	PRIMERGY FX100 S2	PRIMERGY FX100 S3	PRIMERGY FX100 S4	PRIMERGY FX100 S5	PRIMERGY FX100 S6	PRIMERGY FX100 S7	PRIMERGY FX100 S7P	PRIMERGY FX200	PRIMERGY FX200 S2	PRIMERGY FX200 S3	PRIMERGY FX200 S4	PRIMERGY FX200 S5	PRIMERGY FX200 S6	PRIMERGY FX200 S7	PRIMERGY FX200	PRIMERGY FX300	PRIMERGY FX300 S2	PRIMERGY FX300 S3	PRIMERGY FX300 S4	PRIMERGY FX300 S5	PRIMERGY FX300 S6	PRIMERGY FX300 S7	PRIMERGY FX300 S8	PRIMERGY FX300 S9	PRIMERGY FX300 S10	PRIMERGY FX300 S11	PRIMERGY FX300 S12	PRIMERGY FX300 S13	PRIMERGY FX300 S14	PRIMERGY FX300 S15	PRIMERGY FX300 S16	PRIMERGY FX300 S17	PRIMERGY FX300 S18	PRIMERGY FX300 S19	PRIMERGY FX300 S20	Product Code	EUPI (€)	Comments
Additional Software (Continued)	OPENFT-CR (WINDOWS) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, Abertion export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U11081-C299	15,00	
	OPENFT-1 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C501	1.225,00	
	OPENFT-FTAM1 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C513	1.225,00	
	OPENFT-FTP-1 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system with 1 to 4 CPUs	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C525	500,00	
	OPENFT-2 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x						x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C502	1.994,00	
	OPENFT-FTAM2 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x						x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C514	1.994,00	
	OPENFT-FTP-2 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 8 CPU	x	x	x						x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C526	814,00	
	OPENFT-3 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x						x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C503	3.988,00	
	OPENFT-FTAM3 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x						x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C515	3.988,00	
	OPENFT-FTP-3 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 24 CPU	x	x	x						x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C527	1.628,00	
	OPENFT-4 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x	x						x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C504	4.618,00	
	OPENFT-FTAM4 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x	x						x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C516	4.618,00	
	OPENFT-FTP-4 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 32 CPU	x	x	x						x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C528	1.885,00	
	OPENFT-5 (UNIX systems) V11.0	License openFT (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x	x						x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C505	5.982,00	
	OPENFT-FTAM5 (UNIX systems) V11.0	License openFT-FTAM (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x	x						x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C517	5.982,00	
	OPENFT-FTP-5 (UNIX systems) V11.0	License openFT-FTP (UNIX systems) V11.0; for using in automated, unattended mode; system extendable up to 64 CPU	x	x	x						x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C529	2.442,00	
	OPENFT-SW-CD (UNIX systems) V11.0	Medium for UNIX systems, CD-ROM openFT-SW V11.0	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C500	36,00	
	OPENFT-CR (UNIX systems) V11.0	CD-ROM openFT-CR V11.0, Cryptographic module, for openFT V11.0, Abertion export restrictions	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U10987-C499	15,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
Processor												
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink			x					S26361-F3277-E200	275,00	
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink		x						S26361-F3286-E200	275,00	
	Intel Core i3-2100 2C/4T 3.10 GHz 3 MB	Intel® Core™ i3-2100 processor (2C/4T, 3.10 GHz, TLC: 3 MB, Turbo: No, 1333 MHz, 65 W) without heat sink	x							S26361-F3579-E210	190,00	
	Intel Celeron G530T 2C/2T 2.00 GHz 2 MB	Intel Celeron processor G530T (2C/2T, 2.00 GHz, TLC: 2 MB, Turbo: No, 1066 MHz, 35 W) without heat sink	x							S26361-F3579-E252	75,00	
	Intel Pentium G620 2C/2T 2.60 GHz 3 MB	Intel® Pentium® processor G620 (2C/2T, 2.60 GHz, TLC: 3 MB, Turbo: No, 1066 MHz, 65 W) without heat sink	x							S26361-F3579-E262	125,00	
	Intel Xeon E3-1220L 2C/4T 2.20 GHz 3 MB	Intel® Xeon® processor E3-1220L (2C/4T, 2.20 GHz, TLC: 3 MB, Turbo: 3.40 GHz, 1333 MHz, 20 W) without heat sink	x							S26361-F3579-E312	325,00	
	Intel Xeon E3-1260L 4C/8T 2.40 GHz 8 MB	Intel® Xeon® processor E3-1260L (4C/8T, 2.40 GHz, TLC: 8 MB, Turbo: 3.30 GHz, 1333 MHz, 45 W) without heat sink	x							S26361-F3579-E316	475,00	
	Intel Xeon E3-1220 4C/4T 3.10 GHz 8 MB	Intel® Xeon® processor E3-1220 (4C/4T, 3.10 GHz, TLC: 8 MB, Turbo: 3.40 GHz, 1333 MHz, 80 W) without heat sink	x							S26361-F3579-E322	330,00	
	Intel Xeon E3-1230 4C/8T 3.20 GHz 8 MB	Intel® Xeon® processor E3-1230 (4C/8T, 3.20 GHz, TLC: 8 MB, Turbo: 3.60 GHz, 1333 MHz, 80 W) without heat sink	x							S26361-F3579-E323	365,00	
	Intel Xeon E3-1240 4C/8T 3.30 GHz 8 MB	Intel® Xeon® processor E3-1240 (4C/8T, 3.30 GHz, TLC: 8 MB, Turbo: 3.70 GHz, 1333 MHz, 80 W) without heat sink	x							S26361-F3579-E324	405,00	
	Intel Xeon E3-1270 4C/8T 3.40 GHz 8 MB	Intel® Xeon® processor E3-1270 (4C/8T, 3.40 GHz, TLC: 8 MB, Turbo: 3.80 GHz, 1333 MHz, 80 W) without heat sink	x							S26361-F3579-E327	525,00	
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			x					S26361-F3618-E240	470,00	
	Intel Xeon E5630 4C/8T 2.53 GHz 12 MB	Intel® Xeon® processor E5630 (4C/8T, 2.53 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			x					S26361-F3618-E253	960,00	Phased out
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			x					S26361-F3618-E266	905,00	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink			x					S26361-F3619-E266	1.080,00	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink			x					S26361-F3619-E280	1.300,00	
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel® Xeon® processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink			x					S26361-F3619-E306	1.500,00	
	Intel Xeon X5690 6C/12T 3.46 GHz 12 MB	Intel® Xeon® processor X5690 (6C/12T, 3.46 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink			x					S26361-F3619-E346	1.805,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
Processor (Continued)												
	Intel Xeon X5647 4C/8T 2.93 GHz 12 MB	Intel® Xeon® processor X5647 (4C/8T, 2.93 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 130 W) incl. heat sink			x					S26361-F3620-E293	885,00	
	Intel Xeon X5687 4C/8T 3.60 GHz 12 MB	Intel® Xeon® processor X5687 (4C/8T, 3.60 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink			x					S26361-F3620-E360	1.805,00	
	Intel Xeon L5609 4C/4T 1.86 GHz 12 MB	Intel® Xeon® processor L5609 (4C/4T, 1.86 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 40 W) incl. heat sink			x					S26361-F3621-E186	505,00	Phased out
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink			x					S26361-F3622-E213	665,00	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink			x					S26361-F3622-E226	1.135,00	
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel® Xeon® processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink			x					S26361-F3633-E240	625,00	
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel® Xeon® processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			x					S26361-F3648-E160	255,00	
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel® Xeon® processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink			x					S26361-F3648-E213	280,00	
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel® Xeon® processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink			x					S26361-F3649-E253	880,00	
	Intel Xeon E7-2803 6C/12T 1.73 GHz 18 MB	Intel® Xeon® processor E7-2803 (6C/12T, 1.73 GHz, SLC: -, TLC: 18 MB, Turbo: No, 4.8 GT/s, 105 W) incl. heat sink					x			S26361-F3999-E280	840,00	
	Intel Xeon E7-2850 10C/20T 2.00GHz 24MB	Intel® Xeon® processor E7-2850 (10C/20T, 2.00 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink					x			S26361-F3999-E285	2.850,00	
	Intel Xeon E7-4807 6C/12T 1.86 GHz 18 MB	Intel® Xeon® processor E7-4807 (6C/12T, 1.86 GHz, SLC: -, TLC: 18 MB, Turbo: No, 4.8 GT/s, 95 W) incl. heat sink					x			S26361-F3999-E480	1.165,00	
	Intel Xeon E7-4820 8C/16T 2.00 GHz 18 MB	Intel® Xeon® processor E7-4820 (8C/16T, 2.00 GHz, SLC: -, TLC: 18 MB, Turbo: 0/1/1/1/2, 5.86 GT/s, 105 W) incl. heat sink					x			S26361-F3999-E482	1.680,00	
	Intel Xeon E7-4830 8C/16T 2.13 GHz 24 MB	Intel® Xeon® processor E7-4830 (8C/16T, 2.13 GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/2, 6.4 GT/s, 105 W) incl. heat sink					x			S26361-F3999-E483	2.240,00	
	Intel Xeon E7-4850 10C/20T 2.00GHz 24MB	Intel® Xeon® processor E7-4850 (10C/20T, 2.00 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink					x			S26361-F3999-E485	2.965,00	
	Intel Xeon E7-4860 10C/20T 2.26GHz 24MB	Intel® Xeon® processor E7-4860 (10C/20T, 2.26 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink					x			S26361-F3999-E486	3.915,00	
	Intel Xeon E7-4870 10C/20T 2.40GHz 30MB	Intel® Xeon® processor E7-4870 (10C/20T, 2.40 GHz, SLC: -, TLC: 30 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink					x			S26361-F3999-E487	4.810,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
Processor (Continued)												
	Intel Xeon E7-8837 8C/8T 2.67 GHz 24 MB	Intel® Xeon® processor E7-8837 (8C/8T, 2.67 GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/1, 6.4 GT/s, 130 W) incl. heat sink						x		S26361-F3999-E837	2.575,00	
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink		x						S26361-F4417-E266	1.080,00	
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink		x						S26361-F4417-E280	1.300,00	
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink		x						S26361-F4419-E240	470,00	
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink		x						S26361-F4419-E266	905,00	
	Intel Xeon L5609 4C/4T 1.86 GHz 12 MB	Intel® Xeon® processor L5609 (4C/4T, 1.86 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 40 W) incl. heat sink		x						S26361-F4420-E186	505,00	Phased out
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink		x						S26361-F4421-E213	665,00	
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TLC: 12 MB, Turbo: 2/2/3/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink		x						S26361-F4421-E240	1.135,00	
	Intel Xeon E7-8837 8C/8T 2.67 GHz 24 MB	Intel® Xeon® processor E7-8837 (8C/8T, 2.67 GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/1, 6.4 GT/s, 130 W) incl. heat sink							x	S26361-F4471-E837	2.575,00	
	Intel Xeon E7-8830 8C/16T 2.13 GHz 24 MB	Intel® Xeon® processor E7-8830 (8C/16T, 2.13 GHz, SLC: -, TLC: 24 MB, Turbo: 0/1/1/1/2, 6.4 GT/s, 105 W) incl. heat sink							x	S26361-F4471-E883	2.725,00	
	Intel Xeon E7-8850 10C/20T 2.00GHz 24MB	Intel® Xeon® processor E7-8850 (10C/20T, 2.00 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink							x	S26361-F4471-E885	3.690,00	
	Intel Xeon E7-8860 10C/20T 2.26GHz 24MB	Intel® Xeon® processor E7-8860 (10C/20T, 2.26 GHz, SLC: -, TLC: 24 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink							x	S26361-F4471-E886	4.885,00	
	Intel Xeon E7-8870 10C/20T 2.40GHz 30MB	Intel® Xeon® processor E7-8870 (10C/20T, 2.40 GHz, SLC: -, TLC: 30 MB, Turbo: 1/1/2/3/3, 6.4 GT/s, 130 W) incl. heat sink							x	S26361-F4471-E887	5.560,00	
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel® Xeon® processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink		x						S26361-F4483-E160	255,00	
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel® Xeon® processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink		x						S26361-F4484-E213	280,00	
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel® Xeon® processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink		x						S26361-F4485-E240	625,00	
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel® Xeon® processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink		x						S26361-F4486-E253	880,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
Processor (Continued)												
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel® Xeon® processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink		x						S26361-F4487-E306	1.500,00	
	Intel Xeon X5690 6C/12T 3.46 GHz 12 MB	Intel® Xeon® processor X5690 (6C/12T, 3.46 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink		x						S26361-F4488-E346	1.805,00	
	Intel Xeon X5647 4C/8T 2.93 GHz 12 MB	Intel® Xeon® processor X5647 (4C/8T, 2.93 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 130 W) incl. heat sink		x						S26361-F4489-E293	885,00	
	Intel Xeon X5687 4C/8T 3.60 GHz 12 MB	Intel® Xeon® processor X5687 (4C/8T, 3.60 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink		x						S26361-F4490-E360	1.805,00	
	CPU MEMORY Riser Board	CPU Memory Riser Board for 1 processor and 16 DIMM modules DDR3							x	S26361-F4524-E100	1.995,00	
Memory												
	2 GB DDR3 1333 MHz PC3-10600 ub s ECC	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM	x							S26361-F3335-E524	40,00	
	4 GB DDR3 1333 MHz PC3-10600 ub d ECC	4 GB (1 module(s) 4 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM	x							S26361-F3335-E525	60,00	
	Memory Board RX600 S6	Memory board for up to two set's of DDR3 LV memory (with 4 DIMMs each)					x			S26361-F3990-E600	240,00	
	Mirrored Mode Installation	BIOS setup for Mirrored mode, preinstallation ex factory						x	x	S26361-F4472-E3	5,00	
	16GB 4x4 DDR3 LV 1333 MHz PC3-10600 rg s	16 GB (4 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM					x			S26361-F4523-E642	340,00	
	32GB 4x8 DDR3 LV 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM					x			S26361-F4523-E643	580,00	
	64GB 4x16 DDR3 LV 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM					x			S26361-F4523-E645	1.640,00	
	16GB 4x4 DDR3 LV 1333 MHz PC3-10600 rg s	16 GB (4 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM							x	S26361-F4523-E942	340,00	
	32GB 4x8 DDR3 LV 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM							x	S26361-F4523-E943	580,00	
	64GB 4x16 DDR3 LV 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3 LV, registered, ECC, 1066 MHz, PC3-8500, DIMM							x	S26361-F4523-E945	1.640,00	
	Spare Mode Installation	BIOS setup for Spare mode, preinstallation ex factory					x			S26361-F4003-E1	5,00	
	Interleaving Mode Installation	BIOS setup for Interleaving mode, preinstallation ex factory					x			S26361-F4003-E2	5,00	
	Mirrored Mode Installation	BIOS setup for Mirrored mode, preinstallation ex factory					x			S26361-F4003-E3	5,00	
Memory Modules												
	Spare Channel Mode Installation	BIOS setup for spare mode, preinstallation ex factory		x	x					S26361-F3284-E1	5,00	
	Mirrored Channel Mode Installation	BIOS setup for mirrored mode, preinstallation ex factory		x	x					S26361-F3284-E3	5,00	
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory		x	x					S26361-F3284-E2	5,00	
	MM 4GB 2x2 DDR3 1333 MHz PC3-10600 rg s	2 modules 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 2GB usable memory for Mirrored Mode		x	x					S26361-F3604-E523	160,00	
	MM 8GB 2x4 DDR3 1333 MHz PC3-10600 rg s/d	2 modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode		x	x					S26361-F3604-E524	170,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
Memory Modules (Continued)												
	2 GB DDR3 1333 MHz PC3-10600 ub d	1 module 2GB 1333MHz, unbuffered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode		x	x					S26361-F3606-E513	40,00	
	2 GB DDR3 1333 MHz PC3-10600 rg s	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode		x	x					S26361-F3604-E513	80,00	
	MM 16GB 2x8 DDR3 1333 MHz PC3-10600 rg d	2 modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode		x	x					S26361-F3604-E525	290,00	
	4 GB DDR3 1333 MHz PC3-10600 rg s/d	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode		x	x					S26361-F3604-E514	85,00	
	MM 32GB 2x16 DDR3 1066 MHz PC3-8500 rg q	2 modules 16GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 16GB usable memory for Mirrored Mode		x	x					S26361-F3604-E526	820,00	
	SP 6GB 3x2 DDR3 1333 MHz PC3-10600 rg s	3 modules 2GB 1333MHz, 4GB SM, Registered DDR3 DIMM with SDDC = Chipkill, , SP=4GB Spare or 6GB Performance Mode		x	x					S26361-F3604-E533	240,00	
	8 GB DDR3 1333 MHz PC3-10600 rg d	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode		x	x					S26361-F3604-E515	145,00	
	MM 64GB 2x32 DDR3 1066 MHz PC3-8500 rg q	2 modules 32GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 32GB usable memory for Mirrored Mode			x					S26361-F3604-E527	4.850,00	
	SP12GB 3x4 DDR3 1333MHz PC3-10600 rg s/d	3 modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode		x	x					S26361-F3604-E534	255,00	
	MM 8GB 2x4 DDR3LV 1333 MHz 10600 rg s/d	2 LV modules 4GB 1366MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 4GB usable memory for Mirrored Mode		x	x					S26361-F3605-E524	170,00	
	16 GB DDR3 1066 MHz PC3-8500 rg q	1 module 16GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode		x	x					S26361-F3604-E516	410,00	
	SP 24GB 3x8 DDR3 1333 MHz PC3-10600 rg d	3 modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode		x	x					S26361-F3604-E535	435,00	
	MM 16GB 2x8 DDR3 LV 1333 MHz 10600 rg d	2 LV modules 8GB 1366MHz, Registered DDR3 DIMM with SDDC = Chipkill, , MM = 8GB usable memory for Mirrored Mode		x	x					S26361-F3605-E525	290,00	
	SP 48GB 3x16 DDR3 1066 MHz PC3-8500 rg q	3 modules 16GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=32GB Spare or 48GB Performance Mode		x	x					S26361-F3604-E536	1.230,00	
	32 GB DDR3 1066 MHz PC3-8500 rg q ECC	1 module 32GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode		x	x					S26361-F3604-E517	2.425,00	
	SP 96GB 3x32 DDR3 1066 MHz PC3-8500 rg q	3 modules 32GB 1066MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=64GB Spare or 96GB Performance Mode			x					S26361-F3604-E537	7.275,00	
	4 GB DDR3 LV 1333 MHz PC3-10600 rg s/d	1 LV module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode		x	x					S26361-F3605-E514	85,00	
	SP12GB 3x4 DDR3 LV1333 MHz 10600 rg s/d	3 LV modules 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=8GB Spare or 12GB Performance Mode		x	x					S26361-F3605-E534	255,00	
	8 GB DDR3 LV 1333 MHz PC3-10600 rg d	1 LV module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, Single modules for Independent Mode		x	x					S26361-F3605-E515	145,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
Memory Modules (Continued)												
	SP 24GB 3x8 DDR3 LV 1333 MHz 10600 rg d	3 LV modules 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chipkill, , SP=16GB Spare or 24GB Performance Mode		x	x					S26361-F3605-E535	435,00	
Graphics												
	Front-VGA interface	2nd optional VGA interface front side			x					S26361-F2571-E16	20,00	
	PY VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCIe-x1 graphic card		x						S26361-F2748-E537	135,00	
	PY LP VGA Card 512MB PCI-e x1	NVIDIA NVS 300 512MB PCIe-x1 graphic card, low profile	x		x	x				S26361-F2748-E637	135,00	
Removable Media Drives												
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, slimline 0.5" fitting height, black	x	x	x	x	x	x	x	S26361-F3269-E2	85,00	
	Blu-ray Triple Writer slimline SATA	Read: 6x BD-ROM, 8x DVD, 24x CD, Write: 6x BD, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0.5" fitting height	x	x	x	x	x		x	S26361-F3641-E2	165,00	
	RDX Drive USB 25MB/s 5.25" internal	RDX Drive 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with description (G/US)						x		S26361-F3857-E4	160,00	
	RDX Drive USB 25MB/s 3.5" internal	RDX Drive 25MB/s 3.5" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)			x	x				S26361-F3857-E5	160,00	
	RDX Drive USB 25MB/s 3.5" internal	RDX Drive 25MB/s 3.5" intern, , USB 2.0, with USB cable , 1.6" black, within tape cage 2 x 3.5", with specific USB cable			x	x				S26361-F3857-E7	210,00	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, black bezel, with description (G/US) and cleaning cartridge						x		S26361-F3324-E4	500,00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, with description (G/US) and cleaning cartridge			x	x				S26361-F3324-E5	500,00	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	data transfer: 3MB/s, USB 2.0, 1.6" black, within tape cage 2 x 3.5", with specific USB cable, with description (G/US), with cleaning cartridge			x	x				S26361-F3324-E7	550,00	
	Tape Kit DDS Gen6 80GB USB 5.25" int.	DDS Gen6 80GB 6MB/s 5.25" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge						x		S26361-F3325-E4	685,00	
	Tape Kit DDS Gen6 80GB USB 3.5" intern	DDS Gen6 80GB 6MB/s 3.5" intern, USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, black bezel, with cleaning cartridge				x				S26361-F3325-E2	685,00	
	Tape Kit LTO3HH Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge				x	x			S26361-F3561-E4	1.395,00	
	Tape Kit LTO4HH 800GB 120MB/s SAS V2	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge				x	x			S26361-F3626-E2	1.950,00	
	Tape Kit LTO5HH 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, , with SAS cable, with cleaning cartridge				x	x			S26361-F3627-E1	2.850,00	
Hard Disks												
	HD SATA 6G 250GB 7.2K HOT PLUG 3.5" ECO	HDD SATA, 6 GB/s, 250 GB, 7200 rpm, hot-plug, 3.5-inch, economic	x			x				S26361-F3700-E250	125,00	
	HD SATA 6G 500GB 7.2K HOT PLUG 3.5" ECO	HDD SATA, 6 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, economic	x			x				S26361-F3700-E500	170,00	
	SSD SAS 6G 100GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 100 GB, SLC, hot-plug, 2.5-inch, enterprise		x	x	x	x		x	S26361-F4541-E100	3.150,00	
	SSD SAS 6G 200GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 200 GB, SLC, hot-plug, 2.5-inch, enterprise		x	x	x	x		x	S26361-F4541-E200	5.690,00	
	SSD SAS 6G 400GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 400 GB, SLC, hot-plug, 2.5-inch, enterprise		x	x	x	x		x	S26361-F4541-E400	10.250,00	
	PCIe-SSD 320GB MLC	PCIe SSD, 320 GB, MLC, Flash drive						x	x	S26361-F4522-E321	6.350,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments	
Options matrix													
Hard Disks (Continued)													
	PCIe-SSD 640GB MLC	PCIe SSD, 640 GB, MLC, Flash drive						x	x	x	S26361-F4522-E641	9.750,00	
	HD SATA 3G 500GB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 3.5-inch, business critical	x		x						S26361-F3294-E500	185,00	
	HD SATA 3G 1TB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 3.5-inch, business critical	x		x						S26361-F3294-E100	275,00	
	HD SATA 3G 2TB 7.2K HOT PLUG 3.5" BC	HDD SATA, 3 GB/s, 2 TB, 7200 rpm, hot-plug, 3.5-inch, business critical	x		x						S26361-F3294-E200	455,00	
	SSD SATA 3G 32GB SLC HOT PLUG 2.5" EP	SSD SATA, 3 GB/s, 32 GB, SLC, hot-plug, 2.5-inch, enterprise	x	x	x			x	x	x	S26361-F3298-E32	655,00	
	SSD SATA 3G 64GB SLC HOT PLUG 2.5" EP	SSD SATA, 3 GB/s, 64 GB, SLC, hot-plug, 2.5-inch, enterprise	x	x	x			x	x	x	S26361-F3298-E64	1.130,00	
	HD SATA 3G 250GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 250 GB, 7200 rpm, hot-plug, 2.5-inch, business critical	x	x	x						S26361-F3601-E250	225,00	
	HD SATA 3G 500GB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 500 GB, 7200 rpm, hot-plug, 2.5-inch, business critical	x	x	x						S26361-F3601-E500	235,00	
	HD SATA 3G 1TB 7.2K HOT PLUG 2.5" BC	HDD SATA, 3 GB/s, 1 TB, 7200 rpm, hot-plug, 2.5-inch, business critical	x	x	x						S26361-F3601-E100	355,00	
	HD SAS 6G 300GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise	x		x	x					S26361-F4005-E530	340,00	
	HD SAS 6G 450GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 450 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise	x		x	x					S26361-F4005-E545	440,00	
	HD SAS 6G 600GB 15K HOT PLUG 3.5" EP	HDD SAS, 6 GB/s, 600 GB, 15000 rpm, hot-plug, 3.5-inch, enterprise	x		x	x					S26361-F4005-E560	510,00	
	HD SAS 6G 300GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x	x	S26361-F4482-E130	245,00	
	HD SAS 6G 450GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 450 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x	x	S26361-F4482-E145	510,00	
	HD SAS 6G 600GB 10K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 600 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x	x	S26361-F4482-E160	590,00	
	HD SAS 6G 900GB 10K HOT PLUG 2.5" EP	HDD SAS, 6 GB/s, 900 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x	x	S26361-F4482-E190	790,00	
	HD SAS 6G 73GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 73 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x	x	S26361-F4482-E573	230,00	
	HD SAS 6G 146GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 146 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x	x	x	x	S26361-F4482-E514	305,00	
	HD SAS 6G 300GB 15K HOT PL 2.5" EP	HDD SAS, 6 GB/s, 300 GB, 15000 rpm, hot-plug, 2.5-inch, enterprise	x	x	x	x	x		x		S26361-F4482-E530	565,00	
SCSI/RAID/SAS controller													
	RAID Contr BBU Upgrade for RAID 5/6 V16	BBU Upgrade for LSI SAS1078 and LSI SAS2108			x						S26361-F3257-E116	165,00	
	RAID Contr BBU Upgrade for RAID 5/6 V55	BBU Upgrade for LSI SAS1078 and LSI SAS2108		x	x						S26361-F3257-E155	165,00	
	RAID Contr BBU Upgrade for RAID 5/6 V70	BBU Upgrade for LSI SAS1078 and LSI SAS2108						x	x		S26361-F3257-E170	165,00	
	4-Port SAS cable for ports 5 and 6	Upgrade kit from 4 to 6 HDs necessary for max. 6HDs		x							S26361-F3257-E250	25,00	
	RAID Contr BBU Upgrade for RAID 5/6 C55	BBU Upgrade for LSI SAS1078 and LSI SAS2108	x								S26361-F3257-E255	165,00	
	RAID Contr BBU Erweiterung RAID 5/6 C70								x		S26361-F3257-E270	165,00	
	RAID 0/1 SAS based on LSI MegaRAID 4Port	RAID-Ctrl, LSI MegaRAID SAS1064, PCIe x4, 4 internal ports	x	x				x			S26361-F3257-E4	110,00	
	RAID 0/1 SAS based on LSI MegaRAID 8Port	RAID-Ctrl, LSI MegaRAID SAS1068, PCIe x4, 8 internal ports			x						S26361-F3257-E8	135,00	
	SCSI Ctrl U320 1ch int/ext PCIe	Adaptec 29320LPE, 1x U320 SCSI						x			S26361-F3270-E1	195,00	
	SCSI Ctrl U320 1ch int/ext PCIe lp	Adaptec 29320LPE, 1x U320 SCSI, low profile	x	x	x						S26361-F3270-E201	195,00	
	SAS Ctrl 3GB/s 4int/4ext PCIe	SAS Controller 3GB/s 8 port, LSI SAS3442E-R						x			S26361-F3271-E1	210,00	
	SAS Ctrl 3GB/s 8 port PCIe FH EFI	SAS Controller 3GB/s 8 port, LSI SAS3442E-R full height UEFI RX900						x	x		S26361-F3271-E2	210,00	
	SAS Ctrl 3GB/s 4int/4ext PCIe lp	SAS Controller 3GB/s 8 port, LSI SAS3442E-R Low Profile	x	x	x						S26361-F3271-E201	210,00	
	SAS Ctrl 6G 8ext PCIe	SAS Controller 6GB/s 8 port, LSI SAS 9200-8e						x	x		S26361-F3628-E1	260,00	
	SAS Ctrl 6G 8ext PCIe lp	SAS Controller 6GB/s 8 port, LSI SAS 9200-8e LP	x	x	x	x					S26361-F3628-E201	260,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
SCSI/RAID/SAS controller (Continued)												
	RAID Ctrl SAS 6G 0/1 (D2607)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2008, PCIe 2.0 x8, 8 internal ports	x	x	x	x	x			S26361-F3554-E8	165,00	
	RAID Ctrl SAS 6G 5/6 512MB (D2616)	SAS/SATA RAID Controller based on LSI MegaRAID SAS2108, PCIe 2.0 x8, 8 internal ports	x	x	x	x	x	x	x	S26361-F3554-E512	385,00	
	RAID Ctrl SAS 6G 8Port ex 512MB FH LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU						x	x	S26361-F3593-E1	590,00	
	RAID Ctrl SAS 6G 8Port ex 512MB LP LSI	RAID-Ctrl, LSI MegaRAID SAS9280-8e, PCIe x4, 512MB Cache with ECC, 8 external ports, without iBBU	x	x	x	x				S26361-F3593-E201	590,00	
Fibre Channel												
	FC Ctrl 8GB/s 1 channel QLE2560 MMF LC	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber						x	x	S26361-F3631-E1	935,00	
	FC Ctrl 8GB/s 2 channel QLE2562 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber						x	x	S26361-F3631-E2	1.500,00	
	FC Ctrl 8GB/s 1 channel QLE2560MMF LC LP	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber		x	x	x				S26361-F3631-E201	935,00	
	FC Ctrl 8GB/s 2 channel QLE2562 MMF LCLP	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber		x	x	x				S26361-F3631-E202	1.500,00	
	FC Ctrl 8GB/s 1 Chan LPe1250 MMF LC	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber						x	x	S26361-F3961-E1	935,00	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 SFF Interface for 50um Fiber						x	x	S26361-F3961-E2	1.500,00	
	FC Ctrl 8GB/s 1 Chan LPe1250 MMF LC LP	1 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 Low Profile SFF Interface for 50um Fiber		x	x	x				S26361-F3961-E201	935,00	
	FC Ctrl 8GB/s 2 Chan LPe12002 MMF LC LP	2 channel 8GB/sec FC controller PCIe 2.0 x 4 or PCIe x8 Low Profile SFF Interface for 50um Fiber		x	x	x				S26361-F3961-E202	1.500,00	
Connection Blades												
	SFP+ Module Multi Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blades, 1GB LAN connection blades with 10GB SFP+ uplink and the Fujitsu 10GBE Server Adapter D2755., For multi-mode short-range fiber optic cables up to 300m.	x	x	x	x	x	x	x	S26361-F3986-E3	405,00	
Communication/Network												
	Eth Ctrl 1x1Gbit PCIe Pro/1000PT Cu Ip	Intel® Pro 1000PT 1 Port Server Adapter		x	x					S26361-F3241-E201	90,00	
	Eth Ctrl 1x1Gbit PCIe Pro/1000PF LC Ip	Intel® Pro 1000PF 1 Port Server Adapter	x	x	x					S26361-F3242-E201	240,00	
	Eth Ctrl 1x1Gbit PCIe CT Desktop Cu Ip	Intel® GBit CT 1 Port Desktop Adapter Ip	x	x	x	x				S26361-F3516-E201	45,00	
	Eth Ctrl 2x1Gbit PCIe x4 D2735-2 Cu Ip	Ethernet Server Adapter Eth Ctrl 2x1Gbit PCIe x4 D2735-2 Cu Ip, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit	x	x	x	x				S26361-F3610-E202	155,00	
	Eth Ctrl 4x1Gbit PCIe x4 D2745 Cu Ip	Ethernet Server Adapter Eth Ctrl 4x1Gbit PCIe x4 D2745 Cu Ip, Based on Intel® LAN controller chip 82580EB, Usable with original Intel® driver kit	x	x	x	x				S26361-F3611-E201	375,00	
	Eth Ctrl 2x10Gbit PCIe x8 D2755 SFP+ Ip	Ethernet Server Adapter Eth Ctrl 2x10Gbit PCIe x8 D2755 SFP+ Ip	x	x	x	x				S26361-F3629-E202	500,00	
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller, PCIe 2.0 x 8, SFP+ for opt. module or Twinax cable						x	x	S26361-F3592-E2	1.180,00	
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller, PCIe 2.0 x 8 Low Profile, SFP+ for opt. module or Twinax cable		x	x	x				S26361-F3592-E202	1.180,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
Communication/Network (Continued)												
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCe10102		x	x	x	x	x	x	S26361-F3592-E108	400,00	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC	Intel® Pro 1000PF 1 Port Server Adapter					x	x	x	S26361-F3242-E1	240,00	
	Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+	Ethernet Server Adapter Eth Ctrl 2x10GBit PCIe x8 D2755 SFP+					x	x	x	S26361-F3629-E2	500,00	
	Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu, Based on Intel® LAN controller chip 82576NS, Usable with original Intel® driver kit					x	x	x	S26361-F3610-E2	155,00	
	Eth Ctrl 4x1GBit PCIe x4 D2745 Cu	Ethernet Server Adapter Eth Ctrl 4x1GBit PCIe x4 D2745 Cu, Based on Intel® LAN controller chip 82580EB, Usable with original Intel® driver kit					x	x	x	S26361-F3611-E1	375,00	
	IB HCA 40GB 1 port QDR	InfiniBand HCA 40GB/s, 1-port, QDR		x	x	x	x		x	S26361-F4475-E102	620,00	
	IB HCA 40GB 2 port QDR	InfiniBand HCA 40GB/s, 2-port, QDR		x	x	x	x		x	S26361-F4475-E202	850,00	
Rack-Infrastructure												
	RMK-F1_DI_CMA	Telescopic drop-in rails, full extraction with vario-carrier, pre-assembled with centre screw; with cable management adapter for tool less mountable cable management arm., Rack installation depth (19" pillar distance) between 714mm and 785mm		x	x					S26361-F2735-E140	55,00	
	RMK-F1_DI_CMA_QRL	Telescopic drop-in rails, full extraction with vario-carrier, pre-assembled with centre screw., Rack installation depth (19" pillar distance) between 714mm and 785mm	x							S26361-F2735-E145	95,00	
	RMK-F2_DI_QRL	Telescopic rails full extraction; drop-in mount.; vario-carrier for tool less mounting with quick release lever; for rack pillars with square holes (9.5mm) or round holes (7.1mm); max. load 50 kg., Rack installation depth (19" pillar distance) between 714mm and 785mm					x			S26361-F2735-E245	115,00	Phased out
	Mounting in symmetrical Racks	Rack server mounting in symmetrical racks without support bracket	x			x	x		x	S26361-F4530-E10	5,00	
	Mounting 1U in asymmetrical Racks	Rack server mounting in asymmetrical rack with 1U support bracket	x			x				S26361-F4530-E11	5,00	
	Mounting 3U in asymmetrical racks	Rack server mounting in asymmetrical rack with 2U support bracket					x		x	S26361-F4530-E13	5,00	
	Rack installation ex works, SX10, 1U Nod	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.	x	x						S26361-F1647-E302	65,00	
	Rack installation ex works	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.			x	x	x	x	x	SNP:SY-F1647E301-P	130,00	
	Rack Cable Arm 1U	Cable management arm for PRIMERGY Server with RMK-F1 Drop-in Rails and CMA adapter, dragged for PRIMECENTER- and other racks	x	x						S26361-F2735-E81	20,00	
	Rack Cable Arm 2U	Cable management arm for PRIMERGY 2U Servers with RMK-F1 Drop-in Rails with CMA adapter, dragged for PRIMECENTER- and other racks			x	x				S26361-F2735-E82	30,00	
	Cable mgmt. lateral for asym. PC racks	Cable management for server or storage subsystem 2U or higher mounted into asymmetrical PRIMECENTER racks			x		x			S26361-F2735-E7	30,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
Rack-Infrastructure (Continued)												
	1 U cable arm, dragged	Cable arm for PRIMERGY Server, dragged for PRIMECENTER- and 3rd-party racks		x						S26361-F2735-E8	30,00	Phased out
	cable arm 2U PCR M1 S and 3rd partyracks	Cable arm 2U to be mounted at right or left rack pillar behind servers higher oder equal 2U. Released for symmetrical PRIMECENTER M1 or 3rd party racks.			x		x	x	x	S26361-F2201-E20	50,00	
	Adapter angle PC/DC-Rack, 3U till 200Kg	Adapter angle PC/DC-Rack, 3U till 200kg						x		S26361-F2735-E31	30,00	
	Cable mgmt. RX900 für asym. 19" Racks	Cable mgmt. RX900 for asym. 19" Rack						x	x	S26361-F2735-E17	30,00	
	RMK-F1_1-2U Server	telescopic rail, full extraction with vario-carrier, pre-assembled with centre screw., Rack installation depth (19" pillar distance) between 714mm and 785mm		x	x					S26361-F2735-E101	55,00	Phased out
	RMK-P_1-2U servers	telescopic rail, partial extraction with vario-carrier, pre-assembled with centre screw., Rack installation depth (19" pillar distance) between 714mm and 785mm		x	x					S26361-F2735-E110	55,00	
	Rack Mount Kit for RX900							x	x	S26361-F2735-E109	180,00	
Country kits												
	region kit APAC/America/EMEA/India	Region-kit APAC/ America/EMEA/ India	x			x	x		x	S26361-F1452-E100	10,00	
PRIMERGY-Software												
	iRMC S2 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection		x	x			x	x	S26361-F1790-E241	300,00	
	iRMC S3 advanced pack		x			x				S26361-F1790-E242	300,00	
	Windows Storage Server 2008 64-bit EMB	Standard, SP2, update 2			x					S26361-F2565-E560	735,00	
	PRIMERGY DuplexDataManager 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	S26361-F2565-L596	2.745,00	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn OEM	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., English. OEM DVD, License.	x	x	x	x	x			S26361-F2567-E20	380,00	
	MS SysCtr Essntls 2010 OEM	MS System Center Essentials 2010. English. OEM DVD, License.	x	x	x	x	x	x	x	S26361-F2567-E30	115,00	
	Win Srv 2008 R2 Datacenter 4CPU MULI OEM	Win Srv 2008 R2 Dtc (4 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.							x	S26361-F2567-E332	5.380,00	Phased out
	Win Srv 2008 R2 SP1 Datactr 4CPU OEM	Win Srv 2008 R2 SP1 Dtc (4 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.					x	x	x	S26361-F2567-E333	5.380,00	
	Win Srv 2008 R2 SP1 Datactr 8CPU OEM	Win Srv 2008 R2 SP1 Dtc (8 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.					x	x		S26361-F2567-E335	10.760,00	
	USB Flash Module 16GB intern	USB Flash Module 16GB intern			x	x				S26361-F3299-E16	345,00	
	FF4S V5.1A Media-Set	FlexFrame V5.1A media set			x					U21348-C5100	80,00	
	Red Hat EL HPC 1-2SOC Self-Support 1Y	Red Hat Enterprise Linux per HPC compute node up to 2-CPU Sockets Basic Support 1-Year		x	x	x				S26361-F2346-C851	57,00	
	PRIMERGY MultiPath MPIO 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	S26361-F2565-E593	875,00	
	PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003. CD-ROM and License.	x	x	x	x	x	x	x	S26361-F2565-E595	875,00	
	Win Srv 2008 R2 SP1 Datactr 2CPU OEM	Win Srv 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x	x	x	x	x	S26361-F2567-E331	2.690,00	
	PCM Fujitsu Basic per node 1Y	Platform Cluster Manager Fujitsu Basic Edition per node (head and compute node) 5x9 level3 support 1 year.		x	x	x				S26361-F2346-C951	157,00	
	Win Srv 2008 R2 SP1 Enterpr w/10CAL OEM	Win Srv 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x	x	x	x	x	S26361-F2567-E321	1.695,00	
	PCM Fujitsu Basic Services 1Y	Platform Cluster Manager Fujitsu Basic Services entitlement per HPC configuration 1-Year.		x	x	x				S26361-F2346-S951	7,00	
	Win Srv 2008 R2 SP1 Standard w/5CAL OEM	Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.	x	x	x	x	x		x	S26361-F2567-E311	530,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
PRIMERGY-Software (Continued)												
	PCM Fujitsu Enterprise per node 1y	Platform Cluster Manager Fujitsu Enterprise Edition pro Knoten (Kopf- und Arbeitsknoten) 5x9 level3 Support 1 Jahr.		x	x	x				S26361-F2346-C961	233,00	
	Win SBS Standard 2011 w/5CAL OEM EN	Windows Small Business Server Standard 2011 with 5 CAL, OEM, English, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E350	590,00	
	Win SBS Standard 2011 w/5CAL OEM DE	Windows Small Business Server Standard 2011 with 5 CAL, OEM, German, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E351	590,00	
	Win SBS Standard 2011 w/5CAL OEM IT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Italian, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E352	590,00	
	Win SBS Standard 2011 w/5CAL OEM FR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, French, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E353	590,00	
	Win SBS Standard 2011 w/5CAL OEM ES	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Spanish, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E354	590,00	
	Win SBS Standard 2011 w/5CAL OEM CS	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Czech, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E355	590,00	
	Win SBS Standard 2011 w/5CAL OEM PT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Portuguese, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E356	590,00	
	Win SBS Standard 2011 w/5CAL OEM NL	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Dutch, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E357	590,00	
	Win SBS Standard 2011 w/5CAL OEM TR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Turkish, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E358	590,00	
	Win SBS Standard 2011 w/5CAL OEM HU	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Hungarian, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E359	590,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM EN	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, English, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E370	895,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM DE	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, German, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E371	895,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM IT	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Italian, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E372	895,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM FR	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, French, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E373	895,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM ES	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Spanish, DVD Media set, COA, License	x	x	x	x				S26361-F2567-E374	895,00	
	Identifier	FlexFrame Identifier, has to be ordered one time per FF configuration			x					D:FF4SAP-ID-V041	0,01	
	PCM Fujitsu Enterprise Services 1y	Platform Cluster Manager Fujitsu Enterprise Services entitlement per HPC configuration 1 year.		x	x	x				S26361-F2346-S961	7,00	
	Win Srv 2008 R2 Datacenter 2CPU MULI OEM	Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.		x	x					S26361-F2567-E330	2.690,00	Phased out
	Win Srv 2008 R2 Enterprise 10CAL MUL OEM	Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.		x	x			x		S26361-F2567-E320	1.695,00	Phased out
	Win Srv 2008 R2 Standard 5CAL MULI OEM	Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.		x	x			x		S26361-F2567-E310	530,00	Phased out



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
PRIMERGY-Software (Continued)												
	Win Web Srv 2008 R2 MULTI OEM	Win Web Srv 2008 R2 1-4 CPU EN DE ES FR JA. CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.	x	x	x	x		x		S26361-F2567-E302	305,00	
	Red Hat EL HPC 1-2SOC Self-Support 3Y	Red Hat Enterprise Linux per HPC compute node up to 2-CPU Sockets Basic Support 1-Year		x	x	x				S26361-F2346-C852	170,00	
	Win Svcs 2008 R2 SP1 Service Pack DVD	Service Pack 1 Supplement DVD for Windows Servers 2008 R2.	x	x	x	x	x	x	x	S26361-F2567-E391	25,00	
	FF-CN-SW RTU	FlexFrame ControlNode Right to use			x					U21348-C101	5.451,65	
	PCM Fujitsu Basic per node 3Y	Platform Cluster Manager Fujitsu Basic Edition per node (head and compute node) 5x9 level3 support 3 years.		x	x	x				S26361-F2346-C952	470,00	
	Win Svcs 2008 R2 SP1 Language Pack DVD	Language Pack Supplement DVD with 34 worldwide language packs for Windows Servers 2008 R2 SP1.	x	x	x	x	x	x	x	S26361-F2567-E390	25,00	
	FF4S V5.0A Media-Set	FlexFrame V5.0A media set			x					U21348-C5000	80,00	
	PCM Fujitsu Basic Services 3Y	Platform Cluster Manager Fujitsu Basic Services entitlement per HPC configuration 3 years.		x	x	x				S26361-F2346-S952	7,00	
	PCM Fujitsu Enterprise per node 3Y	Platform Cluster Manager Fujitsu Enterprise Edition per node (head and compute node) 5x9 level3 support 3 years.		x	x	x				S26361-F2346-C962	697,00	
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x	x	x		x	x	S26361-F2565-E328	25,00	Phased out
	PCM Fujitsu Enterprise Services 3Y	Platform Cluster Manager Fujitsu Enterprise Services entitlement per HPC configuration 3 years.		x	x	x				S26361-F2346-S962	7,00	
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only, No License. Requires an OEM or ROK licensed PRIMERGY server system	x	x	x	x		x	x	S26361-F2565-E318	25,00	Phased out
	Win HPC Srv 2008 R2 Suite OEM	Win HPC Srv 2008 R2 Suite (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.		x	x	x				S26361-F2567-E360	750,00	
	FF-CN back level support 1 year	1 year backlevel support (3rd level) for FlexFrame for SAP ControlCenter Management Software.			x					U21348-C101-W1	1.470,00	
	FF-Staging-Identifier	FlexFrame staging identifier. Has to be ordered one time per configuration for preinstall and test of the configuration in the factory			x					U21348-C105	0,01	
	Win Srv 2008 R2 HPC Edition MUL OEM	Win Srv 2008 R2 HPC Edition (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.		x	x	x				S26361-F2567-E361	375,00	
	Win HPC Pack 2008 R2 Express MUL OEM	Win HPC Pack 2008 R2 Express (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.		x	x	x				S26361-F2567-E362	25,00	
	Win HPC Pack 2008 R2 Workstation MUL OEM	Win HPC Pack 2008 R2 Workstation OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.		x	x	x				S26361-F2567-E363	110,00	
	FF-CN back level support 3 years	3 year backlevel support (3rd level) for FlexFrame for SAP ControlCenter Management Software.			x					U21348-C101-W3	4.415,84	
	FF4S RBAC Package Small	FlexFrame Control Center Role Based Access Control (RBAC) Right to use for up to 10 application nodes.			x					U21348-C108	1.099,00	
	FF-CN RBAC S back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC small option.			x					U21348-C108-W1	272,00	
	FF-CN RBAC S back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC small option.			x					U21348-C108-W3	742,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
PRIMERGY-Software (Continued)												
	FF4S RBAC Package Medium	FlexFrame Control Center Role Based Access Control (RBAC) Right to use for up to 50 application nodes.			x					U21348-C109	5.500,00	
	FF-CN RBAC M back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC medium option.			x					U21348-C109-W1	1.362,00	
	FF4S RBAC Package Large	FlexFrame Control Center Role Based Access Control (RBAC) Right to use for more than 50 application nodes.			x					U21348-C110	11.000,00	
	FF-CN RBAC M back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC medium option.			x					U21348-C109-W3	3.713,00	
	FF-CN RBAC L back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC large option.			x					U21348-C110-W1	2.723,00	
	FF-CN RBAC L back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP ControlCenter Management Software – RBAC large option.			x					U21348-C110-W3	7.425,00	
	FF-AN RTU for RX600 S5/S6	FF4SAP RTU					x			U21348-C231	10.520,00	
	FF RTU RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame ApplicationNode RTU for RX300 S5/S6, BX620 S5/S6 and BX920 S1/S2.			x	x				U21348-C291	4.785,00	
	FF-AN back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software.			x					U21348-C291-W1	1.357,00	
	FF SAN RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame Application Node SAN connection (optional). This RTU has to be ordered for each AN (RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2), which is connected via SAN to the database			x					U21348-C292	2.393,00	
	FF-AN Accounting RTU RX600	FF4SAP Accounting RTU					x			U21348-C233	5.260,00	
	FF-AN back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software.			x					U21348-C291-W3	3.876,00	
	FF Acnt RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame Application Node Accounting RTU for RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2.			x	x				U21348-C293	2.393,00	
	FF-AN Messenger RTU RX600 and BX960	FF4SAP Messenger RTU					x			U21348-C234	5.260,00	New product
	FF-AN SAN back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software.			x					U21348-C292-W1	678,00	
	FF Msg RX300S5/S6, BX620S5, BX920S1/S2	FF4SAP Application Node Messenger Expert Right to use for RX300 S5/S6, BX620 S5/S6 und BX920 S1/S2			x	x				U21348-C294	2.393,00	New product
	FF-AN SAN back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – SAN option.			x					U21348-C292-W3	1.938,00	
	FF VMware vSphere ESXi 5.0 Standard	FlexFrame VMware vSphere ESXi 5.0 Standard RTU. The license includes the corresponding number of VMware vSphere ESXi 5.0 Standard licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)					x			U21348-C434	3.943,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
PRIMERGY-Software (Continued)												
	FF VMware vSphere ESXi 5.0 Standard	FlexFrame VMware vSphere ESXi 5.0 Standard RTU. The license includes the corresponding number of VMware vSphere ESXi 5.0 Standard licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)			x	x				U21348-C494	1.892,00	
	FF-AN Acc back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Accounting option.			x					U21348-C293-W1	678,00	
	FF VMware vSphere ESXi 5.0 Enterprise	FlexFrame VMware vSphere ESXi 5.0 Enterprise RTU. The license includes the corresponding number of VMware vSphere ESXi 5.0 Enterprise licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)					x			U21348-C435	8.068,00	
	FF VMware vSphere ESXi 5.0 Enterprise	FlexFrame VMware vSphere ESXi 5.0 Enterprise RTU. The license includes the corresponding number of VMware vSphere ESXi 5.0 Enterprise licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)			x	x				U21348-C495	3.954,00	
	FF-AN Acc back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Accounting option.			x					U21348-C293-W3	1.938,00	
	FF VMware vSphere ESXi 5.0 ENT PL	FlexFrame VMware vSphere ESXi 5.0 Enterprise Plus RTU. The license includes the corresponding number of VMware vSphere ESXi 5.0 Enterprise Plus licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service packages (SnS)					x			U21348-C436	9.434,00	
	FF VMware vSphere ESXi 5.0 ENT PL	FlexFrame VMware vSphere ESXi 5.0 Enterprise Plus RTU. The license includes the corresponding number of VMware vSphere ESXi 5.0 Enterprise Plus licenses., A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)			x	x				U21348-C496	4.637,00	
	FF-AN Mes back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Messenger Expert option.			x					U21348-C294-W1	678,00	New product
	FF-VMware Option	FlexFrame for SAP VMware option., This license is only orderable for customers outside EMEA. The necessary VMware vSphere licenses and support contracts have to be ordered via the local VMware contacts., These licenses can also be ordered, when the customer already has its own VMware vSphere licenses and support			x	x				U21348-C490	800,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
PRIMERGY-Software (Continued)												
	FF-AN Mes back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Messenger Expert option.			x					U21348-C294-W3	1.938,00	New product
	FF-AN VMware back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP VMware option for a RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 or BX924 S2 server.			x					U21348-C490-W1	132,00	
	SUSE Linux ES 32SOC 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1 year subscription.	x	x	x	x	x	x	x	S26361-F2346-E611	249,00	
	SUSE Linux ES 32SOC 3Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 3 years subscription.	x	x	x	x	x	x	x	S26361-F2346-E612	670,00	
	SUSE Linux E 11 HAE 32SOC 3Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 3 years subscription.	x	x	x	x	x	x	x	S26361-F2346-E622	1.350,00	
	SUSE Linux ES4SAP APPS 3Y	SUSE Linux Enterprise Server for SAP Applications per Server up to 32-CPU sockets 3 years subscription.	x				x	x	x	S26361-F2346-E662	2.958,00	
	FF-AN VMware back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP VMware option for a RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 or BX924 S2 server.			x					U21348-C490-W3	360,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 1 year	x	x	x	x				S26361-F2346-S101	331,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 3 years	x	x	x	x				S26361-F2346-S102	889,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 1 year	x	x	x	x				S26361-F2346-S103	497,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 3 years	x	x	x	x				S26361-F2346-S104	1.334,00	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 1 year	x	x	x	x				S26361-F2346-S105	830,00	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 3 years	x	x	x	x				S26361-F2346-S106	2.224,00	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 1 year	x	x	x	x				S26361-F2346-S111	538,00	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 3 years	x	x	x	x				S26361-F2346-S112	1.445,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 1 year	x	x	x	x				S26361-F2346-S113	808,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 3 years	x	x	x	x				S26361-F2346-S114	2.169,00	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 1 year	x	x	x	x				S26361-F2346-S115	1.347,00	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 3 years	x	x	x	x				S26361-F2346-S116	3.615,00	
	Red Hat EL HA 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 1 year	x	x	x	x				S26361-F2346-S121	220,00	
	Red Hat EL HA 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 3 years	x	x	x	x				S26361-F2346-S122	607,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
PRIMERGY-Software (Continued)												
	Red Hat EL RS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 1 year	x	x	x	x				S26361-F2346-S131	441,00	
	Red Hat EL RS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 3 years	x	x	x	x				S26361-F2346-S132	1.215,00	
	Red Hat EL SFS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 1 year	x	x	x	x				S26361-F2346-S141	110,00	
	Red Hat EL SFS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 3 years	x	x	x	x				S26361-F2346-S142	303,00	
	Red Hat EL LB 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 1 year	x	x	x	x				S26361-F2346-S151	110,00	
	Red Hat EL LB 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 3 years	x	x	x	x				S26361-F2346-S152	303,00	
	Red Hat EL HPN 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 1 year	x	x	x	x				S26361-F2346-S161	110,00	
	Red Hat EL HPN 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 3 years	x	x	x	x				S26361-F2346-S162	303,00	
	Red Hat EL EUS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 1 year	x	x	x	x				S26361-F2346-S171	138,00	
	Red Hat EL EUS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 3 years	x	x	x	x				S26361-F2346-S172	380,00	
	Red Hat ELS 4SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Standard Support 1 year						x		S26361-F2346-S201	663,00	
	Red Hat ELS 4SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Standard Support 3 years						x		S26361-F2346-S202	1.778,00	
	Red Hat ELS 4SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Standard Support 1 year						x		S26361-F2346-S203	994,00	
	Red Hat ELS 4SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Standard Support 3 years						x		S26361-F2346-S204	2.668,00	
	Red Hat ELS 4SOC uG 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Standard Support 1 year						x		S26361-F2346-S205	1.657,00	
	Red Hat ELS 4SOC uG 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Standard Support 3 years						x		S26361-F2346-S206	4.449,00	
	Red Hat ELS 8SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (up to 1 guest) level3 Standard Support 1 year						x	x	S26361-F2346-S301	1.325,00	
	Red Hat ELS 8SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (up to 1 guest) level3 Standard Support 3 years						x	x	S26361-F2346-S302	3.556,00	
	Red Hat ELS 8SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (up to 4 guests) level3 Standard Support 1 year						x	x	S26361-F2346-S303	1.988,00	
	Red Hat ELS 8SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (up to 4 guests) level3 Standard Support 3 years						x	x	S26361-F2346-S304	5.338,00	
	Red Hat ELS 8SOC uG 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (unlimited guests) level3 Standard Support 1 year						x	x	S26361-F2346-S305	3.315,00	
	Red Hat ELS 8SOC uG 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (unlimited guests) level3 Standard Support 3 years						x	x	S26361-F2346-S306	8.897,00	
	Red Hat ELS 4SOC 1G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Premium Support 1 year					x			S26361-F2346-S211	1.077,00	
	Red Hat ELS 4SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Premium Support 3 years					x			S26361-F2346-S212	2.891,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
PRIMERGY-Software (Continued)												
	Red Hat ELS 4SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Premium Support 1 year					x			S26361-F2346-S213	1.616,00	
	Red Hat ELS 4SOC 4G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Premium Support 3 years					x			S26361-F2346-S214	4.338,00	
	Red Hat ELS 4SOC uG 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Premium Support 1 year					x			S26361-F2346-S215	2.694,00	
	Red Hat ELS 4SOC uG 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Premium Support 3 years					x			S26361-F2346-S216	7.231,00	
	Red Hat ELS 8SOC 1G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (up to 1 guest) level3 Premium Support 1 year						x	x	S26361-F2346-S311	2.155,00	
	Red Hat ELS 8SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (up to 1 guest) level3 Premium Support 3 years						x	x	S26361-F2346-S312	5.782,00	
	Red Hat ELS 8SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (up to 4 guests) level3 Premium Support 1 year						x	x	S26361-F2346-S313	3.232,00	
	Red Hat ELS 8SOC 4G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (up to 4 guests) level3 Premium Support 3 years						x	x	S26361-F2346-S314	8.675,00	
	Red Hat ELS 8SOC uG 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (8 sockets) (unlimited guests) level3 Premium Support 1 year						x	x	S26361-F2346-S315	5.388,00	
	Red Hat ELS 8SOC uG 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (8 sockets) (unlimited guests) level3 Premium Support 3 years						x	x	S26361-F2346-S316	14.461,00	
	Red Hat EL HA 4SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (4 sockets) I3 Support 1 year					x			S26361-F2346-S221	441,00	
	Red Hat EL HA 4SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (4 sockets) I3 Support 3 years					x			S26361-F2346-S222	1.214,00	
	Red Hat EL HA 8SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (8 sockets) I3 Support 1 year					x	x		S26361-F2346-S321	882,00	
	Red Hat EL HA 8SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (8 sockets) I3 Support 3 years					x	x		S26361-F2346-S322	2.427,00	
	Red Hat EL RS 4SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (4 sockets) I3 Support 1 year					x			S26361-F2346-S231	883,00	
	Red Hat EL RS 4SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (4 sockets) I3 Support 3 years					x			S26361-F2346-S232	2.430,00	
	Red Hat EL RS 8SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (8 sockets) I3 Support 1 year					x	x		S26361-F2346-S331	1.767,00	
	Red Hat EL RS 8SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (8 sockets) I3 Support 3 years					x	x		S26361-F2346-S332	4.860,00	
	Red Hat EL SFS 4SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (4 sockets) I3 Support 1 year					x			S26361-F2346-S241	220,00	
	Red Hat EL SFS 4SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (4 sockets) I3 Support 3 years					x			S26361-F2346-S242	605,00	
	Red Hat EL SFS 8SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (8 sockets) I3 Support 1 year					x	x		S26361-F2346-S341	440,00	
	Red Hat EL SFS 8SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (8 sockets) I3 Support 3 years					x	x		S26361-F2346-S342	1.211,00	
	Red Hat EL LB 4SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (4 sockets) I3 Support 1 year					x			S26361-F2346-S251	220,00	
	Red Hat EL LB 4SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (4 sockets) I3 Support 3 years					x			S26361-F2346-S252	605,00	
	Red Hat EL LB 8SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (8 sockets) I3 Support 1 year					x	x		S26361-F2346-S351	440,00	
	Red Hat EL LB 8SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (8 sockets) I3 Support 3 years					x	x		S26361-F2346-S352	1.211,00	
	Red Hat EL HPN 4SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (4 sockets) I3 Support 1 year					x			S26361-F2346-S261	220,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
PRIMERGY-Software (Continued)												
	Red Hat EL HPN 4SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (4 sockets) I3 Support 3 years						x		S26361-F2346-S262	605,00	
	Red Hat EL HPN 8SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (8 sockets) I3 Support 1 year							x x	S26361-F2346-S361	440,00	
	Red Hat EL HPN 8SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (8 sockets) I3 Support 3 years							x x	S26361-F2346-S362	1.211,00	
	Red Hat EL EUS 4SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (4 sockets) I3 Support 1 year						x		S26361-F2346-S271	275,00	
	Red Hat EL EUS 4SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (4 sockets) I3 Support 3 years						x		S26361-F2346-S272	757,00	
	Red Hat EL EUS 8SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (8 sockets) I3 Support 1 year							x x	S26361-F2346-S371	551,00	
	Red Hat EL EUS 8SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (8 sockets) I3 Support 3 years							x x	S26361-F2346-S372	1.515,00	
	Citrix XS AE, 3yr SA	Citrix XS AE, 3yr SA; XenServer V5.6+ Advanced Edition; License, 3 years Subscription Advantage, SW and License key per Download		x	x	x	x	x		S26361-F2341-S980	1.050,00	
	Citrix XS EE, 3yr SA	Citrix XS EE, 3yr SA; XenServer V5.6+ Enterprise Edition; License, 3 years Subscription Advantage, SW and License key per Download		x	x	x	x	x		S26361-F2341-S981	2.630,00	
	Citrix XS PE, 3yr SA	Citrix XS PE, 3yr SA; XenServer V5.6+ Platinum Edition; License, 3 years Subscription Advantage, SW and License key per Download		x	x	x	x	x		S26361-F2341-S982	5.290,00	
	Citrix XS AE-EE upgr, 3yr SA	Citrix XS AE-EE upgr, 3yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 3 years Subscription Advantage; SW and License key per Download		x	x	x	x	x	x	S26361-F2341-S983	2.000,00	
	Citrix XS AE-PE upgr, 3yr SA	Citrix XS AE-PE upgr, 3yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 3 years Subscription Advantage; SW and License key per Download		x	x	x	x	x		S26361-F2341-S984	4.880,00	
	Citrix XS EE-PE upgr, 3yr SA	Citrix XS EE-PE upgr, 3yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 3 years Subscription Advantage; SW and License key per Download		x	x	x	x	x		S26361-F2341-S985	3.540,00	
	Citrix XS AE, 1yr SA	Citrix XS AE, 1yr SA; XenServer V5.6+ Advanced Edition; License, 1 year Subscription Advantage, SW and License key per Download		x	x	x	x	x		S26361-F2341-S986	830,00	
	Citrix XS EE, 1yr SA	Citrix XS EE, 1yr SA; XenServer V5.6+ Enterprise Edition; License, 1 year Subscription Advantage, SW and License key per Download		x	x	x	x	x		S26361-F2341-S987	2.080,00	
	Citrix XS PE, 1yr SA	Citrix XS PE, 1yr SA; XenServer V5.6+ Platinum Edition; License, 1 year Subscription Advantage, SW and License key per Download		x	x	x	x	x		S26361-F2341-S988	4.170,00	
	Citrix XS AE-EE upgr, 1yr SA	Citrix XS AE-EE upgr, 1yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 1 year Subscription Advantage; SW and License key per Download		x	x	x	x	x		S26361-F2341-S989	1.460,00	
	Citrix XS AE-PE upgr, 1yr SA	Citrix XS AE-PE upgr, 1yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 1 year Subscription Advantage; SW and License key per Download		x	x	x	x	x		S26361-F2341-S990	3.750,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
PRIMERGY-Software (Continued)												
	Citrix XS EE-PE upgr, 1yr SA	Citrix XS EE-PE upgr, 1yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 1 year Subscription Advantage; SW and License key per Download		x	x	x	x	x		S26361-F2341-S991	2.420,00	
	VMware vSphere Embedded UFM Device	VMware vSphere Embedded UFM Device Embedded UFM Storage Device , inc. ESXi Single SRV Lic. (w/o SP)	x	x	x	x	x	x	x	S26361-F2341-E431	60,00	
	VMware ESXi 5.0 Single SRV w/o SP-1yr	VMware ESXi 5 Single Server for 1 CPU (32GB vRAM/CPU) - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S700	10,00	
	VMware vSphere 5 Media Kit OEM	VMware vSphere 5 Media Kit OEM w/ ESX 4,vCenter 5,vShield,Backup-Restore , VMware vSphere 4 Media Kit OEM w/ ESX 4,vCenter 4,vShield,Backup-Restore - No License	x	x	x	x	x	x	x	S26361-F2341-E300	80,00	
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (32GB vRAM/CPU) - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E707	895,00	
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (32GB vRAM/CPU) - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E708	895,00	
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E709	2.585,00	
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU (64GB vRAM/CPU) - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E710	2.585,00	
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E711	3.145,00	
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAM/CPU) - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E712	3.145,00	
	VMware STD AK(8CPU+VC-STD)w/o SP-1yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E730	8.995,00	
	VMware STD AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E731	8.995,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E732	15.750,00	
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E733	15.750,00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E734	19.750,00	
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAM/CPU) inc VC-STD - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E735	19.750,00	
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S736	4.495,00	
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S737	4.495,00	
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S738	1.345,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
PRIMERGY-Software (Continued)												
	VMware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S739	1.345,00	
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E740	4.045,00	
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-E741	4.045,00	
	VMware Essentials w/1yr Sub,-no Support	VMware Essentials for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Inc. 1 year VMware Sub. - no Support	x	x	x	x	x	x	x	S26361-F2341-S800	504,00	
	VMware Essentials w/3yr Sub,-no Support	VMware Essentials for 6 CPU (192GB vRAM/CPU) inc VC-FND-E - Inc. 3 year VMware Sub. - no Support	x	x	x	x	x	x	x	S26361-F2341-S801	595,00	
	VMware SRM STD 25 VM Pack w/7x24-1yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S802	4.969,00	
	VMware SRM STD 25 VM Pack w/7x24-3yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S803	6.510,00	
	VMware SRM STD 25 VM Pack w/5x9-1yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S804	4.810,00	
	VMware SRM STD 25 VM Pack w/5x9-3yr	VMware SRM STD 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S805	6.104,00	
	VMware SRM ENT 25 VM Pack w/7x24-1yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S806	12.573,00	
	VMware SRM ENT 25 VM Pack w/7x24-3yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S807	16.483,00	
	VMware SRM ENT 25 VM Pack w/5x9-1yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S808	12.169,00	
	VMware SRM ENT 25 VM Pack w/5x9-3yr	VMware SRM ENT 25 VM Pack Protects 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S809	15.454,00	
	VMware View ENT Start 10 CLI w/o SP-1yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S742	1.220,00	
	VMware View ENT Start 10 CLI w/o SP-3yr	VMware View ENT Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S743	1.220,00	
	VMware View ENT 100 CLI w/o SP-1yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S744	12.195,00	
	VMware View ENT 100 CLI w/o SP-3yr	VMware View ENT 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S745	12.195,00	
	VMware View ENT Add 10 CLI w/o SP-1yr	VMware View ENT Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S746	1.220,00	
	VMware View ENT Add 10 CLI w/o SP-3yr	VMware View ENT Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S747	1.220,00	
	VMware View ENT Add-On 10 CLI w/o SP-1yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License w/VDM - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S748	730,00	
	VMware View ENT Add-On 10 CLI w/o SP-3yr	VMware View ENT Add-On 10 Desktop VM's - Extends existing vSphere License w/VDM - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S749	730,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
PRIMERGY-Software (Continued)												
	VMware View PRE Start 10 CLI w/o SP-1yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S750	2.030,00	
	VMware View PRE Start 10 CLI w/o SP-3yr	VMware View PRE Start 10 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S751	2.030,00	
	VMware View PRE 100 CLI w/o SP-1yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S752	20.295,00	
	VMware View PRE 100 CLI w/o SP-3yr	VMware View PRE 100 Desktop VM's Bundle w/ VDM,VC-STD+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S753	20.295,00	
	VMware View PRE Add 10 CLI w/o SP-1yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S754	2.030,00	
	VMware View PRE Add 10 CLI w/o SP-3yr	VMware View PRE Add. 10 Desktop VM's Bundle w/ VDM+ESX ENT-PL,COMP,TA - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S755	2.030,00	
	VMware View PRE Add-On 10 CLI w/o SP-1yr	VMware View PRE Add-On 10 Desktop VM's - Extends existing VS4 Lic. w/VDM,COMP,TA - Mandatory 1 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S756	1.540,00	
	VMware View PRE Add-On 10 CLI w/o SP-3yr	VMware View PRE Add-On 10 Desktop VM's - Extends existing VS4 Lic. w/VDM,COMP,TA - Mandatory 3 year Service Pack needed!	x	x	x	x	x	x	x	S26361-F2341-S757	1.540,00	
	VMware vCloud Dir. 25 VM Pack w/7x24-1yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S810	3.992,00	
	VMware vCloud Dir. 25 VM Pack w/7x24-3yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S811	5.227,00	
	VMware Chargeback 25 VM Pack w/7x24-1yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 1 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S812	1.275,00	
	VMware Chargeback 25 VM Pack w/7x24-3yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 3 year VMware 7x24 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S813	1.671,00	
	VMware vCloud Dir. 25 VM Pack w/5x9-1yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S814	3.865,00	
	VMware vCloud Dir. 25 VM Pack w/5x9-3yr	VMware vCloud Director 25 VM Pack Manage 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S815	4.902,00	
	VMware Chargeback 25 VM Pack w/5x9-1yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 1 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S816	1.234,00	
	VMware Chargeback 25 VM Pack w/5x9-3yr	VMware Chargeback 25 VM Pack Monitor 25 VM's - Inc. 3 year VMware 5x9 Service+Sub.	x	x	x	x	x	x	x	S26361-F2341-S817	1.567,00	
UPS/Power supply												
	Power Supply Module 770W silver hp	1st or 2nd PSU hp for redundancy for RX200S6 gold PSU incl IEC320-C13 to C14 power cable		x						S26113-F539-E1	210,00	
	Power Supply Module 800W gold hp	gold PS hp for redundancy			x					S26113-F555-E10	230,00	
	Power Supply Module 850W (w/o power cord)	hot-plug Power Supply Module, 850W, 92% efficiency (CSCI gold), without power cord						x		S26113-F561-E20	295,00	
	Power Supply Module 450W gold hp	1st or 2nd PSU hp for redundancy for RX200S6 gold PSU incl IEC320-C13 to C14 power cable		x						S26113-F570-E1	130,00	
	Power Supply Module 2.000W	hot-plug Power Supply Module, 2.000W, 92% efficiency (gold)							x	S26113-F608-E10	880,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
UPS/Power supply (Continued)												
	Modular PSU 450W platinum hp	1st or 2nd modular PSU hp platinum for redundancy incl IEC320-C13 to C14 power cable	x			x				S26113-F575-E10	225,00	
	Cable powercord rack, 4m, grey	Powercord for rackmounting, IEC 320 C14 -> C13 (10A plug), 4m	x			x	x			T26139-Y1968-E100	10,00	
	Cable powercord (USA), 1.8m, grey	suitable for USA, Cnd	x	x	x	x	x			T26139-Y1742-E10	10,00	
	No powercord as order option	For Countries without specific cable orderable like e.g. China	x			x	x			T26139-Y3850-E10	2,00	
Miscellaneous												
	HANA Single Node Staging	HANA Infrastructure Staging Single Node based						x		D:HANA-STAGE-001	6.670,00	
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order	x	x	x	x	x	x	x	S26361-F1647-E410	25,00	
	LocalView Option Kit S2	LCD display with installation kit			x	x				S26361-F2557-E106	70,00	
	Customer Self Service Module RX Server	Support for Customer Self Service (CSS), incl. mounting kit			x					S26361-F2557-E205	25,00	
	Service LAN Option	ntegriert in die vordere Bedieneinheit				x				S26361-F2571-E27	20,00	
	Opt. Front VGA + Service LAN	VGA and Service LAN connector, instead of Local Service Panel	x							S26361-F2571-E37	50,00	
	RX100 S7 E-STAR FAM1 certification	Limits configurations in accordance with Energy Star Server 1.0, for SATA LFF base unit with std PSU and 4 core CPUs only	x							S26361-F3301-E111	3,00	
	RX200S6 E-Star Fam1 Certification	Limits configurations in accordance with Energy Star Server 1.0, for all base units		x						S26361-F3301-E401	3,00	
	RX300S6 E-Star Fam1 Certification	Limits configuration in accordance with Energy Star Server 1.0			x					S26361-F3301-E501	3,00	
	TPM Module	Trusted Platform Module on motherboard, be aware of import restrictions!	x	x	x	x	x	x	x	S26361-F3552-E1	50,00	
	T-HANDLES RX300S6				x					S26361-F4000-E1	20,00	
	ServerView Local Service Panel Kit	Support for Customer Self Service (CSS)	x							S26361-F2557-E204	30,00	
	No RMK	no Rackmount-Kit - only with loose server order without rack mounting ex factory	x	x	x	x	x	x	x	S26361-F2735-E111	5,00	
SW Data Center Products												
	Citrix XD VDI, 10 U/D, 3yr SA	Citrix XD VDI, 10 U/D, 3yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-E913	1.040,00	
	Citrix XD VDI, 50 U/D, 3yr SA	Citrix XD VDI, 50 U/D, 3yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-E914	5.210,00	
	Citrix XD VDI, 100 U/D, 3yr SA	Citrix XD VDI, 100 U/D, 3yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-E915	10.420,00	
	Citrix XD EE, 10 U/D, 3yr SA	Citrix XD EE, 10 U/D, 3yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-E923	2.460,00	
	Citrix XD EE, 50 U/D, 3yr SA	Citrix XD EE, 50 U/D, 3yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-E924	12.290,00	
	Citrix XD EE, 100 U/D, 3yr SA	Citrix XD EE, 100 U/D, 3yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-E925	24.580,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
SW Data Center Products (Continued)												
	Citrix XD PE, 10 U/D, 3yr SA	Citrix XD PE, 10 U/D, 3yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-E933	3.750,00	
	Citrix XD PE, 50 U/D, 3yr SA	Citrix XD PE, 50 U/D, 3yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-E934	18.750,00	
	Citrix XD PE, 100 U/D, 3yr SA	Citrix XD PE, 100 U/D, 3yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-E935	37.500,00	
	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA	Citrix XD VDI-EE upgr, 10 U/D, 3yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-E960	2.170,00	
	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA	Citrix XD VDI-EE upgr, 50 U/D, 3yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-E961	10.830,00	
	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA	Citrix XD VDI-EE upgr, 100 U/D, 3yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-E962	21.670,00	
	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA	Citrix XD VDI-PE upgr, 10 U/D, 3yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-E963	3.460,00	
	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA	Citrix XD VDI-PE upgr, 50 U/D, 3yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-E964	17.290,00	
	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA	Citrix XD VDI-PE upgr, 100 U/D, 3yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-E965	34.580,00	
	Citrix XD EE-PE upgr, 10 U/D, 3yr SA	Citrix XD EE-PE upgr, 10 U/D, 3yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-E966	2.210,00	
	Citrix XD EE-PE upgr, 50 U/D, 3yr SA	Citrix XD EE-PE upgr, 50 U/D, 3yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-E967	11.040,00	
	Citrix XD EE-PE upgr, 100 U/D, 3yr SA	Citrix XD EE-PE upgr, 100 U/D, 3yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-E968	22.080,00	
	Citrix XD VDI, 10 U/D, 1yr SA	Citrix XD VDI, 10 U/D, 1yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-S913	790,00	
	Citrix XD VDI, 50 U/D, 1yr SA	Citrix XD VDI, 50 U/D, 1yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-S914	3.960,00	
	Citrix XD VDI, 100 U/D, 1yr SA	Citrix XD VDI, 100 U/D, 1yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 1 year Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-S915	7.920,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
SW Data Center Products (Continued)												
	Citrix XD EE, 10 U/D, 1yr SA	Citrix XD EE, 10 U/D, 1yr SA; XenDesktop Enterprise Edition, 10 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-S923	1.880,00	
	Citrix XD EE, 50 U/D, 1yr SA	Citrix XD EE, 50 U/D, 1yr SA; XenDesktop Enterprise Edition, 50 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-S924	9.380,00	
	Citrix XD EE, 100 U/D, 1yr SA	Citrix XD EE, 100 U/D, 1yr SA; XenDesktop Enterprise Edition, 100 U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-S925	18.750,00	
	Citrix XD PE, 10 U/D, 1yr SA	Citrix XD PE, 10 U/D, 1yr SA; XenDesktop Platinum Edition, 10 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-S933	2.920,00	
	Citrix XD PE, 50 U/D, 1yr SA	Citrix XD PE, 50 U/D, 1yr SA; XenDesktop Platinum Edition, 50 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-S934	14.580,00	
	Citrix XD PE, 100 U/D, 1yr SA	Citrix XD PE, 100 U/D, 1yr SA; XenDesktop Platinum Edition, 100 U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download		x	x	x	x	x	x	S26361-F2341-S935	29.170,00	
	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA	Citrix XD VDI-EE upgr, 10 U/D, 1yr SA; XD VDI to Enterprise upgrade 10U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-S960	1.580,00	
	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA	Citrix XD VDI-EE upgr, 50 U/D, 1yr SA; XD VDI to Enterprise upgrade 50U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-S961	7.920,00	
	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA	Citrix XD VDI-EE upgr, 100 U/D, 1yr SA; XD VDI to Enterprise upgrade 100U/D; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-S962	15.830,00	
	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA	Citrix XD VDI-PE upgr, 10 U/D, 1yr SA; XD VDI to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-S963	2.630,00	
	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA	Citrix XD VDI-PE upgr, 50 U/D, 1yr SA; XD VDI to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-S964	13.130,00	
	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA	Citrix XD VDI-PE upgr, 100 U/D, 1yr SA; XD VDI to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-S965	26.250,00	
	Citrix XD EE-PE upgr, 10 U/D, 1yr SA	Citrix XD EE-PE upgr, 10 U/D, 1yr SA; XD Enterprise to Platinum upgrade 10U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-S966	1.380,00	
	Citrix XD EE-PE upgr, 50 U/D, 1yr SA	Citrix XD EE-PE upgr, 50 U/D, 1yr SA; XD Enterprise to Platinum upgrade 50U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-S967	6.880,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
SW Data Center Products (Continued)												
	Citrix XD EE-PE upgr, 100 U/D, 1yr SA	Citrix XD EE-PE upgr, 100 U/D, 1yr SA; XD Enterprise to Platinum upgrade 100U/D; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download		x	x	x	x	x	x	S26361-F2341-S968	13.750,00	
	SVRCVESC D V22 (WIN) MED CD	ServerView Resource Coordinator VE Standard Media Pack (Windows) V2.2	x	x	x		x	x	x	U11420-C910	50,00	
	SVRCVESC D V22 (LINUX) MED CD	ServerView Resource Coordinator VE Standard Media Pack (Linux) V2.2	x	x	x		x	x	x	U11420-C911	50,00	
	SVRCVESMGR V22 (WIN) RTU 1SVR 4C	Resource Coordinator VE Standard Server License for 1 Manager (Windows) 4CPU Class V2	x	x	x		x			U11420-C902	2.363,00	
	SVRCVESMGR V22 (WIN) RTU 1 SVR 8C	ServerView Resource Coordinator VE Standard Server License for 1 Manager 8CPU Class V2						x	x	U11420-C920	4.727,00	
	SVRCVESMGR V22 (WIN) UGRTU 1 SVR 4C	Resource Coordinator VE Standard Server License for 1 Manager (Windows) 4CPU Class Upgrade from RCVE Preview V2	x	x	x		x			U11420-C922	2.363,00	
	SVRCVESMGR V22 (WIN) UGRTU 1 SVR 8C	ServerView Resource Coordinator VE Standard Server License for 1 Manager 8CPU Class Upgrade von RCVE Preview V2						x	x	U11420-C923	4.727,00	
	SVRCVESAGT V22 (WIN/LINUX) RTU 1SVR 4C	Resource Coordinator VE Standard Server License for 1 Agent (Windows or Linux) 4CPUClass V2	x	x	x		x			U11420-C903	517,00	
	SVRCVESAGT V22 (WIN/LINUX) RTU 10SVR 4C	Resource Coordinator VE Standard Server License for 10 Agents (Windows or Linux) 4 CPU Class V2	x	x	x		x			U11420-C904	4.033,00	
	SVRCVESAGT V22 (WIN/LINUX) RTU 18SVR 4C	Resource Coordinator VE Standard Server License for 18 Agents (Windows or Linux) 4 CPU Class V2	x	x	x		x			U11420-C905	7.869,00	
	SVRCVESAGT V22 (WIN/LINUX) RTU 1SVR 8C	Resource Coordinator VE Standard Server License for 1 Agent (Windows or Linux) 8 CPU Class V2						x	x	U11420-C926	1.034,00	
	SVRCVEFCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (FC) Option (Windows)	x	x	x		x	x	x	U11420-C906	100,00	
	SVRCVEMCO (WIN) MED CD	ServerView Resource Coordinator VE I/O Virtualization (MAC) Option (Windows)	x	x	x		x	x	x	U11420-C936	100,00	
	SVRCVESDEMO V2 (WIN/LINUX) RTU	ServerView Resource Coordinator VE Standard Demo License (1 System) V2	x	x	x		x	x	x	U11420-C907	0,01	
	SVRORDEMO V2 (WIN/LINUX) RTU	ServerView Resource Orchestrator Demo License (1 System) V2	x	x	x		x	x	x	U11420-C935	0,01	
	SVRORDVD V23 (WIN/LINUX) MED DVD	ServerView Resource Orchestrator Media Pack V2.3 for Windows	x	x	x		x	x	x	U11420-C939	50,00	
	XTN-CD V32 (PS) MED CD	x10sure CD 3.2; (Binaries / Documents) 1 Medium, German & English Version	x	x	x			x	x	U11420-C775	50,00	
	SVRORSVR V23 (WIN/LINUX) RTU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class V2	x	x	x					U11420-C940	1.331,00	
	XTN-B V32 (PS) RTU -1CN1AN	x10sure 3.2 - Base License (RTU for 1 Control Node + 1 Application Node; no support nor updates included)	x	x	x			x	x	U11420-C877	1.400,00	
	XTN-B V32 (PS) UgRTU -1CN1AN	x10sure 3.2 - Upgrade Base License (Upgrade RTU for 1 Control Node + 1 Application Node from x10sure 2.x or 3.0; for maintenance renewal only)	x	x	x			x	x	U11420-C773-U	1,00	
	XTN-N V32 (PS) RTU -1 Node	x10sure 3.2 RTU for 1 additional Application- or Spare Node; no support nor updates included	x	x	x			x	x	U11420-C878	1.100,00	
	SVRORSVR V23 (WIN/LINUX) RTU 10SVR 4C	ServerView Resource Orchestrator Server License (10 Server) 4CPU Class V2	x	x	x		x			U11420-C942	12.376,00	
	XTN-N V32 (PS) UgRTU -1 Node	x10sure 3.2 - Upgrade License (Upgrade RTU for 1 additional Application or Spare Node from x10sure 2.x or 3.0; for maintenance renewal only)	x	x	x			x	x	U11420-C774-U	1,00	



Rack Servers Options

Category	Description	Details	PRIMERGY RX100 S7	PRIMERGY RX200 S6	PRIMERGY RX300 S6	PRIMERGY RX300 S7	PRIMERGY RX600 S6	PRIMERGY RX900 S1	PRIMERGY RX900 S2	Product Code	EUP (€)	Comments
Options matrix												
SW Data Center Products (Continued)												
	XTNIS-CD V31 (PS) MED CD	x10sure IS CD 3.1; (Binaries / Documents) 1 Medium, German & English Version			x					U11420-C776	50,00	
	SVRORSVR V23 (WIN/LINUX) RTU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class V2	x	x	x		x			U11420-C943	22.277,00	
	XTNIS-B V31 (PS) RTU -1CN1AN	x10sure IS 3.1 - License (RtU for one x10sure IS (Internal Storage) configuration consisting of 2 servers with internal RAID-storage; no support nor updates included)			x					U11420-C879	2.500,00	
	SVRORSVR V23 (WIN/LINUX) RTU 1SVR 8C	ServerView Resource Orchestrator Server License (1 Server) 8CPU Class V2						x	x	U11420-C944	2.662,00	
	SVRORSVR V23 (WIN/LINUX) UGRTU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class RCVE Agent Upgrade V2	x	x	x		x			U11420-C946	814,00	
	SVRORSVR V23 (WIN/LINUX) UGRTU 10SVR 4C	ServerView Resource Orchestrator Server License (10 Server) 4CPU Class RCVE Agent Upgrade V2	x	x	x		x			U11420-C948	8.343,00	
	SVRORSVR V23 (WIN/LINUX) UGRTU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class RCVE Agent Upgrade V2	x	x	x		x			U11420-C949	14.408,00	
	SVRORSVR V23 (WIN/LINUX) UGRTU 1SVR 8C	ServerView Resource Orchestrator Server License (1 Server) 8CPU Class RCVE Agent Upgrade V2						x	x	U11420-C950	1.628,00	
Solution identifier												
	ID HANA Single box Appliance	HANA Single Box V1.0 Solution Identifier					x			FTS:HANA-ID-V101	0,01	
	ID HANA Multinode Appliance	HANA Multinode V1.0 Solution Identifier						x		FTS:HANA-ID-V201	0,01	
	HPC Solution Identifier				x	x				FTS:HPC-ID-V001	30,00	
	HPC Head Node Inst. ex works incl ICR	Please note configuration hints			x	x				S26361-F3638-E1	1.195,00	
	HPC Compute Node Inst. ex works incl ICR	Please note configuration hints	x	x	x					S26361-F3638-E2	205,00	



Positioning PRIMERGY Blade Servers



**PRIMERGY
BX900 S1**

The PRIMERGY BX900 S1 is a rack unit that has an installed height of 10U and accommodates 1 to 18 server blades and 1 to 6 storage blades. The energy-efficient Intel Nehalem Quad-Core processors are used in the server blades. Ethernet, Fibre Channel and Infiniband networks are accessed via 8 switch bays. Switches from Cisco, Brocade and Emulex can be used. With its transfer rate of 6.4 Gb/s, the midplane used is the fastest on the market. 100V and 200V power supplies are available. This hardware platform is ideal for server consolidation and virtualization in the datacenter.



**PRIMERGY
BX600 S3**

The PRIMERGY Blade Ecosystem provide high performance and maximum redundancy with minimum rack space, power consumption and cabling effort. PRIMERGY BX600 S3 can be equipped with up to ten Intel or AMD server blades, and are excellently suited for consolidation projects and for front- and mid-tier applications requiring enterprise-class availability, extreme flexibility and power efficiency. Due to its versatile design the system is ideal suited for smaller and mid market companies.



**PRIMERGY
SX650**

This storage blade for PRIMERGY BX600 offers an easy and cost effective opportunity for server consolidation. Rack and tower servers with high capacity of local hard disks are operating primarily in the area of small and medium enterprises. Very often it is essential having local access on large amounts of data; this for example applies to the wide area of Computer Aided Engineering (CAE), where smaller workgroups locally have to work on and create very large models. Operation within confined environments as file servers as well as for Microsoft SharePoint Servers and Microsoft SQL Servers are popular usage cases.



**PRIMERGY
SX940 S1**

The PRIMERGY SX940 S1 Direct Attached Storage Blade Disk can be used to extend the internal storage capacity of PRIMERGY BX92x Server Blades. A maximum of four internal disk drives greatly extends the maximum amount of disk storage of a Server Blade. One Storage Blade occupies a Blade slot within the PRIMERGY BX900 S1 system unit; it is positioned either on the left or right to an adjacent BX92x Server Blade, or between the two. The 1x 4 or 2x 2 disk drives of one SX940 S1 are driven by 1 or 2 integrated, highly functional SAS/RAID controllers with 512 Mbyte cache and BU. Each controller provides RAID levels 0, 1, 5 and 6. The connection to each Server Blade is realized via a midplane link to the high performing PCIe x4 interfaces of each Server Blade's system board.



**PRIMERGY
BladeFrame BF200**



**PRIMERGY
BladeFrame BF400 S2**

PRIMERGY BladeFrame is the platform to set up an application-independent and service-oriented IT infrastructure. The Processing Area Network (PAN) combines stateless servers (pBlades) with unique virtualization and management software, thus reducing the existing infrastructure complexity and providing a dynamic, high-availability system.

PRIMERGY BladeFrame uses the PAN architecture to manage a pool of computing, storage and network resources which can be dynamically allocated depending on business requirements. The PAN Manager is the central instance for configuring, managing and monitoring both the physical as well as virtual servers. With the PAN Manager a server is no longer a device with a defined configuration, operating system and application, but a software-based definition that can be dynamically assigned as needed. The PAN architecture thus expands the benefits of server virtualization and provides an integrated concept for high-availability (N+1 failover) and disaster recovery. The result is considerable savings in operational and total costs.



PRIMERGY BX400 S1

The Fujitsu PRIMERGY BX400 is a fully-featured blade system built from the ground up to be userfriendly and versatile, helping you meet large-scale computing and storage requirements. It provides an optimum combination of up to eight server or storage blades in a small enclosure, supported by a comprehensive set of solutions and services.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PROJECT BX400 S1					
	SAG BLADE alt. Enclosure BX400 S1 SU	6 U Systemunit without Server Blades, 1x MMB, 1xPSU without power cord, ServerView Suite, All empty slots closed with Blind-Blades, 1 Y-Cable to connect USB and Display at the Front of the Server Blades (4x USB, 1x serial, 1x VGA)	CZK:1335V201-BFS15	6.316,00	
PRIMERGY BX400 S1					
	PY BX400 S1 System Unit	6 U Systemunit without Server Blades, 1x MMB, 1xPSU without power cord, ServerView Suite, All empty slots closed with Blind-Blades, 1 Y-Cable to connect USB and Display at the Front of the Server Blades (4x USB, 1x serial, 1x VGA)	S26361-K1335-V201	3.235,00	



PRIMERGY BX620 S4

PRIMERGY BX server blades represent the workhorses within the PRIMERGY BX600 blade server system. Server blades may also optionally be equipped with local hard disk drives and additional mezzanine cards as prerequisites for enhanced external connectivity. Based on those capabilities the PRIMERGY server blades enable customers to run various types of applications in either physical or virtualized environments. With their modular design for different requirements, the customer can create specific configurations to meet different usage scenarios.

The PRIMERGY BX620 S4 delivers optimal performance for enterprise environments with optimal memory and processor performance. This high-density server blade features low-voltage processors for better energy management. Up to ten dual socket server blades equipped with one to two Dual-Core CPUs of the Intel® Xeon® processor 5200 series with 6 MB shared second level cache or up to two Quad-Core CPUs of the Intel® Xeon® processor 5400 series with 2x 6 MB shared second level cache these server blades are designed for an optimal performance/watt ratio.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY BLADE BX620 S6					
	PY BX620 S6 Dual Server Blade	Dual Server Blade, base unit without processor and memory, for BX600 S3 (max. 10 Server Blades), 12 slots for DDR3 RDIMM or UDIMM memory modules (6 per CPU), 3x 2-channel GBit Ethernet LAN on-board, different configurable Storage Modules to drive (controller) the internal SATA or SAS hard disks, 2 bays for 2.5" SATA or SAS HDD's, RAID1 support for internal HDD's, graphics controller is part of iRMC S2 management controller.	S26361-K1355-V200	1.105,00	



PRIMERGY BX620 S5

The PRIMERGY BX620 S5 provides optimal functions for enterprise environments and offers improved features as regards main memory and processors. Up to ten of the dual socket server blades can be installed in a PRIMERGY BX600 S3 system unit. The BX620 S5 systems offer an efficient Cool-safe™ design with the latest generation of Dual- and Quad-Core Intel® Xeon® processor 5500 series CPUs as low-voltage, standard and high-performance versions so as to minimize power consumption and reduce cooling requirements in data centers. Due to the support of a high storage capacity with 12 DIMM slots, main memory of up to 96GB and memory speed of 1,333 MHz the BX620 S5 is ideally suited for front and mid-tier applications that require high availability, flexibility and performance efficiency.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY BLADE BX620 S6					
	PY BX620 S6 Dual Server Blade	Dual Server Blade, base unit without processor and memory, for BX600 S3 (max. 10 Server Blades), 12 slots for DDR3 RDIMM or UDIMM memory modules (6 per CPU), 3x 2-channel GBit Ethernet LAN on-board, different configurable Storage Modules to drive (controller) the internal SATA or SAS hard disks, 2 bays for 2.5" SATA or SAS HDD's, RAID1 support for internal HDD's, graphics controller is part of iRMC S2 management controller.	S26361-K1355-V200	1.105,00	



PRIMERGY BX900 S1

PRIMERGY BX900 - The Dynamic Cube

The PRIMERGY BX900 - Dynamic Cube is a complete Dynamic Server Infrastructure in a single blade cube. This blade server can be dynamically adapted to different IT requirements, thereby reducing costs while increasing your IT agility.

The PRIMERGY BX900 can accommodate up to 18 server blades in a 10U chassis.

Using Cool -safe™, our trademarked cooling concept, combined with power supplies with 90% efficiency and the embedded ServerView Power management software, it ensures truly dynamic power and cooling capabilities that save you money.

Equipped with the latest Intel VT processor technologies, very large memory capacities and state-of-the-art I/O performance, the PRIMERGY BX900 is optimized for any virtualization scenario. Its density and stackability enable flexible scaling to ensure complete investment protection.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY BX900 S1					
	PY BX900 S1 System Unit without PSU	10 U Systemunit without Server Blades, 1x MMB, no PSU, ServerView Suite, All empty slots closed with Blind-Blades, 1 Y-Cable to connect USB and Display at the Front of the Server Blades (4x USB, 1x serial, 1x VGA)	S26361-K1245-V300	3.600,00	



PRIMERGY BX92x S2

The PRIMERGY BX Blade Servers are the ideal choice for data center solutions of today and tomorrow. Our blade servers provide maximum performance and maximum redundancy, but with only minimum space requirements, low power consumption and a reduction in the time and effort required for cabling. The PRIMERGY BX system family is designed to share components between

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY BX960 S1					
	PY BX960 S1 Quad Server Blade	Quad Server Blade, base unit without processor and memory, max 4x CPU, max. 32 DIMM, w/o SSD, for PRIMERGY BX900 S1 (max. 9 server blades)	S26361-K1293-V200	3.685,00	Phased out



PRIMERGY BX960 S1

The PRIMERGY BX960 S1 server blade enables the use of the next generation Intel® Xeon® processors with up to 8 cores à two threads. In conjunction with the QuickPath architecture and the on-chip memory controllers, these processors enable a greatly increased Server Blade performance in contrast to the predecessor generations.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY BX960 S1					
	PY BX960 S1 Quad Server Blade	Quad Server Blade, base unit without processor and memory, max 4x CPU, max. 32 DIMM, w/o SSD, for PRIMERGY BX900 S1 (max. 9 server blades)	S26361-K1293-V200	3.685,00	Phased out



PRIMERGY SX650

To extend the internal storage capacity of a PRIMERGY BX620 S4 or S5 dual socket server blade, up to two PRIMERGY SX650 storage blades can be connected to one server blade.

With one PRIMERGY SX650 the internal storage capacity of a BX620 S4/S5 can be extended by up to 1,500 Gbyte. It occupies one additional server blade slot within the PRIMERGY BX600 S3 system unit, positioned at the right side of an adjacent server blade. The 5 hard disk drives of one PRIMERGY SX650 are driven by a highly functional SAS/RAID controller with 512 Mbyte cache and BBU. This controller (HBA) installed in the BX620 S4/S5 provides the RAID levels 0, 1, 5 and 6. The connection to the SX650 is realized via a corresponding SAS cable which is dedicated for this configuration pair.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY BLADE SX650					
	PY SX650 Storage Blade	Storage Blade SX650	S26361-K1273-V500	865,00	
	PY SX650 Storage Blade (2nd)	Storage Blade SX650 (2nd)	S26361-K1273-V520	865,00	



PRIMERGY SX910 S1

The PRIMERGY SX910 S1 Storage Blade Tape module can be used to archive and backup local data in the PRIMERGY BX400 and 900 system units. The SX910 S1 Storage Blade Tape can be equipped with one LTO tape drive. It requires a blade slot in the PRIMERGY blade enclosure. The built-in tape drive is operated via an integrated SAS Controller. It can be connected to a BX9xx Server Blade which is located directly left to it.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY SX910 S1					
	PY SX910 S1 Storage Blade Tape	1 x tape drive, max 1x SAS Controller, 5,25-inch half-height tape drive	S26361-K1290-V200	1.325,00	



PRIMERGY SX940 S1

The PRIMERGY SX940 S1 Direct Attached Storage Blade Disk can be used to extend the internal storage capacity of PRIMERGY BX92x Server Blades.

A maximum of four internal disk drives greatly extends the maximum amount of disk storage of a Server Blade. One Storage Blade occupies a Blade slot within the PRIMERGY BX900 S1 system unit; it is positioned either on the left or right to an adjacent BX92x Server Blade, or between the two. The 1x 4 or 2x 2 disk drives of one SX940 S1 are driven by 1 or 2 integrated, highly functional SAS/RAID controllers with 512 Mbyte cache and BBU. Each controller provides RAID levels 0, 1, 5 and 6. The connection to each Server Blade is realized via a midplane link to the high performing PCIe x4 interfaces of each Server Blade's system board.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY SX940 S1					
	PY SX940 S1 Storage Blade Disk	max 4x SAS HDD, max 2x SAS Controller	S26361-K1292-V200	945,00	



PRIMERGY SX960 S1

The Fujitsu PRIMERGY SX960 Storage Blade offers direct-attached storage for the PRIMERGY BX Blade Server with support of up to 10 hot-plug SAS or SATA hard disks. The storage blade can be inserted, like a server blade, in the front of the blade server housing. It can be hot-plugged and used with various types of server blades. The BX Blade Servers' midplanes offer PCI Express connections to the adjacent server blades, enabling top-quality memory access without using additional cables. The PRIMERGY SX960 Storage Blade has an onboard LSI MegaRAID controller with 512 MB Write Back Cache and optional Battery Backup Unit, for top performance and data security.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY SX960 S1					
	PY SX960 S1 Storage Blade Disk	max. 10x SAS/SATA HDD/SSD, max. 1x SAS Mega RAID Controller, The SX960S1 can be installed max. 2x in BX400/900	S26361-K1382-V202	1.625,00	



PRIMERGY SX980 S1

The Fujitsu PRIMERGY SX980 Storage Blade Disk is a SAS 2.0 storage solution that helps customers easily transition from direct attached to centralized storage. This storage blade is connected via midplane to a SAS Connection Blade (CB), holds up to 10 hot-plug SAS hard disks or SAS SSDs, and may be made accessible by any PRIMERGY BX Server Blade installed in the same enclosure. With

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY SX960 S1					
	PY SX960 S1 Storage Blade Disk	max. 10x SAS/SATA HDD/SSD, max. 1x SAS Mega RAID Controller, The SX960S1 can be installed max. 2x in BX400/900	S26361-K1382-V202	1.625,00	



PRIMERGY NX650 NAS

The NAS solution NX650 provides shared disk capacity of up to 3,000 GB per unit for server blades in the BX600 S3 enclosure as well as for other servers in the datacenter LAN.

Model	Description	Details	Product Code	EUP (€)	Comments
Base unit configurations					
PRIMERGY BLADE SX650					
	PY SX650 Storage Blade	Storage Blade SX650	S26361-K1273-V500	865,00	
	PY SX650 Storage Blade (2nd)	Storage Blade SX650 (2nd)	S26361-K1273-V520	865,00	



Blade Servers Accessories

Table with columns: Category, Description, Details, and a grid of status indicators (X) for various product codes. Includes sections for OS/Software, UPS/Power, Misc/Accessories, and Media.



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FX6-24 Blade	FC-Switch Port Blade	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80 Expansion	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 96	PRIMERGY BX400 S1	PRIMERGY BX300 S1	PRIMERGY BX300 S2	PRIMERGY BX320 S2	PRIMERGY BX324 S2	PRIMERGY BX360 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BF100	PRIMERGY SX010 S1	PRIMERGY SX040 S1	PRIMERGY SX060 S1	PRIMERGY SX080 S1	Product Code	EUP (€)	Comments			
Options matrix																														
Processor (Continued)																														
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel® Xeon® processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 Mhz, 80 W) incl. heat sink																									S26361-F4499-E160	255,00		
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel® Xeon® processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 Mhz, 80 W) incl. heat sink																										S26361-F4499-E213	280,00	
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel® Xeon® processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 Mhz, 80 W) incl. heat sink																										S26361-F4500-E240	625,00	
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel® Xeon® processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 Mhz, 80 W) incl. heat sink																										S26361-F4500-E253	880,00	
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel® Xeon® processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 Mhz, 95 W) incl. heat sink																										S26361-F4501-E306	1,500,00	
	Intel Xeon X5672 4C/8T 3.20 GHz 12 MB	Intel® Xeon® processor X5672 (4C/8T, 3.20 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 Mhz, 95 W) incl. heat sink																										S26361-F4502-E320	1,610,00	
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel® Xeon® processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 Mhz, 80 W) incl. heat sink																										S26361-F4503-E160	255,00	
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel® Xeon® processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 Mhz, 80 W) incl. heat sink																										S26361-F4503-E213	280,00	
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel® Xeon® processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 Mhz, 80 W) incl. heat sink																										S26361-F4504-E240	625,00	
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel® Xeon® processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 Mhz, 80 W) incl. heat sink																										S26361-F4504-E253	880,00	
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel® Xeon® processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 Mhz, 95 W) incl. heat sink																										S26361-F4505-E306	1,500,00	
	Intel Xeon X5672 4C/8T 3.20 GHz 12 MB	Intel® Xeon® processor X5672 (4C/8T, 3.20 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 Mhz, 95 W) incl. heat sink																										S26361-F4506-E320	1,610,00	
	Intel Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel® Xeon® processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 Mhz, 80 W) incl. heat sink																										S26361-F4507-E160	255,00	
	Intel Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel® Xeon® processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 Mhz, 80 W) incl. heat sink																										S26361-F4507-E213	280,00	
	Intel Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel® Xeon® processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 Mhz, 80 W) incl. heat sink																										S26361-F4508-E240	625,00	
	Intel Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel® Xeon® processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 Mhz, 80 W) incl. heat sink																										S26361-F4508-E253	880,00	
	Intel Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel® Xeon® processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 Mhz, 95 W) incl. heat sink																										S26361-F4509-E306	1,500,00	
	Intel Xeon X5672 4C/8T 3.20 GHz 12 MB	Intel® Xeon® processor X5672 (4C/8T, 3.20 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 Mhz, 95 W) incl. heat sink																										S26361-F4510-E320	1,610,00	
	Intel Xeon X5647 4C/8T 2.93 GHz 12 MB	Intel® Xeon® processor X5647 (4C/8T, 2.93 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 Mhz, 130 W) incl. heat sink																										S26361-F4512-E293	885,00	
	Intel Xeon X5690 6C/12T 3.46 GHz 12 MB	Intel® Xeon® processor X5690 (6C/12T, 3.46 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 Mhz, 130 W) incl. heat sink																										S26361-F4512-E346	1,805,00	
	Intel Xeon X5687 4C/8T 3.60 GHz 12 MB	Intel® Xeon® processor X5687 (4C/8T, 3.60 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mem bus: 1333 Mhz, 130 W) incl. heat sink																										S26361-F4512-E360	1,805,00	
	Intel Xeon X5647 4C/8T 2.93 GHz 12 MB	Intel® Xeon® processor X5647 (4C/8T, 2.93 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 Mhz, 130 W) incl. heat sink																										S26361-F4513-E293	885,00	
	Intel Xeon X5690 6C/12T 3.46 GHz 12 MB	Intel® Xeon® processor X5690 (6C/12T, 3.46 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 Mhz, 130 W) incl. heat sink																										S26361-F4513-E346	1,805,00	
	Intel Xeon X5687 4C/8T 3.60 GHz 12 MB	Intel® Xeon® processor X5687 (4C/8T, 3.60 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mem bus: 1333 Mhz, 130 W) incl. heat sink																										S26361-F4513-E360	1,805,00	
	2x Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel® Xeon® processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 Mhz, 80 W) incl. heat sink																										S26361-F4514-E160	510,00	
	2x Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel® Xeon® processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 Mhz, 80 W) incl. heat sink																										S26361-F4514-E213	580,00	
	2x Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel® Xeon® processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 Mhz, 80 W) incl. heat sink																										S26361-F4514-E240	1,250,00	
	2x Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel® Xeon® processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 Mhz, 80 W) incl. heat sink																										S26361-F4514-E253	1,760,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch F26-24 Blade	FC-Switch Port Blade	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80 Expansion	FibreCAT SX98 Expansion	PRIMERGY BLADE BX620 96	PRIMERGY BLADE SX650	PRIMERGY BX400 S1	PRIMERGY BX500 S1	PRIMERGY BX600 S2	PRIMERGY BX620 S2	PRIMERGY BX624 S2	PRIMERGY BX680 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BF100	PRIMERGY SX1010 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	Product Code	EUP (€)	Comments		
Options matrix																														
Processor (Continued)																														
	2x Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel® Xeon® processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																									S26361-F4516-E306	3,000.00		
	2x Xeon X5690 6C/12T 3.46 GHz 12 MB	Intel® Xeon® processor X5690 (6C/12T, 3.46 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																									S26361-F4516-E346	3,610.00		
	2x Xeon X5647 4C/8T 2.93 GHz 12 MB	Intel® Xeon® processor X5647 (4C/8T, 2.93 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 130 W) incl. heat sink																									S26361-F4517-E293	1,770.00		
	2x Xeon X5687 4C/8T 3.60 GHz 12 MB	Intel® Xeon® processor X5687 (4C/8T, 3.60 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/2/2, 6.4 GT/s, Mem bus: 1333 MHz, 130 W) incl. heat sink																									S26361-F4517-E360	3,610.00		
	2x Xeon E5603 4C/4T 1.60 GHz 4 MB	Intel® Xeon® processor E5603 (4C/4T, 1.60 GHz, SLC: -, TLC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																									S26361-F4518-E160	510.00		
	2x Xeon E5606 4C/4T 2.13 GHz 8 MB	Intel® Xeon® processor E5606 (4C/4T, 2.13 GHz, SLC: -, TLC: 8 MB, Turbo: No, 4.8 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																									S26361-F4518-E213	560.00		
	2x Xeon E5645 6C/12T 2.40 GHz 12 MB	Intel® Xeon® processor E5645 (6C/12T, 2.40 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink																									S26361-F4519-E240	1,250.00		
	2x Xeon E5649 6C/12T 2.53 GHz 12 MB	Intel® Xeon® processor E5649 (6C/12T, 2.53 GHz, SLC: -, TLC: 12 MB, Turbo: 1/1/1/1/2/2, 5.86 GT/s, Mem bus: 1333 MHz, 80 W) incl. heat sink																									S26361-F4519-E253	1,760.00		
	2x Xeon X5675 6C/12T 3.06 GHz 12 MB	Intel® Xeon® processor X5675 (6C/12T, 3.06 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																									S26361-F4520-E306	3,000.00		
	2x Xeon X5672 4C/8T 3.20 GHz 12 MB	Intel® Xeon® processor X5672 (4C/8T, 3.20 GHz, SLC: -, TLC: 12 MB, Turbo: 2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																									S26361-F4521-E320	3,220.00		
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																									S26361-F4422-E200	275.00		
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																									S26361-F4424-E240	470.00		
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																									S26361-F4424-E266	905.00		
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink																									S26361-F4428-E213	665.00		
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink																									S26361-F4430-E226	1,135.00		
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																									S26361-F4426-E266	1,080.00		
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																									S26361-F4426-E280	1,300.00		
	Intel Xeon E5503 2C/2T 2.00 GHz 4 MB	Intel® Xeon® processor E5503 (2C/2T, 2.00 GHz, SLC: 4 x 256 KB, TFC: 4 MB, Turbo: No, 4.8 GT/s, Mem bus: 800 MHz, 80 W) incl. heat sink																									S26361-F4423-E200	275.00		
	Intel Xeon E5620 4C/8T 2.40 GHz 12 MB	Intel® Xeon® processor E5620 (4C/8T, 2.40 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																									S26361-F4425-E240	470.00		
	Intel Xeon E5640 4C/8T 2.66 GHz 12 MB	Intel® Xeon® processor E5640 (4C/8T, 2.66 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 80 W) incl. heat sink																									S26361-F4425-E266	905.00		
	Intel Xeon L5630 4C/8T 2.13 GHz 12 MB	Intel® Xeon® processor L5630 (4C/8T, 2.13 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 1/1/2/2, 5.86 GT/s, Mem bus: 1066 MHz, 40 W) incl. heat sink																									S26361-F4429-E213	665.00		
	Intel Xeon L5640 6C/12T 2.26 GHz 12 MB	Intel® Xeon® processor L5640 (6C/12T, 2.26 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/3/4/4, 6.4 GT/s, Mem bus: 1333 MHz, 60 W) incl. heat sink																									S26361-F4431-E226	1,135.00		
	Intel Xeon X5650 6C/12T 2.66 GHz 12 MB	Intel® Xeon® processor X5650 (6C/12T, 2.66 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																									S26361-F4427-E266	1,080.00		
	Intel Xeon X5660 6C/12T 2.80 GHz 12 MB	Intel® Xeon® processor X5660 (6C/12T, 2.80 GHz, SLC: 4 x 256 KB, TFC: 12 MB, Turbo: 2/2/2/3/3, 6.4 GT/s, Mem bus: 1333 MHz, 95 W) incl. heat sink																									S26361-F4427-E280	1,300.00		
Memory																														
	Interleaving Mode Installation	BIOS setup for interleaving mode, preinstallation ex factory																										S26361-F4003-E2	5.00	
	8GB (4x2) DDR3 1333 MHz PC3-10600 rg d	8 GB (4 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																										S26361-F4003-E643	320.00	
	16GB (4x4) DDR3 1333 MHz PC3-10600 rg s	16 GB (4 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																										S26361-F4003-E642	340.00	
	32GB (4x8) DDR3 1333 MHz PC3-10600 rg d	32 GB (4 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM																										S26361-F4003-E645	580.00	
	64GB (4x16) DDR3 1066 MHz PC3-8500 rg q	64 GB (4 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM																										S26361-F4003-E646	1,640.00	
Memory Modules																														
	Spare Channel Mode Installation	BIOS setup for spare mode, preinstallation ex factory																										S26361-F3284-E1	5.00	
	Mirrored Channel Mode Installation	BIOS setup for mirrored mode, preinstallation ex factory																										S26361-F3284-E3	5.00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch F24-24 Blade	FC-Switch Port Blade	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX80 Expansion	FibreCAT SX80/SX80i Expansion	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX300 S1	PRIMERGY BX350 S2	PRIMERGY BX424 S2	PRIMERGY BX300 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BF100	PRIMERGY SX010 S1	PRIMERGY SX040 S1	PRIMERGY SX060 S1	PRIMERGY SX080 S1	Product Code	EUP (€)	Comments		
Memory Modules (Continued)																												
	2 GB DDR3 1333 MHz PC3-10600 ub d	2 GB (1 module(s) 2 GB) DDR3, unbuffered, ECC, 1333 MHz, PC3-10600, DIMM										x			x	x									S26361-F4413-E513	40,00		
	Performance Mode Installation	BIOS setup for performance mode, preinstallation ex factory																							S26361-F3284-E2	5,00		
	2 GB DDR3 1333 MHz PC3-10600 rg s	1 module 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chpkill, Single modules for Independent Mode										x			x	x									S26361-F4412-E513	80,00		
	MM 4GB 2x2 DDR3 1333 MHz PC3-10600 rg s	2 modules 2GB 1333MHz, Registered DDR3 DIMM with SDDC = Chpkill, MM= 2GB usable memory for Mirrored Mode										x			x	x									S26361-F4412-E523	160,00		
	SP 6GB 3x2 DDR3 1333 MHz PC3-10600 rg s	6 GB (3 module(s) 2 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM										x			x	x									S26361-F4412-E533	240,00		
	4 GB DDR3 1333 MHz PC3-10600 rg s/d	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chpkill, Single modules for Independent Mode										x			x	x									S26361-F4412-E514	85,00		
	MM 8GB 2x4 DDR31333 MHz PC3-10600 rg s/d	8 GB (2 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM										x			x	x									S26361-F4412-E524	170,00		
	SP12GB 3x4 DDR31333 MHz PC3-10600 rg s/d	12 GB (3 module(s) 4 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM										x			x	x									S26361-F4412-E534	255,00		
	8 GB DDR3 1333 MHz PC3-10600 rg d	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chpkill, Single modules for Independent Mode										x			x	x									S26361-F4412-E515	145,00		
	MM 16GB 2x8 DDR3 1333 MHz PC3-10600 rg d	16 GB (2 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM										x			x	x									S26361-F4412-E525	290,00		
	MM 32GB 2x16 DDR3 1066 MHz PC3-8500 rg q	32 GB (2 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM										x			x	x									S26361-F4412-E526	820,00		
	SP 24GB 3x8 DDR3 1333 MHz PC3-10600 rg d	24 GB (3 module(s) 8 GB) DDR3, registered, ECC, 1333 MHz, PC3-10600, DIMM										x			x	x									S26361-F4412-E535	435,00		
	16 GB DDR3 1066 MHz PC3-8500 rg q	16 GB (1 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM										x			x	x									S26361-F4412-E516	410,00		
	SP 48GB 3x16 DDR3 1066 MHz PC3-8500 rg q	48 GB (3 module(s) 16 GB) DDR3, registered, ECC, 1066 MHz, PC3-8500, DIMM										x			x	x									S26361-F4412-E536	1,230,00		
	MM 8GB 2x4 DDR3 LV1333 MHz 10600 rg s/d	8 GB (2 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM										x			x	x									S26361-F4415-E524	170,00		
	SP12GB 3x4 DDR3 LV1333 MHz 10600 rg s/d	12 GB (3 module(s) 4 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM										x			x	x									S26361-F4415-E534	255,00		
	4 GB DDR3 LV 1333 MHz PC3-10600 rg s/d	1 module 4GB 1333MHz, Registered DDR3 DIMM with SDDC = Chpkill, Single modules for Independent Mode										x			x	x									S26361-F4415-E514	85,00		
	MM 16GB 2x8 DDR3 LV 1333 MHz 10600 rg d	16 GB (2 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM										x			x	x									S26361-F4415-E525	290,00		
	SP 24GB 3x8 DDR3 LV 1333 MHz 10600 rg d	24 GB (3 module(s) 8 GB) DDR3 LV, registered, ECC, 1333 MHz, PC3-10600, DIMM										x			x	x									S26361-F4415-E535	435,00		
	8 GB DDR3 LV 1333 MHz PC3-10600 rg d	1 module 8GB 1333MHz, Registered DDR3 DIMM with SDDC = Chpkill, Single modules for Independent Mode										x			x	x									S26361-F4415-E515	145,00		
	32 GB DDR3 1066 MHz PC3-8500 rg q ECC	1 module 32GB 1066MHz, Registered DDR3 DIMM with SDDC = Chpkill, Single modules for Independent Mode															x								S26361-F3604-E517	2,425,00		
Removable Media Drives																												
	DVD-RW supermulti slimline SATA	all CD/DVD formats, DUAL/DL, DVD-RAM, slimline 0.5" fitting height, black																								S26361-F3269-E2	85,00	
	Blu-ray Triple Writer slimline SATA	Read: 6x BD-ROM, 8x DVD, 24x CD, Write: 6x BD, 8x DVD, 24x CD, BD DL and all CD/DVD formats, slimline 0.5" fitting height																								S26361-F3641-E2	165,00	
	Tape Kit LTO3+H Ultr 400GB 60MB/s SAS	SAS 3GB Interface, mini-SAS connector, 1.6" fitting height, black, with SAS cable, with cleaning cartridge																								S26361-F3561-E4	1,395,00	
	Tape Kit LTO4+H 800GB 120MB/s SAS V2	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, with SAS cable, with cleaning cartridge																								S26361-F3626-E2	1,950,00	
	Tape Kit LTO5+H 1500GB 140MB/s SAS	SAS 6GB Interface, mini-SAS connector, 1.6" fitting height, with SAS cable, with cleaning cartridge																								S26361-F3627-E1	2,850,00	
Hard Disks																												
	HD SAS 3GB/s 300GB 15k hot pl 3.5" SX40	15,000 rpm, fitting height 1"																								S26361-F3244-E530	470,00	
	HD SAS 3GB/s 450GB 15k hot pl 3.5" SX40	15,000 rpm, fitting height 1"																								S26361-F3244-E545	645,00	
	HD SAS 3GB/s 600GB 15k hot pl 3.5" SX40	15,000 rpm, fitting height 1"																								S26361-F3244-E560	780,00	
	HD SATA 3GB/s 2TB 7.2k hot pl 3.5" SX40	7,200 rpm, fitting height 1"																								S26361-F3245-E200	895,00	
	HD SAS 3G 450GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																								S26361-F3292-E145	625,00	
	HD SAS 3G 600GB 10K HOT PLUG 2.5" EP	HDD SAS, 3 GB/s, 300 GB, 10000 rpm, hot-plug, 2.5-inch, enterprise																								S26361-F3292-E160	730,00	
	SSD SATA 3GB/s 32GB SLC hot plug 2.5"	SSD SATA, 3 GB/s, 32 GB, SLC, hot-plug, 2.5-inch, enterprise																								S26361-F3998-E32	655,00	
	SSD SATA 3GB/s 64GB SLC hot plug 2.5"	SSD SATA, 3 GB/s, 64 GB, SLC, hot-plug, 2.5-inch, enterprise																								S26361-F3998-E64	1,130,00	
	disk drive mounting kit	BX922 Disk drive mounting kit																								S26361-F4008-E1	70,00	
	disk drive mounting kit	BX924 Disk drive mounting kit																								S26361-F4008-E2	95,00	
	SSD SATA 3G 32GB SLC NON HOT PL 2.5" EP	SSD SATA, 3 GB/s, 32 GB, SLC, non hot plug, 2.5-inch, enterprise																								S26361-F4008-E32	655,00	
	SSD SATA 3G 64GB SLC NON HOT PL 2.5" EP	SSD SATA, 3 GB/s, 64 GB, SLC, non hot plug, 2.5-inch, enterprise																								S26361-F4008-E64	1,130,00	
	BX900 Mezz. bracket	Mounting Kit for two BX900 Mezzanine Cards																								S26361-F4468-E1	35,00	
	BX900 Mezz. Disk bracket	Mounting Kit for one Mezzanine Card and two SSD																								S26361-F4469-E1	35,00	
	SSD SAS 6G 100GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 100 GB, SLC, hot-plug, 2.5-inch, enterprise																								S26361-F4541-E100	3,150,00	
	SSD SAS 6G 200GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 200 GB, SLC, hot-plug, 2.5-inch, enterprise																								S26361-F4541-E200	5,680,00	
	SSD SAS 6G 400GB SLC HOT P 2.5" EP PERF	SSD SAS, 6 GB/s, 400 GB, SLC, hot-plug, 2.5-inch, enterprise																								S26361-F4541-E400	10,250,00	
	SX-HDD SAS 600GB 15,000rpm	FibreCAT SX SAS HDD, 600GB 15,000rpm																								D-FCSX-SAS600	1,220,00	Phased out
	HD SATA 3G 160GB 5.4K NON HOT PL 2.5" ECO	HDD SATA, 3 GB/s, 160 GB, 5400 rpm, non hot plug, 2.5-inch, economic																								S26361-F3599-E160	180,00	Phased out
	SX-HDD SAS 450GB 15,000rpm	FibreCAT SX80/SX88 SAS HDD, 450GB 15,000rpm																								D-FCSX-SAS450	735,00	Phased out
	HD SATA 3GB/s 160GB 5.4k hot plug 2.5"	HDD SATA, 3 GB/s, 160 GB, 5400 rpm, hot-plug, 2.5-inch, economic																								S26361-F3515-E160	180,00	Phased out
	HD SATA 3G 320GB 5.4K NON HOT PL 2.5" ECO	HDD SATA, 3 GB/s, 320 GB, 5400 rpm, non hot plug, 2.5-inch, economic																								S26361-F3599-E320	225,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FX2-24 Blade	FC-Switch Port Blade	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX69 Expansion	FibreCAT SX89/SX80 Expansion	FibreCAT SX98 Expansion	PRIMERGY BLADE SX620 S6	PRIMERGY BX400 S1	PRIMERGY BX300 S1	PRIMERGY BX300 S2	PRIMERGY BX324 S2	PRIMERGY BX300 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BF100	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	Product Code	EUP (€)	Comments	
Options matrix																										
Connection Blades (Continued)																										
	FC SFP+ SMF 8GB LC 10km (Brocade)	Brocade hot-pluggable SFP+ module, 8 GB/s Long-Wavelength Laser (LWL), Single-Mode Fiber with LC connector																						S26361-F3873-E208	1,560,00	
	SFP Module GBE RJ45	SFP module 1GB Ethernet with RJ45 connector (jack) for Fujitsu PRIMERGY BX900 GB LAN connection blades.																						S26361-F3986-E1	200,00	
	SFP Module Multi Mode Fiber GBE LC	SFP module 1GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX900 GB LAN connection blades																						S26361-F3986-E2	110,00	
	SFP+ Module Multi Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blades, 1GB LAN connection blades with 10GB SFP+ uplink and the Fujitsu 10GBE Server Adapter DZ755. For multi-mode short-range fiber optic cables up to 300m.																						S26361-F3986-E3	405,00	
	SFP+ Module Single Mode Fiber 10GBE LC	SFP+ module 10GB Ethernet for multi mode fiber with LC connector (jack) for Fujitsu PRIMERGY BX400/BX900 10GB LAN connection blade. For single-mode long-range fiber optic cables up to 10km.																						S26361-F3986-E4	1,180,00	
	CX4 Stacking Cable customized	for PY CB Eth Switch/IBP 1GB 36/8+2											x	x										S26361-F3989-E500	225,00	
	PY CB FC Pass Thru 8G 18/18	Fibre Channel Pass Thru Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, with 18 downlinks and 18 uplinks, all paths are 100% independent from each other and support 4GB/8GB Fibre Channel speed with autonegotiation																						S26361-K1363-V18	4,050,00	
	PY CB Eth Pass Thru 1/10G 18/18	Ethernet Pass Thru Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, with 18 downlinks and 18 uplinks, all paths are 100% decoupled from other each other and support 1GB/10GB Ethernet speed																						S26361-K1365-V18	4,500,00	
	PY CB Eth Switch/IBP 1GB 18/6	1GB LAN Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers. Usable as LAN switch or Intelligent Blade Panel (IBP). Interfaces: intern: 18x 1GB Eth (downlinks), extern: 6x RJ45 1GBE																						S26361-K1366-V100	2,050,00	
	PY CB SAS Switch 6GB 18/6	6GB SAS Connection Blade for Fujitsu PRIMERGY BX400/BX900 Blade Servers. Will be used for connection between Server Blades and external storage devices. Interfaces: internal: 18x 6GB SAS, external: 6x 6GB SAS																						S26361-K1391-V300	1,595,00	
	PY CB Eth Switch/IBP 1GB 36/12	LAN Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers. Usable as LAN switch or Intelligent Blade Panel (IBP). Interfaces: intern: 36 (downlinks), extern: 8 RJ45 GBE, 4 SFP GBE																						S26361-K1304-V100	3,000,00	
	PY CB Eth Switch/IBP 1GB 36/8+2	LAN Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers. Usable as LAN switch or Intelligent Blade Panel (IBP). Interfaces: intern: 36 (downlinks), extern: 8 RJ45 GBE, 2 SFP+ 10GBE																						S26361-K1304-V101	5,500,00	
	PY CB Eth Switch/IBP 10GB 18/8	10GB LAN Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers. Usable as LAN switch or Intelligent Blade Panel (IBP). Interfaces: intern: 18x 10GB Eth (downlinks), extern: 8x SFP+ 10GBE																						S26361-K1304-V200	8,250,00	
	PY CB FC Switch 8GB 18/8 14 (Brocade)	Fibre Channel Switch 8GB 18/8 (Brocade 5450) Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, embedded in the basic unit area. License for 14 Ports with DPOD (Dynamic Ports on Demand). Automatically enables ports on an embedded blade when the server is powered on and does not require a predefined assignment of port, determined by the total number of ports in use and the number of purchased dynamic ports. - Access Gateway, - License for Full Fabric, - License for Enhanced Group Management, - 4 x Brocade hot-pluggable SFP+ module, 8 GB/s Short-Wavelength Laser (SWL), LC connector																						S26361-K1305-V14	7,600,00	
	PY CB FC Switch 8GB 18/8 26 (Brocade)	Fibre Channel Switch 8GB 18/8 (Brocade 5450) Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, embedded in the basic unit area. License for 26 Ports with DPOD (Dynamic Ports on Demand). - Access Gateway, - License for Full Fabric, - License for Enhanced Group Management, - 4 x Brocade hot-pluggable SFP+ module, 8 GB/s Short-Wavelength Laser (SWL), LC connector																						S26361-K1305-V26	11,200,00	
	PY CB FC SW 8G 18/8 26 Enterpr (Brocade)	Fibre Channel Switch 8GB 18/8 (Brocade 5450) Connection Blade for Fujitsu PRIMERGY BX900 Blade Servers, embedded in the basic unit area. License for 26 Ports with DPOD (Dynamic Ports on Demand). - Access Gateway, - License for Full Fabric, - License for Enhanced Group Management, - License for Fabric Watch, - License for Advanced Performance Monitor, - License for ISL Trunking, - License for Extended Fabric, - License for Adaptive Networking, - License for Server Application Optimization, - 4 x Brocade hot-pluggable SFP+ module, 8 GB/s Short-Wavelength Laser (SWL), LC connector																						S26361-K1305-V126	15,200,00	
	PY CB B Switch 40GB 18/18	InfiniBand Connection blade for Fujitsu PRIMERGY BX900 blade server. Double wide, Single height, Quad Data Rate (QDR x4), Interfaces: intern: 18x (downlinks), extern: 18x QSFP connectors (uplink)																						S26361-K1336-V200	11,800,00	

Mezzanine Cards



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FX8-24 Blade	FC-Switch Port Blade	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX68 Expansion	FibreCAT SX88(SX80) Expansion	FibreCAT SX88 Expansion	PRIMERGY BLADE SX820 S6	PRIMERGY BLADE SX850	PRIMERGY BX400 S1	PRIMERGY BX300 S1	PRIMERGY BX300 S2	PRIMERGY BX300 S2	PRIMERGY BX324 S2	PRIMERGY BX360 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BF100	PRIMERGY SX010 S1	PRIMERGY SX040 S1	PRIMERGY SX060 S1	PRIMERGY SX090 S1	Product Code	EUP (€)	Comments	
Mezzanine Cards (Continued)																													
	PY Mezz Card 2x10GB CNA MC-CNA102E	CNA mezzanine module, MC-CNA102E, 2 Channel, 8GB/s, PCIe x8. The mezzanine module is functional wise compatible with the Emulex CNA OCe10102. The CNA cards has 2 10GB Ethernet interfaces to the backplane and support the Data-Center-Bringing (Data Center Ethernet) protocol. In addition the Fibre Channel over Ethernet (FCoE) protocol is fully handled in hardware on the card.																									S26361-F3592-E502	890,00	
	PY IB CX2 Mezz Card 40GB 2 Port	HinBand Mezzanine Card, 2-channel, 40GB/s, PCIe x8																									S26361-F3992-E2	1.220,00	
	PY Eth Mezz Card 1GB 4 Port	4 Channel GBE Mezzanine Card, 2 Intel 82575EB LAN Controller																									S26361-F3331-E1	490,00	
	PY Eth Mezz Card 10GB 2 Port	2 Channel 10GBE Mezzanine Card, Intel 82599EB LAN Controller																									S26361-F3997-E1	560,00	
	PY FC Mezz Card 8GB 2 Port (MC-FC82E)	Fibre Channel mezzanine module, MC-FC82E, 2 Channel, 8GB/s, PCIe x8. The mezzanine module is functional wise compatible with the Emulex HBA LPe12002.																									S26361-F3874-E1	630,00	
	PY SAS HBA Mezz Card 6GB	SAS HBA Mezzanine Card based on LSI Chipset SAS2008, PCIe 2.0 x8, SAS 2.0.																									S26361-F4480-E1	195,00	
	PY SAS RAID Mezz Card 6GB	SAS RAID Mezzanine Card based on LSI MegaRAID SAS2108, PCIe 2.0 x8, SAS 2.0																									S26361-F4481-E1	350,00	
	RAID Mezz HDD Connection Kit	SAS HDD backplane for BX920S2 to connect to SAS RAID mezzanine card. Thereby RAID 0,1 functionality can be realized on BX920S2.																									S26361-F4481-E20	30,00	
	RAID Mezz IBBU Upgrade	BBU Upgrade for LSI SAS2108																									S26361-F4481-E10	180,00	
Communication Network																													
	Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu Ip	Ethernet Server Adapter Eth Ctrl 2x1GBit PCIe x4 D2735-2 Cu Ip, Based on Intel® LAN controller chip 82576NS. Usable with original Intel® driver kit																									S26361-F3610-E202	155,00	
	FCoE Ctrl 10GB/s 2 channel OCe10102 MMF	2 Channel 10GB/sec FCoE Controller, PCIe 2.0 x8 Low Profile, SFP+ for opt. module or Twinax cable																									S26361-F3592-E202	1.180,00	
	SFP+ Modul Multi Mode Fibre 10GB FCoE	SFP+ module only for use in FCoE Ctrl OCe10102																									S26361-F3592-E108	400,00	
Rack-Infrastructure																													
	Mounting in symmetrical Racks	Rack server mounting in symmetrical racks without support bracket																									S26361-F4530-E10	5,00	
	Mounting BX server in asymmetrical racks	Rack server mounting in asymmetrical PRIMECENTER racks with 10U support bracket																									S26361-F4530-E14	5,00	
	Mounting 3U in asymmetrical racks	Rack server mounting in asymmetrical rack with 2U support bracket																									S26361-F4530-E13	5,00	
	Rack installation ex works, SX10, 1U Nod	Service for installation of a server or subsystem ex works. With ordering this service, the 12/24/38U rack will be delivered completely pre-mounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.																									S26361-F1647-E302	65,00	
	Rack installation ex works	Service for installation of a server or subsystem ex works. With ordering this service, the 12/24/38U rack will be delivered completely pre-mounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.																									SNP-SY-F1647E301-P	130,00	
	PY SX650 packed and delivered	Storageblade single package/delivery, incl. test with BX620 S4, Service without integration ex works																									S26361-F2749-E65	10,00	
	PRIMERGY Rackinstallation SXDX ex works	Service for installation of a Raid-Subsystem into a PRIMERGY Rack ex works. With ordering this service, the ETERNUS System will be pre-mounted in a 12/24/38U Rack ex works.																									D:FC5X-INPSR	115,00	Phased out
	Blade Installation in System Unit	Service for installation of a server blade into the system unit PRIMERGY BX600 ex works Augsburg. With ordering this service, the system unit will be delivered completely pre-mounted and tested ex works.																									S26361-F2749-E1	10,00	
	Serverblade single package/delivery	Serverblade single package/delivery, incl. test in PRIMERGY BX600, Service without integration ex works																									S26361-F2749-E2	45,00	
Country kits																													
	Region kit APAC/America/EMEA/India	Region-kit APAC/ America/EMEA/ India																									S26361-F1452-E100	10,00	
PRIMERGY-Software																													
	BIA-Appliance Modul	HA functionality for Bi-Accelerator. Mandatory for each extension modul for BIA Entry model																									D:BI-ADDON	4.000,00	Phased out
	DI Blocks Entry/Standard upgr identifier	DI Blocks Entry/Standard upgrade identifier. It identifies that all following order codes for upgrades belong to the DI Blocks.																									S26361-D009-E101	3,00	
	DI Blocks Entry/Standard, RTU CPUcapacit	DI Blocks Entry/Standard RTU CPU-Capacity - Right to Use (RTU) per Blade compute power, separate Right to Use for each Blade in the DI Blocks																									S26361-D009-E200	1.120,00	Orderable from: 15/09/2011
	Windows Storage Server 2008 64-bit EMB	Standard, SP2, update 2																									S26361-F2565-E560	735,00	
	PRIMERGY Duplex/DataManager 5.01	for Windows Server 2008 and 2003. CD-ROM and License.																									S26361-F2565-L596	2.745,00	
	MS SysCtr VMM 2008 R2 WorkGroupEdtn OEM	Microsoft System Center Virtual Machine Manager 2008 R2 Workgroup Edition., English. OEM DVD, License.																									S26361-F2567-E20	380,00	
	MS SysCtr Essentials 2010 OEM	MS System Center Essentials 2010. English. OEM DVD, License.																									S26361-F2567-E30	115,00	
	Win Srv 2008 R2 SP1 Datactr 4CPU OEM	Win Srv 2008 R2 SP1 Dtc (4 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.																									S26361-F2567-E333	5.380,00	
	VlOM License f. operation of one server,	VlOM License for operation of one server, Service Pack mandatory																									U15000-C311	315,00	
	VlOM License for operation of 8 servers,	VlOM License for operation of 8 servers, Service Pack mandatory																									U15000-C312	1.890,00	
	VlOM License f. operation of 18 servers,	VlOM License for operation of 18 servers, Service Pack mandatory																									U15000-C313	3.795,00	
	Red Hat EL HPC 1-2SOC Self-Support 1Y	Red Hat Enterprise Linux per HPC compute node up to 2-CPU Sockets Basic Support 1-Year																									S26361-F2346-C851	57,00	
	PRIMERGY MultiPath NPIO 5.01	for Windows Server 2008 and 2003. CD-ROM and License.																									S26361-F2565-E593	875,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch F24-24 Blade	FC-Switch Port Blade	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80i Expansion	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BX400 S1	PRIMERGY BX400 S2	PRIMERGY BX424 S2	PRIMERGY BX400 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BF100	PRIMERGY SX10 S1	PRIMERGY SX40 S1	PRIMERGY SX60 S1	PRIMERGY SX80 S1	Product Code	EUP (€)	Comments	
PRIMERGY-Software (Continued)																											
	PRIMERGY MultiPath 5.01	for Windows Server 2008 and 2003, CD-ROM and License.											x												S26361-F2565-E595	875,00	
	Win Srv 2008 R2 SP1 Datactr 2CPU OEM	Win Srv 2008 R2 SP1 Dtc (2 CPU) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.											x												S26361-F2567-E331	2.690,00	
	PCM Fujitsu Basic per node 1Y	Platform Cluster Manager Fujitsu Basic Edition per node (head and compute node) 5x9 level3 support 1 year.																							S26361-F2346-C951	157,00	
	Win Srv 2008 R2 SP1 Enterpr w/10CAL OEM	Win Srv 2008 R2 SP1 Ent (1-8 CPU, 10 CAL) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.											x												S26361-F2567-E321	1.695,00	
	PCM Fujitsu Basic Services 1Y	Platform Cluster Manager Fujitsu Basic Services entitlement per HPC configuration 1-Year.																							S26361-F2346-S951	7,00	
	Win Srv 2008 R2 SP1 Standard w/5CAL OEM	Win Srv 2008 R2 SP1 Std (1-4 CPU, 5 CAL) EN DE ES FR IT JA and worldwide language packs. OEM DVD, License.											x												S26361-F2567-E311	530,00	
	PCM Fujitsu Enterprise per node 1y	Platform Cluster Manager Fujitsu Enterprise Edition pro Knoten (Kopf- und Arbeitsknoten) 5x9 level3 Support 1 Jahr.																							S26361-F2346-C961	233,00	
	Win SBS Standard 2011 w/5CAL OEM EN	Windows Small Business Server Standard 2011 with 5 CAL, OEM, English, DVD Media set, COA, License																							S26361-F2567-E350	590,00	
	Win SBS Standard 2011 w/5CAL OEM DE	Windows Small Business Server Standard 2011 with 5 CAL, OEM, German, DVD Media set, COA, License																							S26361-F2567-E351	590,00	
	Win SBS Standard 2011 w/5CAL OEM IT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Italian, DVD Media set, COA, License																							S26361-F2567-E352	590,00	
	Win SBS Standard 2011 w/5CAL OEM FR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, French, DVD Media set, COA, License																							S26361-F2567-E353	590,00	
	Win SBS Standard 2011 w/5CAL OEM ES	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Spanish, DVD Media set, COA, License																							S26361-F2567-E354	590,00	
	Win SBS Standard 2011 w/5CAL OEM CS	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Czech, DVD Media set, COA, License																							S26361-F2567-E355	590,00	
	Win SBS Standard 2011 w/5CAL OEM PT	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Portuguese, DVD Media set, COA, License																							S26361-F2567-E356	590,00	
	Win SBS Standard 2011 w/5CAL OEM NL	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Dutch, DVD Media set, COA, License																							S26361-F2567-E357	590,00	
	Win SBS Standard 2011 w/5CAL OEM TR	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Turkish, DVD Media set, COA, License																							S26361-F2567-E358	590,00	
	Win SBS Standard 2011 w/5CAL OEM HU	Windows Small Business Server Standard 2011 with 5 CAL, OEM, Hungarian, DVD Media set, COA, License																							S26361-F2567-E359	590,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM EN	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, English, DVD Media set, COA, License																							S26361-F2567-E370	895,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM DE	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, German, DVD Media set, COA, License																							S26361-F2567-E371	895,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM IT	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Italian, DVD Media set, COA, License																							S26361-F2567-E372	895,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM FR	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, French, DVD Media set, COA, License																							S26361-F2567-E373	895,00	
	Win SBS 2011 Prem Add-On w/5CAL OEM ES	Windows Small Business Server 2011 Premium Add-on with 5 CAL, OEM, Spanish, DVD Media set, COA, License																							S26361-F2567-E374	895,00	
	PCM Fujitsu Enterprise Services 1y	Platform Cluster Manager Fujitsu Enterprise Services entitlement per HPC configuration 1 year.																							S26361-F2346-S961	7,00	
	Win Srv 2008 R2 Datacenter 2CPU MULI OEM	Win Srv 2008 R2 Dtc (2 CPU) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.											x												S26361-F2567-E330	2.690,00	Phased out
	Win Srv 2008 R2 Enterprise 10CAL MULI OEM	Win Srv 2008 R2 Ent (1-8 CPU, 10 CAL) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.											x												S26361-F2567-E320	1.695,00	Phased out
	Win Srv 2008 R2 Standard 5CAL MULI OEM	Win Srv 2008 R2 Std (1-4 CPU, 5 CAL) EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.											x												S26361-F2567-E310	530,00	Phased out
	Win Web Srv 2008 R2 MULI OEM	Win Web Srv 2008 R2 1-4 CPU EN DE ES FR JA CS HU IT KO NL PL PT RU SV TR XC XT LangPacks. OEM DVD, License.																							S26361-F2567-E302	305,00	
	Red Hat EL HPC 1-2SOC Self-Support 3Y	Red Hat Enterprise Linux per HPC compute node up to 2-CPU Sockets Basic Support 1-Year																							S26361-F2346-C852	170,00	
	Win Srvs 2008 R2 SP1 Service Pack DVD	Service Pack 1 Supplement DVD for Windows Servers 2008 R2.																							S26361-F2567-E391	25,00	
	PCM Fujitsu Basic per node 3Y	Platform Cluster Manager Fujitsu Basic Edition per node (head and compute node) 5x9 level3 support 3 years.																							S26361-F2346-C952	470,00	
	Win Srvs 2008 R2 SP1 Language Pack DVD	Language Pack Supplement DVD with 34 worldwide language packs for Windows Servers 2008 R2 SP1.																							S26361-F2567-E390	25,00	
	PCM Fujitsu Basic Services 3Y	Platform Cluster Manager Fujitsu Basic Services entitlement per HPC configuration 3 years.																							S26361-F2346-S952	7,00	
	PCM Fujitsu Enterprise per node 3Y	Platform Cluster Manager Fujitsu Enterprise Edition per node (head and compute node) 5x9 level3 support 3 years.																							S26361-F2346-C962	697,00	
	Win Srv 2008 SP2 Enterprise DVD Media On	Windows Server 2008 SP2 Enterprise 32-bit and 64-bit DVD Media Only. No License. Requires an OEM or ROK licensed PRIMERGY server system																							S26361-F2565-E328	25,00	Phased out
	PCM Fujitsu Enterprise Services 3Y	Platform Cluster Manager Fujitsu Enterprise Services entitlement per HPC configuration 3 years.																							S26361-F2346-S962	7,00	
	Win Srv 2008 SP2 Standard DVD Media Only	Windows Server 2008 SP2 Standard 32-bit and 64-bit DVD Media Only. No License. Requires an OEM or ROK licensed PRIMERGY server system																							S26361-F2565-E318	25,00	Phased out
	Win HPC Srv 2008 R2 Suite OEM	Win HPC Srv 2008 R2 Suite (1-4 CPU) OEM EN, JA, XT. OEM Recovery DVD Media Kit, COA, License.																							S26361-F2567-E360	750,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FX2-24 Blade	FC-Switch Port Blade	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80i Expansion	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BX400 S1	PRIMERGY BX300 S1	PRIMERGY BX300 S2	PRIMERGY BX320 S2	PRIMERGY BX424 S2	PRIMERGY BX400 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BF100	PRIMERGY SX010 S1	PRIMERGY SX040 S1	PRIMERGY SX060 S1	PRIMERGY SX080 S1	Product Code	EUP (€)	Comments
Options matrix																												
PRIMERGY-Software (Continued)																												
	Win Srv 2008 R2 HPC Edition MUL OEM	Win Srv 2008 R2 HPC Edition (1-4 CPU) OEM EN, JA, XT, OEM Recovery DVD Media Kit, COA, License.																								S26361-F2567-E361	375,00	
	Win HPC Pack 2008 R2 Express MUL OEM	Win HPC Pack 2008 R2 Express (1-4 CPU) OEM EN, JA, XT, OEM Recovery DVD Media Kit, COA, License.																								S26361-F2567-E362	25,00	
	Win HPC Pack 2008 R2 Workstation MUL OEM	Win HPC Pack 2008 R2 Workstation OEM EN, JA, XT, OEM Recovery DVD Media Kit, COA, License.																								S26361-F2567-E363	110,00	
	FF-AN RTU for RX600 S5/S6	FF4SAP RTU																								U21348-C231	10.520,00	
	FF RTU RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame Application Node RTU for RX300 S5/S6, BX620 S5/S6 and BX920 S1/S2.																								U21348-C291	4.785,00	
	FF-AN back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX600 S5 and BX960 S1 Application Node Management Software.																								U21348-C231-W1	2.982,42	
	FF-AN back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software.																								U21348-C291-W1	1.357,00	
	FF SAN RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame Application Node SAN connection (optional). This RTU has to be ordered for each AN (RX300 S5/S6, BX620 S5/S6 and BX920 S1/S2), which is connected via SAN to the database																								U21348-C292	2.393,00	
	FF-AN back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX600 S5 and BX960 S12 Application Node Management Software.																								U21348-C231-W3	8.521,20	
	FF-AN Accounting RTU RX600	FF4SAP Accounting RTU																								U21348-C233	5.260,00	
	FF-AN back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software.																								U21348-C291-W3	3.876,00	
	FF Acct RX300S5/S6, BX620S5, BX920S1/S2	FlexFrame Application Node Accounting RTU for RX300 S5/S6, BX620 S5/S6 and BX920 S1/S2.																								U21348-C293	2.393,00	
	FF-AN SAN back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX600 S5 and BX960 S1 Application Node Management Software – SAN option.																								U21348-C232-W1	1.491,21	
	FF-AN Messenger RTU RX600 and BX960	FF4SAP Messenger RTU																								U21348-C234	5.260,00	New product
	FF-AN SAN back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software.																								U21348-C292-W1	678,00	
	FF Meg RX300S5/S6, BX620S5, BX920S1/S2	FF4SAP Application Node Messenger Expert Right to use for RX300 S5/S6, BX620 S5/S6 and BX920 S1/S2																								U21348-C294	2.393,00	New product
	FF-AN SAN back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX600 S5 and BX960 S1 Application Node Management Software – SAN option.																								U21348-C232-W3	4.260,60	
	FF-AN SAN back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – SAN option.																								U21348-C292-W3	1.938,00	
	FF VMware vSphere ESXi 5.0 Standard	FlexFrame VMware vSphere ESXi 5.0 Standard RTU. The license includes the corresponding number of VMware vSphere ESXi 5.0 Standard licenses. A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)																								U21348-C494	1.892,00	
	FF-AN Acc back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX600 S5 and BX960 S1 Application Node Management Software – Accounting option.																								U21348-C233-W1	1.491,21	
	FF-AN Acc back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Accounting option.																								U21348-C293-W1	678,00	
	FF VMware vSphere ESXi 5.0 Enterprise	FlexFrame VMware vSphere ESXi 5.0 Enterprise RTU. The license includes the corresponding number of VMware vSphere ESXi 5.0 Enterprise licenses. A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)																								U21348-C495	3.954,00	
	FF-AN Acc back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX600 S5 and BX960 S1 Application Node Management Software – Accounting option.																								U21348-C233-W3	4.260,60	
	FF-AN Acc back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Accounting option.																								U21348-C293-W3	1.938,00	
	FF VMware vSphere ESXi 5.0 ENT PL	FlexFrame VMware vSphere ESXi 5.0 Enterprise Plus RTU. The license includes the corresponding number of VMware vSphere ESXi 5.0 Enterprise Plus licenses. A corresponding FlexFrame SolutionContract component is mandatory. This includes the corresponding VMware service package (SnS)																								U21348-C496	4.637,00	
	FF-AN Mes back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX600 S5 and BX960 S1 Application Node Management Software – Messenger Expert option.																								U21348-C234-W1	1.491,21	New product
	FF-AN Mes back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Messenger Expert option.																								U21348-C294-W1	678,00	New product



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FX8-24 Blade	FC-Switch Port Blade	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80i Expansion	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BX400 S1	PRIMERGY BX300 S1	PRIMERGY BX300 S2	PRIMERGY BX324 S2	PRIMERGY BX300 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BF100	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)																											
	FF-Vmware Option	FlexFrame for SAP Vmware option. This license is only orderable for customers outside EMEA. The necessary Vmware vSphere licenses and support contracts have to be ordered via the local Vmware contacts. These licenses can also be ordered, when the customer already has its own Vmware vSphere licenses and support										x				x									U21348-C490	800,00	
	FF-AN Mes back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX600 S5 and BX600 S1 Application Node Management Software – Messenger Expert option.																							U21348-C234-W3	4.260,60	New product
	FF-AN Mes back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 and BX924 S2 Application Node Management Software – Messenger Expert option.										x				x									U21348-C294-W3	1.938,00	New product
	FF-AN Vmware back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP Vmware option for a RX600 S5 or BX960 S1 server.																							U21348-C430-W1	290,20	
	FF-AN Vmware back level support 1 year	1 year back level support (3rd level) for FlexFrame for SAP Vmware option for a RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 or BX924 S2 server.										x													U21348-C490-W1	132,00	
	SUSE Linux ES 32SOC 1Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 1 year subscription.										x													S26361-F2346-E611	249,00	
	SUSE Linux ES 32SOC 3Y	SUSE Linux Enterprise Server for x86, x86_64 per Server up to 32-CPU sockets 3 years subscription.										x													S26361-F2346-E612	670,00	
	SUSE Linux E 11 HAE 32SOC 3Y	SUSE Linux Enterprise 11 High Availability Extension for x86, x86_64 per cluster node up to 32-CPU sockets 3 years subscription.										x													S26361-F2346-E622	1.350,00	
	SUSE Linux ES BX600 3Y	SUSE Linux Enterprise Server for x86, x86_64 BX600 System Unit 3 years subscription.										x													S26361-F2346-E632	3.363,00	
	SUSE Linux ES BX900 3Y	SUSE Linux Enterprise Server for x86, x86_64 BX900 System Unit 3 years subscription.																							S26361-F2346-E642	6.020,00	
	SUSE Linux ES BX400 3Y	SUSE Linux Enterprise Server for x86, x86_64 BX400 System Unit 3 years subscription.																							S26361-F2346-E652	2.692,00	
	FF-AN Vmware back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP Vmware option for a RX600 S5 or BX960 S1 server.																							U21348-C430-W3	791,52	
	FF-AN Vmware back level support 3 years	3 year back level support (3rd level) for FlexFrame for SAP Vmware option for a RX300 S5/S6, BX620 S5/S6, BX920 S1/S2 or BX924 S2 server.										x													U21348-C490-W3	360,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 1 year										x													S26361-F2346-S101	331,00	
	Red Hat ELS 1-2SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Standard Support 3 years										x													S26361-F2346-S102	889,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 1 year										x													S26361-F2346-S103	497,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Standard Support 3 years										x													S26361-F2346-S104	1.334,00	
	Red Hat ELS 1-2SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 1 year										x													S26361-F2346-S105	830,00	
	Red Hat ELS 1-2SOC uG 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Standard Support 3 years										x													S26361-F2346-S106	2.224,00	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 1 year										x													S26361-F2346-S111	538,00	
	Red Hat ELS 1-2SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 1 guest) level3 Premium Support 3 years										x													S26361-F2346-S112	1.445,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 1 year										x													S26361-F2346-S113	808,00	
	Red Hat ELS 1-2SOC 4G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (up to 4 guests) level3 Premium Support 3 years										x													S26361-F2346-S114	2.169,00	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 1 year										x													S26361-F2346-S115	1.347,00	
	Red Hat ELS 1-2SOC uG 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (1-2 sockets) (unlimited guests) level3 Premium Support 3 years										x													S26361-F2346-S116	3.615,00	
	Red Hat EL HA 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 1 year										x													S26361-F2346-S121	220,00	
	Red Hat EL HA 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (1-2 sockets) I3 Support 3 years										x													S26361-F2346-S122	607,00	
	Red Hat EL RS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 1 year										x													S26361-F2346-S131	441,00	
	Red Hat EL RS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (1-2 sockets) I3 Support 3 years										x													S26361-F2346-S132	1.215,00	
	Red Hat EL SFS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 1 year										x													S26361-F2346-S141	110,00	
	Red Hat EL SFS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (1-2 sockets) I3 Support 3 years										x													S26361-F2346-S142	303,00	
	Red Hat EL LB 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 1 year										x													S26361-F2346-S151	110,00	
	Red Hat EL LB 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (1-2 sockets) I3 Support 3 years										x													S26361-F2346-S152	303,00	
	Red Hat EL HPN 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 1 year										x													S26361-F2346-S161	110,00	
	Red Hat EL HPN 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (1-2 sockets) I3 Support 3 years										x													S26361-F2346-S162	303,00	
	Red Hat EL EUS 1-2SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 1 year										x													S26361-F2346-S171	138,00	
	Red Hat EL EUS 1-2SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (1-2 sockets) I3 Support 3 years										x													S26361-F2346-S172	380,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FX8-24 Blade	FC-Switch Port Blade	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80i Expansion	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE BX650	PRIMERGY BX400 S1	PRIMERGY BX400 S2	PRIMERGY BX424 S2	PRIMERGY BX400 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BF100	PRIMERGY SX10 S1	PRIMERGY SX40 S1	PRIMERGY SX80 S1	PRIMERGY SX80 S1	Product Code	EUP (€)	Comments			
Options matrix																													
PRIMERGY-Software (Continued)																													
	Red Hat ELS 4SOC 1G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Standard Support 1 year																								S26361-F2346-S201	663,00		
	Red Hat ELS 4SOC 1G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Standard Support 3 years																									S26361-F2346-S202	1,778,00	
	Red Hat ELS 4SOC 4G 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Standard Support 1 year																									S26361-F2346-S203	994,00	
	Red Hat ELS 4SOC 4G 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Standard Support 3 years																									S26361-F2346-S204	2,668,00	
	Red Hat ELS 4SOC uG 5x9 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Standard Support 1 year																									S26361-F2346-S205	1,657,00	
	Red Hat ELS 4SOC uG 5x9 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Standard Support 3 years																									S26361-F2346-S206	4,449,00	
	Red Hat ELS 4SOC 1G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Premium Support 1 year																									S26361-F2346-S211	1,077,00	
	Red Hat ELS 4SOC 1G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 1 guest) level3 Premium Support 3 years																									S26361-F2346-S212	2,891,00	
	Red Hat ELS 4SOC 4G 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Premium Support 1 year																									S26361-F2346-S213	1,616,00	
	Red Hat ELS 4SOC 4G 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (up to 4 guests) level3 Premium Support 3 years																									S26361-F2346-S214	4,338,00	
	Red Hat ELS 4SOC uG 7x24 I3 Support 1Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Premium Support 1 year																									S26361-F2346-S215	2,694,00	
	Red Hat ELS 4SOC uG 7x24 I3 Support 3Y	Red Hat Enterprise Linux Server (4 sockets) (unlimited guests) level3 Premium Support 3 years																									S26361-F2346-S216	7,231,00	
	Red Hat EL HA 4SOC I3 Support 1Y	Red Hat Enterprise Linux High Availability (4 sockets) I3 Support 1 year																									S26361-F2346-S221	441,00	
	Red Hat EL HA 4SOC I3 Support 3Y	Red Hat Enterprise Linux High Availability (4 sockets) I3 Support 3 years																									S26361-F2346-S222	1,214,00	
	Red Hat EL RS 4SOC I3 Support 1Y	Red Hat Enterprise Linux Resilient Storage (4 sockets) I3 Support 1 year																									S26361-F2346-S231	863,00	
	Red Hat EL RS 4SOC I3 Support 3Y	Red Hat Enterprise Linux Resilient Storage (4 sockets) I3 Support 3 years																									S26361-F2346-S232	2,430,00	
	Red Hat EL SFS 4SOC I3 Support 1Y	Red Hat Enterprise Linux Scalable File System (4 sockets) I3 Support 1 year																									S26361-F2346-S241	220,00	
	Red Hat EL SFS 4SOC I3 Support 3Y	Red Hat Enterprise Linux Scalable File System (4 sockets) I3 Support 3 years																									S26361-F2346-S242	605,00	
	Red Hat EL LB 4SOC I3 Support 1Y	Red Hat Enterprise Linux Load Balancer (4 sockets) I3 Support 1 year																									S26361-F2346-S251	220,00	
	Red Hat EL LB 4SOC I3 Support 3Y	Red Hat Enterprise Linux Load Balancer (4 sockets) I3 Support 3 years																									S26361-F2346-S252	605,00	
	Red Hat EL HPN 4SOC I3 Support 1Y	Red Hat Enterprise Linux High Performance Network (4 sockets) I3 Support 1 year																									S26361-F2346-S261	220,00	
	Red Hat EL HPN 4SOC I3 Support 3Y	Red Hat Enterprise Linux High Performance Network (4 sockets) I3 Support 3 years																									S26361-F2346-S262	605,00	
	Red Hat EL EUS 4SOC I3 Support 1Y	Red Hat Enterprise Linux Extended Update Support (4 sockets) I3 Support 1 year																									S26361-F2346-S271	275,00	
	Red Hat EL EUS 4SOC I3 Support 3Y	Red Hat Enterprise Linux Extended Update Support (4 sockets) I3 Support 3 years																									S26361-F2346-S272	757,00	
	Citrix XS AE, 3yr SA	Citrix XS AE, 3yr SA; XenServer V5.6+ Advanced Edition; License, 3 years Subscription Advantage, SW and License key per Download																									S26361-F2341-S980	1,050,00	
	Citrix XS EE, 3yr SA	Citrix XS EE, 3yr SA; XenServer V5.6+ Enterprise Edition; License, 3 years Subscription Advantage, SW and License key per Download																									S26361-F2341-S981	2,630,00	
	Citrix XS PE, 3yr SA	Citrix XS PE, 3yr SA; XenServer V5.6+ Platinum Edition; License, 3 years Subscription Advantage, SW and License key per Download																									S26361-F2341-S982	5,290,00	
	Citrix XS AE-EE upgr, 3yr SA	Citrix XS AE-EE upgr, 3yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 3 years Subscription Advantage; SW and License key per Download																									S26361-F2341-S983	2,000,00	
	Citrix XS AE-PE upgr, 3yr SA	Citrix XS AE-PE upgr, 3yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 3 years Subscription Advantage; SW and License key per Download																									S26361-F2341-S984	4,880,00	
	Citrix XS EE-PE upgr, 3yr SA	Citrix XS EE-PE upgr, 3yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 3 years Subscription Advantage; SW and License key per Download																									S26361-F2341-S985	3,540,00	
	Citrix XS AE, 1yr SA	Citrix XS AE, 1yr SA; XenServer V5.6+ Advanced Edition; License, 1 year Subscription Advantage, SW and License key per Download																									S26361-F2341-S986	830,00	
	Citrix XS EE, 1yr SA	Citrix XS EE, 1yr SA; XenServer V5.6+ Enterprise Edition; License, 1 year Subscription Advantage, SW and License key per Download																									S26361-F2341-S987	2,080,00	
	Citrix XS PE, 1yr SA	Citrix XS PE, 1yr SA; XenServer V5.6+ Platinum Edition; License, 1 year Subscription Advantage, SW and License key per Download																									S26361-F2341-S988	4,170,00	
	Citrix XS AE-EE upgr, 1yr SA	Citrix XS AE-EE upgr, 1yr SA; XS V5.6+ Advanced to Enterprise upgrade, License, 1 year Subscription Advantage; SW and License key per Download																									S26361-F2341-S989	1,460,00	
	Citrix XS AE-PE upgr, 1yr SA	Citrix XS AE-PE upgr, 1yr SA; XS V5.6+ Advanced to Platinum upgrade, License, 1 year Subscription Advantage; SW and License key per Download																									S26361-F2341-S990	3,750,00	
	Citrix XS EE-PE upgr, 1yr SA	Citrix XS EE-PE upgr, 1yr SA; XS V5.6+ Enterprise to Platinum upgrade, License, 1 year Subscription Advantage; SW and License key per Download																									S26361-F2341-S991	2,420,00	
	VMware vSphere Embedded UFM Device	VMware vSphere Embedded UFM Device Embedded UFM Storage Device , inc. ESXi Single SRV Lic. (w/o SP)																									S26361-F2341-E431	60,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FX2-24 Blade	FC-Switch Port Blade	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX69 Expansion	FibreCAT SX89/SX80 Expansion	FibreCAT SX88 Expansion	PRIMERGY BLADE SX820 S6	PRIMERGY BX400 S1	PRIMERGY BX300 S1	PRIMERGY BX300 S2	PRIMERGY BX302 S2	PRIMERGY BX324 S2	PRIMERGY BX300 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BF100	PRIMERGY SX010 S1	PRIMERGY SX040 S1	PRIMERGY SX060 S1	PRIMERGY SX080 S1	Product Code	EUP (€)	Comments		
Options matrix																													
PRIMERGY-Software (Continued)																													
	VMware ESX 5.0 Single SRV w/o SP-1yr	VMware ESX 5 Single Server for 1 CPU (32GB vRAMCPU) - Mandatory 1 year Service Pack needed!										x			x	x	x									S26361-F2341-S700	10,00		
	VMware vSphere 5 Media Kit OEM	VMware vSphere 5 Media Kit OEM w/ ESX 4.vCenter 5.vShield.Backup-Restore ,VMware vSphere 4 Media Kit OEM w/ ESX 4.vCenter 4.vShield.Backup-Restore - No License										x			x	x	x									S26361-F2341-E300	80,00		
	VMware vSphere STD w/o SP-1yr	VMware vSphere Standard for 1 CPU (32GB vRAMCPU) - Mandatory 1 year Service Pack needed!										x			x	x	x									S26361-F2341-E707	895,00		
	VMware vSphere STD w/o SP-3yr	VMware vSphere Standard for 1 CPU (32GB vRAMCPU) - Mandatory 3 year Service Pack needed!										x			x	x	x									S26361-F2341-E708	895,00		
	VMware vSphere ENT w/o SP-1yr	VMware vSphere Enterprise for 1 CPU (64GB vRAMCPU) - Mandatory 1 year Service Pack needed!										x			x	x	x									S26361-F2341-E709	2,585,00		
	VMware vSphere ENT w/o SP-3yr	VMware vSphere Enterprise for 1 CPU (64GB vRAMCPU) - Mandatory 3 year Service Pack needed!										x			x	x	x									S26361-F2341-E710	2,585,00		
	VMware vSphere ENT-PL w/o SP-1yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAMCPU) - Mandatory 1 year Service Pack needed!										x			x	x	x									S26361-F2341-E711	3,145,00		
	VMware vSphere ENT-PL w/o SP-3yr	VMware vSphere Enterprise-Plus for 1 CPU (96GB vRAMCPU) - Mandatory 3 year Service Pack needed!										x			x	x	x									S26361-F2341-E712	3,145,00		
	VMware STD AK(8CPU+VC-STD)w/o SP-1yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAMCPU) inc VC-STD - Mandatory 1 year Service Pack needed!										x			x	x	x									S26361-F2341-E730	8,995,00		
	VMware STD AK(8CPU+VC-STD)w/o SP-3yr	VMware vSphere STD Acceleration Kit for 8 CPU (256GB vRAMCPU) inc VC-STD - Mandatory 3 year Service Pack needed!										x			x	x	x									S26361-F2341-E731	8,995,00		
	VMware ENT AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAMCPU) inc VC-STD - Mandatory 1 year Service Pack needed!										x			x	x	x									S26361-F2341-E732	15,750,00		
	VMware ENT AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT Acceleration Kit for 6 CPU (384GB vRAMCPU) inc VC-STD - Mandatory 3 year Service Pack needed!										x			x	x	x									S26361-F2341-E733	15,750,00		
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-1yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAMCPU) inc VC-STD - Mandatory 1 year Service Pack needed!										x			x	x	x									S26361-F2341-E734	19,750,00		
	VMware ENT-PL AK(6CPU+VC-STD)w/o SP-3yr	VMware vSphere ENT-PL Acceleration Kit for 6 CPU (576GB vRAMCPU) inc VC-STD - Mandatory 3 year Service Pack needed!										x			x	x	x									S26361-F2341-E735	19,750,00		
	VMware vCenter STD w/o SP-1yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 1 year Service Pack needed!										x			x	x	x									S26361-F2341-S736	4,495,00		
	VMware vCenter STD w/o SP-3yr	VMware vCenter Standard for 1 Instance of vCenter - Mandatory 3 year Service Pack needed!										x			x	x	x									S26361-F2341-S737	4,495,00		
	VMware vCenter FND w/o SP-1yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 1 year Service Pack needed!										x			x	x	x									S26361-F2341-S738	1,345,00		
	VMware vCenter FND w/o SP-3yr	VMware vCenter Foundation for 1 Instance of VC (Max 3 ESX Nodes) - Mandatory 3 year Service Pack needed!										x			x	x	x									S26361-F2341-S739	1,345,00		
	VMware Essentials-PL w/o SP-1yr	VMware Essentials Plus for 6 CPU (192GB vRAMCPU) inc VC-FND-E - Mandatory 1 year Service Pack needed!										x			x	x	x									S26361-F2341-E740	4,045,00		
	VMware Essentials-PL w/o SP-3yr	VMware Essentials Plus for 6 CPU (192GB vRAMCPU) inc VC-FND-E - Mandatory 3 year Service Pack needed!										x			x	x	x									S26361-F2341-E741	4,045,00		
	VMware Essentials w/1yr Sub,-no Support	VMware Essentials for 6 CPU (192GB vRAMCPU) inc VC-FND-E - Inc. 1 year VMware Sub. - no Support										x			x	x	x									S26361-F2341-S800	504,00		
	VMware Essentials w/3yr Sub,-no Support	VMware Essentials for 6 CPU (192GB vRAMCPU) inc VC-FND-E - Inc. 3 year VMware Sub. - no Support										x			x	x	x									S26361-F2341-S801	595,00		
	VMware SRM STD 25 VM Pack w/7x24-1yr	VMware SRM STD 25 VM Pack Protects 25 VMs - Inc. 1 year VMware 7x24 Service+Sub.										x			x	x	x									S26361-F2341-S802	4,969,00		
	VMware SRM STD 25 VM Pack w/7x24-3yr	VMware SRM STD 25 VM Pack Protects 25 VMs - Inc. 3 year VMware 7x24 Service+Sub.										x			x	x	x									S26361-F2341-S803	6,510,00		
	VMware SRM STD 25 VM Pack w/5x9-1yr	VMware SRM STD 25 VM Pack Protects 25 VMs - Inc. 1 year VMware 5x9 Service+Sub.										x			x	x	x									S26361-F2341-S804	4,810,00		
	VMware SRM STD 25 VM Pack w/5x9-3yr	VMware SRM STD 25 VM Pack Protects 25 VMs - Inc. 3 year VMware 5x9 Service+Sub.										x			x	x	x									S26361-F2341-S805	6,104,00		
	VMware SRMENT 25 VM Pack w/7x24-1yr	VMware SRMENT 25 VM Pack Protects 25 VMs - Inc. 1 year VMware 7x24 Service+Sub.										x			x	x	x									S26361-F2341-S806	12,573,00		
	VMware SRMENT 25 VM Pack w/7x24-3yr	VMware SRMENT 25 VM Pack Protects 25 VMs - Inc. 3 year VMware 7x24 Service+Sub.										x			x	x	x									S26361-F2341-S807	16,483,00		
	VMware SRMENT 25 VM Pack w/5x9-1yr	VMware SRMENT 25 VM Pack Protects 25 VMs - Inc. 1 year VMware 5x9 Service+Sub.										x			x	x	x									S26361-F2341-S808	12,169,00		
	VMware SRMENT 25 VM Pack w/5x9-3yr	VMware SRMENT 25 VM Pack Protects 25 VMs - Inc. 3 year VMware 5x9 Service+Sub.										x			x	x	x									S26361-F2341-S809	15,454,00		
	VMware View ENT Start 10 CLI w/o SP-1yr	VMware View ENT Start 10 Desktop VMs Bundle w/ VDMVC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!										x			x	x	x									S26361-F2341-S742	1,220,00		
	VMware View ENT Start 10 CLI w/o SP-3yr	VMware View ENT Start 10 Desktop VMs Bundle w/ VDMVC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!										x			x	x	x									S26361-F2341-S743	1,220,00		
	VMware View ENT 100 CLI w/o SP-1yr	VMware View ENT 100 Desktop VMs Bundle w/ VDMVC-STD+ESX ENT-PL - Mandatory 1 year Service Pack needed!										x			x	x	x									S26361-F2341-S744	12,195,00		
	VMware View ENT 100 CLI w/o SP-3yr	VMware View ENT 100 Desktop VMs Bundle w/ VDMVC-STD+ESX ENT-PL - Mandatory 3 year Service Pack needed!										x			x	x	x									S26361-F2341-S745	12,195,00		
	VMware View ENT Add 10 CLI w/o SP-1yr	VMware View ENT Add. 10 Desktop VMs Bundle w/ VDM+ESX ENT-PL - Mandatory 1 year Service Pack needed!										x			x	x	x									S26361-F2341-S746	1,220,00		
	VMware View ENT Add 10 CLI w/o SP-3yr	VMware View ENT Add. 10 Desktop VMs Bundle w/ VDM+ESX ENT-PL - Mandatory 3 year Service Pack needed!										x			x	x	x									S26361-F2341-S747	1,220,00		



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FX24-24 Blade	FC-Switch Port Blade	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX80 Expansion	FibreCAT SX80/SX80i Expansion	FibreCAT SX88 Expansion	PRIMERGY BLADE SX820 S6	PRIMERGY BLADE SX850	PRIMERGY BX400 S1	PRIMERGY BX400 S2	PRIMERGY BX400 S1	PRIMERGY BX400 S2	PRIMERGY BX424 S2	PRIMERGY BX424 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BF100	PRIMERGY SX910 S1	PRIMERGY SX940 S1	PRIMERGY SX960 S1	PRIMERGY SX980 S1	Product Code	EUP (€)	Comments
PRIMERGY-Software (Continued)																												
	VMware View ENT Add-On 10 CLI w/o SP-1yr	VMware View ENT Add-On 10 Desktop VMs - Extends existing vSphere License w/VM - Mandatory 1 year Service Pack needed!										x			x	x	x									S26361-F2341-S748	730,00	
	VMware View ENT Add-On 10 CLI w/o SP-3yr	VMware View ENT Add-On 10 Desktop VMs - Extends existing vSphere License w/VM - Mandatory 3 year Service Pack needed!										x			x	x	x									S26361-F2341-S749	730,00	
	VMware View PRE Start 10 CLI w/o SP-1yr	VMware View PRE Start 10 Desktop VMs Bundle w/ VDM/VC-STD+ESX ENT-PL/COMP,TA - Mandatory 1 year Service Pack needed!										x			x	x	x									S26361-F2341-S750	2,030,00	
	VMware View PRE Start 10 CLI w/o SP-3yr	VMware View PRE Start 10 Desktop VMs Bundle w/ VDM/VC-STD+ESX ENT-PL/COMP,TA - Mandatory 3 year Service Pack needed!										x			x	x	x									S26361-F2341-S751	2,030,00	
	VMware View PRE 100 CLI w/o SP-1yr	VMware View PRE 100 Desktop VMs Bundle w/ VDM/VC-STD+ESX ENT-PL/COMP,TA - Mandatory 1 year Service Pack needed!										x			x	x	x									S26361-F2341-S752	20,295,00	
	VMware View PRE 100 CLI w/o SP-3yr	VMware View PRE 100 Desktop VMs Bundle w/ VDM/VC-STD+ESX ENT-PL/COMP,TA - Mandatory 3 year Service Pack needed!										x			x	x	x									S26361-F2341-S753	20,295,00	
	VMware View PRE Add 10 CLI w/o SP-1yr	VMware View PRE Add 10 Desktop VMs Bundle w/ VDM/ESX ENT-PL/COMP,TA - Mandatory 1 year Service Pack needed!										x			x	x	x									S26361-F2341-S754	2,030,00	
	VMware View PRE Add 10 CLI w/o SP-3yr	VMware View PRE Add 10 Desktop VMs Bundle w/ VDM/ESX ENT-PL/COMP,TA - Mandatory 3 year Service Pack needed!										x			x	x	x									S26361-F2341-S755	2,030,00	
	VMware View PRE Add-On 10 CLI w/o SP-1yr	VMware View PRE Add-On 10 Desktop VMs - Extends existing VS4 Lic. w/VM/COMP,TA - Mandatory 1 year Service Pack needed!										x			x	x	x									S26361-F2341-S756	1,540,00	
	VMware View PRE Add-On 10 CLI w/o SP-3yr	VMware View PRE Add-On 10 Desktop VMs - Extends existing VS4 Lic. w/VM/COMP,TA - Mandatory 3 year Service Pack needed!										x			x	x	x									S26361-F2341-S757	1,540,00	
	VMware vCloud Dir. 25 VM Pack w/7x24-1yr	VMware vCloud Director 25 VM Pack Manage 25 VMs - Inc. 1 year VMware 7x24 Service+Sub.										x			x	x	x									S26361-F2341-S810	3,902,00	
	VMware vCloud Dir. 25 VM Pack w/7x24-3yr	VMware vCloud Director 25 VM Pack Manage 25 VMs - Inc. 3 year VMware 7x24 Service+Sub.										x			x	x	x									S26361-F2341-S811	5,227,00	
	VMware Chargeback 25 VM Pack w/7x24-1yr	VMware Chargeback 25 VM Pack Monitor 25 VMs - Inc. 1 year VMware 7x24 Service+Sub.										x			x	x	x									S26361-F2341-S812	1,275,00	
	VMware Chargeback 25 VM Pack w/7x24-3yr	VMware Chargeback 25 VM Pack Monitor 25 VMs - Inc. 3 year VMware 7x24 Service+Sub.										x			x	x	x									S26361-F2341-S813	1,671,00	
	VMware vCloud Dir. 25 VM Pack w/5x9-1yr	VMware vCloud Director 25 VM Pack Manage 25 VMs - Inc. 1 year VMware 5x9 Service+Sub.										x			x	x	x									S26361-F2341-S814	3,865,00	
	VMware vCloud Dir. 25 VM Pack w/5x9-3yr	VMware vCloud Director 25 VM Pack Manage 25 VMs - Inc. 3 year VMware 5x9 Service+Sub.										x			x	x	x									S26361-F2341-S815	4,902,00	
	VMware Chargeback 25 VM Pack w/5x9-1yr	VMware Chargeback 25 VM Pack Monitor 25 VMs - Inc. 1 year VMware 5x9 Service+Sub.										x			x	x	x									S26361-F2341-S816	1,234,00	
	VMware Chargeback 25 VM Pack w/5x9-3yr	VMware Chargeback 25 VM Pack Monitor 25 VMs - Inc. 3 year VMware 5x9 Service+Sub.										x			x	x	x									S26361-F2341-S817	1,567,00	
OS/Application-SW																												
	SUSE Linux ES BF200 3Y	SUSE Linux Enterprise Server for all platforms BF200 System Unit 3-Years subscription																				x				U15045-C162-B	2,586,00	Phased out
	SUSE Linux ES BF400 3Y	SUSE Linux Enterprise Server for all platforms BF400 System Unit 3-Years subscription																					x			U15045-C172-B	10,340,00	Phased out
UPS/Power supply																												
	PY BX400 PSU (1600W/1100W) w/o powercord	PY BX400 Power Supply (1600 W/1100 W) without power cable											x													S26113-F607-E201	495,00	
	PY BX900 Rear Fan Unit	BX900 Rear Fan Unit with 4 Fans													x											S26361-F3962-E100	285,00	
	PY BX400 Fan Unit	BX400 Fan Unit with 2 Fans											x													S26361-F4474-E100	155,00	
	BX900 PSU 2.880W silver w/o power cord	BX900 Power supply 100-240V AC, w/o power cord											x													S26113-F606-E250	675,00	
	BX900 PSU 2.880W platinum hp w/o power c	BX900 Power Supply 2.880W platinum hp														x										S26113-F606-E300	860,00	
	Power Cord 16A IEC320 C19->C20	Power cord with connector IEC320 C20 ->plug IEC320 C20 for connection to UPS (connector 16A IEC320 C19)											x	x												S26361-F3151-E301	30,00	
	Power Cord IEC320 C19 -> IEC 320 C14	Power cord with connector IEC320 C19 ->plug IEC320 C14 for connection to UPS or socket outlet (connector 16A IEC320 C19)										x														S26361-F3151-E351	10,00	
	Power cord IEC320 C19 -> IEC320 C14	Power cord with connector IEC320 C19 ->plug IEC320 C14 for connection to UPS or socket outlet (connector 16A IEC320 C19)											x													S26361-F3151-E350	10,00	
	No powercord as order option	For Countries without specific cable orderable like e.g. China												x	x											T26139-Y3850-E10	2,00	
	Power cord 16A IEC320 C19->C20	with connector IEC320 C20 ->plug IEC320 C20 for connection to UPS (connector 16A IEC320 C19)												x												S26361-F3151-E300	30,00	
	Power cord 16A IEC320 C19->16A CEE Blue	with connector IEC320 C20 -> 16A CEE (IEC309, blue), length 3,5m												x	x											S26361-F3151-E200	30,00	
Miscellaneous																												
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order						x				x	x	x	x											S26361-F1647-E410	25,00	
	TPM Module	Trusted Platform Module on motherboard, be aware of import restrictions!											x			x	x									S26361-F3552-E1	50,00	
	TPM Module for BX960	Trusted Platform Module on motherboard, be aware of import restrictions!																		x						S26361-F3552-E2	50,00	
FC/IP-Infrastructure																												
	S/W, 10 Gigabit Ethernet 1Y Maintenance	S/W, 10 Gigabit Ethernet 1Y Maintenance, Brocade number: BR-DCX10GE-01-M			x	x																				B-BR-DCX10GE-01-M	14,681,00	
	S/W, 10 Gigabit Ethernet 5Y Maintenance	S/W, 10 Gigabit Ethernet 5Y Maintenance, Brocade number: BR-DCX10GE-01-M-5			x	x																				B-BR-DCX10GE-05-M	17,750,00	
	S/W Advanced Extension 1Y Maintenance	S/W license Advanced Extension, enables FCIP Trunking, 1 year SUP included, Brocade number BR-DCXAEX-01-M												x												B-BR-DCXAEX-01-M	6,493,00	
	S/W Advanced Extension 5Y Maintenance	S/W license Advanced Extension, enables FCIP Trunking, 5 year SUP included, Brocade number: BR-DCXAEX-01-M-5											x													B-BR-DCXAEX-05-M	10,468,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch F26-24 Blade	FC-Switch Port Blade	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX88 Expansion	FibreCAT SX88/SX80 Expansion	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BX400 S1	PRIMERGY BX300 S1	PRIMERGY BX300 S2	PRIMERGY BX322 S2	PRIMERGY BX324 S2	PRIMERGY BX360 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BF100	PRIMERGY SX10 S1	PRIMERGY SX40 S1	PRIMERGY SX80 S1	PRIMERGY SX80 S1	Product Code	EUP (€)	Comments	
Options matrix																													
FC/IP-Infrastructure (Continued)																													
	SW, Advanced Accelerator for FICON 1Y M	SW, Advanced Accelerator for FICON 1Y M, Brocade Number: BR-DCXAFI-01-M				x																					B-BR-DCXAFI-01-M	24.085,00	
	SW, Advanced Accelerator for FICON 5Y M	SW, Advanced Accelerator for FICON 5Y M, Brocade number: BR-DCXAFI-01-M-5				x																					B-BR-DCXAFI-05-M	38.843,00	
	F58-18 Upgr(adv.crypto f.disk,1DCX chas)	F58-18 Upgrade (adv.crypto f.disk,1x per DCX chassis) , Brocade number: BR-ENCPRF48-01			x																						B-BR-ENCPRF48-01	3,00	New product
	Sup&4 hr advance HW replacem.parts only	Remote support & 4 hr advance HW replacement (parts only). Only the first order possible). Brocade SVS-4P			x	x	x																				B-MAINT-SVS-4P	888.888,00	New product
	PY BX300 Management Blade S1	Redundant Management Blade																									S26361-F3962-E500	790,00	
	Brocade SFP_SWL,8G,1-PK	1x SFP+ Multi Mode Fibre, 8 GB/s, 50 / 100 m, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000163 branded SFP)			x	x	x																				B:XBR-000163	104,00	
	Brocade SFP_SWL, 8G, 8-PK, BR	8x SFP+ Multi Mode Fibre, 8 GB/s, 50 / 100 m, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000164 branded SFP)						x																			B:XBR-000164	757,00	
	Brocade FRU, 8GB 10KM LWL SFP, 1 PK	1xSFP Single Mode Fibre, 8 GB/s, 10km, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000153 branded SFP)						x																			B:XBR-000153	1.240,00	
	Brocade FRU, 8GB 10KM LWL SFP, 8 PK	8x SFP+ Multi Mode Fibre, 8 GB/s, 50 / 10 km, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000172 branded SFP)							x																		B:XBR-000172	6.755,00	New product
	Brocade 8GB ELWL 25KM	1xSFP Single Mode Fibre, 8 GB/s, 25km, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000174 branded SFP)							x																		B:XBR-000174	3.614,00	
	Brocade Mini-SFP 8GB, 1-pack FRU	1x Mini-SFP+ Multi Mode Fibre, 8 GB/s, 50 / 100 m, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000160 branded SFP)						x																			B:XBR-000160	177,00	New product
	Brocade SFP_SWL,4G,1-PK	1x SFP Multi Mode Fibre, 4 GB/s 150 m, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000139 branded SFP)						x	x																		B:XBR-000139	111,00	
	Brocade SFP_LWL,4G,4KM,1-PK	1xSFP Single Mode Fibre, 4 GB/s, 4km, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000142 branded SFP)							x																		B:XBR-000142	570,00	
	Brocade SFP_LWL,4G,10KM,1-PK	1xSFP Single Mode Fibre, 4 GB/s, 10 km, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000144 branded SFP)							x																		B:XBR-000144	1.041,00	
	Brocade SFP_SWL,4G,8-PK, BR	8x SFP Multi Mode Fibre, 4 GB/s 150 m, (depending on used fibre cable type OM2 / OM3), (Brocade XSM-000141 branded SFP)								x																	B:XSM-000141	367,00	
	Brocade SFP_LWL, 4G, 4km, 8-pack	8xSFP Single Mode Fibre, 4 GB/s, 4km, (depending on used fibre cable type OM2 / OM3), (Brocade XSM-000143 branded SFP)							x																		B:XSM-000143	2.961,00	New product
	Brocade FRU_SFP_LWL, 4G, 30km	1xSFP Single Mode Fibre, 4 GB/s, 30km, (depending on used fibre cable type OM2 / OM3), (Brocade XSM-000146 branded SFP)							x																		B:XSM-000146	1.497,00	
	Brocade SFP_LWL,4G,10KM,8-PK, BR	8x SFP+ Multi Mode Fibre, 4 GB/s, 50 / 10 km, (depending on used fibre cable type OM2 / OM3), (Brocade XSM-000157 branded SFP)								x																	B:XSM-000157	5.392,00	New product
	Brocade SFP+ SR, 10GE, 1-PK, BR	1x SFP+ Multi Mode Fibre, SR, 10 GE, 50 / 100 m, (depending on used fibre cable type OM2 / OM3), (Brocade XBR-000180 branded SFP)			x	x																					B:XBR-000180	475,00	
	Brocade SFP+ SR, 10GE, 8-PK, BR	SFP+ SR, 10GE, 8-PK, BR, (Brocade XBR-000181 branded SFP)							x																		B:XBR-000181	2.650,00	
	Brocade SFP+ LR, 10GE, 1-PK, BR	SFP+ LR, 10GE, 1-PK, BR, (Brocade XBR-000182 branded SFP)							x	x																	B:XBR-000182	1.344,00	
	Brocade SFP+ LR, 10GE, 8-PK, BR	SFP+ LR, 10GE, 8-PK, BR, (Brocade XBR-000181 branded SFP)								x																	B:XBR-000183	9.314,00	
	Brocade FRU_SFP+LWL,10GFC,10KM,1PK, BR	FRU_SFP+LWL,10GFC,10KM,1-PK, BR, (Brocade XBR-000217 branded SFP)									x																B:XBR-000217	1.053,00	New product
	Brocade FRU_SFP+SWL,10GFC,10KM,1PK, BR	FRU_SFP+SWL,10GFC,1-PK, BR, (Brocade XBR-000218 branded SFP)										x															B:XBR-000218	341,00	New product
	Brocade SFP, 1GE COPPER, 1-PK, ROHS	1x SFP+ Multi Mode Fibre, 1 GE, 50 / 100 m, (Brocade XBR-000190 branded SFP)							x																		B:XBR-000190	301,00	
	Brocade FRU_SFP+SWL,16G,1-PK, BR	1x SFP+ Sort Wave Lengths, 16GB/s, (Brocade XBR-000192 branded SFP)																									B:XBR-000192	410,00	New product
	Brocade FRU_SFP+SWL,16G,8-PK, BR	FRU_SFP+SWL,16G,8-PK, BR, (Brocade XBR-000193 branded SFP)																									B:XBR-000193	2.759,00	New product
	Brocade FRU_SFP+LWL,16G,10KM,1PK, BR	FRU_SFP+LWL,16G,10KM,1-PK, BR, (Brocade XBR-000198 branded SFP)																									B:XBR-000198	1.746,00	New product
	Brocade FRU_SFP+LWL,16G,10KM,8PK, BR	FRU_SFP+LWL,16G,10KM,8-PK, BR, (Brocade XBR-000199 branded SFP)																									B:XBR-000199	11.983,00	New product
Cables																													
	Direct Attached SFP+ Copper, 1m, 1-Pack	Brocade direct Attached cable SFP+ Copper, 1m, 1x, (Brocade XBR-TWX-0101 branded SFP)																									B:XBR-TWX-0101	128,00	
	Direct Attached SFP+ Copper, 3m, 1-Pack	Brocade direct Attached cable SFP+ Copper, 3m, 1x, (Brocade XBR-TWX-0301 branded SFP)																									B:XBR-TWX-0301	143,00	
	Direct Attached SFP+ Copper, 5m, 1-Pack	Brocade direct Attached cable SFP+ Copper, 5m, 1x, (Brocade XBR-TWX-0501 branded SFP)																									B:XBR-TWX-0501	186,00	New product
	Cascading Cable	FibreCAT SX Cascading Cable 0.5m																									D:FC SX-IO-CAB	70,00	Phased out
	SFP+ active twinax cable BRCD 5m	Brocade branded active twinax copper cable 10GBE, 5m, SFP+ plugs at both sides.																									E:BR000-TWX-5M	150,00	
SW Data Center Products																													
	Citrix XD VDI, 10 U/D, 3yr SA	Citrix XD VDI, 10 U/D, 3yr SA; XenDesktop VDI Edition, 10 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download																									S26361-F2341-E913	1.040,00	
	Citrix XD VDI, 50 U/D, 3yr SA	Citrix XD VDI, 50 U/D, 3yr SA; XenDesktop VDI Edition, 50 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download																									S26361-F2341-E914	5.210,00	
	Citrix XD VDI, 100 U/D, 3yr SA	Citrix XD VDI, 100 U/D, 3yr SA; XenDesktop VDI Edition, 100 U/D; XD w/o XenApp and w/ free XS, 3 years Subscription; SW and License key per download																									S26361-F2341-E915	10.420,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FX2-24 Blade	FC-Switch Port Blade	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80i Expansion	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BX400 S1	PRIMERGY BX300 S1	PRIMERGY BX300 S2	PRIMERGY BX424 S2	PRIMERGY BX400 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BF100	PRIMERGY SX010 S1	PRIMERGY SX040 S1	PRIMERGY SX060 S1	PRIMERGY SX080 S1	Product Code	EUP (€)	Comments	
Options matrix SW Data Center Products (Continued)																												
	Citrix XD EE, 10 UID, 3yr SA	Citrix XD EE, 10 UID, 3yr SA; XenDesktop Enterprise Edition, 10 UID; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download																								S26361-F2341-E923	2,460.00	
	Citrix XD EE, 50 UID, 3yr SA	Citrix XD EE, 50 UID, 3yr SA; XenDesktop Enterprise Edition, 50 UID; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download																								S26361-F2341-E924	12,290.00	
	Citrix XD EE, 100 UID, 3yr SA	Citrix XD EE, 100 UID, 3yr SA; XenDesktop Enterprise Edition, 100 UID; XD w/ XenApp EE and XS Essentials, 3 years Subscription; SW and License key per download																								S26361-F2341-E925	24,580.00	
	Citrix XD PE, 10 UID, 3yr SA	Citrix XD PE, 10 UID, 3yr SA; XenDesktop Platinum Edition, 10 UID; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download																								S26361-F2341-E933	3,750.00	
	Citrix XD PE, 50 UID, 3yr SA	Citrix XD PE, 50 UID, 3yr SA; XenDesktop Platinum Edition, 50 UID; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download																								S26361-F2341-E934	18,750.00	
	Citrix XD PE, 100 UID, 3yr SA	Citrix XD PE, 100 UID, 3yr SA; XenDesktop Platinum Edition, 100 UID; XD w/ XenApp PE and XS Essentials, 3 years Subscription; SW and License key per download																								S26361-F2341-E935	37,500.00	
	Citrix XD VDI-EE upgr, 10 UID, 3yr SA	Citrix XD VDI-EE upgr, 10 UID, 3yr SA; XD VDI to Enterprise upgrade 10UID; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download																								S26361-F2341-E960	2,170.00	
	Citrix XD VDI-EE upgr, 50 UID, 3yr SA	Citrix XD VDI-EE upgr, 50 UID, 3yr SA; XD VDI to Enterprise upgrade 50UID; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download																								S26361-F2341-E961	10,830.00	
	Citrix XD VDI-EE upgr, 100 UID, 3yr SA	Citrix XD VDI-EE upgr, 100 UID, 3yr SA; XD VDI to Enterprise upgrade 100UID; XD w/ XenApp EE and XS Essentials, 3 years Subscription; License key per download																								S26361-F2341-E962	21,670.00	
	Citrix XD VDI-PE upgr, 10 UID, 3yr SA	Citrix XD VDI-PE upgr, 10 UID, 3yr SA; XD VDI to Platinum upgrade 10UID; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download																								S26361-F2341-E963	3,460.00	
	Citrix XD VDI-PE upgr, 50 UID, 3yr SA	Citrix XD VDI-PE upgr, 50 UID, 3yr SA; XD VDI to Platinum upgrade 50UID; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download																								S26361-F2341-E964	17,290.00	
	Citrix XD VDI-PE upgr, 100 UID, 3yr SA	Citrix XD VDI-PE upgr, 100 UID, 3yr SA; XD VDI to Platinum upgrade 100UID; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download																								S26361-F2341-E965	34,580.00	
	Citrix XD EE-PE upgr, 10 UID, 3yr SA	Citrix XD EE-PE upgr, 10 UID, 3yr SA; XD Enterprise to Platinum upgrade 10UID; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download																								S26361-F2341-E966	2,210.00	
	Citrix XD EE-PE upgr, 50 UID, 3yr SA	Citrix XD EE-PE upgr, 50 UID, 3yr SA; XD Enterprise to Platinum upgrade 50UID; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download																								S26361-F2341-E967	11,040.00	
	Citrix XD EE-PE upgr, 100 UID, 3yr SA	Citrix XD EE-PE upgr, 100 UID, 3yr SA; XD Enterprise to Platinum upgrade 100UID; XD w/ XenApp PE and XS Essentials, 3 years Subscription; License key per download																								S26361-F2341-E968	22,080.00	
	Citrix XD VDI, 10 UID, 1yr SA	Citrix XD VDI, 10 UID, 1yr SA; XenDesktop VDI Edition, 10 UID; XD w/ XenApp and w/ free XS, 1 year Subscription; SW and License key per download																								S26361-F2341-S913	790.00	
	Citrix XD VDI, 50 UID, 1yr SA	Citrix XD VDI, 50 UID, 1yr SA; XenDesktop VDI Edition, 50 UID; XD w/ XenApp and w/ free XS, 1 year Subscription; SW and License key per download																								S26361-F2341-S914	3,960.00	
	Citrix XD VDI, 100 UID, 1yr SA	Citrix XD VDI, 100 UID, 1yr SA; XenDesktop VDI Edition, 100 UID; XD w/ XenApp and w/ free XS, 1 year Subscription; SW and License key per download																								S26361-F2341-S915	7,920.00	
	Citrix XD EE, 10 UID, 1yr SA	Citrix XD EE, 10 UID, 1yr SA; XenDesktop Enterprise Edition, 10 UID; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download																								S26361-F2341-S923	1,880.00	
	Citrix XD EE, 50 UID, 1yr SA	Citrix XD EE, 50 UID, 1yr SA; XenDesktop Enterprise Edition, 50 UID; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download																								S26361-F2341-S924	9,380.00	
	Citrix XD EE, 100 UID, 1yr SA	Citrix XD EE, 100 UID, 1yr SA; XenDesktop Enterprise Edition, 100 UID; XD w/ XenApp EE and XS Essentials, 1 year Subscription; SW and License key per download																								S26361-F2341-S925	18,750.00	
	Citrix XD PE, 10 UID, 1yr SA	Citrix XD PE, 10 UID, 1yr SA; XenDesktop Platinum Edition, 10 UID; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download																								S26361-F2341-S933	2,920.00	
	Citrix XD PE, 50 UID, 1yr SA	Citrix XD PE, 50 UID, 1yr SA; XenDesktop Platinum Edition, 50 UID; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download																								S26361-F2341-S934	14,580.00	
	Citrix XD PE, 100 UID, 1yr SA	Citrix XD PE, 100 UID, 1yr SA; XenDesktop Platinum Edition, 100 UID; XD w/ XenApp PE and XS Essentials, 1 year Subscription; SW and License key per download																								S26361-F2341-S935	29,170.00	
	Citrix XD VDI-EE upgr, 10 UID, 1yr SA	Citrix XD VDI-EE upgr, 10 UID, 1yr SA; XD VDI to Enterprise upgrade 10UID; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download																								S26361-F2341-S960	1,580.00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch F26-24 Blade	FC-Switch Port Blade	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80i Expansion	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BX400 S1	PRIMERGY BX600 S1	PRIMERGY BX620 S2	PRIMERGY BX624 S2	PRIMERGY BX680 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BF100	PRIMERGY SX010 S1	PRIMERGY SX040 S1	PRIMERGY SX060 S1	PRIMERGY SX080 S1	Product Code	EUP (€)	Comments	
Options matrix SW Data Center Products (Continued)																												
	Citrix XD VDI-EE upgr, 50 UID, 1yr SA	Citrix XD VDI-EE upgr, 50 UID, 1yr SA; XD VDI to Enterprise upgrade 50UID; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download										x				x	x	x	x							S26361-F2341-S961	7,920,00	
	Citrix XD VDI-EE upgr, 100 UID, 1yr SA	Citrix XD VDI-EE upgr, 100 UID, 1yr SA; XD VDI to Enterprise upgrade 100UID; XD w/ XenApp EE and XS Essentials, 1 year Subscription; License key per download										x				x	x	x	x							S26361-F2341-S962	15,830,00	
	Citrix XD VDI-PE upgr, 10 UID, 1yr SA	Citrix XD VDI-PE upgr, 10 UID, 1yr SA; XD VDI to Platinum upgrade 10UID; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download										x				x	x	x	x							S26361-F2341-S963	2,630,00	
	Citrix XD VDI-PE upgr, 50 UID, 1yr SA	Citrix XD VDI-PE upgr, 50 UID, 1yr SA; XD VDI to Platinum upgrade 50UID; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download										x				x	x	x	x							S26361-F2341-S964	13,130,00	
	Citrix XD VDI-PE upgr, 100 UID, 1yr SA	Citrix XD VDI-PE upgr, 100 UID, 1yr SA; XD VDI to Platinum upgrade 100UID; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download										x				x	x	x	x							S26361-F2341-S965	26,250,00	
	Citrix XD EE-PE upgr, 10 UID, 1yr SA	Citrix XD EE-PE upgr, 10 UID, 1yr SA; XD Enterprise to Platinum upgrade 10UID; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download										x				x	x	x	x							S26361-F2341-S966	1,380,00	
	Citrix XD EE-PE upgr, 50 UID, 1yr SA	Citrix XD EE-PE upgr, 50 UID, 1yr SA; XD Enterprise to Platinum upgrade 50UID; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download										x				x	x	x	x							S26361-F2341-S967	6,880,00	
	Citrix XD EE-PE upgr, 100 UID, 1yr SA	Citrix XD EE-PE upgr, 100 UID, 1yr SA; XD Enterprise to Platinum upgrade 100UID; XD w/ XenApp PE and XS Essentials, 1 year Subscription; License key per download										x				x	x	x	x							S26361-F2341-S968	13,750,00	
	CD-Xprint-Unix-OS	CD-Xprint (Linux, UX, AIX,Solaris), Data media for Xprint Unix, Aken, Intel/PIBM-based HW																								U11436-C231	36,00	
	SVRCVESC V22 (WIN) MED CD	ServerView Resource Coordinator VE Standard Media Pack (Windows) V2.2										x		x	x	x	x	x	x							U11420-C910	50,00	
	SVRCVESC V22 (LINUX) MED CD	ServerView Resource Coordinator VE Standard Media Pack (Linux) V2.2										x		x	x	x	x	x	x							U11420-C911	50,00	
	SVRCVEMGR V22 (WIN) RTU 1SVR 4C	Resource Coordinator VE Standard Server License for 1 Manager (Windows) 4CPU Class V2										x		x	x	x	x	x	x							U11420-C902	2,363,00	
	SVRCVEMGR V22 (WIN) UGRU 1 SVR 4C	Resource Coordinator VE Standard Server License for 1 Manager (Windows) 4CPU Class Upgrade from RCVE Preview V2										x		x	x	x	x	x	x							U11420-C922	2,363,00	
	SVRCVESAGT V22 (WINLINUX) RTU 1SVR 4C	Resource Coordinator VE Standard Server License for 1 Agent (Windows or Linux) 4CPUClass V2										x		x	x	x	x	x	x							U11420-C903	517,00	
	SVRCVESAGT V22 (WINLINUX) RTU 10SVR 4C	Resource Coordinator VE Standard Server License for 10 Agents (Windows or Linux) 4 CPU Class V2										x		x	x	x	x	x	x							U11420-C904	4,033,00	
	SVRCVESAGT V22 (WINLINUX) RTU 18SVR 4C	Resource Coordinator VE Standard Server License for 18 Agents (Windows or Linux) 4 CPU Class V2										x		x	x	x	x	x	x							U11420-C905	7,869,00	
	SVRCVEFCO (WIN) MED CD	ServerView Resource Coordinator VE iO Virtualization (FC) Option (Windows)										x		x	x	x	x	x	x							U11420-C906	100,00	
	SVRCVEMCO (WIN) MED CD	ServerView Resource Coordinator VE iO Virtualization (MAC) Option (Windows)										x		x	x	x	x	x	x							U11420-C936	100,00	
	SVRCVEMDMO V2 (WINLINUX) RTU	ServerView Resource Coordinator VE Standard Demo License (1 System) V2										x		x	x	x	x	x	x							U11420-C907	0,01	
	SVRORDEMO V2 (WINLINUX) RTU	ServerView Resource Orchestrator Demo License (1 System) V2										x		x	x	x	x	x	x							U11420-C935	0,01	
	SVRORDVD V23 (WINLINUX) MED DVD	ServerView Resource Orchestrator Media Pack V2.3 for Windows										x		x	x	x	x	x	x							U11420-C939	50,00	
	XTN-CD V32 (PS) MED CD	x10sure CD 3.2; (Binaries / Documents) 1 Medium, German & English Version										x				x	x	x	x							U11420-C775	50,00	
	SVRORSVR V23 (WINLINUX) RTU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class V2										x		x	x	x	x	x	x							U11420-C940	1,331,00	
	XTN-B V32 (PS) RTU-1CNTIAN	x10sure 3.2 - Base License (RTU for 1 Control Node + 1 Application Node; no support nor updates included)										x				x	x	x	x							U11420-C877	1,400,00	
	XTN-B V32 (PS) UGRU-1CNTIAN	x10sure 3.2 - Upgrade Base License (Upgrade RTU for 1 Control Node + 1 Application Node from x10sure 2.x or 3.0; for maintenance renewal only)										x				x	x	x	x							U11420-C773-U	1,00	
	XTN-N V32 (PS) RTU-1 Node	x10sure 3.2 RTU for 1 additional Application- or Spare Node; no support nor updates included										x				x	x	x	x							U11420-C878	1,100,00	
	SVRORSVR V23 (WINLINUX) RTU 10SVR 4C	ServerView Resource Orchestrator Server License (10 Server) 4CPU Class V2										x		x	x	x	x	x	x							U11420-C942	12,376,00	
	XTN-N V32 (PS) UGRU-1 Node	x10sure 3.2 - Upgrade License (Upgrade RTU for 1 additional Application or Spare Node from x10sure 2.x or 3.0; for maintenance renewal only)										x				x	x	x	x							U11420-C774-U	1,00	
	SVRORSVR V23 (WINLINUX) RTU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class V2										x		x	x	x	x	x	x							U11420-C943	22,277,00	
	SVRORSVR V23 (WINLINUX) UGRU 1SVR 4C	ServerView Resource Orchestrator Server License (1 Server) 4CPU Class RCVE Agent Upgrade V2										x		x	x	x	x	x	x							U11420-C946	814,00	
	SVRORSVR V23 (WINLINUX) UGRU 10SVR 4C	ServerView Resource Orchestrator Server License (10 Server) 4CPU Class RCVE Agent Upgrade V2										x		x	x	x	x	x	x							U11420-C948	8,343,00	
	SVRORSVR V23 (WINLINUX) UGRU 18SVR 4C	ServerView Resource Orchestrator Server License (18 Server) 4CPU Class RCVE Agent Upgrade V2										x		x	x	x	x	x	x							U11420-C949	14,408,00	
	SVRORADRO V2 (WINLINUX) RTU 1SVR 4C	ServerView Resource Orchestrator Advanced DR Option License (1 Server) V2														x	x	x	x							U11420-C952	3,777,00	
	Xprint-NET(WinServer) V8.0	Xprint-NET (W2K/2003) V8.0 LC f. Print Server up to 32 printers for Intel based HW (Licence no data media)																								U11436-C568	4,374,00	
	Xprint-NET-CL (WinServer) V8.0	Xprint-NET-CL (W2K/2003) V8.0 LC f. Print Client in conn. with Server for Intel based HW (Licence no data media)																								U11436-C569	1,188,00	
	Xprint-UGM (WinServer) V8.0	Xprint-UGM (W2K/2003) V8.0 LC f. connection of 33-128 printers for Intel based HW (Licence no data media)																								U11436-C570	1,458,00	
	Xprint-UG2 (WinServer) V8.0	Xprint-UG2 (W2K/2003) V8.0 LC f. connection of 129-256 printers for Intel based HW (Licence no data media)																								U11436-C571	1,458,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FX6-24 Blade	FC-Switch Port Blade	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX68 Expansion	FibreCAT SX89/SX80 Expansion	FibreCAT SX98 Expansion	PRIMERGY BLADE BX620 S6	PRIMERGY BX400 S1	PRIMERGY BX600 S1	PRIMERGY BX620 S2	PRIMERGY BX624 S2	PRIMERGY BX680 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BF100	PRIMERGY S3010 S1	PRIMERGY S3040 S1	PRIMERGY S3060 S1	PRIMERGY S3080 S1	Product Code	EUP (€)	Comments		
Options matrix																												
SW Data Center Products (Continued)																												
	Xprint-UG3 (WinServer) V8.0	Xprint-UG3 (W2K/2003) V8.0 LC f. connection of 257-512 printers for Intel based HW (Licence no data media)																		x					U11436-C572	2.484,00		
	Xprint-UG4 (WinServer) V8.0	Xprint-UG4 (W2K/2003) V8.0 LC f. connection of 513-1024 printers for Intel based HW (Licence no data media)																			x					U11436-C573	2.268,00	
	Xprint-UG5 (WinServer) V8.0	Xprint-UG5 (W2K/2003) V8.0 LC f. connection of 1025-2048 printers for Intel based HW (Licence no data media)																			x					U11436-C574	1.890,00	
	Xprint-UG6 (WinServer) V8.0	Xprint-UG6 (W2K/2003) V8.0 LC f. connection of 2049-4096 printers for Intel based HW (Licence no data media)																			x					U11436-C575	1.890,00	
	Xprint-UG7 (WinServer) V8.0	Xprint-UG7 (W2K/2003) V8.0 LC f. connection of 4097-8192 printers for Intel based HW (Licence no data media)																			x					U11436-C576	1.890,00	
	Xprint-UG8 (WinServer) V8.0	Xprint-UG8 (W2K/2003) V8.0 LC f. connection of 8193-unlimited printers f. Intel based HW (Licence no data media)																			x					U11436-C577	1.890,00	
	Xprint-ERP-Kit (WinServer) V8.0	Xprint-R/3-Kit (W2K/2003) V8.0 LC f. in connection with SAP R/3 Intel based HW (Licence no data media)																			x					U11436-C578	4.439,00	
	Xprint-NET-UP (WinServer) V8.0	Xprint-NET-UP (W2K/2003) V8.0 LC f. Print Server up to 32 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																			x					U11436-C580	1.761,00	
	Xprint-NET-CL-UP (WinServer) V8.0	Xprint-NET-CL-UP (W2K/2003) V8.0 LC f. Print Client in conn. with Server for Intel based HW Update from Xprint 7.0 to Xprint 8.0																			x					U11436-C581	486,00	
	Xprint-UGM-UP (WinServer) V8.0	Xprint-UGM-UP (W2K/2003) V8.0 LC f. connection of 33-128 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																			x					U11436-C582	589,00	
	Xprint-UG2-UP (WinServer) V8.0	Xprint-UG2-UP (W2K/2003) V8.0 LC f. connection of 129-256 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																			x					U11436-C583	589,00	
	Xprint-UG3-UP (WinServer) V8.0	Xprint-UG3-UP (W2K/2003) V8.0 LC f. connection of 257-512 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																			x					U11436-C584	1.005,00	
	Xprint-UG4-UP (WinServer) V8.0	Xprint-UG4-UP (W2K/2003) V8.0 LC f. connection of 513-1024 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																			x					U11436-C585	908,00	
	Xprint-UG5-UP (WinServer) V8.0	Xprint-UG5-UP (W2K/2003) V8.0 LC f. connection of 1025-2048 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																			x					U11436-C586	756,00	
	Xprint-UG6-UP (WinServer) V8.0	Xprint-UG6-UP (W2K/2003) V8.0 LC f. connection of 2049-4096 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																			x					U11436-C587	756,00	
	Xprint-UG7-UP (WinServer) V8.0	Xprint-UG7-UP (W2K/2003) V8.0 LC f. connection of 4097-8192 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																			x					U11436-C588	756,00	
	Xprint-UG8-UP (WinServer) V8.0	Xprint-UG8-UP (W2K/2003) V8.0 LC f. connection of 8193-unlimited printers f. Intel based HW Update from Xprint 7.0 to Xprint 8.0																			x					U11436-C589	756,00	
	Xprint-ERP-Kit-UP (WinServer) V8.0	Xprint-R/3-Kit-UP (W2K/2003) V8.0 LC f. in connection with SAP R/3 Intel based HW Update from Xprint 7.0 to Xprint 8.0																			x					U11436-C590	1.804,00	
	Xprint-NET (LINUX) V8.0	Xprint (LINUX) V8.0 LC f. up to 32 printers for Intel based HW (Licence no data media)																			x					U11436-C616	4.374,00	
	Xprint-NET-CL (LINUX) V8.0	Xprint-NET-CL (LINUX) V8.0 LC f. Print Client in conn. with Server for Intel based HW (Licence no data media)																			x					U11436-C617	1.188,00	
	Xprint-UGM (LINUX) V8.0	Xprint-UGM (LINUX) V8.0 LC f. connection of 33-128 printers for Intel based HW (Licence no data media)																			x					U11436-C618	1.458,00	
	Xprint-UG2 (LINUX) V8.0	Xprint-UG2 (LINUX) V8.0 LC f. connection of 129-256 printers for Intel based HW (Licence no data media)																			x					U11436-C619	1.458,00	
	Xprint-UG3 (LINUX) V8.0	Xprint-UG3 (LINUX) V8.0 LC f. connection of 257-512 printers for Intel based HW (Licence no data media)																			x					U11436-C620	2.484,00	
	Xprint-UG4 (LINUX) V8.0	Xprint-UG4 (LINUX) V8.0 LC f. connection of 513-1024 printers for Intel based HW (Licence no data media)																			x					U11436-C621	2.268,00	
	Xprint-UG5 (LINUX) V8.0	Xprint-UG5 (LINUX) V8.0 LC f. connection of 1025-2048 printers for Intel based HW (Licence no data media)																			x					U11436-C622	1.890,00	
	Xprint-UG6 (LINUX) V8.0	Xprint-UG6 (LINUX) V8.0 LC f. connection of 2049-4096 printers for Intel based HW (Licence no data media)																			x					U11436-C623	1.890,00	
	Xprint-UG7 (LINUX) V8.0	Xprint-UG7 (LINUX) V8.0 LC f. connection of 4097-8192 printers for Intel based HW (Licence no data media)																			x					U11436-C624	1.890,00	
	Xprint-UG8 (LINUX) V8.0	Xprint-UG8 (LINUX) V8.0 LC f. connection of 8193-unlimited printers f. Intel based HW (Licence no data media)																			x					U11436-C625	1.890,00	
	Xprint-ERP-Kit (LINUX) V8.0	Xprint-R/3-Kit (LINUX) V8.0 LC f. in connection with SAP R/3 Intel based HW (Licence no data media)																			x					U11436-C626	4.439,00	
	Xprint-NET-UP (LINUX) V8.0	Xprint-NET-UP (LINUX) V8.0 LC f. Print Server up to 32 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																			x					U11436-C628	1.761,00	
	Xprint-NET-CL-UP (LINUX) V8.0	Xprint-NET-CL-UP (LINUX) V8.0 LC f. Print Client in conn. with Server for Intel based HW Update from Xprint 7.0 to Xprint 8.0																			x					U11436-C629	486,00	
	Xprint-UGM-UP (LINUX) V8.0	Xprint-UGM-UP (LINUX) V8.0 LC f. connection of 33-128 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																			x					U11436-C630	589,00	
	Xprint-UG2-UP (LINUX) V8.0	Xprint-UG2-UP (LINUX) V8.0 LC f. connection of 129-256 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																			x					U11436-C631	589,00	
	Xprint-UG3-UP (LINUX) V8.0	Xprint-UG3-UP (LINUX) V8.0 LC f. connection of 257-512 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																			x					U11436-C632	1.005,00	



Blade Servers Options

Category	Description	Details	FC-Switch Encryption Blade	FC-Switch FCoE Blades	FC-Switch FX2-24 Blade	FC-Switch Port Blade	FibreCAT SX100 Expansion	FibreCAT SX40	FibreCAT SX60 Expansion	FibreCAT SX80/SX80i Expansion	FibreCAT SX88 Expansion	PRIMERGY BLADE BX620 S6	PRIMERGY BLADE SX650	PRIMERGY BX400 S1	PRIMERGY BX300 S1	PRIMERGY BX320 S2	PRIMERGY BX324 S2	PRIMERGY BX360 S1	PRIMERGY Connection Blades	PRIMERGY pBLADE BF120	PRIMERGY S3010 S1	PRIMERGY S3040 S1	PRIMERGY S3060 S1	PRIMERGY S3080 S1	Product Code	EUP (€)	Comments	
Options matrix																												
SW Data Center Products (Continued)																												
	Xprint-UG4-UP (LINUX) V8.0	Xprint-UG4-UP (LINUX) V8.0 LC f. connection of 613-1024 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																			x				U11436-C633	908,00		
	Xprint-UG5-UP (LINUX) V8.0	Xprint-UG5-UP (LINUX) V8.0 LC f. connection of 1025-2048 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																				x				U11436-C634	756,00	
	Xprint-UG6-UP (LINUX) V8.0	Xprint-UG6-UP (LINUX) V8.0 LC f. connection of 2049-4096 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																				x				U11436-C635	756,00	
	Xprint-UG7-UP (LINUX) V8.0	Xprint-UG7-UP (LINUX) V8.0 LC f. connection of 4097-8192 printers for Intel based HW Update from Xprint 7.0 to Xprint 8.0																				x				U11436-C636	756,00	
	Xprint-UG8-UP (LINUX) V8.0	Xprint-UG8-UP (LINUX) V8.0 LC f. connection of 8193-unlimited printers f. Intel based HW Update from Xprint 7.0 to Xprint 8.0																				x				U11436-C637	756,00	
	Xprint-ERP-Ki-UP (LINUX) V8.0	Xprint-R/3-Ki (LINUX) V8.0 LC f. in connection with SAP R/3 Intel based HW (Licence no data media)																				x				U11436-C638	1.804,00	
	Xprint DMG-UG1 V1.0	Domain Monitoring GUI-UG1 V1.0 Licence for 3 to 8 instances																				x				U11436-C664	432,00	
	Xprint DMG-UG2 V1.0	Domain Monitoring GUI-UG2 V1.0 Licence for 9 to 16 instances																				x				U11436-C665	432,00	
	Xprint DMG-UG3 V1.0	Domain Monitoring GUI-UG3 V1.0 Licence for 17 to 32 instances																				x				U11436-C666	648,00	
	Xprint DMG-UG4 V1.0	Domain Monitoring GUI-UG4 V1.0 Licence for 33 to 64 instances																				x				U11436-C667	972,00	
Solution identifier																												
	HPC Compute Node Inst. ex works incl ICR	Please note configuration hints																				x	x	x		S26361-F3638-E2	205,00	