Windows®. Life without Walls™. Fujitsu recommends Windows 7.

FUJITSU

Data Sheet

Fujitsu LIFEBOOK E751 Notebook

The Mobile Top Performer

The simple philosophy behind Fujitsu LIFEBOOK E751: only the best is good enough. State-of-the-art Intel® technology ensures best performance. This 39.6 cm (15.6-inch) notebook supports HD or HD+ display with LED backlight. With features like fingerprint and Fujitsu's Advanced Theft Protection (ATP) your notebook is secured from any data theft.

More than enough performance

Maximum productivity even for the most demanding of applications thanks to state-of-the-art technology.

- 2nd generation Intel® Core™ i3, i5 or i7 processor, optional Intel® vPro™ technology, Intel® integrated graphics
- Optional 0-Watt AC Adapter guarantees that the notebook does not consume electricity when switched off



Effective working even for the most demanding of users in all situations.

- 39.6 cm (15.6-inch) HD or HD+ display, modular bay, optional second hard disk drive
- Anytime USB Charge to charge phones/media devices even when the system is turned off

Maximum connectivity

Be available wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby.

Integrated DisplayPort, eSATA, serial port, optional USB 3.0, optional embedded 3G/UMTS, WLAN and Bluetooth®

Maximum security

Protect your company data against unauthorized third-party access.

 Computrace® enabled BIOS and Advanced Theft Protection, integrated SmartCard slot, optional fingerprint sensor, TPM module and SMARTACCESS

Great flexibility

The family concept offers same design and accessory components for LIFEBOOK E751 and LIFEBOOK S751.

 Same industrial design, bit image, BIOS and accessories such as port replicator, power supply unit, keyboard and modular bay for optical drive, second battery and second hard disk drive





























Components

Processor	Intel® Core™ i5-2410M processor (2.3 GHz, 3 MB) *				
	Intel® Core™ i3-2310M processor (2.1 GHz, 3 MB) *				
	Intel® Core™ i7-2620M processor (2 Cores / 4 Threads, 2.70 GHz, 4 MB)				
	Intel® Core™ i5-2520M processor (2 Cores / 4 Threads, 2.50 GHz, 3 MB)				
	Intel® Celeron® processor B810 (1.6 GHz, 2 MB)				
	*Processor only for retail, SMB, education and government				
Operating system					
Operating system	Genuine Windows® 7 Professional 64-bit				
	Genuine Windows® 7 Home Premium 64-bit				
	Genuine Windows® 7 Home Basic (EM) 64-bit				
Operating system compatible	Genuine Windows® XP Professional				
Operating system pakes	Genuine Windows Vista® Business 32-bit				
Operating system notes	Driver support for Microsoft® Windows® XP Professional Microsoft Office 2010 preloaded. Purchase a Product Key to activate a full Microsoft Office 2010 suite.				
Marana madulas					
Memory modules	2 GB (1 module(s) 2 GB) DDR3, 1333 MHz, PC3-10600, SO DIMM 4 GB (1 module(s) 4 GB) DDR3, 1333 MHz, PC3-10600, SO DIMM				
Base unit memory	LIFEBOOK E751 15.6-inch LIFEBOOK E751 15.6-inch LIFEBOOK E751 15.6-inch LIFEBOOK E751 15.	6-inct			
Supported capacity RAM (max.)	8 GB				
Memory slots total	2				
Memory slot type	DIMM (DDR3)				
Memory notes	DDR3 - 1333 MHz				
Hard disk drives (internal)	SSD SATA, 128 GB, 2.5-inch				
	SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.				
	SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T.				
	SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T.				
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.				
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.				
	SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T.				
	FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.				
Hard disk notes	ShockSensor for HDD shock protection				
	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.				
	Accessible capacity may vary, also depending on used software				
	Up to 18 GB of HDD space is reserved for system recovery				
WLAN (optional)	Atheros Minicard b/g/n				
	Intel® Centrino® 6205 802.11 a/b/g/n				
Wireless technologies					
Antennas	2 dual band antennas; 1 Bluetooth antenna optional, 2 UMTS antennas optional				
WLAN notes	Import and usage according to country-specific regulations.				
WiDi support	Yes (with Intel W-LAN)				
3G/UMTS (optional)	Sierra Wireless Gobi 3000 (UMTS downlink speed 14.4 Mbit/s, UMTS uplink speed 5.76 Mbit/s)				
Bluetooth (optional)	Bluetooth 3.0				
Display	39.6 cm (15.6-inch), LED backlight, (HD+), Anti-glare display, compound, 1600 x 900 pixel, 300:1, 220 cd/m ²	!			
	39.6 cm (15.6-inch), LED backlight, (HD), Anti-glare display, compound, 1366 x 768 pixel, 300:1, 220 cd/m ²				

Page 2 / 7 http://ts.fujitsu.com/mobile

Modular bay options	2nd battery				
	2nd hard disk drive				
	Blu-ray Disc™ Triple Writer				
	DVD Super Multi				
	Weight saver				
Base unit	LIFEBOOK E751 15.6-inch	LIFEBOOK E751 15.6-inch vPro	LIFEBOOK E751 15.6-inch	LIFEBOOK E751 15.6-inch vPro	
General system information					
Chipset	Intel® HM65	Intel® QM67	Intel® HM65	Intel® QM67	
Chipset notes		supports iAMT 7.0, Intel® vPro™ requires Core i5-25xx / i7 processor, Intel W-LAN & TPM module		supports iAMT 7.0, Intel® vPro™ requires Core i5-25xx / i7 processor, Intel W-LAN & TPM module	
BIOS features	BIOS based on Phoenix Trust	BIOS based on Phoenix TrustedCore Notebook			
Graphics					
TFT resolution (DisplayPort)	up to 2560 x 1600				
TFT resolution (VGA)	up to 1920 x 1200				
TFT resolution (DVI on Port Replicator)	up to 1920 x 1200				
Graphics brand name	Intel® HD Graphics				
Graphics features	DualView				
Graphics notes	Shared memory depending on main memory size and operating system				
Interfaces					
Memory card slots	1 (SD/MS/MSPro)		1 (SD/MS/MSPro)		
ExpressCard slots	1 (34mm and 54mm supported)		1 (34mm and 54mm supported)		
SmartCard slot	1		1		
SIM card slot	1 (usable only with 3G/UMTS)		1 (usable only with 3G/UMTS)		
Modem (RJ-11)	1 (optional)	1 (optional)			
eSATA & USB combo	1		1		
USB 3.0 total			1		
USB 2.0 total	4 (1 with Anytime USB Char	ge functionality)	3 (1 with Anytime USB Char	ge functionality)	
Serial (RS-232)	1		1		
VGA	1		1		
DisplayPort	1		1		
Ethernet (RJ-45)	1		1		
DC-in	1		1		
Audio: line-in / microphone	1		1		
Audio: line-out / headphone	1		1		
Internal microphones	as option		as option		
Docking connector for Port Replicator	1		1		
Kensington Lock support	1		1		
Wired communication					
Modem type	Optional: 56 K V.92 modem				
LAN	Built-in 10/100/1000 MBit/s Intel® 82579 V	Built-in 10/100/1000 MBit/s Intel® 82579 LM	Built-in 10/100/1000 MBit/s Intel® 82579 V	Built-in 10/100/1000 MBit/s Intel® 82579 LM	

Page 3 / 7 http://ts.fujitsu.com/mobile

	Spill-resistant keyboard	Spill-resistant keyboard with number block		
	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm	Number of keyboard keys: 106, Keyboard pitch: 19 mm Keyboard stroke: 2.7 mm		
	Multi gesture touchpad with two mouse buttons Optional: Fingerprint sensor Optional: TouchStick Application buttons			
Multimedia				
Audio type	On board			
Audio codec	Realtek ALC269			
Audio features	Stereo speakers			
Camera	Optional: Built-in webcam, 1.3 megapixel			
Power supply				
AC Adapter	19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, 0-Watt AC Adapter technology 19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Standard Adapter			
1st battery options	Li-lon battery 6-cell, 5600 or 5800 mAh, 63 Wh Li-lon battery 6-cell, 6200 mAh, 67 Wh			
2nd battery (optional)	Li-lon battery 6-cell, 3.800 mAh, 41 Wh			
Runtime 1st battery	up to 10 h			
Runtime 1st + 2nd battery	up to 17 h			
Battery charging time	~160min (5,800mAh) ~ 180min (6,200mAh)			
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage. Rapid charge with 5.800 mAH batteries			
Power consumption				
Dimensions / Weight / Environmental				
annensions / weight / Lilvilonnieillal				
	372 x 245 x 35 mm			
Dimensions (W x D x H)	372 x 245 x 35 mm 2.5 kg			
Dimensions (W x D x H) Weight		configuration.		
Dimensions (W x D x H) Weight Weight notes	2.5 kg	configuration.		
Dimensions (W x D x H) Weight Weight notes Operating ambient temperature	2.5 kg Incl. weight saver. Weight may vary depending on actual	configuration.		
Dimensions / Weight / Environmental Dimensions (W x D x H) Weight Weight notes Operating ambient temperature Operating relative humidity Additional Software	2.5 kg Incl. weight saver. Weight may vary depending on actual 5 - 35℃	configuration.		
Dimensions (W x D x H) Weight Weight notes Operating ambient temperature Operating relative humidity	2.5 kg Incl. weight saver. Weight may vary depending on actual 5 - 35°C 20 - 80 % Adobe Acrobat Reader Application Panel Display Manager ShockSensor Utility Power Saving Utility Plugfree Network EasyGuide online user documentation Nero Essentials S (burning software) Norton Internet Security (incl. Firewall) on Drivers & Utility	·		
Dimensions (W x D x H) Weight Weight notes Operating ambient temperature Operating relative humidity Additional Software Additional software (preinstalled)	2.5 kg Incl. weight saver. Weight may vary depending on actual 5 - 35°C 20 - 80 % Adobe Acrobat Reader Application Panel Display Manager ShockSensor Utility Power Saving Utility Plugfree Network EasyGuide online user documentation Nero Essentials S (burning software)	·		
Dimensions (W x D x H) Weight Weight notes Operating ambient temperature Operating relative humidity Additional Software Additional software (preinstalled) Additional software (optional)	2.5 kg Incl. weight saver. Weight may vary depending on actual 5 - 35°C 20 - 80 % Adobe Acrobat Reader Application Panel Display Manager ShockSensor Utility Power Saving Utility Plugfree Network EasyGuide online user documentation Nero Essentials S (burning software) Norton Internet Security (incl. Firewall) on Drivers & Utilit Fujitsu Recovery (Hard Disk Based Recovery) Drivers & Utilities DVD (DUDVD)	·		
Dimensions (W x D x H) Weight Weight notes Operating ambient temperature Operating relative humidity Additional Software	2.5 kg Incl. weight saver. Weight may vary depending on actual 5 - 35°C 20 - 80 % Adobe Acrobat Reader Application Panel Display Manager ShockSensor Utility Power Saving Utility Plugfree Network EasyGuide online user documentation Nero Essentials S (burning software) Norton Internet Security (incl. Firewall) on Drivers & Utilit Fujitsu Recovery (Hard Disk Based Recovery) Drivers & Utilities DVD (DUDVD)	·		

Page 4 / 7 http://ts.fujitsu.com/mobile

Manageability	
DeskView components	BIOS Management
	DeskView Helpdesk Integration
	Detailed system inventory management and reports On/Offline remote client management
	Remote power management
	Security Remote Control
	System notifications
	WoL (Wake on LAN)
Supported standards	WMI
••	PXE
	BootP (made4you)
Manageability link	http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html
Security	
System protection	Kensington Lock support
Audit proof protection	Computrace® enabled BIOS
	Optional: Trusted platform module (TPM 1.2)
	Norton Internet Security (incl. Firewall) 90 days version
Access protection	Hard disk password
	Integrated SmartCard slot
	User and supervisor BIOS password
	Optional: Integrated fingerprint sensor including Omnipass software
Compliance	
Germany	GS in progress
Europe	CE
Global	RoHS (Restriction of hazardous substances)
	WEEE (Waste electrical and electronical equipment)
	Microsoft Operating Systems (HCT / HCL entry / WHQL)
	WiFi certified
	ENERGY STAR® 5.0 EPEAT® in progress (dedicated regions)
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx
Compilance link	nttps://sp.ts.rujitsu.com/sites/certificates/uerault.aspx
Port Replicator interfaces (optional)	
DC-in	1 (19V)
Power on switch	1
Audio: headphone	1
Audio: microphone	1
USB 2.0 total	4
DisplayPort	1 (up to 2560 x 1600)
VGA	1
DVI	1 (up to 1920 x 1200)
Serial (RS-232)	1
Ethernet (RJ-45)	1 (10/100/1000)
Parallel	1
Kensington Lock support	1
eSATA	1
Notes	Port replicator does not support 0-Watt technology
Warranty	
Standard Warranty	1 year
Service level	Collect & Return Service / Bring-in Service (depending on country specific requirements)
Maintenance and Support Services - the	
Recommended Service	5x9, Response Time: Next Business Day

Page 5 / 7

Warranty	
Spare Parts availability	5 years
Service Weblink	http://ts.fujitsu.com/Supportservice

Recommended Accessories

LIFEBOOK bundle (Port rep\AC Adapter\EU-Cable Kit)



Flexibility, expandability, desktop replacement – to name just a few benefits of Fujitsu docking options.

Order Code: S26391-F987-L100

LIFEBOOK bundle (Port rep\AC Adapter\EU-Cable Kit)



Flexibility, expandability, desktop replacement – to name just a few benefits of Fujitsu docking options.

Order Code: S26391-F987-L110

2nd battery



With a second battery you can maximize the working time of your notebook Order Code: and work wherever you want for a whole working day. Just put the 2nd S26391-F777-L200 battery into the modular bay and enjoy truly mobile working – free from the power socket!

MicroSaver® Master Access DS, MicroSaver® DSMicrosaver® DS Ultra thin



Losing your notebook is unthinkable. Protect your computer with incomparable security, the disc lock. The most advanced disc locking technology is featured with carbon tempered steel core cable, external braided steel sheath, and patented T-Bar. This model offers the Master Access solution.The Kensington MicroSaver® DS Keyed Ultra-Thin Notebook Lock is designed for the ultimate defense of even the thinnest notebook. The nearly impenetrable disk style keyed locking mechanism along with an advanced cable design provides greater security.

Order Code: S26361-F1650-L900

Privacy filter



Privacy filters help block the screen view from anyone viewing the computer Order Code: from a side view. 3M's unique microlouver privacy technology allows persons directly in front of the computer to see on-screen data clearly. 3M offers the broadest line of computer filters available.

S26391-F6097-L317

Prestige Case Midi



Zip-down case with cushioned Notebook compartment; separate second compartment for mobile accessories and documents; exterior compartment S26391-F119-L60 with workstation for mobile accessories; cushioned shoulder strap; trolley fastening strap an the back side For Tablet PC and Notebooks up to 370 x 295 x 50 mm

Order Code:

Prestige Alps Backpack



Whether you have a tablet PC, notebook or mobile workstation: There is a manifold collection of cases to carry it comfortably with you. Whether backpacks, small cases, bigger bags or even trolleys – they are all equipped with a cushioned notebook compartment to give perfect protection to your system.

Order Code: S26391-F119-L134

More information

Fujitsu platform solutions

In addition to Fujitsu LIFEBOOK E751, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK E751, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

http://ts.fujitsu.com/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT.

Please find further information at http://www.fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see http://ts.fujitsu. com/terms_of_use.html Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

CONTACT

FUJITSU Technology Solutions Website: http://ts.fujitsu.com 2011-05-02 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions