



Camcar[®] Socket Screw Catalog

Price Effective April 1, 2017

Camcar® Socket Screws

Superior Socket Screw Products

STANLEY Engineered Fastening is committed to offering a broad range of socket screw standard products made in the USA.

STANLEY Engineered Fastening takes pride in designing, producing and delivering superior products – an attitude you would expect from the industry’s leading innovator.

That pride, combined with the latest fastener technology and engineering expertise, makes STANLEY Engineered Fastening one of the most reliable sources of Socket Screw products in the industry today.

- Inch and metric sizes
- Hex and TORX PLUS® Drive available
- Heat-treated alloy steel
- Meet ANSI and ASTM standards
- Cold formed product
 - Provides uninterrupted grain flow for increased fatigue strength
 - Causes material to work-harden for improved yield and ultimate tensile strength
- Roll formed threads
 - Stronger threads
 - Efficient and economical fastener production
 - Increased joint and product integrity

A wide variety of these high strength fasteners are in-stock, ready to meet your fastening needs. Single source supply can provide lower costs and improve quality.

Also, we can supply you with innovative socket screw specials or socket screw products for high-temperature or corrosive environments. Any products not shown in this handbook may be considered specials. Please contact the application engineers at Decorah Operations at 800-648-0642 for design assistance or further information.



Sales Service Team

Each customer is assigned to a sales service team. Team members are up-to-date on customer activity and can provide quick and accurate responses to inquiries regarding order status, shipping schedules, quotes and more.

Distributors Located Around the World

The Camcar socket screw product line is readily available through our network of distributors. To find a distributor near you, please contact us at 800-648-0642.

Commitment to Quality

All Camcar socket screws are made from carefully selected and analyzed raw material, and critically inspected during the manufacturing processes.

- Utilize both Statistical Process Control and Quality at the Source methods
- Each manufacturing lot is assigned an identification number to give you complete traceability of quality in the finished product
- Many Camcar socket screw products are marked with the “Camcar” name for further assurances of the manufacturing source
- Fastener testing facility
- Integrated QA system
- Applications testing
- IATF 16949:2016

Founded on Innovation and Technical Expertise

The Camcar brand began in 1943, cold forming a component others said “couldn't be made”. From that manufacturing innovation – the Raycar® cold forming process – to the TORX PLUS® Drive System

and other leading-edge products, the Camcar name has become synonymous with outstanding fastening solutions.



Camcar® Socket Screws

Ordering Information

For the purposes of electronic data processing, stock numbers are assigned to all items in the Camcar socket screw product line. These numbers are shown in each price list in this catalog. STANLEY Engineered Fastening maintains a minimum order of \$275.

For price quotations on either stocked items or specials, contact the Decorah Operations Customer Service Department. Lead times from these quotations can be verified at the time of the order. All quotes are subject to review of the complete and clear print.

Packaged Camcar Socket Screws

As part of our ongoing efforts to improve our socket screw product line, we offer bar coded, safety-sealed packages. This not only ensures the package has not been tampered with, but also provides needed product information in an easy to read format. The information on the label includes lot number for traceability, part description, item number and a bar code for easier receiving.

Stock numbers

For the purposes of electronic data-processing (EDP), STANLEY Engineered Fastening has assigned stock numbers to all the items in this price list. For inch sizes, hex recess EDP numbers begin with a "1"; TORX PLUS® recess EDP stock numbers begin with a "3".

The NIDA-SIDA manufacturer's code number assigned to STANLEY Engineered Fastening is 697264.

Socket screw products described in this catalog are manufactured from the highest quality alloy and stainless steels in strict conformance with standards and dimensions as set forth in ANSI B 18.3 - 1986; ANSI B 18.8.2 - 1978; MS16555 - 1985; and ANSI B 2.2 - 1968. Camcar socket products meet the respective ASTM Standard Specifications required in ANSI B18.3.

Special products

Products not listed in this schedule are special and will be priced upon request. Blueprints must accompany your request for quotation.

Special materials

Products manufactured from metals other than indicated in this price schedule are specials and priced on request.

Product weights

Weight of products listed in this schedule are approximate pounds per box.

Returned goods

No products accepted for return without written authorization prior to return. Returns will be subject to a restock fee and other guidelines to be determined at time of request.

Price quotations

Quotations valid for 30 days from date of issue.

Plating

Products which are not plated by STANLEY Engineered Fastening are not guaranteed and are not subject to return. STANLEY Engineered Fastening will only plate those thread designations (i.e. 2A) which provide for plating allowance.

Minimum order charge

Orders will not be accepted for less than \$275.

STANLEY Engineered Fastening shall not be responsible or liable for misapplication or misuse of this product. All warranties are void if the product is plated or modified in any manner not under the control of STANLEY Engineered Fastening.

Drive System Selection

Drive System Availability

STANLEY Engineered Fastening is committed to offering the marketplace the latest in fastening solutions. As such, many of our most popular socket screw products are available with both the TORX PLUS® Drive System and hex drive system.

Drive System Selection

There are several issues impacting proper socket screw drive system selection which must be reviewed prior to specification. Among the questions requiring review are:

- Does the drive system's torque capabilities meet the requirements of my application?
- Will the drive system withstand the high torque levels used in fastening socket screws?
- Is the required tooling readily available?
- Will I need separate tooling for inch and metric screws?
- Will the drive system enhance my overall operations?

In order to answer these questions, it is important to compare the available drive systems.


Introduction to the TORX PLUS® Drive System

Developed as an improvement of the original TORX® Drive System, the TORX PLUS Drive consistently outperforms hex and other commonly-used drive systems. Used in virtually every industrialized nation in a multitude of industries, the TORX PLUS Drive System can enhance product reliability, increase productivity, and reduce total assembly costs. The TORX PLUS Drive System offers a 100% improvement in driver bit fatigue life and a 25% average improvement in driver bit torsional strength. In addition, its unique design provides optimum torque transfer and eliminates the need for excessive end load pressure while driving the fastener. The TORX PLUS configuration also virtually eliminates tool camout and slippage that can damage the head of the fastener and cause reduced tool life.




TORX PLUS® Drive System vs. Hex Drive

The hex drive has weaknesses inherent in its design which can cause problems during assembly. The engagement of the hex drive tool to the recess produces highly concentrated stress at the six corners of the drive tool (see below).



This stress at the thin cross-sectional areas of the fastener crushes the corners of the hex tool. This reduces the amount of wrenching engagement, causing reamed socket recesses and/or damaged socket tooling. This type of failure with the hex drive system is so common, it is often accepted as normal practice.

The TORX PLUS Drive System features deep engaging lobes with broad contact surfaces that spread out driving forces, preventing stress risers from forming. This minimizes damage to the drive tool and fastener, resulting in longer tool life. Customers have reported driving 2 to 10 times more fasteners per drive tool after switching to the TORX PLUS Drive.



TORX PLUS® Drive Tooling Availability

TORX PLUS Drive tools are readily available throughout the world from licensed manufacturers and authorized distributors. Your existing tooling suppliers often also carry TORX PLUS Drive tools, in many standard styles and sizes to meet your installation requirements.

For service in the field, TORX PLUS Drive fasteners can be removed and reinstalled using commonly available TORX PLUS Drive or TORX Drive tooling. However, in order to fully realize the benefits of the TORX PLUS Drive, including extended bit life, TORX PLUS Drive tools should be used.

Camcar® Socket Screws Catalog - Table of Contents



General Information	2
Ordering Information	3
Drive System Selection.....	4
Products Price List	
Inch Sizes	
Socket Head Cap Screws, 1960 Series	6
Socket Head Shoulder Screws	9
18-8 Stainless Steel Socket Head Shoulder Screws	11
18-8 Stainless Steel Socket Head Shoulder Screws with Locking Nylon Patch.....	13
Socket Button Head Cap Screws	14
Flanged Button Head Cap Screws	15
Socket Low Head Cap Screws	16
Socket Flat Countersunk Head Cap Screws.....	17
Socket Set Screws – Cup Point	19
Socket Set Screws – Flat Point	21
Socket Set Screws – Knurled Cup Point	22
Precision Hardened Ground Machine Dowel Pins.....	23
Metric Sizes	
Socket Head Cap Screws ANSI/ASME B18.3.1M	24
Socket Head Cap Screws ISO 4762.....	25
Socket Head Shoulder Screws.....	27
Socket Flat Countersunk Head Cap Screws	28
Socket Button Head Cap Screws.....	29
Warranty	30

Note: Specials manufactured upon request

For complete technical information, consult the Camcar Technical Manual, available from your customer service representative at Decorah Operations.

Socket Head Cap Screws - 1960 Series

Inch Sizes



Product Description

- Heat-treated alloy steel
- Class 3A thread fit standard except as noted
- TORX PLUS® Drive recess available

Pricing Notes

- Net price per 100 available in listed thread series only
- Bulk pricing upon request

Dia. Recess Size TPI	Length under Head	UNRC			UNRF			Ct./ Box	Wt./ Box (Lbs)
		Hex EDP No.	TORX PLUS EDP No.	Price per 100	Hex EDP No.	TORX PLUS EDP No.	Price per 100		
#0 .050 Hex UNRF 80 TPI	1/8				11035		35.00	100	0.1
	3/16				11038		35.11	100	0.1
	1/4				11041		35.38	100	0.1
	3/8				11044		35.62	100	0.1
#1 1/16 Hex UNRF 72 TPI	1/8				11047		35.11	100	0.1
	3/16				11050		35.38	100	0.1
	1/4				11053		35.48	100	0.1
	3/8				11056		35.98	100	0.1
#2 5/64 Hex UNRC 56 TPI	3/16	10003		33.89				100	0.1
	1/4	10006		34.13				100	0.1
	3/8	10012		34.51				100	0.1
	1/2	10015		34.71				100	0.2
#3 5/64 Hex UNRC 48 TPI	3/16	10024		33.76				100	0.1
	1/4	10027		34.51				100	0.1
	3/8	10030		35.37				100	0.1
	1/2	10033		35.73				100	0.2
#4 3/32 Hex 10 IP TORX PLUS UNRC 40 TPI	3/16	10040		18.27				100	0.2
	1/4	10042	30042	17.41				100	0.2
	5/16	10043		17.66				100	0.2
	3/8	10048	30048	17.78				100	0.2
	1/2	10054	30054	18.14				100	0.3
	5/8	10057	30057	18.27				100	0.3
	3/4	10060	30060	18.75				100	0.3
	7/8	10061		21.77				100	0.3
1	10062		22.62				100	0.3	
#5 3/32 Hex 10IP TORX PLUS UNRC 40 TPI	1-1/4	10065		41.25				100	0.4
	1-1/2	10068		45.72				100	0.5
	1/8	70036		21.09				100	0.1
	1/4	10078	30078	17.51				100	0.2
	3/8	10084	30084	17.66				100	0.3
#5 3/32 Hex 10IP TORX PLUS UNRC 40 TPI	1/2	10090	30090	18.39				100	0.3
	5/8	10093		18.51				100	0.3
	3/4	10096		18.87				100	0.4
	1	10099		29.51				100	0.5

Dia. Recess Size TPI	Length under Head	UNRC			UNRF			Ct./ Box	Wt./ Box (Lbs)
		Hex EDP No.	TORX PLUS EDP No.	Price per 100	Hex EDP No.	TORX PLUS EDP No.	Price per 100		
#6 7/64 Hex 15IP TORX PLUS UNRC 32 TPI UNRF 40 TPI	1/4	10108	30108	17.66	11062		20.45	100	0.3
	3/8	10114	30114	17.90	11068		20.68	100	0.3
	1/2	10120	30120	18.14	11074		21.04	100	0.4
	5/8	10123	30123	18.75	11077		22.85	100	0.4
	3/4	10126	30126	19.35	11080		25.74	100	0.4
	7/8	10129	30129	21.29				100	0.4
	1	10132	30132	23.46				100	0.5
	1-1/4	10133		27.09				100	0.6
#6 7/64 Hex 15IP TORX PLUS UNRC 32 TPI UNRF 40 TPI	1-1/2	10136		29.63				100	0.6
	1-3/4	10139		31.45				100	0.8
	2	10141		33.63				100	1.2
	1/4	10156	30156	17.29				100	0.4
#8 9/64 Hex 25IP TORX PLUS UNRC 32 TPI UNRF 36 TPI	5/16	10165		17.54				100	0.5
	3/8	10162	30162	17.78	11089		26.60	100	0.5
	1/2	10168	30168	18.27	11092		27.09	100	0.5
	5/8	10174	30174	18.39				100	0.6
	3/4	10177	30177	20.32	11095		30.61	100	0.7
	7/8	10180	30180	21.29				100	0.7
	1	10186	30186	23.82				100	0.8
	1-1/4	10192	30192	26.13				100	0.9
#8 9/64 Hex 25IP TORX PLUS UNRC 32 TPI UNRF 36 TPI	1-1/2	10198	30198	28.29				100	1.1
	2	10201		35.07				100	1.5
	2-1/2	10208		39.07				100	1.5
	1/4	10210		24.06	11105		25.02	100	0.6
	3/8	10216	30216	17.90	11107	31107	18.27	100	0.6
	1/2	10219	30219	18.27	11113	31113	18.51	100	0.7
	5/8	10225	30225	18.87	11119	31119	19.83	100	0.8
	3/4	10228	30228	20.20	11122	31122	20.68	100	0.9
#10 5/32 Hex 27IP TORX PLUS UNRC 24 TPI UNRF 32 TPI	7/8	10231	30231	21.90	11125	31125	23.71	100	0.9
	1	10234	30234	23.82	11128	31128	24.32	100	1.0
	1-1/4	10240	30240	25.87	11134	31134	27.10	100	1.3
	1-1/2	10246	30246	28.90	11137	31137	30.36	100	1.4
	1-3/4	10249		31.81	11140	31140	33.14	100	1.6
	2	10255	30255	34.47	11143	31143	36.88	100	1.9
	2-1/4	10258		37.49	11145		40.64	100	2.0
	2-1/2	10260		40.14	11147		43.54	100	2.0
3	10262		51.88	11150		57.47	100	3.0	

Socket Head Cap Screws - 1960 Series, *continued*

Inch Sizes

Dia. Recess Size TPI	Length under Head	UNRC			UNRF			Ct./ Box	Wt./ Box (Lbs)
		Hex EDP No.	TORX PLUS EDP No.	Price per 100	Hex EDP No.	TORX PLUS EDP No.	Price per 100		
1/4" 3/16 Hex 30IP TORX PLUS UNRC 20 TPI UNRF 28 TPI	1/4	10265		22.98				100	1.0
	3/8	10267	30267	18.87	11161	31161	21.17	100	1.0
	1/2	10270	30270	19.35	11164	31164	21.64	100	1.2
	5/8	10273	30273	20.08	11170	31170	22.01	100	1.4
	3/4	10276	30276	21.77	11176	31176	23.82	100	1.5
	7/8	10279	30279	23.47	11179		26.37	100	1.6
	1	10282	30282	24.92	11182	31182	27.94	100	1.8
	1-1/4	10291	30291	26.73	11188	31188	30.71	100	2.1
	1-1/2	10294	30294	30.24	11191	31191	33.99	100	2.5
	1-3/4	10300	30300	33.07	11194	31194	37.49	100	2.8
	2	10306	30306	35.80	11200	31200	40.99	100	3.0
	2-1/4	10309	30309	44.75	11203		50.32	100	3.4
	2-1/2	10312	30312	49.71				100	3.8
	2-3/4	10315	30315	60.11				100	3.9
	3	10318	30318	66.52				100	4.3
3-1/4	10319		70.87				100	5.0	
3-1/2	10320		83.57				100	5.0	
4	10322		110.79				100	5.0	
5/16" 1/4 Hex 45IP TORX PLUS UNRC 18 TPI UNRF 24 TPI	3/8	10348	30348	31.92				100	1.8
	1/2	10351	30351	24.67	11221		26.37	100	2.0
	5/8	10354	30354	25.76	11224		27.57	100	2.3
	3/4	10357	30357	26.60	11227	31227	29.40	100	2.5
	7/8	10360	30360	29.15	11230	31230	32.41	100	2.7
	1	10363	30363	29.87	11233	31233	33.02	100	2.9
	1-1/4	10369	30369	33.50	11239	31239	34.95	100	3.4
	1-1/2	10372	30372	35.56	11242	31242	39.07	100	3.9
	1-3/4	10375	30375	39.91	11248		43.06	100	4.4
	2	10381	30381	43.06	11254		47.41	100	4.9
	2-1/4	10387	30387	53.22	11257		56.11	100	5.4
	2-1/2	10393	30393	58.17	11260		65.07	100	5.9
	2-3/4	10396	30396	79.22				100	6.4
	3	10399	30399	91.19				100	6.9
	3-1/4	10402		113.69				100	7.3
3-1/2	10405	30405	125.30				100	7.8	
4	10410		131.59				100	9.0	
4-1/2	10413		147.79				100	10.5	
5	10416		208.15				100	11.6	

Dia. Recess Size TPI	Length under Head	UNRC			UNRF			Ct./ Box	Wt./ Box (Lbs)
		Hex EDP No.	TORX PLUS EDP No.	Price per 100	Hex EDP No.	TORX PLUS EDP No.	Price per 100		
3/8" 5/16 Hex 50IP TORX PLUS UNRC 16 TPI UNRF 24 TPI	1/2	10435	30435	30.36	11275		36.36	100	3.4
	5/8	10438	30438	31.32	11278		37.38	100	3.4
	3/4	10441	30441	32.05	11281	31281	38.09	100	4.0
	7/8	10444	30444	35.07	11284		41.12	100	4.3
	1	10447	30447	36.29	11287	31287	41.85	100	4.6
	1-1/4	10450	30450	39.07	11290	31290	45.23	100	5.2
	1-1/2	10456	30456	43.06	11293		49.46	50	3.0
	1-3/4	10459	30459	49.11	11296		56.72	50	3.3
	2	10462	30462	52.97	11299	31299	62.28	50	3.9
	2-1/4	10465	30465	66.28	11302		79.59	50	4.3
	2-1/2	10468	30468	72.09	11305		87.08	50	4.5
	2-3/4	10471	30471	98.33				50	4.9
	3	10474	30474	107.40	11308		118.05	50	5.1
	3-1/4	10477	30477	128.68				50	5.4
	3-1/2	10483		146.47				50	5.8
4	10489		172.95				50	6.6	
4-1/2	10495		207.18				50	7.4	
5	10501		247.69				50	8.0	
6	10510		346.38				50	13.0	
7/16" 3/8 Hex 55IP TORX PLUS UNRC 14 TPI UNRF 20 TPI	5/8	10518		66.64				100	6.0
	3/4	10519		68.21				100	6.5
	7/8	10521		73.05				100	6.8
	1	10525		74.98	11326		82.61	100	7.0
	1-1/4	10528		81.15	11329		88.42	100	7.3
	1-1/2	10531		89.02	11332		99.54	100	8.1
	1-3/4	10537		98.33				100	9.3
	2	10540		106.19	11338		116.24	50	5.0
	2-1/4	10543		117.68				50	5.5
	2-1/2	10546		124.57				50	6.0
2-3/4	10549		143.56				25	3.3	
3	10552		154.81				25	3.5	
3-1/2	10558		179.13				25	4.0	
4	10564		198.72				25	4.5	

Socket Head Cap Screws - 1960 Series, *continued*

Inch Sizes

Dia. Recess Size TPI	Length under Head	UNRC			UNRF			Ct./ Box	Wt./ Box (Lbs)
		Hex EDP No.	TORX PLUS EDP No.	Price per 100	Hex EDP No.	TORX PLUS EDP No.	Price per 100		
1/2" 3/8 Hex 55IP TORX PLUS UNRC 13 TPI UNRF 20 TPI	1/2	10573	30573	90.46				50	3.7
	5/8	10576	30576	94.70				50	4.0
	3/4	10579	30579	82.29				50	4.2
	7/8	10582		83.82				50	4.5
	1	10585	30585	84.42	11356		86.23	50	4.8
	1-1/4	10588	30588	87.56	11359		98.09	50	5.3
	1-1/2	10591	30591	99.18	11362		105.59	25	3.2
	1-3/4	10594	30594	109.82	11365		116.24	25	3.4
	2	10597	30597	116.59	11368		124.70	25	3.8
	2-1/4	10600	30600	132.44	11371		139.45	25	4.0
	2-1/2	10606	30606	141.64	11374		146.70	25	4.4
	2-3/4	10609	30609	163.04				25	4.6
	3	10612	30612	173.07	11377		187.83	25	4.9
	3-1/4	10618	30618	189.15				25	5.1
	3-1/2	10621	30621	200.53				25	6.0
	4	10627	30627	241.15				25	6.3
	4-1/2	10633		282.77				25	7.0
	5	10639		313.73				25	7.9
	5-1/2	10645		348.45				25	8.6
	6	10654		371.90				25	9.3
6-1/2	10657		579.68				10	3.8	
7	10660		660.96				10	4.2	
8	10663		824.60				10	5.0	
5/8" 1/2 Hex 70IP TORX PLUS UNRC 11 TPI UNRF 18 TPI	1-1/4	10672		179.17	11404		182.25	50	8.6
	1-1/2	10678		192.36				50	9.4
	1-3/4	10681		205.04				50	10.5
	2	10684		217.92				50	11.2
	2-1/4	10687		233.88				25	6.8
	2-1/2	10690		243.12				25	7.3
	3	10696		285.89				25	8.4
	3-1/2	10702		314.10				25	9.5
	4	10705		347.86				25	10.5
	4 1/2	10711		465.52				25	11.4
5	10714		519.38				25	12.4	
5 1/2	10717		666.56				10	5.3	

Dia. Recess Size TPI	Length under Head	UNRC			UNRF			Ct./ Box	Wt./ Box (Lbs)
		Hex EDP No.	TORX PLUS EDP No.	Price per 100	Hex EDP No.	TORX PLUS EDP No.	Price per 100		
3/4" 5/8 Hex UNRC 10 TPI	1-1/2	10747		371.16				25	7.6
	1-3/4	10750		396.20				25	8.4
	2	10753		416.58				25	9.1
	2-1/4	10756		436.15				25	9.9
	2-1/2	10759		455.99				25	10.6
	3	10765		573.09				25	12.3
	3-1/4	10768		600.84				25	13.0
	3-1/2	10771		608.06				25	13.8
	4	10774		648.72				25	15.4
	4-1/2	10777		757.18				25	17.0
	5	10783		844.36				25	25.0
	5-1/2	10789		980.55				10	7.8
	6	10804		1078.43				10	8.5
	2	10873		1012.26				10	7.8
1" 3/4 Hex UNRC 8 TPI	2-1/4	10876		1090.24				10	8.3
	2-1/2	10879		1144.72				10	8.8
	2-3/4	10882		1199.20				10	9.3
	3	10885		1261.51				10	9.8
	3-1/4	10888		1331.66				10	10.3
	3-1/2	10891		1402.30				10	10.8
	4	10897		1557.39				10	12.1
	4-1/2	10903		1868.95				10	13.3
	5	10906		2048.04				10	14.5
	5-1/2	10909		2305.00				10	15.6
6	10930		2429.49				10	16.7	
6-1/2	10933		2990.29				10	17.6	
7	10936		3192.64				10	19.6	
8	10939		3831.17				10	21.4	

For complete technical information, consult the Camcar Technical Manual, available from your customer service representative at Decorah Operations.

Camcar® Socket Head Shoulder Screws

Inch Sizes



Product Description

- Heat-treated alloy steel
- Class 3A thread fit standard

Pricing Notes

- Net price per 100
- Bulk pricing upon request

Shoulder Dia. Recess Size	Shoulder Length	EDP No.	Thread Size	Price per 100	Count/ Box	Wt./Box (Lbs)
1/8" 5/64 Hex UNC 40 TPI	1/8	81180	4-40	192.82	25	0.3
	3/16	81500	4-40	193.74	25	0.3
	1/4	81503	4-40	194.88	25	0.3
	3/8	81506	4-40	197.14	25	0.3
	1/2	81509	4-40	197.55	25	0.3
5/32" 3/32 Hex UNRC 32 TPI	1/8	81512	6-32	193.43	25	0.3
	3/16	81515	6-32	195.39	25	0.3
	1/4	81518	6-32	198.07	25	0.3
	3/8	81521	6-32	198.89	25	0.3
	1/2	81524	6-32	199.82	25	0.3
3/16" 3/32 Hex UNRC 32 TPI	1/8	81527	8-32	200.95	25	0.3
	1/4	81213	8-32	203.32	25	0.3
	1/2	81216	8-32	205.07	25	0.3
	3/4	81219	8-32	206.41	25	0.3
	1	81222	8-32	214.55	25	0.3
1/4" 1/8 Hex UNRF 32 TPI UNRC 24 TPI	1/8	81225	10-24	196.73	25	0.4
	1/4	81228	10-32	200.44	25	0.4
	1/4	13755	10-24	137.03	25	0.4
	3/8	13759	10-24	119.85	25	0.4
	1/2	81231	10-32	200.85	25	0.4
	1/2	13762	10-24	121.07	25	0.4
	5/8	13765	10-24	125.78	25	0.4
	3/4	81234	10-32	201.37	25	0.6
	3/4	13768	10-24	129.53	25	0.5
	7/8	80002	10-24	142.54	25	0.6
	1	81237	10-32	203.84	25	0.6
	1	13771	10-24	135.09	25	0.6
	1-1/4	13774	10-24	146.47	25	0.6
	1-1/2	13777	10-24	152.15	25	0.8
	2	13780	10-24	181.29	25	1.2
	2-1/4	80004	10-24	198.56	25	1.6
	2-1/2	80005	10-24	215.00	25	1.8
	3	80007	10-24	220.84	25	2.2
	3-1/4	80008	10-24	368.90	25	2.3
	3-1/2	80009	10-24	385.01	25	2.6
3-3/4	13790	10-24	2865.98	25	2.9	
4	80010	10-24	440.07	25	3.3	

Shoulder Dia. Recess Size	Shoulder Length	EDP No.	Thread Size	Price per 100	Count/ Box	Wt./Box (Lbs)
5/16" 5/32 Hex UNRC 20 TPI	1/4	13793	1/4-20	168.60	25	0.4
	5/16	81240	1/4-20	206.00	25	0.4
	3/8	13795	1/4-20	141.99	25	0.4
	1/2	13798	1/4-20	143.44	25	0.4
	5/8	13801	1/4-20	146.11	25	0.7
	3/4	13804	1/4-20	149.00	25	0.8
	7/8	80012	1/4-20	160.39	25	0.9
	1	13810	1/4-20	152.64	25	0.9
	1-1/4	13813	1/4-20	167.87	25	1.0
	1-1/2	13816	1/4-20	173.79	25	1.1
	1-3/4	13819	1/4-20	183.35	25	1.3
	2	13822	1/4-20	184.93	25	1.4
	2-1/4	80013	1/4-20	264.00	25	1.5
	2-1/2	80014	1/4-20	274.81	25	1.6
	2-3/4	80015	1/4-20	285.95	25	1.8
3	80016	1/4-20	378.66	25	2.0	
3-1/2	80018	1/4-20	423.08	25	2.5	
4	80020	1/4-20	454.66	25	2.9	
4-1/2	81000	1/4-20	3316.64	25	3.3	
5	81003	1/4-20	3346.71	10	2.7	
3/8" 3/16 Hex UNRC 18 TPI	1/4	13834	5/16-18	212.38	25	0.8
	5/16	81243	5/16-18	393.67	25	0.9
	3/8	13837	5/16-18	161.70	25	0.9
	1/2	13840	5/16-18	163.88	25	1.0
	5/8	13843	5/16-18	165.34	25	1.1
	3/4	13846	5/16-18	168.35	25	1.3
	1	13849	5/16-18	169.56	25	1.4
	1-1/4	13852	5/16-18	179.96	25	1.6
	1-1/2	13855	5/16-18	185.04	25	1.9
	1-3/4	13858	5/16-18	190.36	25	2.1
	2	13861	5/16-18	204.64	25	2.3
	2-1/4	13864	5/16-18	215.40	25	2.4
	2-1/2	13867	5/16-18	237.42	25	2.6
	2-3/4	13870	5/16-18	250.96	25	2.9
	3	13873	5/16-18	264.27	25	3.1
	3-1/4	13876	5/16-18	300.67	25	3.3
	3-1/2	13879	5/16-18	326.67	25	3.5
	3-3/4	13882	5/16-18	372.99	25	3.6
	4	13885	5/16-18	379.52	25	3.9
	4-1/2	80023	5/16-18	525.39	25	4.3
	5	80024	5/16-18	509.50	25	4.7
5-1/2	80025	5/16-18	543.89	25	5.2	
6	81006	5/16-18	4806.62	10	3.0	
6-1/2	81070	5/16-18	5858.17	10	4.0	
7	81073	5/16-18	6368.85	10	5.0	

Camcar® Socket Head Shoulder Screws, *continued*

Inch Sizes

Shoulder Dia. Recess Size	Shoulder Length	EDP No.	Thread Size	Price per 100	Count/Box	Wt./Box (Lbs)
1/2" 1/4 Hex UNRC 16 TPI	3/8	13889	3/8-16	307.44	25	1.8
	1/2	13891	3/8-16	261.36	25	2.0
	5/8	13894	3/8-16	273.09	25	2.3
	3/4	13897	3/8-16	274.55	25	2.4
	7/8	80026	3/8-16	289.96	25	2.6
	1	13900	3/8-16	276.00	25	2.8
	1-1/4	13903	3/8-16	283.13	25	3.1
	1-1/2	13906	3/8-16	289.42	25	3.4
	1-3/4	13909	3/8-16	305.99	25	3.8
	2	13912	3/8-16	320.99	25	4.1
	2-1/4	13915	3/8-16	336.58	25	4.5
	2-1/2	13918	3/8-16	347.59	25	4.9
	2-3/4	13921	3/8-16	368.28	25	5.2
	3	13924	3/8-16	390.29	25	5.5
	3-1/4	13927	3/8-16	433.70	25	5.9
	3-1/2	13930	3/8-16	465.03	25	6.2
	3-3/4	13933	3/8-16	521.03	25	6.5
	4	13936	3/8-16	533.97	25	6.9
	4-1/4	13939	3/8-16	631.58	25	7.2
	4-1/2	13942	3/8-16	642.45	10	3.0
4-3/4	13945	3/8-16	705.22	10	3.2	
5	13948	3/8-16	724.58	10	3.4	
5 1/2	80028	3/8-16	3743.29	10	3.8	
6	81007	3/8-16	3749.24	10	4.3	
6 1/2	81076	3/8-16	6032.39	10	5.6	
7	81079	3/8-16	6645.28	10	6.1	
8	81097	3/8-16	6873.58	10	7.9	
5/8" 5/16" Hex UNRC 13 TPI	1/2	80029	1/2-13	520.76	25	4.2
	5/8	80030	1/2-13	523.30	25	4.3
	3/8	13949	1/2-13	1970.82	25	4.1
	3/4	13956	1/2-13	524.35	25	4.5
	1	13958	1/2-13	617.26	25	4.8
	1-1/4	13960	1/2-13	445.86	25	5.1
	1-1/2	13963	1/2-13	471.86	25	5.6
	1-3/4	13966	1/2-13	483.57	25	6.2
	2	13969	1/2-13	501.16	25	6.6
	2-1/4	13972	1/2-13	554.88	25	7.2
	2-1/2	13975	1/2-13	593.46	25	7.8
	2-3/4	13978	1/2-13	617.63	25	8.4
	3	13981	1/2-13	620.68	25	8.9
	3-1/4	13984	1/2-13	794.89	25	9.4
	3-1/2	13987	1/2-13	889.02	25	9.9
	3-3/4	13990	1/2-13	1006.59	10	4.2
	4	13993	1/2-13	1052.62	10	4.4
	4-1/4	13996	1/2-13	1182.88	10	4.6
	4-1/2	13999	1/2-13	1212.67	10	4.9
	4-3/4	14002	1/2-13	1300.45	10	5.1
5	14005	1/2-13	1318.64	10	5.3	
5-1/2	14008	1/2-13	2259.82	10	6.2	
6	14011	1/2-13	2692.05	10	6.6	
6-1/2	81085	1/2-13	6292.48	10	7.2	
7	81088	1/2-13	6741.42	10	7.9	

Shoulder Dia. Recess Size	Shoulder Length	EDP No.	Thread Size	Price per 100	Count/Box	Wt./Box (Lbs)
3/4" 3/8 Hex UNRC 11 TPI	1/2	81010	5/8-11	2313.23	10	4.8
	3/4	81013	5/8-11	2334.86	10	5.7
	7/8	81100	5/8-11	2354.76	10	6.0
	1	81016	5/8-11	2271.15	10	6.3
	1-1/4	81019	5/8-11	2505.52	10	6.8
	1-1/2	14020	5/8-11	898.97	10	7.4
	1-3/4	14023	5/8-11	905.68	10	7.8
	2	14026	5/8-11	861.49	10	8.4
	2-1/4	14029	5/8-11	957.94	10	8.8
	2-1/2	14032	5/8-11	1039.89	10	9.3
	2-3/4	14035	5/8-11	1092.84	10	9.7
	3	14038	5/8-11	1141.95	10	10.1
	3-1/4	14041	5/8-11	1338.82	10	10.5
	3-1/2	14044	5/8-11	1372.06	10	10.9
	3-3/4	14047	5/8-11	1450.59	10	11.3
	4	14050	5/8-11	1494.92	10	11.7
	4-1/4	14053	5/8-11	1668.94	10	12.1
	4-1/2	14056	5/8-11	1688.91	10	12.5
	4-3/4	14059	5/8-11	1848.98	10	12.9
	5	14062	5/8-11	1854.45	10	13.3
5-1/2	14065	5/8-11	2893.25	10	13.8	
6	14068	5/8-11	3292.87	10	14.4	
6-1/2	81091	5/8-11	7294.18	10	14.9	
7	81061	5/8-11	7426.34	10	15.4	
7-1/2	81064	5/8-11	8087.24	10	15.9	
8	81067	5/8-11	8195.39	10	16.4	
1" 1/2 Hex UNRC 10 TPI	1	81022	3/4-10	3370.72	10	7.3
	1-1/2	81025	3/4-10	3731.18	10	8.4
	1-3/4	81028	3/4-10	3971.60	10	8.8
	2	81031	3/4-10	4085.69	10	9.4
	2-1/2	81034	3/4-10	4560.37	10	10.3
	3	81037	3/4-10	4980.85	10	11.1
	3-1/2	81040	3/4-10	5563.78	10	11.9
	4	81043	3/4-10	5870.17	10	12.7
	4-1/2	81103	3/4-10	6122.59	10	13.5
	5	81046	3/4-10	6630.14	10	14.3
5-1/2	81049	3/4-10	7137.90	10	14.8	
6	81052	3/4-10	7816.87	10	15.4	
6-1/2	81055	3/4-10	8225.46	10	15.9	
7	81058	3/4-10	8567.97	10	16.4	

For complete technical information, consult the Camcar Technical Manual, available from your customer service representative at Decorah Operations.

Camcar® Stainless Steel Socket Head Shoulder Screws

Inch Sizes



Product Description

- 300 series (18-8) stainless steel
- Made in USA

Pricing Notes

- Net price per/ea. available in listed thread series only
- Bulk pricing available upon request

Shoulder Diameter Recess Size	Shoulder Length	EDP No.	Thread Size	Price per Each	Count/Box	Wt. /Box (Lbs)
1/8" 5/64 Hex UNC 40 TPI	1/8	81123	4-40	2.36	25	0.3
	3/16	81126	4-40	2.37	25	0.3
	1/4	81129	4-40	2.37	25	0.3
	3/8	81132	4-40	2.38	25	0.3
	1/2	81135	4-40	2.40	25	0.4
5/32" 3/32 Hex UNRC 32 TPI	1/8	81138	6-32	2.48	25	0.4
	3/16	81141	6-32	2.41	25	0.4
	1/4	81144	6-32	2.42	25	0.4
	3/8	81147	6-32	2.44	25	0.4
	1/2	81150	6-32	2.47	25	0.4
3/16" 3/32 Hex UNRC 32 TPI	1/8	81153	8-32	2.43	25	0.5
	1/4	81156	8-32	2.48	25	0.5
	1/2	81159	8-32	2.50	25	0.5
	3/4	81162	8-32	2.56	25	0.5
	1	81165	8-32	2.62	25	0.5
1/4" 1/8 Hex UNRF 32 TPI UNRC 24 TPI	1/8	73000	10-24	1.38	25	0.3
	3/16	73003	10-24	1.40	25	0.3
	1/4	81168	10-32	2.62	25	0.6
	1/4	73006	10-24	1.43	25	0.3
	5/16	73009	10-24	1.44	25	0.3
	3/8	73012	10-24	1.45	25	0.3
	1/2	81171	10-32	2.68	25	0.6
	1/2	73015	10-24	1.49	25	0.4
	5/8	73018	10-24	1.55	25	0.4
	3/4	81174	10-32	2.78	25	0.6
	3/4	73021	10-24	1.57	25	0.5
	1	81177	10-32	2.89	25	0.6
	1	73024	10-24	1.65	25	0.5
	1-1/4	73027	10-24	1.76	25	0.6
	1-1/2	73030	10-24	1.86	25	0.7
	1-3/4	73033	10-24	1.98	25	0.8
	2	73036	10-24	2.06	25	0.9
	2-1/4	73039	10-24	2.84	25	1.0
	2-1/2	73042	10-24	2.96	25	1.1
	2-3/4	73045	10-24	3.03	25	1.2
3	73048	10-24	3.11	25	1.3	

Shoulder Diameter Recess Size	Shoulder Length	EDP No.	Thread Size	Price per Each	Count/Box	Wt. /Box (Lbs)
5/16" 5/32 Hex UNRC 20 TPI	1/4	73051	1/4-20	1.59	25	0.5
	5/16	73054	1/4-20	1.63	25	0.5
	3/8	73057	1/4-20	1.65	25	0.5
	1/2	73060	1/4-20	1.71	25	0.6
	5/8	73063	1/4-20	1.77	25	0.7
	3/4	73066	1/4-20	1.84	25	0.7
	1	73069	1/4-20	1.96	25	0.9
	1-1/4	73072	1/4-20	2.12	25	1.0
	1-1/2	73075	1/4-20	2.25	25	1.1
	1-3/4	73078	1/4-20	2.38	25	1.3
	2	73081	1/4-20	2.50	25	1.4
	2-1/4	73084	1/4-20	3.32	25	1.6
	2-1/2	73087	1/4-20	3.44	25	1.7
	2-3/4	73090	1/4-20	3.55	25	1.8
	3	73093	1/4-20	3.71	25	2.0
3-1/2	73096	1/4-20	3.95	25	2.2	
4	73099	1/4-20	4.53	25	2.5	
3/8" 3/16 Hex UNRC 18 TPI	1/4	73102	5/16-18	2.29	25	0.8
	3/8	73105	5/16-18	2.37	25	0.9
	1/2	73108	5/16-18	2.46	25	1.0
	5/8	73112	5/16-18	2.54	25	1.1
	3/4	73115	5/16-18	2.62	25	1.2
	1	73118	5/16-18	2.82	25	1.4
	1-1/4	73121	5/16-18	2.98	25	1.6
	1-1/2	73124	5/16-18	3.15	25	1.8
	1-3/4	73127	5/16-18	3.32	25	2.0
	2	73130	5/16-18	3.52	25	2.2
	2-1/4	73133	5/16-18	4.34	25	2.4
	2-1/2	73136	5/16-18	4.50	25	2.6
	2-3/4	73139	5/16-18	4.72	25	2.8
	3	73142	5/16-18	4.89	25	3.0
	3-1/4	73145	5/16-18	5.45	25	3.2
3-1/2	73148	5/16-18	5.67	25	3.4	
3-3/4	73151	5/16-18	6.49	25	3.6	
4	73154	5/16-18	6.67	25	3.8	
4-1/2	73157	5/16-18	7.99	25	4.2	
5	73160	5/16-18	8.40	25	4.6	

Camcar® Stainless Steel Socket Head Shoulder Screws, *continued*

Inch Sizes


Shoulder Diameter Recess Size	Shoulder Length	EDP No.	Thread Size	Price per Each	Count/Box	Wt. /Box (Lbs)
1/2" 1/4 Hex UNRC 16 TPI	3/8	73163	3/8-16	3.16	25	1.8
	1/2	73166	3/8-16	3.32	25	2.0
	5/8	73169	3/8-16	3.46	25	2.1
	3/4	73172	3/8-16	3.63	25	2.3
	1	73175	3/8-16	3.93	25	2.7
	1-1/4	73178	3/8-16	4.23	25	3.0
	1-1/2	73181	3/8-16	4.55	25	3.4
	1-3/4	73184	3/8-16	4.85	25	3.7
	2	73187	3/8-16	5.15	25	4.1
	2-1/4	73190	3/8-16	6.10	25	4.4
	2-1/2	73193	3/8-16	6.41	25	4.8
	2-3/4	73196	3/8-16	6.71	25	5.1
	3	73199	3/8-16	7.01	25	5.5
	3-1/4	73202	3/8-16	7.36	25	5.8
	3-1/2	73205	3/8-16	7.66	25	6.2
	3-3/4	73208	3/8-16	9.21	25	6.5
	4	73211	3/8-16	9.57	25	6.9
	4-1/4	73214	3/8-16	10.39	25	7.3
4-1/2	73217	3/8-16	10.73	10	3.1	
4-3/4	73220	3/8-16	11.23	10	3.2	
5	73223	3/8-16	11.56	10	3.3	
5/8" 5/16 Hex UNRC 13 TPI	1/2	73226	1/2-13	6.72	25	3.4
	5/8	73229	1/2-13	6.86	25	3.6
	3/4	73232	1/2-13	7.13	25	3.9
	1	73235	1/2-13	7.69	25	4.5
	1-1/4	73238	1/2-13	8.26	25	5.0
	1-1/2	73241	1/2-13	8.81	25	5.6
	1-3/4	73244	1/2-13	9.43	25	6.1
	2	73247	1/2-13	9.98	25	6.7
	2 1/4	73250	1/2-13	12.95	25	7.2
	2-1/2	73253	1/2-13	14.74	25	7.8
	2-3/4	73256	1/2-13	15.48	25	8.3
	3	73259	1/2-13	16.03	25	8.9
	3-1/4	73262	1/2-13	16.60	25	9.4
	3-1/2	73265	1/2-13	17.17	25	10.0
	3-3/4	73268	1/2-13	17.83	10	4.2
4	73271	1/2-13	18.40	10	4.4	
4-1/2	73274	1/2-13	19.54	10	4.9	

Shoulder Diameter Recess Size	Shoulder Length	EDP No.	Thread Size	Price per Each	Count/Box	Wt. /Box (Lbs)
3/4" 3/8 Hex UNRC 11 TPI	1/2	73277	5/8-11	14.08	10	2.3
	5/8	73280	5/8-11	14.45	10	2.5
	3/4	73283	5/8-11	15.02	10	2.6
	1	73286	5/8-11	16.02	10	2.9
	1-1/4	73289	5/8-11	17.60	10	3.3
	1-1/2	73292	5/8-11	18.02	10	3.6
	1-3/4	73295	5/8-11	19.60	10	3.9
	2	73298	5/8-11	20.88	10	4.2
	2-1/4	73301	5/8-11	22.31	10	4.5
	2-1/2	73304	5/8-11	23.74	10	4.8
	2-3/4	73307	5/8-11	25.89	10	5.2
	3	73310	5/8-11	26.89	10	5.5
	3-1/4	73313	5/8-11	28.03	10	5.8
	3-1/2	73316	5/8-11	29.61	10	6.1
	3-3/4	73319	5/8-11	31.18	10	6.4
	4	73322	5/8-11	32.90	10	6.7
	4-1/4	73325	5/8-11	44.34	10	6.9
	4-1/2	73328	5/8-11	46.06	10	7.2
4-3/4	73331	5/8-11	47.63	10	7.5	
5	73334	5/8-11	49.35	10	7.8	
5-1/2	73337	5/8-11	52.92	10	8.5	
6	73340	5/8-11	56.35	10	9.1	
1" 1/2 Hex UNRC 10 TPI	1	73343	3/4-10	26.17	10	5.5
	1-1/2	73346	3/4-10	30.75	10	6.6
	1-3/4	73349	3/4-10	32.61	10	7.2
	2	73352	3/4-10	35.04	10	7.8
	2-1/2	73355	3/4-10	39.90	10	8.9
	3	73358	3/4-10	43.91	10	10.0
	3-1/2	73361	3/4-10	48.77	10	11.2
	4	73364	3/4-10	62.07	10	12.3
5	73367	3/4-10	71.94	10	14.6	

For complete technical information, consult the Camcar Technical Manual, available from your customer service representative at Decorah Operations.

Camcar® Stainless Steel Socket Head Shoulder Screws with Locking Nylon Patch

Inch Sizes



Product Description

- 300 series (18-8) stainless steel
- Locking nylon patch on threads
- Made in USA

Pricing Notes

- Net price per 100 available in listed thread series only
- Bulk pricing available upon request

Shoulder Dia. Recess Size TPI	Shoulder Length	EDP No.	Thread Dia.	Price per 100	Ct./ Box	Wt./Box (Lbs)
1/8" 5/64 Hex UNC 40 TPI	1/8	81315	4-40	254.93	25	0.4
	1/4	81318	4-40	256.06	25	0.4
	3/8	81321	4-40	257.81	25	0.4
	1/2	81324	4-40	259.35	25	0.4
5/32" 3/32 Hex UNRC 32 TPI	1/8	81333	6-32	256.88	25	0.4
	1/4	81336	6-32	260.69	25	0.4
	3/8	81339	6-32	258.63	25	0.4
	1/2	81342	6-32	260.69	25	0.4

Shoulder Dia. Recess Size TPI	Shoulder Length	EDP No.	Thread Dia.	Price per 100	Ct./ Box	Wt./Box (Lbs)
3/16" 3/32 Hex UNRC 32 TPI	1/8	81351	8-32	262.65	25	0.4
	1/4	81354	8-32	267.29	25	0.4
	3/8	81537	8-32	266.15	25	0.4
	1/2	81560	8-32	269.14	25	0.4
	3/4	81363	8-32	275.11	25	0.4
	1	81366	8-32	280.98	25	0.4
1/4" 1/8 Hex UNRC 24 TPI	1/8	81369	10-24	270.99	25	0.5

For complete technical information, consult the Camcar Technical Manual, available from your customer service representative at Decorah Operations.

Camcar® Button Head Screws

Inch Sizes



Product Description

- Heat-treated alloy steel
- Class 3A thread fit standard
- TORX PLUS® Drive recess available

Pricing Notes

- Net price per 100 available in listed thread series only
- Bulk pricing upon request

Dia. Recess Size TPI	Length under Head	UNRC			UNRF			Ct./ Box	Wt./ Box (Lbs)
		Hex EDP No.	TORX PLUS EDP No.	Price per 100	Hex EDP No.	TORX PLUS EDP No.	Price per 100		
#2 .050 Hex UNRC 56 TPI	3/16	14070		39.55			100	0.1	
	1/4	14072		42.09			100	0.1	
	3/8	14074		45.23			100	0.1	
#4 1/16 Hex 8IP TORX PLUS UNRC 40 TPI	3/16	14078		23.58			100	0.1	
	1/4	14080	34080	16.45			100	0.1	
	3/8	14083	34083	17.54			100	0.2	
	1/2	14089	34089	18.75			100	0.2	
	5/8	71021		18.93			100	0.3	
	3/4	71024		19.58			100	0.3	
	7/8	71027		20.55			100	0.4	
#5 1/16 Hex UNRC 40 TPI	1	71030		21.31			100	0.5	
	3/8	71039		20.66			100	0.2	
#6 5/64 Hex 10IP TORX PLUS UNRC 32 TPI	1/2	71042		21.20			100	0.3	
	3/16	14095		24.79			100	0.2	
	1/4	14101	34101	16.94			100	0.2	
	5/16	71048		22.71			100	0.2	
	3/8	14107	34107	17.29			100	0.2	
	1/2	14110	34110	18.39			100	0.3	
	5/8	14113	34113	19.35			100	0.3	
	3/4	71051		22.82			100	0.3	
	7/8	71054		24.23			100	0.3	
	1	71057		26.06			100	0.3	
#8 3/32 Hex 15IP TORX PLUS UNRC 32 TPI	1 1/4	71060		39.37			100	0.6	
	1 1/2	71063		41.53			100	0.6	
	3/16	71066		49.95			100	0.2	
	1/4	14125	34125	18.39			100	0.2	
	5/16	71069		27.15			100	0.2	
	3/8	14131	34131	19.11			100	0.2	
	1/2	14134	34134	19.35			100	0.3	
	5/8	14137	34137	22.01			100	0.3	
	3/4	14140	34140	22.98			100	0.4	
	1	14143		24.55			100	0.6	
#10 1/8 Hex 25IP TORX PLUS UNRC 24 TPI UNRF 32 TPI	1/4	14152	34152	18.26	14302	34302	18.26	100	0.3
	5/16				60821		30.61	100	0.4
	3/8	14155	34155	18.62	14305	34305	18.62	100	0.4
	1/2	14158	34158	19.35	14311	34311	19.35	100	0.4
	5/8	14161	34161	21.89	14314	34314	21.89	100	0.5
	3/4	14164	34164	23.46	14317	34317	23.46	100	0.6
	7/8	14167		26.61	14320	34320	26.61	100	0.7
	1	14170	34170	27.58	14323	34323	27.58	100	0.7

Dia. Recess Size TPI	Length under Head	UNRC			UNRF			Ct./ Box	Wt./ Box (Lbs)
		Hex EDP No.	TORX PLUS EDP No.	Price per 100	Hex EDP No.	TORX PLUS EDP No.	Price per 100		
1/4" 5/32 Hex 27IP TORX PLUS UNRC 20 TPI UNRF 28 TPI	1/4	71093		60.47	71165		57.38	100	0.6
	3/8	14176	34176	20.80	14329	34329	20.80	100	0.6
	1/2	14179	34179	21.17	14332	34332	21.17	100	0.8
	5/8	14182	34182	21.77	14335	34335	21.77	100	0.9
	3/4	14185	34185	22.62	14338	34338	22.62	100	1.1
	7/8	14188		26.00				100	1.2
	1	14191	34191	26.37	14344	34344	26.37	100	1.3
	1-1/4	14194		32.29				100	1.5
	1-1/2	14197		35.07				100	1.8
	1-3/4	71096		80.55				100	2.2
5/16" 3/16 Hex 40IP TORX PLUS UNRC 18 TPI UNRF 24 TPI	2	71099		93.73				100	2.6
	3/8	14203	34203	27.21	14350		27.21	100	1.0
	1/2	14206	34206	27.45	14353	34353	27.45	100	1.3
	5/8	14209	34209	32.53	14356		32.53	100	1.5
	3/4	14212	34212	33.02	14359	34359	33.02	100	1.7
	7/8	14215	34215	36.28				100	2.1
	1	14218	34218	36.89	14365	34365	36.89	100	2.1
	1-1/4	14221		58.66				100	2.3
	1-1/2	14224		61.92				100	2.5
	2	71108		79.94				100	2.8
3/8" 7/32 Hex 45IP TORX PLUS UNRC 16 TPI UNRF 24 TPI	1/2	14230	34230	40.52	14371		40.52	100	1.8
	5/8	14233		44.75				100	2.2
	3/4	14236	34236	47.65	34374		47.65	100	2.5
	7/8	14239	34239	52.37				100	2.9
	1	14242	34242	52.83	14380	34380	52.83	100	3.2
	1-1/4	14245	34245	52.97				100	3.9
	1-1/2	14248		66.16				100	4.2
2	71120		101.96				100	4.6	
1/2" 5/16 Hex 55IP TORX PLUS UNRC 13 TPI	3/4	14257		81.40				100	6.0
	1	14260	34260	83.94				50	3.3
	1-1/4	14263		99.30				50	3.6
	1-1/2	14266		110.78				50	3.9
	2	14272		141.99				50	5.6
5/8" 3/8 Hex UNRC 11 TPI	1	14281		163.52				50	4.4
	1-1/4	14284		177.58				50	4.7
	1-1/2	14287		191.64				50	5.0
	2	14296		219.87				50	5.7

For complete technical information, consult the Camcar Technical Manual, available from your customer service representative at Decorah Operations.

Camcar® Flanged Button Head Cap Screws

Inch Sizes



Product Description

- Heat-treated alloy steel
- Fully threaded
- Large bearing surface

Pricing Notes

- Net price per 100 available in listed thread series only
- Bulk pricing upon request

Diameter TPI Drive Size	Length under Head	Hex EDP Number	Price per 100	Count per Box	Weight/ Box (Lbs)
#8 32 TPI 3/32 Hex	1/4	16453	16.21	100	0.2
	3/8	16456	16.81	100	0.2
	1/2	16459	17.66	100	0.3
#10 24 TPI 1/8 Hex	3/8	16462	17.42	100	0.4
	1/2	16465	17.78	100	0.4
	5/8	16468	19.23	100	0.5
	3/4	16471	20.44	100	0.6
#10 32 TPI 1/8 Hex	3/8	16513	17.42	100	0.4
	1/2	16517	17.78	100	0.4
	5/8	16520	19.35	100	0.5
	3/4	16523	20.56	100	0.6
1/4" 20 TPI 5/32 Hex	3/8	16474	19.35	100	0.6
	1/2	16477	19.71	100	0.8
	3/4	16480	21.04	100	1.1
	1	16483	24.19	100	1.3

Diameter TPI Drive Size	Length under Head	Hex EDP Number	Price per 100	Count per Box	Weight/ Box (Lbs)
5/16" 18 TPI 3/16 Hex	3/8	16486	23.58	100	1.0
	1/2	16489	23.95	100	1.3
	5/8	16491	26.61	100	1.5
	3/4	16495	27.94	100	1.7
	1	16498	31.69	100	1.9
3/8" 16 TPI 7/32 Hex	1/2	16501	33.26	100	1.8
	3/4	16504	41.60	100	2.5
	1	16507	44.14	100	3.2
	1-1/4	16510	47.77	100	3.9

For complete technical information, consult the Camcar Technical Manual, available from your customer service representative at Decorah Operations.

Camcar® Low Head Cap Screws

Inch Sizes



Product Description

- Heat-treated alloy steel
- Class 3A thread fit standard

Pricing Notes:

- Net price per 100 available in listed thread series only
- Bulk pricing upon request

Diameter Recess Size TPI	Length under Head	UNRC		UNRF		Ct./ Box	Wt. /Box (Lbs)
		Hex EDP No.	Price per 100	Hex EDP No.	Price per 100		
#6 5/64 Hex UNRC 32 TPI	1/4	20091	28.08			100	0.2
	3/8	20094	28.81			100	0.2
	1/2	20097	30.28			100	0.2
	5/8	20098	31.50			100	0.2
#8 5/64 Hex UNRC 32 TPI	1/4	20103	30.35			100	0.2
	3/8	20003	30.52			100	0.3
	1/2	20006	32.11			100	0.3
	5/8	20009	33.08			100	0.3
	3/4	20012	35.89			100	0.5
	1	20015	39.19			100	0.7
	1-1/4	20105	42.24			100	0.7
1-1/2	20108	44.93			100	0.9	
#10 3/32 Hex UNRC 24 TPI UNRF 32 TPI	1/4	20111	30.52	20141	31.62	100	0.4
	3/8	20018	31.01	21003	32.11	100	0.4
	1/2	20021	31.38	21006	32.96	100	0.5
	5/8	20024	34.18	21009	34.24	100	0.6
	3/4	20027	35.04	21012	35.53	100	0.7
	1	20030	37.36	21015	37.66	100	0.8
	1-1/4			20144	41.63	100	0.8
1-1/2			20147	44.93	100	0.9	

Diameter Recess Size TPI	Length under Head	UNRC		UNRF		Ct./ Box	Wt. /Box (Lbs)
		Hex EDP No.	Price per 100	Hex EDP No.	Price per 100		
1/4" 1/8 Hex UNRC 20 TPI UNRF 28 TPI	1/4	20114	29.42			100	0.7
	3/8	20033	31.13			100	0.7
	1/2	20036	31.86	20150	35.90	100	0.8
	5/8	20039	34.18			100	1.1
	3/4	20042	35.89	20153	40.41	100	1.2
	1	20045	39.19			100	1.3
	1-1/4	20050	41.08			100	1.8
	1-1/2	20117	41.63			100	1.5
	1-3/4	20120	42.20			100	2.1
	2	20123	44.87			100	2.5
5/16" 5/32 Hex UNRC 18 TPI UNRF 24 TPI	1/2	20048	36.63	20159	41.02	100	1.4
	3/4	20051	40.04	20161	43.59	100	1.8
	1	20054	44.44			100	2.2
	1-1/4	20057	50.42			100	2.8
	1-1/2	20060	60.19			100	3.3
	1-3/4	20126	64.76			100	3.7
3/8" 3/16 Hex UNRC 16 TPI	2	20129	69.34			100	4.0
	1/2	20063	50.18			100	2.2
	5/8	20064	54.88			100	2.6
	3/4	20066	55.24			100	2.8
	1	20069	55.91			100	3.5
	1-1/4	20072	65.07			100	4.2
	1-1/2	20075	71.30			100	5.0
	2	20132	77.28			100	5.8
1/2" 1/4 Hex UNRC 13 TPI	3/4	20076	121.35			50	3.7
	1	20078	134.75			50	3.9
	1-1/4	20081	136.86			50	4.1
	1-1/2	20084	153.09			50	4.7
	1-3/4	20135	156.88			50	5.1
	2	20138	160.66			50	5.4

For complete technical information, consult the Camcar Technical Manual, available from your customer service representative at Decorah Operations.

Camcar® Flat Countersunk Head Cap Screws

Inch Sizes



Product Description

- Heat-treated alloy steel
- Class 3A thread fit standard except as noted
- TORX PLUS® Drive recess available

Pricing Notes

- Net price per 100 available in listed thread series only
- Bulk pricing upon request

Diameter Recess Size TPI	Length under Head	UNRC			UNRF			Ct./ Box	Wt./ Box (Lbs)
		Hex EDP No.	TORX PLUS EDP No.	Price per 100	Hex EDP No.	TORX PLUS EDP No.	Price per 100		
#2 .050 Hex UNRC 56 TPI	3/16	14382		44.87			100	0.1	
	1/4	14385		48.26			100	0.1	
	3/8	14387		52.49			100	0.1	
	1/2	14390		56.36			100	0.1	
#4 1/16 Hex 10IP TORX PLUS UNRC 40 TPI	1/4	14392	34392	21.77			100	0.1	
	3/8	14395	34395	22.50			100	0.1	
	1/2	14398	34398	23.82			100	0.1	
	5/8	14401	34401	24.92			100	0.2	
	3/4	14404	34404	28.42			100	0.2	
#5 5/64 Hex 10IP TORX PLUS UNRC 40 TPI	1/4	14413	34413	22.93			100	0.1	
	3/8	14416	34416	23.46			100	0.1	
	1/2	14419	34419	24.92			100	0.2	
	5/8	14422		27.57			100	0.2	
	3/4	14425		31.20			100	0.2	
#6 5/64 Hex 15IP TORX PLUS UNRC 32 TPI	1/4	14434	34434	24.43			100	0.1	
	3/8	14440	34440	25.04			100	0.2	
	1/2	14443	34443	25.76			100	0.2	
	5/8	14446	34446	27.93			100	0.3	
	3/4	14449	34449	28.54			100	0.3	
#8 3/32 Hex 20IP TORX PLUS UNRC 32 TPI	1	14451		33.74			100	0.3	
	3/8	14458	34458	25.64			100	0.3	
	1/2	14461	34461	26.64			100	0.3	
	5/8	14464	34464	27.21			100	0.4	
	3/4	14467	34467	29.76			100	0.4	
	1	14473	34473	33.14			100	0.5	

Diameter Recess Size TPI	Length under Head	UNRC			UNRF			Ct./ Box	Wt./ Box (Lbs)	
		Hex EDP No.	TORX PLUS EDP No.	Price per 100	Hex EDP No.	TORX PLUS EDP No.	Price per 100			
#10 1/8 Hex 25IP TORX PLUS UNRC 24 TPI UNRF 32 TPI	1/4						14470	24.10	100	0.3
	3/8	14482	34482	24.79	14773	34773	24.79	100	0.3	
	1/2	14485	34485	27.03	14779	34779	27.03	100	0.4	
	5/8	14488	34488	28.30	14782	34782	28.30	100	0.5	
	3/4	14491	34491	28.54	14785	34785	28.54	100	0.5	
	1	14497	34497	34.23	14791	34791	34.23	100	0.7	
	1-1/4	14500		44.02	14794	34794	44.02	100	0.9	
1-1/2	14503		50.55	14797	34797	50.55	100	1.1		
1/4" 5/32 Hex 30IP TORX PLUS UNRC 20 TPI UNRF 28 TPI	3/8	14506	34506	27.82	14809		27.82	100	0.6	
	1/2	14509	34509	26.85	14815	34815	26.85	100	0.8	
	5/8	14515	34515	28.54	14818	34818	28.54	100	0.9	
	3/4	14518	34518	28.66	14821	34821	28.66	100	1.1	
	7/8	72051		35.68				100	1.2	
	1	14524	34524	38.42	14824	34824	38.42	100	1.3	
	1-1/4	14527	34527	42.33	14827	34827	42.33	100	1.6	
	1-1/2	14530	34530	49.58	14830		49.58	100	2.0	
	1-3/4	14533	34533	60.11				100	2.3	
	2	14536	34536	65.31				100	2.7	
	2-1/2	14542		71.48				100	3.0	
3	72057		114.77				100	3.5		
5/16" 3/16 Hex 40IP TORX PLUS UNRC 18 TPI UNRF 24 TPI	1/2	14548	34548	31.81	14839	34839	31.81	100	1.4	
	5/8	14554	34554	33.38	14842	34842	33.38	100	1.6	
	3/4	14557	34557	33.87	14845	34845	33.87	100	1.8	
	7/8	14560		35.07	14846		35.07	100	2.1	
	1	14563	34563	36.29	14848	34848	36.29	100	2.3	
	1-1/4	14566	34566	46.32	14851		46.32	100	2.7	
	1-1/2	14572	34572	51.40	14854		51.40	100	3.2	
	1-3/4	14575	34575	73.78				100	3.8	
	2	14578	34578	81.28				100	4.3	
	2-1/4	14581		93.85				100	4.8	
2-1/2	14584		105.34				100	5.3		

Camcar® Flat Countersunk Head Cap Screws, *continued*

Inch Sizes

Diameter Recess Size TPI	Length under Head	UNRC			UNRF			Ct./ Box	Wt./ Box (Lbs)
		Hex EDP No.	TORX PLUS EDP No.	Price per 100	Hex EDP No.	TORX PLUS EDP No.	Price per 100		
3/8" 7/32 Hex 45IP TORX PLUS UNRC 16 TPI UNRF 24 TPI	1/2	14590	34590	49.10				100	2.2
	5/8	14593	34593	50.41	14866	34866	50.41	100	2.5
	3/4	14596	34596	50.91	14869	34869	50.91	100	2.8
	1	14602	34602	51.40	14872	34872	51.40	100	3.6
	1-1/4	14605	34605	54.79	14875	34875	54.79	100	4.1
	1-1/2	14608	34608	57.69	14878		57.69	100	4.8
	1-3/4	14611	34611	83.57				100	5.4
	2	14614	34614	91.92				100	6.2
	2-1/4	14617		109.33				100	6.9
	2-1/2	14620	34620	118.04				50	3.9
3	14626		139.57				50	4.6	
7/16"	3/4	14635		100.51				100	3.6
1/4 Hex 50IP	1	14638	34638	110.43				100	4.5
TORX PLUS	1-1/4	14641		120.94				100	5.3
UNRC	1-1/2	14644		129.17				100	6.2
14 TPI	1-3/4	14647		135.22				100	7.1
	2	14650		140.78				100	8.8

Diameter Recess Size TPI	Length under Head	UNRC			UNRF			Ct./ Box	Wt./ Box (Lbs)
		Hex EDP No.	TORX PLUS EDP No.	Price per 100	Hex EDP No.	TORX PLUS EDP No.	Price per 100		
1/2" 5/16 Hex 50IP TORX PLUS UNRC 13 TPI UNRF 20 TPI	3/4	14653	34653	102.90	14884		102.90	100	4.5
	1	14662	34662	107.57	14887		107.57	100	5.7
	1-1/4	14665	34665	123.97	14890		123.97	100	6.7
	1-1/2	14668	34668	130.99	14893		130.99	100	7.7
	1-3/4	14671	34671	147.87	14896		147.87	50	4.5
	2	14674	34674	154.04	14902		154.04	50	5.1
	2-1/4	14677		184.59				25	2.9
	2-1/2	14680		198.52				25	3.3
	3	14686		226.61				25	4.0
	5/8"	1-1/4	14698		233.77				25
3/8 Hex 55IP TORX PLUS UNRC 11 TPI	1-1/2	14701		255.08				25	6.5
	1-3/4	14704		295.13				25	7.4
	2	14707		307.58				25	8.3
	2 1/4	14710		314.45				25	9.0
	2-1/2	14713		321.32				25	9.3
	3	14719		350.52				25	11.4

For complete technical information, consult the Camcar Technical Manual, available from your customer service representative at Decorah Operations.

Camcar® Socket Set Screws - Cup Point

Inch Sizes



Product Description

- Heat-treated alloy steel
- Class 3A thread fit standard
- TORX PLUS® Drive recess available

Pricing Notes

- Net price per 100 available in listed thread series only
- Bulk pricing available upon request

Dia. Recess Size	Length	UNRC			UNRF			Ct./ Box	Wt./ Box (Lb.)
		Hex EDP No.	TORX PLUS EDP No.	Price per 100	Hex EDP No.	TORX PLUS EDP No.	Price per 100		
#0 .028 Hex 80 TPI	1/16	74100		59.70			100	0.1	
	3/32	74103		61.43			100	0.1	
	1/8	74106		63.06			100	0.1	
	5/32	73500		68.10			100	0.1	
	3/16	74109		71.38			100	0.1	
	1/4	74112		81.23			100	0.1	
#1 .035 Hex 72 TPI	1/16				74115	57.32	100	0.1	
	3/32				74118	59.60	100	0.1	
	1/8				74121	69.33	100	0.1	
	3/16				74124	76.79	100	0.1	
	1/4				74127	81.55	100	0.1	
#2 .035 Hex UNC 56 TPI	1/16	11449		58.53			100	0.1	
	3/32	11450		60.96			100	0.1	
	1/8	11452		61.68			100	0.1	
	3/16	11455		64.47			100	0.1	
	1/4	11458		65.31			100	0.1	
#3 .050 Hex UNC 48 TPI	3/32	11463		47.90			100	0.1	
	1/8	11464		48.38			100	0.1	
	3/16	11467		49.10			100	0.1	
	1/4	11470		49.58			100	0.1	
	#4 .050 Hex UNC 40 TPI UNF 48 TPI	1/16	74130		26.82			100	0.1
3/32		74133		29.13			100	0.1	
1/8		11473		16.45	11962	16.45	100	0.1	
3/16		11476		16.69	11965	16.69	100	0.1	
1/4		11479		16.81	11968	16.81	100	0.1	
5/16		11482		17.06			100	0.1	
3/8		11485		18.14			100	0.1	
1/2		11491		21.29			100	0.2	
5/8		11494		25.76			100	0.2	
#5 1/16 Hex UNC 40 TPI UNF 44 TPI	1/8	11497		17.65			100	0.1	
	3/16	11500		18.03			100	0.1	
	1/4	11503		18.39			100	0.1	
	5/16	11506		18.62			100	0.1	
	3/8	11509		20.53			100	0.2	
	1/2	11515		21.77			100	0.2	
	5/8	11518		22.62			100	0.3	
3/4	11521		23.70			100	0.3		

Dia. Recess Size	Length	UNRC			UNRF			Ct./ Box	Wt./ Box (Lb.)
		Hex EDP No.	TORX PLUS EDP No.	Price per 100	Hex EDP No.	TORX PLUS EDP No.	Price per 100		
#6 1/16 Hex 6IP TORX PLUS (UNC) 7IP TORX PLUS (UNF) UNC 32 TPI UNF 40 TPI	1/8	11524		19.35	11986		19.35	100	0.1
	3/16	11527	31527	17.29	11989		17.29	100	0.1
	1/4	11530	31530	17.54	11992		17.54	100	0.1
	5/16	11533		17.78				100	0.1
	3/8	11536	31536	18.03	11998		18.03	100	0.2
	1/2	11542		19.11				100	0.3
	5/8	11545		25.76				100	0.3
	3/4	11548		28.79				100	0.4
	7/8	11551		39.91				100	0.4
	1	11554		42.82				100	0.4
#8 5/64 Hex 8IP TORX PLUS UNC 32 TPI UNF 36 TPI	1/8	11557		16.09				100	0.1
	3/16	11560	31560	16.33	12004		16.34	100	0.1
	1/4	11563	31563	16.57	12007		16.57	100	0.1
	5/16	11566		16.93				100	0.2
	3/8	11569	31569	17.42	12013		17.42	100	0.2
	7/16	74136		19.58				100	0.3
	1/2	11575		19.71				100	0.3
	5/8	11578		26.97				100	0.3
	3/4	11581		28.54				100	0.4
	7/8	11584		37.98				100	0.4
1	11587		42.09				100	0.5	
#10 3/32 Hex 10IP TORX PLUS UNC 24 TPI UNF 32 TPI	3/16	11590		16.57	12022		16.57	100	0.2
	1/4	11593	31593	16.93	12025		16.93	100	0.2
	5/16	11596	31596	17.42	12028		17.42	100	0.2
	3/8	11599	31599	18.75	12031		18.75	100	0.3
	1/2	11602		20.20	12037		20.20	100	0.3
	5/8	11605		21.04	12040	32040	21.04	100	0.4
	3/4	11608		23.82	12043		23.82	100	0.5
	7/8	11611		39.91				100	0.6
	1	11617		44.02	12049			100	0.7
	1-1/4	11620		46.08	12052			100	0.8
1-1/2				74139		59.48	100	1.0	

Camcar® Socket Set Screws - Cup Point, *continued*

Inch Sizes

Dia. Recess Size TPI	Length	UNRC			UNRF			Ct./ Box	Wt./ Box (Lb.)	
		Hex EDP No.	TORX PLUS EDP No.	Price per 100	Hex EDP No.	TORX PLUS EDP No.	Price per 100			
1/4"	3/16	11626		18.14	12061		18.14	100	0.2	
	1/4	11629	31629	16.57	12064	32064	16.57	100	0.3	
	1/8 Hex	5/16	11632	31632	16.93	12067		16.93	100	0.3
		15IP	3/8	11635	31635	18.51	12070	32070	18.51	100
	TORX PLUS (UNC)	1/2	11641	31641	19.59	12076		19.59	100	0.5
		5/8	11644		23.46	12079		23.46	100	0.6
	20IP TORX PLUS (UNF)	3/4	11647	31647	26.60	12082		26.60	100	0.7
		7/8	11650		33.62				100	0.8
	UNC 20 TPI	1	11653		38.22	12085		38.22	100	0.9
		1-1/4	11656		48.38	12088		48.38	100	1.2
UNF 28 TPI	1-1/2	11659		60.83	73616		60.83	100	1.5	
	1-3/4	11662		77.77				100	1.9	
5/16"	2	11665		88.65				100	2.2	
	2-3/4	73614		97.22				100	3.0	
	3	73615		98.42				100	3.5	
	5/32 Hex	1/4	11671		19.84	12094		19.84	100	0.4
		5/16	11674	31674	18.75	12097		18.75	100	0.5
	25IP TORX PLUS (UNC)	3/8	11677	31677	18.99	12100		18.99	100	0.6
		7/16	11680		19.47				100	0.7
	27IP TORX PLUS (UNF)	1/2	11683	31683	19.84	12106		19.84	100	0.8
		5/8	11686		25.15	12109		25.15	100	1.0
	UNC 18 TPI	3/4	11689		29.03	11687		29.03	100	1.2
7/8		11692		40.63				100	1.4	
UNF 24 TPI	1	11695		43.30	12118		43.30	100	1.6	
	1-1/4	11698		49.58	73627		49.58	100	1.9	
UNC 18 TPI	1-1/2	11701		65.67	73628		65.67	100	2.4	
	1-3/4	11704		81.15				100	3.0	
3/8"	2	11707		86.23				100	3.4	
	2-1/2	73624		118.75				100	4.4	
	3/16 Hex	1/4	11713		24.43	12124		24.43	100	0.6
		5/16	11716		26.01				100	0.6
	UNC 16 TPI	3/8	11719		21.77	12130		21.77	100	0.8
		7/16	11722		22.50				100	0.9
	UNF 24 TPI	1/2	11725		25.40	12136		25.40	100	1.1
		5/8	11728		29.39	12139		29.39	100	1.3
	UNC 16 TPI	3/4	11731		31.45	12142		31.45	100	1.8
		7/8	11734		34.72				100	2.1
UNF 24 TPI	1	11737		43.30	12148		43.30	100	2.3	
	1-1/4	11740		54.91	12151		54.91	100	2.7	
UNC 16 TPI	1-1/2	11743		71.48	12134		71.48	100	3.6	
	1-3/4	11746		86.84				100	3.6	
UNF 24 TPI	2	11749		95.26	73648		95.26	100	5.0	
	2-1/2	11752		110.06				100	6.3	
4	73643		120.59				50	11.7		

Dia. Recess Size TPI	Length	UNRC			UNRF			Ct./ Box	Wt./ Box (Lb.)	
		Hex EDP No.	TORX PLUS EDP No.	Price per 100	Hex EDP No.	TORX PLUS EDP No.	Price per 100			
7/16"	3/8	11755		48.85	12163		48.85	100	1.1	
	7/16	11758		50.51				100	1.2	
	7/32 Hex	1/2	11761		52.74	12169		52.74	100	1.4
		5/8	11764		57.57				100	1.7
	UNC 14 TPI	3/4	11767		62.16	73672		83.82	100	2.2
		7/8	11770		71.16				100	2.6
	UNF 20 TPI	1	11773		80.19	73675		93.12	100	3.0
		1-1/4	11776		86.11				100	4.1
	UNC 13 TPI	1-1/2	11779		100.51	73678		124.83	100	4.5
		2	11782		126.63	73681		135.66	50	3.4
1/2"	3/8	11794		64.08				100	1.3	
	1/2	11800		63.21	12187		63.21	100	1.7	
	5/8 Hex	5/8	11803		69.49				100	2.2
		3/4	11806		71.97	12193		71.97	100	2.9
	45IP TORX PLUS (UNC)	7/8	11809		80.46				100	3.3
		1	11812		90.94	12196		90.94	100	3.9
	UNC 13 TPI	1-1/4	11815		114.35				100	5.0
		1-1/2	11818		127.29				100	6.2
	UNF 20 TPI	1-3/4	11821		147.38	73702		373.12	50	3.7
		2	11824		166.85	73703		422.33	50	4.3
UNC 13 TPI	2-1/2	11830		214.78	73705		531.78	50	5.4	
	3	11833		223.53				50	6.5	
UNF 20 TPI	3-1/2	73692		224.03				25	4.5	
	4	73693		224.48				25	4.8	
5/8"	5/16 Hex	1-1/2			73735		533.18	10	3.2	
		UNC 11 TPI	4"	73725		640.74			10	6.1
3/4"	3/8 Hex	5/8	11875		245.40			10	2.7	
		3/4	11878		405.46			10	2.9	
UNC 10 TPI	UNC 10 TPI	1	11881		452.93	73751		553.30	10	3.0
		1-1/4	11884		474.35			10	3.5	
UNF 6 TPI	UNF 6 TPI	1-1/2	11887		495.76			10	3.8	
		2	11893		528.10			10	4.8	
7/8"	1/2 Hex	3	11899		980.27			10	5.9	
		2	11926		1599.22			10	6.9	
UNC 9 TPI	UNC 9 TPI	1	11935		895.60			10	7.6	
		1-1/2	11941		1164.67			10	7.9	
UNC 8 TPI	UNC 8 TPI	2	11944		1502.42			10	8.9	
		3	11950		1848.72			10	9.7	

For complete technical information, consult the Camcar Technical Manual, available from your customer service representative at Decorah Operations.

Camcar® Socket Set Screws - Flat Point

Inch Sizes



Product Description

- Heat-treated alloy steel
- Class 3A thread fit standard

Pricing Notes

- Net price per 100 available in listed thread series only
- Bulk pricing available upon request

Dia. Recess Size TPI	Length	UNRC		UNRF		Ct./ Box	Wt./Box (Lbs)
		Hex EDP No.	Price per 100	Hex EDP No.	Price per 100		
#3 .050 Hex UNC 48 TPI	1/8	12242	48.78			100	0.1
	3/16	12243	48.99			100	0.1
#4 .050 Hex UNC 40 TPI	1/8	12466	17.30			100	0.1
#6 1/16 Hex UNC 32 TPI	3/16	12496	19.47			100	0.1
	1/4	12499	19.79			100	0.1
	3/8	12505	20.33			100	0.2
#8 5/64 Hex UNC 32 TPI	3/16	12520	19.79			100	0.1
	1/4	12523	20.12			100	0.1
	3/8	12529	20.98			100	0.2
	1/2	12532	21.52			100	0.3
#10 3/32 Hex UNC 24 TPI UNF 32 TPI	3/16	12541	20.98	12685	20.98	100	0.2
	1/4	12544	21.52	12688	21.52	100	0.2
	5/16	12547	22.17			100	0.2
	3/8	12550	22.82	12808	22.82	100	0.3
	1/2			12785	23.79	100	0.3
	3/4			12809	25.52	100	0.5
	1			12896	43.37	100	0.7

For complete technical information, consult the Camcar Technical Manual, available from your customer service representative at Decorah Operations.

Dia. Recess Size TPI	Length	UNRC		UNRF		Ct./ Box	Wt./Box (Lbs)
		Hex EDP No.	Price per 100	Hex EDP No.	Price per 100		
1/4" 1/8 Hex UNC 20 TPI UNF 28 TPI	1/4	12568	19.79	12712	19.79	100	0.3
	5/16	12571	20.33			100	0.3
	3/8	12574	20.98	12715	20.98	100	0.4
	1/2	12580	22.28	12716	22.28	100	0.6
	5/8	12583	24.98	12714	24.98	100	0.7
	3/4	12586	29.31			50	0.8
	1	12592	39.37			50	0.9
	1-1/2	12593	62.73			50	1.5
5/16" 5/32 Hex UNC 18 TPI UNF 24 TPI	2	12594	92.79			50	2.2
	5/16	12601	21.20			100	0.5
	3/8	12604	22.06	12720	22.06	100	0.6
	1/2	12607	23.79	12253	23.79	100	0.8
	5/8	12610	26.28			100	1.0
	3/4	12613	31.47	12362	31.47	50	1.2
3/8" 3/16 Hex UNC 16 TPI UNF 24 TPI	1	12616	40.88			50	1.6
	3/8	12631	24.98	12721	24.98	50	0.8
	1/2	12634	27.36	12727	27.36	50	1.1
	5/8	12637	30.07			50	1.3
	3/4	12640	32.12	12860	32.12	50	1.8
1/2" 1/4 Hex UNC 13 TPI UNF 20 TPI	1	12643	43.37			50	2.3
	1/2	12658	68.24	12742	68.24	50	1.7
	5/8	12661	71.38			50	2.2
	3/4	12664	73.65			50	2.9
	1	12667	88.03			50	3.9
	1-1/4	12669	117.99			50	5.0

Camcar® Socket Set Screws - Knurled Cup Point

Inch Sizes



Product Description

- Heat-treated alloy steel
- Class 3A thread fit standard

Pricing Notes

- Net price per 100 available in listed thread series only
- Bulk pricing available upon request

Diameter Recess Size TPI	Length	UNRC		UNRF		Ct./ Box	Wt./Box (Lbs)
		Hex EDP No.	Price per 100	Hex EDP No.	Price per 100		
#4 .050 Hex UNC 40 TPI	1/8	13135	17.95			100	0.1
#6 1/16 Hex UNC 32 TPI	1/8	13180	17.09			100	0.1
	3/16	13183	17.34			100	0.1
	1/4	13186	17.70			100	0.1
#8 5/64 Hex UNC 32 TPI	1/8	13210	16.73			100	0.1
	3/16	13213	19.36			100	0.2
	1/4	13216	17.70			100	0.2
#10 3/32 Hex UNC 24 TPI UNF 32 TPI	3/16	13240	17.21	13627	17.21	100	0.2
	1/4	13243	17.58	13630	17.58	100	0.2
	3/8	13246	18.68	13636	18.68	100	0.3
	1/2			13639	21.52	100	0.3

For complete technical information, consult the Camcar Technical Manual, available from your customer service representative at Decorah Operations.

Diameter Recess Size TPI	Length	UNRC		UNRF		Ct./ Box	Wt./Box (Lbs)
		Hex EDP No.	Price per 100	Hex EDP No.	Price per 100		
1/4" 1/8 Hex UNC 20 TPI UNF 28 TPI	3/16	13270	17.82	13654	17.82	100	0.2
	1/4	13271	17.70	13273	17.70	100	0.3
	5/16	13276	18.35	13660	18.35	100	0.3
	3/8	13279	18.56	13663	18.56	100	0.4
	1/2	13282	19.66			100	0.5
	5/8	13285	23.56			100	0.6
5/16" 5/32 Hex UNC 18 TPI UNF 24 TPI	3/4	13288	27.47			100	0.7
	1/4	13309	20.88	13681	20.88	100	0.4
	5/16	13312	18.68	13684	18.68	100	0.5
3/8" 3/16 Hex UNC 16 TPI UNF 24 TPI	3/8	13315	18.92	13687	18.92	100	0.6
	1/2	13321	20.27	13690	20.27	100	0.8
1/2" 1/4 Hex UNC 13 TPI	3/8	13354	21.98	13711	21.98	100	0.8
	1/2	13360	23.56	13714	23.56	100	1.1
	5/8	13363	26.61			100	1.2
	3/4	13366	28.45			100	1.3
	1/2	13426	124.59			100	2.4

Camcar® Precision Hardened Ground Machine Dowel Pins

Inch Sizes



Product Description

- Heat-treated alloy steel
- Standard size (.0002 over nominal diameter)

Pricing Notes

- Net price per 100
- Bulk pricing available upon request

Dia. Overall	Length	EDP No.	Price per 100	Count/Box	Wt./ Box (Lbs)
1/16"	3/16	15766	27.36	100	0.05
	1/4	15769	27.74	100	0.05
	3/8	15775	28.11	100	0.1
	1/2	15781	29.37	100	0.1
	5/8	15784	29.62	100	0.1
	3/4	15787	30.00	100	0.1
3/32"	3/16	15736	25.98	100	0.06
	1/4	15739	26.11	100	0.06
	5/16	15742	26.23	100	0.06
	3/8	15745	26.48	100	0.06
	7/16	15748	27.36	100	0.1
	1/2	15751	27.86	100	0.1
	5/8	15754	28.36	100	0.1
	3/4	15757	28.62	100	0.1
1/8"	1	15763	28.87	100	0.2
	3/8	15802	26.99	100	0.5
	1/2	15808	27.36	100	0.5
	5/8	15811	27.60	100	0.5
	3/4	15814	28.96	100	0.5
	7/8	15817	31.30	100	0.5
	1	15820	34.01	100	0.5
	1-1/4	15826	34.87	100	0.5
	1-1/2	15832	40.29	100	0.5
	1-3/4	15835	43.99	100	0.5
3/16"	2	15838	48.30	100	0.5
	1/2	15841	29.08	100	0.5
	5/8	15844	29.82	100	0.5
	3/4	15847	32.04	100	0.5
	7/8	15850	34.01	100	0.5
	1	15853	35.49	100	1.0
	1-1/4	15859	39.43	100	1.0
	1-1/2	15865	43.62	100	1.0
	1-3/4	15868	48.43	100	1.5
2	15871	53.85	100	1.5	
1/4"	1/2	15874	32.65	100	0.5
	5/8	15877	34.38	100	1.0
	3/4	15880	35.00	100	1.0
	7/8	15883	38.20	100	1.5
	1	15886	39.19	100	1.5
	1-1/4	15892	42.64	100	2.0
	1-1/2	15898	47.81	100	2.0
	1-3/4	15901	54.10	100	2.5
	2	15904	59.89	100	3.0
	2-1/4	15907	73.07	100	3.5
2-1/2	15910	74.43	100	3.5	

Dia. Overall	Length	EDP No.	Price per 100	Count/Box	Wt./ Box (Lbs)
5/16"	1/2	15919	40.17	100	1.0
	5/8	15922	42.14	100	1.5
	3/4	15925	43.50	100	1.5
	7/8	15928	44.58	100	2.0
	1	15931	44.73	100	2.0
	1-1/4	15937	49.54	100	3.0
	1-1/2	15943	55.45	100	3.5
	1-3/4	15946	67.28	100	4.0
	2	15952	72.58	100	4.5
	2-1/2	15958	90.32	100	5.5
	3	15961	107.95	100	6.5
	3/8"	1/2	15967	49.29	20
5/8		15970	51.14	20	0.4
3/4		15973	52.49	20	0.5
7/8		15976	53.85	20	0.6
1		15979	54.59	20	0.7
1-1/4		15985	58.53	20	0.8
1-1/2		15991	66.54	20	1.0
1-3/4		15994	76.40	20	1.1
2		15997	84.04	20	1.3
2-1/4		16000	91.93	20	1.4
7/16"	2-1/2	16003	104.74	20	1.6
	3	16009	129.26	20	1.9
	1	16021	101.42	20	0.9
1/2"	1-1/4	16024	109.31	20	1.0
	1-1/2	16027	117.19	20	1.3
	2	16033	132.97	20	2.1
	3/4	16051	108.56	20	0.8
	1	16057	114.97	20	1.1
	1-1/4	16060	122.49	20	1.4
	1-1/2	16063	130.13	20	1.7
	1-3/4	16066	138.51	20	2.0
	2	16069	154.03	20	2.2
5/8"	2-1/4	16072	173.13	20	2.5
	2-1/2	16075	185.58	20	2.8
	3	16081	220.82	20	3.3
	1	16096	194.96	10	1.0
	1-1/4	16099	197.05	10	1.1
	1-1/2	16102	204.95	10	1.3
	1-3/4	16106	237.71	10	1.5
5/8"	2	16108	257.29	10	1.8
	2-1/2	16114	302.85	10	2.3
	3	16120	359.33	10	2.6

For complete technical information, consult the Camcar Technical Manual, available from your customer service representative at Decorah Operations.

Camcar® Socket Head Cap Screws - ANSI/ASME B18.3.1M

Metric Sizes



Product Description

- Class 12.9
- Standard package
- Meets ANSI/ASME B18.3.1M

Pricing Notes

- Net price per 100 available in listed thread series only
- Bulk pricing upon request

Dia. Thread Pitch Key Size	Length under Head	Hex EDP No.	Price per 100	Count/Box	Weight /Box (Lbs)
M3 0.5 Pitch 2.5mm Hex	6	60003	21.57	100	0.164
	8	60005	19.41	100	0.182
	10	60007	19.65	100	0.201
	12	60009	20.49	100	0.220
	16	60011	20.85	100	0.258
	20	60013	21.57	100	0.296
	25	60015	25.76	100	0.356
M4 0.7 Pitch 3mm Hex	8	60025	19.65	100	0.360
	10	60027	20.00	100	0.394
	12	60029	20.85	100	0.428
	16	60031	21.81	100	0.495
	20	60033	23.36	100	0.562
	25	60035	26.36	100	0.646
	30	60037	26.53	100	0.777
	35	60039	27.91	100	0.885
	40	60041	33.14	100	0.993
M5 0.8 Pitch 4mm Hex	45	60043	36.87	100	1.08
	50	60045	42.36	100	1.16
	8	60047	24.56	100	0.618
	10	60049	21.57	100	0.672
	12	60051	23.36	100	0.725
	16	60053	24.44	100	0.832
	20	60055	25.16	100	0.940
M6 1.0 Pitch 5mm Hex	25	60057	25.87	100	1.07
	30	60059	27.19	100	1.26
	10	60071	21.32	100	1.04
	12	60073	22.04	100	1.12
	16	60075	23.36	100	1.27
	20	60077	24.44	100	1.43
	25	60079	26.12	100	1.62
	30	60081	28.04	100	1.81
	35	60083	32.34	100	2.12
	40	60085	34.14	100	2.36
	50	60089	38.38	100	2.84

Dia. Thread Pitch Key Size	Length under Head	Hex EDP No.	Price per 100	Count/Box	Weight /Box (Lbs)
M8 1.25 Pitch 6mm Hex	12	60103	28.29	100	2.37
	16	60105	28.90	100	2.64
	20	60107	30.24	100	2.92
	25	60109	33.38	100	3.28
	30	60111	35.56	100	3.67
	35	60113	38.70	100	3.96
	40	60115	40.76	100	4.31
	50	60119	49.21	100	5.30
	M10 1.5 Pitch 8mm Hex	16	60133	42.81	100
20		60135	43.30	100	5.02
25		60137	44.38	100	5.57
30		60139	46.44	100	6.12
35		60141	50.80	100	6.72
40		60143	54.79	100	7.22
45		60145	58.05	50	3.88
50		60147	62.05	50	4.31
60		60151	77.17	50	5.03
70		60155	99.78	50	5.70
M12 1.75 Pitch 10mm Hex		20	60165	87.08	50
	25	60167	90.46	50	4.04
	30	60169	93.12	50	4.43
	35	60171	104.49	50	4.89
	40	60173	120.58	50	5.23
	45	60175	131.35	50	5.63
	50	60177	139.21	50	6.02
	55	60179	151.18	25	3.21
	60	60181	160.98	25	3.50

For complete technical information, consult the Camcar Technical Manual, available from your customer service representative at Decorah Operations.

Camcar® Socket Head Cap Screws - ISO 4762

Metric Sizes



Product Description

- Class 12.9
- Standard package
- Meets ISO 4762

Pricing Notes

- Net price per 100 available in listed thread series only
- Bulk pricing upon request

Dia. Thread Pitch Key Size	Length under Head	Hex EDP No.	Price per 100	Count/Box	Weight/Box (Lbs)
M1.6 0.35 Pitch 1.5mm Hex	3	76021	29.40	25	0.010
	4	76024	30.54	25	0.010
	5	76027	30.60	25	0.010
	6	76030	31.36	25	0.010
M2 0.4 Pitch 1.5mm Hex	3	76000	27.40	50	0.010
	4	76003	27.80	100	0.051
	5	76006	28.72	100	0.055
	6	76009	30.86	100	0.059
	8	76012	33.02	100	0.067
	10	76015	35.14	100	0.075
M2.5 0.45 Pitch 2mm Key	12	76018	37.70	100	0.083
	4	76042	19.72	50	0.043
	5	76045	21.40	50	0.046
	6	76044	32.40	50	0.049
	8	76051	33.96	50	0.056
	10	76054	34.80	50	0.062
	12	76057	36.60	50	0.069
M2.6 0.45 Pitch 2mm Key	16	76060	43.60	50	0.081
	20	76063	56.60	25	0.047
	8	76033	36.20	50	0.058
	10	76036	48.40	50	0.065
M3 0.5 Pitch 2.5mm Key	12	76039	48.80	50	0.072
	4	76066	21.06	100	0.145
	5	76069	21.40	100	0.154
	6	76072	21.57	100	0.164
	8	76075	19.41	100	0.182
	10	76078	19.65	100	0.201
	12	76081	20.49	100	0.220
	14	76084	20.67	100	0.239
	16	76087	20.85	100	0.258
	18	76090	21.21	100	0.277
	20	76093	21.57	100	0.296
	22	76096	23.67	100	0.315
	25	76099	25.76	100	0.356
	30	76102	28.01	100	0.402
	35	76105	36.23	50	0.225
40	76108	44.45	25	0.125	
50	76111	52.81	25	0.148	

Dia. Thread Pitch Key Size	Length under Head	Hex EDP No.	Price per 100	Count/Box	Weight/Box (Lbs)
M4 0.7 Pitch 3.0mm Hex	5	76114	25.08	100	0.310
	6	76117	19.51	100	0.327
	8	76120	19.65	100	0.360
	10	76123	20.00	100	0.394
	12	76129	20.85	100	0.428
	14	76132	21.65	100	0.461
	16	76135	22.44	100	0.495
	18	76138	22.90	100	0.528
	20	76141	23.36	100	0.562
	22	76144	24.86	50	0.298
	25	76147	26.36	50	0.320
	30	76150	26.53	50	0.389
	35	76153	27.91	50	0.443
	40	76156	33.14	50	0.497
	45	76126	36.87	50	0.540
	50	76159	42.36	50	0.580
	55	76162	69.10	25	0.313
	60	76165	70.80	25	0.333
	70	76168	110.20	10	0.150
	80	76171	176.00	10	0.167

Camcar® Socket Head Cap Screws - ISO 4762, *continued*

Metric Sizes

Dia. Thread Pitch Key Size	Length under Head	Hex EDP No.	Price per 100	Count/Box	Weight/Box (Lbs)
M5 0.8 Pitch 4.0mm Hex	6	76174	26.72	100	0.570
	8	76177	24.56	100	0.618
	10	76180	21.57	100	0.672
	12	76183	23.36	100	0.725
	14	76186	23.72	100	0.779
	15	76189	24.08	100	0.806
	16	76192	24.44	100	0.832
	18	76195	24.80	100	0.886
	20	76198	25.16	100	0.940
	22	76201	25.52	50	0.497
	25	76204	25.87	50	0.535
	30	76207	27.19	100	1.260
	35	76210	33.58	100	1.300
	40	76213	34.56	100	1.460
	45	76216	38.89	100	1.630
	50	76219	41.81	100	1.940
	55	76222	47.52	25	0.518
	60	76225	56.86	25	0.550
	65	76228	58.12	25	0.585
	70	76231	61.60	25	0.618
75	76234	66.08	25	0.650	
80	76237	151.10	25	0.685	
90	76240	152.90	10	0.301	
100	76243	171.22	10	0.327	
120	76246	176.40	10	0.381	

Dia. Thread Pitch Key Size	Length under Head	Hex EDP No.	Price per 100	Count/Box	Weight/Box (Lbs)
M6 1.0 Pitch 5.0mm Key	6	76249	25.12	100	0.890
	8	76252	23.41	100	0.966
	10	76255	21.32	100	1.040
	12	76258	22.04	100	1.120
	14	76261	22.90	100	1.200
	15	76264	23.23	100	1.240
	16	76267	23.36	100	1.270
	18	76270	23.90	100	1.350
	20	76273	24.44	100	1.430
	22	76276	25.28	50	0.750
	25	76279	26.12	50	0.810
	30	76282	28.04	50	0.905
	35	76285	32.34	50	1.060
	40	76288	34.14	50	0.590
	45	76291	36.26	50	0.650
	50	76294	38.38	50	0.710
	55	76297	56.44	50	0.775
	60	76300	59.92	25	0.168
	65	76303	65.50	25	0.440
	70	76306	72.60	25	0.930
75	76309	80.13	25	0.980	
80	76312	83.48	25	1.030	
90	76315	90.30	10	0.448	
100	76324	110.66	10	0.488	
110	76318	186.88	10	0.526	
120	76321	252.90	5	0.282	

For complete technical information, consult the Camcar Technical Manual, available from your customer service representative at Decorah Operations.

Camcar® Socket Head Shoulder Screws

Metric Sizes



Product Description

- Heat-treated alloy steel
- Meets ANSI/ASME B18.3.3M

Pricing Notes

- Net price per 100 unless otherwise noted
- Bulk pricing upon request


Shoulder Dia. Recess Size	Shoulder Length	EDP No.	Thread Dia.	Thread Pitch	Price per 100	Ct./ Box	Wt. /Box (Lbs)
4mm 2mm Hex	6mm	81387	M3	0.5	228.87	25	0.4
	8mm	81390	M3	0.5	231.03	25	0.4
	12mm	81393	M3	0.5	232.88	25	0.4
	16mm	81396	M3	0.5	234.63	25	0.4
	20mm	81399	M3	0.5	236.80	25	0.4
5mm 2.5mm Hex	6mm	81402	M4	0.7	234.53	25	0.4
	8mm	81405	M4	0.7	235.87	25	0.4
6mm 3mm Hex	6mm	81408	M5	0.8	238.75	25	0.6
	14mm	81411	M5	0.8	239.58	25	0.6
8mm 4mm Hex	14mm	81414	M6	1	286.55	25	0.6
10mm 5mm Hex	14mm	81417	M8	1.3	472.05	25	1.0

Shoulder Dia. Recess Size	Shoulder Length	EDP No.	Thread Dia.	Thread Pitch	Price	Ct./ Box	Wt. /Box (Lbs)
12mm 6mm Hex	10mm	81420	M10	1.5	18.33 each	10	1.0
	14mm	81423	M10	1.5	19.36 each	10	1.0
16mm 8mm Hex	14mm	81426	M12	1.75	23.18 each	10	1.0
20mm 10mm Hex	20mm	81429	M16	2.0	27.40 each	10	2.0
	25mm	81432	M16	2.0	28.12 each	10	2.0
24mm 12mm Hex	40mm	81435	M20	2.5	47.17 each	10	2.0
	45mm	81438	M20	2.5	48.93 each	10	2.0
	55mm	81441	M20	2.5	50.78 each	10	2.0

For complete technical information, consult the Camcar Technical Manual, available from your customer service representative at Decorah Operations.

Camcar® Socket Countersunk Flat Head Screws

Metric Sizes



Product Description

- Heat-treated alloy steel
- Meets ANSI/ASME B18.3.4M

Pricing Notes

- Net price per 100 available in listed thread series only
- Bulk pricing upon request

Diameter Thread Pitch Key Size	Length under Head	Hex EDP No.	Price per 100	Ct./Box	Weight/ Box (Lbs)
M3 0.50 Pitch 2mm Hex	6	77000	22.25	100	0.106
	8	60277	22.98	100	0.109
	10	60279	24.67	100	0.128
	12	60281	25.40	100	0.147
	16	60283	27.09	100	0.177
	20	77003	28.63	100	0.224
	25	77006	30.47	100	0.272
M4 0.70 Pitch 2.5mm Hex	8	60287	24.67	100	0.214
	10	60289	25.28	100	0.247
	12	60291	26.37	100	0.281
	16	60293	27.09	100	0.347
	20	77009	28.29	100	0.416
	25	77012	29.32	100	0.500
	30	77015	30.92	100	0.584
	35	77018	33.43	100	0.712
M5 0.80 Pitch 3mm Hex	40	77021	35.48	100	0.819
	8	77024	27.39	100	0.374
	10	60303	28.30	100	0.429
	12	60305	28.54	100	0.482
	16	60307	29.15	100	0.589
	20	60309	29.76	100	0.697
	25	60311	33.99	100	0.831
	30	77027	36.05	100	0.964
	35	77030	38.11	100	1.10
	40	77033	42.11	100	1.32
M6 1.00 Pitch 4mm Hex	50	77036	46.90	100	1.65
	8	77039	26.13	100	.573
	10	77042	26.92	100	.650
	12	60319	27.82	100	.728
	16	60321	28.54	100	.881
	20	60323	30.84	100	1.04
	25	60325	35.56	100	1.23
	30	60327	41.24	100	1.42
	35	60329	47.29	100	1.61
	40	77045	49.98	100	1.80
	45	77048	52.03	100	2.14
	50	77051	54.88	100	2.38

Diameter Thread Pitch Key Size	Length under Head	Hex EDP No.	Price per 100	Ct./Box	Weight/ Box (Lbs)
M8 1.25 Pitch 5mm Hex	10	77054	39.93	100	1.34
	12	77057	41.19	100	1.48
	16	60337	42.09	100	1.76
	20	60339	43.05	100	2.04
	25	60341	44.75	100	2.39
	30	60343	47.29	100	2.74
	35	60345	51.77	100	3.08
	40	60347	52.09	100	3.43
	45	77060	52.60	100	3.78
	50	77063	56.25	100	4.84
	60	77066	65.15	100	5.70
M10 1.50 Pitch 6mm Hex	70	77069	75.30	100	6.56
	16	77072	51.46	100	3.05
	20	60351	53.94	100	3.49
	25	60353	54.43	100	4.04
	30	60355	59.02	100	4.59
	35	77075	62.29	100	5.13
	40	77078	65.15	100	5.68
	45	77082	69.48	100	6.23
	50	77085	73.14	100	6.78
	60	77088	82.15	100	9.26
M12 1.75 Pitch 8mm Hex	70	77091	92.42	100	10.62
	20	77094	109.99	50	2.66
	25	77097	113.30	50	3.06
	30	77100	121.06	50	3.46
	35	77103	125.28	50	3.85
40	77106	132.81	50	4.25	

For complete technical information, consult the Camcar Technical Manual, available from your customer service representative at Decorah Operations.

Camcar® Button Head Screws

Metric Sizes



Product Description

- Heat-treated alloy steel
- Meets ANSI/ASME B18.3.5M

Pricing Notes

- Net price per 100
- Bulk pricing upon request

Diameter Thread Pitch Key Size	Length under Head	Hex EDP No.	Price per 100	Count/Box	Weight /Box (Lbs)
M3 0.50 Pitch 2mm Hex	6	77109	16.09	100	.102
	8	60405	16.93	100	.118
	10	60407	17.29	100	.137
	12	60409	18.14	100	.156
	16	77112	19.39	100	.198
M4 0.70 Pitch 2.5mm Hex	8	60411	19.11	100	.237
	10	60413	19.83	100	.271
	12	60415	20.44	100	.304
	16	60417	22.37	100	.371
M5 0.80 Pitch 3mm Hex	10	60419	19.83	100	.469
	12	60421	20.32	100	.506
	16	60423	22.37	100	.630
	20	77115	25.21	100	.755
	25	77118	28.07	100	.889
M6 1.00 Pitch 4mm Hex	30	77121	30.12	100	1.02
	10	60431	20.56	100	.667
	12	60433	21.29	100	.744
	16	60435	23.34	100	.897
	20	60437	24.79	100	1.05
	25	60439	28.29	100	1.24
30	77124	30.92	100	1.46	

Diameter Thread Pitch Key Size	Length under Head	Hex EDP No.	Price per 100	Count/Box	Weight /Box (Lbs)
M8 1.25 Pitch 5mm Hex	10	77127	27.95	100	1.46
	12	60445	28.55	100	1.60
	16	60447	28.90	100	1.71
	20	60449	29.15	100	2.15
	25	60451	33.63	100	2.50
	30	60453	37.49	100	2.84
	35	77130	38.68	100	3.19
	40	77133	41.19	100	3.54
M10 1.50 Pitch 6mm Hex	16	77136	42.45	100	3.23
	20	60459	44.02	100	3.67
	25	60461	51.27	100	4.24
	30	60463	58.53	100	4.77
	35	77139	61.16	100	5.31
M12 1.75 Pitch 8mm Hex	40	77142	62.98	100	5.86
	16	77145	90.48	50	2.51
	20	77148	94.81	50	2.83
	25	77151	98.13	50	3.22
	30	77154	101.89	50	3.62
	35	77157	106.80	50	4.02
	40	77160	110.22	50	4.41
	50	77163	116.38	50	5.21

For complete technical information, consult the Camcar Technical Manual, available from your customer service representative at Decorah Operations.

WARRANTY

STANLEY Engineered Fastening makes no warranty, express or implied, except that goods sold by description, sample or model shall substantially conform to the description, sample or model, and in such case, the responsibility of STANLEY Engineered Fastening shall be limited to the replacement of nonconforming goods returned to STANLEY Engineered Fastening within one month after delivery to Buyer (f.o.b. at point of delivery to carrier), provided that such goods have been solely used for the purpose for which manufactured. All replaced goods are to be returned to STANLEY Engineered Fastening after receiving authorization from STANLEY Engineered Fastening. This warranty does not apply when any physical or chemical change in the form of the product is made by the Buyer or any other party. There are no warranties which extend beyond the description stated herein. STANLEY Engineered Fastening shall not otherwise be liable for any costs or expenses incurred in the replacement of any defective or nonconforming products and in no event shall STANLEY Engineered Fastening be liable for incidental or consequential damages.

The foregoing warranty and such other warranties made by STANLEY Engineered Fastening, as are expressly stated herein, are specifically in lieu of any other warranties, express or implied, including the implied warranties of merchantability and fitness for a particular purpose.

The selection of this product for a particular application or use is the responsibility of the customer. The applications engineers at Decorah Operations are available to assist customers in selecting the appropriate product for a particular application or use. All warranties are void if the product is plated or modified in any manner by any person other than STANLEY Engineered Fastening.

STANLEY Engineered Fastening has strived for total accuracy throughout this catalog.

However, STANLEY Engineered Fastening shall not be liable or responsible for any typographical errors that may occur. If any questions arise as to the accuracy within this catalog, please contact the applications engineers at Decorah Operations.

STANLEY
Engineered Fastening

Decorah Operations

1304 Kerr Drive • Decorah, IA 52101-2494

voice: 563.382.4216

fax: 563.387.3326

www.stanleyengineeredfastening.com

Powerful Brands. Breakthrough Solutions.

At STANLEY Engineered Fastening we believe in seeking ways to serve our customers better. We create the future by anticipating our customers needs. Through diversifying our product lines, creating unique assembly technologies and offering a breadth of service to meet the demands of industry worldwide, STANLEY Engineered Fastening provides technological solutions to over 100 different industries.



Avdel®

Avdel has been producing assembly systems since 1936 and offers a comprehensive range of fasteners and tooling.



POP®

From 2mm micro rivets to 1/4" structural rivets, POP blind rivets meet the needs of multiple markets.



Dodge®

With a focus on high-quality threaded inserts for plastics products, Dodge has been a leader in the fastening market since the 1950s.



Spiralock®

Spiralock is a technologically superior fastening system ideally suited for threaded joint applications subjected to heavy shock and vibration.



Gripco®

Gripco has been providing quality nut and threaded assembled products since 1904.



STANLEY Assembly Technologies

STANLEY Assembly Technologies supplies production solutions to the global assembly market.



Heli-Coil®

Based on a long history that began in the aerospace industry, Heli-Coil offers a vast range of high-quality thread inserts. Heli-Coil products available through Authorized Distributors or Licensed Global Partners.



Tucker®

A one-sided drawn-arc welding process is the foundation of the Tucker No-Hole assembly solution.



iForm®

iForm continues a proud heritage since 1969 and represents over 40 years of creative threaded fastener application engineering.



Warren®

Whether it's plastic, metal, or a combination of the two, Warren can design a product that will suit your environment.

STANLEY®

Engineered Fastening







STANLEY Engineered Fastening, a Stanley Black & Decker Inc. Company has been revolutionizing fastening and assembly technologies for a variety of industries for more than 40 years.

For more information, please visit our website
[StanleyEngineeredFastening.com](http://www.stanleyengineeredfastening.com)

Quick Links:

- ▶ Our locations
<http://www.stanleyengineeredfastening.com/contact/global-locations>
- ▶ Request Information
<http://www.stanleyengineeredfastening.com/econtact/request-information>
- ▶ Resource Center
<http://www.stanleyengineeredfastening.com/resource-center>



 Above Board Electronics, Inc.	Request Info   	1-800-453-1692 www.aboveboardelectronics.com
---	---	--

© 2016 Stanley Black & Decker, Inc., PTF SSC, Rev. 02.2017

Camcar®, Raycar®, TORX®, TORX PLUS® are trademarks of Acument Intellectual Properties LLC.

Data shown is subject to change without prior notice as a result of continuous product development and improvement policy. The information in this catalog is not to be considered a specification. Your local STANLEY Engineered Fastening representative is at your disposal should you need to confirm latest information.