

February 1981 \$2.95

# 73 MAGAZINE

FOR RADIO AMATEURS

Secrets of Successful  
Ham Classes

Olympic Torch Relay:  
Insiders Tell the Real Story

Who Does Make FCC Rules?



# tempo does it again



## THE WORLD'S FIRST 440 MHz SYNTHESIZED HAND HELD RADIO

Tempo was the first with a synthesized hand held for amateur use, first with a 220 MHz synthesized hand held, first with a 5 watt output synthesized hand held...and once again first in the 440 MHz range with the S-4, a fully synthesized hand held radio. Not only does Tempo offer the broadest line of synthesized hand helds, but its standards of reliability are unsurpassed...reliability proven through millions of hours of operation. No other hand held has been so

thoroughly field tested, is so simple to operate or offers so much value. The Tempo S-4 offers the opportunity to get on 440 MHz from where ever you may be. With the addition of a touch tone pad and matching power amplifier its versatility is also unsurpassed.

The S-4...\$349.00  
With 12 button touch tone pad...\$399.00  
With 16 button touch tone pad...\$419.00  
S-40 matching 40 watt output  
13.8 VDC power amplifier...\$149.00

### Specifications:

Frequency Coverage: 440 to 449.995 MHz  
Channel Spacing: 25 KHz minimum  
Power Requirements: 9.8 VDC  
Current Drain: 17 ma-standby 400 ma-transmit (1 amp high power)  
Antenna Impedance: 50 ohms  
Sensitivity: Better than .5 microvolts nominal for 20 db  
Supplied Accessories: Rubber flex antenna 450 ma ni-cad battery pack, charger and earphone  
RF output Power: Nominal 3 watts high or 1 watt low power  
Repeater Offset:  $\pm 5$  MHz

### Optional Accessories for all models

12 button touch tone pad (not installed): \$39 • 16 button touch tone pad (not installed): \$48 • Tone burst generator: \$29.95  
• CTCSS sub-audible tone control: \$29.95 • Leather holster: \$20 • Cigarette lighter plug mobile charging unit: \$6

### TEMPO VHF & UHF SOLID STATE POWER AMPLIFIERS

Boost your signal... give it the range and clarity of a high powered base station. VHF (135 to 175 MHz)

Drive Power	Output	Model No.	Price
2W	130W	130A02	\$209
10W	130W	130A10	\$189
30W	130W	130A30	\$199
2W	80W	80A02	\$169
10W	80W	80A10	\$149
30W	80W	80A30	\$159
2W	50W	50A02	\$129
2W	30W	30A02	\$ 89

UHF (400 to 512 MHz) models, lower power and FCC type accepted models also available.



✓ 34

# Henry Radio

2050 S. Bundy Dr., Los Angeles, CA 90025 (213) 820-1234  
931 N. Euclid, Anaheim, CA 92801 (714) 772-9200  
Butler, Missouri 64730 (816) 679-3127

TOLL FREE ORDER NUMBER: (800) 421-6631

For all states except California.  
Calif. residents please call collect on our regular numbers.  
Prices subject to change without notice.

Please note, as of Dec. 1, 1980 we will occupy our new world headquarters building with a new Los Angeles address and phone number.

### Tempo S-1

The first and most thoroughly field tested hand held synthesized radio available today. Many thousands are now in use and the letters of praise still pour in. The S-1 is the most simple radio to operate and is built to provide years of dependable service. Despite its light weight and small size it is built to withstand rough handling and hard use. Its heavy duty battery pack allows more operating time between charges and its new lower price makes it even more affordable.

### Tempo S-5

Offers the same field proven reliability, features and specifications as the S-1 except that the S-5 provides a big 5 watt output (or 1 watt low power operation). They both have external microphone capability and can be operated with matching solid state power amplifiers (30 watt or 80 watt output). Allows your hand held to double as a powerful mobile or base radio.

S-30...\$89.00\*

S-80...\$149.00\*

\*For use with S-1 and S-5

### Tempo S-2

With an S-2 in your car or pocket you can use 220 MHz repeaters throughout the U.S. It offers all the advanced engineering, premium quality components and features of the S-1 and S-5. The S-2 offers 1000 channels in an extremely lightweight but rugged case.

If you're not on 220 this is the perfect way to get started. With the addition of the S-20 Tempo solid state amplifier it becomes a powerful mobile or base station. If you have a

220 MHz station, the S-2 will add tremendous versatility.  
Price...\$349.00 (With touch tone pad installed...\$399.00)  
S-20...\$89.00

# New! AZDEN® PCS 3000

## BLAZING THE FRONTIER OF MICROCOMPUTER COMMUNICATIONS



**SUPERIOR  
COMMERCIAL GRADE  
2-METER FM TRANSCEIVER**

INTRODUCTORY OFFER  
**\$339<sup>00</sup>**

COMPARE THESE FEATURES WITH **ANY** UNIT AT **ANY** PRICE

- **8 MHZ FREQUENCY COVERAGE, INCLUDING CAP/MARS BUILT IN:** Receive and transmit 142.000 to 149.995 MHz in selectable steps of 5 or 10 kHz. **COMPARE!**
- **SIZE:** Unbelievable! Only 6¾" by 2¾" by 9¾"! **COMPARE!**
- **MICROCOMPUTER CONTROL:** All frequency control is carried out by a microcomputer.
- **MUSICAL TONE ACCOMPANIES KEYBOARD ENTRIES:** When a key is pressed, a brief musical tone indicates positive entry into the microcomputer. **COMPARE!**
- **PUSHBUTTON FREQUENCY CONTROL FROM MICROPHONE OR PANEL:** Frequency is selected by buttons on the front panel or microphone.
- **8 CHANNEL MEMORY:** Each memory channel is reprogrammable and stores the frequency and offset. Memory is backed up by a NICAD battery when power is removed.
- **INSTANT MEMORY 1 RECALL:** By pressing a button on the microphone or front panel, memory channel 1 may be accessed immediately.
- **MEMORY SCAN:** Memory channels may be continuously scanned for quick location of a busy or vacant frequency.
- **PROGRAMMABLE BAND SCAN:** Any section of the band may be scanned in steps of 5 or 10 kHz. Scan limits are easily reprogrammed.
- **DISCRIMINATOR SCAN CONTROL (AZDEN EXCLUSIVE PATENT):** The scanner stops by sensing the channel center, so the unit always lands on the correct frequency. **COMPARE** this with other units that claim to scan in 5-kHz steps!
- **THREE SCAN MODES WITH AUTO RESUME:** "Sampling" mode pauses at busy channels, then resumes. "Busy" mode stops at a busy channel, then resumes shortly after frequency clears. "Vacant" mode stops at a vacant channel and resumes when signal appears. If desired, auto resume may be prevented by pressing one button. **COMPARE!**
- **REMOVABLE HEAD:** The control head may be located as much as 15 feet away from the main unit using the optional connecting cable. **COMPARE!**
- **PL TONE OSCILLATOR BUILT IN:** Frequency is adjustable to access PL repeaters.
- **MICROPHONE VOLUME/SQUELCH CONTROL:** Both functions may be adjusted from either the microphone or front panel.
- **NON-STANDARD OFFSETS:** Three accessory offsets can be obtained for CAP/MARS or unusual repeater splits. CAP and Air Force MARS splits are **BUILT IN!** **COMPARE!**
- **25 WATTS OUTPUT:** Also 5 watts low power to conserve batteries in portable use.
- **GREEN FREQUENCY DISPLAY:** Frequency numerals are green LEDs for superior visibility.
- **RECEIVER OFFSET:** A channel lock switch allows monitoring of the repeater input frequency. **COMPARE!**
- **SUPERIOR RECEIVER:** Sensitivity is better than 0.28 uV for 20-dB quieting and 0.19 uV for 12-dB SINAD. The squelch sensitivity is superb, requiring less than 0.1 uV to open. The receiver audio circuits are designed for maximum intelligibility and fidelity. **COMPARE!**
- **ILLUMINATED KEYBOARD:** Keyboard backlighting allows it to be seen at night.
- **TRUE FM, NOT PHASE MODULATION:** Transmitted audio quality is optimized by the same high standard of design and construction as is found in the receiver. The microphone amplifier and compression circuits offer intelligibility second to none.
- **OTHER FEATURES:** Dynamic microphone, built-in speaker, mobile mounting bracket, external remote speaker jack (head and radio) and much, much more. All cords, plugs, fuses, microphone hanger etc. included. Weight: 6 lbs.
- **ACCESSORIES:** CS-ECK 15-foot remote cable ... \$35.00. CS-6R 6-amp ac power supply ... \$49.95. CS-AS remote speaker ... \$18.00. CS-TTK touch-tone® microphone kit ... \$39.95.

**AMATEUR-WHOLESALE ELECTRONICS** ORDER NOW TOLL FREE

8817 S.W. 129th Terrace, Miami, Florida 33176  
Telephone (305) 233-3631 • Telex: 80-3356  
HOURS: 9-5 Mon. thru Fri.  
U.S. DISTRIBUTOR DEALER INQUIRIES INVITED



**1-800-327-3102**

CREDIT CARD HOLDERS MAY USE OUR TOLL FREE ORDERING NUMBER.

# INFO

## Manuscripts

Contributions in the form of manuscripts with drawings and/or photographs are welcome and will be considered for possible publication. We can assume no responsibility for loss or damage to any material. Please enclose a stamped, self-addressed envelope with each submission. Payment for the use of any unsolicited material will be made upon acceptance. All contributions should be directed to the 73 editorial offices. "How to Write for 73" guidelines are available upon request.

## Editorial Offices:

Pine Street  
Peterborough NH 03458  
Phone: 603-924-3873, 924-3874

## Advertising Offices:

Elm Street  
Peterborough NH 03458  
Phone: 603-924-7138

## Circulation Offices:

Elm Street  
Peterborough NH 03458  
Phone: 603-924-7296

## Subscription Rates

In the United States and Possessions:  
One Year (12 issues) \$25.00  
Two Years (24 issues) \$38.00  
Three Years (36 issues) \$53.00

## Elsewhere:

Canada—\$27.00/1 year only, U.S. funds. Foreign surface mail—\$35.00/1 year only, U.S. funds. Foreign air mail—\$62.00/1 year only, U.S. funds.

## To subscribe, renew or change an address:

Write to 73 Magazine, Subscription Department, PO Box 931, Farmingdale NY 11737. For renewals and changes of address, include the address label from your most recent issue of 73. For gift subscriptions, include your name and address as well as those of gift recipients. Postmaster: Send form #3579 to 73 Magazine, Subscription Services, P.O. Box 931, Farmingdale, NY 11737.

## Subscription problem or question:

Write to 73 Magazine, Subscription Department, PO Box 931, Farmingdale NY 11737. Please include an address label.

73 Magazine (ISSN 0098-9010) is published monthly by 73, Inc., 80 Pine Street, Peterborough NH 03458. Second class postage paid at Peterborough NH 03458 and at additional mailing offices. Copyright (c) 1980 by 73, Inc. All rights reserved. No part of this publication may be reprinted or otherwise reproduced without written permission from the publisher. Microfilm Edition—University Microfilm, Ann Arbor MI 48106.

# Palomar Engineers



1520G Industrial Avenue, Escondido, CA 92025  
Telephone (714) 747-3343



\$349.95

## ANTENNA TUNER

**New Low Profile Design**  
Here is a new tuner that puts more power into your antenna, works from 160 through 10 meters, handles full legal power and then some, and works with coax, single wire and balanced lines. And it lets you tune up without going on the air!

## R-X NOISE BRIDGE \$55.00

- Learn the truth about your antenna.
- Find its resonant frequency.
- Adjust it to your operating frequency quickly and easily.

If there is one place in your station where you cannot risk uncertain results, it is in your antenna.

## IC KEYER \$117.50

All the desirable features are built into this compact self-contained unit. Sends manual, semi-automatic, dot memory, squeeze, and iambic. Speeds 5-50 wpm. Built-in sidetone, speaker, speed and volume controls.

## ANTENNA BALUNS

- Model 1K \$32.50  
1 Kw CW, 3 Kw PEP input.
- Model 2K \$42.50  
2 Kw CW, 6 Kw PEP input.
- Beam Balun \$47.50  
2 Kw CW, 6 Kw PEP input.  
Adjustable U bolt for mounting on rotary beams.

## VLF CONVERTER \$59.95

- New device open up the world of Very Low Frequency radio.
- Gives reception of the 1750 meter band at 160-190 KHz where transmitters of one watt power can be operated without FCC license.
- Also covers the navigation radiobeacon band, standard frequency broadcasts, ship-to-shore communications, and the European low frequency broadcast band.



1750 METER XMTR \$145.00

- Main transmitter assembly factory wired and tested.
- Antenna tuning assembly can be wired and mounted on your breadboard in less than an hour.
- Meets all F.C.C. requirements.
- For use in U.S.A. only. Not for Canada.

## LOOP ANTENNA

- Low noise reception.
- Nulls out interference.
- Accurate direction finder.
- Rotates 360° in azimuth. Tilts ±90° in elevation.
- Superb nulls.
- Loop amplifier connects to your receiver or to your VLF converter.
- Plug-in loops available for:  
1600-5000 KHz (160/80 meter amateur bands)  
550-1600 KHz (Broadcast Band)  
150-550 KHz (VLF, 1750 meter band)  
40-150 KHz (WWVB, Loran)  
10-40 KHz (Omega)  
5-15 MHz (Model HF-1)  
Loop Amplifier \$67.50; Plug-in Loop Antenna \$47.50 each.

Order today direct or from your favorite dealer. Include \$3 shipping/handling (\$4 for IC Keyer, \$10 for Antenna Tuner). Add sales tax in Calif. Free catalog on request.

### Winter Olympics Torch Run

— a one-year perspective  
..... KA2CNN/AAR2DE, KA2DBW 36

### New Life for Old Klystrons

— tips for microwave experimenters  
..... WA4WDL 46

### Add RTTY to Your Repeater

— voice operation is preserved  
..... WB4EMI 48

### Build a 60-Hz Frequency Monitor

— keep the power company on its toes  
..... KØYMJ 72

### Feelin' No Pain

— expedition to Luckenbach  
..... W5QJM 74

### Operating Overseas

— licensing facts for traveling hams  
..... A2CPS 78

### Stalking the Elusive Ground Fault

— a real-life adventure..... W5OS 82

### An Operating Console with Class

— customize to your heart's desire  
..... W8GI 84

# 73 MAGAZINE

feb. 81



### A Patch for the TS-120S

— add phone patch compatibility  
..... W5JJ 50

### Successful Ham Classes

— a guide for club organizers  
..... WB1FOD 56

### How FCC Rules Are Made

— a labyrinthine tale..... WD4DAZ 62

### A \$10 Phone Patch

— CQ Ma Bell..... N1II 68

### Two Stations on One Antenna

— Impossible? Guess again!  
..... WA4RRB, WB4INC 70

### Add-On Capacitance Meter

— works with your counter  
..... W4FEC 86

### Better Pilot Lights

— LEDs are the "in" thing..... K4ZHM 89

### Caution: Solid-State Finals

— learn to live with no-tune radios  
..... N1II 90

### Under Software Control

— a repeater control system  
with minimal hardware  
..... WD8CHH 94

### The Fun-Mitter— A Goof-Proof Rf Project

— fail-safe QRP rig uses Radio Shack  
parts..... WAØRBR 100

Never Say Die— 6, Looking West— 14, RTTY Loop— 16, Contests— 18, Awards— 22, OSCAR Orbits— 24, Fun!  
— 26, Letters— 28, New Products— 30, Review— 32, Ham Help— 108, 114, 119, 120, 124, Social Events— 112,  
Corrections— 124, Dealer Directory— 145, Propagation— 145

Cover: Photo by James Boesch WB3DBV, East Greenville PA.

# W2NSD/1 NEVER SAY DIE

editorial by Wayne Green



## HARC BOMB

That's the Hudson Division ARRL Convention... an almost complete disaster according to the few survivors. Hardly any exhibitors and one of the most scant attendances of any HARC Convention. Lest I be given a hard time for just reporting the debacle without making some suggestions for the improvement of the show, I'd like to suggest that the event be put in the hands of someone competent... that a decent program be devised which features someone who will attract attendance... that manufacturers and dealers be provided with low-cost exhibit facilities... that the event be advertised in more than just one ham magazine... and be run near New York City.

A ham convention is a show which has costs running into the tens or even hundreds of thousands of dollars. In the hands of someone with no experience in promoting a show and with no ease in handling large sums of money, it is going to be screwed up. A show promoter has to know how to organize local clubs to get the work done... he has to be experienced in wheeling and dealing with hotels and exhibition centers... with caterers... with entertainment. He has to already know about advertising, PR, mailing lists, direct-mail work, mail order... etc. In other words, you do not turn a big business over to someone who has spent a lifetime working for the telephone company.

HARC has over 40,000 hams in the area, so they should be able to put on the biggest hamfest or convention in the country. They should be able to make even Dayton look sick. With that

kind of an attendance prospect a convention that draws under 1,000 is ridiculous.

How about turning to a show promoter... a professional? Well, maybe, but I've seen these birds work and they can screw you all ways to Sunday. They know all about skimming the gate, running up fake expenses, double billing... etc. I've seen some shows where it was obvious that \$50,000 or more was being skimmed off the top.

Hamfests and conventions can draw well if they are run right and well advertised. Our hobby is in desperate need of more successful hamfests, for these events help bring out prospective hams and build up their enthusiasm. They can also make a lot of money for those who do the work.

## KENWOOD

Visitors to Japan often arrive with a distorted idea of how ter-



A busy production line at Kenwood in Tokyo.

ribly expensive the visit is going to be. Hotels are on the high side, but certainly are no worse than in London and much of Europe. A visit to Tokyo can be an expensive experience if one is not wily unto the ways of the natives. I found it much like New York City, where meals come in all price ranges.

Not being able to completely overcome my frugal Yankee heritage, I tend to oscillate between a sort of fatalistic acceptance of the need to both give and enjoy lavish business entertainment and a lifetime of being thrifty. Thus, one evening I may be the guest (or even the host... aargh) of a fellow businessman and the next cadging free snacks in the food section of a Tokyo department store, armed with my best "I may buy some of this if I like it" smile.

The practice of almost all restaurants of having the food on display (plaster replicas, actually) in the front window, along with the price, makes it easy for the chintzy to shop for a cheap, but delicious meal. You can do nicely for \$6 or \$7, leaving the \$200 dinners for more important evenings. If you get desperate, there are a number of American fast-food chains waiting for you. McDonalds is just about everywhere in Japan, ready when your Big Mac attack comes... and it eventually comes to everyone visiting a truly foreign country.

If a Big Mac doesn't get you, then you'll be able to get a reasonable and familiar meal at a Kentucky Fried Chicken, a Dairy Queen, or a Shakey's ("All the pizz and flies you can eat"). There's even a Wendy's... right there on the Ginza (Broadway) in Tokyo, complete with a standard Frosty. I'm a very big fan of the Wendy's salad bar, but that has not yet been exported... and I've checked 'em out in Brussels, too.

This trip to Tokyo had three major purposes. That was enough to keep me busy day and night, rushing to a computer show to see what the latest in Japanese microcomputers might be like... then talking with prospective trading partners about Instant Software... and meeting hams and ham equipment people. With quite a number of the Japanese firms promising to start exporting microcomputers to the US in 1981, I wanted to see what they had to offer and get an idea of what the

# Small wonder.



## Processor, N/W switch, IF shift, DFC option

### TS-130S/V

An incredibly compact, full-featured, all solid-state HF SSB/CW transceiver for both mobile and fixed operation. It covers 3.5 to 29.7 MHz (including the three new Amateur bands!) and is loaded with optimum operating features such as digital display, IF shift, speech processor, narrow/wide filter selection (on both SSB and CW), and optional DFC-230 digital frequency controller. The TS-130S runs high power and the TS-130V is a low-power version for QRP applications.

#### TS-130 SERIES FEATURES:

- **80-10 meters, including three new bands**  
Covers all Amateur bands from 3.5 to 29.7 MHz, including the new 10, 18, and 24-MHz bands. Receives WWV on 10 MHz. VFO covers more than 50 kHz above and below each 500-kHz band.
- **Two power versions . . . easy operation**  
TS-130S runs 200 W PEP/160 W DC input on 80-15 meters and 160 W PEP/140 W DC on 12 and 10 meters. TS-130V runs 25 W PEP/20 W DC input on all bands. Solid-state, wideband final amplifier eliminates transmitter tuning, and receiver wideband RF amplifiers eliminate preselector peaking.
- **Built-in speech processor**  
Increases audio punch and average SSB output power, while suppressing sideband splatter.

#### • CW narrow/wide selection

"N-W" switch allows selection of wide and narrow bandwidths. Wide CW and SSB bandwidths are the same. Optional YK-88C (500 Hz) or YK-88CN (270 Hz) filter may be installed for narrow CW.

#### • SSB narrow selection

"N-W" switch allows selection of narrow SSB bandwidth to eliminate QRM, when optional YK-88SN (1.8 kHz) filter is installed. (CW filter may still be selected in CW mode.)

#### • Sideband mode selected automatically

LSB is selected on 40 meters and below, and USB on 30 meters and above. SSB REVERSE position is provided on the MODE switch.

#### • Built-in digital display

Six-digit green fluorescent tube display indicates actual operating frequency to 100 Hz. Also indicates external VFO or fixed-channel frequency, RIT shift, and CW transmit/receive shifts. Also analog subdial for backup frequency indication.

#### • IF shift

Allows IF passband to be moved away from interfering signals and sideband splatter.

#### • Single-conversion PLL system

Improves stability as well as transmit and receive spurious characteristics.

#### • Built-in RF attenuator

For optimum rejection of intermodulation distortion.

#### • Built-in VOX

For convenient SSB operation, as well as semibreak-in CW with sidetone.

#### • Effective noise blanker

Eliminates pulse-type interference such as ignition noise.

#### • Built-in 25-kHz marker

Accurate frequency reference for calibration.

#### • Compact and lightweight

Measures only 3-3/4 inches high, 9-1/2 inches wide, and 11-9/16 inches deep, and weighs only 12.3 pounds. It is styled to enhance the appearance of any fixed or mobile station.



#### Optional DFC-230 Digital Frequency Controller

Allows frequency control in 20-Hz steps with UP/DOWN microphone (supplied with DFC-230). Includes four memories (handy for split-frequency operation) and digital display. Covers 100 kHz above and below each 500-kHz band. Very compact.

Ask your Authorized Kenwood Dealer about the compact, full-featured, all solid-state TS-130 Series.


**NOTE:** Price, specifications subject to change without notice and obligation.

#### MATCHING ACCESSORIES FOR FIXED-STATION OPERATION:

- PS-30 base-station power supply (remotely switchable on and off with TS-130S power switch).
- SP-120 external speaker
- VFO-120 remote VFO
- MC-50 50kΩ/500Ω desk microphone
- YK-88C (500 Hz) and YK-88CN (270 Hz) CW filters
- YK-88SN (1.8 kHz) narrow SSB filter
- AT-130 compact antenna tuner (80-10 m, including 3 new bands)
- MB-100 mobile mounting bracket
- MC-30S and MC-35S noise cancelling hand microphones
- PC-1 phone patch
- TL-922A linear amplifier
- HS-5 and HS-4 headphones
- HC-10 world digital clock
- PS-20 base-station power supply for TS-130V

#### Other accessories not shown:

- SP-40 compact mobile speaker
- VFO-230 digital VFO with five memories



# STAFF

**PUBLISHER/EDITOR**  
Wayne Green W2NSD/1

**EXECUTIVE VICE PRESIDENT**  
Sherry Smythe

**ASSISTANT PUBLISHER/EDITOR**  
Jeff DeTray WB8BTH

**ASSOCIATE PUBLISHER/DIRECTOR OF PUBLICATIONS**  
Edward Farman WA1UFY

**MANAGING EDITOR**  
John Burnett

**ASST. MANAGING EDITOR**  
Susan Philbrick

**NEWS EDITOR**  
Gene Smarte WB8TOV

**EDITORIAL ASSISTANTS**  
Nancy Noyd  
Richard Phenix

**CONTRIBUTING EDITORS**  
Chris Brown KA1D  
Paul Grupp KB0NV/1

**ADMINISTRATIVE ASSISTANTS**  
Suzy Clyne  
Pat Graham

**ASSOCIATES**  
Robert Baker WB2GFE  
Jim Cain K1TN  
Bill Gosney KE7C  
Sanger Green  
Dave Ingram K4TWJ  
Larry Kahaner WB2NEL  
Joe Kasser G3ZCZ  
Dr. Marc Leavey WA3AJR  
Dave Mann K2AGZ  
Bill Pasternak WA8ITF  
John Schultz W4FA  
Peter Stark K2OAW

**MANUFACTURING MANAGER**  
Noel Sell WB1ARP

**PRODUCTION MANAGER/PUBLICATIONS**  
Nancy Salmon

**ASST. PRODUCTION MANAGER/PUBLICATIONS**  
Michael Murphy

**ART DIRECTOR**  
Diana Shonk

**ADVERTISING GRAPHICS MANAGER**  
Robert Drew

**PRODUCTION**  
Joan Ahern  
William Anderson III  
Steve Baldwin  
Linda Draw  
Bob Dukette  
Bruce Hedin  
Kenneth Jackson  
Ross Kenyon KA1GAV  
Maryann Metevier  
Theresa Ostebo  
Dion Owens  
Patrice Scribner  
Susan Symonds  
Thomas Villeneuve

**PHOTOGRAPHY**  
William Heydolph  
Terrie Anderson  
Bill Suttentfield

**TYPESSETTING**  
Barbara Latti  
Sara Bedell  
Mary Kinzell  
Karen Podzycki  
Michele DesRochers  
Linda Locke  
Luan Keddy

**CORPORATE CONTROLLER**  
Charles Garniss, Jr.

**EXECUTIVE ASSISTANT**  
Leatrice O'Neil

**ACCOUNTING MANAGER**  
Knud Keller KV4GG/1

**CIRCULATION MANAGER**  
Debra Boudrieau

**CIRCULATION**  
Doris Day  
603-924-7296  
Pauline Johnstone

**BULK SALES MANAGER**  
Ginnie Boudrieau

**ADVERTISING**  
603-924-7138  
Jim Gray W1XU, Mgr.  
Nancy Ciampa, Asst. Mgr.

American firms are really up against. I found out and the news is not good for the American firms.

Since the US is quite a bit ahead of Japan in the development of programs for microcomputers, I was interested in developing a market in Japan for the nearly 1,000 programs which my firm, Instant Software, has either released or has ready for release. I needed a good sized firm which could translate our programs and distribute them in Japan. Despite the shortness of my visit to Tokyo, both of these objectives seem to have been accomplished. Time will tell.

The way for a visit with the people at Kenwood was paved by Ken Bourne W6HX, their US marketing manager. Everything went off in style, from being picked up at the hotel and driven to the factory to my talks with their engineers and a look at their production and research departments.

In the last few months I've written a good deal about some ideas I have for advancing ham equipment. I was hoping Kenwood might be interested in some of these ideas and perhaps put them through their research lab and end up with some practical equipment for us. Some of these ideas were first discussed at the 1980 Ham Industry Conference in Aspen and others have evolved since then. I find that I brainstorm the best with a group of ham engineers so I was really looking forward to the session.

All of the top people at Trio-Kenwood whom I met were accomplished in English, so our talks were not slowed down by the need for translations. The meeting started off with a presentation to me by Mr. Toshio Okuhara, the managing director, of a complete TR-2400 system. This a wonderful Japanese custom and one which I'm going to try to import.

The Kenwood factory, while obviously efficient and well organized, was not remarkably different from some American firms I've visited. The quantities of units made is not large enough for the use of really automated systems such as I saw in Korea, where they were turning out color television sets with hardly any manual labor at all. No, the big difference between Kenwood and the American firms I've visited lies in their research laboratory. This was big, busy, and packed with avid hams.

The idea for a subaudible tone for automatic identification of ham rigs, which I have discussed in my editorials, certainly intrigued them. I think this one development alone could bring about major changes (for the better) in amateur radio. Obviously it would spark a whole new generation of transceivers... plus a lot of adapters for older rigs. This is just one more

## Well . . . I Can Dream, Can't I?

by Bandel Linn K4PP



"And under the terms of the will, your uncle is leaving you \$750,000—of which \$50,000 must be spent for ham gear."



*Simply...  
the Best*



## **ICOM IC-255A**

Features that have made the field proven and tested IC-255A the most popular 2 meter FM rig on the air today.

- ★ 25 W / 1 W battery saving output
- ★ Scanning (memory and programmable limit band scan), now with automatic scan resume
- ★ Programmable splits - Flexibility for new repeater offsets
- ★ Dual speed tuning - 15 KHz Steps, 5 KHz Steps with TS Switch depressed
- ★ 5 memory channels - For easy access to your favorite repeaters
- ★ Dual VFO's built in, lockable mobile mount, dynamic mic standard, RIT fine tuning.
- ★ Simple, easy to use single knob tuning system for mobile operation.





# **ICOM**

ICOM AMERICA, INCORPORATED

2112 116th Avenue N.E., Bellevue WA 98004, (206) 454-8155

3331 Towerwood Dr., Suite 307, Dallas, TX 75234, (214) 620-2780

All stated specifications are approximate and subject to change without notice or obligation. All ICOM radios significantly exceed FCC regulations limiting spurious emissions.



*The empty chassis starts at one end and comes out with everything ready for testing.*



*A custom which is curious to Japan is one of presenting a gift to a visitor. While I'm usually good for a free lunch, here you can see Mr. Okuhara, the managing director of Kenwood, presenting me with a complete TR-2400 hand transceiver system. . . in return for a measly magazine.*

marriage of digital electronics and amateur radio.

We also discussed some of the recent developments in narrowband single sideband which are promising us 5-kHz-wide repeaters for our VHF bands. Of course, if we are unable to get amateur radio back into a growth mode, we really won't need room for a whole lot more repeaters. I'm hoping that something can be done to get our growth back up over 10% so that eventually we'll be hurting for more repeater channels.

This meeting occurred before I'd bought one of the new Sony TC-300S stereo cassette recorders, so I hadn't yet come up with the idea for stereo double sideband. I did discuss DSB and its promise for providing up to 25 to 30 times more possible occupancy on our HF bands. I sure wish someone would start some work along that line. Will stereo

be even better? We'll see.

Our talking ran on into dinner-time, so they took Sherry and me to Tokyo's famous garden restaurant, Chinzan-So, a place for entertaining honored guests (I got that from the brochure I picked up at the restaurant). The food, the service, and the location were spectacular.

Sometimes I get a bit depressed over not having the time and the facilities which I wish I had. I'd love to get into a lab for a few weeks and come up with a working piece of hardware for automatic identification. During these moments I suffer from flights of fancy about starting a lab and peopling it with ham experimenters. Then practicality sets in and I recognize that even if I was able to find people like that, there would be no way I could afford them. No, that sort of lab will have to be run by our manufacturers. . . for now.

WAYNE'S ASIAN ALBUM




You've heard about the high food prices in Tokyo? This is the menu at a food stand concession at the Consumer Electronic Show. Two hundred Yen is equal to \$1 US, so you can see that the prices are not at all out of line with what you would pay at a concession stand in America. Soup noodle, by the way, is noodle soup.



Here's Sherry working on the bowl of tempura soup noodle (\$1.75), which did a fair job of feeding both of us. In addition to the bowl of noodles and soup, there were a couple good-sized shrimp tempura.



Wendy's is not much different from anywhere else, with a double hamburger weighing in at around \$3.15 with all the trimmings. One unusual item was a shrimp sandwich at \$1.10.



I'll let you in on a secret. . . Wayne really likes the Wendy's Frosty.




A recent television show discussed the Japanese approach to driving: They make a big deal out of driving school. Here is a practice driving course laid out on the top of a garage. It is busy all day long. Does this extra training pay off? You bet! Per capita, the Japanese have less than 3% as many accidents as we do. You rarely see a car with dents or signs of body work. It is almost enough to make a politician think. . . but not quite.



For about \$6 you get a lacquer tray full of food. Delicious, and identical to the beautifully made plaster model in the restaurant window. All I had to do was take the waiter out and point and we got our meals.

Continued on page 110



# A fresh idea!

Our new crop of tone equipment is the freshest thing growing in the encoder/decoder field today. All tones are instantly programmable by setting a dip switch; no counter is required. Frequency accuracy is an astonishing  $\pm .1$  Hz over all temperature extremes. Multiple tone frequency operation is a snap since the dip switch may be removed. Our SS-32 encode only model is programmed for all 32 CTCSS tones or all test tones, touch-tones and burst-tones.

And, of course, there's no need to mention our 1 day delivery and 1 year warranty.



## TS-32 Encoder-Decoder

- Size: 1.25" x 2.0" x .40"
- High-pass tone filter included that may be muted
- Meets all new RS-220-A specifications
- Available in all 32 EIA standard CTCSS tones

## SS-32 Encoder

- Size: .9" x 1.3" x .40"
- Available with either Group A or Group B tones

### Frequencies Available:


Group A			
67.0 XZ	91.5 ZZ	118.8 2B	156.7 5A
71.9 XA	94.8 ZA	123.0 3Z	162.2 5B
74.4 WA	97.4 ZB	127.3 3A	167.9 6Z
77.0 XB	100.0 1Z	131.8 3B	173.8 6A
79.7 SP	103.5 1A	136.5 4Z	179.9 6B
82.5 YZ	107.2 1B	141.3 4A	186.2 7Z
85.4 YA	110.9 2Z	146.2 4B	192.8 7A
88.5 YB	114.8 2A	151.4 5Z	203.5 M1

- Frequency accuracy,  $\pm .1$  Hz maximum - 40°C to +85°C
- Frequencies to 250 Hz available on special order
- Continuous tone

Group B						
TEST-TONES:	TOUCH-TONES:		BURST-TONES:			
600	697	1209	1600	1850	2150	2400
1000	770	1336	1650	1900	2200	2450
1500	852	1477	1700	1950	2250	2500
2175	941	1633	1750	2000	2300	2550
2805			1800	2100	2350	

- Frequency accuracy,  $\pm 1$  Hz maximum - 40°C to +85°C
- Tone length approximately 300ms. May be lengthened, shortened or eliminated by changing value of resistor

Wired and tested: TS-32 \$59.95, SS-32 \$29.95



**COMMUNICATIONS SPECIALISTS**

426 West Taft Avenue, Orange, California 92667  
(800) 854-0547 / California: (714) 998-3021



# LOOKING WEST

Bill Pasternak WA6ITF  
c/o The Westlink Radio Network  
Suite 718  
7046 Hollywood Blvd.  
Hollywood CA 90028

They're at it again. The spectrum thieves, I mean. Those who view the 220-to-225-MHz band with an acquisitive eye, envisioning huge corporate profits if they can find a way to steal the band from those of us who now occupy it. Maybe 220 CB is dead, and maybe "the ARRL slew it" as it is claimed. Anyway, the ARRL has not been all that successful in convincing other potential spectrum thieves that they mean business. Nor do I think they can. No, guys and gals, I don't think we can count on Newington to pull us out of this one. We are going to have to conquer this one on our own. It means pulling together and taking the offensive once and for all. You and I are going to have to fight hard to save 220. Don't look for help anywhere else.

It seems that the latest attack is coming from Inland Waterways again. That's the same group we thought we had trounced last year. I guess some people never learn, because they are again eyeing 220 to 225 MHz to relieve the purported congestion in the 160-MHz marine band. Last year they wanted to construct an "Inland Waterways Automated Data Relay" system along the Mississippi and connecting waterways. Now they want more room for boats to talk, and pass the time of day. What next?

Well, there is a "next." It seems that the manufacturers of cordless telephones are also eyeing 220. Cordless phones are becoming very popular these days, and the people who make them are running out of room on 72 MHz. So they are reported to be looking at new spectrum in both the 27-MHz CB band and the 220-MHz amateur band for their exclusive use. The December, 1980, issue of *Popular Electronics* carried a rather interesting article on the subject. If you are a 220-MHz user, I suggest you read it and respond to the editors. Maybe they can help get

the word back to industry that there are several thousand of us who are not willing to just go away. You can kind of discount the 27-MHz idea as there is no way for the cordless phones to be compatible with current CB activity, either within 27 MHz or on either side. So in reality I think we can assume that it's 220 they will go after. We have a two-pronged attack on us it seems, and it might wind up to be one heck of a fight. Why? Because both of these entities seem to believe that 220 to 225 MHz is vacant spectrum, that it is not in use by anyone, and is, therefore, ripe for the taking.

There are many ways in which we can fight the problem. In the past we have always taken the nice-guy approach, and year after year we face the same threat. Maybe it's time to forget that we are usually ladies and gentlemen and take a hard line: that 220 to 225 MHz is amateur, and that it will always remain amateur. Sounds like a challenge to war, you say? I prefer to think of it as a response to a challenge. A response which will educate spectrum thieves with respect to the abundant amateur activity on 220 and the fact that this activity is there to stay. That we as amateurs learned our lesson well when the FCC took 11 meters and created the CB fiasco. That we will never permit this to happen again. That the band is ours, that all of our bands are ours, and that we are prepared to fight to retain every last kilohertz.

Frankly, most of the VHF/UHF experts I have spoken with agree that it would be impossible to share the 220 band with any other service, be it Inland Waterways, cordless telephones, or what have you. The way we have structured the band in its development over the past 5 or 6 years precludes this. It might be possible if we did not have repeaters sitting atop mountains with the ability to talk over several hundred miles. Even in areas where repeaters talk over only 50 or 60 miles, the mutual interference would be massive and intolerable. In the end you would have another 27-

MHz fiasco and no way to solve the problem. One or the other would have to go, and I know that the amateur community would stand pat and not budge. This could and would lead to an ongoing confrontation between the business community and the amateur. It would be a war that neither side could win, so why have it in the first place?

There is no way that FCC regulation could help make this spectrum sharing work. Look at the record, look at the present mess, called 27-MHz, Class D CB. Here you are dealing with technologically-incompetent people, for the most part. Appliance operators who buy a legal radio, an illegal amplifier, and talk worldwide. Has the Commission been able to solve the regulatory enforcement problem? Has the linear amplifier ban worked? Has any regulation or attempted enforcement of the 27-MHz problem worked? The answer is a resounding no! The FCC says it lacks the funds to do an effective job of enforcement on 11 meters, but even if they had the monies, I doubt if they could catch any but the most hard-core offenders. And, of those already caught, how many turn out to be repeat violators who care little or nothing about the rules to begin with?

Until now, industry and others have viewed the radio amateur as the tinkerer who is given the cast-off frequencies until such time as they are needed by someone else. It is thought that once a need arises, we amateurs will simply vanish as mysteriously as we came. This is a stereotype upon which we are viewed and judged. In part, the stereotype is justified because we have projected this image for so many years that it has become the thinking of today's society. What many fail to recognize is that another type of amateur has emerged in recent times. He may or may not be a technical whiz kid, but no longer is he a back-room boy; he has social awareness. He is the kind of guy who will not be trampled on by others. In some cases, this may have manifested itself in contemptuous behavior—jamming, foul language, or what have you. But the majority are well-respected professionals. Doctors, lawyers, broadcasters. You name it. People with an ear to the ground and an eye on society. Activists with strong be-

liefs and ideals. Slowly but surely these people became dedicated to the preservation of the amateur service and to its continued vitality.

The spectrum thieves seem unaware that this has happened. They are used to dealing with the Newington types that they usually can walk all over. What they have yet to catch on to is that in the battle over 220 they will not be dealing with Newington but rather with the people now on the band. People who long ago turned a deaf ear to the ARRL and have fought and won wars for themselves. Most of the 220 people in my part of the nation turn to Newington the same deaf ear they turn to VHF. So, "Mr. Businessman," in this one you must face the angry mob alone. For the first time in its long history, the amateur service is ready to break out of its traditional good-guy role to do battle with what they consider to be the enemy. You, "Mr. Cordless Telephone" and you, "Mr. Inland Waterways," you're far from being our "good buddy." We know what you spectrum thieves want, and believe me when I tell you to look elsewhere...like 800 or 900 MHz. We don't want you on 220 or near 220. From us to you: Go play in the bathtub with a toy boat.

You can't say you weren't warned.

## A BOOK REVIEW

Well, he's done it again. One never knows what to expect next out of Bob Heil K9EID. Just when the effects of his previous amateur-radio-related escapade seem to begin fading, Bob goes ahead and pulls another rabbit out of his bottomless hat and hits home once again. Bob's latest creation is a book titled *The 10-Meter FM Handbook*. I've got a better title: "Everything and Anything You Ever Wanted to Know About 10-Meter FM When You Didn't Know Whom to Ask the Questions Of." It's that inclusive.

For those of you who may not be familiar with Bob, he is the founder and president of Heil Sound Ltd., an electronics manufacturer of professional audio equipment for the entertainment industry. Since 1956, he has been one of the pioneers of VHF, SSB, and he spends a

*Continued on page 106*

# DELTA RIG



## THE TEN-TEC STATION FOR CHANGING TIMES

**DELTA—symbol of change—and the first HF transceiver with all nine bands—offers more of the features you need for these changing times.**

### Tennessee Technology Leads The Way.

Today's operating demands the changes a DELTA station offers. All nine HF bands in all solid-state design with optimized receiver sensitivity and selectivity, 200 watt, 100% duty cycle no-tune transmitter, QSK, VOX, PTT, ALC, Notch, Offset, and more. All in a compact, ready-to-go-anywhere functional design that offers light weight, thorough shielding, and operating ease. And a price that permits affording the full complement of accessories. TEN-TEC put it all together—in DELTA—for you.

### For The Change in Bands.

DELTA with all nine bands—another TEN-TEC "first." 160 through 10 meters, including the new 10, 18 and 24.5 MHz bands. (Crystals optional for 18 & 24.5 MHz). DELTA is ready.

### For The Change in Band Conditions.

*Optimized design* for the ideal balance between sensitivity (0.3  $\mu$ V for 10 dB S+N/N) and dynamic range (85 dB or better) plus switchable 20 dB attenuator that puts you in control of even extreme situations. No matter where you live or what power your neighbor is running, DELTA can handle it.

*Super selectivity* permits narrowing DELTA bandpass to suit the crowds. The four-position switch selects the standard 2.4 kHz SSB filter, adds a section of the 4-stage active audio filter, cascades an optional CW filter (for 14 poles of filtering), and cascades both filters with 4 stages of audio filters to give you the passband window you need with the virtually ultimate skirt selectivity required to knife through strong adjacent signals.

*Built-ins to quiet the world.* A variable notch filter is standard on DELTA. Vary from 200 to 3500 Hz to notch out interfering carriers or CW signals to a depth of 50 dB or more. *Offset tuning* for moving the receiver frequency  $\pm 1$  kHz to reach that DX or to fine tune. "Hang" AGC to give you smoother receiver operation.

### For The Change in Operating Styles.

*Variety* is the word for today, and DELTA offers it.

For a rag-chew with an old friend, 200 watts of SSB to the proven solid-state amplifier (designed by the leader, TEN-TEC) with built-in VOX and PTT.

For the fun of operating 200 watts CW with QSK—full, fast break-in that makes CW a conversation, saves time, and opens a window on DX.

Power up or down. Adjustable threshold ALC and drive let you choose power levels with full ALC control.

DELTA accepts what you have, what you want... from separate antennas to linears, transverters, remote VFO, 12 VDC, keyers and more—just plug in.

### For The Change In Lifestyles.

DELTA moves with you. "At home" anywhere—on your operating desk, in the field, on a boat, plane, camper, wherever. Its neat small size (4 $\frac{3}{4}$ "h x 11 $\frac{3}{8}$ "w x 15"d) and light weight (12 $\frac{1}{2}$  lbs.) make it a good traveling companion. Yet compact as it is, DELTA panel size and knob spacing make it comfortable to use hour after hour in your home station.

### For The Change In Economics.

These days, everyone wants more value for his money. And DELTA offers it. More features and performance per dollar. Quality that's American-made. Service you can count on. A solid warranty—one year on the transceiver plus an extra five year pro-rata warranty on the amplifier transistors. And low prices!

### The DELTA Rig

Model 580 DELTA Transceiver .....	\$849.00
Model 283 DELTA Remote VFO .....	179.00
Model 280 DELTA Power Supply .....	149.00
Model 282, 250 Hz CW Filter .....	50.00
Model 285, 500 Hz CW Filter .....	45.00
Model 234 RF Speech Processor .....	124.00
Model 214 Electret Microphone .....	39.00
Model 645 Dual Paddle Keyer .....	85.00

### Other Optional Accessories

Model 670 Single Paddle Keyer .....	34.50
Model 227 Antenna Tuner .....	79.00

Isn't it time for you to change? Check the DELTA rig at your dealer or write for full details.

**TEN-TEC**, INC.  
SEVIERVILLE, TENNESSEE 37862  
EXPORT: 5715 LINCOLN AVE., CHICAGO, ILL. 60646

# RTTY LOOP

Marc I. Leavey, M.D. WA3AJR  
4006 Winlee Road  
Randallstown MD 21133

In all the years that I have been writing this column, I have always tried to keep the tone light and cheerful. It is with some regret, therefore, that I must alter the tone this month, as I begin with an obituary.

Although not involved with amateur radioteletype at its inception, being only twenty-eight years old, this youngster played an important role in the introduction of new features in RTTY operation, such as selective calling, that we still appreciate today. Most of us became acquainted with this relative newcomer after getting involved in RTTY, and many remain attached, even to this day.

Several siblings have been quite influential in the growing computer field and, in a wanton act of genocide, they also are being dispatched. Yes, we'll miss them. But have no fear, for in the surplus market they shall live on to be resurrected time and time again as this part and that is replaced, much as those long gone have done before.

What am I talking about? Why, the Model 28 Teletype®, of course! The Teletype Corporation will cease production of this venerable machine soon. Others in the line, most notably the ASCII Model 33, also will go out of production. While spare parts will be maintained, and most of us did not get ours new anyway, it feels like another era is passing by.

If one era passes, though, then another arrives—and that's just what I am going to write about this month. One of the most exciting new developments in ham RTTY is the introduction of the computerized RTTY terminal. It is hard to pick up a magazine and miss the ads for the many complicated boxes which seem to do everything but turn off the shack lights when you are done operating. And now, RTTY Loop will take a close look at one of them: the Microlog ATR-6800.

About three years ago, the Microlog Corporation, located here in Maryland, introduced a

video RTTY system. Based on the Motorola 6800 microprocessor, the system featured separate transmit (AKB-1) and receive (AVR-1) units, a video monitor, and a raft of options. Buying one fully stocked would have cost you about twelve hundred 1978 dollars. As experience has been gained, new features have been devised and the company's latest offering, the ATR-6800, packs it all into one box only slightly larger than the keyboard of three years ago. For a shade under two thousand 1981 dollars, it runs rings around the old system. Unfortunately, some compromises had to be made to fit everything in there, and I will cover some of them after going over the highlights of the unit.

First off, what can it do? Well, the basics of the unit include a 6800 microprocessor supported by a monitor program in 2716 PROM, about 4K of RAM, and one and one-half PIAs. Into all of this is stuffed enough programming to satisfy almost any operator. Data exchange is by any of three modes: Morse code, Baudot code, or ASCII. Transmission rates are available for any common, and a few not so common, speeds. From the user's point of view, operation is remarkably constant no matter what the code, so let's look at that first.

The video display is a black and white 24-line-by-40-character display. At the top of the display, a dedicated line shows the current transmit/receive status, mode, speed, and time. The time is maintained in an internal twenty-four hour clock set from the keyboard. The display is selectable as white on black or black on white, and a zoom command produces a twelve-line-by-twenty-character display that can be read from across the room—even on the small Sanyo, nine-inch monitor. The display is normally maintained in a split-screen format with the transmit buffer on top and the received data below a dashed line. The transmit buffer display may be removed entirely or its size varied from one to twenty lines (seven lines maximum in the zoom format).

There are several outputs available from the ATR-6800 that allow interfacing to a wide variety of devices. Standard video goes to the monitor, of course. A high-speed mercury relay is available to insert in a loop supply to allow hard copy on a teleprinter. Computer-compatible RS-232 levels also are provided so that devices using this transmission standard may be connected. For turning the transmitter on and off, voltage keying is available for both positive and negative circuits. AFSK tones also are generated, and their frequency and shift may be specified from the keyboard. Options are available to either silence the output tones during receive or leave them on, thus allowing VOX keying, if desired.

Inputs include speaker audio as well as TTL or dry contacts for a hand key or whatever. Again, RS-232 interfacing is provided for users of this standard. Now, not only can you connect the receiver, transmitter, and old clunker printer, but interfacing is provided also for a standard cassette recorder. Why? To save pictures, messages, or whatever, and send these plus your own "brag tape." Keyboard controlled, of course. To aid in tuning, outputs are provided also for an oscilloscope which will display a "cross" type of tuning pattern on received signals.

The operating system provides several features which may be used no matter what the mode. An ID key may be programmed to send the station's identification whenever pressed, and an alternate (SHIFT-ID) can send another one, perhaps including an automatic CW ID for RTTY operation. Ten messages may be stored and recalled actively during a QSO. A test signal may be sent appropriate to the mode in use: RYRYRY in Baudot, U\*U\*U\*U\* in ASCII, or VVV in Morse. We've all heard of diddle, that familiar sending of LETTERS when not sending anything else. Well, when you select this mode in Morse, the time is filled with BT (- . . . -) so that the other guy does not think you died.

Let's see, what else can I tell you? You can tell the thing to send each letter as you type it, to delay sending a word until you type a space, or to send the whole line after a carriage return only. Makes editing nice and easy, especially on Morse. (I can type faster than I can send

Morse—much faster!)

What's that you say, "the modes"? Ah, yes, the modes. Well, you see, you have your Morse, your Baudot, and your ASCII. Now, when you are in Morse, the transmit speed may be adjusted in one-word-per-minute increments from five to 199 words per minute. The receive speed is self-tracking to the speed of the sending station. All of the special Morse signs, such as SK, AR, BT, KN, and varied and sundry punctuation marks are supported. And, of course, all of the general features mentioned above work just fine. When you are in Morse, the front end of the ATR-6800 functions as a direct detector, looking for an 800-Hz tone. When it finds that frequency, it locks on and the fun begins.

Now, in Baudot you have a choice of 45.45 baud (also known as the 60-word-per-minute standard) as well as 50, 57, 74, and 100 baud, corresponding to 66, 75, 100, and 132 words per minute. All kinds of RTTY niceties can be called into play here, such as downshift (or non-downshift) on space, automatic carriage return, line feed after so many characters, or remoting to an external printer. In this mode, the input is routed through a computer-enhanced demodulator, which detects the usual 2125 Hz-2975 Hz pair, with other tones selectable from the keyboard.

By selecting one of the standard ASCII transmission rates, 110 or 300 baud, the encoding is switched to ASCII with the full character set supported. Much as with many other primarily uppercase machines, you must shift to get lowercase, but this is a minor inconvenience as text editing is not one of the primary applications of the machine. Although the full ASCII appears to be generated, the display ROM does not have all of the appropriate symbols in it. It uses, rather, several patterns of dots for several of the codes. This causes no real problem unless you are fond of braces instead of parentheses, or tildes, or several other of the less-used symbols.

Besides communicating on the air, the ASCII capability can be directed through a "computer" mode in which the ATR-6800 becomes essentially a stupid

*Continued on page 122*





# NEW FROM HAL

## ELECTRONIC MAILBOX FOR RTTY

- DELETF
- DIR
- ENDFILE
- EXIT
- FILEHELP
- HELP
- KY1ON
- KY1OFF
- KY2ON
- KY2OFF
- PRINTON
- PRINTOFF
- QBF
- READF
- RYS
- WRITEF

**MSO-3100**  
 Message Storage  
 Option for  
**DS3100 \$595.00**



**DS3100ASR**  
**\$1995.00**

The DS3100 Super Terminal is now even more versatile with the addition of the new MSO-3100.

The Message Storage Option (MSO) adds mass storage to the DS3100 so that relatively long messages may now be stored and replayed at will. For example, the MSO-3100 will provide more than 32,000 characters of additional storage—approximately 450 lines for messages. Messages are stored in variable length files with user-assigned file names and pass-words for file protection if desired.

The MSO feature may be accessed from either the DS3100 keyboard or by other users through the WRU feature of the ASR terminal. Thus, messages can be written, played, and relayed with either remote or local control.

Automatic TX/RX relay control, CW ID, and user help messages make the "electronic mailbox" easy for all to use. This factory installed option may also be used for brag-tape and net bulletin preparation and storage.

Write or call us for more details.

***When our customers talk . . . we listen.***



**HAL COMMUNICATIONS CORP.**  
 Urbana, Illinois 61801 Box 365 217-367-7373

For our European customers, contact: Richter & Co. D 3000 Hannover 1 • Transradio SA, 6816 Bissone/  
 Lugano • Radio Shack, Ltd., London NW6 3AY ↗ 345

# CONTESTS



Robert Baker WB2GFE  
15 Windsor Dr.  
Atco NJ 08004

## CWSP INTERNATIONAL DX COMPETITION

0000 GMT February 7  
2400 GMT February 8

Amateurs throughout the world are invited to participate in the annual CWSP contest using all bands on CW only. Entry classes include a) single operator, b) multi-operator (only club stations, single transmitter), and c) QRP limited to 10 Watts with a single operator.

### EXCHANGE:

RST and QSO number starting with 001. CWSP members will add "/CWSP" after the report. QRP operators will add "/power." Example: 579015/5.

### SCORING:

QSOs with same country = 1 point, other countries in same continent = 2 points, and other continents = 3 points each. Multipliers are ARRL DXCC countries and each Brazilian prefix (PY1, PT7, PS8, etc.). Multipliers are counted only once regardless of band. Final score is total QSO points times the total multiplier.

### AWARDS:

Cup and award to 1st place worldwide. Medal and award to 1st place in each continent. Awards to 1st place in each country. Special awards to 1st and 2nd CWSP members. Other special awards for clubs and

QRP 1st worldwide and 1st Brazil.

### ENTRIES:

Logs must contain data and time in GMT, station worked, exchange, multipliers, and points per band. Please use separate logs for each band. Logs and summary sheet must be mailed not later than March 15, 1981, to: CWSP Contest Committee, PO Box 15098, 01000 Sao Paulo, SP —Brazil.

### 1980 RESULTS:

1st World = PY1ARS/4; 1st South America = PY8BI; 1st North America = WA4OML; 1st USA = W1OPJ.

## NEW HAMPSHIRE QSO PARTY

2000 GMT February 7 to  
0500 GMT February 8  
1400 GMT February 8 to  
0200 GMT February 9

Sponsored by the Concord Brasspounders, the contest is open to all radio amateurs. Each station may be contacted once per band, per mode.

### EXCHANGE:

RS(T) and NH county/ARRL section or country.

### FREQUENCIES:

CW—1810, 3555, 3730, 7055, 7130, 14055, 21055, 21130, 28130.

Phone—1820, 3935, 3975, 7235, 14280, 21380, 28575, 50.115, 145.015.

### SCORING:

Score 5 points for each NH station contacted and multiply

by the number of NH counties worked. NH stations score 1 point for each QSO and multiply by the total number of ARRL sections, countries, and NH counties.

### ENTRIES:

Logs with summary sheet and dupe sheet should be mailed not later than March 16, 1981, to: O. W. H. Johnson, Box 63, Bristol NH 03222.

## VERMONT QSO PARTY

2100 GMT February 7  
0100 GMT February 9

Sponsored by the Central Vermont Amateur Radio Club, stations may be worked once per band and mode. VT mobile stations may be worked again considering each new county they enter as a new station.

### EXCHANGE:

QSO number, RS(T), and VT county or ARRL section.

### FREQUENCIES:

3685, 3909, 3932, 7060, 7265, 7290, 14060, 14290, 14345, 21060, 21375, 28100, 28600, 50.260, 50.360, 144-144.5, 145.8.

### SCORING:

Score 3 points per contact and multiply by the number of VT counties worked on each band. VT stations score 1 point per QSO and multiply by the number of ARRL sections and countries worked.

### AWARDS:

Certificates to highest scoring station in each ARRL sec-

# CALENDAR

Feb 7-8	New Hampshire QSO Party
Feb 7-8	Two-Land QSO Party
Feb 7-8	RSGB 7-MHz Contest—Phone
Feb 7-8	CWSP International DX Competition
Feb 7-9	Vermont QSO Party
Feb 9-10	Land o' Lincoln QSO Party
Feb 14-15	QCWA QSO Party—CW
Feb 14-15	YL-OM Phone Contest
Feb 21-22	ARRL DX Contest—CW
Feb 27-Mar 1	CQ World Wide 160 Contest—Phone
Feb 28-Mar 1	G-QRP-Club CW Activity Weekend
Feb 28-Mar 1	French Phone Contest
Feb 28-Mar 1	RSGB 7-MHz Contest—CW
Feb 28-Mar 1	YL-OM CW Contest
Mar 7-8	1981 SSTV Contest
Mar 7-8	ARRL DX Contest—Phone
Mar 14	Boy Scout Exhibition Station
Mar 14-15	QCWA QSO Party—Phone
Mar 21-22	Bermuda Contest
Mar 21-22	CARF Phone Commonwealth Contest
Mar 21-23	BARTG Spring RTTY Contest
Mar 28-29	Spring VHF QSO Party
Mar 28-29	CQ World Wide WPX—SSB
Aug 8-9	European DX Contest—CW
Sep 12-13	European DX Contest—Phone
Sep 12-13	G-QRP-Club CW Activity Weekend
Sep 12-14	Washington State QSO Party
Nov 14-15	European DX Contest—RTTY
Dec 26-31	G-QRP-Club Winter Sports

# RESULTS

## Third DARC Corona 10-Meter RTTY Contest

	OK1WEQ	375	
	DL4GJ	364	
	G4HYD	325	
	EA3BLQ	322	
Class A			
N8ES	2340	DF8FD	231
DL5GAS	1739	W5TZZ	084
WB2UEF	1548	DF6ZY	063
OZ1CRL	1209	LA2IJ	050
DF6ZV/A	1120	LA7QM	025
WA6WGL	962	Y32ZF	018
AD0V	945	Y53UA	002
G3HJC	851		
I5CBF	851	Class B	
SL5AR	828	H. BALLEMBERGER	972
EA3BQQ	608	WERNER LUDWIG	580
I0WBX	580	OK1-20677	252
OK3KII	400	Y2-7111/A	144

tion and country. Trophy to highest scoring single-operator station in VT. Additionally, their names will be added to the Doris McGrath memorial plaque. Donated in memory of W1EOB, this award will be awarded in this manner for a 10-year period. The operator winning the QSO party the most times or the station with the highest score during the period will receive the plaque. Other certificates for 2nd, 3rd, and 4th highest scoring stations in VT. The W-VT (Worked Vermont) Award will be issued to stations working 13 out of Vermont's 14 counties, provided the station has not previously received this award. A special certificate will also be awarded VT multi-operator stations.

**ENTRIES:**

Send logs or facsimiles together with an SASE no later than March 31, 1981, to: Gerald W. Benedict, W1BD, 23 Foster Street, Montpelier VT 05602.

**LAND O' LINCOLN QSO PARTY**

**0000 GMT February 9  
2400 GMT February 10**

The contest is sponsored by the Land o' Lincoln chapter of 10-X International in cooperation with the Central Illinois Radio Club. Operating throughout the 10-meter band on CW and phone, LOL and CIRC members will call "CQ LOL" in an effort to contact as many stations as possible.

**EXCHANGE:**

Name, QTH, RS(T), serial number, 10-X number if any, and LOL certificate number if any.

**SCORING:**

LOL certificate holders worldwide and CIRC members score 1 point per QSO, 2 points per QSO with 10-X number exchange, and 3 points per QSP with LOL number exchange. Multiply total QSO points (3 max per QSO) by number of different states, Canadian provinces, and DXCC countries worked.

All others, score 1 point per QSO with LOL certificate holders, 2 points per QSO with local LOL and CIRC members. Multiply total QSO points (2 max per QSO) by number of different states, Canadian provinces, and DXCC countries worked.

Achievement certificates will be awarded to the top scorers in each state, Canadian province,

and DXCC country. A special Novice certificate will also be awarded. Make sure to denote Novice on your entry!

**ENTRIES:**

Logs, fully duped and summarized, to be submitted no later than March 15, 1981, to: AG9E, Dave Meiser, 1112 Andover, Bloomington IL 61701. Please include an SASE for special QSO and/or results.

**QCWA QSO PARTY - CW**

**0001 GMT February 14  
2400 GMT February 15**

This is the 24th annual QCWA QSO party with separate weekends for CW and phone. Contacts with the same station on more than one band can be scored only once. Contacts made with "captive" stations, such as when operating in local nets, are not valid.

**EXCHANGE:**

QSO number, operator's name, and QCWA chapter identification (official number or name). Members not affiliated with a chapter should use "AL." If a member belongs to several chapters, then *one* must be chosen and used for the QSO Party. If desired, you may use one chapter for the CW Party and another one that you belong to for the Phone Party.

**FREQUENCIES:**

Any authorized amateur frequency is permissible. The following suggested frequencies have been selected to minimize interference to others:

Phone - 3900-3930, 7230-7260, 14280-14310, 21350-21380, 28600-28630.

CW - 3530-3560, 7030-7060, 14030-14060, 21040-21070, 28040-29070.

**SCORING:**

Each contact made with another QCWA member will count as a single point. Add up the contacts with QCWA members and then multiply this number by the number of Chapters represented.

**AWARDS:**

Plaques for the top phone and top CW scorers. Certificates will be given for the 2nd through 5th runners up in both the phone and CW Parties. Standings and scores will be published in the QCWA NEWS summer, 1981, issue.

**ENTRIES:**

Logs should include the following information: Time (GMT), call, QSO numbers, name, Chapter number or name, state or country. It is the responsibility of each contestant to provide a legible log (no carbon copies) and to list all claimed contacts. The total contacts for each page will be recorded at the bottom of each page. The total contacts for the Party should be recorded at the top-right of the first page of the log. Log sheets will not be returned. Make sure you have correct postage when you mail

your logs. Send logs no later than March 31, 1981, to: Pelican Chapter QCWA, Arthur M. Monsees W4BK, 1407 48th Avenue NE, St. Petersburg FL 33703. Separate logs and scores must be submitted for both the CW and phone Parties. The decision of the Pelican Chapter of QCWA will be final with respect to scores and rules. In the event of errors or a disagreement, keep all details off the air and write either the Pelican Chapter or QCWA Headquarters.

*Continued on page 108*

# RESULTS

RESULTS OF 1980 WASHINGTON STATE QSO PARTY		Ohio	2,502
		W8EX	
		Oklahoma	
		N5CII	351
		Pennsylvania	
NL7D	330	WA3JXW	351
		South Carolina	
W7ZMD	7,280	K4BZD	870
		South Dakota	
N6PE	7,317	WA0BZD	8
		Tennessee	
KA0CLS	1,411	WA4CMS	1,162
		Connecticut	
W1TEE	2,112	W5VGX	3,759
		Texas	
N4IJ	1,118	W7LN	1,078
		Utah	
N4NX	5,796	W4KMS	1,001
		Virginia	
KB7N	33	WA8CNN	561
		West Virginia	
W9QWM	3,486	K9GDF	1,386
		Wisconsin	
WD8QBB/9	2,688	VE3KK	1,200
		Canada	
WB0UIT	374	G3MZV	432
		Iowa	
K0TJB	506	JA7KE	814
		Kansas	
N4AOC	1,862	OA8AX	24
		Kentucky	
W5WG	4,500		
		Louisiana	
WB1GLH	32	W7FQE	1,488
		Maine	
W3PYZ	966	W7WMO	59,856
		Maryland	
W1AQE	1,395	W7IEU/7	3,888
		Massachusetts	
W8WVU	1,092	N7AYF	37,476
		Michigan	
K0RWL	2,520	W7DAZ	40,150
		Missouri	
K9CW/2	1,040	KA7FWW	10,815
		New Jersey	
W2RPZ	1,485	WB7DZN	63,424
		New York	
K4YFH	1,190	VE7ZZ/W7	174,141
		North Carolina	
		Pacific	

# Destined to become an old friend

This is one piece of equipment you'll keep for a *long* time. We've designed *out* the obsolescence with our new plug-in application modules. These fully shielded modules, about the size of a business card, will keep your ATR-6800 as new as tomorrow with updates, and future program expansion. You'll be proud of its top "on-the-air" RTTY/CW performance, and of its versatility as your HAM COMPUTER/STA-

TION CONTROL. Make a permanent place in your station for the system that won't gather dust! ATR-6800 system with 10 practical programs in module number one, and nine inch video monitor . . . \$2495. Companion printer, add \$450. Module #1 separately, \$189. Get to know the *active* hams at MICROLOG Corp., 4 Professional Drive, Gaithersburg, MD. 20760. Tel.: (301) 948-5307.



## ATR-6800 COMMUNICATIONS SYSTEM

✓ 51 **MICROLOG**  
INNOVATORS IN DIGITAL COMMUNICATIONS

# ATR-6800 Standard Features

**COMPATIBILITY** with any radio transceiver. Simple speaker audio input, no extra equipment, terminal units, etc., required. Everything is built in. Narrow band single tone phase correlation detector for CW, dual tone computer enhanced demodulator for RTTY.

**EXTENSIVE SHIELDING** and a heliarc welded heavy aluminum enclosure for a degree of RFI immunity that plastic or loose sheet metal cased units cannot touch. Solid quality you can feel.

**SPLIT SCREEN OPERATION** allows you to type and edit your transmit text (up to 1800 characters) even while receiving. Location of split line (amount of viewable receive and transmit text) is keyboard programmable anywhere on the screen.

**UP TO 10 INDEPENDENT MESSAGES** of up to 80 characters each can be stored for instant recall.

**WRU AND SEL-CAL MEMORIES** for 'auto-response' capabilities.

**BATTERY BACKUP MEMORY** for all stored messages, ID and operating parameters means that when you lose power (or turn it off) the memory is retained. A full charge will hold memory for about two weeks. (Charging circuit built in.)

**HARD COPY PRINTER INTERFACE** actually converts any code input to your printer's code and speed. For example, MORSE code inputs to the ATR can be printed on any Baudot machine (Model 28, etc.). Baudot to ASCII or ASCII to Baudot conversion is easy and the line length is programmable.

**AUTO-START** inhibits display of non-RTTY signals.

**AUTO CW ID IN RTTY** shifts from RTTY to MORSE, sends your call and automatically shifts back to RTTY.

**MICROLOG EXCLUSIVE NON STANDARD TTY SPEEDS** plus all standard Baudot and ASCII speeds. (Ap. Mod. No. 1.)

**MICROLOG EXCLUSIVE "SYNC-LOCK" ASCII @ 110 and 300 Baud** is compatible with all other equipment. Sends standard ASCII codes with extended stop bit which prevents loss of sync on interference hits. This lowers the "info" rate while maintaining ASCII character rate.

**ULTRA-CLEAN SYNTHESIZED SINE WAVE AUDIO** outputs for AFSK, and SSTV are keyboard programmable for any tone pairs between 500 and 3000 Hz.

**SOLID STATE SWITCHES** as well as high speed mercury relay (n.o. and n.c.) keying outputs.

**ZOOM DISPLAY MODE** doubles the character size for even easier viewing. Video can be black letters on white background or reversed white on black.

**TAPE RECORDER INTERFACE** for pre-recording your message on standard cassette tape for later retransmission, or for direct recording of received signals or computer programs.

**CONVENIENT SCOPE OUTPUT** for RTTY tuning and a unique regenerated audio tuning aid for CW, as well as an LED for both modes.

**KEYBOARD CONTROLLED TRANSMIT/RECEIVE RELAY** for automatic transceive switching.

**QUICK BROWN FOX, RYRY** in Baudot. U\*U\* in ASCII and VVV in Morse stored in ROM.

**RANDOM CODE GROUPS** of 5 characters, MORSE or RTTY, for test transmissions.

**INTERNAL 24 HOUR CLOCK** displayed on screen may be inserted into transmit text at any time, or used in your computer program.

**FULL 63 KEY COMPUTER GRADE KEYBOARD.**

**KEYBOARD CONTROLLED UNSHIFT** on space in Baudot for auto reset to LTRS after reception of space.

**VISUAL DISPLAY** of all operating parameters shows system status and control commands.

**REMOTE COMPUTER TERMINAL** via built in RS-232 connector at rates of up to 9600 baud.

**APPLICATION MODULE** plugs directly into the rear panel connector.

**MODULE NUMBER ONE INCLUDES:**

**AUTO SEND/RESPONSE** — sends repetitive message, listens for reply, returns the call and alerts the operator.

**SSTV** — outputs standard SSTV tones for sending large screen characters and graphics.

**MAIL BOX** — unattended message store and retrieval.

**RTTY SPEED SEEKER** — determines the speed and code of an incoming signal.

**LOG KEEPER** — prints QSO, no., time, and log data.

**NON STANDARD SPEEDS** — ASCII operation at 10 to 100 baud.


**SELECTIVE PRINT** — keywords enable/disable printer.

**SPECIAL AUTO-START** — inhibits display of "non-text" data.

**DUMP TAPE** — allows user to "dump" selected segments of memory to standard cassette tape.

**SYSTEM DIAGNOSTICS** — 3 self test modes.

## REAR PANEL CONNECTIONS



- 1 SOLID STATE SWITCHES
- 2 TRANSMIT/RECEIVE RELAY
- 3 PROGRAMMABLE TONE OUTPUT
- 4 STANDARD RS-232 CONNECTOR
- 5 RECORDER INTERFACE
- 6 RECEIVE AUDIO IN
- 7 VIDEO OUTPUT
- 8 NO/NC RELAY KEYING
- 9 PRINTER OUTPUT
- 10 APPLICATIONS MODULE CONNECTOR
- 11 OSCILLOSCOPE OUTPUT

# AWARDS

Bill Gosney WB7BFK  
Micro-80, Inc.  
2665 North Busby Road  
Oak Harbor WA 98277

## ALGOA BRANCH MERIT AWARD

This past month some very encouraging letters of support have been received from all parts of the world. Of particular note was the letter I received from Fred Strutt ZS2JS, representing the Algoa Branch of the South African Radio League. In his letter, Fred tells of their new award recognizing operator efficiency in CW communications.

The Algoa Branch Merit Award will be issued to any radio amateur who has had a minimum of 250 CW QSOs with any other amateurs of the world.

To qualify, all contacts must have been made after January 1, 1979. While QSLs are not required, the applicant must have his list of contacts verified by at least two fellow amateurs or by a radio club secretary. Endorsements will be issued in increments of 250 CW QSOs.

To apply, forward your verified list of CW contacts and an award fee of five (5) IRCs to: Algoa Branch Merit Award, PO Box 10050, Linton Grange, Port Elizabeth 6015, South Africa.

It has been some time since we have listed an Asian continent award. Without further ado, allow me to share with you a letter I received from our dear friend, Mr. Green VS6EZ. In his

letter, Anthony tells us of two awards being made available by amateur associates in his country, the Hong Kong Amateur Radio Transmitting Society (HARTS).

## THE HONG KONG FIRECRACKER AWARD

Sponsored by HARTS, the Firecracker Award is issued to licensed amateurs and shortwave listeners worldwide. Contacts on or after January 1, 1964, are valid.

To qualify for their very spectacular diploma, applicants within zones 18, 19, 24, 25, 26, 27, and 28 require confirmation with at least 10 individual VS6 stations. All other zones of the world require only six (6) VS6 contacts to qualify for the award. Awards are issued for all CW, all phone, and mixed mode. Single-band accomplishments will be recognized if requested at the time of application.

Do not send QSL cards! Prepare a list of claimed contacts and have them verified by at least two amateurs or a radio club secretary. Forward this list and an award fee of 10 IRCs to: HARTS, Post Box 541, Hong Kong.

## NINE DRAGONS AWARD

Probably one of the most elaborate of my Far Eastern awards is the achievement diploma known as the Nine Dragons Award. Sponsored by

HARTS, this brilliant award with its red, black, and shiny gold accents an amateur's wall with the dignity that makes all award seekers proud.

To qualify, the applicant must make contact with a country in each of the following zones: 18, 19, 24, 25, 26, 27, 28, 29, and 30. The contact made in zone 24 must be with a VS6 station. Stations located within any of these nine zones will require two (2) contacts in each zone as above.

To be valid, all contacts must be made after January 1, 1979. There are no band or mode restrictions for this award; however, special recognition will be granted if requested at the time application is made.

To apply, prepare your list of claimed contacts and have it verified by at least two amateurs or a radio club secretary. Send this list and an award fee of \$2.00 or 10 IRCs to: HARTS, Post Box 541, Hong Kong.

While in Asia, it would be proper to review one of the largest awards programs in that part of the world, the one sponsored by JARL, more commonly referred to as the Japan Amateur Radio League.

## ADXA AWARD

Sponsored by JARL, the ADXA (Asian DX Award) is available to licensed amateurs and shortwave listening stations worldwide. To qualify, all claimed contacts must have been made on and after July 30, 1952.

The requirements for ADXA are fairly straightforward. Applicants must establish two-way contact with at least thirty (30) countries in the Asian continent. A list of eligible countries appears below.

Do not send QSL cards! Prepare a list of claimed contacts and have it verified by at least two fellow amateurs or a local radio club official.

Forward your application and an award fee of 8 IRCs directly to: Awards Manager, JARL, Post Box 377, Tokyo Central, Tokyo, Japan.

ADXA Countries: A4, A51, A6, A7, A9, AP, BV, BF-BU, CR9, EP, EP, HM-HL, JA-JE-JJ, JR, JD1 (KG6I), JD1, JT, JY, OD5, S21, TA, UA9-UAQ, UD6, UF6, UG6, UH8, UI8, UJ8, UL7, UM8, VS6, VU, VU2-VU7-VU9, VU5-VU7, XU, XV5 (3W8), XW8, XZ2, YA, YI, YK, 1S, 4S7, 4W, 4X4-4Z4, 5B4, 7O, 8Q6, 8Z4, 9K2, 9M2, 9N1, 9V1.

## WORKED/HEARD ALL JAPAN PREFECTURES

Also sponsored by the Japan Amateur Radio League, the WAJA Award is available to licensed amateurs and SWL stations on a heard-only basis. All contacts, to be valid, must have been made on or after July 30, 1952. The only exception to that rule is for contacts with Okinawa (JR6), for which contacts on or after May 15, 1972, are considered valid for this award. In addition, all contacts must be made only with fixed base stations.

To qualify, the applicant must make contact with a Japanese amateur operator in each of the 47 Japanese prefectures as they appear below.

Do not send QSL cards! Have your list of claimed prefectures verified by at least two amateurs or a local radio club secretary. Send this list and an award fee of 8 IRCs to: JARL Awards Manager, Post Box 377, Tokyo Central, Tokyo, Japan.

Japanese prefectures: JA1—Tokyo, Kanagawa, Chiba, Saitama, Ibaraki, Tochigi, Gumma, Yamanashi; JA2—Shizuoka, Gifu, Aichi, Mie; JA3—Kyoto, Shiga, Nara, Osaka, Wakayama, Hyogo; JA4—Okayama, Shimane, Yamaguchi, Tottori, Hiroshima; JA5—Kagawa, Tokushima, Ehime, Kochi; JA6—Fukuoka, Saga, Nagasaki, Kumamoto, Oita, Miyazaki, Kagoshima, Okinawa (JR6); JA7—Aomori, Iwate, Akita, Yamagata, Miyagi, Fukushima; JA8—Hokkaido; JA9—Toyama, Fukui, Ishikawa, and JA0—Niigata, Nagano.

## ALL JAPAN DISTRICTS AWARD

The Worked All Japan Districts Award is sponsored by the JARL and is available to licensed amateurs and SWL stations on a heard-only basis. This very basic award requires the applicant to make contact with one Japan station in each of the ten Japanese call districts.

This award is issued for single- and mixed-band accomplishments and also recognizes single- and mixed-mode achievements as well. To be valid, all contacts must have been made on or after July 30, 1952.

To apply, have your list of contacts verified by at least two amateurs or a local radio club official. Keep in mind that KA





stations (US military) will not be accepted for award credit.

Send your application with an award fee of eight (8) IRCs to the Awards Manager, JARL, Post Box 377, Tokyo Central, Tokyo, Japan.

#### JAPAN CENTURY CITIES AWARD

Similar to our own 73 Magazine Century Cities Award, the Japanese version is sponsored by the JARL, requiring the applicant to make contact with a minimum of 100 individual cities within Japan. There are no further requirements and no stipulation as to band or mode. Endorsements are issued for each increment of 100 additional cities worked.

Applicants are asked not to send QSL cards! Prepare your list of cities in order of the city number. Though this may be confusing to some, it is best to write the JARL for a copy of this cities listing. This will enable you to make quick reference to the actual number assigned each city and will speed preparation of your application.

Once arranged in order, have your list of contacts verified by at least two fellow amateurs or a local radio club official. Send the application and an award fee of eight (8) IRCs to: JARL Awards Manager, Post Box 377, Tokyo Central, Tokyo, Japan.

As a final note, for those applicants who are fortunate enough to work all cities listed in Japan, a special Worked All Cities Award has been designed especially to recognize your feat!

Representing the Naniwa Club in Japan, Akio Sonoda JR3DDQ recently wrote me and

asked that I share his club's new award with our many readers. With pleasure I present—

#### THE JAPAN OSAKA CENTURY CERTIFICATE

The JOCC Award is issued by the Naniwa Amateur Radio Club of Japan. It is made available to licensed amateurs throughout the world. To qualify for the award, applicants must submit proof of contact with stations within the Osaka prefecture. Three award categories are offered:

- Junior Class—applicant must work 10 JA stations which enable you to spell "NANIWA CLUB" with the last letter of each callsign contacted.

- Standard Class—applicant must work 10 different stations in the Osaka prefecture. Gold seal endorsements will be issued for each increment of 50.

- Special Class—applicants must work 100 different stations in the Osaka Prefecture, including 62 stations located in all 31 cities, 5 guns, and 26 wards of the prefecture. Note: A list of cities, guns, and wards is available from the Awards Manager for three (3) IRCs.

There are no band or mode requirements, but special recognition will be made if a request is made at the time of application.

Do not send QSL cards! Have your list of contacts verified by at least two amateurs or a radio club official. Send your application and eight (8) IRCs to the Awards Manager, Akio Sonoda JR3DDQ, 3-6-8 Daikoku-cho, Naniwa-chu, Osaka, Japan 556. For Gold Seal endorsements,

Continued on page 114

#### OPERATION BALLARAT

There are at least two Ballarats. One is a thriving city in southern Australia, about 240 kilometers north of Melbourne. It boasts a population of approximately 75,000 and is the principal city in Australia's gold country. It is a modern city with an air of progress and prosperity.

In extreme contrast is the other Ballarat. It is an almost forgotten ghost town in the rugged desolate mountain range which rings California's Death Valley. The California Ballarat is tied to Australia's through a young prospector named George Riggins, who, in 1897, came from the famous Australian mining center of Ballarat.

The prospectors who gathered in the Panamint mountain range wanted a town named where they struck it rich. Riggins suggested the new town be given the name identified with gold the world over and it was named Ballarat. However, in the early decade of the new century, the mines were exhausted and the town of Ballarat, California, became deserted.

Now, almost 100 years later, amateur radio will briefly revive the town. For a short period during the winter weekend of January 30-31 and February 1, 1981, the old ghost town will become alive again. This time it will not be humming mining machinery or tall head frames towering above the hills hauling gold ore from the mine shafts. It will be humming from the sound of gasoline-driven emergency generators.

Towering beam antennas and dipoles will replace the head frames and ore crushers. The miners' trademark, the pick and the shovel, will be replaced with radio operators' microphones and headsets. The prize will not be the gold nuggets but a certificate, showing today's scene from both Ballarats, linked together, although 10,000 kilometers apart.

To participate in this first-of-a-kind event, you must contact both Ballarats on either 10, 15, 20, or 40 meters on SSB. Some of you may also be interested to know that the California Ballarat is located in sparsely populated Inyo County and is probably high on many county hunters' most wanted lists.

By this time, you may be curious enough to wonder how all this is going to happen. Early, Friday, January 30, an advance group will leave the Los Angeles area, drive about 400 kilometers through the Mojave Desert into the Panamints and what is left of Ballarat. A suitable site will be selected and a VHF station will be established to guide those that follow later that day.

When the four HF transceivers, three 500-Watt linear amplifiers, beam antennas, the 1-kW gasoline-electric generators, and the balance of the support equipment have arrived, we will start to set up. By then, the group of twenty will be in work teams with each receiving its task. The criterion to demonstrate the establishment of an emergency communications center in a desolate area within a two-hour period is just a side objective of this weekend activity.

At 0200Z on Saturday, January 31, we will be ready to go to work. We will operate 28.100-28.600, 21.135-21.370, and 14.275-14.350 MHz until 1400Z, February 2, when the last contact from the ghost town will be acknowledged.

We will first look for our namesake in Australia, as it would be nice to have the first contact with them. But here is what is important for you if you want to participate and obtain a certificate. You must communicate with two out of twenty stations in Ballarat, Australia, and the one at the ghost town. Give your callsign and signal report. You will get an identifier, a sequential number, and the last two characters of the Ballarat station's callsign. It will always be 6C from the ghost-town station and two letters from Australia. Contact the other Ballarat and give your callsign and the identifier you received. It does not matter which Ballarat you contact first. That way we can verify that you qualify for the certificate.

Send your name, callsign, identifier, address, and one IRC (International Reply Coupon) to WA6NKL, 4817 Paseo de Las Tortugas, Torrance CA 90505, or VK3VEZ, 2 Cambridge Street, Wendouree, Victoria 3355, Australia. Your certificate will be on its way shortly. Good luck.

Paul M. Turkheimer WA6NKL

# OSCAR ORBITS

Courtesy of AMSAT

The OSCAR satellites are subject to atmospheric drag, of course, and the present period of intense solar activity has accentuated the problem. During this period, our sun has been expelling huge numbers of charged particles, some of which find their way into the Earth's upper atmosphere, increasing the density (and thus the drag) there. It is through this region that the OSCARs must pass. OSCAR 8, in a lower orbit than OSCAR 7, is the more seriously affected of the two.

If the drag factor is not considered when OSCAR calculations are performed, long-range orbital projections will be in error. For example, by the end of 1979, OSCAR 8 was more than 20 minutes ahead of some published schedules. The nature of orbital mechanics is such that extra drag on a satellite causes it to move into a lower orbit, resulting in a shorter orbital period. Thus, the satellite arrives above a given Earthbound location earlier than predicted.

Using data supplied to us by Dr. Thomas A. Clark W3IWI of AMSAT, the equatorial crossing tables shown here were generated with the aid of a TRS-80™ microcomputer. The tables take into account the effects of atmospheric drag and should be in error by a few seconds at most.

The listed data tells you the time and place that OSCAR 7 and OSCAR 8 cross the equator in an ascending orbit for the first time each day. To calculate successive OSCAR 7 orbits, make a list of the first orbit number and the next twelve orbits for that day. List the time of the first orbit. Each successive orbit is 115 minutes later (two hours less five minutes). The chart gives the longitude of the day's first ascending (northbound) equatorial crossing. Add 29° for each succeeding orbit. When OSCAR is ascending on the other side of the world from you, it will descend over you. To find the

equatorial descending longitude, subtract 166° from the ascending longitude. To find the time OSCAR 7 passes the North Pole, add 29 minutes to the time it passes the equator. You should be able to hear OSCAR 7 when it is within 45 degrees of you. The easiest way to determine if OSCAR is above the horizon (and thus within range) at your location is to take a globe and draw a circle with a radius of 2450 miles (4000 kilometers) from your QTH. If OSCAR passes above that circle, you should be able to hear it. If it passes right overhead, you should hear it for about 24 minutes total. OSCAR 7 will pass an imaginary line drawn from San Francisco to Norfolk about 12 minutes after passing the equator. Add about a minute for each 200 miles that you live north of this line. If OSCAR passes 15° east or west of you, add another minute; at 30°, three minutes; at 45°, ten minutes. Mode A: 145.85-.95 MHz uplink, 29.4-29.5 MHz downlink, beacon at 29.502 MHz. Mode B: 432.125-.175 MHz uplink, 145.975-.925 MHz downlink, beacon at 145.972 MHz.

At press time, OSCAR 7 was scheduled to be in Mode A on odd numbered days of the year and in Mode B on even numbered days. Monday is QRP day on OSCAR 7, while Wednesdays are set aside for experiments and are not available for use.

OSCAR 8 calculations are similar to those for OSCAR 7, with some important exceptions. Instead of making 13 orbits each day, OSCAR 8 makes 14 orbits during each 24-hour period. The orbital period of OSCAR 8 is therefore somewhat shorter: 103 minutes.

To calculate successive OSCAR 8 orbits, make a list of the first orbit number (from the OSCAR 8 chart) and the next thirteen orbits for that day. List the time of the first orbit. Each successive orbit is then 103 minutes later. The chart gives the longitude of the day's first ascending equatorial crossing. Add 26° for each succeeding orbit. To find the time OSCAR 8 passes the North Pole, add 26 minutes to the time it crosses the equator. OSCAR 8 will cross the imaginary San Francisco-to-Norfolk line about 11 minutes after crossing the equator. Mode A: 145.85-.95 MHz uplink, 29.4-29.50 MHz downlink, beacon at 29.40 MHz. Mode J: 145.90-146.00 MHz uplink, 435.20-435.10 MHz downlink, beacon on 435.090 MHz.

OSCAR 8 is in Mode A on Mondays and Thursdays, Mode J on Saturdays and Sundays, and both modes simultaneously on Tuesdays and Fridays. As with OSCAR 7, Wednesdays are reserved for experiments.

## OSCAR 7 ORBITAL INFORMATION FOR FEBRUARY

ORBIT #	DATE	TIME (GMT)	EQ. CROSSING (DEGREES WEST)
28430	1	0059:07	88.5
28443	2	0144:22	102.1
28455	3	0043:40	87.0
28468	4	0137:55	100.5
28480	5	0037:14	85.4
28493	6	0131:28	99.0
28505	7	0030:47	83.8
28518	8	0125:02	97.4
28530	9	0024:20	82.3
28543	10	0118:35	95.8
28555	11	0017:53	80.7
28568	12	0112:08	94.3
28580	13	0011:27	79.1
28593	14	0105:41	92.7
28605	15	0005:00	77.6
28618	16	0059:15	91.1
28631	17	0153:30	104.7
28643	18	0052:48	89.6
28656	19	0147:03	103.2
28668	20	0046:21	88.0
28681	21	0140:36	101.6
28693	22	0039:54	86.4
28706	23	0134:09	100.0
28718	24	0033:28	84.9
28731	25	0127:42	98.5
28743	26	0027:01	83.3
28756	27	0121:16	96.9
28768	28	0020:34	81.7

## OSCAR 7 ORBITAL INFORMATION FOR MARCH

ORBIT #	DATE	TIME (GMT)	EQ. CROSSING (DEGREES WEST)
28781	1	0114:49	95.3
28793	2	0014:07	80.2
28806	3	0100:22	93.8
28818	4	0007:48	78.6
28831	5	0101:55	92.2
28843	6	0001:13	77.0
28856	7	0055:28	90.6
28869	8	0149:43	104.2
28881	9	0049:02	89.1
28894	10	0143:16	102.6
28906	11	0042:35	87.5
28919	12	0136:50	101.1
28931	13	0036:08	85.9
28944	14	0130:23	99.5
28956	15	0029:41	84.4
28969	16	0123:56	97.9
28981	17	0023:14	82.8
28994	18	0117:29	96.4
29006	19	0016:47	81.2
29019	20	0111:02	94.8
29031	21	0010:20	79.7
29044	22	0104:35	93.2
29056	23	0003:54	78.1
29069	24	0058:08	91.7
29082	25	0152:23	105.3
29094	26	0051:41	80.1
29107	27	0145:56	103.7
29119	28	0045:15	80.5
29132	29	0139:29	102.1
29144	30	0038:48	87.0
29157	31	0133:02	100.6

## OSCAR 8 ORBITAL INFORMATION FOR FEBRUARY

ORBIT #	DATE	TIME (GMT)	EQ. CROSSING (DEGREES WEST)
14834	1	0006:31	58.8
14848	2	0011:19	68.0
14862	3	0016:06	61.2
14876	4	0020:54	62.5
14890	5	0025:41	63.7
14904	6	0030:28	64.9
14918	7	0035:16	66.1
14932	8	0040:03	67.3
14946	9	0044:51	68.5
14960	10	0049:38	69.8
14974	11	0054:25	71.0
14988	12	0059:13	72.2
15002	13	0104:00	73.4
15016	14	0108:47	74.6
15030	15	0113:35	75.8
15044	16	0118:22	77.0
15058	17	0123:09	78.3
15072	18	0127:56	79.5
15086	19	0132:44	80.7
15100	20	0137:31	81.9
15114	21	0142:18	83.1
15127	22	0003:53	58.5
15141	23	0008:40	59.8
15155	24	0013:27	61.0
15169	25	0018:14	62.2
15183	26	0023:01	63.4
15197	27	0027:48	64.6
15211	28	0032:35	65.8

## OSCAR 8 ORBITAL INFORMATION FOR MARCH

ORBIT #	DATE	TIME (GMT)	EQ. CROSSING (DEGREES WEST)
15225	1	0037:22	67.0
15239	2	0042:09	68.3
15253	3	0046:56	69.5
15267	4	0051:43	70.7
15281	5	0056:30	71.9
15295	6	0101:17	73.1
15309	7	0106:04	74.3
15323	8	0110:51	75.5
15337	9	0115:38	76.7
15351	10	0120:24	78.0
15365	11	0125:11	79.2
15379	12	0129:58	80.4
15393	13	0134:45	81.6
15407	14	0139:31	82.8
15421	15	0001:06	58.2
15434	16	0005:53	59.4
15448	17	0010:40	60.6
15462	18	0015:26	61.9
15476	19	0020:13	63.1
15490	20	0024:59	64.3
15504	21	0029:46	65.5
15518	22	0034:33	66.7
15532	23	0039:19	67.9
15546	24	0044:06	69.1
15560	25	0048:52	70.3
15574	26	0053:39	71.6
15588	27	0058:25	72.8
15602	28	0103:12	74.0
15616	29	0107:58	75.2
15630	30	0112:44	76.4
15644	31	0117:31	77.6

### MODEL II



**11% DISCOUNT**  
**Off List**

**64K 1 DRIVE \$3440.00**

No Taxes on Out of State Shipments

Immediate Shipment On Most Items.

**\$ DISCOUNT \$**  
**TRS-80®** DEALER A301

COMPUTER SPECIALISTS

26-3001 4K Color.....	\$360.00
26-1145 RS-232 Board.....	84.00
26-1140 "O" K Interface.....	249.00
26-1160 Mini Disk.....	419.00
26-1171 Telephone Modem.....	169.00
Fast 100 CPS Centronics 730 Printer.....	659.00
Text Quality Centronics 737 Printer.....	819.00
CAT Modem.....	149.00

**1-800-841-0860 Toll Free Order Entry**  
**MICRO MANAGEMENT SYSTEMS, INC. 313**

DOWNTOWN PLAZA SHOPPING CENTER  
115 C SECOND AVE. S.W.  
CAIRO, GEORGIA 31728  
GA. PHONE NO. (912) 377-7120

FREE  
COMPUTER  
CATALOG  
UPON  
REQUEST




26-1062 4K I.....	\$630.00
26-1062 16K III.....	888.00
26-1063 32K III	
2-Drives, RS232.....	2225.00

Largest Inventory in S.E. U.S.A.



# X-RATED



**OUTPERFORMS  
ALL commercially  
available tribanders  
AND many monoband  
systems, too!**

KT-34 UPGRADE KITS AVAILABLE  
WRITE FOR COMPLETE DETAILS OR  
SEE YOUR LOCAL KLM DEALER

## KLM's KT-34X

20, 15, & 10M — FOR THE MATURE HAM ONLY

KLM 17025 LAUREL RD., MORGAN HILL, CA 95037, (408) 779-7363 ✓40

### RAPID MOBILE CHARGER

The DEB-TED Rapid Mobile Charger is a constant voltage charger that will charge your batteries off a 12 Volt source in 4-6 hours. You may use the charger at all times, this includes transmit and receive periods. It is equipped with a cigarette lighter plug on the input side and the appropriate charging plug on the output side. Models available now for the Kenwood TR2400, Yaesu 207R, Tempo S1, S2, S5 and the Wilson Mark II and IV. Other models available also please call or write for info . . . . . \$34.95.



COMING SOON THE NEW AC VERSION

### "SEE THE WORKS" CLOCK

OUR EASIEST CLOCK TO  
ASSEMBLE!

6 Digits 12 or 24 Hour Format  
Clock rests between two  
pieces of clear plexiglas A  
GREAT CONVERSATION PIECE!  
Kit is complete including top



quality PC board, all components pre-cut  
and drilled plexiglas and all hardware. \$29.95  
Wired and Tested . . . . . \$39.95

### VEHICLE INTRUSION ALARM

An easy to assemble and install kit that offers options not normally found in other alarm systems. Hidden switch mounts under the dash. Kit has provisions for sensors and remote control switch. Programmable time delays for exit, entry and alarm periods. Basic hook-up utilizes dome light circuit activating when doors are opened. The alarm will drive a siren or pulse horn at a 1HZ rate. Not prone to false alarm do to reliable CMOS circuitry. No external switch required! Complete kit with easy to follow instructions and diagrams . . . . . \$12.95  
Wired and Tested . . . . . \$19.95

SPECIAL



SPECIAL

MODEL 5314 CLOCK KIT 12 or 24 hour format 6 large "5 Digits. Kit is complete with all parts, pc board and custom designed cabinet. (specify white or black). . . . . \$29.95



**DEBCO ELECTRONICS**  
P.O. BOX 9169  
CINCINNATI, OHIO 45209

- Add 5% Shipping for U.S. & Canada
- All foreign orders add 10%
- COD orders add \$1.25
- Master Charge and Visa Welcome
- Orders under \$20.00 add \$1.00 handling
- Ohio residents add 4 1/2% Tax

✓330 Phone: (513) 731-7220

CALL OR WRITE FOR CATALOG

# FUN!



John Edwards WB2IBE  
78-56 86th Street  
Glendale NY 11385

DXing! Some call it a passion, others call it an addiction; many call it nothing at all and blithely work W8s and KA6s. Whatever your personal opinion, it's evident that DXing is a primary motivating force behind all of amateur radio. After all, even if you don't work DX, chances are it still directly affects your day-to-day hamming. (Ever try to work a friend in another state on 14.210?)

When did DXing start? Probably the first time a ham attempted to work a station over a distance greater than to his neighbor. Legend has it that the first pile-up occurred the following day. Want to learn more? Read on.

## ELEMENT 1—CROSSWORD PUZZLE (Illustration 1)

- |   |   |
|---|---|
| Across                                    | 21 Greek prefix                             |
| 1 Famous DXpedition island                | 23 DXer's reaction to hearing a new country |
| 8 Lebanese prefix                         | 26 Home QTH for many                        |
| 9 Prefix of 1 across                      | 28 OSCAR group (abbr.)                      |
| 10 Japanese rig: rice _____               | 30 Morse question mark                      |
| 12 Father Moran's country                 | 31 Egyptian prefix                          |
| 14 Over                                   | 33 Italian prefix                           |
| 15 Greenland—MARS prefix                  | 34 Time when you want QSLs                  |
| 16 Region 1 continent (abbr.)             | 37 Foreign QSL clearinghouse (2 words)      |
| 19 International radio regulators (abbr.) | 41 WARC site                                |
| 20 Ten, at night, on cycle's bottom       | 43 Four-land state (abbr.)                  |




Illustration 1.

- |                                     |                                    |
|-------------------------------------|------------------------------------|
| 44 Good night (abbr.)               | 18 Rare DX makes this              |
| 47 DX operating technique (2 words) | 22 Test item (abbr.)               |
|                                     | 24 Operating establishment (abbr.) |
| Down                                | 25 Turkish prefix                  |
| 1 Competitive pastime               | 27 Top scorer in DX contest        |
| 2 Mystery signal (abbr.)            | 29 Get on the _____                |
| 3 DX operating trap                 | 35 Austrian prefix                 |
| 4 Rig's output (abbr.)              | 36 Eight-land state (abbr.)        |
| 5 5V-land                           | 38 Revilla Gigedo's prefix         |
| 6 Noise blanker (abbr.)             | 39 Radar image                     |
| 7 New country journey               | 40 Soviet prefix                   |
| 11 Greenland prefix                 | 42 CW "once more"                  |
| 13 Canadian Island (abbr.)          | 45 No good (abbr.)                 |
| 17 _____ the list                   | 46 Irish prefix                    |


## ELEMENT 2—MULTIPLE CHOICE

- On what frequency will you find the Afrikaner Net?
  - 14.230 MHz
  - 14.250 MHz
  - 21.355 MHz
  - 28.510 MHz
- WWV transmits solar activity bulletins:
  - 12 minutes before the hour
  - 18 minutes before the hour
  - 18 minutes after the hour
  - WWV does not transmit solar activity bulletins
- We are currently experiencing solar cycle:
  - 21
  - 41
  - 610
  - 20
- 160-meter DXers have to compete against LORAN generated QRM to find weak signals. Although this nuisance is now on the way out, it still pays to know your enemy. Therefore, what is LORAN an acronym for?
  - Liquid Oxygen Radio—And Nitrogen
  - Long Range Navigation
  - Low Ocean Radiation Aided Navigation
  - Long Radio Antenna
- Which country listed below does not have a third-party agreement with the US government?
  - Cuba
  - Bolivia
  - Israel
  - Belize
- Who was the first amateur to snag DXCC on 6-meters?
  - WB2LWJ
  - W2IDZ
  - W6AM
  - No amateur has ever worked 100 countries on 6
- What phone frequencies are allocated to European (except Soviet) amateurs?
  - 3.6-3.8 MHz
  - 3.5-4.0 MHz
  - 3.5-3.8 MHz
  - 3.7-3.8 MHz
- The term "master of ceremonies" (MC), when applied to DXing, refers to:
  - A DX operator
  - A QSL manager
  - A person in charge of organizing a DX list
  - A lid who disrupts a net

Continued on page 115

# With the Yaesu FT-480R . . .

## TWO METERS COMES ALIVE!



*SSB activity is flourishing, repeater activity is at an all-time high, and OSCAR users are breaking records every day. Let the FT-480R step you up to space-age performance on SSB, CW, and FM.*

### Features

- Coverage of 143.5 - 148.5 MHz (good news for you MARS operators)
- USB, LSB, CW and FM operation are all built-in
- Four channels of memory, with priority channel
- Two VFOs for unusual repeater splits
- Convenient synthesizer steps: 10 Hz, 100 Hz, or 1 kHz per step on SSB/CW, 1 kHz, 20 kHz, or 100 kHz per step on FM
- Scanning control from microphone
- Highly effective noise blanker
- Receiver offset tuning for following Doppler-shifted signals
- SAT switch allows shifting of transmit frequency during OSCAR operation (many rigs cannot QSY on TX)
- 30 watts DC input on FM/CW, 30 watts PEP input on SSB, HI/LOW power selection on FM and CW
- Built-in tone burst generator
- Bright LED signal strength/relative power output level meter
- Easy-to-read fluorescent display of operating frequency and memory channel
- Front panel switch for zeroing synthesizer to convenient step when changing modes from SSB/CW to FM
- Requires 13.8 VDC, negative ground

### Available Options:

FP-80 AC Power Supply  
 FTS-64E Synthesized CTCSS/Burst Encoder  
*Price and specifications subject to change without notice or obligation*

### Did You Know . . .

Yaesu now has a crystal-controlled 220 MHz FM rig — The FT-127



**YAESU**  
**The radio.**



1080

# LETTERS

## BASH VS. FAA

The letters in reply to the September article on Dick Bash indicate there are many different views on the propriety of his publishing the questions and answers to the various amateur radio tests.

It is interesting to note that at least two readers had comparisons with the FAA written tests, and I agree in principle with Mr. Remont and his opinion, "You must literally learn the test" in order to pass them.

Mr. Hauser, however, has not done his homework regarding manuals on the FAA written tests. I've identified at least 16 written test guides published by the FAA itself. These test guides cover the pilot written tests from private pilot to airplane transport ratings, the instrument and instructor ratings, plus flight engineer and navigator ratings.

Most of the later FAA written test guides are formatted very similar to the actual written tests, with the subject areas corresponding to those on the test, including questions that may even be word for word with the actual test questions, even to the four multiple-choice answers.

On the last FAA written test that I took, the commercial pilot exam, I believe that 32 of the 60 questions on the test were identical to the ones in the study guide. But bear in mind that the FAA has a slightly different approach to their written tests. The actual test booklet has, in the case of commercial pilot, 600 questions, but the test itself has only 60 questions, and the test sheet given to the applicant indicates which of the questions the applicant must answer.

The FAA written test guides do not have the answers indicated, but at least two aviation ground school operations have published answers and explanations in booklets available to the public. In addition, any pilot wishing to take weekend "cram" courses for an exam can find them within easy driving distance almost any weekend.

Yes, I suppose a person could pass an FAA written exam by memorization. But if a person memorized the 600 questions, surely he would have some understanding of what the FAA requires an airman to know.

But there is one more thing to consider. An applicant for an FAA written test has to produce evidence, a certificate or statement from a flight or ground school instructor that the applicant has undergone a course of instruction preparing him for the exam to be taken. This precludes an airman from simply memorizing the test guide, and then taking the FAA written test.

I hold a commercial pilot's license with multi-engine, land, and instrument ratings.

**Sheldon Daitch WA4MZZ  
Greenville NC**

## HORDES OF LIDS

I would like to comment on certain readers' reactions to Dick Bash's interview in 73: How soon we forget! Anyone who remembers the old (small-format, black-cover) *ARRL License Manual* will recognize Bash's book as approximately the same thing only with more accurate questions/answers. I don't remember anyone taking the League to task for publishing the old-format *Manual* (not to be confused with the new one which might teach theory but does nothing to help you pass the test). And, what of those "schools" that drill you on questions and answers so you can pick up a First Phone? I've met graduates of these "schools" that barely know the difference between ac and dc!

I, like most who took the Extra, noticed that technical competence alone would not get you a passing grade—you needed to know how to interpret the confusing semantics of the test questions.

As for the fears that the Bash approach of licensing will produce hordes of lids, I would like to have those of you who feel this way tune in to the average DX pile-up on the low end of 20m phone. And a lot of these guys

are old-timers! You'll notice that the FCC exam says nothing about tact, diplomacy, etc., in operating!

Amateur radio is something that is learned by doing, not memorizing. If you have to memorize to pass the test, so what! Your real learning begins the moment you first press a transmit switch.

**Fred Heisler K5FH  
New Orleans LA**

## PASS THE WORD

We departed California on 1 October, 1980, and flew directly to Athens, Greece. The next 10 days were spent clearing customs and obtaining our licenses.

It was only through the efforts of SV1JG and SV0AA that we got our licenses that fast. Anyone going to Greece should apply at least 2 months before arrival.

We got on the air from Crete Island as W6KG/SV9 on 12 October and by 26 October we had 9500 QSOs, half phone and half CW. We worked stations in 142 countries and were on all bands permitted in Greece.

160 meters is not permitted yet for use by Greek amateurs. Operation on 40 meters is limited to 7000 kHz through 7100 kHz, and on 80 meters to 3,500 kHz through 3,600 kHz. We were on 48 hours in the CQ World-Wide phone contest and made the highest score for Crete.

The tourist business is a major industry in Greece, and, as a result, all of the islands have great numbers of hotels and everyone in the hotels and shops speaks English.

We try to use Lloyd's call in one country and Iris's call in the next. From here, we go to Rhodes Island in the Dodecanese and will use Iris's call there as W6QL/SV5.

We expect to be on the air almost continuously for 6 months—please pass the word to everyone.

**Lloyd Colvin W6KG  
Iris Colvin W6QL  
Castro Valley CA**

## FINALLY PASSED

I'm sure that by this time everyone is tired of reading letters about FCC exams and Dick Bash, but if you will permit me, I

should like to offer some of my observations and experiences.

After failing the General class exam three times, I was sorely tempted to buy a copy of *The Final Exam*. All that prevented me was the fact that the publication was unavailable. All stores and mail-order companies were sold out and had no idea when new copies would be available, since a revision was in the works due to new FCC exams.

Why was I so tempted? Here's why: The second time I failed the test, I went home and wrote down the gist of every question I could remember from the test. I came up with 47 out of 50. I still failed! My contention, and my biggest complaint, is I failed simply because I had no way of knowing which answers were wrong! Since the FCC examiner will not allow applicants to see their corrected tests, I think I kept missing the same 14 questions!

When I finally passed this week, I missed 9, but I sure couldn't tell you which 5 questions I finally answered correctly! I guess I was lucky to pass at all, but since I was given the exact same exam every time, maybe I just finally eliminated all the wrong answers on the "guess" questions. (Four possible answers, four attempts; the law of averages caught up with me.)

I'm sure that some will say that since I had managed to remember most of the questions, I should have been able to research the correct answers, but the FCC "trick," or what I considered to be vaguely worded questions, defied research. I asked my husband (a long-time electronics and radio hobbyist), Advanced class hams, and even my brother-in-law, who just spent four years working communications in the Navy, and could come up with no answers. I am not an electronic-minded whiz kid, and I guess I'm just lucky the General exam is mostly rules, regulations, and propagation. Otherwise I would be a Novice for life.

I know that there are amateurs who have no use for the "social" operators, but I am proud to be a radio amateur, and though I have great respect for anyone holding an amateur license (especially Advanced and Extras), I feel that I am, in my own "social" way, contributing to the "advancement of skills in


*Continued on page 122*

# MORE PERFORMANCE FOR YOUR DOLLAR! COMPETITORS KNOW ABOUT THE ISOPOLE™

## DO YOU? STUDY THE FACTS ...

The IsoPole is building a strong reputation for quality in design and superior performance. The IsoPole's acceptance has already compelled another large antenna producer to make a major design modification to his most popular VHF Base Station antenna. Innovative IsoPole conical sleeve decouplers (pat. pend.) offer many **new** design advantages.

All IsoPole antennas yield the **maximum gain attainable** for their respective lengths and a zero degree angle of radiation. Exceptional decoupling results in simple tuning and a significant reduction in TVI potential. Cones offer greater efficiency over obsolete radials which radiate in the horizontal plane and present an unsightly bird's roost with an inevitable "fallout zone" below. The IsoPoles have the broadest frequency coverage of any comparable VHF base station antenna. This means no loss of power output from one end of the band to the other, when used with SWR protected solid state transceivers. **Typical SWR is 1.4 to 1 or better across the entire band!**



Outstanding mechanical design makes the IsoPole the only logical choice for a VHF base station antenna. A standard 50 Ohm SO-239 connector is recessed within the base sleeve (fully weather protected). With the IsoPole, you will not experience aggravating deviation in SWR with changes in weather. The impedance matching network is weather sealed and designed for maximum legal power. The insulating material offers superb strength and dielectric properties plus excellent long-term ultra-violet resistance. All mounting hardware is stainless steel. The decoupling cones and radiating elements are made of corrosion resistant aluminum alloys. The aerodynamic cones are the only appreciable wind load and are attached directly to the support (a standard TV mast which is **not supplied**)

Operating on MARS or CAP? The IsoPole and IsoPole Jr. antennas will typically operate at least  $\pm 2$  MHz outside the respective ham band without re-tuning. However, by simple length adjustment, the IsoPoles can be tuned over a wider range outside the ham bands.

Our competitors have reacted to the IsoPole, maybe you should too! Order your IsoPole or IsoPole Jr. today from your favorite Amateur Radio Distributor. For more information on other exciting AEA products, contact

Advanced Electronic Applications, Inc., P.O. Box 2160,  
Lynnwood, WA 98036.  
Call 206/775-7373

# AEA Brings you the Breakthrough!

PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE OR OBLIGATION.



ISOPOLE 144  
\$49.95  
ISOPOLE 220  
\$44.95  
MAST NOT  
SUPPLIED



ISOPOLE  
144JR  
ISOPOLE  
220JR  
\$39.95

MAST NOT  
SUPPLIED

# NEW PRODUCTS

## NEW AUTOMATIC ANTENNA TUNER

A new automatic antenna tuner for use with amateur, commercial, and government communications systems has been introduced by the J. W. Miller Division of Bell Industries.

Auto-Track Model AT2500 antenna tuners can handle power in excess of 2500 Watts PEP over a frequency range continuous from 3 to 30 MHz. Average automatic tune-up time is 15 seconds.

Front panel switch positions permit the use of three coaxial antenna outputs, one long-wire antenna, and one coaxial tuner bypass. Impedance is 10-300 Ohms. A direct-reading swr meter on the front panel is calibrated from 1:1 to infinity.

The panel meter displays rms power with continuous carrier and automatically displays peak when in the SSB mode in ranges of 0-250 Watts and 0-2500 Watts.

Additional information may be obtained from Curt Henius, J. W. Miller Division of Bell Industries, 19070 Reyes Avenue, Compton CA 90224. Reader Service number 483.

## FT-480R TWO-METER SSB/CW/FM TRANSCEIVER

Yaesu's FT-480R is a compact SSB/CW/FM transceiver for the two-meter operator. Rated at 30-Watts PEP input on SSB, 30-Watts dc input on CW and FM, the FT-480R covers 143.5-148.5 MHz, with two vfos provid-

ing coverage of repeaters not using the standard +600-kHz split which is built into the set. The microcomputer circuitry built into the FT-480R allows ease of operation. For example, when tuning on SSB/CW, the frequency synthesizer automatically tunes at 10 Hz, 100 Hz, or 1 kHz per step (three rates available), or 1 kHz, 20 kHz, and 100 kHz per step on FM. At the flick of a switch, you can zero the display to an even-channel step (when switching from SSB to FM), thus avoiding the nuisance of being a few hundred Hertz away from a "standard" channel when changing modes.

The rig has four memories with priority channel operation, scanning from the microphone, a noise blanker, high/low power selection on CW/FM, and provision for changing frequency during transmission. A matching external power supply, the FP-80, is available for ac operation.

For further information, write Yaesu Electronics Corporation, 15954 Downey Ave., PO Box 498, Paramount CA 90723. Reader Service number 482.

## THE 173D PRESENTATION MODEL CLOCK

Benjamin Michael Industries, Inc., has announced the addition of the 173D Presentation Model clock to its line of quartz digital timepieces. The 173D will be of particular interest to those involved in the aviation or communications industries where



The FT-480R two-meter SSB/CW/FM transceiver.

both local and Greenwich Mean Time (Zulu) is needed.

The 173D is a wall or desk piece which contains two independent digital electronic clock movements. Greenwich Mean Time is displayed in the proper 24-hour military time format while local time is simultaneously presented in a 12-hour format with am/pm indicators. Both large displays are of the LCD type for easy viewing and low power consumption. The 173D features quartz-crystal accuracy along with one year of operation on a single, standard penlight battery. The clock comes in a solid walnut case; the face plate is gold anodized, brushed aluminum.

For more information, contact Benjamin Michael Industries, Inc., 65 East Palatine Road, Prospect Heights IL 60070. Reader Service number 480.

## NEW TEN-TEC DUMMY LOAD IS AIR COOLED

A new rf dummy load from Ten-Tec is air cooled for clean,

easy use around the shack in testing and alignment. It is rated at 300 Watts for 30 seconds. A derating curve is included for using the dummy load over periods of time up to a 5-minute maximum.

Vswr is 1.1:1 maximum from 0-30 MHz and 1.5:1 maximum from 30-150 MHz.

The Model 209 weighs 1/2 pound and is housed in a 1 3/4" H x 2 1/4" W x 6 3/4" D aluminum enclosure that is perforated with wide slots for free air flow and dark-painted for more effective heat dissipation. An SO-239 coax connector is built in for convenient installation.

For more information, contact Ten-Tec, Inc., Highway 411 East, Sevierville TN 37862.

## NEW HAMTRONICS KITS

Hamtronics® has announced a new single-channel UHF FM exciter called the model T451. Patterned after the T450 exciter, the new unit is rated at 2-Watts continuous output and is contained on a 3 x 5 1/2 inch PC

Continued on page 120



A Bell Industries antenna tuner.



The Benjamin Michael 1730 Presentation Model clock.

# GOOD DELIVERY!



on

\* KENWOOD

\* YAESU

\* ICOM

\* TEN-TEC

\* TEMPO

\* DRAKE

\* DENTRON

\* COLLINS

\* INFO-TECH

\* SWAN

## OUR PRICE IS RIGHT!

CALL TOLL-FREE

# 1-800-325-3636

**HAM RADIO CENTER** <sup>32</sup>  
8340-42 Olive Blvd. • P.O. Box 28271 • St. Louis, MO 63132



# REVIEW

## CROWN MICROPRODUCTS ROM-116 RTTY INTERFACE AND OPERATING SYSTEM

There are many changes and technical improvements taking place in amateur radio these days, and some of the most profound changes are in the field of radioteletype (RTTY). One could say that the electronic revolution is taking place a little late in RTTY, but there can be no question about it; it is taking place. The noise and aggravation of mechanical RTTY gear has kept many hams from trying out this fascinating mode, but it is time to reexamine the situation. Electronic technology is arriving in force, and there are several manufacturers producing totally silent RTTY equipment that either incorporates a microcomputer on board or interfaces with one of the popular microcomputers such as the Apple, TRS-80, Pet, etc. There are many advantages other than silent operation, however, and the Crown Microproducts ROM-116 RTTY interface and operating system is a perfect example of what can be done with a microcomputer. With no further delay, let's examine this system and find out how easy and, indeed, how much fun RTTY operation can be.

The ROM-116 is an interface board and computer program that allows a TRS-80 microcomputer to operate as a computerized solid-state teletype machine. You connect a transceiver and demodulator to the

ROM-116 and the ROM-116 to your TRS-80, and you will be very close to RTTY heaven. The capabilities of the system are almost unbelievable; it appears to incorporate every feature the avid RTTY operator could desire, yet it is not a complicated system to operate.

Like many RTTY systems with video displays, the ROM-116 operates with a split-screen system. Received text is displayed on the top half of the monitor, and a message can be pre-typed in the advanced typing mode on the bottom portion. On the right side of the screen is a continuous display of program status, letting you know whether you are in the receive or transmit mode, in the ASCII or Baudot mode, baud rate, line printer on/off, and a host of other informational items. A quick glance at the status display will reassure you that everything is doing what it's supposed to be doing (or it will warn you that it's not!). Also displayed on-screen is the date and time. This information is simply entered via the keyboard whenever you power-up the system. The date and the correct time will then appear on the screen, and each time the system automatically identifies, the date and the correct time will be transmitted. A nice touch!

If you look at the picture for more than a second, you'll realize that the ROM-116 has only one switch: the power on/off switch. That's right, friends, the

ROM-116 accomplishes everything under software control. Each of the many functions that this unit performs is selected by typing a code into the keyboard. All commands use a shift and a character, so it is unlikely you'll tell it to do something by accident. If you enter a shift T, for example, the computer will turn on the transmitter, send a CW ID, and then send anything you have typed into the text buffer. Shift K will accomplish the same thing, only a CW ID will not be sent unless it has been ten minutes since the last ID. This thing even keeps you legal!

All the other functions of the ROM-116 are accessed in the same manner. Like many other products in our digital age, you'll have to commit the command codes to memory or else use a cheat sheet that tells you what to enter for a particular function. At first, you might wish that separate switches had been used for each function, but as you grow accustomed to the system, you'll be thankful the ROM-116 uses the direct keyboard entry system for all commands.

With this system, you'll have plenty of commands! The program allows for three memory buffers. If you have a 16K TRS-80, the main text buffer will hold about 7,000 characters. A general-purpose buffer for brag tapes, CQs, and anything else you send frequently holds approximately 2500 characters. Finally, there is a callsign buffer that will hold up to 140 characters. All these memories are held in the computer, not on tape, so you don't have to go through a complicated loading procedure every time you want to send the contents of a particular buffer. If you program all the pertinent details about your station into the brag-tape buffer, you can send that information at any point in the text by typing "shift C". Naturally, while that buffer is being sent, you can continue typing into the main text buffer. As soon as all the information in the brag-tape buffer is sent, the system will send whatever else you've typed in. The callsign buffer works the same way. Anyone who has used a cassette-tape lash-up to store messages will quickly appreciate this ease of operation!

You can, however, use the TRS-80 cassette tape recorder for simple and dependable stor-

age of incoming data, and this brings us to one of the most fascinating features of the ROM-116.

When you initialize the system for the first time during an operating session, you are asked to enter a selcal code. This can be a word, a number, or any combination thereof. Now suppose you leave the shack someday, with your equipment turned on and tuned to 14.100 MHz. If anyone transmits QST, your call, or your selcal code on this frequency, the received text will be written to cassette, following the receipt of four Ns. The system will ignore any other activity that takes place on that frequency. But wait, it gets better! If someone sends your selcal code and the letters ZM, your system will switch over to transmit, CW ID if necessary, and send whatever you have typed into the general-purpose buffer. "ZQ" will send 10 lines of "quick brown fox," "ZW" will send "WRU", and "ZY" will send 10 lines of "RYRY". Pretty impressive! When you come home, play back the tape and see what your friends (or enemies) have sent you. It doesn't take too active an imagination to think of all the fun you can have with this.

At this point you probably are worried about hooking up all this glorious luxury. Surprisingly, it doesn't take long at all. I do encourage anyone hooking up this system for the first time to read the manual *very* carefully. The manual is very complete and well written; nothing is left to chance. Although my experience with microcomputers and RTTY gear was somewhat limited at the time, I had no difficulties hooking up the various control cables. Everything went smoothly and worked the first time. Once you have had the system for a while, you might want to examine the back section of the manual and try out some of the goodies that can be done with the ROM-116. Modem operation, TRS-80 as a host computer, and operation on time-sharing systems are just some of the things that are possible.

While the forte of the ROM-116 is RTTY, it comes with a pretty sophisticated CW program as well. Received copy was acceptable, but to quote



The Crown Microproducts ROM-116 RTTY Interface and Operating System.

Continued on page 65



# A superb frequency counter is frequently not counted—just because it doesn't have a high price-tag.



The truth is, our 8000B 1 Gigahertz is an excellent counter. In fact, it's preferred by many engineers, technicians, and electronic enthusiasts. Not a single competitor on the market today can surpass our price/performance ratio.

And we've deliberately kept our prices down. First, we've refused to join everybody else in their high mark ups. Instead of "charge what the market will bear," for us it's "charge a fair price." Second, we sell what we manufacture, directly to you. So extra costs of extra steps are automatically eliminated. Third, we have to build a lot of frequency counters to meet the demand. Because we do sell so many, we don't have to charge a high price to make a profit.

And about quality . . . Sabtronics frequency counters always have the most innovative features available. For example, our 8000B 1 Gigahertz Frequency Counter has a 10 Megahertz precision crystal timebase. But most important, the 8000B, using the most advanced LSI circuitry, has a guaranteed sensitivity of 30 millivolts up to 1 Gigahertz, with 20 millivolts typical. The three-stage differential amplifier IC makes this possible. Altogether, the 8000B uses only 6 IC's, making the chance of failure virtually nonexistent.

Three selectable gate times provide the measurement speed you need — and greater resolution. The resolution is further enhanced by our counter's 9-digit display.

Like the 8000B, Sabtronics' 8610B is a high-quality precision frequency counter. It features only 4 IC's, and offers a frequency range up to 600 Megahertz.

The cases of both counters are high strength impact-resistant ABS plastic. Elegant but very rugged. Sabtronics doesn't believe in skimping on the high quality construction that brings excellent performance. But we're not about to charge a high price just because we could get it!

Send in the coupon and order your new frequency counter now. Credit card holders may call.

## BRIEF SPECIFICATIONS:

**Frequency Range:** 10 Hz to 1 GHz (Model 8000B), 10 Hz to 600 MHz (Model 8610B); **Timebase:** Frequency: 10 MHz, Stability:  $\pm 1$  ppm (20 to 40°C.), Aging Rate:  $< 1$  ppm/year; **Sensitivity** (adjustable): Input A  $< 15$  mV to 100 MHz, Input B  $< 30$  mV, 100 MHz to 1 GHz (Model 8000B),  $< 30$  mV, 100 MHz to 600 MHz (Model 8610B); **Gate Times:** .1 sec., 1 sec., 10 sec.; **Resolution:** 0.1 Hz to 10MHz, 1 Hz to 100 MHz, 10 Hz to 1 GHz; **Display:** 9-digit LED 0.4"; **Power Requirements:** 4.5 to 6.5 VDC (4 C-cells) or optional AC adapter; **Dimensions:** 8" wide X 6.5" deep X 3" high (203 X 165 X 76 mm), 1.3 pounds (590 g) excluding battery.

Making Performance Affordable

**sabtronics**   
INTERNATIONAL INC.

Sabtronics International, Inc., 5709 N. 50th Street, Tampa, FL 33610, (813) 623-2631.

Please send me the following:

\_\_\_\_\_ Model 8000B 1 GHz Frequency Counter(s), Assembled @ \$199.00 each ..... \$ \_\_\_\_\_

\_\_\_\_\_ Model 8610B 600 MHz Frequency Counter(s), Assembled @ \$129.00 each ..... \$ \_\_\_\_\_

Shipping and handling, \$6.00 per unit\* ..... \$ \_\_\_\_\_

10% deposit for C.O.D. orders ..... \$ \_\_\_\_\_

Florida residents add 4% Sales Tax ..... \$ \_\_\_\_\_

I enclose  check  money order. (Allow two to three weeks for personal checks to clear.)

Charge:  Visa  Master Charge


Account No. \_\_\_\_\_ Exp. Date \_\_\_\_\_

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ ZIP \_\_\_\_\_

\*U.S. only. Canada \$7.50; overseas air mail \$25.00.



# SCR1000 VHF—SCR4000 UHF

*If You Want a Fantastic Repeater or Link System - Go With the Finest  
Go With Spec Comm!*

**2 Mtr.  
220 MHz  
450 MHz**

- 30W Output.
- Low Noise/Wide Dynamic Range Front End for Excellent Sensitivity & IM Rejection.
- Sensitivity: 0.3uV Typ.
- 12 Pole IF Filter, & 8 Pole Front End Filter.
- Full Metering, Lighted Status Indicators/Control Push-buttons, Btry. Power Input, AC Pwr. Supply, CW I Der, etc., etc.

SCR1000  
& SCR4000  
ARE FCC TYPE  
ACCEPTED  
for Commercial  
Services

Available just the way you want it—with Full Automatch/Reverse Patch/and-Line Control; Touch Tone Control of various repeater functions; "PL" Emergency Pwr. ID.; various Tone & Timer Units, etc. PLUS—the finest Duplexers, Cabinets, Antennas, Cables, etc. Our Repeaters are sold factory direct only, or through Foreign Sales Reps. Get your order in A.S.A.P.!

If you plan to install a new Repeater or VHF/UHF Link System (with or w/o Auto-patch), you'll find that you can't find better quality, more reliable equipment, with all of the features and options you want at anywhere near our prices—if you can find it at all!

For many years now, we have specialized specifically in the field of VHF/UHF Repeaters, Links, Transceivers and all of the accessories to make up a complete system. We now have hundreds of repeater and link systems operating successfully all over the world!

When you buy Spec Comm gear, you get the benefit of all of these years of experience—you get the best! And, years from now, you'll still be glad you went with Spec Comm!

Shown in Optional Cabinet

**30 or 70 WATTS  
on 2 Mtrs.!**

*10M Repeater now  
"in the works"!*

Made In U.S.A.

Commercial Business Radio Dealer Inquiries Invited

180 Day Warranty

Call or write today and get the details!



## SPECTRUM

Export Orders — Contact our International Dept.

1055 W. Germantown Pk., Dept. S

**new**

# COMMERCIAL MOBILE & BASE TRANSCEIVERS

Spec Comm "Professional Communications Line"

**136-174 MHz**

**220-240 MHz** (Commercial Export and Amateur)

### Features

- 6 channels.
- 0.35 uV Rcvr.
- 8 Pole Crystal Fitr.
- Beautiful Audio—RX + TX.
- Provision for CTCSS.
- Very Reasonable Price!

### PCL250 30 Wt. Mobile Unit

- "Super Rugged" Housing

Solid 1/8" Thk. Aircraft Aluminum!



- Built-in AC Power Supply.
- Front Panel Status Indicator Lights.
- Optional Rcvr. Scanning Function Available.

### PCL300 30 Wt. Base Station

- Very attractive woodgrain housing.




▶ FCC TYPE ACCEPTED—PARTS 21, 81, 90 ◀

## SPEC COMM REPEATER BOARDS & SUB-ASSEMBLIES

These are Professional "Commercial Grade" Units—Designed for Extreme Environments (-30 to +60° C).

All equipment assembled & tested. For 2M, 220 MHz & New 450 MHz!

### SCR450 BOARD



### SCR100 VHF Receiver Board


- Wide dynamic range! Reduces overload, 'de-sense', and IM.
- Sens. 0.3 uV/12dB SINAD typ.
- Sel. -6dB @ ± 6.5 KHz, -110dB @ ± 30KHz. (8 Pole Crystal Fitr.)
- 'S Meter' Output.
- Exc. audio quality! Fast squelch! w/0.0005% Crystal.

### SCR100 Receiver Assembly

- SCR100 mounted in shielded housing
- Same as used on SCR1000
- Completely asmbld. w/F.T. caps, SO239 conn., AF GAIN POT, etc.

### SCR450 UHF Receiver Bd. or Assy.

- Similar to SCR100, except with 12 Pole IF Fitr. & 8 Resonator Front End Fitr.!
- Discriminator & Deviation Mtr. Outputs
- **Totally New Advanced Design!**



### SCAP Autopatch Board

- Provides all basic autopatch functions
- 3 Digit Access; 1 Aux. On/Off function; Audio AGC; Built-in Timers, etc.
- 0/1 Inhibit bd. also available.
- Write/call for details and a data sheet.

### RPCM Board

- Used w/SCAP board to provide "Reverse Patch" and Land-Line Control of Repeater
- Includes land line "answering" circuitry




FL-6

### FL-6 Rcvr. Front-End Preselector

- 6 Hi Q Resonators with Lo-Noise Transistor Amp (2M or 220 MHz).
- Provides tremendous rejection of "out-of-band" signals w/out the usual loss! Can often be used instead of large, expensive cavity filters.
- Extremely helpful at sites with many nearby VHF transmitters to "filter-out" these 'out-of-band' signals.
- Voltage Gain: apx. 10 dB.
- Selectivity: -20 dB @ ± 2.0 MHz; -60 dB @ ± 6 MHz (typ.).

### ID1000 Automatic Base Station CW Identifier



- For Repeaters, Base Xmtrs., etc.
- Fully Automatic ID timing & xmtr. keying.
- Convenient Front Panel Controls. Many Deluxe Features!
- AC or DC powered
- Easy to install! 19" Rack Mount
- Reasonable Price! Ask for Data Sheet

### PSM-1 Repeater Power Supply Mod Kit

- For SCR-1000 or SCR-4000
- Replaces Darlington Pass Tr.—for improved reliability
- Includes new overvoltage "Crowbar" shut-down circuit.
- Complete kit, w/assembled PC board. \$19.50 + \$2.50 SH.

### ID250 CW ID & Audio Mixer Board

- Adjustable ID tone, speed, level, timing cycle.
- 4 Input AF Mixer & Local Mic amp.
- COR input & xmtr. hold circuits.
- CMOS logic; PROM memory—250 bits/channel.
- Up to 4 different ID channels!
- Many other features Factory Programmed



SCT410 XMTR. ASSY.

### SCT110 VHF Xmtr/Exciter Board


- 7 or 10 Wts. Output. 100% Duty Cycle!
- Infinite VSWR proof
- True FM for exc. audio quality
- New Design—specifically for continuous rpt. service
- Very low in "white noise"
- Spurious -70 dB. Harmonics -60 dB.
- With .0005% xtal.
- BA-10 30 Wt. Amp board & Heat Sink, 3 sec. L.P. Filter & rel. pwr. sensor.

### SCT110 Transmitter Assembly

- SCT110 mounted in shielded housing
- Same as used on SCR1000
- Completely asmbld. w/F.T. caps, SO239 conn.
- 7, 10 or 30 Wt. unit.

### SCT410 UHF Transmitter Bd. or Assy.

- Similar to SCT110. 8-10 Wts.
- Avail. w/ or w/o OS-18 Super High Stability Crystal Osc/Oven.
- BA-40 30W. min. UHF Amp. Bd. & Heat Sink.



TTC100 Touchtone

### Control Board

- 3 digit ON, 3 digit OFF control of a single repeater function. Or, (optional) 2 functions (2 digits ON/OFF each).
- Can be used to pull in a relay, trigger logic, etc.
- Typically used for Rptr. ON/OFF, HI/LO Pwr., P.L. ON/OFF, Patch Inhibit/Reset, etc.
- Stable, anti-falsing design. 5s Limit on access.
- For Add'l Function(s)—Add a "Partial TTC" Board.

# COMMUNICATIONS CORP.

Send for Data Sheets!

Norristown, PA 19401 • (215) 631-1710

Dwight Ernest KA2CNN/AAR2DE  
Sandra Kynes-Ernest KA2DBW  
223 West 21st Street, #4H  
New York NY 10011

# Winter Olympics Torch Run

## — a one-year perspective

**Editor's Note:** In the May, 1980, QST, one participant's view was presented of amateur radio's part in the Winter Olympics Torch Relay Run. Due, in part, to more detailed explanations of the project's complexity and the many amateurs' responsibilities, we believe the story presented here lends a different perspective to and perhaps better captures the spirit of involvement of all those who had a hand in this historic event.

**A**mateur radio made important contributions last year to the Olympic effort at Lake Placid.

A great deal of traffic handling and commemorative operating took place with the Winter Olympic

Radio Amateur Network (WORAN) and its station, WØRAN. Amateurs also performed admirably dur-

ing the Winter Olympic Torch Relay Run.

We were among the amateur operators who were chosen to accompany the Olympic Torch from Langley AFB to Lake Placid between January 31 and February 8. There were over 1,000 miles and nine days of extraordinary operating, mostly on VHF. It demanded all the skill and combined experience we had in contesting, traffic handling, and high-speed tactical communications. It was something none of us will ever forget, and something the entire amateur community can be proud of.

Early in 1979, the Lake Placid Olympic Organizing Committee (LPOOC) approached the ARRL. They needed experienced communicators to provide reliable communication for the vehicles involved in the Torch Relay Run. The Run had been organized, in an attempt to publicize the coming of the Olympics to the US and to Lake Placid,



*Photo A. The beginning amateur operating contingent in Yorktown poses for the obligatory group shot. Standing from left: W1RM, WA3PZO, KB3HF, KA2DBW, WB1ADL (on right); kneeling from left: WB3HWZ, K2AMU, KA2CNN, WB3EOU, WB3LGC, WA2DHF, WB2VUK, K2AV.*

s a combined public relations and educational effort. It would be the first time the genuine Olympic flame, kindled in the temple of Hera from the rays of the sun in Olympia, Greece, had been on American soil since the earlier Olympic flames displayed in this country were ceremonial duplicates. Ham radio was regarded as the most appropriate source for trained operators for a number of reasons, not the least of which was the fact that hams, like the athletes, are skilled amateurs who sacrificed a great deal of time and money for the thrill of public service contributions and competition.

It was a tall order to fill. Over 75 people in 11 vehicles, some of which would be as far as 100 miles apart, were needed to keep in touch constantly to coordinate their many and varied activities. Each little town on the Relay's route had planned its own ceremony to honor the passing of the torch, and these ceremonies needed to be coordinated with the scheduling, the program, and the safety requirements of the moving caravan within which the torchbearers were to run. This coordination would have been impossible through any medium other than ham radio. Lunches had to be found and picked up, and then the vehicle with the lunches had to find the moving caravan again. Ham radio had to deal with scouting for fuel, with command and policy communications, vehicular repairs, rest-room stop arrangements, and liaison with state and local law enforcement agencies. Literally hundreds of events each day had to be controlled in a coordinated fashion.

Safety communication was our highest priority. With eleven vehicles on

two-lane roads in curving, hilly terrain, allowing vehicles to pass around the caravan became a problem. If the torchbearers stumbled, the entire caravan would have to come to an immediate halt to avoid running over them. Crisp, sharp—and secure—communications clearly were required. Bad weather had to be anticipated—but we were lucky in this potential problem area.

The operators who were chosen to accompany the torchbearers and staff were selected on the basis of their experience in contest operating (which bore many similarities to the type of operating we would be undertaking), traffic handling, and walkathon and marathon-type operating. It included many with experience handling communications for the New York City Marathon, including the communications coordinator for that event, Steve Mendelsohn



Photo B. The early-morning arrival of the Olympic flame, during a snowstorm, in a State Department aircraft similar to Air Force One, on January 31, 1980, at Langley Air Force Base.

WA2DHF. The hundreds of amateurs who provided invaluable support communications along the route while the caravan was in their area are regrettably too numerous to be mentioned. The traveling operators were drawn mostly from the upstate New York, northern New Jersey, New

York City, Baltimore, Philadelphia, Wilmington, and southern Connecticut areas.

The runners numbered 52—one from each state plus one each from the District of Columbia and Lake Placid. Evenly divided between men and women, they were chosen from

Literally scores of amateurs and their families along our route helped in various support capacities, performing tasks ranging from repair of broken rigs to transportation of emissary runners from place to place, to donations of equipment for our temporary use, to relay from VHF to HF to maintain our contact with WORAN and Link Nixon in Lake Placid. Although it would be impossible to acknowledge all of those who played important roles in this effort, here are the calls of many without whom the traveling team would have been isolated and crippled.

**Maryland, Delaware, District of Columbia**

K3AHB	W3BCN	KA3BKW	WA3BPC	W3ENL	W3FA	K3HBP
WB3FOE	WB3GXD	WA3HQX	W3JAC	W3KDD	W3NFS	WB3ENF
K3RA	K3RKU	AE7T/3	W3TCI	W3XE	K3UAV	WR3ABA
WR3AFM/W3RUN				WR3ADH		

**Virginia**

WA4CCK	N4NK	K8LGA	WR4AAD	W3BBN/4	N4CCF	WD4FTK
KA4FVB	KA4GAV	WB4MAE	K4MU	W4NTG	WA4RBC	WB4SHK
WB4UHC	K4BKX	WR4AFT	WR4BBZ	WB4DNT/R	W4NTG/R	K4VYN/R
W4ZA/R						

**Pennsylvania**

WA3AOP	N3AYK	WB3ELA	W3NWA	WA3PZO	AG3R	
--------	-------	--------	-------	--------	------	--

and literally hundreds of other hams...

**New Jersey**

K2ASF	K2ASG	N2BBL	AA2C	KA2CHM	KA2DOH	WB2ZRU
KB2ET	N2GJ	N2GX	AA2H	KB2HM	WB2HON	K2ASF/R
WB2HZR	WB2JHN	K2JJM	AF2L	WB2LCC	WA2MVQ	AF2L/R
WB2SZI	WB2TZS	K2UL				

**New York**

N2DU	N2FU	K2GDX	W2GH	W2GN	W2CS	WA2AAU
W2HQW	WB2JDD	WA2JHJ	WA2KDE	WB2NEA	W2ODC	W1BQO
WB2PID	KA2Q	WB2QCJ	K2RJN	WA2RXQ	W2SZ	WB3BPU
KB2T	K2TR	W2TJ	WA1UGE/2	WB2VJC	W1VSA	WB2CFP
WA2WNI	N2YL	WA1ZYV/2	WR2ABB	WR2ACD	WR2ADZ	WB2CJS
K2AE/R	WR2AFS	WR2ALY	W2CXX/R	WA2CZT/R	WB2ERS/R	W2LWX/R
WB2FNV/R	W1KOO/R					



*Photo C. One of the Chevy Trans-Sport custom vans used for Ceremonial, Command, and other positions. Having a fiberglass body, it required our own ground-plane metallic base with 19-inch radials attached to the body with duct tape.*

among 6000 applicants on the basis of personal interviews, essays, and their running ability. They ranged in age from 15 to 54 years old. They were organized into four teams of 13 runners each, with two teams assigned running duty each day and the two off-duty teams given emissary functions. The emissaries traveled ahead of the caravan making public appearances at churches, schools, and service and social clubs, speaking about the Olympic spirit and the Relay Run itself. Officially, each runner ran between three and five miles each day, but many frequently ran alongside the torchbearer or ran after we stopped for the night.

Like the hams, the runners made the effort required for the run at their own expense, receiving only a uniform, meals, and lodging for the duration of the run and of the Olympics. Additionally, and perhaps most prized, were the Olympic participation medals we all received, along with certificates of appreciation. Runners and hams alike either took extended vacation or leaves of absence from their work

to take part in this rare opportunity. Any distinction between the two groups soon faded in view of the shared excitement and sacrifice and was further eroded as the runners watched the amateurs in operation and the hams watched the runners in all weather, on all terrain, bearing the torch to Lake Placid. A great, solid bond of mutual respect developed after only a few hours.

Following personnel selection, there was a period of discussion and practice. The runners got together in Lake Placid in the summer of 1979 to practice the technique they would be using and to get to know one another better. The hams weren't so lucky where lead time was concerned. After an initial organizational meeting on the hard, cold floor at Rockefeller Center in Manhattan—to which many drove long distances—we practiced with a small group of the runners. This practice was a test of the last day of the Relay Run from Fort Ticonderoga to Lake Placid on the Albany East route, with a day-long recap and critique over the weekend of December 8-9.

This full-scale test was invaluable for the technical and organizational lessons we learned there. Without it, we would have been ill-prepared for the coming trial.

We learned that because of the volume of traffic on the circuits, we would have to plan for two nets in simultaneous operation. We chose 2 meters due to the availability of equipment, although later we were to use 220-MHz simplex for part of the operation. One net would provide a low-power circuit for internal caravan safety and coordination on simplex. The other would provide a circuit for the external group of vehicles (described below), using higher-powered rigs and, where possible, using repeaters. Because of the proximity of the two nets in the same band, there were, inevitably, problems with desense and FM sideband noise.

Luckily, Dick Frey WA2AAU joined the practice group at the last minute. A competent home-brewer and technician, Dick constructed solutions to the desense and sideband problems in the short period between the practice and the real thing. He planned and built a narrow passband filter—a very sharp one—with a bandpass from 144.250 to 144.450 for use with the low-power internal frequency transceiver. Additionally, he procured and critically tuned a resonant cavity setup for use with the external net high-power transceiver, to notch out the 144.2-144.5 band. In use for almost three weeks under very harsh and demanding operating conditions, they performed flawlessly and were the ideal answer to our problems. Without Dick's effort, his advice, oodles of his own equipment (220- and 2-meter rigs and antennas), and

his investment in time, gasoline, and money in this effort, it would not have worked out.

Dick's equipment was used with two UV3s loaned from Drake for the event, both of which performed perfectly in the demanding environment. Side by side, both on 2 meters, just 18 inches and 1½ MHz away from one another, with only 3 to 4 feet separating antennas on the roof of the vehicle, intermod and desense between the two rigs was so insignificant as to be almost unmeasurable. We were very pleased with both Dick's filter setup and with the performance of the Drakes. That company was also generous in the loaning of a TR7 with matching vfo and transmatch for use in our HF setup, described below.

Other companies also loaned various items of equipment for our use. Kenwood generously loaned four of their new TR-2400 synthesized handies with chargers, Tempo came through with four of their dependable S-1 handies with chargers, and Larsen loaned at least a dozen quarter-wave mag-mount antennas for 2 meters. Needless to say, synthesized equipment was the order of the day, and we all brought along what we owned if it could be put to work in the effort. Longer-range vehicles needed 5/8-wave antennas, and they were supplied by members of the team who owned them. Mobile rigs ranged from Heathkit 2036s to Icom, Yaesu, KDK, and Tempo equipment. One Yaesu FT-207R also made the trip in the hands of KA2DBW, and in the police liaison position it performed flawlessly on 75% charge, 200 mW, 15% duty cycle for 8-10 hours.

The eleven caravan vehicles—and their corresponding communications



Photo D. The arrangement of the caravan during a practice, showing the order of the vehicles, with the torchbearers visible in front of the second (Command) vehicle.

positions—all had specific duties to perform. They were organized into an internal and external group. In order of their travel, the police vehicle came first. (We called it "PD" on the air; although we identified every ten minutes, the circuit was so busy that we referred to vehicle designations rather than callsigns.) Usually PD was a state police car in which one of our team members was placed to provide liaison between the caravan and the state police and, through their communications system, usually with local jurisdictions, also. This vehicle changed periodically, of course, not only at state or barracks boundaries, but also as different patrolmen were relieved, since our hours far outlasted their shifts. This fact, and their prohibition against the installation of any electronic gear not under their control, required the use of an op with an HT. In some states, getting the state police to agree to our placement of an op in their vehicles was like pulling teeth. But for both the liaison function—indispensable in itself—and for safety reasons, it was a requirement of the Director of the Run and, ultimately, every jurisdiction agreed.

Usually, the vehicle behind PD was the Pace vehicle. Its personnel were responsible for keeping the pace for the very tight schedule under which we were operating and for navigating the course from a detailed computer print-out. Although the runner set the pace, the personnel in this vehicle could suggest, through their PA system, that the runner pick up the pace or slow it down. They communicated the position by checkpoint number to the Director at every checkpoint and gave speed instructions to the other vehicles. They also were responsible for the calculations of ETAs at upcoming events. All of this, of course, made for a rather high volume of traffic on the circuit both to and from this vehicle.

The torchbearer with his/her accompanying entourage, often including local guest runners and, sometimes, flagbearers (and even the occasional ham!), followed the Pace vehicle. Here a very delicate compromise had to be struck. Barred from Interstates because of our 8-minute-mile pace, we were traveling on two-lane roads. Oncoming traffic, only a few feet to the runners' left, sometimes



Photo E. From left, WA2DHF and KB3HF after about 30 hours as net controls.

passed slowly, rubbernecking, but more often apparently was oblivious to our slow-moving caravan despite the rotating police beacons. We were moving closely together, and off as far to the right as the shoulder would allow, but a great deal of traffic was backed up behind us most of the time. We frequently were pulled off the road by the police (when there was room to accommodate the entire caravan) to allow this traffic to pass, but we had the frequent problem of the maverick crazy driver who decided his need to get around us was greater than his own life's value.

Usually, it seemed, these maniacs pulled out on curves. Soon discovering that our long, tight caravan and oncoming traffic prohibited their passing, they would abort the pass halfway into it and try to squeeze into our group. We could usually accommodate these turkeys with minimum angst; more dangerous were the times when the driver would use what to him appeared to be the only available clear spot in the caravan—which, of course, was occu-

pied by our torchbearer.

For this reason, we kept the Pace and Command vehicles, with the runner(s) in between, as close as possible. This brought up another safety problem: If one of the runners stumbled, the Command vehicle could (and on at least one occasion almost did) run over the people involved. A delicate balance existed. Our best drivers followed the runner, and transmissions on the internal net were kept as short as possible to allow immediate notice of either unauthorized passings or of stumbling runners.

The Command vehicle served many functions. With a customized fiberglass Trans-Sport body on a Chevy van chassis, primarily it was transportation for the Technical Director of the Relay (or, on the Albany West route, the Assistant TD) for whom we provided eyes, ears, and mouthpiece. The two nets were controlled from this vehicle, which contained the two UV3s, cavities, filters, amplifiers (to 100 W for the external transceiver), and HF gear, on a table in the center of the rear



Photo F. The first torch hand-off with full ceremony in a hangar at Langley AFB.

area of the van. The NCS operators sat in what we called the "Hot Seat" for the obvious reason that this was the most demanding of positions. They coordinated the movement of all caravan vehicles, relaying pertinent information to and from the TD, exchanging information and providing relays between the internal and external nets, and frequently (but inadvertently) by necessity acting as the TD in his absence, making snap decisions.

They were assisted by a rather complex home-brewed audio setup through which either op could switch in either or both of the nets using stereo cans. They also used a magnetic chalkboard with "shrimpboats" to keep track of vehicle placement. The hot seat was claimed by five operators for the entire run, who rotated into and out of the different nets. They were WA2DHF, W1RM, K2AV, KB3HF, and WA2SPK. By necessity, they frequently had to stay glued to their positions for twelve to sixteen hours without a break—sometimes longer—and had to be dragged out in burlap sacks and resuscitated with smelling salts.

Big Macs, Whoppers, and

other assorted junk foods also served as first aid on the relay. Hams are, for the most part, notorious for their eating habits, and many diehards on the team refused to partake of the available fare. This consisted of oh-so-healthy vegetables, fruits, soups, lots of prunes, and, above all, "fiber." All of this was, of course, concocted with the needs of the runners in mind and included nary a shred of red meat for days on end. The chant which most frequently broke down net discipline on our circuits was "Junk food! Junk food!", along with the sound of growling abdomens in the background. Luckily, the frequency of the internal simplex net was a closely guarded secret, ostensibly for reasons of avoiding QRM, and this was not heard by the general public. We hope!

Command was, to say the least, crowded. With all the equipment, wiring, papers, and human beings (up to seven at a time), it became the hell-on-wheels of the caravan. There were heater problems in the vehicle, to add salt to the wounds, and the net controllers and staff in the vehicle remained bundled up throughout their shifts. Upon entry to this vehicle, one was imme-

diately reminded of an igloo, smell and all.

Two Pace Arrow RVs served as transportation for the 26 athletes running each day. Although their designations changed during the Relay, they were known basically as the on-duty "Runner" and off-duty "Walker." Each carried 13 runners and took four shifts of on-duty and off-duty time each day. Walker was for the resting runner crew and occasionally would travel in the caravan (behind Command), but usually would go ahead to a designated checkpoint and wait for the caravan to catch up, at which time its designation might change and its crew would go on duty. The communicator in this position had an easier time than most, and it was frequently used as a resting slot for the radio ops. He or she was responsible for the relay of the next team exchange checkpoint, among other minor duties.

Runner was kept busy exchanging running teams with Pace and jumping ahead several miles to the next exchange point. The op in Runner was kept rather busy coordinating personnel exchanges, getting a fresh team ready and out, taking head counts of those coming aboard, keeping the athletes informed about ceremonies and schedules, and communicating with Command during the leapfrogging, for safety coordination.

Walker usually was followed by a tail PD, sans operator, and was sometimes followed by components of the external vehicle contingent temporarily traveling as part of the internal caravan. If there were local hams traveling with the caravan to help provide local liaison and relay on HF, their vehicles would follow the last of the official vehicles and precede the tail PD

escort. This happened frequently, and the help from local hams was invaluable to the effort.

In the external contingent, the Convoy vehicle, another Chevy Trans-Sport van, provided transportation for the Convoy Director and the Food and Accommodations Coordinator. They were responsible for the procurement and conveyance of our meals and the advance work concerned with our accommodations. We were fed well (the above comments notwithstanding) with four square meals or more each day—about one meal every three to four hours—and usually there were lots of leftovers. The fare was difficult for some of us—especially those from NYC used to munching on famous Nathan's hot dogs—but it was thoughtfully prepared and it even, ah, well, it was good! Liking carrots can be learned. And rosy cheeks are cheery. Many of us now have healthier eating habits (and a few of us have even taken up running seriously). Often, the food was prepared by generous residents of the towns through which we passed, organized by church groups, Rotary, Elks, or Lions clubs, or, on some occasions, the military. Sometimes it was purchased by the Convoy Director out of her budget; on only one or two occasions did we have to pay for it ourselves.

Most of the meals were arranged for weeks or months in advance of our arrival. Sometimes we were on such a tight schedule that the lunches were passed in through windows by volunteers running alongside the caravan. The Convoy vehicle became, after a few days, a sea of sloshing soup and vegetables on the inside. Smelly and fun, but it threatened to short out the ham gear in-



stalled there! Hip boots and rubber gloves were in order, especially during the first two days which were non-stop for over 40 hours with no opportunity to clean up until after more than a dozen different meals. The convoy crew, during that first leg from Yorktown VA to Baltimore, affectionately called themselves the "Go-Fer Squad" and almost seriously considered never eating again.

A large European-style touring bus transported half of the running team—the 26 not running on any particular day—to the next day's overnight stop, ahead usually by 85-100 miles. Although for the first day an operator was placed in this position as a communicator, it was found not to be necessary. This vehicle also was responsible for transporting some of the emissary runners to their speaking engagements or ceremonies further up the route of the Run.

The event engendered a great deal of interest by the media, and we anticipated a certain amount of need to accommodate its representatives. What we were unprepared for was the amount of coverage we were to receive. It seemed to be due to the connection the public felt with the symbol of the international Olympic flame and patriotic sentiment, even nationalistic fervor, generated by the USSR's invasion and occupation of Afghanistan and the holding of American hostages in Iran. The media, apparently as taken by surprise as we were, quickly realized the sensational side of this story and it became the content of—and set the tone for—most of the articles written and programs aired. Of course, this was commonplace during the Olympics themselves, especially where it concerned the incredible victory of our hockey team

over the top-rated USSR team, but our passage marked the first expression of this popular ground swell of opinion.

We tried to prepare for this onslaught with another Pace Arrow set aside especially for the purpose of public relations. From this vehicle, which was usually ahead of the caravan by as much as three or four hours, press kits were dispensed, questions were answered, and interviews were arranged between the runners and the media representatives. The communicator here acted as a relay for specific questions directed back to the caravan and the TD on the external net and for relay of ETAs and names of the runners involved at any particular time from the TD to the PR staff. Because of demands from the press passed along to the operator, this position frequently became rather high-pressure and busy, especially in the larger metropolitan areas.

Although many attempts were made to include word of the involvement of amateurs and amateur radio in the event, the PR staff was not sympathetic to our requests for publicity regarding our support. This attitude did not reflect the general sentiment of the runners or the rest of the Relay staff, fortunately, but it did mean that many opportunities for positive PR regarding our role were lost to personalities. There was little notice of our effort by the national or local media. WA2DHF appeared on the front page of the *New York Times* on February 5, but neither the caption nor the story included his function, his role, or his name, or identified that hand-held, funny-looking box with the rubber gizmo. Our uniforms, however, did include the ARRL logo and a large patch produced for the event with "Olympic Torch



Photo G. KA2DBW on the job in her hometown, New York City, on February 4.

Relay Run" on the top and "Amateur Radio" on the bottom in large block letters. All of the vehicles bore "Amateur Radio" placards in every possible window.

Many of the questions the media asked involved the technical aspect of the torch itself. It was a specially-designed instrument constructed specifically for relay runners by an American of Greek ancestry, Jim Kalamaridis. Some 132 of the devices were custom-manufactured for the event. Charged with propane, they had a life expectancy of about 40 minutes per charge, and, theoretically, could withstand a wind of 80 mph. In practice, however, we had frequent flameouts, and the original flame was maintained in a series of miner's lamps, some with a hole drilled in one of the glass panels to accommodate a sparkler to transfer this original flame from lamp to torch. Each lamp had a life of about four to six hours per propane charge, and Jim and an assistant were kept busy almost full-time simply charging and maintaining the torches we used. The flame we saw in Lake Placid, which was trotted up to the huge gas flame bowl at the ceremonial stadium by Chuck Kerr, one

of the torchbearers, was the very same flame lit in Olympia weeks before and carried by our combined team up the coast of the US. If the flame went out, it was relit from one of the backup miner's lamps; we didn't just flick our Bics.

Wondering how to get an Olympic torch across the Atlantic? The Air Force lent one of the aircraft used for Air Force One—a KC-135 (military designation for a Boeing 707)—for use in conveying this most honored of guests to our nation. Inside the plane, sitting in Jim Kalamaridis' lap and on the floor around him, were the six miner's lamps, all burning with the flame lit at the temple of Hera. The plane landed at Langley AFB on the morning of January 31 and taxied to a full multi-service Honor Guard in a huge hangar, in the midst of a snow-storm.

The Torch Arming Vehicle (aka "Torch" on our circuits) was used to transport the torch technicians and their gear for the long and grueling trip. After dark, this vehicle could be recognized by the light of the frequent spontaneous propane flares issuing from the open doors of this Santana van—reminiscent of the aurora borealis. The commu-



Photo H. In gratitude, the amateurs were permitted to carry the torch on the frosty last day, a few hours outside of Lake Placid. Here KA2CNN is carrying the flame.



Photo I. WB2VUK with Brooke Newell, one of the ceremonial coordinators, at a ceremony site in upstate NY, using one of the Kenwood TR-2400s to mike her as she describes the layout of the ceremony to the TD in the caravan a few miles away. Note the collapsible whip antenna which was used instead of the rubber ducky for added range.

nicator in this vehicle, besides being preoccupied with seeking air free of the stench of propane, was responsible for notifying the torch technician in case of a flameout or torch failure.

It seemed as though every town, no matter how big or small, had some sort of welcoming ceremony prepared for us. This usually involved a high school band attempting to play the rather difficult Olympic anthem and always botching it. We heard that piece in every possible key, in every possible arrangement—even with a disco flourish. This was followed by speeches—sometimes interminable—from local dignitaries or politicians, and then words from our ceremonial coordinators describing the caravan, the function of each of the passing vehicles (especially helpful for the often-confusing passage of the advance vehicles), and an attempt to educate the crowd about our safety requirements, because the crowds were frequently large and under-controlled and we were coming in in large vehicles.

This usually was followed by a short speech from the incoming or out-

going runner, and then the torchbearer would arrive, make a handoff, the caravan would continue, and, perhaps, the incoming runner would stay to speak a little more as the caravan moved out to the next stop. We had been informed of, and could plan for, about half of these events. The rest had either been organized by groups or communities at the last minute or were spontaneous gatherings of people. Frequently involving many hundreds of people, they were completely without any authoritative control and overran the roadway. The caravan drivers, the TD, the staff, and most of all, the runners, needed to know what they were getting into on these occasions. Somehow, these unplanned crowds had to be quieted, informed, organized, moved back, and opened up for the arrival of our caravan.

The runners had a special need to know what they were getting into because of a phenomenon we did not anticipate. They suffered from a certain amount of "tunnel vision" due to the exertion, the weather, the excitement, and the adrenaline. They frequently needed to be led

in by another runner at the ceremonial site, or they would trip on a curb or bump into a member of the public in the crowds. Their torch also was a fire hazard, and holding it up high gave a runner an effective height in excess of 9 feet. The job of the ceremonial coordinator was to pre-brief the caravan from an advanced position relative to obstacles, pathway, crowd quantity and mood, clearance, fire hazard, etc. This information was passed along to each driver in the caravan and also given to the runner by PA from the Pace vehicle. Because of the involvement of the ceremonial coordinators with the local groups sponsoring the ceremonies, the job of sizing up the ceremony situation frequently fell to the communicators themselves. The communicator also was responsible for the relay of ETAs to the local groups so they could plan the timing on their stages.

After the caravan and torchbearer had passed through the location of the ceremony, after it was all

over, the ceremonial vehicle driver waited to collect all of the personnel. Then it was off down the road to catch up to the caravan, and—often with a very high-speed police escort—to leapfrog the caravan and make the way ready for it at the next ceremony site. On our busiest day, there were 21 such ceremonies to coordinate. Although not the most difficult position, it was a high-pressure communicating position and perhaps the most exciting, since the op was able to view the ceremonies themselves and some of them were quite well put together.

One problem the personnel in the ceremonial vehicle did not have was that of the visual and psychic effects of day after day of travel at 7 or 8 mph. We all functioned under conditions of great pressure and constant demands. Breaks were few and far between, and we were almost constantly in a state of swollen derrieres and bladders. Hallucinations were one result of the slow movement

of the passing panorama (which also made for prolonged nulls on VHF); some of us imagined having seen trees grow. Radio traffic was constant and exhausting, of a nature only contest operators may be familiar with, or those with military backgrounds. Calls for the particular vehicle for which one was communicating always seemed to come during that once-in-an-hour period of dropped guard. The circuits were so busy that even a few seconds of dead air were cherished as the most precious of gifts.

Because of the unplanned ceremonies, constant changes in plan, variations from the published Technical Manual (TM), and inaccuracies in the TM itself, on the first day out W1RM nicknamed the entire operation "Rollerball." Those who've seen the motion picture will know what we're talking about: It describes a game in which the rules change every quarter, getting tougher and more violent. The entire script of the operation literally was changed from minute to minute. So pervasive was the use of this nickname that WR3AFM, the home repeater of one of our NCSs, KB3HF, changed its ID for us. When we arrived in their area, its CW ID was spelling "Welcome Olympic Torch de WR3AFM." When we were awakened the next morning and tuned in the repeater again, it was signing "de WR3AFM Rollerball." The NCSs referred to themselves after that first 40-hour stretch from Yorktown to Baltimore as "Rollerball Control."

In the December practice, the HF setup received a limited workout with K2GDX, the coordinator for W0RAN, in the Lake Placid area, and it was thought that we would be using HF links directly from the Command vehicle to W0RAN in

Lake Placid during the relay. As it turned out, this equipment was hardly ever used because of the huge volume of tactical and safety-related traffic in the Comm van, the long operating hours, because of Rollerball, and because of the relatively low priority of traffic for HF. Instead, operators from the local area traveling with the caravan or in contact with the caravan on the external VHF net served as VHF-to-HF relays. Dozens of highly competent ops were involved in this particular effort. Without them, the caravan would have been virtually cut off from the LPOOC except for the overworked and extraordinarily unreliable mobile telephones installed in the Command and PR vehicles.

Working the HF link with W0RAN required the patience of old Job. We were bothered constantly by all the many and varied incarnations of the persistent QRMer, from hams who offered to help and ended up hindering (some have to learn to listen more and transmit less unless they're certain they can help), to ops seeking commemorative contacts during traffic operations, to real "sickies" with swishing vfos and persistent strong carriers. The patience, persistence, and experience of HF ops involved did prevail, however, and the traffic was passed.

Warren Gibson WA4CCK provided just one example—perhaps the most dedicated example—of the dedication and sacrifice so many of the local hams offered. Experienced as a traffic handler on many nets, he joined us in Yorktown as the amateur coordinator for Virginia, driving a station wagon full of a rather extensive HF and VHF setup. He accompanied the main caravan for its most



Photo J. Two of the torchbearers on the road, somewhere in upstate NY.

trying days, the first ones, from Langley AFB to Baltimore, nonstop for over forty hours of driving and operating relay, and also the third day, from Baltimore into a grand ceremony on the steps of the Capitol. He left us in DC amid cheers of gratitude from all members of the traveling communications team, having served as an invaluable shoehorn on countless occasions.

We even got some "maritime mobile" operating into this thing. Steve WA2DHF is a radio operator for the Naval Reserve and was chosen to accompany the torchbearer on a seagoing journey aboard a Navy landing craft from Langley AFB to the Yorktown pier—about 2½ hours in the water—using a Tempo S-1 all the way. For the startup of the Relay overland, he joined Pete Chamalian W1RM in the Command vehicle. Also present for the

startup were ourselves; Bob Fern K2AMU; Jeff Young KB3HF; Jim Arnold WB3EOU; our coordinator, Bobbie Chamalian WB1ADL; Steve Shearer WB3LGC; Guy Olinger K2AV; Paul Vydareny WB2VUK; Bob Josuweit WA3PZO; Bob Strickland WB3HWZ; and, previously mentioned, Warren Gibson WA4CCK, in his own vehicle.

Joining in Princeton was Gary Kantor WA2BAU. In Albany, the route was split: Communities to the west of the officially planned route had raised funds on their own sufficient to allow the personnel and vehicles to split after the Albany ceremony, permitting 26 runners to go northwest through the Adirondacks while the "Albany East" team took the other half of runners on the original route. A tremendous ceremony involving thousands

of spectators, with disabled veterans holding the torch with the torchbearer for the last couple of hundred feet, greeted us all in Albany. Governor Carey, following a moving speech of welcome, oversaw the lighting of two torches from the original incoming torch, and two runners left the plaza, one bound northeast, the other northwest, both destined to meet a few days later in Lake Placid.

In Albany, additional vehicles and staff personnel were added to take up the slack and to provide coverage for the scores of ceremonies awaiting us on both east and west routes. The closer the runners got to Lake Placid, the more identification local communities felt with the Olympics and the larger and more frequent the individual ceremonies became. Five traveling operators drawn from the Albany/Troy/Schenec-

tady areas were added to the communications team: Joe Krone WA2SPL; Dennis Connors WB2SPK; Armand Canestraro WA2EQW; Dan Marcella KA2DVK; and Guy Kitchen WA2SPE. Stationary support and east-with-west relay was provided by Dick Frey WA2AAU.

On the last day, during our approach to Lake Placid and facing the prospect of breaking up the group which by this time had built up an incredible bond of solidarity, the amateurs and support staff were afforded a rare privilege: We all were given the opportunity to carry the torch for a few minutes. On a clear stretch of Route 32 south of Saranac Lake, we left our vehicles, one position at a time, and in moments none of us would ever forget, we bore the flame north to the Olympics. The feeling each of us had, holding this sa-

cred flame and running it north, was indescribable. Wonderful. As we ran, the runners cheered us on and our fellow ops took pictures by the dozens.

On the night of Friday, February 9, after rollerballing for nine days and nearly a thousand miles, we reached our goal. The east and west route torches had to meet in downtown Lake Placid at exactly the same instant. Timing was crucial and the circuits began to fill with almost nonstop checkpoint and ETA advisories between the two caravans. One caravan with torchbearer could not be kept waiting at the end for the arrival of the other. The crowd was huge, and the media were out in full force as we played our last hot and heavy round of rollerball. This was the biggest and last task for the communications team, and we knew we had to get it right;

this was the event the participants would remember more than any other; it was our crucial test.

We did it. The timing was flawless, and not a dry eye remained in the entire team, runner, ham, or staff member. We had reached our destination. Looking back, despite some mistakes, some personality conflicts, and numerous technical difficulties, we had performed our job through the most incredible experience of teamwork any of us had ever had. When the two torchbearers met in Lake Placid that night, the elation and feeling of accomplishment that swept through the team made the stress, deprivation, and hardship of nine days on the road well worth the effort. We're looking forward to working together again in 1984 in Los Angeles. Perhaps we'll see you there! ■

# MIDCOM

**DEAL WITH #1!**

**CARLOAD INVENTORIES • ROCK BOTTOM PRICES**

**24-HOUR SERVICE**

LINES:

AEA	ALPHA	CUSHCRAFT	DENTRON	KLM	MOR GAIN	PALOMAR ENG.	UNIVERSAL
AVANTI	BEARCAT	COLLINS	HY GAIN	KENWOOD	MIRAGE	REGENCY	UNARCO-ROHN
ASTRON	BIRD	CDE	HUSTLER	MICROLOG	MFJ	SWAN	VIBROPLEX
ALLIANCE	BENCHER	DRAKE	ICOM	MINI-PRODUCTS	NYE	TEN TEC	Kantronics

**CALL TOLL FREE 1-800-325-3609** IN MISSOURI 314-961-9990  
**MID-COM ELECTRONICS • 8516 MANCHESTER ROAD • BRENTWOOD, MO 63144**



52



CENTRAL NEW YORK'S MOST COMPLETE HAM DEALER

YAESU



ROBOT 800



ICOM IC-720



KENWOOD TS830S



DRAKE TR7-DR7



FT707

Featuring Kenwood, Yaesu, Icom, Drake, Ten-Tec, Swan, Dentron, Alpha, Robot, MFJ, Tempo, Astron, KLM, Hy Gain, Mosley, Larsen, Cushcraft, Hustler, Mini Products, Bird, Mirage, Vibroplex, Bencher, Info-Tech, Universal Towers, Callbook, ARRL, Astatic, Shure. We service everything we sell!

Write or call for quote. You Won't Be Disappointed.

We are just a few minutes off the NYS Thruway (I-90) Exit 32

OUT OF STATE  
CALL TOLL FREE  
**800-448-9338**

ONEIDA COUNTY AIRPORT TERMINAL BUILDING

ORISKANY, NEW YORK 13424  
N.Y. Res. Call (315) 337-0203 or 736-0470

Warren - K2IXN  
Bob - WA2MSH

# Now — the industry's first truly **super keyboard**

## INFO-TECH M-300C TRI-MODE KEYBOARD

A microprocessor controlled keyboard that generates: Morse, RTTY, & ASCII.



Best of all, \$450<sup>00</sup>  
F.O.B. Factory

### Morse Features:

- 4 to 125 W.P.M. in 1 W.P.M. increments.
- 9 adjustable weight levels
- relay keying
- sidetone with tone and level adjustments
- special keys: AS, BK, BT, AR, SK, CQ, DE

### RTTY Features:

- 4 speeds
- 2 shifts (170 & 850 hz)
- built in AFSK
- built in CWID
- built in RY generation

### ASCII Features:

- 110 & 300 Baud
- 2 shifts (170 & 850 hz)

### Other Features:

- Built in quick brown for generator on all modes
- Automatic CR/LF
- 700 Character Running Buffer
- 10 recallable, user programmable message memories of 120 characters each
- CQ & DE special keys on all modes
- Keyboard control of all functions
- 4 row keyboard eliminates figures/letters shifting on RTTY
- Many more features.

### Order direct or from these dealers:

**A-1 Technik**  
Blomberg C  
D-5882 Meinerzhagen 2  
West Germany

**Colmay Products**  
14903 Beachview Ave.  
White Rock, B.C. Canada V4B1N8  
(604) 536-3058

**Cohoon Amateur Supply**  
307 McLean Avenue  
Hopkinsville, Kentucky 42240  
(502) 886-4534

**Dialta Amateur Radio Supply**  
212 48th Street  
Rapid City, South Dakota 57701  
(605) 343-6127

**Germantown Amateur Supply**  
3202 Summer Avenue  
Memphis, Tennessee 38112  
1-800-238-6168

**Gilfer Associates, Inc.**  
52 Park Avenue  
Park Ridge, New Jersey 07656  
(201) 391-7887

**Global Communications**  
606 Cocoa Isles Blvd.  
Cocoa Beach, Florida 32931  
(305) 783-3624

**Ham Radio Center**  
8342 Olive Blvd.  
St. Louis, Missouri 63132  
1-800-325-3636

**Marcucci SPA**  
Via F. LLI Bronzetti  
37 20129  
Milan, Italy

**N & G Distributing**  
7285 NW 12th Street  
Miami, Florida 33126  
(305) 592-9685, 763-8170

**Radio World**  
Terminal Building  
Oneida County Airport  
Oriskany, New York 13424  
(315) 337-2622

**Ray's Amateur Radio**  
1590 U.S. Highway 19 South  
Clearwater, Florida 33516  
(813) 535-1416

**Universal Amateur Radio**  
1280 Aida Drive  
Reynoldsburg, Ohio 43068  
(614) 866-4267

# INFO-TECH ELECTRONIC EQUIPMENT

Manufactured by:

**DIGITAL ELECTRONIC SYSTEMS, INC.** ✓35  
1633 Wisteria Court • Englewood, Florida 33533 • 813-474-9518

## HI-Q BALUN

- For dipoles, yagis, inverted vees & doublets
- Replaces center insulator
- Puts power in antenna
- Broadbanded 3-40 MHz
- Small, lightweight and weatherproof
- 1:1 Impedance ratio
- For full legal power and more
- Helps eliminate TVI
- With SO 239 connector



\$10.95

## HI-Q ANTENNA CENTER INSULATOR



Small, rugged, lightweight, weatherproof  
Replaces center insulator  
Handles full legal power and more

\$5.95 With SO 239 connector

## HI-Q ANTENNA END INSULATORS



Rugged, lightweight, injection molded of top quality material, with high dielectric qualities and excellent weatherability. End insulators are constructed in a spiral unending fashion to permit winding of loading coils or partial winding for tuned traps.

\$4.95

- May be used for
- Guy wire strain insulators
- End or center insulators for antennas
- Construction of antenna loading coils or multiband traps

## DIPOLES

MODEL	BANDS	LENGTH	PRICE WITH HI-Q BALUN	WITH HI-Q CENTER INSULATOR
<b>Dipoles</b>				
D-80		80,75	130 \$28.95	\$24.95
D-40		40,15	66 25.95	21.95
D-20		20	33 24.95	20.95
D-15		15	22 23.95	19.95
D-10		10	16 22.95	18.95
<b>Shortened dipoles</b>				
SD-80		80,75	90 31.95	27.95
SD-40		40	45 28.95	24.95
<b>Parallel dipoles</b>				
PD-8010	80,40,20,10,15		130 39.95	35.95
PD-4010	40,20,10,15		66 33.95	29.95
PD-8040	80,40,15		130 35.95	31.95
PD-4020	40,20,15		66 29.95	25.95
<b>Dipole shorteners - only, same as included in SD models</b>				
S-80		80,75		\$11.95 pr
S-40		40		\$10.95 pr

All antennas are complete with a HI-Q Balun or HI-Q Antenna Center insulator, No. 14 antenna wire, ceramic insulators, 100 nylon antenna support rope (SD models only 50) rated for full legal power. Antennas may be used as an inverted V and may also be used by MARS or SWLs.

**Antenna accessories**—available with antenna orders  
Nylon guy rope 450# test 100 feet \$3.49  
Ceramic (Dogbone Type) antenna insulators .70 pr  
SO-239 coax connectors .55

All prices are postpaid USA 48  
Available at your favorite dealer or order direct from

# Van Gorden Engineering

Dealer Inquiries Invited  
BOX 21305, S. EUCLID, OHIO 44121

✓ 373

# New Life for Old Klystrons

## — tips for microwave experimenters

**W**hat? Use a vacuum tube in this modern era of solid-state electronics? Reading about Gunn diodes, Impatts, and other such exotic devices is fine, but with the exception of the Microwave Associates Gunnplexer, there are no complete solid-state oscillators available to the amateur.<sup>1</sup> This became very apparent while I was trying to

put together a receiver for direct reception of television signals from geosynchronous satellites at 3.7 to 4.2 GHz.

A multi-stage oscillator-multiplier chain was ruled out because of insufficient time. If everything works, the final receiver might have a solid-state local oscillator, but then again, maybe not—why discard a

working circuit? Reflex klystron oscillators of the 723 and 2K25 class (see Fig. 1) have been available on the surplus market for over thirty years. Output frequencies from below 3 GHz up through 9.6 GHz are currently available with output powers in the neighborhood of 10 to 150 milliwatts.<sup>2</sup> These klystrons have found applications in the past in polar-plexers and as pump oscillators for amateur and

commercial parametric amplifiers.<sup>3,4,5,6</sup> The tubes listed in Table 1 are similar in construction and can be mounted in octal sockets that have had pin 4 removed and bored out with a number 24 drill. The output is via the small diameter, rigid coax line which terminates in a short probe. The probe was used to directly excite a waveguide or was capacitively coupled to a coax cable.




Photo A. 726A klystron with coax output and terminal strip.

Tube	Output frequency(GHz)	Output power(mW)
726C	2.7-2.96	100
726B	2.88-3.18	150
726A	3.18-3.41	100
2K22	4.3-4.9	115
6115	5.1-5.9	100
2K26	6.25-7.06	100
2K25*	8.5-9.66	30
723A/B	8.5-9.66	25

\* Improved version of 723A/B, both of which can reach 10 GHz by stretching the cavity.<sup>6</sup>

Table 1. Reflex klystrons from 2.7 to 9.66 GHz.

In normal operation, the tube shell is operated at 250 to 300 volts above ground. This puts the output cable, which is connected directly to the shell, at a hazardous potential. However, by operating the cathode at a negative voltage, the shell and output cable can be maintained safely at ground potential.




Fig. 1. 723-class reflex klystron.

The photograph shows a 726A klystron mounted on an aluminum plate for use as a local oscillator for the satellite receiver. The tube is clamped by a simple split block to allow conduction cooling and provide a mechanically stable support. This degree of mechanical rigidity is not required but was convenient in this case. Also, free-standing operation with convective cooling is alright. The oscillator covers a measured frequency range of from below 3.2 GHz to above 3.5 GHz.

The output frequency of this particular tube as a function of the rotation of the tuning screw is shown in Fig. 2. By changing the reflector voltage, the output frequency could be shifted electrically plus or minus fifteen megahertz from the mechanically set frequency. This FM characteristic can be used for fine tuning or for a form of afc with simple circuitry.<sup>7</sup>

The output probe is terminated with an SMA connector. A cross section of the connector assembly is shown in Fig. 3. A BNC connector could be used with equal success. The output probe center conductor is clipped close to the insulated sleeve, the ferrule is slid back onto the probe. Then the center conductor is soldered to the coax connector. Following this, the ferrule is slid forward, screwed to the connector with two 2-56 screws, and then sweat-soldered to the

probe.

Power leads run from a barrier strip to the tube. Connections to the tube are made with a modified octal tube socket—see Fig. 4. While normal operation requires  $-300$  to  $-700$  volts at zero current for the reflector, operation at reduced potentials and output powers in excess of 60 milliwatts were readily obtained. With a  $-150$ -volt cathode supply, the output dropped to about 4 mW, which is still sufficient for use as a local oscillator. Even at the high powers with only free convection cooling, life expectancy is high. Tubes pulled out of service after hundreds of hours of service and stored thirty years or more are still operating.

A word of caution: The reflector must never become positive with respect to the cathode. If it does, it will draw current, heat up, and outgas, ruining the tube. To prevent this from occurring, merely connect a rectifier diode between the cathode and reflector as shown in Fig. 4.




Fig. 2. Output frequency of 726A as a function of tuning-screw rotation.

The theory and operation of reflex klystrons is available elsewhere and therefore is not covered here.<sup>8,9</sup> What I hope I have accomplished here is to remind other amateurs of the availability of reflex klystrons as packaged sources of microwave power that are rugged, cover a wide spectrum, and are economical. ■

#### References

1. "Communicate on 10.25 GHz," John W. Molnar WA3ETD, *73 Magazine*, October, 1977.
2. "Tabulation of Data on Microwave Tubes," J. K. Moffitt, *National Bureau of Standards Handbook 104*, Superintendent of Documents, US Government Printing Office, Washington DC 20402, \$1.25.
3. *Parametric Amplifiers*, Jim Fisk W1DTY, 73, Inc., 1967, Peterborough NH 03458.
4. *VHF for the Radio Amateur*, Frank C. Jones, Cowan Publishing Corp., 300 West 43rd St., New York NY, 1961.
5. See references in ARRL VHF manual.
6. "A Complete X-Band Transmitter," S. M. Olberg W1SNN, *73 Magazine*, August, 1978.
7. "Pogo Stick for Reflex Klystrons," Francis E. Adams W6BPK, *Ham Radio*, July, 1973.
8. *Klystrons and Microwave Triodes*, Hamilton, Knipp, and Kuper, Radiation Laboratory Series, Vol. 7, McGraw-Hill, 1948.
9. *Technique of Microwave Measurement*, Radiation Laboratory Series, Volume 11, McGraw-Hill, 1948.




Fig. 3. Coax connector detail and assembly.




Fig. 4. Socket modifications and wiring diagram.

# Add RTTY to Your Repeater

## — voice operation is preserved

The consensus was that we needed a RTTY repeater in Corpus Christi. It also was decided, on that Saturday morning, that I would build it. I had no vote and no objections were allowed. I would build it.

The first idea was to transmit AFSK tones through the local 147.06/.66 repeater. It used subaudible tone control, and few people used it. This method was tried, and it worked with some success, but dif-

ferent tone frequencies and levels caused problems in copying. What was needed were standard tones from the repeater.

Looking through the Fleisher catalog, the answer stood out like a BY prefix on twenty. I could demodulate the incoming RTTY audio using the Fleisher DM-170 and use the loop-keyer output transistor to key the FS-1 Audio Frequency Shift Keyer to feed audio to the mike input of the repeater

transmitter. As an added bonus, I could use the autostart circuitry (on the DM-170) to operate the transmitter PTT control, clean and simple. Fleisher even has a nice little power supply to operate both boards—Model TTP-12. All these goodies cost less than \$100.00. The boards arrived in 4 days!

The FS-1 and power supply were constructed by K5OG, and I assembled the DM-170. Total construction time was about four hours and the boards worked the first time. The only problem was that hand-picking resistors to tune the DM-170 was slow and somewhat inaccurate. The DM-170 copied 20-meter RTTY perfectly, but I was bothered by the resistors. I assumed Fleisher had used the resistors as a cost-cutting technique. However, my RTTY converter had to be perfect. I cut the 12 fixed resistors from the board (R14, 15, 18, 19, 22, 23, 26, 27, 30, 31, 34, 35) and superglued six Weston 850W 2k trimpots in place of them (see Photo A and Fig. 2).

Fleisher's design used two

resistors in parallel connected to the "—" terminals, pin 6 or 2 of the op amps serving as filters. The tune-up is similar to their method. When the pots are glued to the board, only one lead is connected to the ground for each pot and the wiper arm of the pot is soldered to the correct terminal as you tune that stage. (Read their instructions and use their method of tuning, and tuning the pots will be very straightforward.) I tuned the board with the pots in 15 minutes. It takes an hour with the hand-selected resistors.

I used an H-P audio oscillator driving a frequency counter as my frequency standard. It is important to keep the audio level to the DM-170 as low as possible to get accurate tuning. I faced the problem of having too much audio to the DM-170 when I had correct audio to the counter. I solved this by using a BNC T-connector on the oscillator, feeding directly to the counter and using a 10-to-1 scope probe as an attenuator to feed the DM-170. I now could lower the audio




Photo A. Modified DM-170 showing use of 6 trimpots in place of 12 fixed resistors.



oscillator to the correct level without losing the counter.

The DM-170 has an "improved mark hold" option which is the installation of an additional diode. I suggest this be installed to force the board to mark any time the audio is lost. This feature is very nice when the DM-170 is keying the FS-1. As soon as the repeater comes on the air, it transmits a steady mark. This mark is our local reference and is a convenient 2125 mark for tuning filters.

While building the board, install a wire from Q5 base to pin 2 of the edge connector to key RY1.

The Motorola repeater I was using has a 5-volt dc to ground to key the PTT. The autostart transistor (Q5) collector was used to take this voltage to ground. Without making any timing changes or adding the threshold control as suggested by Flesher, the repeater would key up after receiving six seconds of steady mark. The repeater would drop out 15 seconds after the input audio to the DM-170 was removed. These times proved popular with the local RTTY users so they were left unchanged. The threshold control was never added. The six-second delay prevents kerchunking the repeater, and the sharpness of the filter and time required prevents someone from whistling the machine up. The 15-second off delay gives a reasonable time to look at filter tuning or to zero your AFSK unit to the repeater mark. I found it possible to rough-tune a

filter and AFSK unit enough to get on the air by zero beating the mark and space audio from another QSO.

The nice thing about using a demod and AFSK at the repeater is that everyone hears the same mark and space. Gone are the problems of who has the correct frequency. The only operating problem using this arrangement is the need to use a 170-cycle shift for the CW ID requirement. The mark/hold circuit will not repeat the narrower shifts used for some CW IDs. When the 170-Hz shift is used, the repeater will transmit the ID in CW as it is received. I don't consider the small bit of garbage from the CW on my screen a problem.

After operating the machine a few weeks, several operators wanted the audio for voice communication back on the machine so they could talk about RTTY problems without changing frequencies. A small 12-volt relay was installed to switch the input audio between the receiver audio and the FS-1 unit. A 2N2222 transistor controlled by the base voltage of Q5 through a 330-Ohm resistor was used to ground the coil of the relay. The relay closes in the RTTY mode.

When the repeater was in the standby mode, the sub-audible tone would key it in the voice mode. Or, when 6 seconds of mark were received, the relay would close and the repeater would come up in the RTTY mode and transmit a steady mark until it received a RTTY signal, or it would stay up for 15 seconds and drop.

The repeater IDer is connected to ID when the transmitter is activated, regardless of mode. In the voice mode, operation is normal as required by FCC rules and can be heard in the background of voice communication. In the RTTY mode, the operation




Fig. 1. Interface connections for RTTY repeater modifications.

of the IDer is the same as voice, except the RTTY filters at the receiving RTTY station do not acknowledge the 700-Hz repeater ID frequency. So far, no one has complained of garbled copy due to the repeater ID unit. The repeater can properly ID itself and it will repeat the CW FSK IDs from the user RTTY station. Using this relay arrangement gives RTTY priority over voice and keeps voice communication in the input frequency from garbling RTTY copy.

All three boards were mounted in a 3-inch chassis which was mounted inside the repeater cabinet. With a cover in place and proper line filtering and audio filtering, there were no rf problems. It is important to use proper filtering as rf will keep the autostart in the on mode and keep the transmitter up. Connection of the FS-1 board is straightforward. Connect the proper output to match your repeater input level, adjusting R107 as needed to match the level of the RTTY tones to the level of the receiver voice audio, using a deviation meter monitoring the transmitter output.

Using the direct keyboard connection drawing

shown in the FS-1 instructions, connect the junction of pin 6 and the 4.7k resistor to the collector of Q6 on the DM-170 (pin 4, loop keyer). The FS-1 will now track the DM-170 mark for mark and space for space, including CW IDs.

The TTP-12 power supply provides  $\pm 12$  volts at 0.2 Amps and maintains regulation through a wide range of input voltages. The specifications for the DM-170 call for  $\pm 15$  volts, but the board will operate fine with the 12 volts supplied from the TTP-12—just use the supply when you tune the filters. Install a power switch in the ac line, because the DM-170 will key the transmitter for 15 seconds at power on. When you bring your repeater up from a cold start, wait the required warm-up time if you are using a tube final and then turn on the RTTY boards.

It's not bad for a hundred bucks and a few hours of work. ■




Fig. 2. Pot connection to DM-170.




Fig. 3. Ac filter.

## A Patch for the TS-120S — add phone patch compatibility

**W**hen I bought a Kenwood TS-120S and sold my Drake TR-4C, it cost my station phone-patch capability. There's just no graceful way of mating the existing patch with the Kenwood's input and output accesses. That brought on the challenge of second-guessing the Japanese engineers. Sometimes that's easy; often it's not. There seems to be an unwritten law (or is it written?) that all equipment must be designed to make customer modifications difficult.

A bit of study of the schematic wiring diagram for the TS-120S revealed an unused terminal (#7) on the re-

mote connector. More study revealed that audio signal and send-receive functions were available at the remote connector. Ah, now if one had microphone input also available... Could it be just a matter of piping a wee bit of audio to the mic input jack from that unused (#7) terminal? It looked feasible on paper, but it pays never to leap too precipitately to conclusions. So the next step involved a bit of exploration of the innards.

If you've never uncovered your TS-120S, a word or two of advice might be of worth. Take the top cover off first, taking

care not to disturb the four screws that hold the internal speaker in place. It's not necessary to remove the top totally; just loosen it and slightly move it from place. Now you can flip the set over on its top side without endangering the three top controls and without having to worry about the lead to the speaker.

With the top loose, the bottom comes off readily. Once it's off, take a look at the back side of the mic connector. One of the four terminals has a single white wire going to it. That's the one you're interested in! And it's the one most easily reached! No doubt the Japanese engineer responsible for this grievous faux pas has been compelled to commit hara-kiri.

But how about the other end? Not to worry! There's a plate mounting a number of jacks, the remote connector among them. This plate comes out with the removal of five screws. Once out, terminal #7 is most easily reached. Ah, breathe a prayer for the soul of the poor engineer!

Now, all that remains is

to find a single-wire shielded conductor small enough to snake along the edge of the chassis. There are holes through the compartment shielding to accommodate a small and flexible cable. I suggest you ground the shield of this wire only at one end (I used the terminal #7 end) to avoid ground loops.

The remote connector now provides the following services: ground and #1—audio output, 8 Ohms; ground and #3—send-receive control; ground and #7—audio input, high impedance.

You might take a hint from the wiring diagram and put a 100-Ohm resistor in series with that audio output. This will both reduce the signal level (most likely too high for phone lines) and also protect the output transistors from any non-kosher load a phone patch may offer.

The introduction of the capacitance of the short cable across the mic circuit has made no detectable difference in the quality of the voice signal from my TS-120S. ■





Fig. 1.

# PROFESSIONAL AND HOBBYIST RADIO ACCESSORIES

MADE IN USA



✓ 398

## WAWASEE ELECTRONICS

P.O. BOX 36, SYRACUSE, INDIANA 46567  
PHONE: 219-457-3191

## JB 1004 FC

Shows exact transmitter frequency every time you hit the mike button. Great for mobile professionals and hobbyists. Goes anywhere on 12 VDC, on the road or at home. AC/DC converter included for base operation. .5" red LED digits with lead digits blanking; range 1 to 50 MHz (typical); accuracy to 100 cycles; sensitivity 50 mV. Compact (1 3/4" x 4 1/2" x 4") textured black plastic case sits anywhere with velcro-type "spots".



\$99.95



\$355.50

## JB 6000 SW

Wattmeter is peak-reading and RMS switch selectable. Covering all frequencies 10 thru 80 meters with low insertion loss. Can be left in the antenna line for full time monitoring of transmitter power.

Five ranges switch selectable — 0-20, 0-200, 0-2000 watts. Multiplier range 2 x 2000 and 3 x 2000. The SWR bridge shows voltage standing wave ratios of 1.5, 2, and 3 for power inputs up to 200 watts. A must instrument for the professional or hobbyist operator.



\$149.90

## JB 1002 FC/M COUNTER/WATT- METER/SWR BRIDGE

3-in-1 instrument for professionals and hobbyists. FREQUENCY COUNTER has six digit, 1 to 50 MHz range (typical), accuracy to 100 cycles, .5" LED readouts with seven-digit capability. Peak-reading WATT-METER has three switch-selected ranges — 0-20, 0-200, 0-2000 watts and covers all operating frequencies in the 10-80 meter bands. The SWR BRIDGE shows standing wave ratios of 1.5, 2, and 3. Designed to be left in transmission line of any base station; operates on 117 VAC. 4 11/16"H x 9 3/8"W x 7"L. Every accessory an operator needs in one handsome cabinet.



\$179.50

The most deluxe Black Cat® accessory. MONITOR SCOPE permits measuring RF output to antenna and viewing modulation patterns. In addition to standard wave envelope patterns, a new trapezoid pattern feature allows better visual inspection of the transmitted signal. It shows linearity of the RF amplifier, insufficient antenna loading, distortion of the modulating signal, regeneration, parasitics on modulation peaks, power supply hum, over and under

## JB 1001 SFC/M

### SCOPE/COUNTER/ WATTMETER/SWR BRIDGE

modulation. Non-linear signals can be traced from transceiver to antenna. **FREQUENCY COUNTER** has six big LED digits, with seven-digit capability. 1 to 50 MHz range (typical), 100 cycle readability, 50mV sensitivity. **Peak-reading WATTMETER** has three scales — 0-20, 0-200, 0-2000 watts and covers all operating frequencies in the 10-80 meter bands. **SWR BRIDGE** reads standing wave ratios of 1.5, 2, and 3. 5½"H x 12½"W x 12"L. Perfect for professional and hobbyist radio base stations.



**WAWASEE ELECTRONICS**  
"home of BLACK CAT® products"

MADE IN USA



\$204.50

## JB 4001

Monitor scope measures RF output to the antenna and shows modulation patterns. (See description of trapezoid pattern feature under JB 1001.)

Monitor with low impedance earphones your modulation characteristics for proper mike gain and talk power. Built in audio generator to help adjust transmitter for peak performance.

Covers all frequencies 10-160 meters, no loss in line; therefore can be installed as a constant monitor of your transmitter.

Size is 10½"W x 6¼"H x 11½"L.

Perfect for professional and hobbyist operators.



\$82.50

## JB 2000 SW


### WATTMETER/ SWR BRIDGE

**WATTMETER** is true peak reading type and has three ranges — 0-20, 0-200, 0-2000 watts and covers all operating frequencies in the 10-80 meter bands. The **SWR BRIDGE** shows voltage standing wave ratios of 1.5, 2, and 3. A must instrument for a professional or hobbyist operator.

## JB 1000 S/M

### SCOPE/WATTMETER SWR BRIDGE

The daddy of them all the **JB 1000 S/M. MONITOR SCOPE** measures RF output to the antenna and shows modulation patterns. (See description of new trapezoid pattern feature under JB 1001.) **Peak-reading WATTMETER** has three ranges — 0-20, 0-200, 0-2000 watts and covers all operating frequencies in the 10-80 meter bands. The **SWR BRIDGE** shows standing wave ratios of 1.5, 2, and 3. 5½"H x 12½"W x 12"L. For professionals and hobbyists.



\$264.50

## JB 1007 SW

For the professional or hobbyist radio operator who is lucky enough to have more than one base station antenna, here's a handy way to select them or combine them . . . the Black Cat™ 4-Position Coax Switch from Wawasee Electronics of Syracuse, Indiana.

The heavy duty coax switch is rated at 2000 watts PEP and is housed in a compact cabinet measuring just 3 7/16" H x 4 3/32" W x 4" L. The front panel carries nomenclature for the four switch positions: VERT., HORZ., AUX., and the combined position, VERT-HORZ. The switch is controlled by a large, easy-to-grip knob. The rear panel contains the coax connectors for Vertical, Horizontal, and Auxiliary antennas, plus the input connector.



\$23.50

## JB 4000 SW

The unit measures RF watts to 4 KW in frequency range of 10-80 meters. Both RMS and peak measures SWR and modulation percentage, all without changing cables. Net weight is approximately 3 lbs. Earphone jack for signal monitor. 4 position antenna coax switch included.



\$169.50

## JB 1000 KILOWATT DUMMY LOAD

Portable and capable of handling up to a kilowatt of power. The oil cooled temperature stable resistor provides a low VSWR up to 400 megahertz. 50 ohms impedance. Less oil.




\$29.95

\$8.95



## CO-PHASE HARNESS

Designed to match 50 ohm transmitter to a pair of 50 ohm antennas. Can also be used as a stacking harness for two beam antennas with 50 ohm impedances.



\$269.50

## JB 4 K

### AIR COOLED DUMMY LOAD

Load is 50 ohms resistive - 200 watts RMS (without blower operation). Frequency range is 1.6 KHz to 240 MHz, for a SWR of 1.2. With blower operating continuous rating is 4000 watts PEP, 2000 watts RMS.



**WAWASEE ELECTRONICS**

"home of BLACK CAT® products" MADE IN USA  
P.O. BOX 36, SYRACUSE, INDIANA 46567

# We Guarantee Quality and Performance With Every Crystal\*

In the manufacture of quartz crystals, certain limits must be adhered to when finishing the unit. Such limits are often held to better than .001% for commercial applications.

Tolerances of this magnitude mean nothing unless the oscillator is the exact reproduction of the oscillator in which the crystal was calibrated. This also applies to wider tolerances.


We store crystal processing specifications for more than 7,000 types of old and new communication equipment in our computer files. This enables us to provide the customer with custom crystals at a minimum of down-time.

\*We guarantee our crystals against defective materials and workmanship for an unlimited time when used in the equipment for which they were specifically made.

Orders may be placed by Phone: 405/236-3741 •  
TELEX: 747-147 • CABLE: Incrystal • TWX:  
910-831-3177 • Mail: International Crystal Mfg. Co.,  
Inc., 10 North Lee, Oklahoma City, Oklahoma 73102.



INTERNATIONAL CRYSTAL MFG. CO., INC.  
10 North Lee Oklahoma City, Okla. 73102



✓ 36

## CALL TOLL FREE

For the best deal on

- AEA • Alliance • Ameco • Apple • ASP
- Avanti • Belden • Bencher • Bird • CDE
- CES • Communications Specialists
- Collins • Cushcraft • Daiwa • DenTron
- Drake • Hustler • Hy-Gain • Icom • IRL • KLM
- Kenwood • Larsen • Macrotronics • MFJ
- Midland • Mini-Products • Mirage • Mosley
- NPC • Newtronics • Nye • Panasonic
- Palomar Engineers • Regency • Robot
- Shure • Standard • Swan • Tempo
- Ten-Tec • Transcom • Yaesu

## Presidents' Birthday Specials

TEMPO S-1, only .... \$239  
with touchtone .... \$269

ICOM IC-255A (old  
model, while they last)  
only ..... \$299

KENWOOD TR-7600A  
closeout ..... \$269.95

YAESU FT-207R for the  
best price yet .... CALL!

APPLE Disk Based  
System: Apple II or II  
Plus with 48k RAM in-  
stalled, Disk II with con-  
troller, RF Modulator;  
NEW DOS 3.3 .... \$1799

APPLE 16k Special \$995!

Apple prices include prepaid shipping  
within continental United States

Erickson is accepting late model  
amateur radio equipment for service:  
full time technician on duty

CALL TOLL FREE  
(outside Illinois only)

(800) 621-5802

HOURS: 9:30-5:30 Mon., Tues., Wed. & Fri.

9:30-9:00 Thursday

9:00-3:00 Saturday

**ERICKSON  
COMMUNICATIONS**  
Chicago, IL 60630  
5456 North Milwaukee Ave.  
(312) 631-5181 (within Illinois)

# Successful Ham Classes

## — a guide for club organizers

In 3 years, I organized 11 ham code and theory classes, with the following results:

- 70 Novices
- 40 Generals
- 5 Advanced
- 2 Extras

—with two more classes

starting the first of the year in two different locations. If I can do it, so can you; here's how I did it, with help from my club members.

It all started when I joined the local repeater club and became friends with the club's secretary.

Every morning for months we would meet at the local post office and he would fill me in on the club's history and current events. The ARRL had been pushing all clubs to sponsor classes to beef up the number of U.S. hams before the WARC conference. As the club had

not fulfilled this request, he felt they should start some kind of educational program. I volunteered for the job.

Before I was going to organize any program, I had to know if there was a need. As there were classes in a town only 10 miles away, I wanted to be sure we would be successful in our attempts. It was discussed at length at my work QTH and decided that a marketing survey could be conducted to establish the community's ham radio educational needs. A test market of a 20-mile radius within our repeater's coverage would be a good parameter. I set out to do a direct-mail market survey.

As the survey needed to go to unlicensed but potential hams, I remembered having once been an associate member of the ARRL. Associate members are the unlicensed league members who get QST every month. For various reasons, this group joins the League, and the results from this mailing would show that this group had need for a class to help many of them get their tickets.

In requesting a list of the

NORTH STATE REPEATER ASSOCIATION INC.  
AND  
DANVERS CIVIL DEFENCE  
PRESENT.

**AMATEUR  
RADIO  
CLASS**

MAKE THIS  
THE YEAR...

**You get your "Ham" License!**  
Will Start - End of Sept.  
© DANVERS H.S.

AMATEUR RADIO CLASSES NOW FORMING

FOR MORE INFORMATION, CONTACT  
WB1FOD DAYS: 598-6010  
ALAN NIGHTS: 595-0873  
KLINE (595-0873)  
SWAMPSCOTT

OST \$10.00 PER PERSON  
IN FULL COURSE,

This is the standard poster I use. It is from the League, but I like to add information to it.



League's associate members, the League told me any ARRL affiliated club could request a computer printout of the League's mailing list by zip code. The list is conveniently printed on pressure-sensitive labels.

Upon receiving the list, I immediately had it duplicated. Certain brands of commercial copying machines have this capability. I was glad I made three copies, because later I would find out that the League will only supply the list once a year. A quick scan of the labels produced the mailing list of associates I was to use. The rest of the list was used to solicit membership and to announce the General and Advanced classes.

### Response

I printed an announcement of the possibility of having Novice and General classes and mailed one out to each of the fifty potential hams on the League's associate member list. There was instant response. All of the 25 calls I got were logged in a notebook with addresses and the callers' stories. By their stories, I mean that they all had various reasons for joining the League and for not being licensed.

The first caller claimed to be able to copy code at 20 wpm. He was in his early sixties and nearing retirement age, having learned his CW in the army in WWII, and he had never forgotten it. A Drake TR-4 was used to copy code for many years, but he never had the help he seemed to need to get a ticket. The second caller was a Vietnam veteran who also had learned the code in the service. Both of these calls were typical of the many I would receive.

Three of the responses came from adults with various handicaps. They had long-time interests in com-

munications, but needed help to get on the air. To help them with their individual problems, I joined the Handi-Ham System at the Courage Center in Minnesota. Their program is a United Fund-sponsored agency that helps the handicapped not only get their tickets, but loans them equipment. Involvement in the Handi-Ham System has led me and my instructors into some very rewarding personal experiences.

### A Committee Is Formed

Based on the calls I got, I knew there was need for a class of some kind. I announced that I was going to organize a class and asked the repeater club membership for help. We formed the club's first educational committee.

Those involved included a high-school guidance counselor with much teaching experience, a professional musician and teacher, a state safety inspector, and an electronics technician. (I am a ladder and scaffolding salesman.) After talking with them, I decided they all had the ability to explain ham radio and communications in layman's terms. In selecting teachers, you must let only the active hams do most of the teaching. It didn't take long to realize that my lack of CW experience and primary interest in VHF/UHF was of little help to aspiring Novices. I decided to stick to the organizational end of the program.

At this point, I contacted the Club and Training Department at the League and, for \$1.50, they sent me their instructor's package. It included many items of interest. The first is a 10-12-week lesson plan for teaching a Novice class. It is written to go along with the ARRL's *Tune in the World* textbook and code tape. In later classes, we only used this as a guide for



*Don Robson, 12 Boulder Way, Swampscott MA 09107. Don is blind and confined to a wheelchair. One of our first students, he worked hard for 18 months before getting his ticket. The repeater club gave him a standing ovation the night he came to announce his call.*

the teachers and let the students choose their own books.

The second booklet was a workbook with problems and duplications of the League's 35mm Novice slide program. We invested in two sets of these slides so our instructors could reinforce hard-to-explain concepts. The third and most useful booklet is entitled *How to Start a Course in Amateur Radio*. After carefully reading all this material, I knew we were heading in the right direction.

For our first class, we decided to use the *Tune in the World* series plus the *73 Magazine* code tapes.

### Rooms

In scouting out potential classroom sites, I had to remember the need for wheelchair access ramps. The room also would need

to have a movie screen, blackboards, and ac outlets, and, most importantly, be in a good location for the students to drive to. In most communities there is usually a building that meets these requirements. Our first site was the local high school in my hometown. The school was open four nights a week for the town's adult education program and still had many large vacant rooms.

Since the students do not all pass the code at the same time, it is necessary to separate some students from the others. As the code exam is given, the students who pass it earlier than the rest will get their written exams back from Gettysburg before the slower students. If you have a second room, you can split the class into two groups each night. One group will

# Attention New Novices:

1) Call me with your Call Sign

2) Our Funds are low and we could use the donation of our passed the course.

3) There will be a General Course, Plus another novice course

In September of 1980 at Marblehead High School - Call me about it!

WB2FOD  
Box 54  
W. Danvers, Mass.  
01925

WB2FOD  
Alan  
595-0823

This is a follow-up mailer for a class we didn't have any money for. At least half the class responded by sending money.

always be in the second room taking one of the two exams. Because the FCC doesn't let instructors have bulk exams anymore, the Novice instructor is always burdened with the extra work of sending exams back to the FCC at staggered times.

I contacted the director of continuing education at the school I selected and arranged for three rooms. One was a large sewing room with big desks that served as Novice classroom number one. It was big enough to seat 25 students, three wheelchairs, and also

large enough for our demonstrations. The second classroom was across the hall and was used as the extra exam room.

The third room was the high school's electronics lab. We chose to teach a small General class in there. Besides having VTVMs and scopes, there was a general coverage receiver. Lots of other electronic equipment there made it easier to teach prospective Generals. Most regional vocational technical high schools and junior colleges have similar labs and might be willing to let you use them.

Media	Calls	Percent of Total Calls
Newspaper ads	90	45
Heathkit posters	60	30
ARRL lists	20	10
Ham stores	20	10
Word of mouth	10	5
Totals	200	100

Table 1.

Taxpayers like to see and hear about the school being used as much as possible.

At this point, I made my first mistake: I offered to pay for the rooms. We had to charge \$25 per student to cover our initial costs. For that, they received the *Tune in the World* package and a guarantee of a Novice license! When the time came to make the next year's arrangements for rooms, I had learned that most school departments are more than willing to let any civic group use their facilities.

For our second year's program, the town of Danvers, Massachusetts, civil defense radio unit was the repeater's cosponsor. The superintendent of schools and the school committee were glad to give us the needed four rooms at no charge. We met as part of the adult education program on Thursday nights. Both the school and the CD unit helped the club advertise the classes.

During the second half of the school year, we had planned only to teach the follow-up General class and a small Advanced class at the Danvers site. But there were so many calls for a Novice class, we quickly organized two new Novice classes in both Danvers and Swampscott.

## Other Sites

Other room ideas I checked out and will probably use at later dates were the local hospital where our repeater is housed, the Boys Clubs and Girls Clubs, the Red Cross headquarters, a private nursing home, and both state colleges. Wherever you find a suitable room, try to contract for it for no fee. There will be plenty of ways to show the landlord your club's appreciation. Also, don't be surprised if the landlord, i.e., the school department, asks your club to sign a con-

tract for the rooms. They must establish responsibility for not only the cleanup of the premises but also the liability in case of an accident.

Our current class is part of the very successful adult education program of the town of Marblehead, Massachusetts. It is a coordinated effort between the repeater club, the town, and the high school's industrial arts department. One class meets after school and the others on Thursday nights. Funds collected from the evening program will be used to donate station equipment to the school's new station.

Our other class is at the Lenox Hill Nursing Home in Lynn, Massachusetts. It is a private institution with many handicapped young people. The director was a radio operator during the Korean War who immediately saw the value of adding ham radio as a weekly activity. We will set up a station there (donated by Handi-Hams) and have a regular schedule of operators drop in during the week to use it. As interest in ham radio grows, we will show the recently produced Dave Bell film on ham radio to the patients. I'm sure we will have a small group of people interested enough to start teaching code and theory.

Our final teaching effort for this year will be a similar wintertime project at the Greater Lynn Boys Club. As an urban club, its membership swells in the winter months, and not all young people enjoy sports. These 5th, 6th, and 7th graders could turn out to be the future electronic technicians this country needs.

## Finding Students

Armed with the results of the original test mailing, it was time to find more potential students. In advertising for our first class, an-

nouncements were sent out by mail to all the high schools, junior high schools, vocational schools, colleges, community centers, scout groups, and other ham clubs. A news release was also sent to all the newspapers, radio stations, and local magazines. And finally, posters were put up in the electronics stores, Heathkit® store, both ham stores, and local surplus emporiums. When having a class for the first time, you can never advertise too much. After logging the answers to the question of how the students heard about your class, you can decide which advertising media worked best.

Table 1 shows the results over a six-month period of sending out the announcements of the course and logging all the return calls. Using these statistics, much less advertising effort was required for our second and third classes. A small poster at the Heathkit store and Tufts Radio in Medford, Massachusetts, generated about 50% of the calls. The rest came from a small news item that reappeared weekly for four weeks in the local newspaper.

Careful selection of which newspaper to use was also a factor. In the towns we teach in, the residents all seem to read the smaller weekly papers that have a weekly events column. The one I chose was a weekly tabloid with more real estate ads and community news items than daily news.

Most students, when queried, said they saw or heard about the classes from more than one source. Many not only read about it in the newspapers, but heard about it from a repeater member or on the CB band. On a few occasions, I would answer questions about the class or ham radio in general on the CB band.


Once you've gone this far and generated all this interest, be prepared for the phone to start ringing. Find a retired or handicapped ham who is home a lot to take and log all the calls. He must be prepared to explain all facets of ham radio and mail out the ARRL's supplied material. Many people will call and not attend the next class, so it is important that they stay on your mailing list.

When writing announcements for the media, keep them as formal as possible. They should be typed on the club's letterheads and be neat. You want to convey that the organization running the classes is a professional one. When writing anything for the students, I wanted to project that ham radio is a relaxing, informal hobby. To help create this informal atmosphere, I always hand-wrote the announcements for the students. We always stress that anyone who puts in the effort and learns the required code will get the help they need to get their ticket—no matter how long it takes.

Many students who don't pass the course the first time will be hesitant to come again unless you have this relaxed atmosphere. Informality helps break down many barriers between the teachers and the students.

### Teamwork

When it is possible, have three instructors for each Novice class. Two will alternate teaching the theory and the other will teach code and give exams. If any one of the three is absent, and that will happen, there will always be a back-up instructor who knows the students and the lesson plan. You can delegate one of them to handle all the paperwork. In our program, I do all the paperwork and advertising and leave the instructors to do what they do best.



# NOVICE CLASS

## WR1AAC

NORTH SHORE REPEATER ASSOC., INC.  
SALEM, MASS.

Presents  
Another GREAT

# HAM CLASS

WHAT: GENERAL & ADVANCED CLASS + Novice

WHEN: STARTING THURSDAY NIGHTS---JANUARY 31st, 1980

TIME: NEW STARTING TIME OF 7:30 pm (TO 9:30pm)

WHERE: DANVERS HIGH SCHOOL---CABOT RD.---DANVERS, MASS.

COST: \$10.00 per STUDENT (INCLUDES NO MATERIALS)

OBJECTIVES:

THE GENERAL	LICENSED
NOVICES	FLASH - 'S
UPGRADE	
CONDUCT	
INCOURA	

TEAR ALONG THIS LINE & RETURN BOTTOM

REGISTRATION WILL BE VIA MAIL ONLY.

ALL CLASS SIZES WILL BE LIMITED.

REGISTRATION WILL CLOSE-----

NAME: \_\_\_\_\_ CALL: \_\_\_\_\_ CLASS LIC: \_\_\_\_\_

STREET: \_\_\_\_\_ CITY/TOWN: \_\_\_\_\_ STATE: \_\_\_\_\_ ZIP: \_\_\_\_\_

HOME PH # \_\_\_\_\_ WORK PH# \_\_\_\_\_

CIRCLE CLASS YOU ARE REGISTERING FOR:

GENERAL

ADVANCED

ANY QUESTIONS--PLEASE FEEL FREE TO CALL ME AT 598-6010 DAYS OR 595-0873 NIGHTS

SEND FORMS & CHECKS TO:

ALAN KLINE WB1POD  
P.O. BOX 54  
WEST LYNN, MASS. 01905

OR 95 BANKS RD.  
SWAMPSCOTT, MASS.  
09107

Due To Popular Demand there will be a novice class. Call Me For Details

*This is a typical announcement that was mailed to potential students. It was changed to offer a Novice class on short notice.*

General and Advanced classes only require one teacher who is an active ham. By active, I mean one who has worked all modes and all bands. It is less important that you have a backup instructor for these classes, as the General students can always sit in on the Novice classes. The unlicensed Novices will have fun that night because they can spend the night asking the Generals questions about the hobby.


If you have only one Novice instructor, keep the class size as small as possible. One teacher can only handle about ten struggling Novices. We had no intentions of offering a Novice class during one session, but when 22 students showed up, a volunteer was called on the repeater and he gave it a good try. His passing rate was much lower than our other

classes.

### Opening Night

The most important meeting is always the first. For the first course we ran, on the first night, the four instructors all talked about some aspect of ham radio that they were into, public service, DX, RTTY, ATV, and CW, but this didn't work. Murphy's Law of boasting took over and each ham tried to out-talk the other. Too much material was covered. We didn't remember that the students were there because they already knew something about ham radio.

The correct first-night procedure should be to show one of the League's films. They cover all aspects of the hobby in 30 to 45 minutes. After showing the film, you can go right into the first night's lesson.



One of the weekly handouts.

Other first-night chores include introducing the teachers and having all the students introduce themselves. It is also helpful to have them tell why they came to the class and explain their communications experience.

### Keeping the Interest

In most classes, the drop-out rate was as high as 50%, and they all dropped out within the first few weeks of code lessons. To keep student attention during this period, we tried to provide some sort of a handout at each class. They were either a small electronic part, catalog from an electronics company, or a printed sheet on antennas or circuits. We also brought in a different piece of ham gear each week to discuss. We were trying to string along the slow learners so they wouldn't get discouraged. Many of these methods worked.

Ham radio, like all hobbies, has its magazines, stores, and clubs. To help out aspiring Novices, each

class has its own booklet. The booklet contains a short message from the sponsors, dates of meetings, teachers' names and calls, local repeaters to listen to on their scanners, W1AW code schedules, recommended magazines, parts stores, study guides, code tape sources, club meeting sites and times, and a ten-point check list on buying their first rig.

Since our repeater is located on the North Shore of Massachusetts, the booklet is entitled *An Introduction to Ham Radio on the North Shore*. With each new class, we add additional information we feel is needed, as most of us forget a lot of these facts ourselves. This booklet is also good as a ham radio public relations tool.

At each class after that you can pass out the other sheets and catalogs previously mentioned. Other good handouts we used were reprints of Novice articles, flea-market flyers, and old issues of ham radio magazines that came from

the club members. The local Heathkit manager was not only a great help in supplying books, but also supplied catalogs, space for our posters, and a small kit for no charge. The printed circuit board, after having been assembled, was brought into a Heathkit store for checking. If it were properly built, it acted like an oscillator. It was a good gimmick for all involved.

### Final Handout

The final handout should be an SASE or postcard for the students to mail back with their callsign. I usually put it this way: We need to know if our teaching efforts were successful—please let us know your callsign, and, if you didn't pass the exam, let us know if you want to try again. All students are so proud and so grateful for your help, that very few don't return the cards. Sometimes they are like QSL cards; a few will show up months later from other states because the students have moved.

### Follow-Up

At this point, you might think that you've done your part. Not so! Most new hams will need some encouragement to get through that first CW contact. The club should start a slow-speed CW net that meets at least once a week. This is a good way to get other club members active in helping out the educational committee. Also, anyone who doesn't get a license should stay on your mailing list for future classes. We heard many personal reasons for dropping out of classes, but in a lot of cases they would sign up for another class at a more convenient time.

### Registration Forms

In making up registration forms for both the repeater club and our classes, we ask for all the pertinent infor-

mation such as name, nickname, address, town, summer address, zip codes, phone number, mailing address, if different, home and work phone numbers, bands active on, mobile or portable capabilities, and, finally, these important questions. First, how did you hear about the class? This will give you ideas on which advertising works best.

Second, what is your job or profession? This question is usually overlooked by clubs and here is why it's important. In the classroom, if the teacher knows everyone's background and jobs, he can draw on those talents in making analogies. This shows your interest in the students and if the club's board of directors has access to a list of what each member does for a living, they can draw from this group for meeting programs.

Clubs and classes are always in need of new speakers on both technical subjects and human interest stories. One good example of this was a husband who called to sign his wife up for a Novice class. In the conversation I found out that he was an Advanced class ham who was the new Belden cable salesman for the area. He was glad to talk to both the club and classes!

### Deadlines

When printing up your class registration forms, always make the deadline for enrollment at least one week before your first night. This allows you to know exactly how much material you will need. It was a big surprise, at one first meeting, to have 20 more people show up for a Novice class than the 30 who had sent in checks. If you have a small class and decide to supply textbooks for them, it takes at least two weeks to procure them.

Our first attempt included the ARRL's *Tune in the World* which required careful guess work on the projected number of attendees. In later classes, we purchased ample supplies of the League's or Ameco's question-and-answer-style books.

#### Money

Having a total of 11 classes over three years with fees ranging to \$25 per family member, we generated plenty of money to purchase all the supplies, code tapes, slide programs, books, and teachers' guides. Since I was the chairman of our educational committee, I usually decided what else the money was spent on.

As a club, we recently gave the town and high school libraries in three communities the ARRL's complete set of current publications. The League

will sell any affiliated club this package for only \$55. All six librarians were gracious enough to accept the donations at our annual meeting for the installation of new officers. A picture was taken and a small article appeared in the local paper about the books and our new officers. It was a good ham radio PR move.

Even if your club decides to underwrite the costs of the class, it's still important to charge for the class. I've argued this point many times over the air, but I am convinced the \$10 or so you charge makes the student feel he has made a commitment. No student has ever questioned our fees, and many have made other donations. When asked what happened to the money, I always explained the Handi-Ham System, because all the extra funds were used to put the handicapped on the air.

#### Thank You

By donating books and new ham gear to the towns and school systems that provided rooms for our use, we had thanked them in our own way. In some other nearby communities, the ham radio instructors are paid as paid regular teachers in the evening school. None of my instructors gets any money out of our projects, but in my own way I showed them my appreciation.

After two years of teaching one night a week, my ten instructors had spent a lot of time teaching ham radio. I know that they would have been happy enough with the students' individual thank-yous, but that was not enough. My wife and I had the instructors over to our home, with their wives, for a dinner party. I wanted them and especially their wives to know

how special this group was to me. I got a lot of thank-yous from the students and club members, but it was this group who actually got the teaching done.

After you organize your first class, no matter how large or small, and the first happy Novice calls up to say, "I just got my call-sign—KA1FCC," you'll know why we don't want to stop organizing them. If you think there aren't any people interested in ham radio classes for you to teach, then start by generating interest. I don't know how many classes we will help run over the next few years, but with the help of my fellow club members, the Courage Center, an understanding boss, and especially my wife, I look forward to many more happy Novices and Generals calling up to say "thank you." ■

## ASSOCIATED RADIO

913-381-5900

8012 CONSER BOX 4327  
OVERLAND PARK, KANSAS 66204

# BUY—SELL—TRADE

## All Brands New & Reconditioned



We Want to DEAL—Call Us—We'll Do It Your Way.  
**WE'RE #1**



NOTE: SEND \$1.00 FOR OUR CURRENT CATALOG OF NEW AND RECONDITIONED EQUIPMENT.

★ ALSO WE PERIODICALLY PUBLISH A LIST OF UNSERVICED EQUIPMENT AT GREAT SAVINGS.  
A BONANZA FOR THE EXPERIENCED OPERATOR.

TO OBTAIN THE NEXT UNSERVICED BARGAIN LIST SEND A SELF ADDRESSED STAMPED ENVELOPE.

# How FCC Rules Are Made

## — a labyrinthine tale

Carey P. Busbin WD4DAZ  
541 Broadway  
Birmingham AL 35209

I think it appropriate to begin this discussion with a brief history of radio transmission and subse-

quent regulation. Federal regulation of interstate electrical communication can be traced to the *Post*

*Roads Act of 1866*, which authorized the Postmaster General to fix rates annually for government tele-




Fig. 1. FCC organization.

grams. This was followed by the *Interstate Commerce Act of 1887*, which granted the Interstate Commerce Commission (ICC) authority to require interconnection of telegraph systems to expand coverage across the country. Then, the *Vann-Elkins Act of 1910* directed the ICC to develop uniform accounting practices for these telegraph systems. This statute, in effect, extended provisions of existing law to cover certain wireless telegraphy. By 1910, wireless radio transmissions had proven worthwhile aboard ships, and the *Wireless Ship Act of 1910* required radio installation on large seagoing passenger vessels.

Two years later, the United States participated in the International Radio Telegraph Conference. Conference findings were the basis for the *Radio Act of 1912*. This Act regulated emissions, distress calls, set aside frequencies for government use, and mandated licensing. Licensing began later that year.

World War I ensued, and the Federal Government exercised control of radio, telephone, and telegraph as a precautionary measure. After the war, a tremendous growth in broadcast radio occurred. Broadcast radio had been unregulated by the legislation of 1912, which prompted President Coolidge to request of Congress the authority to control this growth. Congress responded with the *Dill-White Radio Act of 1927*. This Act established a five-member Federal Radio Commission under the Secretary of Commerce, with regulatory powers over radio.

Broadcast radio continued to prosper, and in 1934 Franklin D. Roosevelt asked Congress to approve the establishment of an indepen-

dent commission to regulate radio transmissions. Congress responded by passing the *Communications Act of 1934*. This Act contained six major sections, or titles, and created the seven-member Federal Communications Commission (FCC) as we know it today.

There were extensive revisions to this Act, both in 1952 and during the period of 1960 to 1962. More recently, the *Communications Satellite Act of 1962* gave the FCC new responsibilities in the areas of space communications. Thus, over a period of time, Congress delegated authority to the FCC to govern radio; therefore, the Commission may develop regulations as they feel necessary to carry out these responsibilities.

### Organization of the FCC

The seven commissioners are appointed for seven years by the President with the approval of the Senate. The Commission's chairman is selected by and serves at the pleasure of the President. The commissioners function as a unit, supervising all FCC activities. This is accomplished by delegating responsibilities to boards and staff units. Fig. 1 shows a current organizational chart for the FCC (amateur radio is within the Private Radio Bureau).

### Rule Making

In order for the FCC to regulate radio transmissions as directed, the FCC must develop rules and regulations. Fig. 2 shows the pathway which a new Rule Making may follow. Using Fig. 2, let's begin at step 1 and follow a request for either a new rule or a rule change through the entire process.

**Step 1. Initiation of Action.** Any individual represented by one of the five




Fig. 2. FCC Rule Making diagram (from FCC Communicator, September, 1975).

groups may initiate a Rule Making.

**Step 2. FCC.** When a petition for Rule Making is received, it is sent to the appropriate Bureau for evaluation (the Private Radio Bureau for amateur regulations). If the Bureau decides a petition is meritorious, it will request that the Dockets Section assign a Rule Making (RM) number. The Bureau may then request one of four actions by the Commission as shown. A free weekly summary of Commission actions, *FCC Actions Alert*, is available from the FCC; the address for obtaining this publication will be found at the end of the "Publications" section.

**Step 3. Commission Actions.** If the Rule Making would require major changes in the rules, the Commission will issue either a Notice of Inquiry (NOI) or an Notice of Proposed Rule Making (NPRM). When either an NOI or an NPRM is requested, such a request will appear both in the *Federal Register* and the *FCC Ac-*


*tions Alert*. The NOI is basically to see if there is enough public interest to merit further consideration. The NPRM is an official announcement that a new rule is being considered. If the Commission feels that the proposal did not merit further consideration, they would issue a Memorandum Opinion and Order (MO), which would stop the action. The NOI usually leads to either an NPRM or an MO. An NPRM usually leads to a Report and Order (RO) or an MO. The RO either issues a new rule or amends and confirms an existing rule.

**Step 4. Comments and Replies Evaluated.** When an NOI or an NPRM is issued, the FCC solicits public comment. Replies to public comments are also solicited. Any comment or reply should reference the Docket Number.

**Step 5. Report and Order.** An RO is issued to institute a new rule, amend an existing rule, or confirm the current rule.

**Step 6. Reconsideration.** Petitions for reconsidera-

# MEMORY KEYS BREAKTHROUGH!



The remarkable AEA Morsematic memory keyer has 35 fantastic features including two AEA designed microcomputers, up to 2,000 character memory, automatic serial number, beacon mode, and automatic morse trainer mode.

**AGL** ELECTRONICS  
INC.

Tel. 813-461-HAMS

1898 Drew Street  
Clearwater, FL 33515

**AEA** Brings you the  
Breakthrough!

tion must be filed within 30 days.

Step 7. *Modifications.* A review of a petition for reconsideration may merit a change in the initial decision. The Commission may issue an MO to amend the initial decision.

## Commenting

If you intend to file comments, the following subjects should be addressed. First, state your experience, expertise, and any insights which make your judgments accurate and worthwhile. Second, any facts, comments, or opinions should be clearly stated in easily understood fashion. Third, your comments should reach the Commission on or before the comment deadline. Moreover, if you intend to submit comments as a formal filing, you must submit an original and five copies. Comments should be submitted to:

Secretary, Federal Communications Commission, 1919 M Street NW, Washington DC 20554. Be sure to note the Docket Number on the comments.

To help in filing comments, the next section will outline various materials available on the subject, and where they may be obtained. These publications will add clarity to FCC policies and procedures.

## Publications

A) *Federal Register*, a daily publication from the U.S. Government which covers both proposed and official changes in regulations prepared by government agencies. The FCC is just one of hundreds of agencies and commissions which publish regulations in the *Federal Register*. A subscription may be obtained for \$50 yearly from the Superintendent of Documents. The

*Federal Register* is usually available at libraries in most areas.

B) *FCC Actions Alert*, a weekly bulletin published by the FCC containing Commission actions. The *FCC Actions Alert* is available without charge from the FCC.

C) *FCC Reports* contain complete texts of FCC reports and actions and is available for a fee from the Superintendent of Documents.

D) *FCC Rules and Regulations* is a looseleaf subscription service which continually updates the FCC regulations covered by that particular subscription. In order to cover all FCC Rules and Regulations, several separate subscriptions would be required. Information concerning which parts each subscription covers and how they may be ordered will be found in the U.S. Government Printing Office pamphlet SB-281, as described below.

E) *Federal Communications Commission Publication SB-281* is a subject bibliography available without charge from the Superintendent of Documents and lists all publications available from the U.S. Printing Office concerning the FCC.

F) *FCC Information Bulletins* are available without charge upon request from the FCC. Each bulletin covers a specific area of the FCC's responsibilities or a topic of interest to radio enthusiasts.

*Federal Register*, *FCC Reports*, *FCC Rules and Regulations*, and subject bibliography SB-281 are available from: Superintendent of Documents, U.S. Government Printing Office, Washington DC 20402.

*FCC Actions Alert* and *FCC Information Bulletins* are available from: Federal Communications Commission, 1919 M Street NW, Washington DC 20554.

## Summary

Amateur radio clubs should be apprised of proposed changes in FCC regulations which affect amateur radio. Too often over the last few years, we learned that we were the subject of substantial changes without sufficient prior notice. Because of printing and mailing lead times necessary with publishing magazines, it is very possible that the FCC comment period is long over by the time you receive the current issue containing the notice. This can be avoided by having the club or a responsible individual placed on the *FCC Actions Alert* mailing list (see "Publications"). If a Rule Making concerning amateur radio is received, then the membership can be notified. In addition, the FCC maintains two phone numbers, one for general information from the Public Information Officer, (202)-632-7260, and the second, a recorded message concerning weekly actions, at (202)-632-0002 (neither is toll-free).

As you know, the trend regarding frequencies has been "use them or lose them"; the same is true of Rule Makings. Failure by the FCC to receive a number of comments on proposals means to the regulator that there is little or no interest in the subject; therefore, they should proceed with their proposals. Many times this just isn't true. Therefore, I suggest that you as an individual or club member monitor FCC Rule Makings, perhaps even suggesting changes in amateur regulations which you feel merit consideration. Your very participation will help ensure the place of amateur radio in the future. ■

## Acknowledgement

A portion of the information contained in this article was obtained from the Federal Communications Commission.



# REVIEW

from page 32

the manual, "The quality of copy is directly proportional to the quality of the signal being received as well as the quality of the CW being received. If you are trying to copy a guy with a sloppy fist, then you'd better expect sloppy copy. If, on the other hand, the CW is being sent by a keyer or a keyboard, the copy will probably be perfect." Amen. If you intend to use the ROM-116 for serious CW reception, get a good CW filter and talk only to people who can send well! Whatever conclusions you draw about machine-read CW, the transmit portion of the ROM-116 is faultless. It is easy to use, sends perfectly, and even allows you to start typing a reply while receiving a message.

By necessity, this is only a brief overview of the capabilities of the ROM-116; it has many intriguing features that are not mentioned in this review. How did it perform in the real world? Superbly. It is at the top of its class. With equipment like this on the market, the old stalwarts are going to have to brace themselves for an influx of enthusiastic operators using computer-based RTTY gear. Few people who listen in on the RTTY segments of the band will be surprised if RTTY operation begins to spread out and take more spectrum. Things are already pretty crowded! A device like the ROM-116 will attract a lot of people to RTTY who would never have considered it before — people like me!

There is one big if that deserves mentioning. Microcomputers, to varying degrees, can emit a lot of hash into the rf spectrum. If your computer is unshielded (as is the TRS-80), you may or may not hear a great deal of noise in your receiver, all generated by the computer. In the 73 shack, using unshielded interconnecting cables and making absolutely no effort to reduce interference, the problem was there, but it wasn't severe. Weak signal work could suffer some interference, but the problem was not as bad as we expected. Best of all, the

combined efforts of our Alpha 374 and Dentron MLA-2500 amplifiers did not cause any interference to the RTTY system, even while operating RTTY and SSB simultaneously.

This is the dilemma that hams face when they go shopping for a microcomputer-based RTTY system: Do they buy a completely RFI-proofed system that offers limited or non-existent use as a separate computer, or do they go for a microcomputer and interface system that can be extremely useful when the bands go dead, but may or may not need some work to clean up RFI? If getting dual usage out of your equipment appeals to you, the Crown Microproducts ROM-116 deserves your attention; it's a first class piece of gear that you'll never grow out of. For further information, contact *Crown Microproducts, PO Box 892, Marysville WA 98270*. Reader Service number 478.

**Paul Grupp KA1LR**  
73 Magazine Staff


## REALISTIC PRO-2008

Radio Shack's latest introduction to the scanner market, the PRO-2008, provides the Public Service Band enthusiast with an interesting blend of traditional and unique features. The new, stay-at-home relative of the popular PRO-2001 is designed to be a lower-priced alternative for those whose listening needs require a smaller number of channels without a searching capability. The 2008 is a 1980 addition to the Realistic family of scanning monitors and is midway in price and performance between the most expensive crystal-controlled scanners and the more sophisticated synthesized models.

The 2008 is a programmable FM scanning receiver with direct keyboard entry system, capable of scanning any eight frequencies in the ranges 30-50, 144-174, and 410-512 MHz. The entire unit is controlled by an on-board microprocessor designed especially for use in this scanning monitor. The microprocessor is accessed via the 18-key

Continued on page 117

CAN 20% BE WRONG?



A recent survey showed that 20% of the 73 subscribers also read Kilobaud MICROCOMPUTING magazine . . . and enjoy it. This is the best way to learn and keep up with the rapidly developing world of microcomputers. There's nothing to be afraid of, you just have to read an interesting magazine and you'll learn. Try a subscription to Kilobaud MICROCOMPUTING and see for yourself.


New subscription       Renewal       12 issues for \$25.00  
 Payment enclosed \$ \_\_\_\_\_       24 issues for \$38.00  
 VISA       MC       AE       Bill me       36 issues for \$53.00

Card # \_\_\_\_\_ Interbank # \_\_\_\_\_  
 Signature \_\_\_\_\_ Exp. date \_\_\_\_\_  
 Name \_\_\_\_\_  
 Address \_\_\_\_\_  
 City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

—for even faster ordering service call toll free (800) 258-5473  
 Canadian: \$27, one year only, U.S. funds. Other foreign:  
 \$35, one year only, U.S. funds. Please allow 6-8 weeks for  
 delivery. 312B6

**MICROCOMPUTING • POB 997 • Farmingdale NY 11737**

## TRS 80\* OWNERS ARISE!



Arise and subscribe to 80 MICROCOMPUTING, the newest and fastest growing microcomputer magazine. This is full of news about programs, accessories and theory on the world's largest selling computer, the TRS-80\*. Definitely beginner level and includes lots of program listings. Find out what all the fuss is about.

New subscription       Renewal       12 issues for \$18  
 Payment enclosed \$ \_\_\_\_\_       24 issues for \$30  
 VISA       MC       AE       Bill me       36 issues for \$45

Card # \_\_\_\_\_  
 Interbank # \_\_\_\_\_ Exp. date \_\_\_\_\_  
 Signature \_\_\_\_\_  
 Name \_\_\_\_\_  
 Address \_\_\_\_\_  
 City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Please allow 6 to 8 weeks for delivery  
 Canadian: 1 yr. only/\$20 in U.S. Funds  
 Foreign: 1 yr. only/\$28 in U.S. Funds

**80 microcomputing**  
 • P.O.B. 981 • Farmingdale N.Y. 11737  
 \*TRS-80 is a trademark of Tandy Corporation. 312B6

## MFJ 941C Versa Tuner II



MFJ-941C  
\$89<sup>95</sup> (+\$4)

Fastest selling MFJ tuner... because it has the most wanted features at the best price.

**SWR + dual range wattmeter** (300 & 30 watts full scale, forward and reflected power). *Sensitive meter* measures SWR down to 5 watts output.

**More flexible antenna switch** selects 2 coax lines, direct or through tuner, random wire/balanced line, or tuner bypass for dummy load.

**12 position efficient airwound inductor** for lower losses, more watts out.

**Built-in 4:1 balun** for balanced lines. 1000v capacitor spacing.

**Matches everything from 160-10 meters:** dipoles, inverted vees, random wires, verticals, mobile whips, beams, balanced and coax lines.

**Easy to use, anywhere.** Measures 8x2x6", has SO-239 connectors, 5-way binding posts, finished in eggshell white with walnut-grained sides.

**MFJ-945, \$79.95**, like model 941C but less ant. switch. Optional mobile bracket for either model is \$3.

## MFJ 484 "Grandmaster" Memory Keyer



MFJ-484  
\$139<sup>95</sup> (+\$4)

Up to twelve 25 character messages plus 100, 75, 50 or 25 ch. messages (4096 bits). Repeat any message continuously or with pauses of up to 2 min. LEDs show use.

**Record, playback, or change messages instantly** at touch of a button. Memories are resettable with button or touch of the paddle.

**Built-in memory saver** — 9 V battery takes over when power is lost.

**Iambic operation** with squeeze key. Dot-dash insertion. Optional BENCHER paddle \$42.95 + \$4.

**Dot-Dash memories**, self-completing, jam-proof spacing, instant start.

**Panel controls:** Speed (8-50wpm)/Record; Weight/Memories Combined; Tone/Tune; Delay (0-2 min.)/Repeat; rotary Vol/On-Off; Memory Select; Message Buttons select desired 25 ch. messages; Memory Reset button.

**Ultra reliable solid state keying:** grid block, cathode, solid state transmitters (-300 V, 10 mA max; +300 V, 100 mA max). Operates 12-15 VDC or 110 VAC with optional adapter, \$7.95 + \$2. Size 8x2x6". **MFJ-482, \$99.95**, four 25 or 50+two 25 ch. messages; **MFJ-481, \$89.95**, two 50 ch. messages. Get the best seller keyers—MFJ "Grandmasters."

## MFJ 410 "Professor Morse" Code Generator/Keyer



MFJ-410 Now Only \$129<sup>95</sup> (+\$4)

NEW  
LOW  
PRICE  
Save  
\$20

Use it to learn, use it to operate. It sends unlimited random code in random groups for practice; never repeats sequences. And when you're on the air, it's a full feature keyer.

**Vary speed from 5-50 wpm;** meter readout.

**Vary spacing;** give fast sound to low speed.

**Alpha or alphanumeric** with punctuation.

**Built-in speaker** and phone jack; tone and vol. Ideal for classroom or private use.

**Full feature keyer** includes vol., speed, tone and weight controls, tune switch, dot-dash memories, keys grid block, cathode, solid-state rigs. Optional BENCHER paddle \$42.95 + \$4. Operates on 9-18 VDC, two 9 V batteries or 110 VAC with optional adapter \$7.95 + \$2. Size 7x2x6". Get "Professor Morse" — you'll never outgrow it.

## MFJ Dual Tunable SSB/CW Filter "Signal Enhancer"



MFJ-752B \$89<sup>95</sup> (+\$4)

**Dual filters** give unmatched performance. **The primary filter** lets you peak, notch, low pass or high pass with extra steep skirts.

**Auxiliary filter;** 70 dB notch, 40 Hz peak.

**Both filters tune from 300 to 3000 Hz** with variable bandwidth from 40 Hz to nearly flat.

**Constant output** as bandwidth is varied; linear frequency control.

**Switchable noise limiter** for impulse noise.

**Simulated stereo sound** for CW lets ears and mind reject QRM.

**Inputs for 2 rigs,** switch selectable. Plugs into phone jack. Two watts for speaker. OFF bypasses filter. 9-18 VDC, 300 mA or 110 VAC with optional adapter \$7.95 + \$2. 10x2x6". **MFJ 751, \$69.95**, similar, primary filter only, less high pass & noise limiter.

# MFJ

BEST  
SELLERS

favorite products from the world's leading manufacturer of amateur radio accessories

## GMT Clock/ID Timer



MFJ-102  
\$32<sup>95</sup> (+\$4)

**NEW 12/24 Hour Digital Clock/ID Timer** Switch from 12 hr. to GMT, to "seconds" readout, ID timer or elapsed timer. WWV sync, solid-state, blue 0.6" digits, reg. alarm + indicators. 110 VAC, 60 Hz, 6x2x3".

## KW Dummy Load With Oil



MFJ-250  
\$29<sup>95</sup> (+\$4)

**Rated at 1 kW CW or 2 kW PEP** for 10 min., half that for 20 min., cont. at 200 W CW, 400 W PEP, non-inductive 50 ohm resistor, quality transformer oil (no PCB), VSWR under 1.2:1 to 30 MHz, 1.5:1, 30-300 MHz, 2:1, 300-400 MHz. Coax conn., vent cap., 7 1/2" h x 6 5/8" diam.

## 300 Watt Antenna Tuner



MFJ-949B  
\$139<sup>95</sup> (+\$4)

**Does it all!** Built-in dummy load, SWR, forward and reflected power meter, antenna switch, balun, matches everything from 1.8-30 MHz (coax, random wires, balanced lines), coax conn., binding post, 10x3x7".

TO ORDER PRODUCTS, CALL TOLL FREE



800-647-1800

VISA

For tech. info., order or repair status, or calls outside continental U.S. and inside Miss., call 601-323-5869.

- All MFJ products unconditionally guaranteed for one year (except as noted)
- Products ordered from MFJ are returnable within 30 days for full refund (less shipping)
- Add shipping & handling charges in amounts shown in parentheses

Write for FREE catalog, over 60 products

**MFJ ENTERPRISES**  
INCORPORATED

Box 494; Mississippi State, MS 39762



# MFJ Super Keyboard

*For \$279.95 you get: CW, Baudot, ASCII, buffer, programmable and automatic messages. Morse code practice, full featured keyer, human engineering.*

Sending CW has always been a task, especially when you get a little tired. Electronic keyers help, but it's still too much work.

Now MFJ has a Super Keyboard that makes sending perfect CW effortless. It also sends Baudot RTTY and ASCII.

"Big deal" you say. "What's so special about that. There are lots of keyboards." Yes, but this one is different.

## HUMAN ENGINEERED

A lot of thought has gone into human engineering the MFJ-494 Super Keyboard.

For example, you press only a one or two key sequence to execute any command.

All controls and keys are positioned logically and labeled clearly for instant recognition.

Pots are used for speed, volume, tone, and weight because they are more human oriented than keystroke sequences and they remember your settings.

A meter gives continuous readout of buffer memory and speed. Two characters before full, the meter lights up red and the sidetone changes pitch.

## PROGRAMMABLE, AUTOMATIC MESSAGES

Four automatic messages and two programmable message memories (A and B) are provided. Messages A and B can be a total of 30 characters. B starts where A ends.

When recalled, each message takes only one character of the buffer. They may be chained and/or repeated via the buffer.

"Well," you say, "that sure is not much memory." But it's more than it seems because of the built-in automatic messages.

For example, type your call into message A. Then by pressing the CQ button you send CQ CQ DE (message A). Press twice to send twice, etc.

The other automatic messages work the same way: CQ TEST DE (message A), DE (message A), QRZ (message A).

Special keys for KN, SK, BT, AS, AA, and AR.

## TEXT BUFFER

The 50 character text buffer sends smooth perfect code even if you "hunt and peck."

Since each automatic or programmable message takes only one buffer character, this gives a far larger effective buffer.

You can preload a message into the buffer. Then when you are ready to transmit press the control key.

You can hold the buffer by pressing the shift key and space bar.

With the buffer in hold, you can send a comment with an external paddle as a keyer. To resume sending buffer, press the control key.

Simply backspace to delete errors.

## RTTY: BAUDOT, ASCII

5 level Baudot is transmitted at 60 WPM. RTTY and CW ID are provided via message A.

Carriage return, line feed, and "LTRS" are sent automatically on the first space after 63 characters on a line. After 70 characters the function is initiated without a space. This gives unbroken words at the receiving end and frees you from sending the carriage return.

All up and down shift is done automatically. A downshift occurs on every space to quickly clear any garbles in reception.

The buffer, programmable and automatic messages, backspace delete and PTT control (keys your rig) are included.

The ASCII mode includes all the features of baudot. Transmission speed is 110 baud. Both upper and lower case are generated.

## MORSE CODE PRACTICE

There are two Morse code practice modes. Mode 1: random length groups of random characters. Mode 2: pseudo random 5 character groups in 8 separate repeatable list. With answer list.

Insert space between characters and groups to form high speed characters at slower speed for easy character recognition.

Select alphabetic only or alphanumeric plus punctuation. Pause function lets you stop and then resume.

## IT'S A KEYS, TOO

Plug in a paddle to use it as a deluxe full feature keyer with automatic and programmable memories, iambic operation, dot-dash memories, and all the features of the CW mode.

## MORE FEATURES

Tune switch with LED keys transmitter for tuning. Tune key provides continuous dots to save finals. Built-in sidetone and speaker.

PTT (push-to-talk) output keys transmitter for Baudot and ASCII modes.

Reliable solid state keying for CW: grid block, cathode, solid state transmitters (-300 V, 10 ma. Max, +300 V, 100 ma. Max). TTL and open collector outputs for RTTY and ASCII.

Fully shielded. RF proof. All aluminum cabinet. Black bottom, eggshell white top. 12"D x 7"W x 1 1/4"H (front) x 3 1/2"H (back).

9-12 VDC or 110 VAC with optional adapter.

## OPTIONS

**MFJ-53 AFSK PLUG-IN MODULE.** 170 and 850 Hz shift. Output plugs into mic or phone patch jack for FSK with SSB rigs and AFSK with FM or AM rigs. \$39.95 (+ \$3).

**MFJ-54 LOOP KEYING PLUG-IN MODULE.** 300 V, 60 ma. loop keying circuit drives your RTTY printer. Opto-isolated. TTL input for your computer to drive your printer. \$29.95 (+ \$3).

**BENCHER IAMBIC PADDLE.** \$42.95 (+ \$4).

**110 VAC ADAPTER.** \$7.95 (+ \$3).

## A PERSONAL TEST

Give the MFJ-494 Super Keyboard a personal test right in your own ham shack.

Order one from MFJ and try it — no obligation. See how easy it is to operate and how much more enjoyable CW and RTTY can be. If not delighted, return it within 30 days for refund (less shipping). One year unconditional guarantee.

To order, call toll free 800-647-1800. Charge VISA, MC or mail check or money order for **\$279.95** for MFJ-494 Super Keyboard, **\$39.95** for MFJ-53 AFSK module, **\$29.95** for the MFJ-54 loop keying module, **\$42.95** for Bencher Paddle, and **\$7.95** for the 110 VAC adapter. Include \$5.00 shipping and handling per order or as indicated in parentheses if items are ordered separately.

Why not really enjoy CW and RTTY? Order your MFJ Super Keyboard at no obligation today.

**TO ORDER OR FOR YOUR NEAREST DEALER  
CALL TOLL FREE . . . . . 800-647-1800**

Call 601-323-5869 for technical information, order/repair status. Also call 601-323-5869 outside continental USA and in Mississippi.

Write for FREE catalog, over 60 products

**MFJ ENTERPRISES,  
INCORPORATED**

Box 494, Mississippi State, MS 39762

# A \$10 Phone Patch

## —CQ Ma Bell

You don't have to spend \$40 to \$90 for a phone patch to match your new solid-state rig. This simple circuit will give perfectly adequate performance with parts purchased at your local Radio Shack. For a cost of under \$10 and one evening's work, you can have a patch that will work with a new solid-state rig or an older tube-type transceiver. This circuit (or variations of it) has been in use by several hams in this area for a number of years (see Fig. 1). With the bypass capacitors

shown, no effect from rf feedback has been experienced, even when used with a kilowatt.

S1 is a four-pole, two-position switch (Radio Shack 275-1384 or equivalent) used to switch the patch on and off. The fourth section of this switch (S1d) is used to switch the patch into the circuit in place of the usual station microphone. If your rig has a phone patch input, you can leave the mike connected to its usual jack and use the alternate connec-

tion shown by the dotted line.

S2 is a DPDT toggle or lever switch. It allows you to select XMIT (transmit) or RCV (receive) from the front panel of the patch, rather than fumbling with the microphone PTT switch, telephone handset, and receiver audio gain control all at once.

S2 is wired in such a way as to permit operation with many types of solid-state rigs. These rigs often have the novel little problem

that the receiver audio is not cut completely off while in the transmit mode. During normal operation this is not a problem. However, with many of the usual phone patches, an audio oscillation will result, with the phone patch acting as the oscillator coupling element. Switch S2 disconnects the receiver audio from the patch when in the transmit mode, thus eliminating the problem.

The second section of this switch (S2b) grounds the PTT line when you wish to transmit. On a few of the new rigs, this line is called MOX rather than PTT. MOX stands for Manually Operated Xmit, similar to VOX for Voice Operated Xmit.

Impedance matching is provided by T1 and T2, which are identical 8-Ohm-to-1000-Ohm (center-tapped) audio transformers. Radio Shack lists this item as 275-1384. They are not critical, and any 8-Ohm-to-1000-Ohm or 8-Ohm-to-500-Ohm audio transformer will do. Good performance has been obtained even with a pair of 12-volt filament transformers. The 12-volt secondary is connected in place of the 8-Ohm winding and the 115-volt primary in




Fig. 1. Inexpensive phone patch uses readily available components.

place of the 500- or 1000-Ohm winding.

The transmit level is set by the 500-Ohm pot connected to T2. Bypass capacitors are shown on all input and output leads to prevent rf feedback. A metal enclosure for the patch is recommended.

To use the patch, set S1 to ON and S2 to RCV and listen on the telephone handset. You can get a clear line (no dial tone) by dialing the first digit of a local exchange. Tune in a station on your receiver and set the audio gain control on the receiver for a comfortable level in the telephone handset. Telephones are quite tolerant and level setting is not critical. If the audio sounds comfortable in your ear on receive while listening through the telephone handset, it probably is acceptable.

Next, put S2 in the XMIT position and talk normally into the telephone handset.

Set the 500-Ohm pot so that the meter on the final in your rig swings into its normal area as though you were using the station microphone.

There is no provision for VOX operation. Most hams prefer manual RX/TX since it both prevents an operator's accidental sneeze or cough from turning on the transmitter and allows you to cut off the speaker if he or she attempts to say something inappropriate for transmission over your station.

One tip on phone patch use—for some reason, when you tell someone on the telephone to talk louder, they will do so for a few minutes and then lapse back to their original volume. However, if you turn the audio gain control down so that they hear the other station more softly, they will automatically speak up as though to compensate. ■

## DOWNCONVERTERS

HAL 2304 MHz Downconverters (frequency range: 2000 MHz/2500 MHz) 2304 Model #1 kit: \$69.95, 2304 Model #2 kit (with preamp): \$79.95, 2304 Model #3 kit (with high-gain preamp): \$89.95. All of the above kits come with coax fittings IN and OUT, and with weatherproofed diecast housing. All of above: Factory wired and tested: \$50 additional. Power supply kit: \$19.95

## FREQUENCY COUNTERS

**COMPLETE KITS:** CONSISTING OF EVERY ESSENTIAL PART NEEDED TO MAKE YOUR COUNTER COMPLETE. **HAL-600A** 7-DIGIT COUNTER WITH FREQUENCY RANGE OF ZERO TO 600 MHz. FEATURES TWO INPUTS: ONE FOR LOW FREQUENCY AND ONE FOR HIGH FREQUENCY. AUTOMATIC ZERO SUPPRESSION. TIME BASE IS 1.0 SEC OR 1 SEC GATE WITH OPTIONAL 10 SEC GATE AVAILABLE. ACCURACY  $\pm .001\%$ , UTILIZES 10-MHz CRYSTAL 5 PPM.

**COMPLETE KIT..... \$129**

**HAL-300A** 7-DIGIT COUNTER WITH FREQUENCY RANGE OF ZERO TO 300 MHz. FEATURES TWO INPUTS: ONE FOR LOW FREQUENCY AND ONE FOR HIGH FREQUENCY. AUTOMATIC ZERO SUPPRESSION. TIME BASE IS 1.0 SEC OR 1 SEC GATE WITH OPTIONAL 10 SEC GATE AVAILABLE. ACCURACY  $\pm .001\%$ , UTILIZES 10-MHz CRYSTAL 5 PPM.

**COMPLETE KIT..... \$109**

**HAL-50A** 8-DIGIT COUNTER WITH FREQUENCY RANGE OF ZERO TO 50 MHz OR BETTER. AUTOMATIC DECIMAL POINT, ZERO SUPPRESSION UPON DEMAND. FEATURES TWO INPUTS: ONE FOR LOW FREQUENCY INPUT, AND ONE ON PANEL FOR USE WITH ANY INTERNALLY MOUNTED HALTRONIX PRE-SCALER FOR WHICH PROVISIONS HAVE ALREADY BEEN MADE. 1.0 SEC AND 1 SEC TIME GATES. ACCURACY  $\pm .001\%$ . UTILIZES 10-MHz CRYSTAL 5 PPM.

**COMPLETE KIT..... \$109**

### PRE-SCALER KITS

**HAL 300 PRE..... \$14.95**  
(Pre-drilled G10 board and all components)

**HAL 300 A/PRE..... \$24.95**  
(Same as above with preamp)

**HAL 600 PRE..... \$29.95**  
(Pre-drilled G10 board and all components)

**HAL 600 A/PRE..... \$39.95**  
(Same as above but with preamp)

### TOUCH TONE DECODER KIT

HIGHLY STABLE DECODER KIT. COMES WITH 2 SIDED, PLATED THRU AND SOLDER FLOWED G-10 PC BOARD, 7-567's, 2-7402, AND ALL ELECTRONIC COMPONENTS. BOARD MEASURES 3 1/2 x 5 1/2 INCHES. HAS 12 LINES OUT ONLY **\$39.95**

**DELUXE 12-BUTTON TOUCHTONE ENCODER KIT** utilizing the new ICM 7206 chip. Provides both VISUAL AND AUDIO indications! Comes with its own two-tone anodized aluminum cabinet. Measures only 2 3/4 x 3 3/4". Complete with Touch-Tone pad, board, crystal, chip and all necessary components to finish the kit.

**PRICED AT..... \$29.95**

For those who wish to mount the encoder in a hand-held unit, the PC board measures only 9/16" x 1-3/4". This partial kit with PC board, crystal, chip and components.

**PRICED AT..... \$14.95**

**ACCUKEYER—MEMORY OPTION KIT** THIS ACCUKEYER MEMORY KIT PROVIDES A SIMPLE, LOW COST METHOD OF ADDING MEMORY CAPABILITY TO THE WB4VVF ACCUKEYER. WHILE DESIGNED FOR DIRECT ATTACHMENT TO THE ABOVE ACCUKEYER, IT CAN ALSO BE ATTACHED TO ANY STANDARD ACCUKEYER BOARD WITH LITTLE DIFFICULTY. **\$16.95**

**ACCUKEYER (KIT)** THIS ACCUKEYER IS A REVISED VERSION OF THE VERY POPULAR WB4VVF ACCUKEYER ORIGINALLY DESCRIBED BY JAMES GARRETT, IN QST MAGAZINE AND THE 1975 RADIO AMATEURS HANDBOOK. **\$16.95**

**ACCUKEYER—MEMORY OPTION KIT—TOGETHER ONLY \$32.00**

### 6-DIGIT CLOCK • 12/24 HOUR

COMPLETE KIT CONSISTING OF 2 PC G10 PRE-DRILLED PC BOARDS, 1 CLOCK CHIP, 6 FND 359 READOUTS, 13 TRANSISTORS, 3 CAPS, 9 RESISTORS, 5 DIODES, 3 PUSH-BUTTON SWITCHES, POWER TRANSFORMER AND INSTRUCTIONS. DON'T BE FOOLED BY PARTIAL KITS WHERE YOU HAVE TO BUY EVERYTHING EXTRA.

**PRICED AT..... \$12.95**

**CLOCK CASE** Available and will fit any one of the above clocks. Regular Price... \$6.50 But Only **\$4.50** when bought with clock

**SIX-DIGIT ALARM CLOCK KIT** for home, camper, RV, or field-day use. Operates on 12-volt AC or DC, and has its own 60-Hz time base on the board. Complete with all electronic components and two-piece, pre-drilled PC boards. Board size 4" x 3". Complete with speaker and switches. If operated on DC, there is nothing more to buy.

**PRICED AT..... \$16.95**

Twelve-volt AC line cord for those who wish to operate the clock from 110-volt AC. **\$2.95**

### SHIPPING INFORMATION

ORDERS OVER \$20.00 WILL BE SHIPPED POSTPAID EXCEPT ON ITEMS WHERE ADDITIONAL CHARGES ARE REQUESTED. ON ORDERS LESS THAN \$20.00 PLEASE INCLUDE ADDITIONAL \$1.50 FOR HANDLING AND MAILING CHARGES. SEND SASE FOR FREE FLYER.



"HAL" HAROLD C. NOWLAND  
W8ZXH

**HAL-TRONIX** ✓ 37

P. O. BOX 1101  
SOUTHGATE, MICH. 48195  
PHONE (313) 285-1782

# Reach Out!

just like adding a 10-watt amp to your 2-meter hand-held...

- True 5/8 wave gain antenna
- Dramatically boosts reception as well as transmit range
- Individually tuned matching network
- Base spring/tuned coil protects radio as well as antenna from accidents
- Extends to 47", telescopes to only 8"
- BNC connector fits most current hand-held and portable radios
- Better than 1.5:1 VSWR across the entire 144-148 MHz band
- Only \$24.95 from your dealer or postpaid from VoCom  
(Illinois residents please include 6% sales tax)

Ask about our 25, 50 and 100 watt amplifiers for hand-helds

**VoCom** ✓ 90  
PRODUCTS CORPORATION

65 E. Palatine Rd., Suite 111  
Prospect Heights, IL 60070  
(312) 459-3680  
Dealer Inquiries Invited



# Two Stations on One Antenna

## — Impossible? Guess again!

Charles Trice WA4RRB  
50 N.W. 189 Terrace  
Miami FL 33169

Phillip Vitrano WB4INC  
40 N.W. 189 Terrace  
Miami FL 33169

Can two amateurs live next door to each other and operate in harmony with *one* antenna system for *two* shacks? Sure! Here's how we did it.

At the time I (Charlie WA4RRB) moved in next

door to Phil WB4INC, we had a few things going for us: (1) We had been friends for many years. (2) Our shacks were to be very close. (3) We had a lot of parts in the junk box. (4) And, most importantly, we agreed that it would be ri-

diculous to have two complete antenna systems side-by-side. We couldn't both operate on the same band

at the same time, anyway. We ended up with a very versatile and simple switching system that features: (1)




Fig. 1. Basic control relay hookup.




Fig. 2. Phil's control panel.




Fig. 3. My control panel.




Fig. 4. Antenna relays.

nal lamp. Phil presses S6 when at the rig, illuminating my reset switch lamp (in S3) and warning me of Phil's operation. I check with Phil over the intercom to see what antennas are available.

All control switches are momentary SPST push-buttons with internal lamps.

We home-brewed the antenna relays, not only because of the availability of parts in the junk box, but also because of the cost of commercial units. The relays were enclosed in small aluminum miniboxes, with all coax connections made through SO-239s. We feared an impedance lump, but were pleased to find no

change in the operation of any of the antennas. The relays used were 24 V dc with large contacts, capable of handling a kilowatt. We also were pleased that no rf got back into the power supply.

The outputs of the antenna relays feed ground-shortening rotary coax switches in both shacks.

All interconnecting cables run between the two shacks through four-inch PVC pipe that is buried about six inches down. The elbow connections into the shacks are hidden from the street with bushes and ferns.

We are able to operate simultaneously, even when both stations are using the quad. The only conflict that arises is in the direction the quad is pointed. Remember—we're friends...

The system has been in continuous operation for over two years, with not one failure. ■

two-way intercom between shacks; (2) remote control of all the separate feedlines for a three-band, two-element quad for 10, 15 and 20 meters; (3) remote control of a two-band trap dipole for 40 and 80 meters, and (5) lighted indicators.

Since all of the antennas already existed at Phil's, we left them there and I undertook the construction of the switching system. The design considerations were: (1) as little disruption to Phil's shack as possible; (2) a low control voltage between shacks; (3) fail-safe normals so that power supply failure would not inconvenience Phil (after all, I was saving lots of bucks by not having to buy and erect an antenna system); (4) a simple single-voltage power supply; (5) grounding of all antennas when not in use, and (6) ability to override the other shack—if one operator forgot to clear his control panel, the other still could gain access to any antenna.

There are four sections to the system: the control relays, Phil's control panel, my control panel, and the antenna relays. The basic control relay hookup is

shown in Fig. 1.

If I press S1 (a momentary NO SPST push-button switch), K1 pulls in. The lower set of contacts applies a latching ground to the relay coil through two dependent normals: S2 (an NC momentary push-button switch) and an NC set of contacts on K2. S2 is on Phil's control panel and when it is pressed, it resets the condition that S1 set. K2 and S3 allow a momentary break in the ground used to latch K1. I use S3 to reset anything I've remoted. Phil uses S2 to reset the relay if I walk off and leave something remoted.

Point R is connected to all of Phil's switches, allowing reset of any remote condition to my shack.

S1 and S2 have internal lamps that are lighted when K1 pulls in. The lights indicate a remote condition. All bulbs are 28 V dc running on 24 V dc to lengthen life. All control relays are 4PDT 24 V dc.

This circuit is duplicated five times: four for the antenna relay control and the other for rotor control.

S6 is a push-on, push-off SPST switch with an inter-

## ATTENTION MOBILE HAMS

Vehicles—Aircraft—Marine

### 15 METER MOBILE TRANSCEIVER CW & USB NCG 15SB



THE QRP RIG WITH THE **BIG RIG SOUND** ACTIVE NOISE BLANKER—RF GAIN—CW SWITCH—SQUELCH—MIC GAIN—DIGITAL FREQUENCY DISPLAY—HI/LO POWER SWITCH—13.8 VDC 5A POSITIVE OR NEGATIVE GROUND. 9.5" x 8.5" x 2.5"

DEALER INQUIRY INVITED.

# NCG Co.

1275 N. GROVE ST.  
ANAHEIM, CALIF. 92806 (714) 630-4541

# Build a 60-Hz Frequency Monitor

— keep the power company on its toes

**H**ow many times have you needed a simple, cheap, 60-Hz frequency indicator? Sure, a commercial reed-type meter is nice, but it never seems to be available when you need it. The other alternative, the station frequency counter, is bulky and expensive.

Here is another device—a circuit—which can resolve cycles per minute and costs only a few dollars to build. The circuit is basically a frequency comparator, and the idea can be ex-

tended to almost any frequency you wish.\* Fig. 1 shows the schematic. The reference frequency (60 Hz) is derived by using a color-TV crystal and an MM5369 programmed divider (integrated circuit). Both crystal and IC are very reasonably priced and useful for many digital clock/timer projects as well. The input frequency is taken from the low-voltage secondary of the power transformer. The

\*"Circuits<sup>2</sup>," 73 Magazine, July, 1977, p. 35.

power supply is straightforward, using a bridge rectifier and a 5-volt IC regulator, U6.

The reference and the input frequencies are processed by the Schmitt trigger, U2, and fed to the comparator circuit, U3, U4, and U5. U3 provides identical pulse shapes to U4. U4 is a 4-bit counter which counts up with one input and down with the other. The counter contents are decoded by U5 and used to light D5 to D8, in sequence. The direc-

tion of the sequence will indicate whether the input frequency is fast or slow. For the display, I used a 7-segment readout with a defective segment, but four standard LEDs work as well.

The PC artwork I used is shown in Fig. 2, and parts placement in Fig. 3. Any method of construction you find convenient to use with ICs is okay. Nothing is particularly critical, but you may need 0.01- $\mu$ F bypass capacitors for the 7400-series ICs. U6 should have a small heat sink.

It's simple to use. Plug it in and watch the rotation of the LEDs. For the most part, the oscillator trimmer doesn't really have to be adjustable. If you're a purist, the oscillator can be set to 3.579545 MHz with a frequency counter on U1 pin 7, a buffered output.

Plug it into your local power company, and you will see a very slow rotation, once every five minutes or so, corresponding to a frequency difference of perhaps four cycles in five minutes. Most power companies rarely hit 60 Hz on a




Fig. 1. 60-Hz comparator schematic.






Fig. 2. PC board layout.

short-term basis because of adjustments needed for demand, etc., but over the long term, all the clocks stay on time. This is why the rotation will be fast (clockwise) at some times while slow (counterclockwise) at

others. On an emergency or standby power system, you will see quite wide changes of frequency with load variations.

That's all there is to it. One of these devices is in use at a local radio station.






Fig. 3. Component placement.




60-Hz comparator.

# IMPROVE YOUR LISTENING. !



100,000 accurate frequencies, agencies and locations  
\$14.95 Plus \$3.00 U.P.S.

## SCANNER BEAM



NEW MONITOR ANTENNA  
Up to 8dB gain, 108-512 MHz  
\$39.95 Plus \$4.00 U.P.S.

Send for FREE  
Catalog of accessories  
and publications

Shipping within  
48 hours

Payment must  
accompany order



Identify those strange sounds  
Professional listening tips  
60 minute cassette  
\$5.95 Plus \$1.00 shipping

• DEALER INQUIRY INVITED •

"...SEARCHING FOR THE SOUNDS OF TOMORROW."

GROVE ENTERPRISES INC

Dept. K  
BRASSTOWN, NORTH CAROLINA 28902

(Opening the throttle on a 30-kW diesel generator until the fluorescent lights fire is not the best way to set engine speed!) Try one for Field Day.

I want to thank Carol Stoops and Keith Anderson for the photography, and Lindsay Mickler for her assistance in preparing this manuscript. ■

## Feelin' No Pain — expedition to Luckenbach

**P**ermanent residents of Luckenbach, Texas, whose numbers fluctuate between three and five depending on the time of year and which way the wind is blowing, took the whole thing in stride on that May weekend.

And why not?

On previous weekends,

for instance, thousands of country-and-western-music fans had jammed the tiny Texas hill country community to listen to their heroes, Willie Nelson and Waylon Jennings, sing the praises of Luckenbach ("where ain't nobody feelin' no pain") and drink beer.

Other weekends brought

numbers of Bandidos (the Texas answer to California's Hell's Angels) roaring down Luckenbach's main street on their motorcycles for days of dancing and drinking beer.

And, on weekends between, there is a constant stream of curious tourists, carrying cans of beer and admiring such well-known landmarks as the town's lone parking meter, the recently installed pay telephone (the only one in town), or the bust of the late Hondo Crouch, who helped rescue Luckenbach from becoming a ghost town by buying it—lock, stock, barrel, and egg-delivery route.

What was so special about the arrival on the weekend of May 12-13, 1979, of several dozen radio amateurs (with their elaborate equipment and antennas) for the first DXpedition to Luckenbach? For the locals, not much—except for another increase in beer sales. Few passersby noticed the sounds of CW signals drifting over the row of faded green outhouses across from the combination general store and bar.

But if the regulars were being blasé about the

DXpedition, amateurs around the world were not. They were lined up, waiting their turn for a contact with W5TEX, the Voice of Luckenbach, for the weekend. When the pileups cleared at noon Sunday, after twenty-eight hours of operation, some 2,200 amateurs had qualified for special certificates issued for the occasion. And some of those pileups were so massive, operators and loggers occasionally had to summon help.

One of those waiting to land W5TEX was UA9DO in Moscow, who read about the DXpedition in a US ham radio magazine. That particular QSO was the longest distance worked during the weekend. (One Texas ham wondered why the Russian apparently was getting better and speedier delivery of the magazine than were the locals.)

Other DX logged included WA4JHS/MM1 in the Mediterranean, SV0AH in Greece, YU2RAW in Yugoslavia, and EA9FE in Africa, all on 10 meters.

And there was the bewildered WB2RLK/VE1 in Nova Scotia, who could not immediately grasp the details of his QSO with Luck-



"Tex" N5TX offers a handful of mikes from inside his mobile home's main operating and driving location. The vehicle served as one of the many operating points during the weekend.

When it comes to  
**AMATEUR  
RADIO QSL's...**



it's the  
**ONLY BOOK!**  
US or DX Listings

1981  
**callbooks**  
NOW READY!

Here they are! The latest editions. World-famous Radio Amateur Callbooks, the most respected and complete listing of radio amateurs. Lists calls, license classes, address information. Loaded with special features such as call changes, prefixes of the world, standard time charts, worldwide QSL bureaus, and more. The U.S. Edition features over 400,000 listings, with over 100,000 changes from last year. The Foreign Edition has over 300,000 listings, over 90,000 changes. Place your order for the new 1981 Radio Amateur Callbooks, available now.

	Each	Shipping	Total
<input type="checkbox"/> US Callbook	\$17.95	\$2.55	\$20.50
<input type="checkbox"/> Foreign Callbook	\$16.95	\$2.55	\$19.50

Order both books at the same time for \$37.45 including shipping.

Order from your dealer or directly from the publisher. All direct orders add \$2.55 for shipping. Illinois residents add 5% sales tax.



**SPECIAL LIMITED OFFER!**  
**Amateur Radio  
Emblem Patch  
only \$2.50 postpaid**

Pegasus on blue field, red lettering. 3" wide x 3" high. Great on jackets and caps. Sorry, no call letters.

**ORDER TODAY!**

✓61

RADIO AMATEUR  
**callbook** INC.

Dept. B  
925 Sherwood Drive  
Lake Bluff, IL 60044, USA

## DON & MIKE'S GOODIES

Cubic - Swan 102BXA	\$999.00
Astro 150	779.00
Astro 100MXA	499.00
Mirage B23 1 watt-30 watt amp	89.95
DSI 5600A w/Ant/Ac	185.00
Robot 800	699.00
Cushcraft A3 Tribander	169.00
AEA Morsematic	169.00
Bird 43, Slugs	Stock
CDE Ham-4 Rotor	169.00
Ham-X	239.00
FDK Palm 2 Handie with BP/AC	149.00
Cetron, GE 572B	34.00
Kenwood Service Manuals	
Stock	10.00 ea.
Telrex TB5EM	425.00
Telrex TB6EM	540.00
Telrex Monobanders	Stock
Santec HT1200	
Synthesized	339.00

Order Your  
**KWM380 Now!**  
Old Pricing & Free Goods!

Adel Nibbling Tool	8.95
Janel QSA5	41.95
Sprague 100MFD/450V Cap	2.00
Rohn Tower	20% off dealer
25G. 45G Sections	
Belden 9405 Heavy Duty Rotor Cable 2#16. 6#18	38¢/ft
Alliance HD73 Rotor	109.95
Amphenol Silverplate PL259	1.00
ICOM 255A 2M Synthesized	319.00
ICOM 260A 2M SSB/FM/CW	429.00

### Late Specials:

Kenwood TS180S/DFC/SSB	Call
ICOM IC2AT/TTP/NICAD	229.00
NEW —ICOM IC720 w/AC/mike Call	
Bearcat 220—\$299.00	300—399.00

### MASTERCARD • VISA

All prices fob Houston except where indicated. Prices subject to change without notice, all items guaranteed. Some items subject prior sale. Send letterhead for Dealer price list. Texas residents add 6% tax. Please add postage estimate \$1.00 minimum.

# MADISON

Electronics Supply, Inc.

1508 McKinney  
Houston, Texas 77010  
713/658-0268

✓45

# SWAN METERS

## THE TOP OF THE LINE

**PEAK READING  
WATT METER** WM-2000A  
reads power in 200, 1000,  
2000 watt ranges. 3.5-30  
MHz. Reads average or PEP  
power output. Includes ex-  
panded VSWR scale.



**IN-LINE WATT METER**  
WM-2000 reads power in 200,  
1000, 2000 watts. 3.5-30 MHz.  
Incl. expanded VSWR scale.



**MOBILE WATT METER**  
HFM-200 with remote direc-  
tional coupler reading 20 or  
200 watts. 3.5-30 MHz. Il-  
luminated, with VSWR scale.



**SWR BRIDGE** SWR 1A  
with dual reading meters.  
1000 watts RF. 3.5-150 MHz.  
Reads relative power output.



Available only through  
authorized dealers.

✓70

**CUBIC  
COMMUNICATIONS, INC.**

305 Airport Rd. • Oceanside, Ca. 92054  
(714) 757-7525



Larry N5LL handles the 10-meter and 6-meter FM positions from a relaxed perch just aft of the tailgate of a vehicle.

enbach. Dee WB5VWX and Floyd WB5PFR found an old set of bedsprings, took it outside, propped it up, loaded a Ten-Tec Argonaut into it through a tuner, and worked him on 10 meters, getting a respectable 5-by-5 report in return. They said later that they had to twice explain where they were and what was happening with their antenna; they quoted him as saying that "since he was working a station in Luckenbach, he could believe almost anything." That QSO netted him the only bedspring endorsement to be awarded on a certificate. The antenna was dismantled immediately afterward.

The whole event, staged by the Bexar County Repeater Organization in San Antonio, was timed to coincide with the annual return of the mud daubers—an occasion rivaled only by the return of the swallows to Capistrano or the return of the turkey vultures to Hinckley, Ohio. And the

mud daubers (pronounced "muddobbers" locally) winged in promptly at noon on Saturday to be greeted with cheers (and another round of Lone Star beer) from the crowd that had gathered to mark the event.

Operations were set up in a former cow pasture, adjacent to the main street, vehicles were deployed around the area, and the place soon took on the air of Field Day. Stations were set up in mobile homes, travel-trailers, on the tailgates of pickup trucks, and in a nearby building.

Beams (lent by Wilson Electronics Corp.) and longwires were everywhere. In many instances, the beams were cranked by hand.

Using regular power sources instead of emergency generators, the operators jumped to their tasks just after breakfast on Saturday. Sixty-one operators and loggers manned the various points, with stations on all the high-frequency bands and on 6 and



"Cherokee" WD5JKW at the key on 15-meter CW, one of the most active operating positions in Luckenbach.

2 meters in the VHF spectrum. Phyllis Dyer WB5ZFA put all the other operators to shame by handling 291 out of 582 contacts on 20-meter phone during the weekend. And there were 524 contacts on 40 phone, 498 on 15 phone, and 205 on 15 CW.

The idea for the outing came (as a joke) from a repeater organization member to Bob Schneider AI5Q, who was the net control station one night.

"Clem WB5VDL said he was turning the net back over to AI5Q, who was organizing a DXpedition to Luckenbach," Schneider recalled later. "Everyone heard it, and the next thing I knew, we were getting calls from as far away as Corpus Christi wanting to know about it."

From there the idea caught on and spread. The repeater group raised about \$1,200 through a raffle to finance the costs.

Tentative plans call for the San Antonio group to mount its next DXpedition from deep in the heart of Texas—literally. The next outing has been scheduled

for mid-1981 from a cavern below the surface of the earth—a cool spot on hot days.

Other sites being eyed are Terlinqua, Texas, near Big Bend National Park in far west Texas and the site of an annual chili-cooking competition, and Lost Pines, near Bryan, Texas. Legend has it that Lost Pines, located in an area of the state otherwise devoid of pine trees, came from seeds planted by the famous Johnny Pineseed, a descendant of Johnny Appleseed, who wandered that section of east Texas in the last century and whose exploits are expected to be the center of attention any day now, according to Schneider.

Any chance of a return trip to Luckenbach?

"That's possible, too," Schneider said. "They were glad to have us and happy about the publicity. We were so tame compared with the normal Luckenbach groups that we almost weren't noticed. We probably were the first group in three or four years that didn't have hair down to our shoulders." ■

# Signalcrafters Presents The Most Advanced Automatic Computing Power Meters In Amateur Radio!



## MODELS 31 and 32\*

Our portable Models 31 and 32 feature the same state-of-the-art technology that is incorporated in their Big Brother, the Model 30. Never again will you have to bother with SWR "calibrate" controls and switches! Signalcrafters' custom integrated circuit makes power and SWR measurement a "hands-off" operation by automatically computing SWR. The result is unparalleled accuracy and ease of operation.

### FEATURES:

- **CUSTOM IC**—Computes SWR from the level sensed on the transmission line independent of the power level. This analog computer operates over a range of only one watt to the full scale of the meter with unequalled accuracy.
- **RUGGED TAUT-BAND METERS**—Provide accuracy and readability that must be seen to be appreciated.
- **HEAVY DUTY CABINETS**—Handsome heavy duty metal cabinets complement virtually every transceiver on the market today.
- **TWO MODES—PEAK OR AVERAGE**—The amateur may choose between either peak or average power readings.
- **POWER REQUIREMENTS**—Due to the advanced low current design, battery life is truly outstanding, making this meter a natural for portable or field day operation. Uses standard 9 volt battery or 120V AC with optional AC adaptor.
- **ATTRACTIVE AFFORDABLE PRICING**

\*Model 31A (0 to 200w)  
31B (0 to 20w)  
.....only \$149.00

Model 32A (0 to 200w, 0 to 2000w)  
32B (0 to 20w,  
0 to 200w)  
✓66 .....only \$169.00

**SIGNALCRAFTERS, INC.**  
5460 BUENA VISTA DRIVE  
SHAWNEE MISSION, KANSAS 66205  
913/262-6565; TELEX 42-4171

All Signalcrafters products are designed, engineered, and produced in the U.S.A. Prices include shipping to all U.S.A. VISA and Master Charge accepted. Kansas Residents please add 3 1/2 percent.

# TRAC



### Features:

- State-of-the-Art CMOS Circuitry
- Choice of Message Storage
  - A. Six 50 character messages
  - B. Twelve 25 character messages
  - C. 27 combinations of message C. programming

- Records at any speed—plays at any speed
- Memory operating LED
- Use for daily QSO or contests

### PLUS:

- Self-completing dots and dashes
- Built dot and dash memory
- Iambic Keying with any squeeze paddle
- 5-50 w.p.m.
- Speed, volume, tone, tune and weight controls
- Sidetone and speaker
- Low current drain CMOS battery operation—portable
- Rear panel jack for auxiliary power
- Deluxe quarter-inch jacks for keying and output
- Keys grid block and solid rigs
- WIRED AND TESTED FULLY GUARANTEED—LESS BATTERY

## "BRAND NEW"

### CHAMPION MESSAGE MEMORY KEYS

Model TE-292

\$125.95

### DELUXE MESSAGE MEMORY KEYS



\$89.95

Model TE-284

### Features:

- State-of-the-Art CMOS Circuitry
- Three choices of Message Storage
  - A. Two (50 character each) message storage
  - B. Four (25 character each) message storage
  - C. One 50 character and two 25 character message storage
- Records at any speed plays at any speed
- Memory operating LED
- Use for daily QSO or contests

### PLUS:

- Self-completing dots and dashes
- Built dot and dash memory
- Iambic Keying with any squeeze paddle
- 5-50 w.p.m.
- Speed, volume, tone, tune and weight controls
- Sidetone and speaker
- Low current drain CMOS battery operation—portable
- Deluxe quarter-inch jacks for keying and output
- Keys grid block and solid state rigs
- WIRED AND TESTED FULLY GUARANTEED—LESS BATTERY



Model # TE201

\$69.95

## MESSAGE MEMORY KEYER

✓76

### Features:

- Advanced CMOS message memory
- Two (50 char. each) message storage
- Repeat function
- Records at any speed—plays back at any speed
- Longer message capacity
- Example: send CD CD CD DX dr WB2YJM WB2YJM K—then play second message of contact—dr WB2YJM QSL NY NY 579 579 Paul Paul K
- Use for daily QSOs or contests

### PLUS:

- State-of-the-art CMOS keyer
- Self-completing dots and dashes
- Both dot and dash memory
- Iambic keying with any squeeze paddle
- 5-50 wpm
- Speed, volume, tone, tune and weight controls
- Sidetone and speaker
- Low current drain CMOS battery operation—portable
- Deluxe quarter-inch jacks for keying and output
- Keys grid block and solid state rigs
- WIRED AND TESTED FULLY GUARANTEED—LESS BATTERY

MODEL TE144—Deluxe CMOS Electronic Keyer \$59.95


MODEL TE133—same as TE144 with wgt. and tone control internal, less semi-auto keying. \$49.95

MODEL TE122—same as TE133 less wgt., tune, solid state keying \$36.50

AT YOUR DEALER OR SEND CHECK OR MONEY ORDER. (plus \$2.00 s/h NY res. add tax)

**TRAC** ELECTRONICS, INC  
1106 RAND BLDG.  
BUFFALO NY 14203

Code reading  
makes ham radio  
more fun!



## Field Day 2

A code reader can add to the fun of ham radio by allowing you to copy many signals that are too complex or too fast to decode by ear.

You can get in on such things as news-wire service transmissions, weather information and financial reports that are sent by radioteletype (RTTY), ASCII computer language or Morse code.

Some code readers only copy one or two types of signals, but the **Kantronics Field Day 2™** allows you to copy RTTY at 60, 67, 75 and 100 WPM Baud, ASCII at 110 and 300 (if sent as it is typed) WPM Baud and Morse at 3 to 80 WPM.

The **Field Day 2** even has an editing program to improve sloppy Morse. You get more of the message and fewer illegal character signs than with other code readers. With a **Field Day 2** you also get a 24-hour clock, code speed display and TTL compatible demodulator output.

The **Field Day 2** is a complete unit in one package with a large, easy-to-read, 10-character display and is backed with a full-year limited warranty.

Code reading makes ham radio more fun, and now you can get started with one compact, versatile unit, at \$449.95, suggested price, the **Field Day 2**.

Call or visit your Authorized Kantronics Dealer for a demonstration!

**Kantronics**

(913) 842-7745  
1202 E. 23rd Street  
Lawrence, Kansas 66044

# Operating Overseas

## —licensing facts for traveling hams

**E**arly in 1977, after having passed the radio amateur examination in South Africa, I had to travel for my company to the German Federal Republic. In South Africa, I could find no information readily available on how to obtain permission to operate in other countries. A phone call to the DARC (the Deutscher Amateur Radio Club) amateur radio center, the Amateurfunk-Zentrum (AFZ) in Baunatal, West Germany, brought me all information on how to get a guest license.

After returning to South Africa, I discussed my experience with other hams. It became clear to me how many of us travel but leave our rigs behind and do not apply for permission to operate in the countries visited because there is just no one who knows who to contact for such permission. Subsequently, I wrote to

the DARC and got photostats of all the guest license information available at that time (early 1978). The information supplied by the DARC is, of course, intended for German radio amateurs and is based mainly on arrangements the German Ministry of Posts has made with other foreign telecommunication authorities.

This was used as a basis for finding out the conditions under which foreign telecommunication authorities issue licenses to visitors. When I visited the UK and West Germany early last year, I was lucky to meet the General Manager of the Radio Society of Great Britain (RSGB), OM Dave Evans, in London, as well as the General Manager of the DARC in Baunatal. We discussed problems that visiting hams encounter, and I was now able to help the DARC update its

guest license file with information from South Africa and elsewhere.

The information contained in this article has been gathered from various trips that other hams and I have made. Guest licensing is in a stage of rapid advancement as more hams travel and licensing authorities realize the needs and benefits—especially in developing countries.

Let's take now a look at how various countries grant licenses to visitors.

### Reciprocal Agreement

Countries which base licensing for visitors strictly on reciprocal agreements only are, for example, Austria, Denmark, Great Britain, Switzerland, and the United States.

● *The United States:* Licensing for visitors is based on reciprocal agreements between two licensing authorities, in which both parties

to the agreement state which license classes are equivalent and are recognized by each other.

● *Great Britain:* The Home Office in London is the British licensing authority dealing with application from visitors. Between the UK and South Africa, a reciprocal agreement has already existed for quite some time. However, a large number of radio hams traveling from South Africa to the UK were not born in South Africa. There are, for example, British passport holders who participated in the classes of the Johannesburg branch of the South African Radio League, as well as other non-S.A. nationals who passed the amateur radio operators examination in South Africa.

The agreement states that each license authority will recognize each other's exam certificate provided

the applicant is a national of the country where he passed the exam. I pointed out that this would exclude the non-S.A. citizens who are permanent residents in South Africa. The Home Office spokesman indicated that new consideration would be given to this matter. Nobody had realized that this wording could be discriminating.

### Guest Licensing

The Ministry of Posts in the German Federal Republic, along with other European countries, started in the sixties to conclude agreements with other countries to cater to traveling German hams and for the visitors. The general liberalization in Germany and other countries led to a new type of permission to be introduced. The guest license (also called short-term permit in some countries) is not based on a bilateral agreement anymore but on the merits of the individual applicant. This eliminates a lot of paperwork and politics for the administrations.

Any radio ham holding a valid amateur license in his/her home country can apply for such a guest license. A basic requirement is that the examination passed in the home country be equal to or of a higher level than the class applied for in the country to be visited. For example, in the US the Technician class license is similar to the class "A" in the German Federal Republic, but the Novice license is not equivalent to the German class "C" because of differences of depth in the theory and the absence of a CW test in the "C" license.

Belgium, France, West Germany, and Israel are countries which issue guest licenses without a reciprocal agreement in force.

● *Australia*: A visitor permit is issued on application for a period of up to 12 months

for a fee of \$A12, provided the visitor is a bona fide tourist and does not intend to enter the country to take up employment. Radio hams arriving from countries where a reciprocal agreement exists with Australia will be given an Australian license even if they take up employment. Arrivals from non-agreement countries wishing to take up employment have to sit for the exam.

● *Swaziland*: A visitor permit is issued on application to hams originating from ITU-member countries for a period of up to 30 days free of charge (include an IRC for airmail reply). Applications for permanent call-signs from hams arriving to take up employment will be considered (through a security check) once they are resident.

Swaziland, a beautiful mountain kingdom with a wealth of tourist trade mainly from South Africa, is not super-rare DX, but there are many hams who do not have a QSL card.

The Swazi Telecommunications Department has been acquainted with amateur radio since its start and visitors have always been allowed to operate. Applicants, however, sometimes did not have an answer after waiting for six months and more. When in Mbabane, the capital, I went to see Mr. B. Manana, the man in charge, who explained the problem to me.

There was no application form available, and hams simply wrote letters indicating the period they wanted to operate and enclosed photostats of their current license. If all required information was provided, a permit was granted. Where the application was incomplete, it was filed. The basic problem was that applicants did not know what they were supposed to do.

I developed an application form which covered all

questions to the satisfaction of the administration, and to my knowledge no completed application has since been unsuccessful.

● *Zimbabwe Rhodesia*: Short-term permits are issued free of charge on application from visiting hams originating in countries where no reciprocal agreement exists, provided the application is received at least six weeks before arrival in the country.

● *South Africa*: The South African Telecommunications Department bases its licensing decisions for visitors on reciprocal agreements only. At the AGM of the South African Radio League in Durban in 1979, a motion was passed unanimously to appoint a committee to investigate guest licensing for visitors to South Africa.

### Reciprocal Licensing vs. Guest Licensing

*Reciprocal Licensing*. This has the advantage that US hams are granted the same privileges as visitors to the US. This is the same, of course, in all other countries which license strictly on a reciprocal system. Reciprocal agreements place a great administrative burden on the licensing authorities concerned, sometimes for the benefit of only a very small number of hams. The US is a world leader in reciprocal agreements, followed by Great Britain. This effort is very commendable, but not all administrations are prepared to conclude agreements with large numbers of other countries.

*Guest Licensing and Short-term Permits*. This takes a lot of the work load off the administration, and visitors from rare DX countries can be considered, which is, of course, a lot of fun for the hams in the country being visited. It gives the visitor a better opportunity to meet the locals

and make friends. It also is exciting to hear an A2C station mobile in 3D6, a ZS6 call portable ZE, or (when I was in Germany) an A2CPS/DL/mobile on the air. Political differences between countries are not obstacles anymore, and applicants whom an administration might find undesirable can be rejected without any embarrassment.

### Where Does the Information Come From?

In my travels, I make a point of visiting the license authorities to obtain application forms, discuss the various aspects of guest licensing, and to maintain a personal contact. You could do the same.

To provide up-to-date information for radio hams, each amateur society should have a current file based on travels by members. Awareness can be created by the editor of the national amateur magazine. In the South African *Radio ZS Magazine*, I have had various articles published which have helped hams to obtain reciprocal as well as guest licenses.

The *cq-DL* also has frequent reports of traveling hams who have visited rare countries, describing their experiences.

It is not in my scope to answer all queries of all US hams traveling the world. However, hams traveling in Southern Africa, including Botswana, Rhodesia, Bophuthatswana and Transkei can contact me for application forms and an information sheet. Please include \$1(US) for postage and photostat expenses per country. (Any queries without 3 IRCs for return air postage cannot be considered.) A *must*: Include call sign, license class, proposed date of arrival, and period of intended stay. Please type, or use neat handwriting, and allow at least 60 days. ■



Organize your shack with a  
**CLUTTERFREE MODULAR  
CONSOLE \$179.95**

- Large, 42" H x 57" W x 29"D
- Strong groove-construction
- Mar-resistant wood grain finish
- Options, drawers & face plate
- For ham or home computer
- Visa and Master Charge

## CLUTTERFREE MODULAR CONSOLES

P.O. Box 5103 Tacoma, WA 98405  
(206) 759-1611 ✓89

# 2-METER MOBILE




## AT-200 Antenna Matcher

Use your car's AM/FM antenna for your 2-meter mobile rig.—Eliminate the two-antenna tip-off to thieves, without the nuisance of hideaways.

Save the cost of a 2-meter mobile antenna.

AT-200 tunes from the front panel for maximum output, minimum VSWR (1.2:1 or less for most car antennas).

at your B&W dealer. ✓11

Made in the U.S.A. by 

**Barker & Williamson, Inc.**  
10 Canal Street, Bristol, PA 19007

## GIGA Hz Preamp!!

Ultra-wideband  
1 MHz  
to 1000 MHz



The PM-5 preamp module covers the entire range from 1 MHz to 1 GHz (1000 MHz). Perfect for the new GHz counters and higher UHF bands, the tremendous bandwidth of this preamp makes it so versatile you will soon depend on it whenever added gain is needed for RF measurements. Also for scopes, mW power meters, detectors, etc. Gain is 30 dB from 1 MHz to 500 MHz decreasing to 15 dB at 1 GHz. Maximum output is 1 volt p-p into 50 ohms. It is designed to work in either 50 or 75 ohm systems. The preamp is ready to use with the power adapter provided or any 7.5 to 15 volt DC supply at 50 mA. It can be "built-in" or mounted on your equipment if desired. Made with fine quality plated-thru boards, strip-line design using microwave transistors, BNC connectors.  
Model PM-5 UHF Preamp (w/power adapter).....\$59.95

## SENSITIZE YOUR COUNTER

It's Ten Times Better  
with a  
**COUNTER PREAMP**




Wide band preamps with 20 to 30 dB gain. Improves performance of low price counters considerably. Probe reads oscillators without loading. Generators can be set to lower output avoiding frequent shifts. Also for scopes, meters, etc. Valuable troubleshooting aid. Powered by 3 pencils. BNC connectors. Hi Z input. Output is 200 to 400 mv rms into 50 ohms.

Model VP-2, VHF Counter Preamp,  
100 KHz to 200 MHz.....\$39.95

Model UP-3; UHF Counter Preamp,  
1 MHz to 500 MHz.....\$54.95

Order from PAGEL ELECTRONICS, 6742-C Tampa Ave., Reseda, CA 91335. Send check or MO for ppd. shipment via UPS when avail. Or call 213-342-2714 for COD. Foreign add 10% for airmail & handling. Calif. res. add 6% sales tax. One year warranty, money back guarantee. ✓348



**PAGEL ELECTRONICS**

# H.F. Transceiver Bonanza

## YAESU FT-107M

(All Solid State)

List Price  
\$1045.00



(YM-35 Mike not included)

# \$779<sup>00</sup>

(Add \$10.00 Shipping & Handling  
U.S.A. Continental 48 States)

**Supply Limited**



- \* 160 thru 10 meter coverage.
- \* Aux. positions for easy WARC band conversion.
- \* 240 watts D. C. input.

- \* Variable I. F. bandwidth.
- \* Audio peak & notch filter.
- \* Built in VOX, NB & R. F. speech processor.

\* **OPTIONAL 12 memory circuit with  
Digital Memory Shift—DMS-107 / list \$125.00—\$75.00**

Optional Accessories: FP-107E 115VAC Power Supply—\$124.00,  
600 Hz. CW Filter—\$40.00, 350 Hz. CW Filter—\$45.00,  
YM-35 Scan Mike (Use with DMS-107)—\$18.00



✓353

Call toll-free

**1-800-325-3636**

# HAM RADIO CENTER

8340-42 Olive Blvd. P.O. Box 28271 St. Louis, MO 63132

Call toll-free

**1-800-325-3636**



# JAN CRYSTALS

**JAN  
CRYSTALS  
KEEP  
YOU ON  
THE AIR**

- CB
- CB standard
- 2 meter
- Scanners
- Amateur Bands
- General Communication
- Industry
- Marine VHF
- Micro processor crystals

Send 10¢ for our latest catalog.  
Write or phone for more details.

Jan Crystals  
P.O. Box 06017  
Ft. Myers, Florida 33906  
all phones (813) 936-2397



easy to charge

✓ 39

## DUPLEXERS



US PATENT  
4080601

✓ 79

OUR NEW BANDPASS-  
REJECT DUPLEXERS WITH  
OUR EXCLUSIVE

### BpBr CIRCUIT\*

... provides superior performance, especially at close frequency spacing.

Models available for all Ham bands. Special price for Amateur Repeater Clubs

CALL OR WRITE FOR DETAILS:

**WACOM PRODUCTS, INC.**



P. O. Box 7127  
Waco, Texas 76710  
817/848-4435

✓ 79

## WHY PAY

**FULL PRICE FOR  
AN 80-10 METER  
VERTICAL**

- ... if you can use only 1/3 of it on 107
- ... or only 1/2 of it on 207
- ... or only 3/4 of it on 407

Only Butternut's new HF5V-III lets you use the entire 26-foot radiator on 80, 40, 20 and 10 meters (plus a full unloaded quarter-wavelength on 15) for higher radiation resistance, better efficiency and greater VSWR bandwidth than conventional multi-trap designs of comparable size. The HF5V-III uses only two high-Q L-C circuits (not traps!) and one practically lossless linear decoupler for completely automatic and low VSWR resonance (typically below 1.5:1) on 80 through 10 meters, inclusive. For further information, including complete specifications on the HF5V-III and other Butternut antenna products, ask for our latest free catalog. If you've already "gone vertical," ask for one anyway. There's a lot of information about vertical antennas in general, ground and radial systems, plus helpful tips on installing verticals on rooftops, on mobile homes, etc.



**BUTTERNUT  
ELECTRONICS  
CO.**

✓ 391

P.O. Box #1411  
San Marcos, Texas 78666  
Phone: (512) 396-4111

**Compact, economical,  
& easy RTTY**

# TU-170



## We speak your language

\$169.95 buys the most economical terminal unit kit available today - not the cheapest, but the best for the price. The TU-170 is a single unit that connects your rig, printer, and computer at an economical price. That's a language anyone can understand.

**Flesher Corporation**

P.O. Box 976 Topeka, KS 66601 913•234•0198  
Distributors in Canada and Australia

✓ 23

# Stalking the Elusive Ground Fault

— a real-life adventure

A. R. Taylor W5OS  
Rte. 4, Box 76  
Gravette AR 72736

**M**idnight, and after four hours, I had finally found the semi-colon some nearsighted copyreader had overlooked in my BASIC manual. I pulled the plugs and put my toys away.

Early in the evening, there had been flashes of lightning in the area, and the general forecast was for possible thunder-showers. In this part of the Ozarks, that can be bad news, so I made the rounds. First, the garage, where my country-type water system was installed—check water pressure and then disconnect the pump; throw the master switch. Then to the radio shack—all gear disconnected from the power line, antennas properly grounded, everything there OK. Back in the house—two-meter gear disconnected, organ plug pulled, TV antennas and line plug

out, hi-fi system disconnected—nothing running there but the electric clock built into the wall. Refrigerator and deep-freeze still connected; pull them only when lightning is making the dog howl. Nothing connected in my bedroom but a cheap radio and a fluorescent lamp; in my wife's room, I knew there was another fluorescent lamp and a clock-radio; they should all be OK. About twelve-thirty now, and it had been a long day. Even the dog was asleep.

Two-thirty. "Bob, I need your help!"

I reckon she did—house full of stinking electric-type smoke. Wife's fluorescent lamp in flames; electric clock dead. Bulb in the ceiling with a dull glow. Pulled beds and dressers around to get at various outlet boxes; nothing wrong. (Still not awake.) Out in the kitchen, refrigerator not running—oh, boy! Those things cost money! Utility room, deep-freeze not running; they're expensive, too. Pulled refrigerator plug. Pulled deep-

freeze plug—hey! Lights came on bright.

So, problem solved. Pretty good for me. Back in the days when the Kaiser was invading Belgium and Rickenbacker was learning to fly, I used to be able to solve little problems like this, and I still could, by golly! So—must be the deep-freeze. Plugged the refrigerator back in; lights went out. Good grief, refrigerator *and* deep-freeze; half a year's social security!

Plugged in the coffee pot; the lights went out. Make coffee on the gas. Plugged in the toaster; the lights went out. The Kaiser was getting near Paris by this time, and it dawned on me that I still had a problem. (Rickenbacker was looking for the Red Baron.)

Out to the shack for a voltmeter. (Hey! It's cold out here for a guy my age running around in pajamas.) Then to the utility box to check circuits. No definite conclusion. Let's start at the beginning, the power pole out in the yard, where I had a master circuit breaker.

It's dark; screwdriver to get into box; careful, you drop that damned screw, you'll never find it in the grass. Box open, screw in bathrobe pocket, voltmeter in one hand, probes hunting screws on 220-volt line, flashlight on probes, need light on voltmeter, need two more hands; it's dark. Got reading—110 on one side, 125 on other side of line. So what does that tell me that I hadn't already guessed? Try to shake 75 years out of my mind—doesn't shake.

Replaced cover on circuit-breaker box. Returned to house to drink coffee my wife thoughtfully brewed on gas range. Stopped shivering after a while. Let's analyze this thing. Garage and water system completely disconnected—couldn't be anything wrong there. In the shack, maybe? Told wife to go back to bed. Pulled master circuit-breaker in house and went out to shack with toaster in hand. Plugged in toaster, lights got a little brighter; plugged toaster in on the other line, lights went out. Ah ha! Trouble in

the shack. I knew early in the game that it was a ground-fault problem I was looking for, but how to find it in my pajamas at four o'clock on a cold morning? Better call the power company, if our rural phone is working. First, though, let's be sure.

Pulled the master switch in the shack, went back in house, threw that breaker back on, and plugged in the toaster. The lights went out. So it isn't the shack, it isn't the house, it can't be the garage; what the heck was that power company number?

Electric company office fifty miles away, but it's an "800" number. Found it; telephone is working. Ringing. Ringing. Ringing. Very sleepy voice answering. I tell him I have a problem. He asks what's wrong. I tell him. He says I have a problem.

After a while he wakes

up, too, finds out where I live, and says he will send a crew. The last time the power company "sent a crew," it turned out to be a couple of smart young linemen who wanted to teach "grandpa" how to suck eggs, but maybe they've got more than one crew. Time passed. I got dressed. Warmer now; stopped shivering.

Lights coming down the gravel road. Stopped at my driveway. Glory-be, help has arrived. This is a different crew: Didn't believe in arguments at five o'clock in the morning, agreed I had a ground-fault problem, noted the ladder against the house and commented that I had already checked that connector. Told them that I had, but suggested they check it anyway. Said they would, but would "check our stuff first." Restarted their truck motor and fired up a pretty

good searchlight, put on spurs, and climbed the utility pole. Wiggled the connector on our incoming ground line and the lights in the house flickered! Tightened connector and told me to try my toaster. Tried toaster; it heated and lights stayed on. Plugged in the refrigerator and the angels were singing and so was the frig. Tried deep-freeze; wife's face fell—no new deep-freeze.

Line crew replaced connector, also another like it on the transformer pole a few yards away (sort of sleep insurance).

Greeted the sun with coffee all around. Line crew told me that they had just got into bed after an emergency in a town across the county when they got the call sending them to me. Figured now it was too late to go home and to bed; might as well get ready and go to work.

Wife gets ready and leaves for work. I don't work (so she tells me). Dig into clock radio. Transformer shot. Got one, little bit too big, but it will do until I get a proper replacement. Installed transformer and clock back in business. Hooked it up in bedroom, shut off radio, wouldn't shut off! Now what? Disconnected clock, remembered gremlins, reconnected clock, switch now works.

Dig into fluorescent light. Loading coil a bundle of tar with two leads sticking out. Checked with a voltmeter and had continuity. Whadayaknow; just melted the leads and the tar and made a stink. Cleaned tar, soldered new leads, potted coil in epoxy, replaced bulb, light works. Still stinks.


Wife says I'm a genius. Don't tell her that I'm not smart, just cheap! ■

CALL  
TOLL  
FREE

800-545-7814

CALL  
NOW

MM-1



MorseMatic™

CK-1



Contest Keyer

**AEA** Brings you the  
Breakthrough!

All AEA in stock for quick delivery  
Call for quote on Morsematic, Contest  
Keyer, Keyers & Trainers. Special Pack-  
age Deals available with Bencher Paddles  
CALL NOW!!! TOLL FREE!!!



**TEN-TEC**  
DELTA and OMNI-C

IN STOCK - CALL FOR YOUR PRICE  
TOLL FREE!!!

We have the lowest prices, fast delivery,  
free shipping most items, & TOLL FREE  
Orderline.

Also Stocking: AZDEN-ICOM-BENCHER-HYGAIN-KANTRONICS-LARSEN-MIRAGE-AVANTI & MORE

**Pecos Valley Amateur Radio Supply**

OPEN 10-5 M-F &  
10-4 Sat  
MC & VISA Welcome

112 W. First St., Roswell, NM 88201 • (505) 623-7388 in New Mexico, Evenings, & Sundays

# An Operating Console with Class

— customize to your heart's desire

Take a look at the W8G1 operating console in Photo A. Total cost of this console arrangement was \$85. It is easy to build, and it makes moving of the

equipment and console to other places simple, as the whole arrangement breaks down into lightweight pieces. You don't have to heave around a heavy desk, you can customize it to your purposes, it is expandable, and you can remove any unit without changing a panel or removing screws. It takes out all the haywire in the shack, puts all your operating aids such as maps in clear view at all times, keeps your *Callbooks*, pencils, etc., handy, makes op-

erating a pleasure, gives your equipment a professional look, and last but certainly not the least, it will keep the wife happy.

This article is not intended to be a detailed construction article. It is only an idea article with enough details to enable you to customize your own installation. Nearly everyone can use a few of the ideas to expand a present operating setup. The shelf-group idea can be applied to any desk—*et voilà*—you have a




Fig. 1. Suggested layouts and construction details.

custom setup with a minimum of work and cost.

The only tools you need are an electric hand saw, plane, file, hammer, nails, small screws, stain, and sandpaper. Material required is a 3/4" x 4' x 8' piece of plywood, a 4' x 4' piece of tempered Masonite™, a piece of storm-door plastic to fit the top of your console, two three-drawer unfinished cabinets, 18 feet of 1/4" x 1" stripping or screen molding, and a strip of 110 V ac plugs. All the material was purchased at our local K-Mart store. You can eliminate the three-drawer cabinets by buying a 4' x 4' piece of plywood and making your own ends.

The first step is to decide how large you want your operating table. I chose 33" x 60" because it is wide enough and long enough, and just fits a standard 30" x 60" storm-door plastic panel. This makes it cheaper, and you do not have to cut the plastic. You should decide what shelf-group you want, and design it with the number of shelves you want—with the depth, width, and height you desire. Be sure to consider possible later expansion.

The old Crosley Model 52 and other units are on an L shelf that simply sits on a support on the side of the shelf-group, and the L portion rests on the operating table. You can add as many of these L shelves as you want by installing another small support on the side of the shelf-group and adding another L shelf that sits on top of the first. Details of this arrangement are shown in Fig. 1. Be sure to leave room at the top of the operating units for free air circulation. Notice the shelf-group on the right that is within easy arm's reach. The L shelves are supported on one end by a 1-inch square x 10-inch support

glued or bolted onto the side of the shelves.

Masonite is used for the sides of the shelf-group because it is only 1/8-inch thick, and thus you can mount short-sleeved switches without any trouble. The microphones are mounted on one side of the shelf. Top-mounted ac outlets are positioned on the rear of each shelf and are wired together, starting at the top and ending at the bottom with a pigtail plug lead that goes to the ac strip on the rear of the table. The wiring is concealed on the inside back of the cabinet. Glue a piece of felt on the bottom of the shelves, as this will stop scratching of the plastic top and keep it from sliding.

Fig. 1 shows suggested layouts and some construction details. Also shown is a layout that will enable you to get all the pieces out of a single sheet of plywood and one piece of tempered Masonite.

The following are helpful hints that resulted from my experiences when building the console. You can use 1/4" x 1" stripping or screen window trim to put a finish on the edge of the plywood. One side of the plywood is fine-finished, and all it needs is fine sanding and a light coat of stain. Drill the holes in the plastic top along the edges before you put it on top of the operating table, as when the drill goes through, you have small chips that are unsightly and raise the plastic.

Place your operating aids, maps, DX prefixes, charts, etc., on the table and arrange to suit. Be sure they are back far enough from the edge of the plastic top. When you get the final arrangement, take small pieces of tape and hold them in place, because if you don't, when the plastic top is dropped down the air



Photo A. The W8GI operating console.

will rush out and disturb everything. Mount the ac plug strip across the back of the table and right up against the plastic top, so that there is no hole to collect dirt. Don't forget to put an extension long enough

to reach your 110 V ac line before you snap the strip plugs closed. You will have an inch or so of table showing, but this is unseen.

Happy console-building. It's easy—it's fun—it's rewarding. ■

## "ONV SAFETY BELT"

### A "must" for Safety!

## '73 Bill Salerno



W2ONV  
President

At last!! — a safety belt designed to meet the safety needs of radio amateurs, radio stations, TV stations, boat owners, painters, construction workers, maintenance people — anyone with the need to climb — now at an affordable price.

Our "ONV Safety Belt" is fitted with two drop forged steel "D" rings. One is spliced a 3 foot length of 1/2" diameter nylon rope fitted with a drop forged steel snap hook. The 3" wide nylon body comfort pad is secured to 1 1/4" wide, 9500 lb. test nylon webbing, which is resin or latex treated for abrasion resistance. **The belt is adjustable up to size 46" waist.**

Only \$39.95 plus \$3.00 for postage and handling. NJ residents add 5% sales tax.



OSHA Approved

**NOW AVAILABLE**  
ONV TOOL POUCH  
**DESIGNED FOR ONV SAFETY BELT**  
\$9.95 EACH

Shipping & Handling Prepaid

Immediate UPS Delivery



**UPI Communication Systems, Inc.**  
Mail To: P.O. Box 902 • Saddle Brook, N.J. 07662  
N.J. (201) 279-7528 • (800) 526-5277  
(Office) 481 Getty Ave. • Paterson, N.J. 07503  
Cable: Unipage Telex: 642597

# Add-On Capacitance Meter

## — works with your counter

Joe Westenhaver W4FEC  
155 Woodfield Drive  
Auburn AI 36830

This seven-digit capacitance meter will allow you to accurately check the capacitance of almost any capacitor quicker than you can read the printed value. It also shows leaky capacitors and the polarity of polarized capacitors. It covers 2 pF to 999 uF in only two ranges and consumes almost no power. All this for only \$1.28 (2ICs—46¢, 1 diode—16¢, 5 resistors—

25¢, 1 DPST switch—39¢).

There must be some catch—of course, there is. You must already own a digital frequency counter. My tester was built to be used in conjunction with a homemade seven-digit counter using an ICM 7207/7208 counter chip salvaged from a Conar model 202 frequency counter, but it should work equally well with other counters.

### Theory

Ok, let's see how it

works. When a discharged capacitor has a fixed voltage applied through a fixed series resistance, it will charge at a rate directly proportional to its capacitance value. What we will measure is the time it takes to charge our unknown capacitor to some predetermined value.

That's where the frequency counter comes in. We use a flip-flop to obtain a pulse whose width is a function of the charging time and then the counter to count how many clock

pulses can pass during the time interval of that flip-flop pulse. A combination of clock frequency, charging voltage, series resistance, and trigger point is chosen so that one clock pulse passes for each 1 pF in the low range, or one clock pulse for each 1000 pF in the high range. With this arrangement, our counter gives a direct capacitance readout.

The capacitance measurement must be synchronized with the count interval of the frequency counter. See Fig. 1. Counting is enabled when pin 13 of the ICM 7208 is brought low (logic 0). Intersil calls this the inhibit input pin. This function is frequently called the gate, and on some counters may be a logic 1 signal. If your counter uses a logic 1 gate, then the optional IC1a gate connection in Fig. 1 can be used to invert the gating signal. Commonly used gate times are 0.1 second and 1 second. The gate time interval does not affect the capacitance measurement except to limit the maximum value of capacitance which can be measured.

When the gate signal




Fig. 1. Capacitance checker schematic.

goes low, the counter is ready to count pulses. IC1b goes high and starts charging the unknown capacitor through R1 or R2. The flip-flop formed by IC1c and IC1d was reset to a low output when the gate was high. Now its output changes to high after the time delay of charging the capacitor up to the flip-flop changeover point. This time delay is directly proportional to the capacitance value and is the basis of our measurement.

IC2c is initially on while the flip-flop output is low and will allow clock pulses to pass until the Cx time delay expires and the flip-flop goes high. However, IC2d blocks the clock pulses from the counter until the gate goes low and a slight time delay imposed by IC2a, R3, and IC2b expires. This time delay compensates for the input capacitance of IC1c (about 5 pF) and circuit stray capacitances. This allows us to measure accurately right down to 2 pF. R3 is determined experimentally and is about the same as R1. If errors below 100 pF are of no concern, IC2a, IC2b, and R3 can be eliminated. D1 allows a quick discharge of Cx and can be any small switching diode.

Now, about the clock. (Ah, another catch not included in the \$1.28!) It must be a stable source of pulses compatible with CMOS logic. The frequency doesn't matter much, but if it is much above 5 MHz, the CMOS chips have trouble. If it is too low in frequency, the ability to measure small capacitors become jeopardized. About 1 MHz seems ideal. Stability should be at least 1%, so a crystal source is best.

Your counter already has a crystal oscillator in it which can probably be used. If it is in the 5-6-MHz range, then a divide-by-5 (1/2 74C90) will do the job. I

happened to have a crystal marked 1001 kHz and used that in a separate oscillator (1/2 4001). Almost any crystal in the 2-10-MHz range could be used with an undertone oscillator.<sup>1</sup> So, I'll leave the source of the clock pulses up to you.

### Calibration

Now for calibration. This instrument has two ranges. The low range displays pF and the high range pF  $\times$  1000. On the low range, the idea is to have one clock pulse for each pF. Therefore, the time delay for R1 and Cx needs to be the time of one cycle of the clock for each pF. On the high range, the time delay for R2 and Cx needs to be one thousandth of the time for one cycle of the clock for each pF.

For example, with a 1-MHz clock the cycle time is 1  $\mu$ s. Therefore, the time delay for the low range for a 1-pF Cx should be adjusted with R1 to be 1  $\mu$ s. The time delay for the high range for a 1000-pF Cx should also be adjusted with R2 to be 1  $\mu$ s. Thus, with a 1-MHz clock, the maximum value that can be measured with a 0.1-second gate is 99,999 pF or about 0.1  $\mu$ F. With a 1-second gate, we can go to 999,999 pF or 1  $\mu$ F. On the high range, we can go to 99  $\mu$ F with a 0.1-second gate and 999  $\mu$ F with a 1-second gate. On the high range, the error caused by the input capacitance of IC1c is negligible and R3 is switched out! The values of R1 and R2 depend on the clock frequency and also the characteristics of the particular 4001 chip. The chip characteristics will vary quite a bit from one to another but are stable and predictable in each chip.

Calibration obviously requires some sort of standard. I have found capacitors marked  $\pm 10\%$  to be far off the printed value.




Fig. 2. Semiconductor junction voltage-variable capacitance characteristics test setup.

Also,  $\pm 5\%$  capacitors vary considerably. The values marked on most electrolytics are only approximations. I have found silver mica and disc ceramic capacitors which are marked  $\pm 2\%$  to be very close, so I use these for calibration.

With 1000 pF  $\pm 2\%$  at Cx, I adjust R1 for a counter display of 1000. Then I crosscheck with a 27-pF  $\pm 2\%$  silver mica and bingo—27! Once calibrated on the low range with these capacitors, I measure a 0.22- $\mu$ F molded capacitor (.218752) and select the high range and adjust R2 for a readout of 219.

Obviously, the accuracy is limited in this calibration scheme to the tolerance of the best capacitors you can find. I think, however, that you will find the tester very useful and accurate enough for anything but laboratory work if calibrated to within 2%. With the particular 4001 I have in service and the 1.001-MHz clock, R1 is about 1.04 megohms and R2 is about 800 Ohms. Both R1 and R2 are fixed, with small potentiometers (not included in the \$1.28!) in series for fine adjustment. R3 is fixed at 1 megohm.

When connected to a counter, with no capacitor under test, this tester will always indicate a 1 on the last digit. R3 is selected so that a very small capacitor (such as 5 pF) reads correctly. A 1 pF or less then indicates 1 and anything larger will indicate correctly.

With large capacitors there will be a large number of digits displayed. You should ignore all except the first three significant digits.

The rest will change after each sampling period, but they have no meaning since you only calibrated the instrument to 1 or 2%. I have never found the reading to fluctuate as much as 1%, and frequently it fluctuates less than .01%.

### Operation

The power source for your tester should be stable and can be drawn from your counter if it is between 3 and 15 volts dc. Current drain is negligible.

Now that it is all built and calibrated, let's look at some operating considerations. Leads from IC1c to the test jack should be short to prevent hum pickup. Also, you should keep external leads to the capacitor very short and keep hands off during sampling to keep hum out. Furthermore, you should mount IC1 in a socket to make it easier to replace after you ruin it by not observing a few simple precautions.

Note that the test point connects to an input gate of the CMOS chip. R4 should provide input gate protection up to about 120 volts. Testing a capacitor in a hot circuit can zap the 4001; placing a charged capacitor to the terminals can zap it, too. Large static discharges will also spell the end of the 4001 and you'll be out 23¢ or so. While these precautions seem worth mentioning, in over a year of frequent use I have never harmed the 4001.

If your counter has a 0.1-second gate, you will want to use it most of the time. This means the longest you will have to wait for




Fig. 3. Suggested interconnections for capacitance checker, counter, and timebase.

your reading is 1/5 of a second. With a 1-second gate, it might take 2 seconds. A leaky capacitor will indicate much too high of a value. Just a small amount of leakage will cause a little disc ceramic to read out 999 uF. You will not see this often, but when you do, throw that one away.

Polarized electrolytic capacitors usually have leakage when the correct polarity is not observed. If you test one by connecting it to the test terminals in both directions and get the same reading each time, it is probably non-polarized. If you get considerably different readings, the smaller

reading is correct and indicates the correct polarity. Of course, the correct way to connect electrolytics is the - (minus) to ground and the + (plus) to the test point.

Lots of fun can be had testing trimmer capacitors, crystal holder capacitances, transistor input/output capacitances, twisted wires, coax, etc. All can be easily measured. The voltage-variable capacitance characteristics of semiconductor junctions can be easily observed by using the hookup shown in Fig. 3. Keep all leads as short as possible to prevent hum pickup.

I have found that selected zener diodes exhibit very nice large capacitance varactor characteristics up to their zener voltage. Selected silicon transistors with their base/collector junction reverse biased make nice, small-capacitance

varactors. And, of course, you can test a standard varactor to see if it covers the desired tuning range for a voltage tuning application. The best application of all is to turn that junk box full of poorly marked capacitors into a supply of useful components of known values.

You don't have a frequency counter? Shame! Run right out and buy one, or better yet, build one such as the \$50 Mini-Counter<sup>2</sup> and incorporate this tester inside. For \$1.28 (or so) you can't afford not to! A suggested interconnect block diagram with the ICM 7207/7208 pair is shown in Fig. 3. ■

#### References

1. "Undertones," Joe Westenhaver W4FEC, *73 Magazine*, October, 1980.
2. "Build this \$50 Mini-Counter," Gary McClellan, *73 Magazine*, December, 1979.

## FAST SCAN ATV

### WHY GET ON FAST SCAN ATV?

- You can send broadcast quality video of home movies, video tapes, computer games, etc. at a cost that is less than sloscan.
- Really improves public service communications for parades, RACES, CAP searches, weather watch, etc.
- DX is about the same as 2 meter simplex — 15 to 100 miles.

### ALL IN ONE BOX



**TC-1 Transmitter/Converter . . . .**  
Plug in camera, ant., mic, and TV and you are on the air. Contains AC supply, T/R sw, 4 Modules below . . . . . \$ 399 ppd

### PUT YOUR OWN SYSTEM TOGETHER



**TXA5 ATV Exciter** contains video modulator and xtal on 434 or 439.25 mHz. All modules wired and tested . . . . . \$ 89 ppd

**PA5 10 Watt Linear** matches exciter for good color and sound. This and all modules run on 13.8 vdc. . . . . \$ 79 ppd

**TVC-2 Downconverter** tunes 420 to 450 mHz. Outputs TV ch 2 or 3. Contains low noise MRF901 preamp. . . . . \$ 55 ppd

**PACKAGE SPECIAL** all four modules \$ 239 ppd

**FMA5 Audio Subcarrier** adds standard TV sound to the picture . . . . . \$ 29 ppd

### SEND SELF-ADDRESSED STAMPED ENVELOPE FOR OUR LATEST CATALOG INCLUDING:

Info on how to best get on ATV, modules for the builder, complete units, b&w and color cameras, antennas, monitors, etc. and more. 20 years experience in ATV. Credit card orders call (213) 447-4565. Check, Money Order or Credit Card by mail.

## P.C. ELECTRONICS

Maryann  
WB6YSS


2522 PAXSON  
ARCADIA, CA 91006

Tom  
W6ORG



## ★ YOU ASKED FOR IT ★

### A COMPLETE REPEATER STARRING THE MARK 3C SUPERCONTROLLER



ALL the unique features which make Mark 3C the acclaimed leader in repeater control —

- Autopatch
- Reverse patch
- Autodial
- 40 Functions
- 13 Morse messages
- Custom tail messages
- Digital tone decoding
- Microprocessor control

AND NOW, even the repeater is built in —

- Receiver sens. 0.25 UV
- Super crisp audio
- Transmitter output 2W

PLUS options —

- Power amplifiers (pick your level)
- Sub-audible tone
- Control receivers

**MARK 3CR REPEATER**  
144-220 \$1595.

**MARK 3-C CONTROLLER \$995.**

Call or write for specifications

**MICRO CONTROL SPECIALTIES (617) 372-3442**  
23 Elm Park, Groveland, Ma. 01834

✓ 49



# Better Pilot Lights

## — LEDs are the "in" thing

After having a vfo pilot lamp burn out prematurely in my T-599D, I decided to replace the lamp and red lens with an LED.

Referring to Fig. 1(a), the red lens is held in place with a small amount of cement, and is illuminated by a lamp positioned close to it.

The red lens may be removed easily after cutting away the cement. After removal of the red lens, the hole is slowly enlarged with a reamer to the point where the LED fits snugly in the hole (caution should be exercised, as the plastic plate is very soft and one easily can exceed the desired hole diameter).

LED and housing to hold the LED in place.

The leads cut from the lamp are soldered to the LED. It is necessary to insert a 1200-Ohm, 1/2-Watt resistor in series with one of the leads to the LED. It is convenient to place the resistor on the solder terminal that the lamp leads are attached to, and in series with either lead.

Referring to Fig. 1(b), with the LED in place, the clear plastic dial cover should fit properly in the black plastic housing. Next, apply some cement to the rear of the

I found this modification to be an improvement, as the LEDs are brighter and should last much longer. ■




Fig. 1. (a) Cross-sectional view of Kenwood's vfo pilot light system. (b) Cross-sectional view of LED vfo pilot light system.

## For your TRS-80<sup>®</sup> send & receive CW / RTTY

### FEATURES

- Auto Send & Receive RTTY & CW
- Connects to TRS-80 User Port & Key / head phone jacks
- 10 message memories 255 char. ea.


- Uses builtin PLL or external TU
- Includes hardware, cassette & manual
- Morse tutorial-10 lessons-corrects mistakes simplest, fastest way to learn the code

- Morse practice-random 5 letter words
- Auto numbering contest keyer
- Interactive graphics custom PIX
- Autotransmitter control PTT
- Requires Level II Basic & 16K RAM

- M80 Software, PC Board, Manual \$149
- CM80 As above in Cabinet \$279
- TM80 As above plus demodulator & AFSK \$499
- M800 Adds advanced RTTY to M80 / CM80 / TM80 \$99



**MACROTRONICS, inc. (R)**  
 1125 N. Golden State Blvd. / Suite G  
 Turlock, CA 95380 (S)  
 (209) 667-2888 / 634-8888



CA residents add 6% tax



**TRS-80 Model III**  
 Interface available  
 Call for Information

✓ 44

We are experiencing telephone difficulties, please keep trying.

TRS-80 is a recognized trademark of Tandy Corporation.

# Caution: Solid-State Finals

## — learning to live with no-tune radios

Here you are—your brand new Mark XVIII Loudenputer unpacked, connected to the power supply, and your old tri-band beam plugged in. Key down; measure the power output—only 15 Watts instead of the rated 100 Watts. Check the instruction manual and notice that the power rating holds for a 50-Ohm load. You have been using the beam for five years with your old Heath or Swan without a matchbox so you know the antenna is OK. Guess you

will have to send the new rig back for repair.

Before you go running down to the post office or UPS, perhaps you ought to take a second look. Your new rig has solid-state finals, and your old rig a pair of 6146s. There is a considerable difference.

### Design Differences

A typical tube final is shown in Fig. 1(a). The tubes, which are the source of rf power, feed an adjustable network which matches the tube output imped-

ance to the load. This load is not a 50-Ohm dummy load but a real-life antenna whose impedance may vary drastically with the operating frequency and with weather conditions such as wind and temperature.

The solid-state rig is shown in Fig. 1(b). A set of transistors feeds a fixed bandpass filter. This filter changes only as you switch bands. The key difference (and advertised advantage) is that no tuning is required. Just change bands, dial up the operating frequency, perhaps peak a preselector, and transmit. In fact, except for a desire to see what is going on, there is no apparent need for a collector current meter since there is no dipping or peaking required.

This basic design difference leads to what has been called the "A-OK into dummy load" syndrome. In the example given above, the rig probably puts out the full rated power when connected into a dummy load. With a practical antenna, however, low power, trip-

ping breakers, or even self-destruction of the finals may result. More insidious is the potential for the generation of spurious signals due to antenna mismatch, even though the rig is perfectly clean (and has been type-accepted) when connected to a dummy load.

### Why Does It Happen?

Solid-state amplifiers are designed as broadband amplifiers followed by a bandpass filter under the assumption that a purely resistive 50-Ohm load is connected to the output. If the amplifier is not connected to an ideal load, i.e., the load is not 50 Ohms resistive or contains reactive components, the bandpass filter is no longer terminated in its design conditions, and it may no longer act as the needed filter. In addition, the filter also is designed to be driven by a fixed source (the transistors), and if the transistors are operating at a higher or lower power level (Fig. 2), the filter is again not operating under its de-




Fig. 1(a). A typical tube final.




Fig. 1(b). A solid-state rig.



# Orbit



**ORBIT** is the Official Journal for the Radio Amateur Satellite Corporation (AMSAT), P.O. Box 27, Washington, DC 20047. Please write for application.

For a **FREE SAMPLE COPY** please send \$1 to cover First Class Postage and handling to: Orbit, 221 Long Swamp Road, Wolcott, CT 06716.

## A real alternative... The Avanti On Glass Mobile Antenna.


Mounts on glass  
— no holes!

- Receives and transmits through glass.
- Superior performance 1/2 wave design.
- Superior radiation full Omni-Directional.



Mounting on glass is easy and effective using new Duo-Bond method which combines quick "drive away" with rugged durability. No holes to drill, no magnet to scratch paint, no clamps. Takes only minutes to install, without tools. No ground plane required. Static and noise cut by up to 30%. Electrical connection are inside and out of sight to prevent crimping or corroding coaxial cable.

Models available for 30-50 MHz, 144-174 MHz, 220-225 MHz and 410-512 MHz



AVANTI COMMUNICATIONS  
340 Stewart Ave., Addison, IL 60101 (312) 628-9350  
In Canada: Cardon Comm., Hamilton, ONT (416) 527-1040

### MILITARY SURPLUS ELECTRONICS

COLLINS RT-594/ARC-38A aircraft transceiver with control head, 2.0 thru 25 MHz synthesized channels total 35,000 (20 preset) 100 watts PEP, SSB, FSK, AM, CV, size 24" L x 15 1/2" W x 7 1/2" H, wt 65 lbs. Requires 28VDC power supply. **\$145.00**

ANTIQUE signal electric company model SW-37 telegraph sounder, brass on bakelite base, beautiful, brand new used by early Army Signal Corp. **26.50**

CV-89/URA-8 teletype converter with built-in 3" scope, takes audio from receiver to any teletype machine. 19" rack mount. **125.00**

TRC-75 AND ARC-58 owners, we have hard-to-find CY-2600/TRC-75 system cases, complete with all mounts, wiring, ready to install your equipment. **195.00**

TRC-75 original service manuals. **35.00**

R-392/URR radio receiver tunes 500 kHz thru 32 MHz SSB, CW, MCW, FSK, direct digital frequency read-out, crystal calibrator every 100 kHz, size 11 1/2" H x 11 1/2" W x 14" L, wt. 52 lbs. Requires 24 VDC input 2 amps. **245.00**

T-195/GRC-19 transmitter 1.5 thru 20 MHz, manual or automatic tuning, SSB, CW, or FSK, 4X150D final, 100 watts, size 11 1/2" H x 22" L x 14" D. Requires 24VDC input **165.00**

R-390A/URR radio receiver 500kHz thru 30.5 MHz, digital tuning lab calibrated 115V/60 Hz. **595.00**

R-390A/URR SERVICE MANUALS. **35.00**

PRC-25, PRC-77 owners, we have brand new factory sealed BA-4386/PRC-25 long life magnesium batteries, \$8.50 each/2 for. **16.00**

PRC-25 SERVICE MANUALS. **18.50**

IP-58/APN-70 Loran indicator has SCPIA cathode ray tube, ideal to make modulation indicator or o'scope. **18.50**


AN/PRM-1 radio interference and field intensity receiver, tunes 150 kHz-25 MHz, sensitivity 1MV. **125.00**

JENNINGS UCS 10-300 MMFD vacuum variable capacitor 7.5 KV, complete with gear drive train and mounting bracket. **49.50**

JENNINGS UCS 5-465PF vacuum variable 10KV with tuning drive. **49.50**

All equipment sold clean and complete, FOB Otto, N.C. We accept VISA, Master Card or checks.

PHONE BILL SLEP 704-524-7519. ✓367



Electronic Distributors

## Slep Electronics Company

P. O. BOX 100, HWY 441, DEPT. 73  
OTTO, NORTH CAROLINA 28763



### FOX-TANGO CORP.

Box 15944S, West Palm Beach, FL 33406

Visa/MC welcomed. Money back if not satisfied.

#### 8-POLE FILTER BANDWIDTHS IN STOCK

CRYSTAL FILTER YF-33H250 3335 1121	CW (Hz)				SSB-AM (kHz)						
	125	250	400	500	600	800	1.6	2.1	2.4	6.0	8.0
<b>YAESU</b>	<b>\$55 EACH</b>										
*FT-101/F/FR-101	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
*FT-301/FT-7B/620	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
*FT-901/101ZD/107	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
FT-401/560/570	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
FT-200/TEMPO I	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
<b>KENWOOD</b>	<b>\$55 EACH</b>										
*TS-520/R-599	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
*TS-820/R-820	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
<b>HEATH</b>	<b>\$55 EACH</b>										
<b>ALL HF</b>	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
<b>DRAKE</b>	<b>FOR PRICES SEE NOTES</b>										
<b>R-4C</b>	GUF-1 Broad 1st IF Superior Shape Factor/Ult Rej \$65 ✓ ✓										
	GUF-2 Narrow 1st IF ✓ ✓ + pcb w sw relays \$90										
	56H125 ✓ - Plug in type - ✓ \$55										
	GUD Product Detector - w pcb w relay double balanced type \$30										
<b>COLLINS:</b>	<b>SPECIAL \$125 EACH</b>										
<b>75S-3B/C</b>	✓ <b>EQUALS OR EXCELS \$400 COLLINS UNIT</b>										

\*DIODE SWITCHING BOARDS available to permit 1, 2 or more filters than those for which manufacturer provides room. SPECIFY make and model.

Single-filter type: \$12 Airmail postpaid


Dual-filter type: \$21 Airmail postpaid

Florida residents add 4% (sales tax) (FOREIGN ADD \$3 per filter)



BROCHURE ON REQUEST

Dealer Inquiries Welcomed ✓323



## RTTY READER--NEW LOW PRICES!



Decodes RTTY signals directly from your receiver's loudspeaker. \* Ideal for SWLs, novices & seasoned amateurs. \* Completely solid state and self-contained. Compact size fits almost anywhere. No CRT or demodulator required . . . Nothing extra to buy! \* Built-in active mark & space filters with tuning LEDs for 170, 425 & 850 Hz FSK. \* Copies 60, 67, 75, & 100 WPM Baudot & 100 WPM ASCII. \* NOW you can tune in RTTY signals from amateurs, news sources & weather bulletins. The RTTY READER converts RTTY

signals into alphanumeric symbols on an eight-character moving LED readout. Write for details or order factory direct.

RTTY READER KIT, model RRK . . . . . \$169.95  
RTTY READER wired and tested, model RRF . . . . . \$249.95

Send check or money order. Use your VISA or MasterCard. Add \$5.00 shipping and handling for continental U.S. Wisconsin residents add 4% Wisconsin State Sales Tax.


**Microcraft**

Corporation ✓50 Telephone: (414) 241-8144  
Post Office Box 513G, Thiensville, Wisconsin 53092

## TENNA-TAPE

✓399

# \$34.95



This is the best portable antenna we've seen anywhere, and check the low price!

Fast and easy adjustment for any portion of 10-15-20-40 meter bands. Made from two 50 ft. steel tape measures coated with mylar, it can be used indoors or outdoors as a dipole, inverted V, or sloper antenna. Perfect for traveling, camping, or anywhere!

Chart included showing exact tape measurement for each band. Tapes crank into compact, high impact, housing for convenient and lightweight storage.

Not a kit, ready for use with end insulators & center fitting for 52 ohm feedline with PL 259. Money-back guarantee.

Send check or money order for \$34.95 & \$2.50 postage, & handling to:

**SPENCER PRODUCTS**  
18 Reynolds Avenue  
Cortland, NY 13045

## ... at last ... your shack organized!

A beautiful piece of furniture - your XYL will love it!

### \$16450 S-F RADIO DESK Deluxe - Ready to Assemble

Designed with angled rear shelf for your viewing comfort and ease of operation.

FINISHES: Walnut or Teak Stain.  
Floor Space: 39" Wide by 30" Deep

Additional Information on Request.

Checks, Money Orders, BankAmericard and Master Charge Accepted.

F.O.B. Culver City. (In Calif. Add 6% Sales Tax.)

DEALER INQUIRIES INVITED

**S-f Amateur Radio Services**



✓65



Radio equipment not included

Also Available . . . . .

Floor Space: 51" Wide by 30" Deep  
\$192.50

4384 KEYSTONE AVENUE • CULVER CITY, CALIF. 90230 — PHONE (213) 837-4870

THE 10 METER FM  
HANDBOOK  
BY K9EID

## The TEN METER FM HANDBOOK

Describing the fascinating  
happening on 10, FM!

\$4.95  
plus 75¢  
postage  
(Illinois  
add 50¢  
sales tax)

## NEW! TEN METER TRANSCEIVER FM - 10



Kit includes a two color, silk screened, aluminum chassis, the deluxe CYBERNET (Hy Gain) CB board, True FM discriminator kit, crystal, jacks, pots, hardware and a thorough instruction manual


COMPLETE KIT . . . . . \$55.00

include \$2.00 for postage and handling  
Ill. residents add 5% sales tax.

**MELCO** ✓385 P.O. Box 26  
Marissa, Ill. 62257

The One-Stop Parts House for 10 FM!

## MICROWAVE Down Converters



### Slotted Array Antennas

with Down  
Converter  
Enclosure

\$35.00

### DOWN CONVERTERS

Kit . . . . . \$45.00  
Pre-Assembled . . . . . \$85.00  
Variable Power Supplies . . . . . \$45.00

Also Available: Microwave transistors, diodes, chip caps etc.

## P.B. RADIO SERVICE

1950 E. PARK ROW  
ARLINGTON, TEXAS 76010

(817) 460-7071 ✓404



(Radio not included)

## BEAT YOUR BATTERIES!

OPERATE your SYNTHESIZED HT from any 13-30v D.C. source- Auto, Truck, Light Aircraft (12 or 28v system), Home Power Supply!

STEWART's New BATTERY-BEATER provides the proper REGULATED voltage for your rig and plenty of current for CONTINUOUS FULL POWER TRANSMIT! All day travel, all evening Simplex Net with NO QRT TO RE-CHARGE!

- NOT a battery charger but a FULL POWER SOURCE with Fused Circuit to protect your rig!
- RUGGED ALUMINUM CASE (except ICOM unit is built into IC-BP4 case for slide on/slide off power supply change!)
- YOUR NiCads REMAIN IN PLACE (except ICOM). Simply unplug for INSTANT PORTABILITY!
- DESIGNED by an engineer from NASA's Jet Propulsion Laboratory with components rated 50% beyond requirements!
- PRE-WIRED JACK (except ICOM) and detailed installation instructions supplied!
- 5 FT. power cord. VELCRO pads supplied to mount anywhere! 1 FULL YEAR WARRANTY!
- PRICE: All models- \$25.00 Post Paid. Ca. Res. add \$1.50 Tax. C.O.D.'s- You pay Postage and C.O.D. fees.
- NOW AVAILABLE for TEMPO S-1, S-2, S-5, KENWOOD TR-2400 (Retains Memory!), and ICOM IC-2A/T!
- PHONE: 1-213-357-7875 Collect for C.O.D. STEWART QUADS P.O. Box 2335 IRVINDALE, CA. 91706

# Under Software Control

## — a repeater control system with minimal hardware

This computer program, which runs on a MOS Technology KIM-1 micro-computer, will replace all the control circuitry normally required for a small

repeater system. This system features a smart CW ID, a courtesy beep, remote control, time-out timer, and an ID interval timer, all implemented without any external hardware.

The KIM-1 microcomputer is an ideal system for this type of application, with its

built-in I/O ports and interval timers; all the necessary hardware for undertaking this project is provided as an assembled and tested unit.

When it was decided to undertake this project, the highest priority was given to implementation with a

Location	Function
002D	Length of kerchunk delay
004F	Setting of time-out timer in minutes
00B0	Setting of ID interval in minutes
0283	CW speed
0284	CW tone
02C1	Space for breakers
02C6	Length of courtesy beep
02D3	Length of transmitter tail

Note: Changing the CW speed will affect all timing parameters, except the two clocks, in the same manner as the speed is changed.

Table 1. Program timing variables.

Ltr	Code	Ltr	Code	Ltr	Code
A	60	B	88	C	A8
D	90	E	40	F	28
G	D0	H	08	I	20
J	78	K	B0	L	48
M	E0	N	A0	O	F0
P	68	Q	D8	R	50
S	10	T	C0	U	30
V	18	W	70	X	98
Y	B8	Z	C8	0	FC
1	7C	2	3C	3	1C
4	0C	5	04	6	84
7	C4	8	E4	9	F4
/	94				
Space	00				FF

End of Message

To program your repeater call, look up each letter of call in table above and put code into KIM starting at 0068; for a space between words, put a 00. Remember, at the end of the message, to put an FF in memory.

Table 2. ID code table.




Fig. 1. Executive routine flowchart.




Fig. 2. Initialization routine flowchart.

minimum amount of support hardware and a maximum amount of work being done by the software. That goal has been successfully reached here without any compromises in the performance of this repeater control system.

The control system will send the required repeater ID in CW. The audio tone required is generated internally by the microprocessor. The repeater system, when not active, will ID only if the system has been keyed within the current ID interval; otherwise it will ID after the next keying. When the repeater is being used, it will ID only after the courtesy beep has been sent, minimizing the chance of the IDer's audio covering a user's transmission through the repeater. The ID interval is currently set at 7 minutes, but the control system can be set at from 1 to 60 minutes in one-minute intervals.

If the repeater is timed out by a signal staying on too long on the input frequency, when the signal is removed, the system will immediately ID, informing the user that he timed the repeater out. The time-out interval is currently set at 3 minutes; this can be set at from 1 to 60 minutes in one-minute intervals.

Two interrupt-driven real-time clocks have been implemented in software using one of the KIM-1's programmable interval timers. The other program-

mable interval timer is used to generate the required audio tones.

A kerchunk filter has also been added which prevents the repeater from being keyed by a signal on the input frequency of the repeater for less than one second in duration. This kerchunk filter does not affect the operation of the repeater once it has been activated.

A remote-control feature has also been provided for in this control system to turn the repeater on and off when this is necessary.

The program provided here has all of the timing parameters set for a very pleasing sound on the air. Almost every timing parameter in the controller program can be changed very easily, however, should you desire to change it. Table 1 shows all of the important locations that can be changed and what effect they will have on system operation.

Figs. 1 through 6 are the flowcharts for the program modules which comprise this system. These flowcharts, combined with the freely-commented program listing, should make the understanding and modification of this control system relatively easy.

The flowchart for the executive routine is shown in Fig. 1. The starting location for this routine is at 0000, and this also is the entry point for activating the




Fig. 3. CW ID routine flowchart.

control system. The executive routine is where this system spends most of its time. It is this routine which provides the logic for how the repeater will respond to an incoming signal. Any lines of the program that need to be used frequently have been coded as subroutines. The time-out routine is located in the executive routine, as is the kerchunk filter. The executive routine and the courtesy-tone routine together determine when to ID.

After the executive routine, next in memory is the code for the CW ID. The ID must start at location 0068 and must not exceed location 007F. Table 2 gives all the information needed to program your own callsign into the system.

The next subroutine we

come upon is the receiver mask routine. No flowchart is provided because of its small size and simple coding. This is where the system determines if the repeater's receiver is being activated.

The initialization routine, a flowchart of which is shown in Fig. 2, starts at location 009A. This routine handles all of the input and output port initialization and control of the CW IDer. There actually are four entry points to this subroutine; they all are labeled in the program listing along with their use.

The subroutine for sending the CW ID is located starting at 0200. The flowchart for this routine is shown in Fig. 3. This routine is a much-modified version of a program published in

## Program listing.

```

                                Executive Routine
0000 A9 00 LDA #000 LOAD NMI INTERRUPT VECTOR TO
0002 8D FA 17 STA 17FA ADDRESS OF REAL TIME CLOCK
0005 A9 03 LDA #03 ROUTINE (0300)
0007 8D FB 17 STA 17FB
000A 8D FF 17 STA 17FF LOAD IRQ INTERRUPT VECTOR TO
000D A9 80 LDA #80 ADDRESS OF REMOTE CONTROL
000F 8D FE 17 STA 17FE ROUTINE (0380)
0012 A9 F4 LDA #F4 TURN INTERRUPT TIMER ON
0014 8D OF 17 STA 17OF
0017 20 9A 00 JSR 009A INITIALIZE I/O & RTC
001A 20 00 02 JSR 0200 SEND ID (INITIALIZE TONE)
001D 20 A0 00 JSR 00A0 INITIALIZE I/O
0020 20 8F 00 JSR 008F LOAD & MASK FOR RX INPUT
0023 D0 03 BNE 0028
0025 4C 2C 00 JMP 002C JUMP TO TX TURN ON ROUTINE
0028 58 CLI CLEAR INTERRUPT
0029 4C 1D 00 JMP 001D INITIALIZE I/O & LOOK AT RX AGAIN
002C A2 10 LDX #10 KERCHUNK DELAY (INITIAL TURN ON)
002E 20 79 02 JSR 0279
0031 20 8F 00 JSR 008F LOAD & MASK FOR RX INPUT
0034 F0 03 BEQ 0039 IS SIGNAL STILL PRESENT
0036 4C 1D 00 JMP 001D No, IGNORE KERCHUNK
0039 20 B0 03 JSR 03B0 YES, INITIALIZE 3 MINUTE TIMER
003C A9 04 LDA #04 TURN TX ON
003E 8D 00 17 STA 1700
0041 20 8F 00 JSR 008F LOAD & MASK FOR RX INPUT
0044 F0 06 BEQ 004C IS RX OFF
0046 20 00 02 JSR 0200 YES, SEND COURTESY TONE
0049 4C 31 00 JMP 0031 GO LOOK FOR NEXT SIGNAL
004C A5 8D LDA 008D NO, CHECK 3 MINUTE TIMER
004E C9 03 CMP #03
0050 F0 03 BEQ 0055 IS TIME UP
0052 4C 41 00 JMP 0041 NO, CONTINUE LOOKING
0055 A9 00 LDA #00 YES, TIME OUT ROUTINE
0057 8D 00 17 STA 1700 TURN TRANSMITTER OFF
005A 20 8F 00 JSR 008F WAIT FOR CARRIER TO DROP
005D D0 03 BNE 0062
005F 4C 5A 00 JMP 005A
0062 20 BC 00 JSR 00BC SEND ID AFTER TIMEOUT
0065 4C 1D 00 JMP 001D RETURN TO MASTER EXECUTIVE LOOP

                                ID Code
0068 90 40 00 70 90 E4 A8 08 08 94 50 68 00 00 A8 48 40 FF
    D E W D B C H H / R P T C L E

                                Receiver Mask Routine
008F EA NOP SPACE FOR RX DEBOUNCE IF NEEDED
0090 EA NOP
0091 EA NOP
0092 EA NOP
0093 EA NOP
0094 AD 02 17 LDA 1702 LOAD INPUT PORT
0097 29 20 AND #20 MASK FOR RX INPUT
0099 60 RTS

                                Initialization Routine
009A A9 00 LDA #00 ENTRY POINT TO INITIALIZE ID TIMER
009C 85 81 STA 0081

009E 85 82 STA 0082
00A0 A9 FF LDA #FF ENTRY POINT TO INITIALIZE I/O
00A2 8D 01 17 STA 1701
00A5 A9 00 LDA #00
00A7 8D 00 17 STA 1700
00AA 8D 03 17 STA 1703
00AD A5 82 LDA 0082 ENTRY POINT FOR ID TIME CHECK
00AF C9 07 CMP #07 NUMBER OF MINUTES BETWEEN ID'S
00B1 F0 03 BEQ 00B6
00B3 10 01 BPL 00B6
00B5 60 RTS
00B6 A5 8E LDA 008E NOW CHECK RPT ACTIVE FLAG
00B8 C9 00 CMP #00
00BA D0 0D BNE 00C9 NO, RETURN
00BC 20 00 02 JSR 0200 YES, ID (ENTRY POINT FOR T-O ID)
00BF A9 00 LDA #00 RESET ID TIMER
00C1 85 82 STA 0082
00C3 85 81 STA 0081
00C5 A9 FF LDA #FF RESET RPT ACTIVE FLAG
00C7 85 8E STA 008E
00C9 60 RTS

                                Code Routine
0200 A9 00 LDA #00 TURN OFF REAL TIME CLOCK
0202 8D 07 17 STA 1707
0205 A9 04 LDA #04 TURN TRANSMITTER ON
0207 8D 00 17 STA 1700
020A A2 0C LDX #0C INITIALIZE CODE ROUTINE
020C HD 8F 02 LDA 028F,X
020F 95 E2 STA 00E2,X
0211 CA DEX
0212 10 F8 BPL 020C
0214 A2 08 LDX #08 SEND LEADING SPACE
0216 20 79 02 JSR 0279
0219 A2 03 LDX #03 SPACE BETWEEN LETTERS
021B 20 79 02 JSR 0279
021E 20 8A 02 JSR 028A GET CHARACTER TO SEND
0221 AA TAX
0222 E6 E2 INC 00E2 INCREMENT POINTER TO NEXT CHARACTER
0224 C9 60 CMP #00 CHECK TO SEE IF CURRENT CHAR. IS SPACE
0226 D0 03 BNE 022B
0228 4C 19 02 JMP 0219
022B C9 FF CMP #FF CHECK TO SEE IF END OF MESSAGE
022D D0 03 BNE 0232
022F 4C 50 02 JMP 0250
0232 8A TXA
0233 85 DF STA 00DF TEMP STORAGE OF CHARACTER TO SEND
0235 06 DF ASL 00DF
0237 F0 E0 BEQ 0219 DONE WITH CHARACTER
0239 B0 0D BCS 0248 GO SEND DASH
023B A2 01 LDX #01
023D 20 5B 02 JSR 025B SEND DOT
0240 A2 01 LDX #01
0242 20 79 02 JSR 0279 SEND SPACE
0245 18 CLC
0246 90 ED BCC 0235
0248 A2 03 LDX #03 REALLY DO A DASH
024A 20 5B 02 JSR 025B
024D 18 CLC
024E 90 F0 BCC 0246
0250 A2 08 LDX #08 TRAILING SPACE
0252 20 79 02 JSR 0279

```

the *First Book of KIM*.<sup>\*</sup> This program now has the ability to take strings of code directly from memory and send them out as CW and the ability to insert spaces between words and indicate the end of the message. In addition, the portions of this module which actually generate the

<sup>\*</sup>The *First Book of KIM*, Butterfield, Ockers, and Rehnke, O.R.B., Argonne IL 60439.

audio tones have been changed to use the programmable interval timer normally used by the KIM-1's cassette I/O routine. This change freed up the other interval timer which can be used to interrupt-drive another program. This timer is then used in the real-time clock subroutine. Subroutine calls are made frequently to routines in this module to handle various timing delays

and to generate the courtesy beep.

The courtesy-tone routine which starts at location 02C0 is shown in the flowchart in Fig. 4. The length of the time allotted for breakers before the courtesy beep, the duration of the courtesy beep, and the length of the repeater's transmitter tail are all controlled in this routine. All the timing for these functions can be changed in this

routine, if desired. When the repeater system is in use, this subroutine calls the CW ID module.

The flowchart for the real-time clock routine is shown in Fig. 5. This routine is a continually-running interrupt-driven clock, driven by the NMI interrupt vector. This routine is a much-modified version of another program which appeared in the *First Book of KIM*. This real-time clock routine con-



0255	A9 00	LDA #300	TURN INTERRUPT TIMER BACK ON	031B	18	CLC	
0257	8D 0F 17	STA 170F		031C	F8	SED	SET FOR DECIMAL ARITHMETIC
025A	60	RTS	RETURN	031D	A5 81	LDA 0081	
025B	86 DD	STX ODD	MARK SUBROUTINE	031F	69 01	ADC #301	INCREMENT SECONDS COUNTER
025D	A5 E6	LDA 00E6		0321	85 81	STA 0081	
025F	8D 47 17	STA 1747		0323	09 60	CMP #360	INCREMENT MINUTES?
0262	A9 01	LDA #301		0325	D0 13	BNE 033A	NO, SERVICE 3 MINUTE TIMER
0264	8D 01 17	STA 1701		0327	A9 00	LDA #300	YES, RESET SECONDS COUNTER
0267	EE 00 17	INC 1700		0329	85 81	STA 0081	
026A	A6 E7	LDX 00E7		032B	A5 82	LDA 0082	
026C	CA	DEX		032D	18	CLC	
026D	D0 FD	BNE 026C		032E	69 01	ADC #301	INCREMENT MINUTES COUNTER
026F	2C 47 17	BIT 1747		0330	85 82	STA 0082	
0272	10 F3	BPL 0267		0332	09 60	CMP #360	RESET MINUTES COUNTER?
0274	C6 DD	DEC ODD		0334	D0 04	BNE 033A	NO, SERVICE 3 MINUTE TIMER
0276	D0 E5	BNE 025D		0336	A9 00	LDA #300	YES, RESET MINUTES COUNTER
0258	60	RTS		0338	85 82	STA 0082	
0279	86 DD	STX ODD	SPACE SUBROUTINE	033A	A5 8C	LDA 008C	3 MINUTE TIMER
027B	A5 E6	LDA 00E6		033C	18	CLC	
027D	8D 47 17	STA 1747		033D	69 01	ADC #301	INCREMENT SECONDS COUNTER
0280	2C 47 17	BIT 1747		033F	85 8C	STA 008C	
0283	10 FB	BPL 0280		0341	09 60	CMP #360	INCREMENT MINUTES?
0285	C6 DD	DEC ODD		0343	D0 13	BNE 0358	NO, EXIT INTERRUPT
0287	D0 F2	BNE 027B		0345	A9 00	LDA #300	YES, RESET SECONDS
0289	60	RTS		0347	85 8C	STA 008C	
028A	A6 E2	LDX 00E2		0349	A5 8D	LDA 008D	
028C	B5 68	LDA 0068,X		034B	18	CLC	
028E	60	RTS		034C	69 01	ADC #301	INCREMENT MINUTES COUNTER
			Code Initialization	034E	85 8D	STA 008D	
028F	00 05 3B 03 44 BB CC CC CC CC CC 00			0350	09 60	CMP #360	RESET MINUTES?
			Courtesy Tone Routine	0352	D0 04	BNE 0358	NO, EXIT INTERRUPT
02C0	A2 10	LDX #310	SET UP 1 SECOND DELAY	0354	A9 00	LDA #300	RESET MINUTES COUNTER
02C2	20 79 02	JSR 0279		0356	85 8D	STA 008D	
02C5	A2 02	LDX #302	SEND TONE	0358	D8	CLD	
02C7	20 5B 02	JSR 025B		0359	A9 F4	LDA #3F4	TURN INTERRUPT TIMER BACK ON
02CA	20 B0 03	JSR 03B0	RESET 3 MINUTE TIMER	035B	8D 0F 17	STA 170F	
02CD	20 AD 00	JSR 00AD	CHECK FOR TIME TO ID	035E	68	PLA	RESTORE THE ENVIRONMENT
02D0	EA	NOP		035F	A8	TAY	
02D1	EA	NOP		0360	68	PLA	
02D2	A2 30	LDX #330	SET UP REPEATER TAIL	0361	AA	TAX	
02D4	20 79 02	JSR 0279		0362	68	PLA	
02D7	60	RTS		0363	40	RTI	
			Real Time Clock Routine				Remote Control Routine
0300	48	PHA	SAVE THE ENVIRONMENT	0380	AD 02 17	LDA 1702	CHECK FOR TURN ON COMMAND
0301	8A	TXA		0383	29 01	AND #301	GROUND PB0 TO TURN RPT ON
0302	48	PHA		0385	F0 03	BEQ 038A	JMP TURN ON
0303	98	TYA		0387	4C 8E 03	JMP 038E	NO, JUMP SHUTDOWN
0304	48	PHA		038A	58	CLI	TURN ON, CLEAR INTERRUPT
0305	A9 83	LDA #383		038B	4C 00 00	JMP 0000	RESTART PROGRAM
0307	8D 04 17	STA 1704		038E	A9 00	LDA #300	SHUTDOWN, TURN TX OFF
030A	2C 07 17	BIT 1707		0390	8D 00 17	STA 1700	
030D	10 FB	BPL 030A		0393	58	CLI	CLEAR INTERRUPT
030F	B6 80	INC 0080		0394	4C 94 03	JMP 0394	SHUTDOWN LOOP
0311	A9 04	LDA #304					3 Minute Timer Reset Routine
0313	C5 80	CMP 0080		03B0	A9 00	LDA #300	
0315	D0 41	BNE 0358	ONE SECOND NOT UP, EXIT INTERRUPT	03B2	85 8C	STA 008C	RESET SECONDS
0317	A9 00	LDA #300	RESET ONE SECOND COUNTER	03B4	85 8D	STA 008D	RESET MINUTES
0319	85 80	STA 0080		03B6	85 8E	STA 008E	SET RPT ACTIVE FLAG
				03B8	60	RTS	

tains two independently running real-time clocks, each of which is capable of keeping time from 0 seconds to 1 hour and then re-setting. These two timers comprise the ID interval timer and the time-out timer.

Immediately following the real-time clock routine is the remote-control routine. The flowchart for this routine is shown in Fig. 6. This routine is entered after

the computer receives a request for an interrupt from the IRQ interrupt line on the KIM-1. To take the repeater off the air, all you need to do is to have your remote control circuitry give a logic 0 pulse to the IRQ line. The remote-control routine will then put the program in a tight loop, not allowing the repeater to be activated. To turn the repeater back on, your control circuitry must apply a

logic 0 to PB0 of the KIM and a logic 0 pulse to the IRQ interrupt line. The control system will then exit the tight loop and restart the control program. The repeater will immediately come on the air with the CW ID. This routine might seem overly simple to some, but it gets the job done quite nicely.

The last subroutine is the three-minute time-reset routine. This routine has not

been flowcharted because of its simplicity. The only function of this routine is to reset the three-minute timer upon initial repeater key-up and after the courtesy beep.

If you look at the program listing, you will notice that all of page 1 in the KIM-1 memory is empty. At present, this area is available entirely to the stack. All of this space is not needed for the stack, and the

Hex dump.

```

0000 A9 00 8D FA 17 A9 03 8D FB 17 8D FF 17 A9 80 8D
0010 FE 17 A9 F4 8D 0F 17 20 9A 00 20 00 02 20 A0 00
0020 20 8F 00 D0 03 4C 2C 00 58 4C 1D 00 A2 10 20 79
0030 02 20 8F 00 F0 03 4C 1D 00 20 B0 03 A9 04 8D 00
0040 17 20 8F 00 F0 06 20 C0 02 4C 31 00 A5 8D 09 03
0050 F0 03 4C 41 00 A9 00 8D 00 17 20 8F 00 D0 03 4C
0060 5A 00 20 BC 00 4C 1D 00
0080 EA EA EA EA AD 02 17 29 20 60 A9 00 85 81 85 82
0090 EA EA EA EA AD 02 17 29 20 60 A9 00 85 81 85 82
00A0 A9 FF 8D 01 17 A9 00 8D 00 17 8D 03 17 A5 82 09
00B0 07 F0 03 10 01 60 A5 8E C9 00 D0 0D 20 00 02 A9
00C0 00 85 82 85 81 A9 FF 85 8E 60
0200 A9 00 8D 07 17 A9 04 8D 00 17 A2 0C 8D 8F 02 95
0210 E2 CA 10 F8 A2 08 20 79 02 A2 03 20 79 02 20 8A
0220 02 AA E6 E2 C9 60 D0 03 4C 19 02 C9 FF D0 03 4C
0230 50 02 8A 85 DF 06 DF F0 E0 B0 0D A2 01 20 5B 02
0240 A2 01 20 79 02 18 90 ED A2 03 20 5B 02 18 90 F0
0250 A2 08 20 79 02 A9 00 8D 0F 17 60 86 DD A5 E6 8D
0260 47 17 A9 01 8D 01 17 EE 00 17 A6 E7 CA D0 FD 2C
0270 47 17 10 F3 C6 DD D0 E5 60 86 DD A5 E6 8D 47 17
0280 2C 47 17 10 FB C6 DD D0 F2 60 A6 E2 B5 68 60 00
0290 05 3B 03 44 BB C0 C0 C0 C0 C0 C0
02C0 A2 10 20 79 02 A2 02 20 5B 02 20 B0 03 20 AD 00
02D0 EA EA A2 30 20 79 02 60
0300 48 8A 48 98 48 A9 83 8D 04 17 2C 07 17 10 FB E6
0310 80 A9 04 05 80 D0 41 A9 00 85 80 18 F8 A5 81 69
0320 01 85 81 C9 60 D0 13 A9 00 85 81 A5 82 18 69 01
0330 85 82 C9 60 D0 04 A9 00 85 82 A5 8C 18 69 01 85
0340 8C 09 60 D0 13 A9 00 85 8C A5 8D 18 69 01 85 8D
0350 09 60 D0 04 A9 00 85 8D D8 A9 F4 8D 0F 17 68 A8
0360 68 AA 68 40
0380 AD 02 17 29 01 F0 03 4C 8E 03 58 4C 00 00 A9 00
0390 8D 00 17 58 4C 94 03
03B0 A9 00 85 8C 85 8D 85 8E 60
    
```

lower portion of page 1 is available for future expansion.

In order to use this control system in your repeater, a word is in order about




Fig. 5. Real-time clock routine flowchart.

Fig. 4. Courtesy-tone routine flowchart.



less than 5.5 V to prevent possible damage to the computer. In my system, using a transistorized receiver, I hooked up a COS (carrier-operated switch) to the receiver and connected that transistor directly to PB5. In order for this system to work, the grounds of this controller, any interface circuitry, the receiver, and the transmitter should be connected together—no floating grounds are allowed. Also, the power line to the computer should be as well filtered as possible.

If you are using the remote-control portion of this control system, then you also must connect PB0 (pin 9, KIM-1 application connector) and IRQ (pin 4, KIM-1 expansion connector) to the appropriate points of your control circuitry. The last thing you need to do before putting this system on the air is to put a CW ID into the controller. This is explained in Table 2 and you can use the example in the program listing for DE WD8CHH/RPT CLE as further help.

This control system has been exhaustively tested and all of the bugs should be out by now. However, if you have a problem, contact me and I will provide whatever assistance I can. ■




Fig. 6. Remote-control routine flowchart.

(pin 6, KIM-1 expansion connector) should be connected to PB7 (pin 15, KIM-1 application connector). This will allow the real-time clocks to function.

Next, PA0 (pin 14, KIM-1 application connector) should be connected to the repeater's transmit audio, as this line will have the CW tones on it. The next line that you need to hook up is the transmitter keying line. This line is PA2 (pin 3, KIM-1 application connector). This line provides a logic 1 when the transmitter is supposed to be on. You will have to interface this to turn your transmitter on.

This connection cannot be a direct one as a KIM-1 I/O pin will sink only about 1 mA of current. In the repeater I used to develop this controller, my transmitter was solid state and drew 15 mA to ground to key the transmitter. A buffer IC was connected to PA2 and this was sufficient to sink the 15 mA directly. Depending on the type of transmitter you are using, you may need to have a buffer IC drive a transistor or even a buffer IC to drive a transistor and have the transistor drive a relay to operate your transmitter.

Next, you need to connect a COR output from your repeater's receiver to PB5 (pin 16, KIM-1 application connector). Your COR output must be a logic 0 when receiving a signal. When the receiver is squelched, the voltage on the COR output line going to the computer should be



**\$7.95\***  
**WSU-30M**

**NEW WIRE-WRAPPING TOOL DOES ALL**  
The new WSU-30M "Hobby Wrap" tool performs the complete wire-wrapping function. First, the tool wraps 30 AWG (0.25mm) wire onto standard .025 inch (0.6mm) square DIP Socket Posts. In addition, the tool also unwraps and, finally, it strips 30 AWG wire nick-free.

WSU-30M makes a "modified" style of wrap, in which approximately 1 1/4 turns of insulated wire are wrapped in addition to the bare wire for purposes of added mechanical stability. Designed for the serious amateur, the WSU-30M features compact, all metal construction for years of dependable service. This unique tool is remarkable value performing the work of three separate tools at a fraction of the cost.



MODIFIED WRAP

**PART No.**  
**WSU-30M**

**Strip**



**Unwrap**



REGULAR WRAP

**PART No.**  
**WSU-30**

**Wrap**

**WSU-30**  
**\$6.95\***

**WIRE WRAPPING-STRIPPING-UNWRAPPING TOOL**  
The compact, inexpensive WSU-30 "Hobby Wrap" Tool does the job of three tools at a fraction of their comparable prices. The tool wraps, unwraps, and even strips wire thanks to a unique built-in stripping blade. Designed for use with 30 AWG (0.25mm) wire on standard .025 inch (0.6mm) DIP Socket Posts. Takes minutes to learn to use; makes perfect connections in seconds without solder.

**OK Machine & Tool Corporation**  
3455 Conner St., Bronx, N.Y. 10475 U.S.A.  
Tel. (212) 994-6600 Telex 125091

\* Minimum billings \$25.00, add shipping charge \$2.00  
New York State residents add applicable tax

# The Fun-Mitter — A Goof-Proof Rf Project

## — fail-safe QRP rig uses Radio Shack parts

The purpose of this project was to build a simple transmitter that could be duplicated easily by any amateur.

My main interest as an amateur lies in designing and building my own equipment. During numerous on-the-air conversations, I discovered that home-brewing is not a forgotten art and

that many hams are still interested in building at least some piece of equipment for use in the shack. However, it seems that a good portion of newcomers (and not-so-newcomers) are frustrated when trying to find a project that is simple enough to understand, is cheap, and will produce a useful item which is not

time-consuming to build, debug, and get operational.

This 5-Watt, 80/40-meter, CW transmitter is all of this and more. All of the parts can be purchased at your local Radio Shack, assembly time is less than an hour, and tune-up time is zero. Using a PC board practically guarantees that the transmitter will work

the first time the key is closed. These features should make this a project that both the Novice and old-timer can enjoy.

My original design called for vfo control of the transmitter, but that required five rather than three transistors. Additionally and more importantly, the components needed to construct a stable vfo cannot be purchased at most Radio Shack outlets. To overcome these problems, crystal control was decided upon. At first thought, crystals conjure up an image of hours of operating without a contact as you wait for someone to happen upon your frequency. That simply isn't the case, as will be shown later. Also, since Novices now can use vfos, there are many crystals lying around in ham shacks everywhere.

The transmitter can be built as a basic unit or with




Fig. 1. Transmitter schematic.

several options, as shown. The basic unit consists of the loaded PC board soldered to an antenna connector and power source. If the transmitter is to be used for serious operation—which it definitely is capable of—then the options, which require only a little more time and money, should be added. Options will allow T-R switching, some frequency variation, two bands in one box, and a package that is more pleasant to look at and show off.

### The Circuit

As can be seen from Fig. 1, the transmitter meets the design goal of being simple. Only three transistors are used to generate the 5 Watts of output power. Resonant circuit inductors are formed using iron-core rf chokes. Common-value ceramic capacitors are used either singly or in parallel to obtain the needed capacitance.

Q1 operates as a Pierce oscillator at the crystal frequency. FT-243 crystals, which are inexpensive and plentiful, can be used. Output is taken from Q1 by a five-turn link over L1. Q2 and Q3 comprise the class C final amplifier and are operated in parallel. Parallel operation provides an easy method of obtaining the desired 5-Watt output.

The parallel combination of Q2 and Q3 presents about a 60-Ohm load to be matched to the 50-Ohm antenna load. This collector impedance is determined from the formula  $RL = V_{cc}^2/2p_o$ , where  $V_{cc} = 24$  V and  $p_o = 5$  Watts.

The impedance transformation is accomplished with a pi-network composed of L4, C4, and C5. This network also offers harmonic attenuation to the signal. The transmitter, as designed, easily meets the FCC regulations for harmonic radiation.



Photo A. Completed transmitter.



Photo B. Back view.

R5 and R6 are used to equalize current flow in the two transistors. In all of the units built thus far, I have detected no "hogging" of current by either transistor. Nothing special has been done in selecting matched transistors. If they run equally hot, they are matched well enough! Heat sinks are needed on both

transistors to dissipate the heat generated. Since the type of heat sink needed is not available at Radio




Fig. 2. Power supply schematic.




Fig. 3. PC board layout, foil side. (Single-sided, fiberglass, copper-clad board.)




Fig. 4. Component locations.

Shack, they must be constructed by hand. Light gauge aluminum can be used by forming a tightly fitting cap over the transistor.

The design goal of using readily-available parts was realized throughout the rig. Radio Shack disc ceramic capacitors are used and have performed well. Unfortunately, there is a limited variety of these parts. To obtain the desired capaci-

tance, the capacitors, where necessary, are soldered in parallel. This allows for the elimination of variable capacitors to tweak the tuned circuits to resonance. In all units assembled, the resonant circuits and matching networks have worked fine with no tweaking necessary.

To construct L1, remove the required number of turns from the Radio Shack

choke. Use this removed wire to form the link winding, L2. Wind L2 over the Q1 side of L1. L3 should be made similarly except that no link is needed. The chokes work surprisingly well as resonant circuit inductors at 3.5 and 7 MHz.

One departure from the norm in this project was the use of +24 V for supply voltage rather than the more common 12 volts. This was done for several reasons. It is much easier to build and get operational a 24-volt supply than it is the additional stages required to realize 5-Watts output using a 12-V supply. This also makes the transmitter simpler and cheaper (other design goals).

A schematic for a very simple 24-V supply is shown in Fig. 2. This supply can be made variable or fixed. It has performed flawlessly at currents up to 1.5 Amps. The regulator contains internal short-circuit protection and is self-contained.

If an ac-operated supply is not desired, four 6-V lantern batteries can be operated in series to provide the needed 24 volts. Many hours of transmitter operation can be achieved from such batteries. Alternative-

ly, and probably cheaper, sixteen D-cells can be soldered in series for the supply voltage. Obviously, the 24-volt supply should not be a deterrent to building the transmitter. It can be used for later projects as well!

### Construction

The transmitter is built on a 2¼" by 3" PC board. Assembly time is less than one hour due to the small number of parts used. A number of transmitter boards have been constructed and each one has worked fine when power was applied.

For best operating comfort, the transmitter PC board should be mounted in an enclosure—as mentioned earlier. Any size or type of enclosure will work fine. I used a Radio Shack type, which makes for a nice-looking and compact transmitter.

A crystal socket should be mounted on the front panel to allow for a change of frequency when desired. A variable capacitor can be mounted near the socket to allow for a small amount of frequency excursion from the crystal frequency. On 80 meters, about 1.5 kHz of change has been possible. On 40 meters, this increases

### Parts List

(Radio Shack parts numbers in parentheses.)

#### Fig. 1.

- C1-C10 —Ceramic disc (272-xxx)
- C3 —80m: 220 pF; 40m: 47 pF
- C4,C5 —80m: 690 pF (220 and 470 pF in parallel);  
—40m: 420 pF (220, 100, and 100 pF in parallel)
- Copt —BC variable, approx. 30-200 pF
- J1,J2 —SO-239 (278-201)
- J3 —Phono jack (274-386)
- J4 —Phono jack (247-252)
- L1 —80m: 8.4 uH, 8 turns removed (273-101)  
40m: 10.0 uH, no turns removed (273-101)
- L2 —5 turns wound over side of L1
- L3 —Approx. 30 uH, 40% of turns removed (273-102)
- L4 —80m: 2.4 uH, 16 turns removed (273-101)  
40m: 1.2 uH, 23 turns removed (273-101)
- Q1 —RS-2033 (276-2033)
- Q2,Q3 —RS-2038 (276-2038)
- R5,R6 —Each is 3 10 Ohm, ½-W (271-001) in parallel
- S1 —DPDT toggle (275-1546)

#### Fig. 2.

- C1 —1000 uF, 50 V (272-1047)
- R1,R2 —¼-W carbon (R2 can be made 5k variable to provide 3-30-V output)
- S1 —SPST (275-324)
- T1 —24 V lamp, min. (273-1480 or 273-1512)
- Z1 —Full-wave bridge rectifier, 1.4 A, 100 piv (276-1152)

to about 3-5 kHz. The amount of frequency excursion will vary, depending mostly upon the crystal used.

Switch S1, a miniature DPDT toggle type, is used to switch the antenna between receive and transmit. All connections between S1, the PC board, and the SO-239 antenna connectors should be made with coax. RG-174 is preferred, but if it is not available, RG-58 will work fine. The only other additions necessary are a phono connector for voltage and a key jack.

If desired, the 40-meter PC board can be mounted in the same box as the 80-meter board to make a two-band transmitter. Another toggle switch will be needed to switch the two boards to the appropriate circuit points.

#### Operation

After assembling the PC board and the supporting parts into a cabinet, the transmitter is ready for use. Initially, a dummy load should be connected to the antenna connector. This allows for testing without generating QRM on the air. The dummy load can consist of two 100-Ohm, 2-Watt resistors in parallel. If a VOM (ammeter) is available, it might prove advantageous to hook it in series with the plus side of the 24-V supply. Input power can then be calculated.

After the key is plugged in, the supply turned on, and the crystal installed, switch S1 to transmit and close the key. The VOM should read about 350 mA of current. This indicates an input power of approximately 8.5 Watts ( $P_i = E \times I = 24 \times .35$ ). All of the transmitters I have built have had a minimum efficiency ( $P_o/P_i$ ) of around 60%. This indicates an output power of around 5 Watts. The input (and output)




Photo C. Inside view.

power of your transmitter might vary depending upon the gain of the transistors used.

An antenna now can be hooked to the SO-239 antenna connector. At the same time, a short cable should be run between the receiver-out connector and your receiver.

You are ready now for on-the-air contacts. You probably will be as surprised as I was when you first use your new little powerhouse. Surprisingly, my best success has been in calling CQ. The response ratio has been close to 50%. Using one crystal on 80 meters has resulted in numerous contacts up to 1500 miles away with excellent reports in both strength and quality. The antenna used in conjunction with the transmitter has been a dipole at 20 feet.

#### Conclusion

The transmitter has met the objectives I set out to achieve. It has been fun to design, build, and to use. Hopefully, this article will encourage you to try to

build some type of homebrew gear. A simple receiver board can be constructed easily and in-

cluded with the transmitter. Such a receiver is currently being designed. Good luck in home-brewing! ■

# STOP RF SPILLOVER!

You may be losing up to half the available output from your vertical gain antenna because of RF spillover. The amazing AEA Isopole with unique decoupling design, virtually eliminates RF spillover and can help you multiply your power in all directions on the horizon relative to an ideal half-wave dipole, or end-fed non-decoupled "gain" antennas.

**CALL TOLL FREE  
(800) 621-5802**

**ERICKSON**

COMMUNICATIONS, INC.

5456 N. MILWAUKEE AVE.

CHICAGO, IL 60630 | 312 | 631-5181



**AEA Brings you the  
Breakthrough!**



**NEW** = From **73** = MAGAZINE =

**THE MOST UP-TO-DATE REPEATER ATLAS AVAILABLE!**

**WORLD Repeater ATLAS Repeater Repeater Repeater**

**INCLUDES:**

- LISTINGS BY STATE AND COUNTRY
- LISTINGS BY FREQUENCY
- MAPS FOR EACH STATE
- 28 MHZ THROUGH 1296 MHZ
- PERFECT FOR MOBILING

● **WORLD REPEATER ATLAS—BK7315**—Completely updated, over 230 pages of repeater listings are indexed by location and frequency. More than 50 maps pinpoint 2000 repeater locations throughout the USA. Foreign listings include Europe, the Middle East, South America and Africa. \$4.95.

**IN STOCK AND READY TO SHIP**

\*Use the order card in the back of this magazine or itemize your order on a separate piece of paper and mail to: 73 Radio Bookshop • Peterborough NH 03458. Be sure to include check or detailed credit card information. No C.O.D. orders accepted. Add \$1.00 handling charge. Questions regarding your order? Please write to Customer Service at the above address. Please allow 4-6 weeks for delivery.

**FOR TOLL FREE ORDERING CALL 1-800-258-5473**

# MOVING?

Let us know 8 weeks in advance so that you won't miss a single issue of 73 Magazine.

Attach old label where indicated and print new address in space provided. Also include your mailing label whenever you write concerning your subscription. It helps us serve you promptly. Write to:

**73 magazine**

Subscription Department  
P.O. Box 931  
Farmingdale NY 11737

- |   |   |
|---|---|
| <input type="checkbox"/> Address change only    | <input type="checkbox"/> Payment enclosed |
| <input type="checkbox"/> Extend subscription    | <input type="checkbox"/> Bill me later    |
| <input type="checkbox"/> Enter new subscription |   |
| <input type="checkbox"/> 1 year \$25.00         |   |

*If you have no label handy, print OLD address here.*

AFFIX LABEL

Name \_\_\_\_\_ Call \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

*print NEW address here:*

Name \_\_\_\_\_ Call \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

301B55

**MAKE MONEY...  
SELL  
73 MAGAZINE**

Selling 73 Magazine, the ham radio magazine that offers quality and quantity, brings the ham into your store. Once through the door you can sell him anything.

Our dealers are telling us that "73" outsells them all...so call today and join the dealers who make money with 73 Magazine.

For information on selling 73 Magazine call 603-924-7296 and speak with Ginnie Boudrieau, our Bulk Sales Manager. Or write to her at:

**73 MAGAZINE**  
80 PINE STREET  
PETERBOROUGH NH 03458



# WHAT WILL YOUR NEW RIG BE LIKE?

The magic of digital electronics is coming to ham gear...and you'll be able to read about these developments in 73. There probably will be more changes in ham equipment in the next few years than ever before in history. You'll see these changes coming in 73, where you'll read about the experiments and pioneering. 73 has more articles than any other ham magazine...often more than all the others combined.

When sideband got started it was moved along by the many pioneering articles in 73. In the 60s it was solid state, with several times as many articles on the subject than in all the other magazines combined. When repeaters and FM got going about ten years ago there were over five times as many articles on the subject published in 73 as in all other ham magazines combined

...and you can see what changes that brought to hamming. Now we're looking at exciting developments such as narrow band sideband for repeaters...which might give us six times as many repeaters in our present bands. We're looking at automatic identification systems which may make it possible for us to read out the call letters of any station tuned in...and even the development of self-tuning receivers.

Will stereo double sideband techniques make it possible to have up to 30 times as many stations within a given HF band as is now possible? Hams will be experimenting and reporting on these developments in 73. 73 is an encyclopedia of hamming...present and future...and just a bit of the past, too.

Without the endless fillers on station activities and club

news, 73 is able to publish far more information...valuable information...on hamming and ham equipment.

You may or may not be a pioneer, but you certainly will want to keep up with what is happening and what the new rigs are going to be like. And, frankly, your support of 73 is needed to keep this type of information coming.



Yes, bill me for 1 year of 73 Magazine at \$25.00

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Canadian \$27/1 year only, US funds. Foreign \$35/1 year only, US funds

Please allow 4 to 6 weeks for delivery

73 Magazine • PO Box 931 • Farmingdale, NY 11737

312B6

# LOOKING WEST

from page 14

great deal of time experimenting with antenna systems for VHF and HF. Bob designed and built one of the nation's most exotic repeater systems: WD9GOE, located in his hometown of Marissa, Illinois, some 70 miles outside St. Louis. He also spearheaded the now-annual ARCH Convention in St. Louis and has accomplished so much in his life that it could fill many volumes.

Bob's book is covered in the Review section of this issue of *73 Magazine*.

## THE VOCOM ANTENNA DEPT.

Elsewhere in Illinois there exists a company that calls itself VoCom, and they have a rather interesting product. It's a 5/8-wave gain antenna that collapses to 8" and is designed to be used directly on a hand-held fitted with a BNC-type connector. I became interested in this product after moving to our new home. (One thing to mention on my new home: While set in a beautiful canyon, I actually purchased a \$70,000 "dead spot" that came complete with "CC & Rs" which prohibit any outside antenna structure. Not that the latter would be of any distinct advantage over what I have in the attic, unless I erected a tower some 650 feet high. I knew what I was getting into when I bought the place and do not regret the move. I bank heavily on a remote-base system atop a nearby peak to keep in touch with the outside world.)

But now and again it's nice just to chew the fat simplex (direct), and my Wilson Mark II is just the ticket at those times. With the supplied rubber ducky, I found my simplex range to be under a mile. I tried a 1/4-wave whip and got another mile out of that. In fact, with the 1/4-wave, I could be heard through the nearby WR6AHM Magic Mountain repeater. Barely, I grant you, but readable. The Icom 22 and attic-mounted, 4-element beam put me in solidly, but are not convenient when one wants to lie in bed for a chat.

Anyhow, through a friend I


heard about the VoCom antenna and procured one. I was very skeptical when it arrived. Taking it out of its shipping container, I found what appeared to be a TV rabbit ear antenna rod designed for an early model Sony TV, mated through a covered coil to a BNC plug. I was not all that impressed.

"Oh, well. What the heck. Let's give it a try," I said to myself. I tried keying up Magic with the ducky so that I would have a basis for comparison. As usual, there was no way to key up Magic with the ducky. Then I substituted the VoCom, extended it out to its full 47 inches and tried again. "You're full quieting, Bill. You using the beam?" was the first report. I was astounded. No way, I thought. I had the station stand by and tried the ducky. No luck. Back on the VoCom I was DFQ. "The bloomin' thing works!" I thought to myself.

Subsequent QSOs on 146.52 have proven to me that the manufacturer's performance claims are in the ballpark (which is something else rare in this age of hype and jive). Last night, under normal conditions, I completed a QSO with a station in the Simi Valley some 45 miles away. Signals were fair both ways. One of these days I'll publish a photo of these surroundings to show the terrain I am up against. If this antenna will work here, I think I can safely say that it will work anywhere. The VoCom HT Gain Antenna is available for \$24.95 from VoCom, 65 E. Prospect, Suite 111, Prospect Heights IL 60070. In my opinion, it's worth the asking price and then some.

## VOYAGER AND ATV DEPARTMENT

One of the most fascinating places in Southern California is the Jet Propulsion Laboratory in Pasadena. For well over a decade, JPL has been the scene of some of the greatest breakthroughs in the history of man's conquest of the "final frontier." Many of us grew up watching the epic of American space exploration unfold through the eyes of news correspondents




Saturn and its satellites Tethys (outer left), Enceladus (inner left), and Mimas (right of rings) are seen in this mosaic of images taken by NASA's Voyager 1 on October 30, 1980, from a distance of 18 million kilometers (11 million miles). The soft, velvety appearance of the low-contrast banded structure and increased reflection of blue light near the perimeter of the Saturn disk are due to scattering by a haze layer above the planet's cloud deck. Features larger than 350 kilometers (220 miles) are visible. The projected width of the rings at the center of the disk is 10,000 kilometers (6,000 miles), which provides a scale for estimating feature sizes on the image. Photo courtesy of NASA.

and scientists in press conferences.

In November of 1980, we witnessed another chapter in this ongoing story as *Voyager 1* had a "Close Encounter of a Special Kind" with the planet Saturn. We saw the close-up photos of Saturn, its rings and its moons, in a manner never seen before. For all the questions answered by the *Voyager 1* flyby, new ones arose. We watched as *Voyager*, a billion miles off in endless space, performed its appointed task flawlessly, sending back television photos of the ringed world. From the comfort of our own homes, we watched as people such as NBC's Roy Neal brought these pictures to us via our own TV set. Together we lived through another great moment in man's conquest of the unknown.

Among the first to see some of these epic photos were those

of us who are amateur radio operators. This because there exists at JPL one of the nation's most active amateur radio clubs, an organization well known for doing its part to help commemorate events such as this. In the past, whenever a close encounter such as this took place, the JPL Amateur Radio Club went on the air sending slow-scan photos and offering commemorative QSL cards which have become collectors' items. The *Voyager 1* Saturn flyby was no exception, as those of you who QSOed W6VIO (*Voyager In Outerspace*) during this time period are well aware. For the better part of November, W6VIO was operational on a daily basis. Hot from the JPL imaging department, photos were aired on various amateur bands worldwide, using slow-scan television techniques. But that was not all. For the *Voyager 1*



One of the visitors to W6VIO during the Saturn encounter was Mike Davis WD6FFV. Many of you will remember Mike. Two years ago, at age 13, he coordinated the rescue of three people aboard a sinking boat in the Caribbean.



Those JPL employees operating at W6VIO did so on their own time. These two manned the 220-FM position and ate lunch at the same time. Talk about dedication!

Saturn encounter another dimension was added: regional fast-scan television using facilities provided by Tom O'Hara W6ORG of P.C. Electronics and the Southern California ATV Club.


The fast-scan installation was rather unique. The idea was to get the video signals from W6VIO into two area ATV repeaters, one located on Johnstone Peak near Pomona, Cali-

fornia, and the other on Mt. Wilson. As you can see from the accompanying pictorial, while JPL may lie in the shadow of Mt. Wilson, it is not line-of-sight to it. JPL also is effectively blocked from Johnstone Peak by other hills. One of the places it could see easily, however, was the Flintridge area, so a decision was made to install an intermediary link at the home of Dr. Dale Hauck W6YFT. Televi-


sion was then generated at W6VIO, relayed to W6YFT and into the two crossband ATV repeaters, affording the ever-growing ATV community out here a chance to see things first hand.

The fast-scan operation was every bit as successful as was the slow-scan. There were reports of reception as far away as Riverside and San Diego, and it was of good quality color photos many times accompanied by descriptive audio of what was being seen. The fast-scan was so well received that plans already are being made to repeat the setup next summer when *Voyager 2* encounters the

ringed planet and scientists again try to unravel some of the mysteries of space. In the meantime, if you were among those fortunate enough to QSO W6VIO, I urge you to send for one of their QSL cards. Be sure you are a "logged contact," and send your own QSL confirming the contact along with a #10 self-addressed, stamped envelope to W6VIO at their *Callbook* address. When you receive yours, you might want to frame it. Not only to protect it, but so that it will stand out among the rest as a symbol of your personal participation in a rather monumental achievement of mankind.



The slow-scan ATV setup at W6VIO was simple but effective. From this position, pictures were seen worldwide.



# CONTESTS

from page 19

Work as many QCWA members as possible and apply for the several Special QCWA Certificates which you have qualified for in the QCWA Parties: Worked 50 States, Worked 60 Chapters, Worked 100 Members, and Worked 500 Members.

## ARRL INTERNATIONAL DX CONTEST - CW

0000 GMT February 21  
2400 GMT February 22

The ARRL-sponsored contest is open to all amateurs worldwide. Note that the basic contest format has been returned to that of 1979, with W/VE stations working the world and everybody else working W/VE stations only. The changes to single-band categories and the expanded awards program proved very popular and remain unchanged. Use all bands, 1.8 to 30 MHz.

Operating categories include: single operator allband and single-band, multi-operator single transmitter or multi-transmitter, QRP single transmitter only with 10 Watts input or less (5 Watts output or less).

Your callsign must indicate

your DXCC country (KL7XYZ/2 in NJ, FG0AAA/FS on St. Martin, etc.). One operator may not use more than one callsign from any given location during the contest period. The same station may be worked only once per band. No crossmode, cross-band, or repeater contacts. Aeronautical and maritime mobile stations outside the USA and Canada may be worked for QSO credit only by W/VE stations. All transmitters and receivers must be located within a 500-meter diameter circle, excluding directly-connected antennas. This prohibits the use of remote receiving installations. However, multi-operator stations may use spotting nets for multiplier hunting only.

### EXCHANGE:

W/VE stations (includes 48 contiguous United States and does *not* include Canadian islands of St. Paul and Sable) send RST and state/province. DX stations send RST and transmitting power as a 3-digit number.

### SCORING:

W/VE stations count 3 points per DX QSO. The multiplier is the

sum of DXCC countries (except US and Canada) worked per band. DX stations score 3 points per W/VE QSO. The multiplier is the US states (except KL7 and KH6), VE1-7, VO, and VE8/VY1 worked per band. Maximum of 57 per band. Final score is total QSO points times the total multiplier.

### AWARDS:

Various plaques and certificates to top scorers. Certificates to each DX entrant making more than 500 QSOs. ARRL affiliated clubs compete for gavels on three levels: unlimited, medium, and local clubs. Details should have appeared in the January, 1981, QST.

### ENTRIES:

All entrants are encouraged to use forms available from ARRL (include an SASE or one IRC). Logs should indicate times in GMT, bands, calls, and exchanges. Multipliers should be clearly marked in the log the first time worked. Entries with more than 500 QSOs must include cross-check sheets. All operators of multi-operator stations must be listed. Entries must be postmarked by April 7, 1981, and addressed to: ARRL, 225 Main Street, Newington CT 06111. Any entries received after mid-July may not make QST listings. Usual entry conditions and disqualification criteria.

## G-QRP-CLUB CW ACTIVITY WEEKENDS

0900 GMT February 28  
2300 GMT March 1  
0900 GMT September 12  
2300 GMT September 13

All amateur radio amateurs interested in QRP are invited to take part in the club's activity weekends. No special exchange information was mentioned in the information provided by the club. The operating schedule for the two weekends is as follows:

3560 kHz = 0900-1000, 1700-1800, and 2200-2300 GMT

7030 kHz = 1200-1300, 1500-1600, and 1900-2000 GMT

14060 kHz = 1000-1100, 1400-1500, and 2100-2200 GMT

21060/28060 = 1100-1200, 1600-1700, and 2000-2100 GMT

Reports on the Activity Weekends are welcomed by Christopher J. Page G4BUE.

In addition to the above, members of the G-QRP-Club have a weekly Activity Period on Sundays from 1100-1230 and from 1400-1530 GMT on the International QRP frequencies (3560, 7030, 14060, 21060, and 28060). All radio amateurs interested in QRP are invited to join in.

For information regarding membership in the G-QRP-Club, write: George Dobbs G3RJV, 17 Aspen Drive, Chelmsley Wood, Birmingham, England B37 7QX. The club publishes a quarterly magazine called *SPRAT* and promotes an extensive awards program for QRP achievements.

# HAM HELP

We are happy to provide Ham Help listings free, on a space-available basis. We are not happy when we have to take time away from other duties to decipher cryptic notes scrawled illegibly on dog-eared post cards and odd-sized scraps of paper. Please type or print (neatly!), double spaced, your request on an 8½" x 11" sheet of paper and use upper- and lowercase letters where appropriate. Also, please make a "1" look like a "1," not an "l," which could be an "el" or an "eye," and so on. Hard as it may be to believe, we are not familiar with every piece of equipment manufactured on Earth for

the last 50 years! Thanks for your cooperation.

I need information on using a solid-state oscillator in HBR receivers by Ted Crosby. I will answer and send postage. Thanks.

Owen Laughlin KA8CXK  
719 Hemphill  
Ypsilanti MI 48197

I need a working charger for the Motorola HT-220 transceiver. I am a senior citizen ham, so I need a low price, please.

Bob Clark W5BTZ  
8260 Wateka Road  
Richardson TX 75080

I need a copy of the manual for the Gonset GSB-201—an original or photocopy would be OK. I'll be happy to pay for all costs.

Steven Bein K6MBP  
3044 Danalda Dr.  
Los Angeles CA 90064

I have a Hammarlund Super Pro receiver, military no. BC-779-B. It does not cover 10 or 15 meters, which I would like to have. It has one band marked 100-200 KC and the other, 200-400 KC. There was a conversion kit but the company no longer has them.

If anyone has a conversion kit for this receiver or a BC-794-B or BC-1004 C, even though it doesn't work, and if the price is right, I would like to get it.


Donald B. Watkins  
428 Oak St.  
Warren AR 71671

I need a schematic and/or manual for a keyboard having the following markings: #2815051-01A. Unit has 91 keys and PC board has LICON 80-55157CS1-1 on it. It may have been used in a UNIVAC system. I will reimburse copying cost, will copy and return promptly, or purchase manual.


John Zowtiak N7BFX  
750 Little Matterhorn Dr.  
Salt Lake City UT 84107

Where can I get a replacement cabinet back for my Hallicrafters Model S38-B shortwave receiver? Mine was damaged and I've been unable to get a replacement from Hallicrafters. There must be distributors somewhere that have some of these and would be glad to sell them.


Duerson Prewitt K4ZCD  
129 N. Maysville St.  
Mt. Sterling KY 40353




**AUTOMATIC SWR & PEAK READING  
HF POWER METER**  
MODEL APM-1H \$99.95  
Frequency Coverage: 1.8 – 60 MHz  
Input Impedance: 50 – 52 ohms  
Power Range: 0 – 200, 1000, 2000W  
SWR Range: 1:1 – 10:1  
Power Modes: Average & PEP  
Accuracy: ±10%  
Power Requirements: 117 VAC 60 Hz



**SWR & POWER METER FOR HF/VHF**  
MODEL PM-3HV \$54.95  
Frequency Coverage: 3 – 150 MHz  
Input Impedance: 50 – 52 ohms  
Power Range: 0 – 20, 200, 1000W  
SWR Range: 1:1 – 5:1  
Accuracy: ±10%  
Power Requirements: 12 VDC  
Illuminated meters for mobile operator



**SWR & POWER METER FOR HF/VHF**  
MODEL PM-4HV \$44.95  
Frequency Coverage: 3 – 150 MHz  
Input Impedance: 50 – 52 ohms  
Power Range: 0 – 20, 200, 1000W  
SWR Range: 1:1 – 3:1  
Accuracy: ±10%  
Power Requirements: None  
Velcro for mobile mounting




**AUTOMATIC SWR & PEAK READING  
VHF POWER METER**  
MODEL APM-1V \$99.95  
Frequency Coverage: 50 – 150 MHz  
Input Impedance: 50 – 52 ohms  
Power Range: 0 – 20, 200W  
SWR Range: 1:1 – 10:1  
Power Modes: Average & PEP  
Accuracy: ±10%  
Power Requirements: 117 VAC 60 Hz

# Best Amateur Radio Accessories

AKIGAWA



**MIKE COMPRESSOR WITH LINEAR  
AMPLIFIER**  
MODEL MCLA-1 \$89.95  
Compressor Section  
Frequency Range: 100 – 10000 Hz  
Distortion: Within 0.4%  
Linear Amplifier Section  
Frequency Range: 300 – 10000 Hz  
Gain: 25 dB (12V)  
Power Requirements: 9 VDC




**FLAT RESPONSE SWR & POWER METER  
FOR HF**  
MODEL PM-2H \$89.95  
Frequency Coverage: 1.8 – 60 MHz  
Input Impedance: 50 – 52 ohms  
Power Range: 0 – 200, 1000, 2000W  
SWR Range: 1:1 – 3:1  
Accuracy: ±10%  
Power Requirements: None

Manufactured By:  
**AKIGAWA ELECTRONICS CORPORATION**

Distributed Exclusively By: ✓ 56  
**MACAW ELECTRONICS INCORPORATED**  
P.O. Box 66, Carlsbad, Calif, 92008  
Phone (714) - 434-1078  
Telex 181743 MACAW CSBD



**ACTIVE AUDIO FILTER**  
MODEL AAF-1 \$89.95  
Filters: Band Pass+Notch  
Center Frequency  
Shift Width: 200 – 2500 Hz  
Input Impedance: 8 – 600 ohms  
Output Impedance: 8 ohms  
Output Power: 1W max.  
Power Requirements: 9 VDC 150 mA



**FLAT RESPONSE SWR & POWER METER  
FOR VHF**  
MODEL PM-2V \$89.95  
Frequency Coverage: 50 – 150 MHz  
Input Impedance: 50 – 52 ohms  
Power Range: 0 – 20, 200W  
SWR Range: 1:1 – 3:1  
Accuracy: ±10%  
Power Requirements: None



**SWR & POWER METER FOR MOBILE**  
MODEL PM-5H (HF) \$49.95  
MODEL PM-5V (VHF) \$49.95  
Frequency Coverage: 1.8 – 30 MHz (PM-5H)  
50 – 150 MHz (PM-5V)  
Input Impedance: 50 – 52 ohms  
Power Range: 0 – 20, 200 W ±10%  
Power Requirements: 12V DC  
Complete with directional coupler unit



**PRESELECTOR**  
MODEL PR-1 \$109.95  
Frequency Coverage: 3 – 30 MHz  
Gain: 20 dB at 7 MHz,  
Variable  
RF Attenuation: –20 dB & –10 dB  
Input/Output  
Impedance: 50 – 75 ohms  
Relay Power  
Capability: 200W CW  
Power Requirements: 117 VAC 60 Hz

(Prices are suggested list and are subject to change without notice.)

# W2NSD/1 NEVER SAY DIE

editorial by Wayne Green

from page 11



The crowding of Tokyo has forced much of the growth to go underground. This is a small part of the four-floor shopping complex which is involved with the Sunshine Prince hotel, where we stayed. There are two McDonalds restaurants in this one complex! There is also an almost infinite number of other restaurants, running from snack bars to very posh eateries. Multilayered underground shopping malls are growing rapidly in Tokyo.



Hmmm, octopus chips! Well, much better than cow chips, anyway ... and free!



This is one of the Golden Arches attached to the hotel. It was a handy place to get milk. Not being a big Coke fan, I didn't pursue the nickel Coke offer. I did invest in their egg McMuffin for breakfast now and then.



Obviously, eating is an all-consuming interest for me. Here's a typical department store basement with its hundreds of food concessions. The happy innocents running these booths put out free samples to attract business. They also attract frugal Yankees, who are able to make a whole meal out of the samples.



Here's one of the food displays. The tempura jumbo shrimp are \$7.50.



The subway system is easy to use, though it takes guts to try it the first time. You get the hang of it quickly. It's clean, fast, and well marked.



Each station is marked in both Japanese and English, with the stations at the ends of the line indicated so you know which train to take.



Yep, ice cream, too. The sundae prices are a bit high, but not out of line with the New York prices at \$3 for the big banana split. Soft ice cream cones are usually around 75¢ and are sold all over the place.



You like grapes? Here are boxes of grapes... absolutely delicious grapes. The green ones are \$20 a box and the smaller box of purple grapes is only \$12.50.



To help dispel the idea that eating in Japan is expensive, here is a picture of a musk melon. This is a typical fruit product that I saw in dozens of fruit stores and fruit counters in department stores. To translate the Yen into dollars divide by 200. Thus, this melon is a mere \$50 in American money.



In the Akihabara (radio row) section of Tokyo, there are hundreds of shops selling radios, parts, hi-fi, computers... everything in consumer electronics. With a bit of shopping, you can knock around 35% or so off the US prices, so I loaded up with new gadgets from Casio and Sharp. That's Sherry looking over the cassette bargains.

# SOCIAL EVENTS

Listings in this column are provided free of charge on a space-available basis. The following information should be included in every announcement: sponsor, event, date, time, place, city, state, admission charge (if any), features, talk-in frequencies, and the name of whom to contact for further information. Announcements must be received two months prior to the month in which the event takes place. They should be sent directly to Editorial Offices, 73 Magazine, Pine Street, Peterborough NH 03458, Attn: Social Events.

## MIAMI FL FEB 7-8

The 21st annual Tropical Hamboree and 1981 ARRL Florida State Convention will be held on February 7-8, 1981, at the Flagler Dog Track, Miami FL. Registration is \$3.00 in advance and \$4.00 at the door. Swap tables are an additional \$12.00 for both days, \$7.00 for Saturday only, and \$6.00 for Sunday only. Events will include tech talks and forums, over 100 exhibit booths, 400 swap tables, ladies' programs, group meetings, and many awards. There will be free overnight RV parking for self-contained units at the site (advance registration is recommended). Special gatherings are planned for QCWA/OOTC/SOWP and DXers. For further information and special hotel rates, write Dade Radio Club, PO Box 350045 Riverside Station, Miami FL 33135.

## MANSFIELD OH FEB 15

The Mansfield midwinter hamfest auction will be held on February 15, 1981, at the Richland County Fairgrounds, Mansfield OH. Doors will open to the public at 8:00 am. Tickets are \$1.50 in advance and \$2.00 at the door. Features will include prizes, an auction, and a flea market, all in a large heated building. Talk-in on 146.34/.94. For additional information, advance tickets, and/or tables, send an SASE to Harry Fritchen K8HF, 120 Homewood Road, Mansfield OH 44906, or phone (419)-529-2801.

## FAYETTEVILLE WV FEB 15

The Plateau Amateur Radio Association will hold its 3rd annual hamfest on Sunday, February 15, 1981, at the Memorial Building, Fayetteville WV. The doors will open at 9:00 am and admission is \$2.50, with children admitted free. Flea market tables are \$2.00. Activities (all indoors) will include ARRL displays, forums, exhibits, door prizes, and XYL programs. Hot food, refreshments, and free parking will be available. Talk-in on 146.52 and 146.19/.79. For more information, contact Bill Wilson WA8YTM, 302 Central Avenue, Apartment #2, Oak Hill WV 25901, or phone (304)-469-9910 or (304)-574-1176.

## VERO BEACH FL FEB 21-22

The Treasure Coast Hamfest

will be held on February 21-22, 1981, at the Vero Beach Community Center. Admission is \$3.00 per family, in advance, and \$4.00 at the door. Features will include prizes, drawings, and a QCWA luncheon. Talk-in on 146.13/.73, 146.52/.52, 146.04/.64, and 222.34/223.94. For information, write PO Box 3088, Beach Station, Vero Beach FL 32960.

## LIVONIA MI FEB 22

The Livonia Amateur Radio Club will hold its 11th annual LARC Swap 'n Shop on Sunday, February 22, 1981, from 8:00 am to 4:00 pm, at Churchill High School, Livonia MI. There will be plenty of tables available. Other features include door prizes, refreshments, and free parking. Talk-in on 146.52. For further information, send an SASBE (4" x 9") to Neil Coffin WA8GWL, c/o Livonia Amateur Radio Club, PO Box 2111, Livonia MI 48150.

## AKRON OH FEB 22

The Cuyahoga Falls Amateur Radio Club will hold its 27th annual electronics equipment auction and flea market on Sunday, February 22, 1981, at North High School, Akron OH, from 8:30 am to 4:00 pm. Tickets are \$2.50 at the door and \$2.00 in advance. Even though it is suggested that you bring your own tables, some will be available for \$2.00 each. Featured will be refreshments and prizes, including a first prize of a Kenwood TS-130S and two more prizes of Icom IC-2ATs. There will be plenty of room for buyers and sellers, including free parking. Talk-in on 146.04/.64. For more details, write CFARC, PO Box 6, Cuyahoga Falls OH 44222, or phone K8JSL at (216)-923-3830.

## LANCASTER PA FEB 22

The Lancaster Hamfest will be held on February 22, 1981, at the Guernsey Pavilion, located at the intersection of Rtes. 30 and 896, east of Lancaster PA. General admission is \$3.00, except children and XYLs. Doors will open at 8:00 am. All inside spaces are available by advance registration only and are \$4.00 each for an 8-foot space, which includes a table. There is a limit of 2 non-commercial or 6 commercial tables; the registration deadline is February 13, 1981.

All vendors must set up between 6:00 am and 8:00 am on Sunday; reservations will not be held past 9:00 am without prior arrangement. Free tailgating will be available in a specified area outside if weather permits. Food will be served at the hamfest. Also, there are excellent restaurants and accommodations in the area. Call (717)-768-8271 for motel reservations under Sercom. Talk-in on 146.01/.61. For more information, write Sercom, Inc., PO Box 6082, Rohrerstown PA 17603.

## VIENNA VA FEB 22

The Vienna Wireless Society will hold its annual WINTER-FEST™ on February 22, 1981, at the Vienna Community Center, Park Street, Vienna VA. The event will begin at 8:00 am.

## MARLBORO MA FEB 22


The Algonquin Amateur Radio Club will hold its annual indoor ham radio flea market on Sunday, February 22, 1981, at the Marlboro Jr. High School, off Rte. 85 on Thresher Avenue, Marlboro MA. Doors will be open from 10:00 am to 2:00 pm and sellers will be admitted starting at 9:00 am. Admission is 50¢. Tables reserved by February 15, 1981, are \$5.00; after that date, they are \$7.50. Talk-in on .52. For more information or reservations, contact Charles McCarthy W1BK, 128 Forest Avenue, Hudson MA 01749.

## MINONG WI FEB 22

The Wild Rivers Amateur Radio Club will hold a mid-winter swapfest on Sunday, February 22, 1981, from 10:00 am to 3:00 pm at the Minong Village Hall, Minong WI, 45 miles south of Duluth-Superior, 90 miles north of Eau Claire on Highway 53, and 135 miles from Minneapolis-St. Paul. Admission is \$1.00 and tables are free. There will be a raffle drawing for a scanner. Talk-in on .28/.88 and .52. For information, contact Roger Doehr W9DLY, Route 5, Box 452, Hayward WI 54843.

## LAPORTE IN FEB 22

The LaPorte Winter Hamfest will be held on February 22, 1981, at the LaPorte Civic Auditorium (main floor), LaPorte IN, 50 miles southeast of Chicago.



### 1800 to 2500 MHZ DOWN CONVERTER

Down Converter Kit Printed Circuit Board with all parts for assembly	\$38.50
Yagi Antenna Kit 22 db gain with weatherproof Shielded enclosure	\$40.00
Tunable Power Supply Kit	\$34.95
Antenna Cookbook Tested and proven designs	\$ 9.95
Assembled and Tested Down Converter with 50' RG59 cable with 75 to 300 ohm adapter ready to install	\$175.00

TERMS: We will accept COD orders for \$25.00 and over. All orders sent First Class on UPS. Prepaid orders we pay shipping.

**Microverter, Inc.** 395 P.O. BOX 1267  
617-329-7493 DEDHAM, MA 02026



Donations are \$2.00 in advance or \$2.50 at the gate. There will be plenty of room, good food, and tables which are \$1.00 each. Talk-in on .01/.61 and .52. For more information, write LPARC, PO Box 30, LaPorte IN 46350.

**GLASGOW KY  
FEB 28**

The Mammoth Cave Amateur Radio Club will hold its annual Glasgow swapfest on Saturday, February 28, 1981, from 8:00 am to 5:00 pm CST at the Glasgow Flea Market Building, 2 miles south of Glasgow on Highway 31E. There will be a large heated building with plenty of free parking. Each exhibitor will be provided one free space with table and chair. Additional spaces are available for \$3.00 each. The building will be open for exhibitors at 7:00 am CST. There will be no forums or meetings—just door prizes, free coffee, and a large flea market. Admission is \$2.00. Talk-in on .34/.94. For additional information, contact WA4JZO, 121 Adairland Ct., Glasgow KY 42141.

**DAVENPORT IA  
MAR 1**

The Davenport Radio Amateur Club will hold its tenth annual hamfest on March 1, 1981, from 8:00 am to 4:00 pm at the Davenport Masonic Temple, Highway 61 (Brady Street) and 7th Street, Davenport IA. Tickets are \$2.00 in advance, \$3.00 at the door. Tables are \$4.00 each with a \$2.00 additional charge for an electrical hookup (limited number). Features will include over \$2,000 worth of major prizes. Hotel discounts and refreshments will be available. There will be a pre-hamfest Saturday night banquet with Paul Graver, midwest ARRL SCM, as guest speaker. Banquet tickets are \$8.00 and reservations must be paid by February 18, 1981. Talk-in on 146.28/.88, W0BXR. For advance tickets, dinner, and table reservations, write Dave Johannsen WB0FBP, 2131 Myrtle, Davenport IA 52804.

**GRAND JUNCTION CO  
MAR 7**

The Grand Mesa Repeater Society will hold the second annual indoor Western Slope Swapfest on March 7, 1981, at the Lincoln Park Barn, 12th and Gunnison, Grand Junction CO. Doors will be open from 10:00 am through 4:00 pm and admission is free. Swapfest tables are

\$4.00 in advance. Attractions will include commercial exhibitors, a flea market, an auction, and prizes. Raffle tickets for the grand prize of a Tempo S-1 are \$2.00 each. Talk-in on 146.22/.82. For further information, send an SASE to Larry Brooks WB0ECV, 3185 Bunting Avenue, Grand Junction CO 81501, or call (303)-434-5603.

**MAUMEE OH  
MAR 22**

The Toledo Mobile Radio As-

sociation, Inc., will hold its 26th annual auction and hamfest on Sunday, March 22, 1981, at the Lucas County Recreation Center, Key Street, Maumee OH. Hours are from 8:00 am to 5:00 pm. The free auction starts at 10:00 am. There will be ample free parking all day and overnight. Tickets are \$2.00 in advance and \$3.00 at the door. Flea market tables are available; displays are limited to electronics and ham gear. There will be commercial exhibits, refresh-

ments, door prizes, and a big raffle—all inside. Prizes include a Kenwood TS-130 with power supply, two Icom IC-2AT HTs, a Bird Wattmeter, and many more. There will be an additional ladies' program. Bring your YL, XYL, or OM and make a day of it. Talk-in on 146.52/.52. Area repeaters are 146.01/.61, 146.19/.79, 146.34/.94, 147.87/.27, and 147.975/.375. For additional information, write J. Honisko N8BGH, 1733 Parkway Drive N., Maumee OH 43537.

## ALL BAND TRAP ANTENNAS!



**PRETUNED - COMPLETELY ASSEMBLED - ONLY ONE NEAT SMALL ANTENNA FOR UP TO 7 BANDS! EXCELLENT FOR CONGESTED HOUSING AREAS - APARTMENTS LIGHT - STRONG - ALMOST INVISIBLE!**

**FOR ALL MAKES & MODELS OF AMATEUR TRANSCEIVERS - TRANSMITTERS - GUARANTEED FOR 2000 WATTS SSB 1000 WATTS CW. INPUT FOR NOVICE AND ALL CLASS AMATEURS!**

**COMPLETE AS SHOWN** with 90 ft. RG58U-52 ohm feedline, and PL259 connector, insulators, 30 ft. 300 lb. test dacron end supports, center connector with built in lightning arrester and static discharge - molded, sealed, weatherproof, resonant traps 1"X6"- you just switch to band desired for excellent worldwide operation - transmitting and receiving! Low SWR over all bands - Tuners usually NOT NEEDED! Can be used as inverted V's - slopers - in attics, on building tops or narrow lots. **THE ONLY ANTENNA YOU WILL EVER NEED FOR ALL DESIRED BANDS - WITH ANY TRANSCEIVER - NEW - EXCLUSIVE! NO BALUNS NEEDED!**

80-40-20-15-10-6 meter - 2 trap --- 104 ft. with 90 ft. RG58U - connector - Model 998BUA . . .	\$69.95
40-20-15-10 meter --- 2 trap --- 54 ft. with 90 ft. RG58U - connector - Model 1001BUA . . . . .	\$68.95
20-15-10 meter --- 2 trap --- 26ft. with 90 ft. RG58U - connector - Model 1007BUA . . . . .	\$67.95


SEND FULL PRICE FOR POSTPAID INSURED. DEL. IN USA. (Canada is \$5.00 extra for postage - clerical-customs etc.) or order using VISA - MASTER CHARGE - CARD - AMER. EXPRESS. Give number and ex. date. Ph 1-308-236-5333 9AM - 6PM week days. We ship in 2-3 days. **ALL PRICES WILL INCREASE . . . SAVE - ORDER NOW!** All antennas guaranteed for 1 year. 10 day money back trial if returned in new condition! Made in USA. FREE INFO. AVAILABLE ONLY FROM

**WESTERN ELECTRONICS** Dept. A7- 2 ✓80 Kearney, Nebraska, 68847

## RTTY/CW FOR THE TRS-80\*

### ROM-116

RTTY/CW Operating System




**FEATURING:**

- ASCII-BAUDOT-CW
- SPLIT-SCREEN VIDEO
- REAL TIME CLOCK

**PLUS:**

- Word-wrapping
- Two serial ports


45.45 to 9600 Baud



**CROWN  
MicroProducts**

P O Box 892  
Marysville, Washington 98270  
(206) 659-4279

- Serial ports use USARTS
- Automatic CW/ID
- Program status continuously displayed
- Instantly change:
  - program status
  - Baud rates
  - ASCII/Baudot modes
- Transmitter under program control
- Self tracking CW speed
- LLIST & LPRINT usable on any serial printer
- All software easily transferred to disk
- Requires LEVEL II 16K RAM Model I or Model III, external terminal unit
- Includes pc board, cabinet, software & manual
- Unconditionally guaranteed for 30 days
- Limited parts & labor warranty for 90 days
- **ASSEMBLED & TESTED \$300**  
Washington residents add 5.3% sales tax



\*A Trademark of the Tandy Corp

# AWARDS

from page 23

enclose only three (3) IRCs with your application.

Joe Onizuka JE1WIH mailed me information about the NKDXC Award. Unless you work a lot of Japanese stations, the requirements are not as easy as it seems.

## NKDXC AWARD OF JAPAN

The Northern Kyushu DX Club, Inc., issues the NKDXC Award to any licensed amateur or SWL station in the world.

Applicants must submit proof of confirmation of QSO with at least 20 different stations which enable you to spell "NORTHERN KYUSHU DX CLUB" using the last letter of each callsign. A station may be used only once in your spelling effort.

There are no band or mode restrictions, but special endorsements will be rendered for single mode or band achievements.

Do not forward QSLs. GCR apply. Forward your verified list with five (5) IRCs to: NKDXC Award Manager, PO Box 11, Yawata, Kita, Kyushu, Japan 805.

## 50-MHZ DX AWARD OF JAPAN

The award is issued in four levels of difficulty: Class EX—applicant must make 20 DX country contacts; Class A—applicant must make 10 DX country contacts; Class B—5 DX countries must be worked; and Class C—only 2 DX country contacts need be made.

While applicants are not required to submit QSL cards, they must have them on hand and verified by at least two amateurs or a local radio club secretary. Keep in mind, however, that all contacts must be made on six (6) meters, 50 MHz, utilizing any mode authorized.

Forward your claim and

award fee of 8 IRCs or \$3.00 to: Eichi Konno JA7GZA, Awards Manager, 8-3 Tenjinmae, Henai-zumi-town, Nishiiwai-gun, Iwate 029-31, Japan.

## TEXAS INDEPENDENCE DAY

Brenham Amateur Radio Club will be operating its second annual special event QSL station to commemorate Texas Independence Day and its observance at the site where independence was declared from Mexico on March 2, 1836, Washington on the Brazos, Texas.

We plan to operate from 1600 UTC, Saturday, February 28, until 2300 UTC, Sunday, March 1, during times when the bands are open (no nets are scheduled) on the following frequencies plus or minus QRM: 3944, 7244, 14,344, 21,144, 21,444, and 28,544 kHz.

For an historic QSL card and information brochures, amateurs are asked to please QSL with an SASE (4 1/4" x 9" or larger) to BARC, WB5STR/5, PO Box 44, Brenham TX 77833.

Amateurs who worked WB5STR/5 last year should so

indicate on their QSL and will be recognized this year.

We are grateful to Robert Fitzwilliam of Kay, Texas, for the use of his call which will be used with the phonetics, Washington on the Brazos, 5, Star of the Texas Republic.

## LOVE OUR LIBRARY

The Lawrence County Amateur Radio Association is sponsoring a Valentine's Day theme special event from downtown New Castle, Pennsylvania, at our new public library on February 13-14, 1981.

We will be operating from the new library and the theme will be "I love my new library." The call in use will be KA3X, and the operating frequencies are: 147.795/.195 (our local repeater), 29.000, 21.400, 14.300, 7.250 and (CW) 7.125 MHz.

All frequencies plus or minus QRM (except 2 meters). Operating times are 1400-2200 GMT. Your QSL and \$1.00 will bring a certificate.

For further information, contact John Hudak KA3X, 422 Galbreth Avenue or Zach Allerton KB3MC, 124 Richelieu Ave., New Castle PA 16101.

# HAM HELP

I am in need of a schematic for a Micro-Z FM36 frequency counter with prescaler. I will be glad to pay copying costs and postage.

**Dennis L. Cornell WD4HRO**  
7835 Captain St.  
Millington TN 38053

Simon Langton Grammar Schools in Canterbury, England, are celebrating the centenary of the founding of the school in 1881. To this end, we shall be operating a special events station, active on all HF bands under the call GB4SLS, on February 22-28, 1981. During this time, we are anxious to contact as many past pupils of the school as possible, especially those who are licensed amateurs and residing in the United States.

Anyone interested in making a sked with us should contact either me or G3LCK, c/o G3OSL, Simon Langton Grammar School for Boys, Nackington

Road, Canterbury, Kent, England.

**Andrew P. Smith G4BBW**  
40 Virginia Road  
Tankerton, Whitstable  
Kent, England

I've had a bundle of letters and calls from readers requesting a source for the positive resist that I used in my article on easy PC artwork (73, June, 1980).

Yesterday, I found a source that you may want to know of since I am buying a private-label brand locally. The national brand is by GC Electronics, Rockford, Illinois. The catalog number is 22-233.

Route Electronics, Rt. 22, Springfield NJ, sells it for \$13.60 for a large aerosol can. They do not mail order.

**Ed Eggert W3HIK**  
2220 Marietta Ave.  
Lancaster PA 17603

I need a copy of a complete schematic diagram or a manual for a Hallicrafters SX-100 receiver. I would prefer to copy at my end, but would pay for other costs.

**K. Gilhuly KA8EWH**  
650 Ann Street  
Harbor Springs MI 49740

I have a Regency HR-2A 2-meter transceiver that is sick. Anyone who can provide a circuit and servicing information would greatly assist me. I will pay for all expenses to copy them.

**Harvey Horn WB2NMN**  
21 Skylark Lane  
Stony Brook NY 11790

Searching for pre-32S-1 Collins transmitter in any condition to put on RTTY. If you have an old Collins AM/CW transmitter gathering dust and would part with it reasonably cheap, please send specifications, condition, and price. XYL is contemplating murder if I spend much money. I also need a CV-89 RTTY TU. Thanks.

**Roger L. Arnold N5CAO**  
214 Hill Lane  
Red Oak TX 75154

I need a schematic for a Kuhn model 357C VHF receiver and would like to copy and return a service manual for IC-21/DV-21 2m VHF gear.

**Jung Y. Lem KB6BO**  
5222 Coringa Dr.  
Los Angeles CA 90042

Does anyone have schematics for a Utica 650A 6m transceiver and a Gonset Super Six converter? Expenses will be reimbursed.

**Howard Robb AF0W**  
340 So. 5th  
Bird Island MN 55310

I would like to get in touch with someone who has completed the 220 transverter by Frank Kalmus WA7SPR in the October, 1979, issue of 73.

**Paul Ashmore WA9HEP**  
833 S. Chestnut  
Litchfield IL 62056

Does anyone have any info on a lower sideband addition for a MULTI-2000? Also, who is handling the MULTI-2000 now? Any help would be appreciated.

**Lloyd W. Locke K1COS**  
236 Walnut St.  
Reading MA 01867

# FUN!

from page 26

9) A4XAA is:

- 1) The call used during a world-famous 1956 DXpedition
- 2) The Sultan of Oman
- 3) A four-land call that will eventually be assigned by the FCC.
- 4) A made-up callsign

10) Which of the following is a former reciprocal callsign held by Jordan's King Hussein, JY1?

- 1) EP1JY
- 2) 4Z4KH
- 3) RG8U
- 4) 7X2HM

### ELEMENT 3—TRUE-FALSE

	True	False
1) The newly self-proclaimed "Shah of Iran," son of the late Shah, is a ham.	_____	_____
2) Until his recent automobile "accident," YN1AS was former Nicaraguan dictator Anastasio Somoza.	_____	_____
3) The DX Country Club Award is sponsored by <i>73 Magazine</i> .	_____	_____
4) KA2BQ is a DX callsign; KA2BQV is not.	_____	_____
5) To officially qualify as DX, a signal must travel more than 150 miles, no matter the mode or frequency.	_____	_____
6) WWV, JJY, LOL, MGM, BOT, and RID are all standard time and frequency stations.	_____	_____
7) The DX Operating Code says you should always call a DX station <i>exactly</i> on his frequency.	_____	_____
8) KP2 is the new prefix for KV4.	_____	_____
9) BV2A and BV2B are the only licensed ham stations in the Republic of China. Both stations are operated by the same person.	_____	_____
10) "QDX?" is a Q signal meaning, "Is there any DX on frequency?"	_____	_____

### ELEMENT 4—HAM ACROSTIC

Guess the words defined and write them over the numbered dashes. Next, place each letter in the correct square in the puzzle. The black squares show word endings. The completed puzzle will

form a statement relating to amateur radio. (Illustration 2)

A) Five hundred miles is DX in this region.....	6	45	20
B) Popular DX mode.....	28	29	21 64 32
C) Twenty meters, for instance.....	42	60	74 76
D) "Shared" band.....	41	26	4 66 50
E) DXer's "shoes".....	59	9	35 19 77 7
F) FCC authorization.....	49	73	51 5 40 23
G) Semi-automatic key.....	39	58	10
H) Conversation.....	12	33	43
I) Scarce DX.....	37	56	2 75
J) Distress Signal.....	71	22	13
K) Splatter.....	3	55	27
L) DE.....	72	1	52 44
M) Lots of DX in a row.....	8	61	25 62 53 36
N) When to work DX.....	34	24	57 46 31
O) Lids.....	54	63	17 18 11
P) Venezuelan prefix.....	78	15	
Q) Temerarious DXer.....	48	47	65 67
R) To tell a DXer something.....	69	14	16
S) Computerized DX.....	70	30	
T) Irish prefix.....	38	68	

### THE ANSWERS

Element 1:

See illustration 1A.

Element 2:

1—3. More than one budding DXer has made his first African contact through this fine service. Net time is 1800 UTC, daily.

2—3. A DXer's best friend.

3—1. Obviously not the 21st cycle in the history of the Earth, but only since man started counting—around 1750.

4—2. You may need a "long radio antenna" for this band, but that has nothing to do with LORAN.

5—4. If you chose "Cuba," I'll bet you didn't get your General ticket while the FCC was using its circa 1968 tests. A question similar to this one went a long way to giving the FCC its reputation for using tricky testing techniques.

6—4. Since six is allocated to broadcasting and other services throughout the most of the world, there aren't even 100 6-meter countries on the air.

7—1. When DXing on 80, it pays to know the allocations.

	1		2		3	4	5		6	7		8	9	10	11		12	13	14
	15	16		17	18	19		20	21	22	23		24	25	26	27		28	29
30	31	32	33		34	35		36	37	38	39	40		41	42		43	44	
45	46	47	48	49	50		51	52	53	54	55	56	57	58	59	60	61	62	63
64	65		66	67	68	69		70	71		72	73	74	75		76	77	78	

Illustration 2.

C	L	I	P	P	E	R	T	O	N		D
O	D			I		F	O		B	O	X
N	E	P	A	L			G	O		X	P
T		E		E	U	R	O		N		E
E		I	T	U		U		D	E	A	D
S	V			P	A	N	T		W		I
T	O	W	N		R		A	M	S	A	T
I	M	I			S	U				I	I
N		N	O	W		D	X	B	U	R	O
G	E	N	E	V	A		F	L	A		N
		E			G	N		I		E	
W	O	R	K	I	N	G	S	P	L	I	T

Illustration 1A.

8—3. But avid DXers also have many other picturesque terms for list-takers.

9—2. Ever get the feeling there's enough royalty in ham radio to form a club?

10—1. More royalty! King Hussein held this Iranian call before Khomeini. Ayatollah you so.

**Element 3:**

- 1) True—His call was EP1MP. Guess he's EP1MP/SU now.
- 2) True—And he was listed in QST as a Silent Key.
- 3) True—The more realistic DXCC.
- 4) True—KA2BQ would be one of the "U.S. Personnel in Japan." KA2BQV would be an amateur in New York or New Jersey.

5) False—If you ran 1/2 milliwatt at 300 GHz, twenty feet would be DX!

6) False—"BOT" and "MGM" are not stations.

7) False—Not really. The DX station's frequency should be left clear so everyone can hear him. In reality, this never happens.

8) True—Why? Only the FCC knows for sure.

9) True—Tim Chen, operator of both stations, uses BV2A on CW and BV2B on phone.

10) False—And "QRX?" means, "Are there any receivers on frequency?"

**Element 4:**

A—UHF, B—PHONE, C—BAND, D—FORTY, E—LINEAR, F—TICKET, G—BUG, H—QSO, I—RARE, J—SOS, K—QRM, L—FROM, M—STRING, N—OFTEN, O—GOONS, P—YV, Q—RASH, R—SAY, S—IO, T—EI. The completed message reads: R R Q R K U R S I G S Q S A V Y O N E F O O T F R O M P H O N E S O N G R E B E F B O M H E A R T Y C O N G R A T U L A T I O N S T H I S I S F I N E D A Y. So began the first amateur European-American QSO on November 27, 1923, an exchange between French station 8AB and U.S. 1MO that opened the age of ham DX.

**SCORING**

**Element 1:**

Twenty points for the completed puzzle, or 1/2 point for each question correctly answered.

**Element 2:**

Two points for each correct answer.

**Element 3:**

Two points for each correct answer.

**Element 4:**

Two points for each correct definition. Give yourself 10 extra points if you unscrambled the message.

Okay, DXers, let's see how you really measure up. Remember, big guys, your 100-foot towers won't help you here!

- 1-20 points—Once heard a DL on 20
- 21-40 points—80 countries worked, 25 confirmed
- 41-60 points—DXCC material
- 61-80 points—250+ countries confirmed
- 81-100+ points—Honor Roll candidate

Next month: How Hams View Themselves

	R		R		Q	R	K		U	R		S	I	G	S		Q	S	A
	V	Y		O	N	E		F	O	O	T		F	R	O	M		P	H
O	N	E	S		O	N		G	R	E	B	E		F	B		O	M	
H	E	A	R	T	Y		C	O	N	G	R	A	T	U	L	A	T	I	O
N	S		T	H	I	S		I	S		F	I	N	E		D	A	Y	

Illustration 2A.

# HAM HELP

I have some two-meter crystals that I would like to sell or trade. Frequencies available are: T 146.880, TR 146.250/.850, TR 147.840/.240, R 147.330, R

146.060, T 146.460, R 147.060, T 146.040, and T 147.930.

All above fit in HC-25/U holders. Specs are transmit fundamental mode and parallel reso-

nant with 30-pF load. Divide transmit frequency by 12 to obtain crystal frequency. Receive specs are overtone mode, series resonant. Subtract 10.694 MHz and divide by 3 to obtain crystal frequency.

Crystals I need are 146.01/.61, 146/.47, 146.22/146.88, 146.28 transmit, and 146.46 receive.

If anyone will trade or tell me the going price of used good crystals or knows who can tell

me, it will be greatly appreciated.

Kevin Neal  
Route A, Box 221A  
Flippin AR 72634  
(501)-453-8412

I need a complete schematic of the Hallicrafters S-118 receiver.

Keith Stowell WA0YQO  
10 E. 40th-409  
Kansas City MO 64111

# REVIEW

from page 65

front-panel keyboard which selects all of the radio's functions. All memory data and command instructions are permanently programmed into the memory unit which is an integral part of the microprocessor IC. As such, the 2008 cannot be altered to receive or scan frequencies other than those in its regular VHF/UHF bands.

The rig is unique in the fact that it is the only available synthesized scanner which does not have a searching capability. This should not prove to be much of a handicap, however, as many people who purchase a scanner are interested only in hearing the action on a predetermined set of frequencies. Thus, it is an ideal unit for the person who desires the convenience and economy of frequency synthesis, but who doesn't need a searching capability.

An interesting feature on this unit is a recessed button on the rear panel marked "Reset." This button is similar to the Clear key on a calculator and functions to erase all data which is stored in the scanner's eight-channel frequency/status memory. This is used to erase incorrect information on those few occasions when the microprocessor fails to initialize.

Memory data is retained when the unit is unplugged and during power outages by using a 9-volt battery stored in an easily-accessible compartment on the rear panel. During normal usage, the battery will last up to one year. If the radio is to remain out of service for more than several months, however, it is best to remove the battery to avoid possible damage due to electrolyte leakage.

An innovation over previous Realistic models is the selectable scan-delay circuit, which allows the user to program a two-second delay on individual channels. The channel lockout function is accomplished in a similar manner, using the front-panel keyboard. Delays and lockouts remain programmed even when the scanner is turned off.

Frequency and status information is presented on a bright, blue fluorescent display which includes the channel number and indication whether the channel is programmed with a delay or lockout, and the six-digit frequency readout.

The PRO-2008's more common features include on-off/volume and squelch controls, a 3" front-mounted speaker, front-mounted headphone jack, scan/manual control, telescoping indoor antenna, external antenna jack, and ac power cord (the scanner is not designed for dc mobile operation).

The scanner's circuitry is composed of an LSI microprocessor system, LSI phase-locked loop (PLL) frequency generation system, eight integrated circuits, 24 transistors, and 40 diodes. These semiconductors, along with a host of passive components, team up to bring you a superheterodyne dual-conversion receiver capable of synthesizing 18,160 frequencies.

The synthesizer circuitry is capable of being programmed to receive any frequency in the 30-50- and 144-174-MHz bands in 5-kHz steps, and between 410-512 MHz in 12.5-kHz steps.

The receiver sensitivity (for 20-dB signal-to-noise ratio) is 1.0 uV on the VHF and low bands, and 2.0 uV on UHF. This proved to be adequate for local reception using the built-in antenna. For serious listening, an external antenna is highly desirable.

Selectivity ratings for signals within 9 kHz of the intended frequency are down 6 dB, and those signals within 17 kHz are reduced at least 50 dB.

The scanner operates at a rate of 10 channels per second.

Audio output is two Watts maximum with the internal speaker. The unit consumes about 15 Watts when operating.

The large volume and squelch controls make for easy adjustment. Each control is marked with numerical logging indicators, making it easy to return to a particular volume/squelch setting.

Frequency coverage of the

2008 is a real plus; it will receive signals in the entire 410-420-MHz US Government band. While the lack of a searching function tends to limit the advantage of having this band, it didn't take me long to find a few noteworthy stations hiding out in this "forbidden" part of the spectrum. With a little luck and a copy of one of the better known federal frequency guides, anyone should be able to make a number of educated guesses concerning active frequencies in this band. Verifying your guesses is the fun part!

All in all, the Realistic PRO-2008 seems to be a good choice for the amateur who desires a synthesized scanner for use at home, office, or around the shack. While it has its shortcomings, it should be seriously considered by anyone who is planning on buying a quality crystalless base station VHF/UHF receiver.

The Realistic PRO-2008 is priced at \$259.95. For further information, contact *Radio Shack, 1300 One Tandy Center, Fort Worth TX 76102*. Reader Service number 479.

**Louis A. Smith II N3BAH  
Latrobe PA**

## GDX-1 DISCONE ANTENNA

With the flurry of activity in VHF/UHF scanner radios, it isn't surprising that someone has come out with a high quality discone antenna. Most antennas for scanner reception at present are simple vertically-polarized dipole clusters.

But the GDX-1 from TET-America is a different breed. Not only does it provide wideband reception, but it also is suited for transmitting as well.

Discone antennas are inherently wideband. The GDX-1 is designed for continuous coverage from 80-480 MHz. Feedpoint impedance is 50 Ohms unbalanced, so no matching balun transformer is necessary. The connector is a standard SO-239. Gain is stated as 3.0 dB, with a vswr typically less than 1.5:1 throughout its passband.

During transmit, the GDX-1 will safely handle 500 Watts PEP making it suitable for virtually any communications application. The antenna is deceptively sturdy, weighing a healthy 2.9 kg (6.4 pounds).

## Our Field Test

The GDX-1 arrives in disassembled form with an instruc-

tion/parts-list sheet. Step-by-step assembly is a snap following the sequence. Hole tolerances are excellent, with elements and hardware lining up perfectly.

Our model, one of the first off the assembly line, had an unfortunate problem: The connector was threaded in metric! We notified the factory and were assured that subsequent runs had the problem corrected.

The parts count worked out perfectly after we figured out that a "biss" is a bolt and a "clipper" is a clamp. Something was lost in the translation. Purists may find the clamps slightly loose, but they may be bent slightly to tighten down on the elements.

The elements are solid rod, and high-quality tooling is apparent throughout the antenna. It is obviously thoughtfully designed and manufactured.

On the air, the GDX-1 performed better than most monitor antennas and had the additional flexibility of being frequency-agile continuously from 80-480 MHz. This allows operation on 3 amateur bands as well as reception on the 225-400 MHz military aeronautical band. (It's better not to transmit there!)

All things considered, especially with the assurance that the metric oversight has been rectified, the GDX-1 is capable of excellent performance as well as rugged immunity to wind. For further information, contact *TET USA, Inc., 425 Highland Parkway, Norman OK 73069*. Reader Service number 477.

**Robert B. Grove WA4PYQ  
Brasstown NC**

## MFJ-1040 DELUXE RF PRESELECTOR II

An unusual combination of accessories in one cabinet has been released by MFJ, a company noted for their large catalog of accouterments for radio communications.

The new 1040 Deluxe Rf Preselector II houses both a flexible receiver preselector and an adjustable-delay relay to protect the delicate circuitry when used with a transceiver. Very thoughtful and very effective.

Designed with applications agility in mind, the 1040 features at least 20 dB of preamplification. More important, the 1040 doesn't introduce considerable circuit noise as do some other rf preamplifiers.

Q is sharp, awarding the listener with good out-of-band rejection of unwanted signals. Gain may be continuously varied by a potentiometer or attenuated by 20 dB in one increment by pressing a button.

Circuit protection is automatic; when transmitted rf is detected by a high-gain sampling circuit, the antenna relay is automatically switched, bypassing the preamp. A front-panel pot may be adjusted to tune the receive delay—a sort of VOX—to prevent constant relay dropout during SSB excursions. Delay may be varied from 0 to about 2 seconds.

The dc amplifier used to control the relay consists of two direct-coupled bipolar transistors; sampling from the antenna circuit is through a 12-pF capacitor and rectified by two 1N34 diodes.

The preamplifier circuit is built around a 40673 dual-gate MOSFET. Preselection is accomplished in four bands (1-54 MHz), switching among four standard rf chokes, each of which becomes part of a tuned tank when connected across the 320-pF main tuning capacitor.

Rear-apron connectors in a row (SO-239s and phono jacks in parallel) allow selection between two antennas and two receivers by front-panel push-buttons.

When the 1040 is switched on, a red LED signals the status. When switched off, the antenna circuit automatically bypasses the electronics so that the rig feeds the antenna straight through.

The preselector may be powered by an external source of 9 to 18 volts dc or by its companion ac adapter.

#### Our Test

We were impressed at the small size and large flexibility of the MFJ-1040. Two tests were performed, one with a general coverage receiver, the other in a full transceive mode.

First, the 1040 was connected to the antenna input of a Kenwood R-1000 receiver; a 135-foot dipole was connected to the input of the preselector.

With the preselector still switched off, signals came into the receiver, business as usual. But with the preamplified preselector switched on and adjusted to frequency, dead bands came alive! Keep in mind that 20-dB gain is equivalent to more

than 3 S-units, and that amount of signal brought up out of the noise can be heard!

Tuning the receiver throughout the range of the 1040 (up to 30 MHz—we did not try it through 54 MHz although there was no question that it would work there), we determined that its gain was high and its selectivity was sharp. Out-of-band images and intermod were reduced considerably and in many cases eradicated. The continuous adjustability of the gain stage made custom preamplification a snap.

The contacts on the antenna-selecting push-buttons showed good isolation; high-level signals were barely detectable when the receiver switch was pushed to an alternate output.

A rear-apron jack provides the ability to remote-control the unit from a pair of shorting (or grounding) contacts in the transceiver.

Next, the 1040 was connected to the station rig, a Triton II. Since the preselector is rated to withstand 350 Watts PEP, we weren't concerned that we might cause injury pumping 150 Watts or so into the unit.

Trying the combination first on ten meters, we were astounded at the increase in signal levels *without* a corresponding increase in background noise. Double-checking this performance, we cranked the Triton's gain control down to just below signal threshold; switching the 1040 on, signals came in loud and clear!

We repeated the exercise on all five bands with equal success.

Next, we decided to try to burn the unit out with rf! During transmit, the relay responded instantly. Releasing the mike button, we heard the reassuring sound of the relay drop back to receive, accompanied by signals once again.

Transmitting again, we varied the settings of the VOX delay control as we spoke into the microphone and then released the button. Delay times were adjustable from 0 to roughly 2 seconds, which would accommodate any amateur mode: CW, AM, FM, SSB, RTTY, and even SSTV!

For older rigs of questionable sensitivity, or even when used with modern rigs where threshold signals must be improved,



The MFJ-1040 Deluxe Rf Preselector II.

the MFJ-1040 is hard to beat. Its preselection should improve the performance of virtually any receiver or transceiver operating within its design range. For further information on this \$99.95 product, contact *MFJ Enterprises, PO Box 494, Mississippi State MS 39762*. Reader Service number 476.

**Robert B. Grove WA4PYQ  
Brasstown NC**

#### THE PRACTICAL HANDBOOK OF AMATEUR RADIO FM AND REPEATERS

Anyone who regularly reads Bill Pasternak's *Looking West* column in this magazine undoubtedly will have more than a passing interest in his new book, *The Practical Handbook of Amateur Radio FM and Repeaters*, written with Mike Morris and published in 1980, at \$9.95, by TAB Books. Actually, anyone who has more than a passing interest in FM and repeaters will find this book a valuable addition to his technical library. This 538-page volume is more than just a practical handbook—it's a complete one! Among the topics covered are the history of repeaters and FM, how to determine your needs when planning a repeater, frequency coordination, ATV and RTTY repeaters, and a wealth of other general topics.

There are several chapters on the "people" end of repeaters, with extensive detail for repeater users and repeater owners. There is solid useful information on handling malicious interference and the "wild turkey." Hams looking for specific technical information won't be disappointed either; using no references other than this book, you could build a sophisticated repeater system incorporating ev-

ery bell and whistle known to the repeater world. The operative word here is thorough!

Perhaps your interest in FM and repeaters is limited to kerchunking local machines with the synthesized transceiver you got for Christmas. Maybe you are a trustee or technical consultant for a big repeater operation. Whatever your level of interest or expertise, this book will enrich the hours you spend involved with FM and repeaters. For further information, contact *TAB Books, Inc., Blue Ridge Summit PA 17214*.

**Paul Grupp KA1LR  
73 Magazine Staff**

#### THE ARRL OPERATING MANUAL

*The ARRL Operating Manual*, recently published, continues the League's tradition of supplying the ham with some of the best book bargains available today on the subject of amateur radio. Inexpensively priced at \$5.00, this large-format, paperbound edition is a compendium of up-to-date information on all phases of amateur radio.

What the League's *Handbook* does for the technical aspects of our hobby, the *Operating Manual* does for the stylistic. In short, it can help almost anyone become a better operator, and it will be particularly useful to those of us who find ourselves getting involved in some new aspect of the hobby such as computer RTTY, OSCAR, traffic handling, or even contesting.

The *Manual* provides an interesting solution to the problem of publishing an authoritative text on all the diverse aspects of our hobby. Rather than trying to do the impossible (finding one author conversant with all phases of ham life), the *Operating Man-*

ual incorporates the talents and knowledge of fourteen authors, each of whom writes a chapter on his/her specialty. The result is a definitive collection of chapters on subjects as diverse as traffic handling and DXing, written by enthusiasts who know what they're talking about.

Other subjects covered include: rules and regs., SWLing, emergency communications, contesting, awards chasing, FM and repeaters, VHF/UHF operating, satellites, visual communications, and microcomputers.

In addition to being well edited, the *Operating Manual* is liberally illustrated. The extensive use of figures, photos, tables, charts and even an occasional cartoon provides a refreshing change from the staid layouts of other League publications.

For example, the chapter on contesting has several sample logs and dupe sheets. The chapter on DXing includes sample propagation charts, a tabular listing of countries organized by rareness of prefix, a list of international ten-meter beacons, and a sample azimuthal, equidistant map of the world used to determine great-circle bearings. The chapter on visual communications features slow-scan TV pictures, weather satellite photos, and even some efforts at RTTY art.

These chapters are typical of the treatment most topics receive in the *Manual*. While it is impossible to discuss all the subtleties of some of the more technically complex topics in a single chapter, the *Manual* does provide the neophyte with more than enough information to allow him to get oriented in unfamiliar terrain. In this vein, each chapter usually suggests additional reading material or supplies lists of information sources.

The *ARRL Operating Manual* is filled with good things, and the very richness of its content reflects the incredible diversity of our hobby. It will be a valuable reference work for anyone exploring the vast landscape of amateur radio. If you are as concerned about your operating style and skill as you are with the purity of your emissions, or if you plan to become involved in some new aspect of the hobby, you'd do well to get a copy. The chances are good that it will answer lots of questions you've had in your mind. For further in-

formation, contact the *ARRL*, Newington CT 06111.

**Chris Brown KA1D**  
73 Magazine Staff

#### **10-METER FM FOR THE RADIO AMATEUR; THE 10-METER FM HANDBOOK**

One of the most interesting aspects of ham radio is building or modifying your own equipment. Unfortunately, equipment has gotten so complex and expensive that most hams have restricted their building and modifying activities to small accessories for their stations. Digital clocks and electronic keyers abound, but if a device is part of the station's rf chain, the chances are that it has the nameplate of a commercial manufacturer affixed to it, and its owner shakes with fear at the thought of taking a soldering pencil closer than three feet to his/her thousand-dollar electronic baby. Now, that's all well and fine; with today's crowded band conditions, I am somewhat relieved that such fine commercial gear is available. Most hams do not have the facilities to build and properly adjust their own SSB equipment to the level of quality available from manufacturers, and even if we could compete technically, we'd find the expense (time as well as money) prohibitive.

OK, so we intellectually accept the need for that expensive little box on the ham-shack table, but somehow that doesn't stop the urge to warm up the soldering iron and jump into something feet first. You say you have three digital clocks and two electronic keyers, and you still want to build something? I know the feeling. Relax. How about 10 FM?

Yup. There is a lot of FM activity up around 29.6 MHz. Very little QRM, the atmosphere is free-wheeling, the technology is up to date, and yet the equipment is very cheap. If you know someone who is active on 10-meter FM, the chances are good that he uses a converted CB. Whatever he is using, he'll tell you that he is having a lot of fun.

What all this is leading up to is the recent release of two rather good books on the subject of 10-meter FM. If this mode interests you, you really should have copies of them. While each author emphasizes a different aspect of the mode, both give an

excellent introduction to all the various facets of 10-meter FM. Both cover repeater operation, frequencies, antennas, equipment, and equipment conversion.

How do they differ? Dave Ingram's book goes into greater detail on a wider variety of subjects, but Bob Heil's book (the *Handbook*) is the most complete source of information available on converting CB rigs that use the popular PL02A three-crystal-synthesizer configuration. If you are planning to convert a rig that uses this configuration, Bob Heil's book will prove to be extremely useful. If you are planning to get on the air using a different approach, or just want to know more about this mode, Dave Ingram's book might be more interesting to you. Both books tell you all you need to know to begin enjoying 10-meter FM, and at \$4.95 each, these 1980 publications are relatively inexpensive; I'd get both of them! For further information, contact *Melco Publishing*, PO Box 26, Marissa IL 62257 for Bob Heil's book and *TAB Books, Inc.*, Blue Ridge Summit PA 17214 for Dave Ingram's book.

**Paul Grupp KA1LR**  
73 Magazine Staff

#### **DIGITAL ELECTRONICS: A HANDS-ON LEARNING APPROACH**

Digital electronics has really arrived, and it's here to stay; it's getting hard to find a piece of ham gear that doesn't incorporate some digital circuitry. All of us have absorbed a remarkable amount of the new technology, but many hams have wished for a complete, step-by-step intro-

duction to the subject. If you learned electronics the way I did, by reading whatever books and magazine articles you could get your hands on, you just might find this book useful. The author assumes that the reader has no previous knowledge, so nothing is skipped or glossed over. He begins by explaining how resistors and diodes work, but when you are through with the book you'll be comfortable with microprocessors. Best of all, the book is a true hands-on approach, so most subjects include a carefully explained project to carry out on a solderless breadboard. You say you don't have a solderless breadboard? Shame on you! As the author points out, if you really want to learn about this stuff, you are going to have to jump in and do it.

Fortunately, doing it is exactly what the author has in mind, and he has provided lots of valuable information on the mechanics of building digital circuits. He has thoughtfully included chapters on troubleshooting, circuitboard construction, and even the electronic color code. He starts with very simple projects, but the meat is there too; after working your way through this book you won't have to make excuses for your lack of knowledge on the subject. The digital revolution has been going on for a long time now; why not join the fun! Copies of *Digital Electronics: A Hands-On Approach* (by George Young, 1980) are available at \$8.95 from the *Hayden Book Company, Inc.*, Rochelle Park NJ.

**Paul Grupp KA1LR**  
73 Magazine Staff

## **HAM HELP**

I recently purchased a Hy-Gain model 623 23-channel AM/SSB CB rig for conversion to 10 meters. Unfortunately, I have found no information on converting this radio. Does anyone have any information on this?

**Wayne T. Mohrhauser N0BUY**  
Rt. 1, Box 134  
Chester IA 52134

I need a copy of National Semiconductor's *Optoelectronics Handbook* for 1975. I

would prefer to purchase one outright, but will pay a reasonable cost for a copy.

**Lou Slaton WD5IBD**  
5959 Cyrus Ave.  
Baton Rouge LA 70805

I need a schematic for a National NC-46 receiver. I will be glad to pay any expenses involved.

**Floyd Williams**  
121 N 59th St.  
Philadelphia PA 19139

# NEW PRODUCTS

from page 30

board. It is designed for the 50, 144, and 220-MHz bands and may be modified for use on adjacent commercial and government bands. It is used for control links, repeater service, telemetry, and other applications for which a small unit is required. A multichannel adapter is also available to extend operation up to 5 channels.

Features include low-impedance dynamic mike and high level audio inputs; crisp, clear modulation; low spurious output; pre-wound coils; adjustable output level, and built-in test points for easy alignment. A commercial-grade, frequency-stability option is available.

Another new development at Hamtronics is the availability of

XV2 2-meter and 1¼-meter transmitting converter kits with 6-meter inputs.

For further information, contact *Hamtronics, Inc.*, 65F Moul Rd., Hilton NY 14468. Reader Service number 481.

## PALOMAR ENGINEERS TRANSCEIVER PREAMPLIFIER

Palomar Engineers has announced a new preamplifier which is continuously tunable and covers all amateur bands from 160 through 6 meters. It provides 20 dB of gain with a dual-gate FET for low noise figure. The gain and low noise figure improve reception on most receivers, particularly on the higher frequency bands. The added selectivity reduces image and spurious response.

Gain is continuously variable to prevent overloading the receiver. An rf-sensing circuit allows the unit to be used with transceivers; the preamplifier automatically bypasses itself during transmit. The fail-safe switching circuit handles transceivers to 350 Watts. Connectors are SO-239. The preamplifier measures 8" x 5" x 3" high and features brushed-aluminum control panels.

For a free descriptive brochure, write *Palomar Engineers*, PO Box 455, Escondido CA 92025.


## CDE HAM ROTOR FOR THE VISUALLY- IMPAIRED OPERATOR

Cornell-Dubilier Electronics has produced a rotor system especially designed for sight-impaired amateurs. The Ham-SP is a combination of the Ham-IV rotor and a solid-state control unit.

All operation functions of the control unit, 360° compass dial,

on/off switch, and push-to-start button, are marked visually as well as by Braille. To operate the system, the desired antenna direction is selected by turning the large dial. The start button is then pressed. Electronic circuitry will automatically retract the wedge brake and start the rotator turning to the desired direction. During the time the rotator is turning, a high-pitched tone is emitted. When the rotator reaches the predetermined direction, power is removed from the motor, it is allowed to coast down about 5 seconds, and then the wedge brake is engaged. When the rotator stops, the tone stops, indicating that the antenna is now at the desired location. (Neither the rotator nor the control unit are compatible with other CDE rotor systems.)

For further information, write to *Cornell-Dubilier Electronics*, Department SP, 118 East Jones Street, Fuquay-Varina NC 27526. Reader Service number 484.



The Palomar Engineers Transceiver Preamplifier.



The CDE Ham rotor for visually-impaired amateurs.

# HAM HELP

I am in need of any libraries of 73, QST, HR, CQ, or any other amateur or electronics oriented publications. Anyone wishing to clean out the bookshelves, please contact me on any offerings. Thank you!

**Ralph Francavilla KA2BTD**  
154 Redneck Ave.  
Little Ferry NJ 07643  
(201)-641-9494

A disabled amateur needs the generous help of some warm-hearted hams. I had to move to small, limited space QTH, due to my roommate's marriage and my severe medical problems. I now live alone and ham radio is my only form of entertainment.

I need the donation of tower sections to erect a 50-foot tower with a rotor. If you can help,

please write (I don't have a phone). Thank you.

**Allen Halliday**  
64 West Center St., #3  
Midvale UT 84047

I need manuals and schematics on the following equipment: Hickok 288X signal generator, 533A tube tester, and 760 video scanner, and alignment procedures on a Hallicrafters R-44/ARR-5 (the military version of the S-27). I will gladly pay postage and copying costs.

**Bill Fraser KA0FEX**  
6220 Parkwood Rd.  
Edina MN 55436

Is anyone out there using a Heath H-89 on CW or RTTY? What do I need to get mine going?

**D. Kight WA5RER**  
3732 NW 48th Circle  
Oklahoma City OK 73112

Connecticut summer camp seeks counselors (21+) to work with teenagers in its ham radio program during July and August. Apply to Buck's Rock—K1PGQ, 140 Riverside Drive, New York NY 10024; (212)-362-2702.

**Louis Simon, Director**  
New York NY



**UNIVERSAL CONVERTER  
ASCII - BAUDOT - MORSE  
ABM-200**



+5v

MORSE


ASCII

BAUDOT

The ABM-200 is a universal code converter for translating between ASCII and Baudot, or between Morse and ASCII (or Baudot). Also used as TTY<sup>®</sup> speed and line length converter. Inserts directly between TU and TTY<sup>®</sup>. RS232 & current plus 40 char FIFO buffer. Write for details .....\$189.



OEM inquiries invited.



XITEX Corporation ✓82  
9861 Chartwell Dr.  
Dallas, Texas 75243  
214-349-2490

C.O.D.

Check

**2300 MHZ Antenna**



This antenna is for your 2300 MHz down converter. Design gain of up to 20DB. Some assembly required. Variable voltage, 150MA power supply for down converters, 8V-15V.

	PRICE	SHIP. & HNDL.
2300 MHZ antenna only	45.00	5.00
Power supply kit	35.00	2.00
Power supply PC board only	5.00	PPD
2300 MHZ conv. board only	20.00	1.00

Complete system: 2300 MHz converter, antenna, power supply. 18" coax, 50' coax. Ready to hook up and turn on. \$225.00 PLUS \$5.00 shipping.

No C.O.D. Cash only in money order or cashier check

H.M. GOODWIN WSEY  
11421 FERNALD AVE.  
DALLAS, TX 75218 ✓393

**MICROCOMPUTER CHIPS**

4116 CHIPS:

16K—200 NANOSECONDS

GUARANTEED PRIME  
IN STOCK FOR  
IMMEDIATE DELIVERY

1 SET OF EIGHT . . . \$32.95  
10 SETS OF EIGHT . . . \$29.95 EACH

FOR TRS-80, APPLE, MOST OTHER  
MICROCOMPUTERS.

call or write immediately  
NO C.O.D.s ✓405

GENERAL PERIPHERALS  
41 GRASSY PLAINS STREET  
BETHEL, CT 06801  
(203)743-5583

**PILOTS**



Build your own aircraft transceiver. For details send for FREE CATALOG.

(916) 272-2203

Radio Systems Technology, Inc. ✓381  
10985-T GRASS VALLEY AVE.  
GRASS VALLEY, CA 95945

**10 METER RIG? CB BOARD**

Hygain 40 channel CB board, with PLL IC, 9W amp w/heat sink, RF & modulator xistors, lots more! A few connections and alterations makes a 10 meter rig (as described in a 73 Mag series). With typical schematics. 12 oz., #D1KS0007. \$9.88 each!

**TINY "BLOB" TRANSMITTER**

A glob of mud or . . . forget what it looks like. This 2" long mil. surplus movement detector has a seismic sensor that triggers a 150 MHz xmitter. Data supplied on how to get inside and retune for your needs. Was written up in 73 recently. 8 oz., #D8MI0356 . . . . . 4.88 each!

Terms: Add Postage. MC / VISA / AE Welcome!  
Phone orders welcome on credit card orders!

✓402

**FREE GIANT CATALOG of  
ELECTRONIC BARGAINS**

SPEAKER KITS/COMPUTER MAT'L/KITS/GADGETS  
TOOLS/POWER SUPPLIES/SEMI'S/TRANSFORMERS  
1,000's of Electronic Parts! Use Reader Service Card!

**BNF Enterprises**  
119 Foster St. Peabody, MA. 01960 (617) 531-5774

**YAESU FT-207R OWNERS  
AUTOMATIC SCAN MODULE**



15 minutes to install; scan restarts when carrier drops off; busy switch controls automatic scan on-off; includes module and instructions.

Model AS-1. \$25.00

HAMPACK 1: Ham electronics programs in BASIC for all computers. Design: coils, filters, pads, L-networks, antennas and much more. Calculate wind loads, ohms, reactance, impedance, etc. . . . . \$25  
CATV-1: System design for H.P. 41-C: C/N T-beats, dB mV - V, V - dB mV, add dBs and X mods. . . . . \$25  
Send check or money order only. ✓400

**ENGINEERING CONSULTING**  
P. O. BOX 94355  
RICHMOND, B. C. V6Y2A8, CANADA

**Subscription Problem?**

73 Magazine does not keep subscription records on the premises, therefore calling us only adds time and doesn't solve the problem.

Please send a description of the problem and your most recent address label to:

73 Magazine  
Subscription Dept.  
PO Box 931  
Farmingdale, NY 11737

Thank you and enjoy your subscription.

**this publication  
is available in  
microform**



University Microfilms International

300 North Zeeb Road  
Dept. P.R.  
Ann Arbor, MI 48106  
U.S.A.

18 Bedford Row  
Dept. P.R.  
London, WC1R 4EJ  
England

**TRS-80\* OWNERS -  
SEND AND RECEIVE  
MORSE CODE**

• SEND UP TO 40 WPM  
• COPY OVER 100 WPM  
• SIMPLE CONNECTIONS  
TO CASSETTE PLUGS

Program on cassette with instruction manual only \$9.95 + \$1.00 shipping. Texans add \$0.50 tax. Specify 4k, 16k or 32k (LEVEL II)

✓401

**ROGO Computer Products**

4752 DeBeers Drive  
El Paso, Texas 79924

\*Trademark of TANDY CORP.

# RTTY LOOP

from page 16

terminal. "Stupid," you ask? Well, a dumb terminal, commonly called a glass Teletype, just inputs what you type and displays what it gets. Smart terminals can do all kinds of fancy editing and other neatniks. This one is somewhere in between. With the resident 6800 and some

RAM it could be given some smarts with the appropriate programming, but remains of limited usefulness if what you really need is a computer terminal.

Next month I will take a look at some bells and whistles available for the ATR-6800 and describe a typical on-the-air session. It promises to be a real eye-opener!

# LETTERS

from page 28

the communication... phase of the art." as listed in Part 97.1(d).

Thanks for lending an ear. I like 73 much better than "the other one," but I agree that perhaps you might have at least one feature for the beginner or Novice operator.

**Cindy Dalmadge KA0IMG**  
Colorado Springs CO

## NO PRICE

Your editorials are *first* reading! I agree—the advertisers who put no price on a new piece of gear make me so damn mad that I won't buy it.

I need an antenna switch and saw a new one advertised in 73—but no price. Should I spend 15 cents and my time for a letter to the manufacturers?

I know what I can afford. So if it's out of my price class, I'd like to know *now*.

**John Cowley WA6PBM**  
Rosamond CA

## GOLDWATER

Enjoyed the article in the November 73 issue on Barry Goldwater K7UGA. I had a short QSO with him a few years ago.

Here is a man who has supported amateur radio in that maze of bureaucracy in Washington DC for many years. The Senator is a man who for years has told the general public just the way it is. We have too many

politicians who beat around the bush and tell each group just what they want to hear, sometimes distorting the truth.

Wish we had more people in his position who would support our hobby. We as hams must speak up and band together before we find ourselves on the outside looking in.

**Alfred L. Pedneau K5HKG**  
Pineville LA

## BUY AMERICAN

Thank you for your comments in Never Say Die and especially DX. I feel the comments on the amateur situation are well taken. Just today I wrote another magazine to criticize an editorial on basically similar topics. This other magazine recommended dropping the code requirement and relaxing the testing standards to allow thousands of new "amateurs" to come into our ranks. The proposed reason for this was to help the American radio manufacturers compete with the Japanese companies.

It is my opinion that we already have too many undisciplined amateurs causing interference. Just recall the recent hurricane nets. If the code and theory requirements do nothing else, they do force one to discipline one's self to learn these.

In coming into amateur radio, I believed the purposes were those set forth in the FCC rules, not to see how many radios we can sell. I am pleased to hear

# LINEAR PLANBOOK

2 to 400 MHZ

15 to

1000 WATT

13 Different Models, 96 pgs

**A.P. Systems** \$11.95

Box 263 sm.

Newport, RI 02840 (401) 846-5627

✓ 362

about all the experimentation which amateurs are doing even in modifying new, commercially-built rigs.

Amateur radio can fulfill a useful purpose in the country as long as it remains organized and disciplined. This should be more than a hobby. Let us not invalidate our purposes by making it a glorified CB band.

This other magazine I referred to also indicated that Japanese equipment was better made than American. I have had the most recent solid-state HF rigs from Yaesu, Kenwood, and Drake, and find the TR7 to be better than any of the others. The Japanese rigs looked good and had all the bells and whistles, but my experience thus far has been that some of the knobs, such as noise blanker, speech processor, i-f shift, notch filter, etc., did not work or worked poorly. However, with the Drake, I had to pay extra for many items, but they seemed well engineered and worked well. It is not so much the looks but how it performs that counts. It seems in many cases that you still get what you pay for. I find nothing revolting in the suggestion we attempt to buy American first.

**Tim Johnson N5BTE**  
Bristow OK

## BLUE FROG

I read with interest your explanation of why your radar jamming didn't work as well as why commercial units don't work. I must agree that they do not. However, I can't agree with you on the reason why.

You state that if the jammer is a mere 3 kHz off of the radar gun frequency that the radar gun will

not pick up the jammer. This is not so; radar guns are very wide on receive and drift a huge amount on transmit. The 3 kHz you mention is nothing. I can change the frequency of a gun oscillator that much by blowing on it. If you don't mind, let me explain the error of radar jamming and how to correct it.

First of all, the thing that people do not realize or tend to ignore is that police radar is built to display the fastest speed from many doppler signals. Now, if you jam at, say, 50 mph, as most commercial units do and drive over that speed, the radar unit will first pick up 50 because the jamming signal will be stronger than your reflection. But as soon as you come within normal range if you are driving faster than the jam speed, he will pick up your speed just like the jammer wasn't working.

So, the only thing you can do is to jam at a much higher speed than what you are traveling, hoping that the policeman will not believe his radar unit. Let's say you like driving at 70; you should jam at around 110 so that his unit will pick up 110 and he won't believe you are traveling that fast. He will then ignore the reading and you. But this only works with still radar. For moving radar you must use a different method.

Moving radar is really taking two readings, the police car speed and the combined speed of his car and your car. It first picks up the signal bouncing off a tree or grass, etc., and gives his speed, then it looks for a much higher speed which is that of your car approaching his. It then subtracts his speed from his and your combination which leaves your speed. But moving radar, like still, looks for the fastest speed.

2300 MHZ  
DOWN CONVERTER  
FROM  
UNIVERSAL COMMUNICATIONS

DEBORAH and STEVE wb5kgf

KNOWN AS THE STOP SIGN BOARD, THIS 2300 mhz DOWN-CONVERTER KIT WORKS THE IMPROVED BOARD EVEN MAKES IT BETTER THAN BEFORE. SO WHY PAY TWICE AS MUCH?

Kit supplied with a 8 page brochure, PC board, Diodes, Chip Caps, Transistors, and all parts to complete a working board. \$38.50.

POWER SUPPLYS AVAILABLE

Money Order or Check  
mail or phone

UNIVERSAL COMMUNICATIONS  
PO BOX 6302, ARLINGTON TX 76011  
817-265-0391

**CB TO 10 METER**  
10 METER CONVERSION KITS  
FOR CB RADIOS AM-FM & SSB

- Kits for over 300 Models of CB Radios
- Low Cost from \$10.00  
Easy to Install with All Instructions  
Tune-Up Procedure Alignment
- KITS FOR MOST POPULAR UNITS  
Over 5,000 Satisfied Customers
- Write or Call Today for Our Free  
1980 Catalogue

**AMERICAN CRYSTAL SUPPLY COMPANY**

PO Box 638  
W Yarmouth, MA 02673  
(617) 771-4634 ✓7

**Radio Amateurs!**

**Tempo Handheld!**

S-1	\$232.80	2 Meter	
S-1T	\$260.90	With Tone Pad	
S-2	\$315.00	220 MHz	
S-2T	\$359.00	With Tone Pad	
S-5	\$264.50	2 Meter 5 Watt	
S-5T	\$299.95	With Tone Pad	

AZDEN PCS-2000	2 Meter	\$259.95
Azden PCS-2800	10 meter	\$259.95
AZDEN PCS-2800	10 Meter	\$259.95

SWAN ASTRO 102BX		
160/10 Meters		\$978.46
Astro 150		\$760.32
100 MX		\$574.00

TEN-TEC OMNI C	new	\$1044.22
TEN-TEC OMNI D		\$795.00
Ten-Tec Hercules 444		\$1323.00

Six others lower priced Limited Quantities.

Amateur equipment accessories & antennas.  
COD's USA. Export Anywhere.  
Amateur & commercial repair service.

2317 Vance Jackson Rd. San Antonio, TX 78213  
800-531-5405 (512) 734-7793 (TX)

**Satellite TV**

FOR THE HOME

**Sick of Network TV?**

Our receiver lets you get over 75 channels of television directly from earth-orbiting cable TV satellites! HBO, Showtime, super stations, sports and movies from around the world.



**We don't just sell information!  
We Manufacture Hardware!**

Our 94-page catalog and information book tell the whole story! Inexpensive dishes, high profits, computer aiming software! Specs, kits and more! Send \$7.95 today!

24-hour C.O.D. Hotline  
(305) 339-7600



SPACECOAST RESEARCH ✓309  
Dept. S, P.O. Box 442, Altamonte Springs, FL 32701

**2m AMPLIFIER**

**SALE**  
THRU MARCH  
**\$54.95**  
(p. pd USA)



35w 2m FM AMPLIFIER KIT ● MODEL 335-K ● 3 IN - 35 OUT ● 2 IN - 30 OUT  
● 1 IN - 15 OUT ● COR ● CLASS C  
● 4.5 A AT 13.6VDC ● BNC CONNECTORS ASK ABOUT OUR OTHER VHF & UHF MODELS

**COMMUNICATION CONCEPTS INC.**

2648 NORTH ARAGON AVE.

DAYTON, OHIO 45420

(513) 296-1411 ✓382

**UPGRADE SUCCESSFULLY!**

—PASS THE FCC EXAM—

**ANNOUNCING**

the New 1981

LICENSE THEORY REVIEWS

FOR THE

TRS-80 16K Computer

- 12 Programs Per License Class
- Each Comprehensive Package Totals 98,000 Bytes.
- General, Advanced or Extra.

\$19.95 or \$39.95  
each

✓383

80™

**MICRO-80™ INC.**

S-2665 No. Busby Road  
Oak Harbor, WA 98277

**Enjoy Satellite TV Now**



Better than Cable TV—Over 200 TV and radio services. Why waste money? Learn the whole story and build a video system the family can enjoy. No commercials. **FREE** movies, sports and Vegas shows—worldwide, crystal clear reception connects to any TV set. Big (8×11 in.) book loaded with details, photos, plans, kits—**TELLS EVERYTHING! Satisfaction Guaranteed.**

Send \$7.95 TODAY! Add \$2.00 for 1st class (air mail) or call our 24 hour C.O.D. rush order line (305) 862-5068.

GLOBAL ELECTRONICS,  
P.O. Box 219-H, Maitland, Florida 32751

**SYNTHESIZED SIGNAL GENERATOR**

made in  
U.S.A.



model SG-100C

\$329.95

● Covers 100 to 179.999 MHz in 1 kHz steps with thumb-wheel dial ● Accuracy .00001% at all frequencies ● Internal frequency modulation from 0 to over 100 kHz at a 1 kHz rate ● Spurs and noise at least 60dB below carrier ● RF output adjustable from 5 to 500mv across 50 ohms ● Operates on 12vdc @ 1/2 amp ● Price \$329.95 plus shipping.

In stock for immediate shipping. Overnight delivery available at extra cost. Phone: (212) 468-2720. ✓311

**VANGUARD LABS**  
196-23 Jamacia Ave. Hollis, NY 11423

**PILOTS**



Build your own aircraft transceiver. For details send for **FREE CATALOG.**

(916)

272-2203

**Radio Systems Technology, Inc.**

10985-T GRASS VALLEY AVE.  
GRASS VALLEY, CA 95945

✓381

So, if you jam at 110 and drive 70 and he is moving 50 then his unit sees two speeds. The jam of 110 minus 50 which gives 60 and 120 minus 50 which gives 70. His unit will display 70 and you are in for another ticket. So, we are back to giving him a reading that he won't believe if you want to jam him.

Let's say you like to drive 70, then a good choice for a jam speed is 150. If he is driving 55 or less, then his moving radar will show 95 or more which he probably won't believe. The faster you travel, the faster you jam at. The best all around jam speeds seem to be between 150 and 170. This way you will get still, as well as moving units.

In cities or where the speed limit is something other than 55, you must modify this method to the best speed. Also, the modulation is important. The best results are gotten with a square wave with a 50% duty cycle. Radar units tend to ignore sine waves. I would dare say that if you modulated your 10-GHz transmitter the proper way and for the proper speed, it would do a fine jamming job even if it is in the ham band. A good modulator can be made from a 555 driving a voltage regulator driving the Gunn source.

All of what I have said is based on my personal experience. Some friends and I have worked many months with our own radar units to perfect a good jammer. It has never failed to jam any X-band radar unit I have come across and you should see the look on the small-town policeman's face when you drive through at 20 and he reads 90.

But all in all, it's not worth the risk because jamming is never a sure thing. The best thing to do is get the best detector on the market and take your chances.

I must say that you are welcome to print this but not my name or address. I don't need the law knocking at my door as well as the kooks of this world. So, for my protection, just sign me,

**Blue Frog**

*OK, Blue, serves me right for listening to "experts" on radar. You sure won't see me messing around with jammers and then trying to explain in court that I really wasn't going 110, as the radar read out.—Wayne.*

### NO DUMBBELL

I have just completed a CW chat with a relatively new Extra whose fist was comparable to that of a brand new Novice!

The point I am trying to make is that this learned gentleman is being given the privileges of a full-blown Extra class amateur, but cannot perform the simplest of Novice requirements in the field of sending code. At the same time, I and many other Generals are being deprived of the few additional privileges of an Advanced class license because we don't know what a reflex klystron is used for, and because Dick Bash came up with an idea for teaching aspiring hams some inside facts about radio theory and how to pass the FCC tricky-tests.

The fact is that the ARRL and Ameco came out with FCC

questions and answers a long time ago, with complete approval of FCC. I know, because I studied them until I could answer them forward and backward, and I studied every other piece of information I could get my hands on that dealt with the outline FCC said we would need to understand when we took the test. I knew how, when, where, and why but what I got was a set of questions that were far afield from the FCC outline and the test was as simple as if it had been written in Greek.

A friend heard about Bash and got his *Final Exam*, studied it diligently for weeks. You see, Mr. Bash teaches how problems are worked and why the answers are what they are. He teaches the subject while he gives the answers. My friend passed easily... so I got the Bash book.

My test came one month after my friend had taken his and by that time, the FCC had decided to go after Bash. Again, I had added Ameco and ARRL to my studies, along with the Bash book, but again they beat me to the draw and I got a set of questions printed on brand new, crisp paper. Three questions were similar to the ones in the Bash book but *six* were taken almost word for word from the ARRL questions and answers in the Extra class section of their training manual!

Another friend of mine went to Tulsa the following month, after having failed (as I did and all but one of the other Advanced aspirants did who took the test in Oklahoma City), but he ordered Mr. Bash's updated *Final Exam* that contained something like four hundred questions and answers! He, too, had studied every other book he could get his hands on. Imagine his chagrin when, for the third time he was handed a crisp, new set of questions, which dealt with doodads he had never heard of!

Let me close by saying that I am a retired airplane driver. I logged some twenty thousand hours of accident-free pilot time and taught scores of others to fly, including Military Cadets, but I can't design an airplane, weld a piece of tubing, splice a cable or spray paint a fuselage. I passed every written test I took from FAA on the *first* try, so I think I am no dumbbell!

If an Extra class amateur can get his ticket and all those privileges when he sends code like a new Novice, why are we Generals flunked because the FCC wants to annihilate Dick Bash for doing what ARRL has done for years and we don't happen to know what the angle of conduction is in a Class AB amplifier?

**Loren Carlberg WB5WDG  
Muskogee OK**

## HAM HELP

If you were a civilian radar field service engineer working with the military, in uniform, overseas during WWII, please get in touch with me regarding possible official US recognition for your services. Thank you.

**Bill Falk K7WJF  
PO Box 171**

**Apache Junction AZ 85220**

I am blind and bedridden with spinal arthritis for 11 years now. I am a UCLA grad, class of 1958, in History. I'd like to listen to good, clear shortwave overseas radio broadcasts if I could get a small shortwave radio receiver like a Kenwood, Drake, Sony, etc.

I am writing to *73 Magazine* in hopes that someone might help me get this radio donated somehow, used or new. I need a com-

pact, solid-state radio since I am cramped for space in my small hospital room.

**Richard Jastrow, Ward 800B  
Long Beach General Hospital  
2597 Redondo Ave.  
Long Beach CA 90806  
(213)-426-4936**

I am in need of a schematic for a Yaesu FT DX-570. I will pay for a copy and postage. Thank you very much.

**Todd Greenleaf KA1CFQ  
108 Edward Ave.  
Pittsfield MA 01201**

I would like to contact someone who has been able to put the RT-594/ARC-38A on the air. Thank you.

**Murle Mattern KA6DOV  
1111 Warburton  
Santa Clara CA 95050**

## CORRECTIONS

In my article and computer program, "The Odd Couple," in the November, 1980, issue of *73 Magazine*, page 110, a line of code was dropped somewhere. Please insert this statement so that the channel 6 calculation will work:  $620 L = 23 \cdot F$ . Also, a parenthesis should be put around part of line 405:  $405 J = 95.8 - (1.48 \cdot D)$

For those not familiar with Level I "shorthand" and who are trying to translate the listing,

see the accompanying table.

Level I	Level II Standard
CLS	clear screen
P.	PRINT
G.	GOTO
IN.	INPUT
( )+( )	Logical AND (see lines 130 and 1003)

**Rich Casey WA9LRI  
1818 Hemlock  
Garland TX 75041**



P.O. Box 4430M  
Santa Clara, CA 95054

ELECTRONICS

Will calls: 2322 Walsh Ave.  
(408) 988-1640 TWX 910-338-2139

60

Same day shipment. First line parts only. Factory tested.  
Guaranteed money back. Quality IC's and other components  
guaranteed at factory prices.

INTEGRATED CIRCUITS

7400TL	LM329K-5	1.35	CD4026	2.30	2114L 450ms	4.00	CONNECTORS	KEYBOARDS
7400N	LM329K-12	1.35	CD4027	86	4116 200ms	5.50	30 pin edge	56 key ASCII keyboard kit
7400N	LM329K-15	1.35	CD4028	85	84116 200ms	35.00	44 pin edge	Fully assembled
7400N	LM329K-18	1.35	CD4029	1.35	MM5282	4.00	88 pin edge	53 key ASCII keyboard kit
7400N	LM329K-24	1.35	CD4030	45	MM5286	3.00	100 pin edge	Fully assembled
7410N	LM329K-12	1.25	CD4035	1.00	MM5320	9.95	100 pin edge WW	24.95
7414N	LM329K-15	1.25	CD4040	1.35	MM5330	5.94		Enclosure Plastic
7420N	LM329K-5	5.95	CD4042	85	PD4110-3	4.00		Metal Enclosure
7420N	LM329K-12	1.00	CD4043	85	PD4110-4	5.00		
7430N	LM339N	1.00	CD4044	85	P1101L	8.95		
7442N	LM340K-5	1.35	CD4046	1.07	4700A	9.95		
7445N	LM340K-8	1.35	CD4049	45	82525	2.90		
7447N	LM340K-12	1.35	CD4050	.60	91102A	1.50		
7448N	LM340K-15	1.35	CD4051	1.13	HD0165-5	6.95		
7450N	LM340K-18	1.35	CD4060	1.42	MM57100	4.50		
7474N	LM340T-5	1.25	CD4066	71	GIAY38500-1	9.95		
7475N	LM340T-8	1.25	CD4068	40	MCM86751A	9.95		
7480N	LM340T-12	1.25	CD4069	40	9366	3.50		
7480N	LM340T-15	1.25	CD4070	58	4180	18.00		
7480N	LM340T-18	1.35	CD4071	45	418	16.90		
7482N	LM340T-24	1.25	CD4072	45				
7493N	LM350	2.95	CD4073	45				
7495N	LM377	5.95	CD4075	45				
74100N	LM379	5.00	CD4076	1.45				
74107N	LM380N	1.00	CD4078	40				
74121N	LM381	1.60	CD4081	35				
74123N	LM382	1.60	CD4082	35				
74125N	LM383	1.60	CD4083	35				
74145N	LM733H	5.00	CD4490	5.50				
74150N	LM733N	85	CD4507	1.00				
74151N	LM741CH	35	CD4508	2.85				
74154N	LM741N	38	CD4510	1.00				
74157N	LM747H	75	CD4511	94				
74161N	LM748N	50	CD4515	2.52				
74162N	LM7303A	1.75	CD4516	1.10				
74163N	LM7304	1.10	CD4518	1.58				
74174N	LM7305	1.37	CD4520	1.02				
74175N	LM7307	2.00	CD4527	1.51				
74190N	LM7310	1.95	CD4528	1.50				
74192N	LM7458	55	CD4553	3.30				
74193N	LM7459	7.50	CD4566	2.45				
74221N	LM7889	3.00	CD4583	2.25				
74259N	LM2111	1.75	CD4585	1.50				
74265N	LM2902	2.25	CD4592	3.80				
74365N	MC1496N	8.00	74C03	35				
74367N	LM3905	1.75	74C04	40				
74367N	LM3908V	95	74C10	35				
74367N	MC1498V	55	74C14	88				
74367N	NE550N	1.35	74C20	35				
74367N	NE555V	1.35	74C30	35				
74367N	NE565A	85	74C48	1.95				
74367N	NE565A	1.00	74C74	85				
74367N	NE567V	1.00	74C75	1.25				
74367N	NE570B	4.75	74C93	1.25				
74367N	78L05	60	74C154	2.50				
74367N	78L06	60	74C150	2.75				
74367N	78M05	85	74C175	1.35				
74367N	75158	1.75	74C192	1.85				
74367N	75491CN	55	74C221	1.95				
74367N	75492CN	55	74C295	6.00				
74367N	75494CN	89	74C366	7.5				
74367N	75494CN	89	74C394	1.95				
74367N	80388	4.50	74C322	5.00				
74367N	8700C1	13.95	74C323	5.50				
74367N	8701CN	22.00	74C325	7.50				
74367N	8702C1	13.95	74C327	6.95				
74367N	LD130	9.95		8.95				
74367N	9400CVJ	7.40	INTERFACE					
74367N	ICL7103	9.50	UART/RS232	80				
74367N	ICL7107	14.25	AY5-1013	65				
74367N	8098		AY5-1014	5.50				
74367N	8098		3341	6.95				
74367N	CMOS							
74367N	CD4000							
74367N	CD4001							
74367N	CD4002							
74367N	CD4006							
74367N	CD4007							
74367N	CD4008							
74367N	CD4010							
74367N	CD4011							
74367N	CD4012							
74367N	CD4013							
74367N	CD4014							
74367N	CD4015							
74367N	CD4016							
74367N	CD4017							
74367N	CD4018							
74367N	CD4019							
74367N	CD4020							
74367N	CD4021							
74367N	CD4022							
74367N	CD4023							
74367N	CD4024							
74367N	CD4025							
74367N	2114L 300ms	4.25						



RCA Cosmac 1802 Super Elf Computer \$106.95

Compare features before you decide to buy any other computer. There is no other computer on the market today that has all the desirable benefits of the Super Elf for so little money. The Super Elf is a small single board computer that does many big things. It is an excellent computer for training and for learning programming with its machine language and yet it is easily expanded with additional memory, Full Basic, ASCII Keyboards, video character generation, etc.

Before you buy another small computer, see if it includes the following features: ROM monitor; State and Mode displays; Single step; Optional address displays; Power Supply; Audio Amplifier and Speaker; Fully socketed for all IC's; Real cost of in warranty repairs; Full documentation.

plus load, reset, run, wait, input, memory protect, monitor select and single step. Large, on board displays provide output and optional high and low address. There is a 44 pin standard connector slot for PC cards and a 50 pin connector slot for the Quest Super Expansion Board. Power supply and sockets for all IC's are included in the price plus a detailed 127 pg. instruction manual which now includes over 40 pgs. of software info. including a series of lessons to help get you started and a music program and graphics target game. Many schools and universities are using the Super Elf as a course of study. OEM's use it for training and R&D.

Remember, other computers only offer Super Elf features at additional cost or not at all. Compare before you buy. Super Elf Kit \$106.95, High address option \$8.95, Low address option \$9.95. Custom Cabinet with drilled and labelled plexiglass front panel \$24.95. All metal Expansion Cabinet, painted and silk screened, with room for 5 S-100 boards and power supply \$57.00. NiCad Battery Memory Saver Kit \$6.95. All kits and options also completely assembled and tested.

The Super Elf includes a ROM monitor for program loading, editing and execution with SINGLE STEP for program debugging which is not included in others at the same price. With SINGLE STEP you can see the microprocessor chip operating with the unique Quest address and data bus displays before, during and after executing instructions. Also, CPU mode and instruction cycle are decoded and displayed on 8 LED indicators.

Questdata, a software publication for 1802 computer users is available by subscription for \$12.00 per 12 issues. Single issues \$1.50. Issues 1-12 bound \$16.50.

Tiny Basic Cassette \$10.00, on ROM \$38.00, original Elf kit board \$14.95. 1802 software; Moew's Video Graphics \$3.50. Games and Music \$3.00, Chip 8 Interpreter \$5.50.

An RCA 1861 video graphics chip allows you to connect to your own TV with an inexpensive video modulator to do graphics and games. There is a speaker system included for writing your own music or using many music programs already written. The speaker amplifier may also be used to drive relays for control purposes.

A 24 key HEX keyboard includes 16 HEX keys

Super Expansion Board with Cassette Interface \$89.95

This is truly an astounding value! This board has been designed to allow you to decide how you want it optioned. The Super Expansion Board comes with 4K of low power RAM fully addressable anywhere in 64K with built-in memory protect and a cassette interface. Provisions have been made for all other options on the same board and it fits neatly into the hardwood cabinet alongside the Super Elf. The board includes slots for up to 6K of EPROM (2708, 2758, 2716 or TI 2716) and is fully socketed. EPROM can be used for the monitor and Tiny Basic or other purposes.

A 1K Super ROM Monitor \$19.95 is available as an on board option in 2708 EPROM which has been preprogrammed with a program loader/editor and error checking multi file cassette read/write software, (relocatable cassette file) another exclusive from Quest. It includes register save and readout, block move capability and video graphics driver with blinking cursor. Break

PROM Eraser

assembled. 25 PROM capacity \$37.50 (with timer \$69.50). 6 PROM capacity OSHA/UL version \$69.50 (with timer \$94.50).

Z80 Microcomputer

16 bit I/O, 2 MHz clock, 2K RAM, ROM Breadboard space. Excellent for control. Bare Board \$28.50. Full Kit \$99.00. Monitor \$20.00. Power Supply Kit \$35.00. Tiny Basic \$30.00

S-100 Computer Boards

- 8K Static Godbout Econo IIA Kit 149.00
- 16K Static Godbout Econo XIV Kit 269.00
- 24K Static Godbout Econo XX-24 Kit 414.00
- 32K Static Godbout Econo XX-32 Kit 537.00
- 16K Dynamic RAM Kit 289.00
- 32K Dynamic RAM Kit 328.00
- 64K Dynamic RAM Kit 399.00
- Video Interface Kit \$139.00

80 IC Update Master Manual \$39.00

Comp. IC data selector, 2700 pg. master reference guide. Over 51,000 cross references. Free update service through 1980. Domestic postage \$3.50.

Modem Kit \$60.00

State of the art, orig., answer. No tuning necessary. 103 compatible 300 baud. Inexpensive acoustic coupler plans included. Bd. only \$17.00.

LRC 7000+Printer \$389.00

40/20 column dot matrix impact, std. paper. Interface all personal computers. 64/40/32/20 version \$405.00. Optional cables available. LRC 7000 printer interface cable for Super Elf with software \$26.00

NiCad Battery Fixer/Charger Kit

Opens shorted cells that won't hold a charge and then charges them up. all in one kit w/full parts and instructions. \$7.25

Rockwell AIM 65 Computer

6502 based single board with full ASCII keyboard and 20 column thermal printer. 20 char. alphanumeric display, ROM monitor, fully expandable. \$375.00. 4K version \$450.00. 4K Assembler \$85.00. 8K Basic Interpreter \$100.00.

Special small power supply for AIM65 assem. in frame \$54.00. Complete AIM65 in thin briefcase with power supply \$499.00. Molded plastic enclosure to fit both AIM65 and power supply \$47.50. Special Package Price: 4K AIM, 8K Basic, power supply, cabinet \$599.00. AIM65/KIM/VIM/Super Elf 44 pin expansion board; 3 female and 1 male bus. Board plus 3 connectors \$22.95.

60 Hz Crystal Time Base Kit \$4.40

Converts digital clocks from AC line frequency to crystal time base. Outstanding accuracy.

Video Modulator Kit \$9.95

Convert TV set into a high quality monitor w/o affecting usage. Comp. kit w/full instr.

Multi-volt Computer Power Supply

8v 5 amp, ±18v .5 amp, 5v 1.5 amp, -5v .5 amp, 12v .5 amp, -12v opt. ±5v, ±12v are regulated. Basic Kit \$29.95. Kit with chassis and all hardware \$43.95. Add \$4.00 shipping. Kit of hardware \$14.00. Woodgrain case \$10.00. \$1.50 shipping.

Quest Super Basic V5.0

A new enhanced version of Super Basic now available. Quest was the first company worldwide to ship a full size Basic for 1802 Systems. A complete function Super Basic by Ron Cenko including floating point capability with scientific notation (number range ±.17E<sup>±10</sup>), 32 bit integer ±2 billion; multi dim arrays, string arrays; string manipulation; cassette I/O; save and load, basic, data and machine language programs; and over 75 statements, functions and operations. New improved faster version including re-number and essentially unlimited variables. Also, an exclusive user expandable command library. Serial and Parallel I/O included. Super Basic on Cassette \$55.00.

Gremlin Color Video Kit \$69.95

32 x 16 alpha/numerics and graphics; up to 8 colors with 6847 chip; 1K RAM at E000. Plugs into Super Elf 44 pin bus. No high res. graph.ics. On board RF Modulator Kit \$4.95

1802 16K Dynamic RAM Kit \$149.00

Expandable to 32K. Hidden refresh w/clocks up to 4 MHz w/no wait states. Addl. 16K RAM \$63.00 Super Elf 44 pin expansion board; 3 female and 1 male bus. Board plus 3 connectors \$22.95

Tiny Basic Extended on Cassette \$15.00

(added commands include Stringy, Array, Cassette I/O etc.) S-100 4-Slot Expansion \$ 9.95 Super Monitor VI.1 Source Listing \$15.00

Elf II Adapter Kit \$24.95

Plugs into Elf II providing Super Elf 44 and 50 pin plus S-100 bus expansion. (With Super Expansion). High and low address displays, state and mode LED's optional \$18.00.

Super Color S-100 Video Kit \$129.95

Expandable to 256 x 192 high resolution color graphics. 6847 with all display modes computer controlled. Memory mapped. 1K RAM expandable to 6K, S-100 bus 1802, 8080, 8085, Z80 etc. Editor Assembler \$25.00 (Requires minimum of 4K for E/A plus user source)

1802 Tiny Basic Source listing \$19.00 Super Monitor V2.0/2.1 Source Listing \$20.00

TERMS: \$5.00 min. order U.S. Funds. Calif residents add 6% tax. \$10.00 min. BankAmericard and Master Charge accepted. \$1.00 insurance optional. Postage: Add 5%. C.O.D. \$10.00 min. order.

# MHz electronics

Toll Free Number  
800-528-0180  
(For orders only)

## 1900 MHz to 2500 MHz DOWN CONVERTER

This receiver is tunable a range of 1900 to 2500 mc and is intended for amateur radio use. The local oscillator is voltage controlled (i.e) making the i-f range approximately 54 to 88 mc (Channels 2 to 7).

PC BOARD WITH DATA .....	\$19.99
PC BOARD WITH CHIP CAPACITORS 13 .....	\$44.99
PC BOARD WITH ALL PARTS FOR ASSEMBLY .....	\$69.99
PC BOARD WITH ALL PARTS FOR ASSEMBLY PLUS 2N6603 .....	\$89.00
PC BOARD ASSEMBLED AND TESTED .....	\$99.99
PC BOARD WITH ALL PARTS FOR ASSEMBLY, POWER SUPPLY AND ANTENNA .....	\$159.99
POWER SUPPLY ASSEMBLED AND TESTED .....	\$49.99
YAGI ANTENNA 4' LONG APPROX. 20 TO 23 dB GAIN .....	\$49.99
YAGI ANTENNA 4' WITH TYPE (N, BNC, SMA Connector) .....	\$64.99
2 FOOT DISH WITH FEED AND MOUNT .....	\$59.99
2300 MHz DOWN CONVERTER	
Includes converter mounted in antenna, power supply, Plus 90 DAY WARRANTY .....	\$259.99
OPTION #1 MRF902 in front end. (7 dB noise figure) .....	\$299.99
OPTION #2 2N6603 in front end. (5 dB noise figure) .....	\$359.99
2300 MHz DOWN CONVERTER ONLY	
10 dB Noise Figure 23 dB gain in box with N conn. Input F conn. Output .....	\$149.99
7 dB Noise Figure 23 dB gain in box with N conn. Input F conn. Output .....	\$169.99
5 dB Noise Figure 23 dB gain in box with SMA conn. Input F conn. Output .....	\$189.99
DATA IS INCLUDED WITH KITS OR MAY BE PURCHASED SEPARATELY .....	\$15.00

### Shipping and Handling Cost:

Receiver Kits and \$1.50, Power Supply add \$2.00, Antenna add \$5.00, Option 1/2 add \$3.00, For complete system add \$7.50.

## HOWARD/COLEMAN TVRO CIRCUIT BOARDS

DUAL CONVERSION BOARD .....	\$25.00
This board provides conversion from the 3.7-4.2 band first to 900 MHz where gain and bandpass filtering are provided and, second, to 70 MHz. The board contains both local oscillators, one fixed and the other variable, and the second mixer. Construction is greatly simplified by the use of Hybrid IC amplifiers for the gain stages. Bare boards cost \$25 and it is estimated that parts for construction will cost \$270. (Note: The two Avantek VTO's account for \$225 of this cost.)	
47 pF CHIP CAPACITORS .....	\$6.00
For use with dual conversion board. Consists of 6-47 pF.	
70 MHz IF BOARD .....	\$25.00
This circuit provides about 43 dB gain with 50 ohm input and output impedance. It is designed to drive the HOWARD/COLEMAN TVRO Demodulator. The on-board band pass filter can be tuned for bandwidths between 20 and 35 MHz with a passband ripple of less than 1/2 dB. Hybrid ICs are used for the gain stages. Bare boards cost \$25. It is estimated that parts for construction will cost less than \$40.	
.01 pF CHIP CAPACITORS .....	\$7.00
For use with 70 MHz IF Board. Consists of 7-.01 pF.	
DEMODULATOR BOARD .....	\$40.00
This circuit takes the 70 MHz center frequency satellite TV signals in the 10 to 200 millivolt range, detects them using a phase locked loop, deemphasizes and filters the result and amplifies the result to produce standard NTSC video. Other outputs include the audio subcarrier, a DC voltage proportional to the strength of the 70 MHz signal, and AFC voltage centered at about 2 volts DC. The bare board cost \$40 and total parts cost less than \$30.	
SINGLE AUDIO .....	\$15.00
This circuit recovers the audio signals from the 6.8 MHz frequency. The Miller 9051 coils are tuned to pass the 6.8 MHz subcarrier and the Miller 9052 coil tunes for recovery of the audio.	
DUAL AUDIO .....	\$25.00
Duplicate of the single audio but also covers the 6.2 range.	
DC CONTROL .....	\$15.00
This circuit controls the VTO's, AFC and the S Meter.	

### TERMS:

WE REGRET WE NO LONGER ACCEPT BANK CARDS.

PLEASE SEND POSTAL MONEY ORDER, CERTIFIED CHECK, CASHIER'S CHECK OR MONEY ORDER.  
PRICES SUBJECT TO CHANGE WITHOUT NOTICE. WE CHARGE 15% FOR RESTOCKING ON ANY ORDER.

ALL CHECKS AND MONEY ORDERS IN US FUNDS ONLY.

ALL ORDERS SENT FIRST CLASS OR UPS.

ALL PARTS PRIME AND GUARANTEED.

WE WILL ACCEPT COD ORDERS FOR \$25.00 OR OVER. ADD \$2.50 FOR COD CHARGE.

PLEASE INCLUDE \$2.50 MINIMUM FOR SHIPPING OR CALL FOR CHARGES.

WE ALSO ARE LOOKING FOR NEW AND USED TUBES,  
TEST EQUIPMENT, COMPONENTS ETC.

WE ALSO SWAP OR TRADE.

FOR CATALOG SEE JANUARY, 1980, 73 Magazine, 10 Pages.

(602) 242-8916  
2111 W. Camelback  
Phoenix, Arizona 85015

### FAIRCHILD VHF AND UHF PRESCALER CHIPS

95H90DC	350 MHz Prescaler Divide by 10/11	\$9.50
95H91DC	350 MHz Prescaler Divide by 5/6	9.50
11C90DC	650 MHz Prescaler Divide by 10/11	16.50
11C91DC	650 MHz Prescaler Divide by 5/6	16.50
11C83DC	1 GHz Divide by 248/256 Prescaler	29.90
11C70DC	600 MHz Flip/Flop with reset	12.30
11C58DC	ECL VCM	4.53
11C44DC/MC4044	Phase Frequency Detector	3.82
11C24DC/MC4024	Dual TTL VCM	3.82
11C06DC	UHF Prescaler 750 MHz D Type Flip/Flop	12.30
11C05DC	1 GHz Counter Divide by 4	50.00
11C01FC	High Speed Dual 5-4 input NO/NOR Gate	15.40

### TRW BROADBAND AMPLIFIER MODEL CA615B

Frequency response 40 MHz to 300 MHz  
Gain: 300 MHz 16 dB Min., 17.5 dB Max.  
50 MHz 0 to -1 dB from 300 MHz  
Voltage: 24 volts dc at 220 ma max. **\$19.99**

### CARBIDE — CIRCUIT BOARD DRILL BITS FOR PC BOARDS

Size: 35, 42, 47, 49, 51, 52	\$2.15
Size: 53, 54, 55, 56, 57, 58, 59, 61, 63, 64, 65	1.85
Size: 66	1.90
Size: 1.25 mm, 1.45 mm	2.00
Size: 3.20 mm	3.58

### CRYSTAL FILTERS: TYCO 001-19880 same as 2194F

10.7 MHz Narrow Band Crystal Filter  
3 dB bandwidth 15 kHz min. 20 dB bandwidth 60 kHz min. 40 dB bandwidth 150 kHz min.  
Ultimate 50 dB; Insertion loss 1.0 dB max. Ripple 1.0 dB max. Ct. 0 +/- 5 pf 3600 ohms. **\$5.95**

### MURATA CERAMIC FILTERS

Models: SFD-455D 455 kHz	\$3.00
SFB-455D 455 kHz	2.00
CFM-455E 455 kHz	7.95
SFE-10.7 10.7 MHz	5.95

### TEST EQUIPMENT — HEWLETT PACKARD — TEKTRONIX — ETC.

**Hewlett Packard:**

491C TWT Amplifier 2 to 4 Gc 1 watt 30 dB gain	\$1150.00
608C 10 mc to 480 mc .1 uV to .5V into 50 ohms Signal Generator	500.00
608D 10 to 420 mc .1 uV to .5V into 50 ohms Signal Generator	500.00
612A 450 to 1230 mc .1 uV to .5V into 50 ohms Signal Generator	750.00
614A 900 to 2100 mc. Signal Generator	500.00
616A 1.8 to 4.2 Gc Signal Generator	400.00
616B 1.8 to 4.2 Gc Signal Generator	500.00
618A 3.8 to 7.2 Gc Signal Generator	400.00
618B 3.8 to 7.2 Gc Signal Generator	500.00
620A 7 to 11 Gc Signal Generator	500.00
623B Microwave Test Set	900.00
626A 10 Gc to 15 Gc Signal Generator	2500.00
695A 12.4 to 18 Gc Sweep Generator	900.00

**Alltech:**

473 225 to 400 mc AM/FM Signal Generator	750.00
--	--------

**Singer:**

MF5/VR-4 Universal Spectrum Analyzer with 1 kHz to 27.5 mc Plug In	1200.00
--	---------

**Keltek:**

XR630-100 TWT Amplifier 8 to 12.4 Gc 100 watts 40 dB gain	9200.00
---	---------

**Polarad:**

2038/2436/1102A Calibrated Display with an SSB Analysis Module and a 10 to 40 mc Single Tone Synthesizer	1500.00
---	---------

### HAMLIN SOLID STATE RELAYS:

120vac at 40 Amps.  
Input Voltage 3 to 32vdc.  
240 vac at 40 Amps.  
Input Voltage 3 to 32 vdc.

**YOUR CHOICE \$4.99**

### RF TRANSISTORS

TYPE	PRICE	TYPE	PRICE	TYPE	PRICE
2N1561	\$15.00	2N5590	\$8.15	MM1550	\$10.00
2N1562	15.00	2N5591	11.85	MM1552	50.00
2N1692	15.00	2N5637	22.15	MM1553	56.50
2N1693	15.00	2N5641	6.00	MM1601	5.50
2N2632	45.00	2N5642	10.05	MM1602/2N5842	7.50
2N2857JAN	2.52	2N5643	15.82	MM1607	8.65
2N2876	12.35	2N6545	12.38	MM1661	15.00
2N2880	25.00	2N5764	27.00	MM1669	17.50
2N2927	7.00	2N5842	8.78	MM1943	3.00
2N2947	18.35	2N5849	21.29	MM2605	3.00
2N2948	15.50	2N5862	51.91	MM2608	5.00
2N2949	3.90	2N5913	3.25	MM8006	2.23
2N2950	5.00	2N5922	10.00	MMCM918	20.00
2N3287	4.30	2N5942	46.00	MMT72	1.17
2N3294	1.15	2N5944	8.92	MMT74	1.17
2N3301	1.04	2N5945	12.38	MMT2857	2.63
2N3302	1.05	2N5946	14.69	MRF245	33.30
2N3304	1.48	2N6080	7.74	MRF247	33.30
2N3307	12.60	2N6081	10.05	MRF304	43.45
2N3309	3.90	2N6082	11.30	MRF420	20.00
2N3375	9.32	2N6083	13.23	MRF450	11.85
2N3553	1.57	2N6084	14.66	MRF450A	11.85
2N3755	7.20	2N6094	7.15	MRF454	21.83
2N3818	6.00	2N6095	11.77	MRF458	20.68
2N3866	1.09	2N6096	20.77		
2N3866JAN	2.80	2N6097	29.54		
2N3866JANTX	4.49	2N6136	20.15	MRF502	1.08
2N3924	3.34	2N6166	38.60	MRF504	6.95
2N3927	12.10			MRF509	4.90
2N3950	26.86			MRF511	8.15
2N4072	1.80	2N6439	45.77	MRF901	3.00
2N4135	2.00	2N6459/PT9795	18.00	MRF5177	21.62
2N4261	14.60	2N6603	12.00	MRF8004	1.60
2N4427	1.20	2N6604	12.00	PT4186B	3.00
2N4957	3.62	A50-12	25.00	PT4571A	1.50
2N4958	2.92	BFR90	5.00	PT4612	5.00
2N4959	2.23	BLY568C	25.00	PT4628	5.00
2N4976	19.00	BLY568CF	25.00	PT4640	5.00
2N5090	12.31	CD3495	15.00	PT8659	10.72
2N5108	4.03	HEP76/S3014	4.95	PT9784	24.30
2N5109	1.66	HEPS3002	11.30	PT9790	41.70
2N5160	3.49	HEPS3003	29.88	SD1043	5.00
2N5179	1.05	HEPS3005	9.95	SD1116	3.00
2N5184	2.00	HEPS3006	19.90	SD1118	5.00
2N5216	47.50	HEPS3007	24.95	SD1119	3.00
2N5583	4.55	HEPS3010	11.34		
2N5589	6.82	HEPS5026	2.56		
		HP35831E/		TRWMRA2023-1.5	42.50
		HXTR5104	50.00	40281	10.90
		MM1500	32.20	40282	11.90
				40290	2.48

### CHIP CAPACITORS

We can supply any value chip capacitors you may need.

#### PRICES

1 to 10	1.49
11 - 50	1.29
51 - 100	.89
101 - 1,000	.69
1,001 up	.49

1pf	27pf	220pf	1200pf
1.5pf	33pf	240pf	1500pf
2.2pf	39pf	270pf	1800pf
2.7pf	47pf	300pf	2200pf
3.3pf	56pf	330pf	2700pf
3.9pf	68pf	360pf	3300pf
4.7pf	82pf	390pf	3900pf
5.6pf	100pf	430pf	4700pf
6.8pf	110pf	470pf	5600pf
8.2pf	120pf	510pf	6800pf
10pf	130pf	560pf	8200pf
12pf	150pf	620pf	.010mf
15pf	160pf	680pf	.012mf
18pf	180pf	820pf	.015mf
22pf	200pf	1000pf	.018mf

### ATLAS CRYSTAL FILTERS FOR ATLAS HAM GEAR

5.52-2.7/8
5.595-2.7/8/U
5.595-500/4/CW
5.595-2.7LSB
5.595-2.7USB
5.645-2.7/8
9.0USB/CW

**YOUR CHOICE \$24.95**


**MRF454**

\$21.83

**NPN SILICON RF POWER TRANSISTORS**

... designed for power amplifier applications in industrial, commercial and amateur radio equipment to 30 MHz.

- Specified 12.5 Volt, 30 MHz Characteristics -  
Output Power = 80 Watts  
Minimum Gain = 12 dB  
Efficiency = 50%



**MRF458**

\$20.68

**NPN SILICON RF POWER TRANSISTOR**

... designed for power amplifier applications in industrial, commercial and amateur radio equipment to 30 MHz.

- Specified 12.5 Volt, 30 MHz Characteristics -  
Output Power = 80 Watts  
Minimum Gain = 12 dB  
Efficiency = 50%
- Capable of Withstanding 30:1 Load VSWR @ Rated P<sub>out</sub> and V<sub>CC</sub>

**NPN SILICON RF POWER TRANSISTOR**

... designed primarily for use in large-signal output amplifier stages. Intended for use in Citizen-Band communications equipment operating at 27 MHz. High breakdown voltages allow a high percentage of up-modulation in AM circuits.

- Specified 12.5 V, 27 MHz Characteristics -  
Power Output = 4.0 Watts  
Power Gain = 10 dB Minimum  
Efficiency = 65% Typical



**MRF472**

\$2.50

**NPN SILICON RF POWER TRANSISTOR**

... designed primarily for use in single sideband linear amplifier output applications in citizens band and other communications equipment operating to 30 MHz.

- Characterized for Single Sideband and Large-Signal Amplifier Applications Utilizing Low-Level Modulation.
- Specified 13.6 V, 30 MHz Characteristics -  
Output Power = 12 W (PEP)  
Minimum Efficiency = 40% (SSB)  
Output Power = 4.0 W (CW)  
Minimum Efficiency = 50% (CW)  
Minimum Power Gain = 10 dB (PEP & CW)
- Common Collector Characterization



\$5.00

**MHW710 - 2**

\$46.45

440 to 470MC

**UHF POWER AMPLIFIER MODULE**

... designed for 12.5 volt UHF power amplifier applications in industrial and commercial FM equipment operating from 400 to 512 MHz.

- Specified 12.5 Volt, UHF Characteristics -  
Output Power = 13 Watts  
Minimum Gain = 19.4 dB  
Harmonics = 40 dB
- 50 Ω Input/Output Impedance
- Guaranteed Stability and Ruggedness
- Gain Control Pin for Manual or Automatic Output Level Control
- Thin Film Hybrid Construction Gives Consistent Performance and Reliability



**Tektronix Test Equipment**

B	Wideband High Gain Plug In	\$ 51.00
CA	Dual Trace Plug In	120.00
K	Fast Rise DC Plug In	63.00
N	Sampling Plug In	200.00
R	Transistor Risetime Plug In	116.00
W	High Gain Differential Comparator Plug In	283.00
TU-2	Test Load Plug In For 530/540/550 Main Frames	50.00
1A2	Wideband Dual Trace Plug In	216.00
151	Sampling Unit With 350PS Risetime DC to 1GHZ	730.00
2A61	AC Differential Plug In	133.00
353	Dual Trace Sampling DC to 1GHZ Plug In	250.00
3576	Dual Trace Sampling DC to 875MHz Plug In	250.00
3177A	Sampling Sweep Plug In	250.00
3L10	Spectrum Analyzer 1 to 36MHz Plug In	1000.00
50	Amplifier Plug In	50.00
51	Sweep Plug In	50.00
53B	Wideband High Gain Plug In	25.00
53/54B	Wideband High Gain Plug In	45.00
53/54C	Dual Trace Plug In	112.50
53/54D	High Gain DC Differential Plug In	38.00
53/54G	Wideband DC Differential Plug In	68.00
53/54L	Fast Rise High Gain Plug In	68.00
84	Test Plug In For 580/581 Main Frames	75.00
107	Square Wave Generator .4 to 1MHz	48.00
RM122	Preamplifier 2Hz to 40KHz	63.00
123	AC Coupled Preamplifier	25.00
131	Current Probe Amplifier	50.00
184	Time Mark Generator	363.00
R240	Program Control Unit	150.00
280	Trigger Countdown Unit	84.00
455	Portable Dual Trace 50MHz Scope	2000.00
465	Portable Dual Trace 100MHz Scope	2500.00
503	DC to 450KHz Scope Rack Mount	250.00
535A	DC to 15MHz Scope Rack Mount	263.00
543	DC to 33MHz Scope	300.00
561	DC to 10MHz Scope Rack Mount	150.00
561A	DC to 10MHz Scope Rack Mount	200.00

**Scopes with Plug-in's**

561A	DC to 10MHz Scope with a 3576 Dual Trace DC to 875MHz Sampling Plug In and a 3177A Sweep Plug In, Rack Mount	600.00
565	DC to 10MHz Dual Beam Scope with a 2A61 Diff. and a 2A61 Diff. Plug In's	900.00
581	DC to 80MHz Scope with a 82 Dual Trace High Gain Plug In	650.00

**Tubes**

2E26	\$ 5.00	4CX350FJ	\$116.00	6146W	12.00
3-50G2	102.00	4CX1000A	300.00	615V	18.40
3-1000Z	268.00	4CX1500R	350.00	6161	75.00
8E26/8E6A	5.00	4CX15000A	750.00	6293	18.50
3X2500A3	150.00	4E27	50.00	6360	6.95
4-65A	45.00	4X150A	41.00	6907	40.00
4-125A	58.50	4X150B	52.00	6939	14.75
4-250A	68.50	4X150C	74.00	7360	12.00
4-400A	71.00	5Z6/T160L	39.00	7904	10.40
4-1000A	184.00	6LF6	5.00	8U72	49.00
5-500A	145.00	6L06	5.00	8106	2.00
4CX250H	65.00	811A	12.95	8156	7.85
4CX250F/G	55.00	813	29.00	8226	127.70
4CX250K	113.00	5894/A	42.00	8295/PL172	328.00
4CX250R	92.00	6146	5.00	8458	25.75
4CX300A	147.00	6146A	6.00	8560A/A5	50.00
4CX350A	107.00	6146B/H29HA	7.00	8908	9.00
				8950	9.00



## MICROWAVE COMPONENTS

### ARRA

2416	Variable Attenuator	\$ 50.00
3614-60	Variable Attenuator 0 to 60dB	75.00
KU520A	Variable Attenuator 18 to 26.5 GHz	100.00
4684-20C	Variable Attenuator 0 to 180dB	100.00
6684-20F	Variable Attenuator 0 to 180dB	100.00

### General Microwave

Directional Coupler 2 to 4GHz 20dB Type N	75.00
---	-------

### Hewlett Packard

H487B	100 ohms Neg. Thermistor Mount (NEW)	150.00
H487B	100 ohms Neg. Thermistor Mount (USED)	100.00
477B	200 ohms Neg. Thermistor Mount (USED)	100.00
X487A	100 ohms Neg. Thermistor Mount (USED)	100.00
X487B	100 ohms Neg. Thermistor Mount (USED)	125.00
J468A	100 ohms Neg. Thermistor Mount (USED)	150.00
478A	200 ohms Neg. Thermistor Mount (USED)	150.00
J382	5.85 to 8.2 GHz Variable Attenuator 0 to 50dB	250.00
X382A	8.2 to 12.4 GHz Variable Attenuator 0 to 50dB	250.00
394A	1 to 2 GHz Variable Attenuator 6 to 120dB	250.00
NK292A	Waveguide Adapter	65.00
K422A	18 to 26.5 GHz Crystal Detector	250.00
8436A	Bandpass Filter 8 to 12.4 GHz	75.00
8439A	2 GHz Notch Filter	75.00
8471A	RF Detector	50.00
H532A	7.05 to 10 GHz Frequency Meter	300.00
G532A	3.95 to 5.85 GHz Frequency Meter	300.00
J532A	5.85 to 8.2 GHz Frequency Meter	300.00
809A	Carriage with a 444A Slotted Line Untuned Detector Probe and 809B Coaxial Slotted Section 2.6 to 18 GHz	175.00

### Merrimac

AU-25A/	801115 Variable Attenuator	100.00
AU-26A/	801162 Variable Attenuator	100.00

### Microlab/FXR

X6385	Horn 8.2 - 12.4 GHz	60.00
601-B18	X to N Adapter 8.2 - 12.4 GHz	35.00
Y610D	Coupler	75.00

### Narda

4013C-10/	22540A Directional Coupler 2 to 4 GHz 10db Type SMA	90.00
4014-10/	22538 Directional Coupler 3.85 to 8 GHz 10dB Type SMA	90.00
4014C-6/	22876 Directional Coupler 3.85 to 8 GHz 6dB Type SMA	90.00
4015C-10/	22539 Directional Coupler 7.4 to 12 GHz 10dB Type SMA	95.00
4015C-30/	23105 Directional Coupler 7 to 12.4 GHz 30dB Type SMA	95.00
3044-20	Directional Coupler 4 to 8 GHz 20dB Type N	125.00
3040-20	Directional Coupler 240 to 500 MC 20dB Type N	125.00
3043-20/	22006 Directional Coupler 1.7 to 4 GHz 20dB Type N	125.00
3003-10/	22011 Directional Coupler 2 to 4 GHz 10dB Type N	75.00
3003-30/	22012 Directional Coupler 2 to 4 GHz 30dB Type N	75.00
3043-30/	22007 Directional Coupler 1.7 to 3.5 GHz 30dB Type N	125.00
22574	Directional Coupler 2 to 4 GHz 10dB Type N	125.00
3033	Coaxial Hybrid 2 to 4 GHz 3dB Type N	125.00
3032	Coaxial Hybrid 950 to 2 GHz 3 dB Type N	125.00
784/	22380 Variable Attenuator 1 to 90dB 2 to 2.5 GHz Type SMA	550.00
22377	Waveguide to Type N Adapter	35.00
720-6	Fixed Attenuator 8.2 to 14.4 GHz 6 dB	50.00
3503	Waveguide	25.00

### PRD

U101	12.4 to 18 GHz Variable Attenuator 0 to 60dB	300.00
X101	8.2 to 12.4 GHz Variable Attenuator 0 to 60dB	200.00
C101	Variable Attenuator 0 to 60dB	200.00
205A/367	Slotted Line with Type N Adapter	100.00
195B	8.2 to 12.4 GHz Variable Attenuator 0 to 50dB	100.00
185BS1	7.05 to 10 GHz Variable Attenuator 0 to 40dB	100.00
196C	8.2 to 12.4 GHz Variable Attenuator 0 to 45dB	100.00
170B	3.95 to 5.85 GHz Variable Attenuator 0 to 45dB	100.00
588A	Frequency Meter 5.3 to 6.7 GHz	100.00
140A,C,D,E	Fixed Attenuators	25.00
109J,I	Fixed Attenuators	25.00
WEINSCHL ENG.	2692 Variable Attenuator +30 to 60dB	100.00

## COMPUTER I.C. SPECIALS

MEMORY	DESCRIPTION	PRICE
2708	1K x 8 EPROM	\$ 7.99
2716/2516	2K x 8 EPROM 5Volt Single Supply	20.00
2114/9114	1K x 4 Static RAM 450ns	6.99
2114L2	1K x 4 Static RAM 250ns	6.99
2114L3	1K x 4 Static RAM 350ns	7.99
4027	4K x 1 Dynamic RAM	3.99
4060/2107	4K x 1 Dynamic RAM	3.99
4050/9050	4K x 1 Dynamic RAM	3.99
2111A-2/B111	256 x 4 Static RAM	3.99
2112A-2	256 x 4 Static RAM	3.99
2115AL-2	1K x 1 Static RAM 55ns	4.99
6104-3/4104	4K x 1 Static RAM 320ns	14.99
7141-2	4K x 1 Static RAM 200ns	14.99
MCM6641L20	4K x 2 Static RAM 200ns	14.99
9131	1K x 1 Static RAM 300ns	10.99

### C.P.U.'s EGT.

MC6800L	Microprocessor	13.80
MCM6810AP	128 x 8 Static RAM 450ns	3.99
MCM68A10P	128 x 8 Static RAM 360ns	4.99
MCM68B10P	128 x 8 Static RAM 250ns	5.99
MC6820P	PIA	8.99
MC6820L	PIA	9.99
MC6821P	PIA	8.99
MC68B21P	PIA	9.99
MCM6830L7	Mikbug	14.99
MC6840P	PTM	8.99
MC6845P	CRT Controller	29.50
MC6845L	CRT Controller	33.00
MC6850L	ACIA	10.99
MC6852P	SSDA	5.99
MC6852L	SSDA	11.99
MC6854P	ADLC	22.00
MC6860CJCS	0-600 BPS Modem	29.00
MC6862L	2400 BPS Modem	14.99
MK3850N-3	F8 Microprocessor	9.99
MK3852P	F8 Memory Interface	16.99
MK3852N	F8 Memory Interface	9.99
MK3854N	F8 Direct Memory Access	9.99
8008-1	Microprocessor	4.99
8080A	Microprocessor	8.99
Z80CPU	Microprocessor	14.99
6520	PIA	7.99
6530	Support For 6500 series	15.99
2650	Microprocessor	10.99
TMS1000NL	Four Bit Microprocessor	9.99
TMS4024NC	9 x 64 Digital Storage Buffer (FIFO)	9.99
TMS6011NC	UART	9.99
MC14411	Bit Rate Generator	11.99
AY5-4007D	Four Digit Counter/Display Drivers	8.99
AY5-9200	Repertory Dialler	9.99
AY5-9100	Push Button Telephone Diallers	7.99
AY5-2376	Keyboard Encoder	19.99
AY2-8500	TV Game Chip	5.99
TR1402A	UART	9.99
PR1472B	UART	9.99
PT1482B	UART	9.99
8257	DMA Controller	9.99
8251	Communication Interface	9.99
8228	System Controller & Bus Driver	5.00
8212	8 Bit Input/Output Port	5.00
MC14410CP	2 of 8 Tone Encoder	9.99
MC14412	Low Speed Modem	14.99
MC14408	Binary to Phone Pulse Converter	12.99
MC14409	Binary to Phone Pulse Converter	12.99
MC1488L	RS232 Driver	1.00
MC1489L	RS232 Receiver	1.00
MC1405L	A/D Converter Subsystem	9.00
MC1406L	6 Bit D/A Converter	7.50
MC1408/6/7/8	8 Bit D/A Converter	4.50
MC1330P	Low Level Video Detector	1.50
MC1349/50	Video IF Amplifier	1.17
MC1733L	LM733 OP Amplifier	2.40
LM565	Phase Lock Loop	2.50

# MHz <sup>48</sup> electronics

Toll Free Number

800-528-0180

(For orders only)

(602) 242-8916

2111 W. Camelback  
Phoenix, Arizona 85015

We now have available a bunch of goodies too good to bypass. Items are limited so order today

716-586-3950

Call Your Phone Order in Today

TERMS: Satisfaction guaranteed or money refunded. C.O.D. add \$2.00. Minimum order \$5.00. Orders under \$10.00 add \$1.50. Add 5% for postage, insurance, handling. Overseas add 15%. N.Y. residents add 7% tax.

## MINI KITS - YOU HAVE SEEN THESE BEFORE NOW HERE ARE OLD FAVORITE AND NEW ONES TOO. GREAT FOR THAT AFTERNOON HOBBY.

### FM MINI MIKE

A super high performance FM wireless mike kit! Transmits a stable signal up to 300 yards with exceptional audio quality by means of its built in electret mike. Kit includes case, mike, on-off switch, antenna, battery and super instructions. This is the finest unit available.

FM-3 Kit **\$14.95**  
FM-3 Wired and Tested **19.95**

### Color Organ

See music come alive! 3 different lights flicker with music. One light each for, high, mid-range and lows. Each individually adjustable and drives up to 300 W. runs on 110 VAC.

Complete kit, ML-1 **\$8.95**

### Video Modulator Kit

Converts any TV to video monitor. Super stable, tunable over ch. 4-6. Runs on 5-15V, accepts std video signal. Best unit on the market! Complete kit, VD-1 **\$7.95**

### Led Blinky Kit

A great attention getter which alternately flashes 2 jumbo LEDs. Use for name badges, buttons, warning panel lights, anything! Runs on 3 to 15 volts. Complete kit, BL-1 **\$2.95**

### CPO-1

Runs on 3-12 Vdc 1 wall out, 1 KHZ good for CPO, Alarm, Audio Oscillator. Complete kit **\$2.95**

### Super Sleuth

A super sensitive amplifier which will pick up a pin drop at 15 feet! Great for monitoring baby's room or as general purpose amplifier. Full 2 W rms output, runs on 6 to 15 volts, uses 8-45 ohm speaker. Complete kit, BN-9 **\$5.95**

### CLOCK KITS

Your old favorites are here again. Over 7,000 Sold to Date. Be one of the gang and order yours today!

Try your hand at building the finest looking clock on the market. Its satin finish anodized aluminum case looks great anywhere, while six .4" LED digits provide a highly readable display. This is a complete kit, no extras needed, and it only takes 1-2 hours to assemble. Your choice of case colors: silver, gold, black (specify).

Clock kit, 12/24 hour, DC-5 **\$24.95**  
Clock with 10 min. ID timer, 12/24 hour, DC-10 **\$29.95**  
Alarm clock, 12 hour only, DC-8 **\$29.95**  
12V DC car clock, DC-7 **\$29.95**

For wired and tested clocks add \$10.00 to kit price. SPECIFY 12 OR 24 HOUR FORMAT

### FM Wireless Mike Kit

Transmits up to 300' to any FM broadcast radio, uses any type of mike. Runs on 3 to 9V. Type FM-2 has added sensitive mike preamp stage.

FM-1 kit **\$3.95** FM-2 kit **\$4.95**

### Whisper Light Kit

An interesting kit, small mike picks up sounds and converts them to light. The louder the sound, the brighter the light. Includes mike, controls up to 300 W, runs on 110 VAC. Complete kit, WL-1 **\$6.95**

### Tone Decoder

A complete tone decoder on a single PC board. Features: 400-5000 Hz adjustable range via 20 turn pot, voltage regulation, 567 IC. Useful for touch-tone burst detection, FSK, etc. Can also be used as a stable tone encoder. Runs on 5 to 12 volts. Complete kit, TD-1 **\$5.95**

### Car Clock

The UN-KIT, only 5 solder connections

Here's a super looking, rugged and accurate auto clock, which is a snap to build and install. Clock movement is completely assembled — you only solder 3 wires and 2 switches, takes about 15 minutes! Display is bright green with automatic brightness control photocell — assures you of a highly readable display, day or night. Comes in a satin finish anodized aluminum case which can be attached 5 different ways using 2 sided tape. Choice of silver, black or gold case (specify)

DC-3 kit, 12 hour format **\$22.95**  
DC-3 wired and tested **\$29.95**

### Universal Timer Kit

Provides the basic parts and PC board required to provide a source of precision timing and pulse generation. Uses 555 timer IC and includes a range of parts for most timing needs.

UT-5 Kit **\$5.95**

### Mad Blaster Kit

Produces LOUD ear shattering and attention getting siren like sound. Can supply up to 15 watts of obnoxious audio. Runs on 6-15 VDC

MB-1 Kit **\$4.95**

### Siren Kit

Produces upward and downward wail characteristic of a police siren. 5 W peak audio output, runs on 3-15 volts, uses 3-45 ohm speaker. Complete kit, SM-3 **\$2.95**

Runs on 5-15 VDC. Low current (2.5ma) 1 min/month accuracy TB-7 Kit **\$5.50**  
TB-7 Assy **\$9.95**

### Calendar Alarm Clock

The clock that's got it all: 6-5" LEDs, 12/24 hour, snooze, 24 hour alarm, 4 year calendar, battery backup, and lots more. The super 7001 chip is used. Size: 5x4x2 inches. Complete kit, less case (not available) DC-9 **\$34.95**

### Under Dash Car Clock

12/24 hour clock in a beautiful plastic case features: 6 jumbo RED LEDs, high accuracy (.001%), easy 3 wire hookup, display blanks with ignition, and super instructions. Optional dimmer automatically adjusts display to ambient light level. DC-11 clock with mtg bracket **\$27.95 kit**  
DM-1 dimmer adapter **\$2.50**  
Add \$10.00 Assy and Test

### Video Terminal

A completely self-contained, stand alone video terminal card. Requires only an ASCII keyboard and TV set to become a complete terminal unit. Features are: single 5V supply, XTAL controlled sync and baud rates (to 9600), complete computer and keyboard control of cursor. Parity error control and display. Accepts and generates serial ASCII plus parallel keyboard input. The 6416 is 64 char. by 16 lines with scrolling, upper and lower case (optional) and has RS-232 and 20ma loop interfaces on board. Kits include sockets and complete documentation. RE 6416, terminal card kit (add \$60.00 for wired unit) **\$189.95**  
Lower Case option **\$13.95**  
Power Supply **\$14.95**  
RF Modulator kit **\$7.95**

## PARTS PARADE

### IC SPECIALS

LINEAR	TTL
301 <b>\$.35</b>	74S00 <b>\$.40</b>
324 <b>\$1.50</b>	7447 <b>\$.65</b>
380 <b>\$1.50</b>	7475 <b>\$.50</b>
555 <b>\$.45</b>	7490 <b>\$.50</b>
556 <b>\$1.00</b>	74196 <b>\$1.35</b>
565 <b>\$1.00</b>	
566 <b>\$1.00</b>	
567 <b>\$1.25</b>	
741 <b>10/\$2.00</b>	
1458 <b>\$.50</b>	
3900 <b>\$.50</b>	
3914 <b>\$2.95</b>	
8038 <b>\$2.95</b>	

CMOS	SPECIAL
4011 <b>.50</b>	11C90 <b>\$15.00</b>
4013 <b>.50</b>	10116 <b>\$ 1.25</b>
4046 <b>\$1.85</b>	7208 <b>\$17.50</b>
4049 <b>.50</b>	7207A <b>\$ 5.50</b>
4059 <b>\$9.00</b>	7216D <b>\$21.00</b>
4511 <b>\$2.00</b>	7107C <b>\$12.50</b>
4518 <b>\$1.35</b>	5314 <b>\$ 2.95</b>
5639 <b>\$1.75</b>	5375AB/G <b>\$ 2.95</b>
	7001 <b>\$ 6.50</b>

READOUTS	Sockets
FND 359 4" C.C. <b>\$1.00</b>	8 Pin <b>10/\$2.00</b>
FND 507/510 5" C.A. <b>1.00</b>	14 Pin <b>10/\$2.00</b>
MAN 72/HP7730 33" C.A. <b>1.00</b>	16 Pin <b>10/\$2.00</b>
HP 7651 43" C.A. <b>2.00</b>	24 Pin <b>4/\$2.00</b>
	28 Pin <b>4/\$2.00</b>
	40 Pin <b>3/\$2.00</b>

TRANSISTORS	Diodes
2N3904 NPN C-F <b>15/\$1.00</b>	5.1 V Zener <b>20/\$1.00</b>
2N3906 PNP C-F <b>15/\$1.00</b>	1N914 Type <b>50/\$1.00</b>
2N4403 PNP C-F <b>15/\$1.00</b>	1KV 2Amp <b>8/\$1.00</b>
2N4410 NPN C-F <b>15/\$1.00</b>	100V 1Amp <b>15/\$1.00</b>
2N4916 FET C-F <b>4/\$1.00</b>	
2N5401 PNP C-F <b>5/\$1.00</b>	
2N6028 C-F <b>4/\$1.00</b>	
2N3771 NPN Silicon <b>\$1.50</b>	
2N5179 UHF NPN <b>3/\$2.00</b>	
Power Tab NPN 40W <b>3/\$1.00</b>	
Power Tab PNP 40W <b>3/1.00</b>	
MPF 102/2N5484 <b>\$.50</b>	
NPN 3904 Type T-R <b>50/\$2.50</b>	
PNP 3906 Type T-R <b>50/\$2.50</b>	
2N3055 <b>\$.80</b>	
2N2646 UJT <b>3/\$2.00</b>	

### Resistor Ass't

Assortment of Popular values - 1/4" watt. Cut lead for PC mounting, 1/2" center, 1/2" leads, bag of 300 or more. **\$1.50**

### Switches

Mini toggle SPDT **\$1.00**  
Red Pushbuttons N.O. **3/\$1.00**

### Earphones

3" leads, 8 ohm, good for small tone speakers, alarm clocks, etc. **5 for \$1.00**

### Mini 8 ohm Speaker

Approx. 2 1/2" diam Round type for radios, mike etc. **3 for \$2.00**

### Slug Tuned Coils

Small 3/16" Hex Slugs turned coil 3 turns **10 for \$1.00**

CAPACITORS	ALUMINUM	DISK CERAMIC
TANTALUM Dipped Epoxy	Electrolytic	01 16V disk <b>20/\$1.00</b>
1.5 uF 25V <b>3/\$1.00</b>	1000 uF 16V Radial <b>\$.50</b>	1 16V <b>15/\$1.00</b>
1.8 uF 25V <b>3/\$1.00</b>	500 uF 20V Axial <b>\$.50</b>	001 16V <b>20/\$1.00</b>
22 uF 25V <b>3/\$1.00</b>	150 uF 16V Axial <b>5/\$1.00</b>	100 pF <b>20/\$1.00</b>
	10 uF 15V Radial <b>10/\$1.00</b>	047 16V <b>20/\$1.00</b>

### DC-DC Converter

+5 vdc input prod. -9 vdc @ 30ma  
+9 vdc produces -15 vdc @ 35ma **\$1.25**

### 25K 20 Turn Trim Pot

**\$1.00**

### 1K 20 Turn Trim Pot

**\$.50**

### Crystal Microphone

Small 1" diameter 1/2" thick crystal mike cartridge **\$.75**

### Coax Connector

Chassis mount **\$1.00**  
BNC type

### Parts Bag

Ass't of chokes, disc caps, tant resistors, transistors, diodes, MICA caps etc. sm. bag (100 pc) **\$1.00** lg. bag (300 pc) **\$2.50**

### Leds - your choice, please specify

Mini Red, Jumbo Red, High Intensity Red, Illuminator Red **8/\$1**  
Mini Yellow, Jumbo Yellow, Jumbo Green **6/\$1**

### Varactors

Motorola MV 2209 30 PF Nominal cap 20-80 PF - Tunable range - **.50 each or 3/\$1.00**

### Audio Prescaler

Make high resolution audio measurements, great for musical instrument tuning, PL tones, etc. Multiplies audio UP in frequency, selectable x10 or x100, gives .01 HZ resolution with 1 sec. gate time! High sensitivity of 25 mv, 1 meg input z and built-in filtering gives great performance. Runs on 9V battery, all CMOS. PS-2 kit **\$29.95**  
PS-2 wired **\$39.95**

### 600 MHz PRESCALER

Extend the range of your counter to 600 MHz. Works with all counters. Less than 150 mv sensitivity, specify -10 or -100  
Wired, tested, PS-1B **\$59.95**  
Kit, PS-1B **\$44.95**

### 30 Watt 2 mtr PWR AMP

Simple Class C power amp features 8 times power gain. 1 W in for 8 out, 2 W in for 15 out, 4W in for 30 out. Max output of 35 W, incredible value, complete with all parts, less case and T-R relay. PA-1, 30 W pwr amp kit **\$22.95**  
TR-1, RF sensed T-R relay kit **6.95**

### MRF-238 transistor as used in PA-1

8-10db gain 150 mhz **\$11.95**

### Power Supply Kit

Complete triple regulated power supply provides variable 6 to 18 volts at 200 ma and +5 at 1 Amp. Excellent load regulation, good filtering and small size. Less transformers, requires 6.3 V 1A and 24 VCT. Complete kit, PS-3LT **\$6.95**

### RF actuated relay senses RF (1W) and closes DPDT relay.

For RF sensed T-R relay TR-1 Kit **\$6.95**

### OP-AMP Special

BI-FET LF 13741 - Direct pin for pin 741 compatible, but 500,000 MEG input z, super low 50 pa input current, low power drain.  
50 for only **\$9.00** 10 for **\$2.00**

78MG <b>\$1.25</b>	7812 <b>\$1.00</b>
79MG <b>\$1.25</b>	7815 <b>\$1.00</b>
723 <b>\$.50</b>	7905 <b>\$1.25</b>
309K <b>\$1.15</b>	7912 <b>\$1.25</b>
7805 <b>\$1.00</b>	7915 <b>\$1.25</b>

### Regulators

Thermalloy Brand **5 for \$1.00**  
To-220 Heat Sinks **3 for \$1.00**

### Shrink Tubing Nubs

Nice precut pcs of shrink size: 1" x 1/2" shrink to 1/8". Great for splices. **50/\$1.00**

### Opto Isolators - 4N28 type

Opto Reflectors - Photo diode + LED **\$1.00 ea.**

### Molex Pins

Molex already precut in length of 7. Perfect for 14 pin sockets. **20 strips for \$1.00**


### CDS Photocells

Resistance varies with light. 250 ohms to over 3 meg **3 for \$1.00**

## These Low Cost SSB TRANSMITTING CONVERTERS

Let you use inexpensive recycled 10M or 2M SSB exciters on UHF & VHF!

- Linear Converters for SSB, CW, FM, etc.
- A fraction of the price of other units; no need to spend \$300 - \$400!
- Use with any exciter; works with input levels as low as 1 mW.
- Use low power tap on exciter or simple resistor attenuator pad (instructions included).
- Link osc with RX converter for transceive.



### XV4 UHF KIT — ONLY \$99.95

28-30 MHz in, 435-437 MHz out; 1W p.e.p. on ssb, up to 1½W on CW or FM. Has second oscillator for other ranges. Atten. supplied for 1 to 500 mW input, use external attenuator for higher levels.

Extra crystal for 432-434 MHz range ..... \$5.95  
XV4 Wired and tested ..... \$149.95

### XV2 VHF KIT - ONLY \$69.95

2W p.e.p. output with as little as 1mW input. Use simple external attenuator. Many freq. ranges available.

MODEL	INPUT (MHz)	OUTPUT (MHz)
XV2-1	28-30	50-52
XV2-2	28-30	220-222
XV2-4	28-30	144-146
XV2-5	28-29 (27-27.4 CB)	145-146 (144-144.4)
XV2-7	144-146	50-52

XV2 Wired and tested ..... \$109.95

### XV28 2M ADAPTER KIT - \$24.95

Converts any 2M exciter to provide the 10M signal required to drive above 220 or 435 MHz units.



### NEW! COMPLETE TRANSMITTING CONVERTER AND PA IN ATTRACTIVE CABINET

Far less than the cost of many 10W units!

Now, the popular Hamtronics® Transmitting Converters and heavy duty Linear Power Amplifiers are available as complete units in attractive, shielded cabinets with BNC receptacles for exciter and antenna connections. Perfect setup for versatile terrestrial and OSCAR operations! Just right for phase 3! You save \$30 when you buy complete unit with cabinet under cost of individual items. Run 40-45 Watts on VHF or 30-40 Watts on UHF with one integrated unit! Call for more details.

MODEL	KIT	WIRED and TESTED
XV2/LPA2-45/Cabt (6M or 2M)	\$199.95	\$299.95
XV4/LPA4-30/Cabt (for UHF)	\$229.95	\$349.95

## Easy to Build FET RECEIVING CONVERTERS

Let you receive OSCAR and other exciting VHF and UHF signals on your present HF or 2M receiver



- NEW LOW-NOISE DESIGN
- ATTRACTIVE WOODGRAIN CASE
- Less than 2dB noise figure, 20dB gain


MODEL	RF RANGE	OUTPUT RANGE
CA28	28-32 MHz	144-148 MHz
CA50	50-52	28-30
CA50-2	50-54	144-148
CA144	144-146	28-30
CA145	145-147-or-144-144.4	28-30 27-27.4 (CB)
CA146	146-148	28-30
CA220	220-222	28-30
CA220-2	220-224	144-148
CA110	Any 2MHz of Aircraft Band	26-28 or 28-30
CA432-2	432-434	28-30
CA432-5	435-437	28-30
CA432-4	432-436	144-148

Easily modified for other rf and if ranges.

STYLE	VHF	UHF
Kit less case	\$34.95	\$49.95
Kit with case	\$39.95	\$54.95
Wired/Tested in case	\$54.95	\$64.95

### Professional Quality VHF/UHF FM/CW EXCITERS

- Fully shielded designs
- Double tuned circuits for spurious suppression
- Easy to align with built-in test aids



T50-50	6-chan, 6M, 2W Kit.....	\$44.95
T50-150	6-chan, 2M, 2W Kit.....	\$44.95
T50-220	6-chan, 220 MHz, 2W Kit .....	\$44.95
T450	1-chan, 450 MHz, ¾W Kit .....	\$44.95

### See our Complete Line of VHF & UHF Linear PA's

- Use as linear or class C PA
- For use with SSB Xmtg Converters, FM Exciters, etc.

LPA2-15	6M, 2M, 220; 15 to 20W .....	\$59.95
LPA2-30	6M, 2m; 25 to 30W .....	\$89.95
LPA2-40	220 MHz; 30 to 40W .....	\$119.95
LPA2-45	6M, 2M; 40 to 45W .....	\$119.95
LPA4-10	430MHz; 10 to 14W .....	\$79.95
LPA4-30	430MHz; 30-40W .....	\$119.95

See catalog for complete specifications

Call or Write to get  
**FREE CATALOG**  
With Complete Details  
(Send 4 IRC's for overseas mailing)

HAMTRONICS® IS A REGISTERED TRADEMARK

### FAMOUS HAMTRONICS PREAMPS

Let you hear the weak ones too!  
Great for OSCAR, SSB, FM, ATV. Over 14,000 in use throughout the world on all types of receivers.



- NEW LOW-NOISE DESIGN
- Less than 2 dB noise figure, 20 dB gain
- Case only 2 inches square
- Specify operating frequency when ordering

**MODEL P-30 VHF PREAMP**, available in many versions to cover bands 18-300 MHz.

**MODEL P432 UHF PREAMP**, available in versions to cover bands 300-650 MHz.

STYLE	VHF	UHF
Kit less case	\$12.95	\$18.95
Kit with case	\$18.95	\$26.95
Wired/Tested in Case	\$27.95	\$32.95

### NEW VHF/UHF FM RCVR'S Offer Unprecedented Range of Selectivity Options

- New generation
- More sensitive
- More selective
- Low cross mod
- Uses crystal filters
- Smaller
- Easy to align



**R75A\*** VHF Kit for monitor or weather satellite service. Uses wide L-C filter. -60dB at ± 30 kHz. .... \$69.95

**R75B\*** VHF Kit for normal nbm service. Equivalent to most transceivers. -60dB at ± 17 kHz, -80dB at ± 25 kHz. .... \$74.95

**R75C\*** VHF Kit for repeater service or high rf density area. -60dB at ± 14kHz, -80dB ± 22kHz, -100dB ± 30kHz. .... \$84.95

**R75D\*** VHF Kit for split channel operation or repeater in high density area. Uses 8-pole crystal filter. -60dB at ± 9kHz, -100dB at ± 15 kHz. The ultimate receiver! ... \$99.95

\* Specify band: 10M, 6M, 2M, or 220 MHz. May also be used for adjacent commercial bands. Use 2M version for 137 MHz WX satellites.

**R450( )** UHF FM Receiver Kits, similar to R75, but for UHF band. New low-noise front end. Add \$10 to above prices. (Add selectivity letter to model number as on R75.)

**A14** 5 Channel Adapter for Receivers. .... \$9.95

### NEW R110 VHF AM RCVR

AM monitor receiver kit similar to R75A, but AM. Available for 10-11M, 6M, 2M, 220 MHz, and 110-130 MHz aircraft band \$74.95. (Also available in UHF version.)

### IT'S EASY TO ORDER!

- Write or phone 716-392-9430
- (Electronic answering service evenings & weekends)
- Use Credit Card, UPS COD, Check, Money Order
- Add \$2.00 shipping & handling per order

**hamtronics, inc.**

65J MOUL RD • HILTON, NY 14468

# SEMICONDUCTORS SURPLUS

2822 North 32nd Street, #1 • Phoenix, Arizona 85008 • Phone 602-956-9423

## MEMORY

	Description	Price
2708	1K x 8 Eprom	\$ 5.00
2716/2516	2K x 8 5V single supply	9.99
2114/9114	1K x 4 Static	5.00
4027	4K x 1 Dynamic Ram	2.99
2117/4116	16K x 1 Dynamic Ram	5.00
2732-6	32K Eprom	39.95

## C.P.U.'s, Etc.

MC6800P	Microprocessor	9.99
MC68B21P	PIA	6.99
MC6845P	CRT Controller	25.00
MC6850P	ACIA	4.99
MC6852P	SSDA	5.00
8008-1	Microprocessor	5.00
8080A	Microprocessor	5.00
Z80A	Microprocessor	10.99
Z80	Microprocessor	8.99
Z80A	PIO	9.99
Z80	SIO/O	22.50
Z80	SIO/I	22.50
8212	8 Bit input/output part	3.99
8251	Communication Interface	6.99
TR1602/AY5-1013	UART	6.99
TMS1000NL	Four Bit Microprocessor	4.99
PT1482B	PSAT	5.99
8257	DMA Controller	8.99
3341	64 x 4 FIFO	3.00
MM5316/F3817	Clock with alarm	5.99
8741		60.00
8748	8 Bit Microcomputer with programmable/erasable EPROM	60.00
MC1408L/6	6 Bit D/A	3.25
COM2502		9.99
COM2601		9.99

## CRYSTAL FILTERS

TYCO 001-19880 Same as 2194F  
 10.7 MHz narrow band  
 3 dB bandwidth 15 KHz min.  
 20 dB bandwidth 60 KHz min.  
 40 dB bandwidth 150 KHz min.  
 Ultimate 50 dB insertion loss 1 dB max.  
 Ripple 1 dB max. Ct. 0+/-5 pf 3600 Ohms  
 \$3.99 each

MRF454, same as MRF458 12.5 VDC, 3-30 MHz  
 80 Watts output, 12 dB gain \$17.95 each

## MRF472

12.5 VDC, 27 MHz  
 4 Watts output, 10 dB gain  
 \$1.69 each

CARBIDE CIRCUIT BOARD DRILL BITS  
 for PCB Boards  
 5 mix for \$5.00

## MURATA CERAMIC FILTERS

SFD 455D	455 KHz	\$2.00
SFB 455D	455 KHz	1.60
CFM 455E	455 KHz	5.50
SFE 10.7 MA	10.7 MHz	2.99

## ATLAS CRYSTAL FILTERS FOR ATLAS

HAM GEAR  
 5.52 - 2.7/8  
 5.595 - 2.7/8/U  
 5.645 - 2.7/8  
 5.595 - .500/4/CW YOUR CHOICE  
 5.595 - 2.7 USB \$12.99 each  
 5.595 - 2.7/8/L  
 5.595 - 2.7 LSB  
 9.0 - USB/CW

J310 N-CHANNEL J-FET 450 MHz  
 Good for VHF/UHF Amplifier,  
 Oscillator and Mixers 3/\$1.00

## AMPHENOL COAX RELAY

26 VDC Coil SPDT #360-11892-13  
 100 Watts Good up to 18 GHz  
 \$19.99 each

78M05 Same as 7805 but only 1/2 Amp @  
 5 VDC 49¢ each or 10/\$3.00

## NEW TRANSFORMERS

F-18X	6.3 VCT @ 6 Amps	\$6.99 ea.
F-46X	24 V @ 1 Amp	5.99 ea.
F-41X	25.2 VCT @ 2 Amps	6.99 ea.
P-8380	10 VCT @ 3 Amps	7.99 ea.
P-8604	20 VCT @ 1 Amp	4.99 ea.
P-8130	12.6 VCT @ 2 Amps	4.99 ea.
K-32B	28 VCT @ 100 MA	4.99 ea.
E30554	Dual 17V @ 1Amp ea.	6.99 ea.

EIMAC FINGER STOCK #Y-302  
 36 in. long x 1/2 in. \$4.99 each

NO ORDERS UNDER \$10

# SEMICONDUCTORS SURPLUS

2822 North 32nd Street, #1 • Phoenix, Arizona 85008 • Phone 602-956-9423

MRF203	\$P.O.R.	BFW92A	\$ 1.00
MRF216	19.47	BFW92	.79
MRF221	8.73	MMCM913	14.30
MRF226	10.20	MMCM2222	15.65
MRF227	2.13	MMCM2369	15.00
MRF238	10.00	MMCM2484	15.25
MRF240	14.62	MMCM3960A	24.30
MRF245	28.87	MWA110	6.92
MRF247	28.87	MWA120	7.38
MRF262	6.25	MWA130	8.08
MRF314	12.20	MWA210	7.46
MRF406	11.33	MWA220	8.08
MRF412	20.65	MWA230	8.62
MRF421	27.45	MWA310	8.08
MRF422A	38.25	MWA320	8.62
MRF422	38.25	MWA330	9.23
MRF428	38.25		
MRF428A	38.25	TUBES	
MRF426	8.87	6KD6	\$ 5.00
MRF426A	8.87	6LQ6/6JE6	6.00
MRF449	10.61	6MJ6/6LQ6/6JE6C	6.00
MRF449A	10.61	6LF6/6MH6	5.00
MRF450	11.00	12BY7A	4.00
MRF450A	11.77	2E26	4.69
MRF452	15.00	4X150A	29.99
MRF453	13.72	4CX250B	45.00
MRF454	21.83	4CX250R	69.00
MRF454A	21.83	4CX300A	109.99
MRF455	14.08	4CX350A/8321	100.00
MRF455A	14.08	4CX350F/J/8904	100.00
MRF472	2.50	4CX1500B/8660	300.00
MRF474	3.00	811A	20.00
MRF475	2.90	6360	4.69
MRF476	2.25	6939	7.99
MRF477	10.00	6146	5.00
MRF485	3.00	6146A	5.69
MRF492	20.40	6146B/8298	7.95
MRF502	.93	6146W	12.00
MRF604	2.00	6550A	8.00
MRF629	3.00	8908	9.00
MRF648	26.87	8950	9.00
MRF901	3.99	4-400A	71.00
MRF902	9.41	4-400C	80.00
MRF904	3.00	572B/T160L	44.00
MRF911	4.29	7289	9.95
MRF5176	11.73	3-1000Z	229.00
MRF8004	1.39	3-500Z	129.99
BFR90	1.00		
BFR91	1.25	TO-3 TRANSISTOR SOCKETS	
BFR96	1.50	Phenolic type 6/\$1.00	

UHF/VHF RF POWER TRANSISTORS  
 CD2867/2N6439  
 60 Watts output  
 Reg. Price \$45.77  
 SALE PRICE \$19.99

1900 MHz to 2500 MHz DOWNCONVERTERS  
 Intended for amateur radio use  
 Tunable from channel 2 thru 6  
 34 dB gain 2.5 - 3 dB noise  
 Warranty for 6 months  
 Model HMR II with dish antenna  
 Complete Receiver and Power Supply  
 \$225.00 (does not include coax)  
 4 foot Yagi antenna only  
 \$39.99

Downconverter Kit - PCB and parts  
 \$69.95  
 Power Supply Kit - Box, PCB and parts  
 \$49.99  
 Downconverter assembled  
 \$79.99  
 Power Supply assembled  
 \$59.99  
 Complete Kit with Yagi antenna  
 \$109.99

#### REPLACEMENT PARTS

MRF901 \$ 3.99  
 MBD101 1.29  
 .001 Chip Caps 1.00  
 Power supply PCB 4.99  
 Downconverter PCB 19.99

Bogner down converter, industrial version. 1  
 year guarantee \$225.00

86 PIN MOTOROLA BUS EDGE CONNECTORS  
 Gold plated contacts  
 Dual 43/86 pin .156 spacing  
 Solder tail for PCB \$3.00 each

#### CONTINUOUS TONE BUZZERS

12 VDC \$2.00 each

#### 110 VAC MUFFIN FANS

New \$11.95 Used \$5.95

PL-259 TERMINATION 52 Ohm 5 Watts  
 \$1.50 each

NO ORDERS UNDER \$10

# SEMICONDUCTORS SURPLUS

2822 North 32nd Street, #1 • Phoenix, Arizona 85008 • Phone 602-956-9423 ✓64

2N2857JAN	\$ 2.50
2N2949	3.60
2N2947	15.00
2N2950	4.60
2N3375	8.00
2N3553	1.57
2N3818	5.00
2N3866	1.00
2N3866JAN	2.50
2N3866JANTX	4.00
2N3925	10.00
2N3948	2.00
2N3950	25.00
2N3959	3.00
2N3960JANTX	10.00
2N4072	1.60
2N4427	1.10
2N4429	7.00
2N4877	1.00
2N4959	2.00
2N4976	15.00
2N5070	8.00
2N5071	15.00
2N5108	4.00
2N5109	1.50
2N5179	1.00
2N5583	4.00
2N5589	6.00
2N5590	8.00
2N5591	11.00
2N5635	5.44
2N5636	11.60
2N5637	20.00
2N5641	5.00
2N5643	14.00
2N5645	10.00
2N5842	8.00
2N5849	20.00
2N5942	40.00
2N5946	14.00
2N5862	50.00
2N6080	7.00
2N6081	10.00
2N6082	11.00
2N6083	13.00
2N6084	14.00
2N6095	11.00
2N6096	20.00

2N6097	\$28.00
2N6166	38.00
2N6368	22.99
2N6439	40.00
A210/MRF517	2.00
BLY38	5.00
40280/2N4427	1.10
40281/2N3920	7.00
40282/2N3927	10.48

NE555V TIMERS  
39¢ each or 10/\$3.00

NEW DUAL COLON LED  
69¢ each or  
10/\$5.00

HEP170 1000 PIV  
2.5 Amps 25¢ each or  
100/\$15.00

HIGH VOLTAGE CAPS  
420 MFD @ 400 VDC OR  
600 MFD @ 400 VDC  
\$6.99 each

NEW ROTRON BISCUIT FANS  
Model BT2A1 115 VAC  
\$12.99 each

TORIN TA700 FANS NEW  
Model A30340  
230 VAC @ .78 Amps  
Will also work on 115 VAC  
\$29.99 each

DOOR KNOB CAPS  
470 pf @ 15 KV \$3.99 each  
Dual 500 pf @ 15 KV 5.99 each  
680 pf @ 6 KV 3.99 each  
800 pf @ 15 KV 3.99 each  
1000 pf @ 20 KV 5.00 each  
2700 pf @ 40 KV 5.99 each

NEW & USED BCD SWITCHES  
3 switch with end plates  
New \$8.99  
Used \$6.95

## ORDERING INSTRUCTIONS

Check, money order, or credit cards welcome. (Mastercharge and VISA only) No personal checks or certified personal checks for foreign countrys accepted. Money order or cashiers check in U.S. funds only. Letters of credit are not acceptable.

Minimum shipping by UPS is \$2.35 with insurance. Please allow extra shipping charges for heavy or long items.

All parts returned due to customer error will be subject to a 15% restock charge.

If we are out of an item ordered, we will try to replace it with an equal or better part unless you specify not to, or we will back order the item, or refund your money.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE. Prices superseade all previously published. Some items offered are limited to small quantities and are subject to prior sale.

We now have a toll free number but we ask that it be used for CHARGE ORDERS ONLY. If you have any questions please use our other number. We are open from 8:00 a.m. - 5:00 p.m. Monday thru Saturday.

Our toll free number for orders only is 800-528-3611.

## JUMBO LED's

Red	8/\$1.00
Clear	6/\$1.00
Yellow	6/\$1.00
Green	6/\$1.00
Amber	6/\$1.00

## MEDIUM LED's

Red	6/\$1.00
Green	6/\$1.00

NEW G.E. OPTO COUPLERS 4N26  
69¢ each or 10/\$5.00


MICRO-MINI WATCH CRYSTALS  
32.768 Hz \$3.00 each

NEW 2 inch ROUND SPEAKERS  
100 Ohm coil 99¢ each

PLASTIC TO-3 SOCKETS 4/\$1.00

NO ORDERS UNDER \$10

# INTRODUCING SONY'S NEW DIGITAL DIRECT ACCESS RECEIVER!



only **\$299<sup>95</sup>** plus \$5.00 shipping

## Revolutionary Direct Access Digital Shortwave Scanner



- Continuous Scanning of LW, MW, SW, & FM Bands
- Instant Fingertip Tuning—No More Knobs!
- 6 Memories for Any Mode (AM,SSB/CW, & FM)
- Dual PLL Frequency Synthesized—No Drift!

**A WHOLE NEW BREED OF RADIO IS HERE NOW!** No other short wave receiver combines so many advanced features for both operating convenience and high performance as does the new Sony ICF-2001. Once you have operated this exciting new radio, you'll be spoiled forever! Direct access tuning eliminates conventional tuning knobs and dials with a convenient digital keyboard and Liquid Crystal Display (LCD) for accurate frequency readout to within 1 KHz. Instant fingertip tuning, up to 8 memory presets, and continuous scanning features make the ICF-2001 the ultimate in convenience.

Compare the following features against any receiver currently available and you will have to agree that the Sony ICF 2001 is the best value in shortwave receivers today:

**DUAL PLL SYNTHESIZER CIRCUITRY** covers entire 150 KHz to 29.999 MHz band. PLL<sub>1</sub> circuit has 100 KHz step while PLL<sub>2</sub> handles 1 KHz step, both of which are controlled by separate quartz crystal oscillators for precise, no-drift tuning. **DUAL CONVERSION SUPERHETERODYNE** circuitry assures superior AM reception and high image rejection characteristics. The 10.7 MHz IF of the FM band is utilized as the 2nd IF of the AM band. A new type of crystal filter made especially for this purpose realizes clearer reception than commonly used ceramic filters. **ALL FET FRONT END** for high sensitivity and interference rejection. Intermodulation, cross modulation, and spurious interference are effectively rejected. **FET RF AMP** contributes to superior image rejection, high sensitivity, and good signal to noise ratio. Both strong and weak stations are received with minimal distortion.

### EXTENDED SPECTRUM CONTINUOUS TUNING



- |                             |                          |
|-----------------------------|--------------------------|
| A Enter Button              | F SSB/CW Compensator     |
| B Signal Strength Indicator | G Execute Bar            |
| C Liquid Crystal Display    | H Manual Tuning Buttons  |
| D Memory Preset Buttons     | I Scan Button            |
| E Antenna Adjustment Dial   | J High/Low Limit Buttons |

### OPERATIONAL FEATURES

**INSTANT FINGERTIP TUNING** with the calculator-type key board enables the operator to have instant access to any frequency in the LW, MW, SW, and FM bands. And the LCD digital frequency display confirms the exact, drift-free signal being received. **AUTOMATIC SCANNING** of the above bands. Continuous scanning of any desired portion of the band is achieved by setting the "L<sub>1</sub>" and "L<sub>2</sub>" keys to define the range to be scanned. The scanner can stop automatically on strong signals, or it can be done manually. **MANUAL SEARCH** is similar to the manual scan mode and is useful for quick signal searching. The "UP" and "DOWN" keys let the tuner search for you. The "FAST" key increases the search rate for faster signal detection. **MEMORY PRESETS.** Six memory keys hold desired stations for instant one-key tuning in any mode (AM, SSB/CW, and FM), and also, the "L<sub>1</sub>" and "L<sub>2</sub>" keys can give you two more memory slots when not used for scanning. **OTHER FEATURES:** Local, normal, DX sensitivity selector for AM; SSB/CW compensator; 90 min. sleep timer; AM Ant. Adjust.

### SPECIFICATIONS

**CIRCUIT SYSTEM:** Fm Superheterodyne; AM Dual conversion superheterodyne. **SIGNAL CIRCUITRY:** 4 IC's, 11 FET's, 23 Transistors, 16 Diodes. **AUXILIARY CIRCUITRY:** 5 IC's, 1 LSI, 5 LED's, 25 Transistors, 9 Diodes. **FREQUENCY RANGE:** FM 76-108 MHz; AM 150-29,999 KHz. **INTERMEDIATE FREQUENCY:** FM 10.7 MHz.; AM 1st 66.35 MHz., 2nd 10.7 MHz. **ANTENNAS:** FM telescopic, ext. ant. terminal; AM telescopic, built-in ferrite bar, ext. ant. terminal. **POWER:** 4.5 VDC/120 VAC **DIMENSIONS:** 12 1/4 (W) X 2 1/4 (H) X 6 3/4 (D). **WEIGHT:** 3 lb. 15 oz. (1.8 kg)



**SPECTRONICS, INC.**  
1009 GARFIELD ST. OAK PARK, IL. 60304

PHONE  
**(312) 848-6777**



# BULLET ELECTRONICS

P.O. Box 401244-E

Garland, TX. 75040

(214) 278-3553

## The Greatest Breakthrough In Electronic Music Ever!

**New!**  
**The  
Super Music  
Maker**  
REVISION 2  
**\$24.95**  
(Basic Kit)

Does not include speaker  
switches or 2708 ROM.



Now you can play hundreds of songs using the Bullet Super Music Maker. The unit features a single factory programmed microprocessor IC that comes with 20 pre-programmed short tunes. By adding the additional PROMS (2708's) the system can be expanded to play up to 1000 notes per PROM. Just think... a compact electronic instrument that will play dozens, hundreds or even thousands of selections of music. The kit comes with all electronic components (less the PROM), and a drilled, plated and screened PC Board which measures 4" x 4". The 7 watt amplifier section is on the same PC board and drives an 8 ohm speaker (not included), from a whisper to ear splitting volume. Since the unit works on 12 VDC or 12 VAC\*, vehicle or portable operation is possible. **What do you get for \$24.95? Everything but a speaker, transformer, case, switches, and PROM.** Additional 2708 albums containing popular tunes are available for \$15.00 each or you can program your own PROMS using information provided with the kit instructions. Lists of available PROM albums are available on request. (Note: Unit plays electronic music one note at a time, it is not possible to play chords or a melody with harmony simultaneously.)

- \* Envelope control gives decay to notes.
- \* "Next tune" feature allows sequential playing of all songs.
- \* On board inverter allows single voltage (+12) operation.

### OPTIONAL ACCESSORIES

- DIP Switches** One 8 pos., One 5 pos. **2.00/Set**  
(Can be directly soldered to PC Bd. to access tunes)
- Rotary Switches** Two 5 position **2.00/Set**  
(For remote wiring to PC Bd. to access tunes)
- Attractive Black Plastic Case** **6.50**
- Wallplug Transformer** **3.00**  
(For operation on 117VAC house voltage)

### Super Value Power Transformer

Well made, open frame transformer with mounting ears. Build a +5 and ±12 supply with inexpensive parts. Free schematics of several designs. Primary 117VAC. SEC #1 15VAC @ .5A SEC #2 15 VAC @ .5A SEC #3 8VAC @ 2.5A. **\$2.95**  
ORDER: BET-0005

### 7 Watt Audio Amp Kit \$5.95

SMALL, SINGLE, HYBRID IC AND COMPONENTS FIT ON A 2" x 3" PC BOARD (INCLUDED). RUNS ON 12VDC. GREAT FOR ANY PROJECT THAT NEEDS AN INEXPENSIVE AMP. LESS THAN 3% THD @ 5 WATTS. COMPATIBLE WITH SE-01 SOUND KIT.

### Overvoltage Protection Kit \$6.95

Protect your expensive equipment from overvoltage conditions. Every computer should have one! Works with any fused DC power source from 10 to 20 volts up to 25 amps.

### AY3-8910 PROGRAMMABLE SOUND GENERATOR

The AY3-8910 is a 40 pin LSI chip with three oscillators, three amplitude controls, programmable noise generator, three mixers, an envelope generator, and three D/A converters that are controlled by 8 BIT WORDS. No external pots or caps required. This chip hooked to an 8 bit microprocessor chip or Buss (8080, Z80, 6800 etc.) can be software controlled to produce almost any sound. It will play three note chords, make bangs, whistles, sirens, gunshots, explosions, bleats, whines, or grunts. In addition, it has provisions to control its own memory chips with two IO ports. The chip requires +5V @ 75ma and a standard TTL clock oscillator. A truly incredible circuit.

**12.95** W/Basic Spec Sheet (4 pages)  
60 page manual with S-100 interface instructions and several programming examples, **\$3.00 extra**

## ZULU II CLOCK KIT X-RATED!

WITH CALENDAR  
AND NOX™ CIRCUIT

**19.95**

LESS CASE

### ACCESSORIES

Custom High Impact  
Molded Case with Ruby  
Lens. Available in Blue or  
Tan.

**\$6.50**


117 VAC to 12 VAC  
Transformer.

**\$1.35**

\*9V Battery Not Included

- X-TRA VALUE:** All the components and high quality plated G-10 PC Boards are provided.
- X-TRA CARE IN DESIGN:** Easy Assembly! Large open layout.
- X-CELLENCE IN IDEAS:** 5 years of designed products for the amateur radio market.
- X-CELLENCE IN INSTRUCTIONS:** Clear step-by-step instructions with quality illustrations and schematic.
- X-TRA FEATURES:** There has never been a clock kit with so many features — at any price!
  - Unit operates on either 12 VAC or 12 VDC.
  - On board QUARTZ XTAL TIMEBASE or 60Hz AC line freq. can be used.
  - Automatic BATTERY BACKUP\*
  - Reads true 24 HOUR TIME and 31 DAY CALENDAR.
  - Unique NOX™ CIRCUIT activates readouts with a handclap followed by the date for 4 seconds. Or they can be turned on constantly.
  - When used mobile readouts blank when ignition is off.
  - Special NOISE SUPPRESSION and battery reversal circuits.
  - Bright 1/2" LED's show hours, minute and seconds.

## Sound Effects Kit 18.50



The SE-01 Sound Effects Kit is a complete kit; all you need to build a programmable sound effects machine except a battery and speaker. Our kit is designed to really ring out the TI 76477 Sound Chip. Only the SE-01 provides you with additional circuitry that includes a PULSE GENERATOR, MUX OSCILLATOR and COMPARATOR to make more complex sounds a snap. We help you in building the kit with a clear, easy-to-follow construction manual and we show you how to easily program the unit. Other dealers will sell you the chip or a "kit" of parts but you are on your own to do the most difficult part... make neat sounds! Within a short time after you build the SE-01 you can easily create Gunshots, Explosions, Space Sounds, Steam Trains and much more. We think the Bullet SE-01 is the best deal on the market but don't ask us, — ask the 15,000 happy SE-01 owners!

Complete Kit With Quality Plated PC Board **\$18.50**  
(Less battery & speaker)

### AUTO/VAN CLOCK KIT 16.95

- 12 Hr. Format
- 6 Digit W" LED Readouts
- Quartz XTAL Timebase
- Alarm & Snooze Options
- Noise Filtering
- Easy Assembly • 12 VDC
- 4 5/8" x 3" x 1 1/2"
- All Parts!

### ULTRASONIC RELAY KIT

Invisible Beam Works Like A Photo Electric Eye. COMPLETE KIT. All Parts & PC Board. Use Up To 25 Ft. Apart. **\$21.50**

Optional entry delay and Alarm Timeout Circuit will source or sink up to 200 MA DC.

**\$3.95**

### PARTS

LM3046	(CA3046) Xistor Array	.75
RCA 40430	400V 6A TRIAC TO-66	.75
LM567	Tone Decoder	.99
CD4046	PLL CMOS	.99
LM3302	Quad Comparator	.89
2SC 1849	High Freq. NPN TO-92	6/1.00
MPS A 20	NPN General Purpose	8/1.00
TL490	Bar/Graph Driver w/specs	2.50
7812	12V 1A Regulator	.99
7805	5V 1A Regulator	.99
78M05	5V 1/2A Reg. TO-5 (Hse #)	.60
LM3911	Temp. Transducer w/specs	1.10
555	Timer IC	.49
2N6028	P.U.T. w/specs	.50
IL-1	Opto Isolator w/specs	.60
LM377	Dual LM380 w/specs	1.09
TIP-30	PNP Power TO-220	3/1.00
SCR	Sensitive Gate 200V 4A	7/1.00
SCR	Sensitive Gate 600V 4A RCA	3/1.00

GE ST-2	Trigger diode for tracs in AC phase control operation	.29
---------	---	-----

### TO-3 P.C. BOARD HEATSINK

Perfect for power transistors, or 309 and 340K series voltage regulators.

**3/1.10**

Thermoloy H6014  
Black Anodized

### THE PERFECT TRANSFORMER

117VAC primary, 12VAC secondary @ 200ma  
Great for all your CMOS, or low power TTL projects. PC board mount. ORDER: 99c ea. 3/\$2.50 XFMR 03  
Size: 1.5" W x 1.25" D x 1.25" H

### Special Purchase 2N3055

115W NPN POWER TRANSISTOR TO-3  
Most popular transistor for power supplies, audio amps, switching, etc.  
Limit 20 per customer **50¢ Each**

### ★ CALL OR WRITE TODAY FOR FREE CATALOG ★

- ★ NO C.O.D.
- ★ SEND CHECK, M.O., OR CREDIT CARD #
- ★ PHONE ORDERS ACCEPTED ON VISA/MASTER CHARGE ONLY (214) 278-3553

P  
O  
L  
I  
C  
I  
E  
S

- ★ ADD 5% FOR SHIPPING
- ★ ORDERS UNDER \$10 ADD .75 HANDLING
- ★ TEX. RES. ADD 5% TAX
- ★ FOREIGN ORDERS (EXCEPT CANADA) ADD 10% (20% FOR AIRMAIL).



**ramsey****the first name in Counters!****9 DIGITS 600 MHz \$129<sup>95</sup> WIRED**

**PRICES:**

CT-90 wired, 1 year warranty	\$129.95
CT-90 Kit, 90 day parts warranty	109.95
AC-1 AC adapter	3.95
BP-1 Nicad pack + AC Adapter/Charger	12.95
OV-1 Micro-power Oven time base	49.95
External time base input	14.95

The CT-90 is the most versatile, feature packed counter available for less than \$300.00! Advanced design features include: three selectable gate times, nine digits, gate indicator and a unique display hold function which holds the displayed count after the input signal is removed. Also, a 10MHz TCXO time base is used which enables easy zero beat calibration checks against WWV. Optionally, an internal nicad battery pack, external time base input and Micro-power high stability crystal oven time base are available. The CT-90, performance you can count on!

**SPECIFICATIONS:**

Range:	20 Hz to 600 MHz
Sensitivity:	Less than 10 MV to 150 MHz Less than 50 MV to 500 MHz
Resolution:	0.1 Hz (10 MHz range) 1.0 Hz (60 MHz range) 10.0 Hz (600 MHz range)
Display:	9 digits 0.4" LED
Time base:	Standard-10,000 mHz, 1.0 ppm 20-40°C Optional Micro-power oven-0.1 ppm 20-40°C
Power:	8-15 VAC @ 250 ma

**7 DIGITS 525 MHz \$99<sup>95</sup> WIRED****SPECIFICATIONS:**

Range:	20 Hz to 525 MHz
Sensitivity:	Less than 50 MV to 150 MHz Less than 150 MV to 500 MHz
Resolution:	1.0 Hz (5 MHz range) 10.0 Hz (50 MHz range) 100.0 Hz (500 MHz range)
Display:	7 digits 0.4" LED
Time base:	1.0 ppm TCXO 20-40°C
Power:	12 VAC @ 250 ma

The CT-70 breaks the price barrier on lab quality frequency counters. Deluxe features such as, three frequency ranges - each with pre-amplification, dual selectable gate times, and gate activity indication make measurements a snap. The wide frequency range enables you to accurately measure signals from audio thru UHF with 1.0 ppm accuracy - that's .0001%! The CT-70 is the answer to all your measurement needs, in the field, lab or ham shack.

**PRICES:**

CT-70 wired, 1 year warranty	\$99.95
CT-70 Kit, 90 day parts warranty	84.95
AC-1 AC adapter	3.95
BP-1 Nicad pack + AC adapter/charger	12.95

**7 DIGITS 500 MHz \$79<sup>95</sup> WIRED****PRICES:**

MINI-100 wired, 1 year warranty	\$79.95
MINI-100 Kit, 90 day part warranty	59.95
AC-Z Ac adapter for MINI-100	3.95
BP-Z Nicad pack and AC adapter/charger	12.95

Here's a handy, general purpose counter that provides most counter functions at an unbelievable price. The MINI-100 doesn't have the full frequency range or input impedance qualities found in higher price units, but for basic RF signal measurements, it can't be beat! Accurate measurements can be made from 1 MHz all the way up to 500 MHz with excellent sensitivity throughout the range, and the two gate times let you select the resolution desired. Add the nicad pack option and the MINI-100 makes an ideal addition to your tool box for "in-the-field" frequency checks and repairs.

**SPECIFICATIONS:**

Range:	1 MHz to 500 MHz
Sensitivity:	Less than 25 MV
Resolution:	100 Hz (slow gate) 1.0 KHz (fast gate)
Display:	7 digits, 0.4" LED
Time base:	2.0 ppm 20-40°C
Power:	5 VDC @ 200 ma


**8 DIGITS 600 MHz \$159<sup>95</sup> WIRED****SPECIFICATIONS:**

Range:	20 Hz to 600 MHz
Sensitivity:	Less than 25 mv to 150 MHz Less than 150 mv to 600 MHz
Resolution:	1.0 Hz (60 MHz range) 10.0 Hz (600 MHz range)
Display:	8 digits 0.4" LED
Time base:	2.0 ppm 20-40°C
Power:	110 VAC or 12 VDC

The CT-50 is a versatile lab bench counter that will measure up to 600 MHz with 8 digit precision. And, one of its best features is the Receive Frequency Adapter, which turns the CT-50 into a digital readout for any receiver. The adapter is easily programmed for any receiver and a simple connection to the receiver's VFO is all that is required for use. Adding the receiver adapter in no way limits the operation of the CT-50, the adapter can be conveniently switched on or off. The CT-50, a counter that can work double-duty!

**PRICES:**

CT-50 wired, 1 year warranty	\$159.95
CT-50 Kit, 90 day parts warranty	119.95
RA-1, receiver adapter kit	14.95
RA-1 wired and pre-programmed (send copy of receiver schematic)	29.95

**DIGITAL MULTIMETER \$99<sup>95</sup> WIRED****PRICES:**

DM-700 wired, 1 year warranty	\$99.95
DM-700 Kit, 90 day parts warranty	79.95
AC-1, AC adaptor	3.95
BP-3, Nicad pack + AC adapter/charger	19.95
MP-1, Probe kit	2.95

The DM-700 offers professional quality performance at a hobbyist price. Features include: 26 different ranges and 5 functions, all arranged in a convenient, easy to use format. Measurements are displayed on a large 3 1/2 digit, 1/2 inch LED readout with automatic decimal placement, automatic polarity, overrange indication and overload protection up to 1250 volts on all ranges, making it virtually goof-proof! The DM-700 looks great, a handsome, jet black, rugged ABS case with convenient retractable tilt bail makes it an ideal addition to any shop.

**SPECIFICATIONS:**

DC/AC volts:	100uV to 1 KV, 5 ranges
DC/AC current:	0.1 uA to 2.0 Amps, 5 ranges
Resistance:	0.1 ohms to 20 Megohms, 6 ranges
Input impedance:	10 Megohms, DC/AC volts
Accuracy:	10.1% basic DC volts
Power:	4 'C' cells

**AUDIO SCALER**

For high resolution audio measurements, multiplies UP in frequency.

- Great for PL tones
- Multiplies by 10 or 100
- 0.01 Hz resolution!

\$29.95 Kit \$39.95 Wired

**ACCESSORIES**

Telescopic whip antenna - BNC plug	\$ 7.95
High impedance probe, light loading	15.95
Low pass probe, for audio measurements	15.95
Direct probe, general purpose usage	12.95
Tilt bail, for CT 70, 90, MINI-100	3.95
Color burst calibration unit, calibrates counter against color TV signal	14.95


**COUNTER PREAMP**

For measuring extremely weak signals from 10 to 1,000 MHz. Small size, powered by plug transformer-included.

- Flat 25 db gain
- BNC Connectors
- Great for sniffing RF with pick-up loop

\$34.95 Kit \$44.95 Wired

**ramsey electronic's, inc.**  
2575 Baird Rd. Penfield, NY 14526



PHONE ORDERS  
CALL 716-586-3950

**TERMS**

Satisfaction guaranteed - examine for 10 days, if not pleased, return in original form for refund. Add 5% for shipping - insurance to a maximum of \$10. Overseas add 15%. COD add \$2. Orders under \$10 add \$1.50. NY residents add 7% tax.

# Save on Scanners! NEW Product!

Communications Electronics,™ the world's largest distributor of radio scanners, welcomes the addition of the Fanon SCMA-6 accessory to our product line. This useful accessory mounts in your car and makes your Fanon Slimline scanner work like a high priced mobile receiver.

A new product made by Electra, the Freedom Phone® is now available from CE. This is the ultimate cordless extension phone that can make and take your calls.

We give you excellent service because CE distributes more scanners worldwide than anyone else. Our warehouse facilities are equipped to process thousands of scanner orders every week. We also export scanners to over 300 countries and military installations. Most items are in stock for quick shipment, so order today from CE!

## Bearcat® 300

**The Ultimate Synthesized Scanner!**

List price \$519.95/CE price \$329.00

**4-Band, 50 Channel • Service Search • No-crystal scanner • AM Aircraft and Public Service bands. • Priority Channel • AC/DC Bands: 32-50, 118-136 AM, 144-174, 421-512 MHz.** The new Bearcat 300 is the most advanced automatic scanning radio that has ever been offered to the public. The Bearcat 300 uses a bright green fluorescent digital display, so it's ideal for mobile applications. The Bearcat 300 now has these added features: Service Search, Display Intensity Control, Hold Search and Resume Search keys, Separate Band keys to permit lock-in/lock-out of any band for more efficient service search.

## Bearcat® 250

List price \$419.95/CE price \$269.00

**50 Channels • Crystalless • Searches Stores • Recalls • Digital clock • AC/DC Priority Channel • 3-Band • Count Feature.** Frequency range 32-50, 146-174, 420-512 MHz. The Bearcat 250 performs any scanning function you could possibly want. With push button ease you can program up to 50 channels for automatic monitoring. Overseas customers should order the Bearcat 250FB at \$349.00 each. This model is like a Bearcat 250, but designed for international operation with 220 VAC/12 V DC power supply and 66-88 MHz low band coverage instead of 32-50 MHz.

## Bearcat® 220


List price \$419.95/CE price \$269.00

**Aircraft and public service monitor.** Frequency range 32-50, 118-136 AM, 144-174, 420-512 MHz. The Bearcat 220 is one scanner which can monitor all public service bands plus the exciting AM aircraft band channels. Up to twenty frequencies may be scanned at the same time. Overseas customers should order the Bearcat 220FB at \$349.00 each. This model is like a Bearcat 220, but designed for international operation with 220 V AC/12 V DC power supply and 66-88 MHz low band coverage instead of 32-50 MHz.

## NEW! Bearcat® 210XL

List price \$319.95/CE price \$209.00

**18 Channels • 3 Bands • Crystalless • AC/DC** Frequency range: 32-50, 144-174, 421-512 MHz. The Bearcat 210XL scanning radio is the second generation scanner that replaces the popular Bearcat 210 and 211. It has almost twice the scanning capacity of the Bearcat 210 with 18 channels plus dual scanning speeds and a bright green fluorescent display. Automatic search finds new frequencies. Features scan delay, single antenna, patented track tuning and more!



**NEW! 50-Channel Bearcat 300**



**NEW!**  
Bearcat  
160

## NEW! Bearcat® 160

List price \$279.95/CE price \$189.00

**16 Channels • 3 Bands • AC only • Priority Dual Scan Speeds • Direct Channel Access** Frequency range: 32-50, 144-174, 440-512 MHz. Would you believe...the Bearcat 160 is the least expensive Bearcat crystalless scanner.

This scanner presents a new dimension in scanning form and function. Look at the smooth keyboard. No buttons to punch. No knobs to turn. Instead, finger-tip pads provide control of all scanning operations, including On/Off, Volume and Squelch. The Bearcat 160 features 16-channel monitoring of the most popular public service bands. And to locate more of what you're listening for, Electra introduces another operating convenience: Manual Search. Used with Automatic Search it simplifies seeking and finding unknown but active frequencies. Of course the Bearcat 160 incorporates other advanced Bearcat features such as Priority, Direct Channel Access, Dual Scan Speeds, Automatic Channel Lockout, Scan Delay and Auxiliary. All this performance in sleek, contemporary styling. And at a price so low, it astounds even us!

## Bearcat® 5

List price \$129.95/CE price \$94.00

**8 Crystal Channels • 3 Bands • AC only** Frequency range: 33-50, 146-174, 450-508 MHz. The Bearcat 5 is a value-packed crystal scanner built for the scanning professional — at a price the first-time buyer can afford. Individual lockout switches.

## Bearcat® Four-Six ThinScan™

List price \$179.95/CE price \$114.00

Frequency range: 33-47, 152-164, 450-508 MHz. The incredible, new Bearcat Four-Six Thin Scan™ is like having an information center in your pocket. This three band, 6 channel crystal controlled scanner has patented Track Tuning on UHF. Scan Delay and Channel Lockout. Measures 2 1/4 x 6 1/4 x 1 1/2". Includes rubber ducky antenna. Order crystals for each channel. Made in Japan.

## NEW! Fanon Slimline 6-HLU

List price \$169.95/CE price \$109.00

**Low cost 6-channel, 3-band scanner!** The new Fanon Slimline 6-HLU gives you six channels of crystal controlled excitement. Unique Automatic Peak Tuning Circuit adjusts the receiver front end for maximum sensitivity across the entire UHF band. Individual channel lockout switches. Frequency range 30-50, 146-175 and 450-512 MHz. Size 2 1/4 x 6 1/4 x 1 1/2". Includes rubber ducky antenna. Order crystal certificates for each channel. Made in Japan.

## NEW! Fanon Slimline 6-HL

List price \$149.95/CE price \$99.00

**6-Channel performance at 4-channel cost!** Frequency range: 30-50, 146-175 MHz. If you don't need the UHF band, get this model and save money. Same high performance and features as the model HLU without the UHF band. Order crystal certificates for each channel. Made in Japan.

### FANON SCANNER ACCESSORIES

SCMA-6 Mobile Adapter/Battery Charger.....\$49.00  
CHB-6 AC Adapter/Battery Charger.....\$15.00  
CAT-6 Carrying case for Fanon w/Belt Clip.....\$15.00  
AUC-3 Auto lighter adapter/Battery Charger.....\$15.00

### OTHER SCANNER ACCESSORIES

SP50 AC Adapter.....\$9.00  
SP51 Battery Charger.....\$9.00  
SP58 Carrying Case for Bearcat 4-6 ThinScan™...\$12.00  
FB-E Frequency Directory for Eastern U.S.A.....\$12.00  
FB-W Frequency Directory for Western U.S.A.....\$12.00  
FFD Federal Frequency Directory for U.S.A.....\$12.00  
B-4 1.2 V AAA Ni-Cad's for ThinScan™ and Fanon...\$9.00  
A-135cc Crystal certificate.....\$3.00  
Add \$3.00 shipping for all accessories ordered at the same time.

### INCREASED PERFORMANCE ANTENNAS

If you want the utmost in performance from your scanner, it is essential that you use an external antenna. We have six base and mobile antennas specifically designed for receiving all bands. Order #A60 is a magnet mount mobile antenna. Order #A61 is a gutter clip mobile antenna. Order #A62 is a trunk-clip mobile antenna. Order #A63 is a 3/4 inch hole mount. Order #A64 is a 3/8 inch snap-in mount, and #A70 is an all band base station antenna. All antennas are \$35.00 and \$3.00 for UPS shipping in the continental United States.

### TEST ANY SCANNER

Test any scanner purchased from Communications Electronics™ for 31 days before you decide to keep it. If for any reason you are not completely satisfied, return it in original condition with all parts in 31 days, for a prompt refund (less shipping/handling charges and rebate credits).

## Regency® M400

List price \$379.95/CE price \$259.00

**30 Channel • Synthesized • Service Search Digital clock • Digital timer • M100 styling Search/Store • Priority Channel • AC/DC** Frequency range: 30-50, 144-174, 440-512 MHz. The new Regency M400 is a compact programmable FM monitor receiver for use at home or on the road.

### OTHER REGENCY® SCANNERS

NEW! R1040.....\$169.00  
Touch K100.....\$199.00  
Touch M100.....\$199.00

## NEW! Telephone Products

Electra's cordless Freedom Phone does everything an ordinary phone does and more. Because it is cordless, you can take it anywhere, inside or outside—on the patio, by the pool, in the garage, in the workshop...even next door at the neighbor's.

Model FF-500 has pushbutton dialing. Rechargeable ni-cad batteries included. Battery low light. Secure feature. Telescopic antenna. Your cost is \$179.00. Model FF-1500 has the same features as the FF-500 but also includes a charger/cradle that allows the phone's handset to be recharged away from the base station. Your cost for this cordless phone is \$199.00. The model FF-3000 has all the standard features (except charger/cradle) plus interchangeable telescopic and rubber ducky antenna. Redial feature. Belt clip. Carrying case. Greater range. Your cost is \$229.00.

## World Scanner Association™

The WORLD SCANNER ASSOCIATION is sponsored as a public service by Communications Electronics.™ When you join, you'll receive a one-year membership and our quarterly newsletter with scanner news and features. You'll also get a wallet I.D. card, an Official WSA Membership Certificate, and more. FREE classified ads for members so you can contact other scanner owners when you want to sell or buy a scanner. FREE membership in the WSA Buyer's Co-op. Your Co-op membership will allow you to get special discounts on scanners and scanner related products. Since the WSA Buyer's Co-op gives you group purchasing power, you can easily pay for your membership dues the first time you make a Co-op purchase. To join, send \$12.00 (\$20.00 outside U.S.A.) for your membership materials.

### BUY WITH CONFIDENCE

To get the fastest delivery from CE of any scanner, send or phone your order directly to our Scanner Distribution Center.™ Be sure to calculate your price using the CE prices in this ad. Michigan residents please add 4% sales tax. Written purchase orders are accepted from approved government agencies and most well rated firms at a 10% surcharge for net 30 billing. All sales are subject to availability. All sales on accessories are final. Prices, terms and specifications are subject to change without notice. Out of stock items will be placed on backorder automatically unless CE is instructed differently. Most products that we sell have a manufacturer's warranty. Free copies of warranties on these products are available prior to purchase by writing to CE. International orders are invited with a \$20.00 surcharge for special handling in addition to shipping charges. All shipments are F.O.B. Ann Arbor, Michigan. No COD's please. Non-certified and foreign checks require five weeks bank clearance.

Mail orders to: Communications Electronics,™ Box 1002, Ann Arbor, Michigan 48106 U.S.A. Add \$6.00 per scanner or phone product for U.P.S. ground shipping, or \$12.00 for faster U.P.S. air shipping to some locations. If you have a Master Charge or Visa card, you may call anytime and place a credit card order. Order toll free in the U.S.A. 800-521-4414. If you are outside the U.S. or in Michigan, dial 313-994-4444. Dealer inquiries invited. All order lines at Communications Electronics™ are staffed 24 hours.

WSA,™ Scanner Distribution Center™ and CE logos are trademarks of Communications Electronics.™ † Bearcat and Freedom Phone are federally registered trademarks of Electra Company, a Division of Masco Corporation of Indiana.

‡ Regency is a federally registered trademark of Regency Electronics Inc.


Copyright ©1981 Communications Electronics™



854 Phoenix □ Box 1002 □ Ann Arbor, Michigan 48106 U.S.A.  
Call TOLL-FREE (800) 521-4414 or outside U.S.A. (313) 994-4444

**We're first  
with the best.™**

## National Semiconductor Clock Modules



12VDC  
AUTOMOTIVE/  
INSTRUMENT  
CLOCK

- APPLICATIONS:
- In-dash autclocks
  - After-market auto/RV clocks
  - Aircraft-marine clocks
  - 12VDC oper. instru.
  - Portable/battery powered instruments

Features: Bright 0.3" green display. Internal crystal time-base. ±0.5 sec./day accur. Auto display brightness control logic. Display color filterable to blue, blue-green, green & yellow. Complete—just add switches and lens.

MA1003 Module ..... \$16.95

MA1023 .7" Low Cost Digital LED Clock Module 8.95  
MA1026 .7" Dig. LED Alarm Clock/Thermometer 18.95  
MA5036 .3" Low Cost Digital LED Clock/Timer 6.95  
MA1002 .5" LED Display Dig. Clock & Xformer 9.95



## National Semiconductor RAM SALE

MM5290N-4 (MK4116/UPD416) - \$4.95 each  
16K DYNAMIC RAM (250NS)  
(8 EACH \$39.95) (100 EACH \$450.00/lot)

MM5290J-2 (MK4116/UPD416) - \$6.95 each  
16K DYNAMIC RAM (150NS)  
(8 EACH \$23.95) (100 EACH \$550.00/lot)

MM5298J-3A ..... \$3.25 each  
8K DYNAMIC RAM (LOW HALF OF MM5290J) 200NS  
(8 EACH \$23.95) (100 EACH \$250.00/lot)

MM2114-3 ..... \$5.95 each  
4K STATIC RAM (300NS)  
(8 EACH \$43.95) (100 EACH \$450.00/lot)

MM2114L-3 ..... \$6.25 each  
4K STATIC RAM (LOW POWER 300NS)  
(8 EACH \$44.95) (100 EACH \$475.00/lot)

## EPROM Erasing Lamp



- Erases 2708, 2716, 1702A, 5203Q, 5204Q, etc.
- Erases up to 4 chips within 20 minutes.
- Maintains constant exposure distance of one inch.
- Special conductive foam liner eliminates static build-up.
- Built-in safety lock to prevent UV exposure.
- Compact—only 7-5/8" x 2-7/8" x 2"
- Complete with holding tray for 4 chips.

UVS-11E ..... \$79.50

## Jumbo 6-Digit Clock Kit

- Four .630" ht. and two .300" ht. common anode displays
- Uses MM5314 clock chip
- Switches for hours, minutes and hold functions
- Hours easily viewable to 30 feet
- Simulated walnut case
- 115VAC operation
- 12 or 24 hour operation
- Includes all components, case and wall transformer
- Size: 6 3/4" x 3-1/8" x 1 3/4"

JE747 ..... \$29.95

## 6-Digit Clock Kit

- Bright .300 ht. comm. cathode display
- Uses MM5314 clock chip
- Switches for hours, minutes and hold modes
- Hrs. easily viewable to 20 ft.
- Simulated walnut case
- 115 VAC operation
- 12 or 24 hr. operation
- Incl. all components, case & wall transformer
- Size: 6 3/4" x 3-1/8" x 1 3/4"

JE701 ..... \$19.95

## Regulated Power Supply

Uses LM309K. Heat sink provided. PC board construction. Provides a solid 1 amp @ 5 volts. Can supply up to ±5V, ±9V and ±12V with JE205 Adapter. Includes components, hardware and instructions. Size: 3 1/2" x 5" x 2 1/4"

JE200 ..... \$14.95



ADAPTER BOARD  
—Adapts to JE200—  
±5V, ±9V and ±12V

DC/DC converter with +5V input. Toroidal hi-speed switching XFMR. Short circuit protection. PC board construction. Piggy-back to JE 200 board. Size: 3 1/2" x 2" x 9/16" H

JE205 ..... \$12.95

## MICROPROCESSOR COMPONENTS

### 8080A/8080A SUPPORT DEVICES

1NS3886A	CPU	5.50
DP8222	8-Bit Inhibit/Output	3.50
DP8224	Priority Interrupt Control	3.50
DP8225	Bi-Directional Bus Driver	1.49
DP8226	Clock Generator/Driver	3.36
DP8228	Bus Driver	1.49
DP8228	System Controller/Bus Driver	4.95
DP8238	System Controller	5.95
1NS3243	I/O Expander for 8 Series	4.95
1NS3250	Asynchronous Comm. Element	16.95
DP8251	Prog. Comm. I/O (USART)	7.95
DP8253	Prog. Interval Timer	14.95
DP8255	Prog. Peripheral I/O (PPH)	8.95
DP8257	Prog. DMA Control	26.95
DP8258	Prog. Interrupt Control	14.95
DP8275	Prog. CRT Controller	49.95
DP8275	Prog. Keyboard/Display Interface	18.95
DP8300	Octal Bus Receiver	6.95
DP8303	System Timing Element	6.95
DP8304	8-Bit Bi-Directional Receiver	3.95
DP8307	8-Bit Bi-Directional Receiver	3.95
DP8308	8-Bit Bi-Directional Receiver	3.95

### 6800/6800 SUPPORT DEVICES

MC6800	MPU	14.95
MC6800CP	MPU with Clock and RAM	19.95
MC6800AP1	128K Static RAM	4.95
MC6801	Peripheral Inter. Adapt (MC6800)	7.49
MC6802	Priority Interrupt Controller	10.95
MC6803L8	1024x8-Bit ROM (MC68A35-8)	14.95
MC6850	Asynchronous Serial Adapter	6.95
MC6851	Synchronous Serial Data Adapter	6.95
MC6860	0-600bps Digital MODEM	10.95
MC6861	2400bps Modulator	12.95
MC6880A	Quad 2-State Bus Trans. (MC6875)	2.25

### MICROPROCESSOR CHIPS

Z80 (Z80C)	CPU (MK3800A) (2MHz)	11.95
Z80A (Z80C)	CPU (MK3800A-4) (4MHz)	15.95
CDP6802	CPU	39.95
386	MPU	16.95
1DM26LADC	CPU—4-Bit Slice (Coin. Temp. Grade)	29.95
MC5602	MPU w/Clock (8K Bytes Memory)	11.95
1NS3825N-4	MPU—8-Bit (8MHz)	16.95
1NS3825N-4	CPU—Sgt. Chip 8-Bit (128bytes RAM)	19.95
1NS3825N-4	CPU (256 Bytes RAM)	24.95
1NS3825N	CPU—64 Bytes RAM	24.95
1NS3825N	CPU w/Basic Micro Interpreter	29.95
1NS3825N	CPU	19.95
1NS3825N	CPU—8-Bit	29.95
1NS3825N	MPU—8-Bit	49.95

### SHIFT REGISTERS

MM5304H	Dual 25-Bit Dynamic	.50
MM5305H	Dual 50-Bit Dynamic	.50
MM5306H	Dual 100-Bit Static	.50
MM5307H	Dual 64-Bit Accumulator	.50
MM1402	26-Bit Dynamic	1.95
MM5011J	1024-Bit Dynamic/Accumulator	1.95
MM5011H	500/512-Bit Dynamic	.89
MM5014H	Octal 30-Bit	9.95
MM5027H	Octal 30-Bit	9.95
784V (784A)	1024-Bit Dynamic	1.95
783N	Hex 32-Bit Static	4.95
782V	Dual 32-Bit Static	2.95
784V	32-Bit Dynamic	.95
782V	1024-Bit Dynamic	2.95
782V	Dual 256-Bit Static	2.95
782V	Dual 256-Bit Static	4.00
782V	Dual 240-Bit Static	4.00
782N	Quad 30-Bit Static	2.95
782N	Fifo (Dual 8)	6.95

### DATA ACQUISITION

AF130-1CN	Universal Active Filter 2.5%	5.95
AF123-1CJ	Touch Tone Low Pass Filter	26.95
AF123-1CJ	Touch Tone Low Pass Filter	26.95
LM309AH	Super Gain Op Amp	1.90
LM334Z	Constant Current Source	1.30
LM335Z	Temperature Transducer	1.40
LF265N	JFET Input Op Amp	1.10
LF265N	Sample & Hold Amplifiers	3.95
LM339H	Temp. Comp. Prec. Ref. (30ppm/C)	4.95
ADC08MLCN	8-Bit A/D Converter (1 LSB)	4.95
DAC08MLCN	8-Bit D/A Converter (0.75% Lin.)	2.25

### DATA ACQUISITION (CONTINUED)

ADC08MLCN	8-Bit A/D Converter (8-Ch. Multi.)	5.25
ADC08MLCN	8-Bit A/D Converter (8-Ch. Multi.)	38.95
DAC08MLCN	18-Bit D/A Conv. Micro. Comp. (0.25%)	12.95
DAC08MLCN	18-Bit D/A Conv. Micro. Comp. (0.25%)	1.95
DAC08MLCN	18-Bit D/A Converter (0.25% Lin.)	6.49
DAC08MLCN	18-Bit D/A Converter (0.25% Lin.)	5.95
DAC12MLCN	12-Bit D/A Converter (0.20% Lin.)	9.95
CD4051N	8-Channel Multiplexer	1.19
AY-5-1011	30K BAUD UART	5.95

### RAM'S

1101	26K4 Static	1.49
1102	1024K Dynamic	.26
2101 (8001)	26K4 Static	3.95
2102	1024K Static	1.75
2110	1024K Static	2.95
2111 (8011)	26K4 Static	3.95
2112	26K4 Static MOS	4.95
2114	1024K Static 400ns	5.95
2114L	1024K Static 400ns Low Power	6.95
2114-J	1024K Static 300ns	7.49
2114-L	1024K Static 300ns Low Power	7.95
2117	16,384K Dynamic 900ns (housemarked)	4.95
4116 (UPD416)	16K Dynamic 250ns	4.95
MM2147J	4096x1 Fast 70ns	15.95
5101	26K4 Static	7.95
MM5292	1024K Dynamic Fully Decoded	.99
MM5292	2Kx1 Dynamic	.25
MM5292/237	4096x1 Dynamic	4.95
MM5292J-1(4116)	8K Dynamic 300ns (UPD416)	6.95
MM5292J-1A	8K Dyn. 300ns (lower 1/2 of MM5292)	4.95
7489	8K4 Static	1.75
UPD414/MK4027	4K Dynamic 16-pin	4.95
TM5404-45NL	4K Static	14.95
TM54045	1024K Static	14.95

### PROMS/EPROMS

1702A	2K UV Erasable PROM	5.95
2708	8K EPROM	9.95
TMS2716	16K EPROM (-5V, +5V, +12V)	19.95
2716H(1625)T1	16K EPROM (Single +5V)	17.95
2721H(1625)T1	32K EPROM	49.95
2728	8K EPROM (4096x1) (Single +5V)	7.95
5205	3048 PROM	14.95
82523(745188)	22x8 PROM (Open Collector)	4.95
825115	4096 Bipolar PROM	19.95
825123(745188)	32x8 Tri-State Bipolar PROM	4.95
825185	8K PROM	29.95

### ROM'S

2513(2748)	Character Generator (Upper Case)	9.95
2513(3023)	Character Generator (Lower Case)	9.95
2518N	Character Generator	10.95
MM5226N	3048-Bit Read Only Memory	1.95

### NMOS READ ONLY MEMORIES

MC198179P	128x17 ASCII Shifted w/Greek	13.50
MC198140P	128x17 Math Symbol & Pictures	13.50
MC198179P	128x17 Alpha Control Char. Gen.	13.50

### MICROPROCESSOR MANUALS

M-230	User Manual	7.50
M-CDP1802	User Manual	7.50
M-2650	User Manual	5.00


### SPECIAL FUNCTION

DS90C03N	Dual MOS Clock Driver (SMZ)	3.50
DS90C03CN	Dual MOS Clock Driver (SMZ)	1.95
1NS1711N-1	Floppy Disc Controller	24.95
1NS1711N-1	Communication Chip	39.95
MM58167N	Microprocessor Real Time Clock	6.95
MM58171N	Microprocessor Compatible Clock	11.95
COM402N	Microcontroller with 4-Digit RAM and Direct LED Drive	6.95
COM402MN	Microcontroller with 4-Digit RAM & Direct LED Drive w/N Bus Int.	7.49
COM402N	32-Seg. VAC Fluor. Driver (29-pin pkg.)	1.25

### TELEPHONE/KEYBOARD CHIPS

AY-5-4030	Push Button Telephone Dialer	14.95
AY-5-4030	Memory Dialer	14.95
AY-5-9980	CMOS Clock Generator	4.95
AY-5-2335	Keyboard Encoder (88 keys)	11.95
HDG885-5	Keyboard Encoder (35 keys)	7.95
74C302	Keyboard Encoder (35 keys)	5.49
74C303	Keyboard Encoder (20 keys)	5.75
MM51300N	Push Button Pulse Dialer	7.95
MM51301N	8/14-Key Serial Keyboard Encoder	6.95

## DESIGNERS' SERIES Blank Desk-Top Electronic Enclosures



- High strength epoxy molded end pieces in mocha brown finish.
- Sliding rear/bottom panel for service and component accessibility.
- Top/bottom panels .080 thk alum. Alodine type 1200 finish (gold tint color) for best paint adhesion after modification.
- Vented top and bottom panels for cooling efficiency.
- Rigid construction provides unlimited applications.

CONSTRUCTION: The "DTE" Blank Desk Top Electronic Enclosures are designed to blend and complement today's modern computer equipment and can be used in both industrial and home. The end pieces are precision molded with an internal slot (all around) to accept both top and bottom panels. The panels are then fastened to 1/4" thick tabs inside the end pieces to provide maximum rigidity to the enclosure. For ease of equipment servicing, the rear/bottom panel slides back on slotted tracks while the rest of the enclosure remains intact. Different panel widths may be used while maintaining a common profile outline. The molded end pieces can also be painted to match any panel color scheme.



Enclosure Model No.	Panel Width	PRICE
DTE-8	8.00"	\$29.95
DTE-11	10.65"	\$32.95
DTE-14	14.00"	\$34.95

\$10.00 Min. Order — U.S. Funds Only  
Calif. Residents Add 6% Sales Tax  
Postage — Add 5% plus \$1 Insurance



# Jameco ELECTRONICS

PHONE ORDERS WELCOME  
(415) 592-8097

MAIL ORDER ELECTRONICS — WORLDWIDE  
1355 SHOREWAY ROAD, BELMONT, CA 94002  
PRICES SUBJECT TO CHANGE

## JOYSTICKS



JS-5K 5K Linear Taper Pots ..... \$5.25  
JS-100K 100K Linear Taper Pots ..... \$4.95  
JVC-40 40K (2) Video Controller in case ..... \$5.95


## AC and DC Wall Transformers



Ideal for use with clocks, games, power supplies or any other type of AC or DC application.

Part No.	Input	Output	Price
AC 250	117V/60Hz	12 VAC 250mA	\$3.95
AC 500	117V/60Hz	12 VAC 500mA	\$4.95
AC1000	117V/60Hz	12 VAC 1 amp	\$5.95
DV9200	117V/60Hz	9 VDC 200mA	\$3.25
DC 900	120V/60Hz	9 VDC 500mA	\$3.95

## CONNECTORS



DB25P	D-Subminiature Plug	\$2.95
DB25S	D-Subminiature Socket	\$3.50
DB51226	Cover for DB25P/S	\$1.75
22/44SE	P.C. Edge (22/44 Pin)	\$2.95
UG88/U	BNC Plug	\$1.79
UG89/U	BNC Jack	\$3.79
UG175/U	UHF Adapter	\$ .49
SO239	UHF Panel Recp.	\$1.29
PL258	UHF Adapter	\$1.60
PL259	UHF Plug	\$1.60
UG260/U	BNC Plug	\$1.79
UG1094/U	BNC Bulkhead Recp.	\$1.29

## TRS-80 16K Conversion Kit

Expand your 4K TRS-80 System to 16K. Kit comes complete with:  
\* 8 ea. MM5290 (UPD416) 16K Dyn. Rams (\*NS)  
\* Documentation for Conversion

TRS-16K2 \*150NS ..... \$49.95  
TRS-16K4 \*250NS ..... \$39.95

## JE610 ASCII Encoded Keyboard Kit



The JE610 ASCII Keyboard Kit can be interfaced into most any computer system. The kit comes complete with an industrial grade keyboard switch assembly (62-keys), IC's, sockets, connector, electronic components and a double-sided printed wiring board. The keyboard assembly requires +5V @ 150mA and -12V @ 10 mA for operation. Features: 60 keys generate the 126 characters, upper and lower case ASCII set. Fully buffered. Two user-define keys provided for custom applications. Caps lock for upper-case-only alpha characters. Utilizes a 2376 (40-pin) encoder read-only memory chip. Outputs directly compatible with TTL/DTL or MOS logic arrays. Easy interfacing with a 16-pin dip or 18-pin edge connector. Size: 3 1/2" H x 14 1/2" W x 8 3/4" D

JE610/DTE-AK (as pictured above) ..... \$124.95  
JE610 Kit 62-Key Keyboard, PC Board, & Components (no case) ..... \$ 79.95  
K62 62-Key Keyboard (Keyboard only) ..... \$ 34.95  
DTE-AK (case only — 3 1/2" H x 14 1/2" W x 8 3/4" D) \$ 49.95

## JE600 Hexadecimal Encoder Kit



FULL 8-BIT LATCHED OUTPUT 19-KEY KEYBOARD

The JE600 Encoder Keyboard Kit provides two separate hexadecimal digits produced from sequential key entries to allow direct programming for 8-bit microprocessor or 8-bit memory circuits. Three additional keys are provided for user operations with one having a bistable output available. The outputs are latched and monitored with 9 LED readouts. Also included is a key entry strobe. Features: Full 8-bit latched output for microprocessor use. Three user-define keys with one being

## STEP INTO THE PAST WITH THESE 1970 PRICES

(THIS MONTH ONLY)

.1 200 Volt Mylar Cap.	10/1.00
.01 200 Volt Mylar Cap.	12/1.00
1469R Voltage Regulator	1.00
.22 10 Volt Disc W/PC Leads	20/1.00
3.579545 MC Color Burst Crystal	1.00

### 74177 BINARY COUNTER/LATCH

Divide by 2, 4, 8, 16  
Pre-settable Input **\$.60**

**2111 By Sprague FM Detector and Limiter**  
Full Data **\$1.25**

### MICROWAVE DIODE

For Down Converters

5082 - 2835  
**\$1.50 or 5 For \$6.00**

MC 7815 Voltage Regulator House #	.75¢
EK 500 Diode 5000 Volt — 250 Ma	4/1.00
2200 Mfd. 16 Volt Radial Capacitor PC Leads	5/1.00
10.7 MC Ceramic Filter	5/1.00
10K 'Mini' Pot With Nylon Shaft	4/1.00
Midget Audio Transformer 10K/2K Center Tap	2/1.00

### MICRO MINI TOGGLE SWITCHES

6 for \$5 with hardware



**99¢  
EACH**

### SUPER CUSTOM IC #17564-4

Has a C-MOS oscillator, Decade Counter Decoder/Driver. At the push of a button will flash a LED 24 times. At the end of which it will display the number of times it has gone through the cycle, up to 99. Variable speed pulses - Perfect for timing. **FULL DATA — \$1.00**

**Push Button Switch - Normally Closed**  
**6/\$1.25**



**10 Ohm Button Trim Pot**

**4/\$1.00**

### SWITCH

Same type as used on some computer boards.

**\$.69 Each DPST or can be arranged SPDT.**

**5 For \$2.50**



### OPCOA CLOCK #R1200 AC

12 Hour Format. 12 Volt Operation. .3 Inch Display. Has Radio (Alarm) Output. Complete with On-Board Switches and 4 Pin connection for easy hook up. With Data.

*Add 60Hz Time Base for DC Operation.*

**SUPER SPECIAL 2/8.00 or \$4.28 each**

Plug in transformer and all parts to make clock operational \$2.20.

### M3-6501

256 By 4 CMOS Ram. By Harris. Super Low Current Drain! Data retention Voltage 2 Volts. Great for battery power or back-up.

**\$1.99 each**

### 5 VOLT REED RELAY

An absolutely fantastic item. Compare this price with any advertiser. **While They Last!** Normally Open. SPST. Turns on at 10 MA. Drops out at 5 MA.

**SUPER SPECIAL! 2/1.20 or 10/4.00**

**LAB-BENCH VARIABLE POWER SUPPLY KIT** **\$12.00 KIT**  
**SUPER SALE**  
5 to 20 VDC at 1 AMP. Short circuit protected by current limit. Uses IC regulator and 10 AMP Power Darlington. Very good regulation and low ripple. Kit includes PC Board, all parts, large heatsink and shielded transformer. 50 MV. TYP. Regulation.

**RCA SENSITIVE GATE TRIAC**  
TO-5 CASE. HOUSE #40531  
ALSO SAME AS T2300D.  
2.5 AMPS 400 PIV

**5/\$1.19**

Perfect for Dimmers,  
Color Organs, etc.  
PC LEADS



**\$4.95**

**60 Hz CRYSTAL TIME BASE**  
(Complete Kit)

Uses MM5369 CMOS divider IC with high accuracy 3.579545 MHZ Crystal. Use with all MOS Clock Chips or Modules. Draws only 1.5 MA. All parts, data and PC Board included. 100 Hz. same as above, except \$5.95.

### D.C. HORN

VERY LOUD!  
6-12 VDC  
Like Used In  
Smoke Alarms.  
**FANTASTIC SAVINGS.**  
Compare this true value.  
**.60 ea. 4 For \$2.00**

**PMD-11K-60 (Darlington)**  
60 Volts. HFE 800-20K  
12 Amps. PNP TO-3  
150 Watts. By Lambda.  
**\$1.50**

**BRAND  
NEW!**

**Crystal  
Super Savings**  
4.433618 MHZ  
**2/\$1.10**

### SG3501A VOLTAGE REGULATOR

By Silicon General

14 Pin Dip,  $\pm 15v$  Regulator - Great for OP Amp Supplies - Output Adjustable For  $\pm 10v$  to  $\pm 23v$   
Thermal Shutdown Protected.

\* **\$.75 Each or 3/\$2.00** \*

### TIP 29C Power Transistor TO - 220 Case

1 Amp    30 Watts    100 Volt NPN  
**LIMITED QUANTITY    3/\$1.25**

## Digital Research: Parts

(OF TEXAS)

P.O. BOX 401247 • GARLAND, TEXAS 75040 • (214) 271-2461

**TERMS:** Add 50¢ postage, we pay balance. Orders under \$15 add 75¢ handling. No C.O.D. We accept Visa, MasterCard and American Express cards. Tex. Res. add 5% Tax. Foreign orders (except Canada) add 20% P&H. 90 Day Money Back Guarantee on all items.

**SEND FOR CATALOG WITH SUPER SAVINGS!!**

# Radio Bookshop


FOR THE NOVICE

NEW, UPDATED EDITIONS OF OUR FAMOUS NOVICE CLASS STUDY GUIDE AND NOVICE THEORY TAPES.

● **NOVICE STUDY GUIDE**—SG7357—Here is a completely new study guide and reference book for the potential ham. This is not a question/answer memorization course. Electronic and radio fundamentals are presented and explained in an easy-to-understand fashion, preparing the beginner for the Novice exam. Includes the latest FCC amateur regulations, as well as application forms. Easily the best path into the exciting world of ham radio! \$4.95.\*

● **NOVICE THEORY TAPES**—CT7300—Startling Learning Breakthrough. You'll be astounded at how really simple the theory is when you hear it explained on these tapes. Three tapes of theory and one of questions and answers from the latest Novice exams give you the edge you need to breeze through your exam. 73 is interested in helping get more amateurs, so we're giving you the complete set of our tapes for the incredibly low price of **ONLY \$15.95.\***

Scientists have proven that you learn faster by listening than by reading because you can play a cassette tape over and over in your spare time—even while you're driving! You get more and more info each time you hear it. You can't progress without solid fundamentals. These four hour-long tapes give you all the basics you'll need to pass the Novice exam easily. You'll have an understanding of the basics which will be invaluable to you for the rest of your life! Can you afford to take your Novice exam without first listening to these tapes? Set of 4—\$15.95.\*



**SPECIAL OFFER! BOTH NOVICE CLASS STUDY GUIDE AND NOVICE THEORY TAPES \$20.00 ORDER NP7300.**

## HANDBOOKS FOR THE HAMSHACK

**NEW!** ● **WORLD REPEATER ATLAS**—BK7315—Completely updated, over 230 pages of repeater listings are indexed by location and frequency. More than 50 maps pinpoint 2000 repeater locations throughout the USA. Foreign listings include Europe, the Middle East, South American and Africa. \$4.95.

● **THE PRACTICAL HANDBOOK OF AMATEUR RADIO FM REPEATERS**—BK1185—by Bill Pasternak WA6ITF (author of 73 Magazine's monthly column "Looking West") This is the book for the VHF/UHF FMer, compiled from material submitted by over a hundred individuals, clubs, organizations and equipment manufacturers. A "must have" for your ham shack shelf. \$9.95.

● **WORLD RADIO TV HANDBOOK 1981, 35TH EDITION**—BK1184—This book is the bible of international broadcasters, providing the only authoritative source of exact information about broadcasting and TV stations world wide. This 1981 edition is completely revised, giving comprehensive coverage of short, medium and long wave, 560 pages of vital aspects of world listening. \$16.50.



## OTHER STUDY GUIDES

● **ADVANCED CLASS LICENSE STUDY GUIDE**—SG1081—Ready to upgrade your license? To prevent retaking the FCC theory exam, you need the 73 Advanced theory guide. SSB, antenna theory, transmitters, and electronics measuring techniques are covered in detail in this easy-to-follow study guide. Special modes and techniques, such as RTTY, are also treated. An engineering degree is *not* necessary to master the Advanced theory—try this book before visiting the examiner's office! \$6.95.\* (Published by TAB Books previous to recent changes in FCC exam material.)

● **EXTRA CLASS LICENSE STUDY GUIDE**—SG1080—Before going for your 1 x 2 call, it pays to be a master of the Extra class electronics theory. This study guide is the logical extension of the 73 theory course. All the theory necessary to pass the exam is presented. Antennas, transmission lines, swr are discussed, as well as noise, propagation, and specialized communication techniques. This book is not a classroom lecture or memorization guide, but rather a logical presentation of the material that must be *understood* before attempting the Extra exam. Save yourself a return trip to the FCC and try the 73 method first! \$5.95.\*

● **UNDERSTANDING AND PROGRAMMING MICROCOMPUTERS**—BK7382—A valuable addition to your computing library. This two-part text includes the best articles that have appeared in 73 and Kilobaud Microcomputing magazines on the hardware and software aspects of microcomputing. Well-known authors and well-structured text helps the reader get involved. \$10.95\*

● **40 COMPUTER GAMES**—BK7381—Forty games in all in nine different categories. Games for large and small systems, and even a section on calculator games. Many versions of BASIC used and a wide variety of systems represented. A must for the serious computer gamesman. \$7.95\*

● **SOME OF THE BEST FROM KILOBAUD/MICROCOMPUTING**—BK7311—A collection of the best articles that have recently appeared in Kilobaud/MICROCOMPUTING. Included is material on the TRS-80 and PET systems, CP/M, the 8080/8085/Z80 chips, the ASR-33 terminal. Data base management, word processing, text editors and file structures are covered too. Programming techniques and hardcore hardware construction projects for modems, high speed cassette interfaces and TVTs are also included in this large format, 200 plus page edition. \$10.95.\*

● **HOBBY COMPUTERS ARE HERE!**—BK7322—If you want to come up to speed on how computers work... hardware and software... this is an excellent book. It starts with fundamentals and explains the circuits, and the basics of programming, along with a couple of TVT construction projects, ASCII-Baudot, etc. This book has the highest recommendations as a teaching aid. \$4.95.\*

● **THE NEW HOBBY COMPUTERS**—BK7340—This book takes it from where "HOBBY COMPUTERS ARE HERE!" leaves off, with chapters on Large Scale Integration, how to choose a microprocessor chip, an introduction to programming, low cost I/O for a computer, computer arithmetic, checking memory boards... and much, much more! Don't miss this tremendous value! Only \$4.95.\*

\*Use the order card in the back of this magazine or itemize your order on a separate piece of paper and mail to: 73 Radio Bookshop • Peterborough NH 03458. Be sure to include check or detailed credit card information. No C.O.D. orders accepted. Add \$1.00 handling charge. Note: Prices subject to change on books not published by 73 Magazine. Questions regarding your order? Please write to Customer Service at the above address. Please allow 4-6 weeks for delivery.

**FOR TOLL FREE ORDERING CALL 1-800-258-5473**

# Radio Bookshop

## 73 TECHNICAL LIBRARY

● **BEHIND THE DIAL**—BK7307—By Bob Grove. Get more fun out of shortwave listening with this interesting guide to receivers, antennas, frequencies and interference. \$4.95.\*

● **THE CHALLENGE OF 160**—BK7309—is the newest book in the 73 technical library, dedicated to 160 meter operating. Si Dunn provides all necessary information to get started on this unique band. The all-important antenna and ground systems are described in detail. The introduction contains interesting photos of Stew Perry's (the King of 160) shack. This reference is a must for new and experienced "Top Band" operators. Price: \$4.95.\*

● **IC OP-AMP COOKBOOK**—BK1028—by Walter G. Jung. Covers not only the basic theory of the IC op amp in great detail, but also includes over 250 practical circuit applications, liberally illustrated. 592 pages, 5½ x 8½, softbound. \$12.95.\*

● **THE POWER SUPPLY HANDBOOK**—BK7305—Need a power supply for a gadget you're building? In the **POWER SUPPLY HANDBOOK** there are dozens ready-to-build, plus detailed steps for designing your own. There are circuits and parts lists for all kinds of supplies, ranging from simple DC types to highly stable regulated versions. If you need a circuit to convert a DC voltage to a higher or lower voltage, turn DC into AC, or AC to DC—then this is the book you need. With more than 400 pages, you should be able to find just the circuit you need. Without a doubt one of the best power supply source books available, compiled by the editors of 73. \$9.95.\*



● **WEATHER SATELLITE HANDBOOK**—BK7370—Simple equipment and methods for getting good pictures from the weather satellite. Antennas, receivers, monitors, facsimile you can build, tracking, automatic control (you don't even have to be home). Dr. Taggart WB8DQT. \$4.95.\*

● **THE NEW RTTY HANDBOOK**—BK7347—is a new edition and the only up-to-date RTTY book available. The state of the art has been changing radically and had made all previous RTTY books obsolete. It has the latest circuits, great for the newcomer and expert alike. \$5.95.\*

● **PROPAGATION WIZARD'S HANDBOOK**—BK7302—by J. H. Nelson. When sunspots riddled the worldwide communications networks of the 1940's, John Henry Nelson looked to the planets for an answer. The result was a theory of propagation forecasting based upon interplanetary alignment that made the author the most reliable forecaster in America today. The book provides an enlightened look at communications past, present, and future, as well as teaching the art of propagation forecasting. \$6.95.\*

● **SSB... THE MISUNDERSTOOD MODE**—BK7351—by James B. Wilson. Single Sideband Transmission... thousands of us use it every day, yet it remains one of the least understood facets of amateur radio. J. B. Wilson presents several methods of sideband generation, amply illustrated with charts and schematics, which will enable the ambitious reader to construct his own sideband generator. A must for the technically-serious hams. \$5.50.\*

● **MASTER HANDBOOK OF HAM RADIO CIRCUITS**—BK1033— This is an encyclopedia of amateur radio circuits, gleaned from past issues of 73 Magazine and carefully selected according to application. You'll find many you've never seen before, some new twists on the tried and true, and several that have been long forgotten but are well worth remembering. Where your interest ranges from ragchewing to EME, from CW to slow-scan TV, from DX to county nets, this handbook will be a welcome addition to your shack. \$8.95.\*



● **OWNER REPAIR OF RADIO EQUIPMENT**—BK7310—Frank Glass K6RQ shares over 40 years of operating, servicing, and design experience in this book which ranges from the elementary to the highly technical written for the top engineers in the field. It is written in narrative style on the subjects of electronic servicing, how components work, and how they are combined to provide communication equipment. This book will help you understand the concepts required to service your own station equipment. \$7.95.\*

● **TOOLS & TECHNIQUES FOR ELECTRONICS**—BK7348—by A. A. Wicks is an easy-to-understand book written for the beginning kit builder as well as the experienced hobbyist. It has numerous pictures and descriptions of the safe and correct ways to use basic and specialized tools for electronic projects as well as specialized metal working tools and the chemical aids which are used in repair shops. \$4.95.\*

● **THE CONTEST COOKBOOK**—BK7308—reveals the secrets of the contest winners (Domestic, DX and specialty contests), complete with photos and diagrams of equipment used by the top scorers. Find out how to make 150 contacts in one hour. \$5.95.\*



\*Use the order card in the back of this magazine or itemize your order on a separate piece of paper and mail to: 73 Radio Bookshop • Peterborough NH 03458. Be sure to include check or detailed credit card information. No C.O.D. orders accepted. Add \$1.00 handling charge. Note: Prices subject to change on books not published by 73 Magazine. Questions regarding your order? Please write to Customer Service at the above address. Please allow 4-6 weeks for delivery.

**FOR TOLL FREE ORDERING CALL 1-800-258-5473**

# Radio Bookshop

## TEST EQUIPMENT

● **RF AND DIGITAL TEST EQUIPMENT YOU CAN BUILD** — BK1044 — Rf burst, function, square wave generators, variable length pulse generators — 100 kHz marker, i-f and rf sweep generators, audio osc, af/rf signal injector, 146 MHz synthesizer, digital readouts for counters, several counters, prescaler, microwave meter, etc. 252 pages. \$5.95.\*

● **VOL. I COMPONENT TESTERS** — LB7359 — . . . how to build transistor testers (8), diode testers (3), IC testers (3), voltmeters and VTVMs (9), ohmmeters (8 different kinds), inductance (3), capacity (9), Q measurement, crystal checking (6), temperature (2), aural meters for the blind (3) and all sorts of miscellaneous data on meters. . . using them, making them more versatile, making standards. Invaluable book. \$4.95.\*


● **VOL. II AUDIO FREQUENCY TESTERS** — LB7360 — . . . jam packed with all kinds of audio frequency test equipment. If you're into SSB, RTTY, SSTV, etc., this book is a must for you. . . a good book for hi-fi addicts and experimenters, too! \$4.95.\*

● **VOL. IV IC TEST EQUIPMENT** — LB7362 — Become a troubleshooting wizard! In this fourth volume of the 73 TEST EQUIPMENT LIBRARY are 42 home construction projects for building test equipment to work with your ham station and in servicing digital equipment. Plus a cumulative index for all four volumes for the 73 TEST EQUIPMENT LIBRARY. \$4.95.\*

● **VOL. III RADIO FREQUENCY TESTERS** — LB7361 — Radio frequency waves, the common denominator of Amateur Radio. Such items as SWR, antenna impedance, line impedance, rf output and field strength; detailed instructions on testing these items includes sections on signal generators, crystal calibrators, grid dip oscillators, noise generators, dummy loads and much more. \$4.95.\*



## THE WELL-EQUIPPED HAM SHACK



**NEW!**


● **THE MAGIC OF HAM RADIO** — BK7312 — by Jerrold Swank, W8HXR begins with a brief history of amateur radio and of Jerry's involvement in it. Part 2 details many of ham radio's heroic moments. Hamdom's close ties with the continent of Antarctica are the subject of Part 3. In Part 4 the strange and humorous sides of ham life get their due. And what of the future? Part 5 peers into the crystal ball. \$4.95.\*

● **A GUIDE TO HAM RADIO** — BK7321 — by Larry Kahaner WB2NEL. What's Amateur Radio all about? You can learn the basics of this fascinating hobby with this excellent beginner's guide. It answers the most frequently asked questions in an easy-going manner, and it shows the best way to go about getting an FCC license. A Guide to Ham Radio is an ideal introduction to a hobby enjoyed by people around the world. \$4.95.\*


● **HOW TO BUILD A MICROCOMPUTER — AND REALLY UNDERSTAND IT** — BK7325 — by Sam Creason. The electronics hobbyist who wants to build his own microcomputer system now has a practical "How-To" guidebook. This book is a combination technical manual and programming guide that takes the hobbyist step-by-step through the design, construction, testing and debugging of a complete microcomputer system. Must reading for anyone desiring a true understanding of small computer systems. \$9.95.\*



● **LIBRARY SHELF BOXES** — These sturdy white, corrugated, dirt-resistant boxes each hold a full year of 73, *Kilobaud Microcomputing* or *80 Microcomputing*. With your order, request self-sticking labels for any of the following: 73, *Kilobaud Microcomputing*, *80 Microcomputing*, *CQ*, *QST*, *Ham Radio*, *Personal Computing*, *Radio Electronics*, *Interface Age*, and *Byte*. Order 1 — BX1000 — for \$2.00\*; order 2-7 — BX2002 — for \$1.50 each\*; order 8 or more — BX1002 — for \$1.25 each\*.



Style Y



Style W

● **QSL CARDS** — 73 turns out a fantastic series of QSL cards at about half the cost of having them done elsewhere because they are run as a fill-in between printing books and other items in the 73 Print Shop. 250 Style W — QW0250 — for \$8.95\*; 500 Style W — QW0500 — for \$13.95\*; 250 Style X — QX0250 — for \$8.95\*; 500 Style X — QX0500 — for \$13.95\*; 250 Style Y — QY0250 — for \$8.95\*; 500 Style Y — QY0500 — for \$13.95\*. Allow 6-12 wks. for delivery.



Style X

● **BACK ISSUES** — Complete your collection; many are prime collectables now, classics in the field! A full collection is an invaluable compendium of radio and electronics knowledge!

Single back issue — ST0000 — \$3.00\*;  
 25 our choice — ST2500 — \$12.00\*;  
 25 your choice — ST2501 — \$25.00\*;  
 5 your choice — ST0500 — \$8.75\*;  
 10 your choice — ST1000 — \$14.00\*.

● **FREE BACK ISSUE CATALOGS** are yours for the asking . . . specify 73 Magazine and/or *Kilobaud Microcomputing* back issue catalog when you send your name and address to us on a postcard.

## 73 MAGAZINE BINDERS

● Preserve and protect your collection for a lifetime! Order these handsome red binders with gold lettering. \$7.50 for 1, 3 for \$21.75, 6 for \$42.00. (Postpaid within USA, please add \$2.50 per order outside USA.) Check or money orders only, no phone or C.O.D. orders. 73 Binders, P.O. Box 5120, Philadelphia, PA 19141.

\*Use the order card in the back of this magazine or itemize your order on a separate piece of paper and mail to: 73 Radio Bookshop • Peterborough NH 03458. Be sure to include check or detailed credit card information. No C.O.D. orders accepted. Add \$1.00 handling charge. Note: Prices subject to change on books not published by 73 Magazine. Questions regarding your order? Please write to Customer Service at the above address. Please allow 4-6 weeks for delivery.

**FOR TOLL FREE ORDERING CALL 1-800-258-5473**

# Radio Bookshop

● **73 DIPOLE AND LONG-WIRE ANTENNAS**—BK1016—by Edward M. Noll W3FQJ. This is the first collection of virtually every type of wire antenna used by amateurs. Includes dimensions, configurations, and detailed construction data for 73 different antenna types. Appendices describe the construction of noise bridges, line tuners, and data on measuring resonant frequency, velocity factor, and swr. \$5.50.\*



● **THE GIANT BOOK OF AMATEUR RADIO ANTENNAS**—With the GIANT Book of Amateur Radio Antennas—BK1104—by your side, antennas will become the least of your worries. Over 450 pages of design ideas, theory and reference data make this book live up to its title. The 7 chapters cover everything from basic antenna theory through designs for DIY accessories, as well as dozens of antenna designs. Whether planning to build or buy, design or admire, test or enjoy a ham antenna—this is the book for you. From the editors of 73; published by Tab Books. Hardcover \$12.95.\*

● **73 VERTICAL, BEAM AND TRIANGLE ANTENNAS**—BK1069—by Edward M. Noll W3FQJ. Describes 73 different antennas for amateurs. Each design is the result of the author's own experiments covering the construction of noise bridges and antenna line tuners, as well as methods for measuring resonant frequency, velocity factor, and standing-wave ratios. 160 pages. \$5.50.\*

● **VHF ANTENNA HANDBOOK**—BK7368—The NEW VHF Antenna Handbook details the theory, design and construction of hundreds of different VHF and UHF antennas... A practical book written for the average amateur who takes joy in building, not full of complex formulas for the design engineer. Packed with fabulous antenna projects you can build. \$5.95.\*

● **PRACTICAL ANTENNAS FOR THE RADIO AMATEUR**—BK1015—A manual describing how to equip a ham station with a suitable antenna. A wide range of antenna topics, systems, and accessories are presented giving the reader some food for thought and practical data for construction. Designed to aid the experienced ham and novice as well. Only \$9.95.\*

● **TTL COOKBOOK**—BK1063—by Donald Lancaster. Explains what TTL is, how it works, and how to use it. Discusses practical applications, such as a digital counter and display system, events counter, electronic stopwatch, digital voltmeter and a digital tachometer. \$9.50.

● **CMOS COOKBOOK**—BK1011—by Don Lancaster. Details the application of CMOS, the low power logic family suitable for most applications presently dominated by TTL. Required reading for every serious digital experimenter! \$10.50.\*

● **TVT COOKBOOK**—BK1064—by Don Lancaster. Describes the use of a standard television receiver as a microprocessor CRT terminal. Explains and describes character generation, cursor control and interface information in typical, easy-to-understand Lancaster style. \$9.95.\*

● **RTL COOKBOOK**—BK1059—by Donald Lancaster. Explains the how and why of RTL (Resistor-Transistor Logic) and gives design information that can be put to practical use. Gives a multitude of digital applications ranging from the basic switch to the sophisticated counter. 240 pages; \$6.50.\*



## SSTV

● **SLOW SCAN TELEVISION TAPE**—CT7350—Prize-winning programs from the 73 SSTV contest. Excellent for Demo! \$5.95.\*



## 73 CODE TAPES

Any Four Tapes For \$15.95! \*  
\$4.95 Each! \*

### "GENESIS"

5 WPM—CT7305—This is the beginning tape for people who do not know the code at all. It takes them through the 26 letters, 10 numbers and necessary punctuation, complete with practice every step of the way using the newest blitz teaching techniques. It is almost miraculous! In one hour many people—including kids of ten—are able to master the code. The ease of learning gives confidence to beginners who might otherwise drop out.

### "THE STICKLER"

6+ WPM—CT7306—This is the practice tape for the Novice and Technician licenses. It is made up of one solid hour of code, sent at the official FCC standard (no other tape we've heard uses these standards, so many people flunk the code when they are suddenly—under pressure—faced with characters sent at 13 wpm and spaced for 5 wpm). This tape is not memorizable, unlike the zany 5 wpm tape, since the code groups are entirely random characters sent in groups of five.

### "BACK BREAKER"


13+ WPM—CT7313—Code groups again, at a brisk 13 per so you will be at ease when you sit down in front of the steely-eyed government inspector and he starts sending you plain language at only 13 per. You need this extra margin to overcome the panic which is universal in the test situations. When you've spent your money and time to take the test, you'll thank heavens you had this back-breaking tape.

### "COURAGEOUS"

20+ WPM—CT7320—Code is what gets you when you go for the Extra class license. It is so embarrassing to panic out just because you didn't prepare yourself with this tape. Though this is only one word faster, the code groups are so difficult that you'll almost fall asleep copying the FCC stuff by comparison. Users report that they can't believe how easy 20 per really is with this fantastic one hour tape.

### "OUTRAGEOUS"

25+ WPM—CT7325—This is the tape for that small group of overachieving hams who wouldn't be content to simply satisfy the code requirements of the Extra Class license. It's the toughest tape we've got and we keep a permanent file of hams who have mastered it. Let us know when you're up to speed and we'll inscribe your name in 73's CW "Hall of Fame."



\*Use the order card in the back of this magazine or itemize your order on a separate piece of paper and mail to: 73 Radio Bookshop • Peterborough NH 03458. Be sure to include check or detailed credit card information. No C.O.D. orders accepted. Add \$1.00 handling charge. Note: Prices subject to change on books not published by 73 Magazine. Questions regarding your order? Please write to Customer Service at the above address. Please allow 4-6 weeks for delivery.

**FOR TOLL FREE ORDERING CALL 1-800-258-5473**



# DEALER DIRECTORY

## San Jose CA

Bay area's newest Amateur Radio store. New & used Amateur Radio sales & service. We feature Kenwood, ICOM, Azden, Yaesu, Ten-Tec, VHF Engineering & many more. Shaver Radio, Inc., 1378 So. Bascom Ave., San Jose CA 95128, 998-1103.

## San Leandro CA

Specializing in Amateur Radio Test Guides. We publish the most accurate F.C.C. exam preparation material in the country according to letters on file from hams nationwide. General, Advanced, and Extra Class manuals available. Bash Educational Services, 519 Estudillo Avenue, P.O. Box 2115, San Leandro, CA 94577, 352-5420.

## Denver CO

Experimenter's paradise! Electronic and mechanical components for computer people, audio people, hams, robot builders, experimenters. Open six days a week. Gateway Electronics Corp., 2839 W. 44th Ave., Denver CO 80211, 458-5444.

## Uncasville CT

Cushcraft, Bencher, Hy-Gain, Telex, Barker & Williamson, Nye-Viking, Hustler, MFJ, Callbook, Murch, Unadilla, OK, Saxton, ARRL Books, Used equipment, Electronic parts and accessories, free catalog. Donovan Electronics, Inc., 2510 Norwich, New London Tpke, Uncasville CT 06382, 848-3434.

## Columbus GA

### KENWOOD—YAESU—DRAKE

The world's most fantastic amateur showroom! You gotta see it to believe it! Radio Wholesale, 2012 Auburn Avenue, Columbus GA 31906, 561-7000.

## Boise ID

Azden, Amidon, Ameco, ARRL, B&W, Callbook, Collins, Cushcraft, Dentron, Hustler, ICOM, Jim-Pak, KDK, MFJ, NPC, Nye, Sams, SST, Swan, Ten-Tec, Wanzer, Wilson. Custom Electronics, 1209 Broadway, Boise ID 83706, Bob W7SC 344-5084.

## Preston ID

Ross WB7BYZ, has the Largest Stock of Amateur Gear in the Intermountain West and the Best Prices. Call me for all your ham needs. Ross Distributing, 78 So. State, Preston ID 83263, 852-0830.

## Terre Haute IN

Your ham headquarters located in the heart of the midwest. Hoosier Electronics, Inc., 43B Meadows Shopping Center, P.O. Box 2001, Terre Haute IN 47802, 238-1456.

## Littleton MA

The ham store of N.E. you can rely on. Kenwood, ICOM, Wilson, Yaesu, DenTron, KLM amps, B&W switches & wattmeters, Whistler radar detectors, Bearcat, Regency, antennas by Larsen, Wilson, Hustler, GAM. TEL-COM Inc. Communications & Electronics, 675 Great Rd., Rt. 119, Littleton MA 01460, 486-3040.

## St. Louis MO

Experimenter's paradise! Electronic and mechanical components for computer people, audio people, hams, robot builders, experimenters. Open six days a week. Gateway Electronics Corp., 8123-25 Page Blvd., St. Louis MO 63130, 427-6116.

## Syracuse-Rome-Utica NY

Featuring: Kenwood, Yaesu, ICOM, Drake, Ten-Tec, Swan, DenTron, Alpha, Robot, MFJ, Tempo, Astron, KLM, Hy Gain, Mosley, Larsen, Cushcraft, Hustler, Mini Products. You won't be disappointed with equipment/service. Radio World, Oneida County Airport-Terminal Building, Oriskany NY 13424, 337-0203.

## Phila. PA/Camden NJ

Waveguide & coaxial microwave components & equipment. Laboratory grade test instruments, power supplies. Buy, sell & trade all popular makes, HP, GR, FXR, ESI, Sorensen, Singer, etc. Lectronic Research Labs., 1423 Ferry Ave., Camden NJ 08104, 541-4200.

## Mocksville NC AMATEUR-REPAIR

Quality Service, reasonable rates, all brands. Now USA KDK repair center. Amateur Radio Repair Center of IEC, Inc., 79 Town Square, Mocksville, NC 27028, 998-2627.

## Columbus OH

All major brands featured in the biggest and best ham store for miles around. Come in and twist the knobs before you buy. Universal Amateur Radio, Inc., 1280 Aida Dr., Reynoldsburg (Columbus) OH 43068, 866-4267.

## Houston TX

Experimenter's paradise! Electronic and mechanical components for computer people, audio people, hams, robot builders, experimenters. Open six days a week. Gateway Electronics Inc., 8932 Clarkcrest, Houston TX 77063, 978-6575.

## San Antonio TX

Complete 2 way service shop. Call Dee, W5FSP. Selling Antenna Specialists, Avanti, Azden, Bird, Hy-gain, Standard communications, Genave, Henry, Cushcraft, Dielectric, Hustler, ICOM, MFJ, Nye, Shure, Swan, Tempo, Ten-Tec and others. Appliance & Equipment Co., Inc., 2317 Vance Jackson Road, San Antonio TX 78213, 734-7793.

## DEALERS

Your company name and message can contain up to 25 words for as little as \$150 yearly (prepaid), or \$15 per month (prepaid quarterly). No mention of mail-order business or area code permitted. Directory text and payment must reach us 60 days in advance of publication. For example, advertising for the April issue must be in our hands by February 1st. Mail to 73 Magazine, Peterborough NH 03458. ATTN: Nancy Ciampa.

# PROPAGATION

J. H. Nelson  
4 Plymouth Dr.  
Whiting NJ 08759

## EASTERN UNITED STATES TO:

	GMT:	00	02	04	06	08	10	12	14	16	18	20	22
ALASKA	21	7A	7	7	7	7	7	7	7A	14A	21A	21A	
ARGENTINA	14A	14	7	7	7	7	7	14A	21A	21A	21A	21A	21A
AUSTRALIA	21A	14A	7B	7B	7B	7B	7B	14B	14	14	21	21A	
CANAL ZONE	14A	14	7A	7	7	7	14	21	21A	21A	21A	21	
ENGLAND	7	7	7	7	7	7	14	21A	21A	21	14	14B	
HAWAII	21A	14	7A	7	7	7	7	7	14	21	21A	21A	
INDIA	7	7	7B	7B	7B	7B	14	14A	14	14B	7B	7B	
JAPAN	21A	14	7B	7B	7B	7	7	7B	7B	14	21	21A	
MEXICO	21	14	7	7	7	7	7	7A	14	21A	21A	21A	21A
PHILIPPINES	21	7A	7B	7B	7B	7B	7B	7	7	7A	14	14A	
PUERTO RICO	14	7	7	7	7	14	14	21	21A	21A	21	21	
SOUTH AFRICA	14	7A	7	7B	7B	7A	14A	21A	21A	21A	21A	21	
U. S. S. R.	7	7	7	7	7	7B	14	21A	21	14	7B	7B	
WEST COAST	21A	14	7	7	7	7	7	14	21	21A	21A	21A	

## CENTRAL UNITED STATES TO:

	GMT:	00	02	04	06	08	10	12	14	16	18	20	22
ALASKA	21	14	7	7	7	7	7	7	7A	14A	21A	21A	
ARGENTINA	21A	14	7A	7	7	7	14	21A	21A	21A	21A	21A	
AUSTRALIA	21A	14A	14	7B	7B	7B	7B	14	14	14	21	21A	
CANAL ZONE	14A	14	7	7	7	7	14	21	21A	21A	21A	21	
ENGLAND	7B	7	7	7	7	7	7B	14	21A	21	14	7B	
HAWAII	21A	21	14	7	7	7	7	7	14	21	21A	21A	
INDIA	7B	14	7B	7B	7B	7B	7B	14	7A	7B	7B		
JAPAN	21A	14	7A	7B	7B	7B	7	7	7	14B	14	21	
MEXICO	14	14	7	7	7	7	7	14	21	21A	21A	21A	
PHILIPPINES	21A	14A	7	7B	7B	7B	7B	7	7	7A	14	14A	
PUERTO RICO	21	14	7	7	7	7	7A	21	21A	21A	21A	21	
SOUTH AFRICA	14	14	7	7B	7B	7B	7A	14A	21A	21A	21A	21	
U. S. S. R.	7B	7	7	7	7	7B	7B	14	21	14	7B	7B	

## WESTERN UNITED STATES TO:

	GMT:	00	02	04	06	08	10	12	14	16	18	20	22
ALASKA	21	14A	7	7	7	7	7	7	7	14	21A	21A	
ARGENTINA	21A	14A	14	7	7	7	7B	14	21A	21A	21A	21A	
AUSTRALIA	21A	21A	14	14	7B	7B	7B	14	14	14	21	21A	
CANAL ZONE	21	14A	14	7	7	7	7	14	21A	21A	21A	21A	
ENGLAND	7B	7	7	7	7	7	7B	7A	21A	21	14B	7B	
HAWAII	21A	21A	14A	7A	7	7	7	7	14	21	21A	21A	
INDIA	14	14	7B	7B	7B	7B	7B	14	7A	7B	7B		
JAPAN	21A	21A	14A	7B	7B	7	7	7	7	14	14	21	
MEXICO	21	14A	14	7A	7	7	7	14	21	21A	21A	21A	
PHILIPPINES	21A	21A	14A	14	7B	7B	7B	7	7	14	14	21	
PUERTO RICO	21	14	14	7	7	7	7	14	21	21A	21A	21A	
SOUTH AFRICA	14	14	7	7B	7B	7B	14	21	21A	21A	21A	21	
U. S. S. R.	7B	7B	7	7	7	7B	7B	14A	14	7B	7B		
EAST COAST	21A	14	7	7	7	7	7	14	21	21A	21A	21A	

A = Next higher frequency may also be useful  
B = Difficult circuit this period  
F = Fair      G = Good      P = Poor  
SF = Chance of solar flares

## february

sun	mon	tue	wed	thu	fri	sat
1 F	2 G	3 G	4 G	5 G	6 G	7 F
8 F	9 F	10 F/SF	11 F/SF	12 P/SF	13 F	14 G
15 G	16 G	17 F	18 F	19 G	20 G	21 G
22 G	23 G	24 G	25 G	26 G	27 G	28 G

# List of Advertisers

\*Please contact these advertisers directly.

To receive full information from our advertisers please complete the following postage-paid card.

R.S. No.	Page	R.S. No.	Page	R.S. No.	Page
* AEA/Advanced Elect. Applica., Inc.	29	33 Hamtronics, NY	131	* Pecos Valley Amateur Radio Supply	83
* AGL Electronics, Inc.	64	481 Hamtronics, NY	30	60 Quest Electronics	125
362 A.P. Systems	122	34 Henry Radio	CovII	61 Radio Amateur Callbook, Inc.	75
5 Amateur-Wholesale Electronics	3	* ICOM	9	479 Radio Shack	65
7 American Crystal Supply	123	35 Info-Tech, Inc.	45	381 Radio Systems Tech., Inc.	121, 123
* Appli. & Equip. Co., Inc.	123	36 International Crystal Mfg. Co., Inc.	55	397 Radio World	45
* Associated Radio	61	38 Jameco Electronics	139	62 Ramsey Electronics	130, 137
10 Avanti Comm	92	39 Jan Crystals	81	401 Rogo Computer Products	121
402 BNF Enterprises	121	40 KLM Electronics	25	* Sabtronics International, Inc.	33
11 Barker & Williamson	80	* Kantronics	77	65 S-F Amateur Radio Services	93
12 Bullet Electronics	136	* KB Microcomputing	65	64 Semiconductors Surplus	132-134
391 Butternut Electronics	81	* Kenwood	CovIV, 7	* 73 Magazine	104, 105, 121, 141-144, 146
13 Clegg	91	47 MFJ Enterprises	66, 67	66 Signalcrafters	77
89 Clutterfree Modular Consoles	80	476 MFJ Enterprises	117	367 Slep Electronics	92
382 Comm. Concepts, Inc.	123	48 MHz Electronics	126-129	309 Spacecoast Research	123
377 Communications Electronics	138	56 Macaw	109	* Spectronics	135
15 Comm. Specialists	12, 13	385 MELCO Enterprises	93	68 Spectrum Comm	34, 35
484 Cornell-Dubilier	120	44 Macrotronics	89	399 Spencer Products	93
* Crown Micro Products	32, 113	45 Madison Electronics	75	403 Stewart Quads	93
70 Cubic Comm	75	480 Benjamin Michael Industries	30	477 TET, USA	117
330 Debco Electronics	25	49 Micro Control Specialties	88	* Ten-Tec, Inc.	15, 77
* Digital Research Parts	140	313 Micro Management Systems	24	76 Trac Electronics	77
* 80 Microcomputing	65	50 Microcraft Corp.	93	37 UPI Comm. Systems, Inc.	85
400 Engineering Consulting Service	121	395 Microverter, Inc.	112	* Universal Communications	123
* Erickson Comm	55, 103	383 Micro-80, Inc.	123	311 Vanguard Labs	123
23 Flesher Corp.	81	51 Microlog Corp.	20, 21	373 Van Gorden Engineering	45
323 Fox-Tango Corp.	92	52 MidCom Electronics, Inc.	44	90 VoCom Products Corp.	69
405 General Peripherals	121	483 JW Miller Div. Bell Industries	30	79 Wacom Products	81
* Global Electronics	123	318 National Comm. Group Co.	71	398 Wawasee Electronics	51-54
393 H.M. Goodwin	121	54 OK Machine & Tool	99	80 Western Electronics	113
352 Grove Enterprises	73	* Orbit Magazine	92	82 Xitex Corp.	121
345 Hal Comm	17	404 P.B. Radio Service	93	83 Yaesu Electronics Corp.	CovIII, 27
31 Hal-Tronix	69	* P.C. Electronics	88	482 Yaesu Electronics Corp.	30
32 Ham Radio Center	31	348 Pagel Electronics	80		
353 Ham Radio Center	80	* Palomar Engineers	4, 120		

## 73 MAGAZINE

## Books, etc.

To order, complete the following postage-paid card, or itemize your order including detailed credit card information or check and mail to:  
73 Magazine/Mail Order Dept./Peterborough NH 03458.

Catalog #	Item	Price	Catalog #	Item	Price	Catalog #	Item	Price
BK1016	73 DIPOLE & LONG WIRE ANTENNAS	\$ 5.50	BK7312	MAGIC OF HAM RADIO	\$ 4.95	BK7311	SOME OF THE BEST FROM KILOBAUD	\$10.95
ST0000	73 BACK ISSUE	\$ 3.00	BK1033	MASTER HANDBOOK OF HAM RADIO CIRCUITS	\$ 8.95	BK7351	SSB THE MISUNDERSTOOD MODE	\$ 5.50
ST2500	73 BACK ISSUES—25 OUR CHOICE	\$12.00	BK7340	THE NEW HOBBY COMPUTERS	\$ 4.95	CT7350	SSTV TAPE	\$ 5.95
ST0500	73 BACK ISSUES—5 YOUR CHOICE	\$ 8.75	CT7300	NOVICE THEORY TAPES	\$15.95	SG1081	STUDY GUIDE—ADV. CLASS	\$ 6.95
ST1000	73 BACK ISSUES—10 YOUR CHOICE	\$14.00	BK7310	OWNER REPAIR OF RADIO EQUIPMENT	\$ 7.95	SG1080	STUDY GUIDE—EXTRA CLASS	\$ 5.95
ST2501	73 BACK ISSUES—25 YOUR CHOICE	\$25.00	BK7305	POWER SUPPLY HANDBOOK	\$ 7.95	SG7357	STUDY GUIDE—NOVICE CLASS	\$ 4.95
BK7307	BEHIND THE DIAL	\$ 4.95	BK1015	PRACTICAL ANTENNAS FOR THE RADIO AMATEUR	\$ 9.95	LB7359	TEST EQUIP LIB V1—COMPONENT TESTERS	\$ 4.95
BK7309	CHALLENGE OF 160	\$ 4.95	BK1185	THE PRACTICAL HANDBOOK OF FM REPEATERS	\$ 9.95	LB7360	TEST EQUIP LIB V2—AUDIO TESTERS	\$ 4.95
CT7305	CODE TAPE—5 WPM	\$ 4.95	BK7302	PROPAGATION WIZARD'S HANDBOOK	\$ 6.95	LB7361	TEST EQUIP LIB V3—RADIO EQUIP.	\$ 4.95
CT7306	CODE TAPE—6+ WPM	\$ 4.95	QW0250	QSL CARDS—STYLE W—250	\$ 8.95	LB7362	TEST EQUIP LIB V4—IC TEST EQ.	\$ 4.95
CT7313	CODE TAPE—13+ WPM	\$ 4.95	QW0500	QSL CARDS—STYLE W—500	\$13.95	BK7348	TOOLS & TECHNIQUES	\$ 4.95
CT7320	CODE TAPE—20+ WPM	\$ 4.95	QX0250	QSL CARDS—STYLE X—250	\$ 8.95	BK1063	TTL COOKBOOK	\$ 9.50
CT7325	CODE TAPE—25+ WPM	\$ 4.95	QX0500	QSL CARDS—STYLE X—500	\$13.95	BK1064	TVT COOKBOOK	\$ 9.95
CT7394	CODE TAPES (ANY FOUR ABOVE)	\$15.95	QY0250	QSL CARDS—STYLE Y—250	\$ 8.95	BK7382	UNDERSTANDING & PROGRAMMING MICROCOMPUTERS	\$10.95
BK7308	THE CONTEST COOKBOOK	\$ 5.95	QY0500	QSL CARDS—STYLE Y—500	\$13.95	BK1069	VERTICAL BEAM & TRIANGLE ANTNS	\$ 5.50
BK7381	40 COMPUTER GAMES	\$ 7.95	BK1044	RF & DIGITAL TEST EQUIPMENT	\$ 5.95	BK7368	VHF ANTENNA HANDBOOK	\$ 5.95
BK7304	GIANT BOOK OF AMATEUR RADIO ANTENNAS	\$12.95	BK7347	RTTY HANDBOOK	\$ 5.95	BK7370	WEATHER SATELLITE HANDBOOK	\$ 4.95
BK7321	A GUIDE TO HAM RADIO	\$ 4.95	BK1059	RTL COOKBOOK	\$ 6.50	BK1184	WORLD RADIO TV HANDBOOK	\$16.50
BK7322	HOBBY COMPUTERS ARE HERE	\$ 4.95	BX1000	SHELF BOX—1	\$ 2.00	BK7315	WORLD REPEATER ATLAS	\$ 4.95
BK7325	HOW TO BUILD A MICROCOMPUTER & REALLY UNDERSTAND IT	\$ 9.95	BX1001	SHELF BOXES—2-7	\$1.50 each			
BK1028	IC OP AMP COOKBOOK	\$12.95	BX1002	SHELF BOXES—8 AND UP	\$1.25 each			

# The

# New

# Yaesu



# FT-902DM



## What's so new about the 902?

- **WARC Bands Factory Installed!**  
Your FT-902DM won't be "obsoleted" when the new bands become available.
- **True Reading Frequency Counter!**  
No need to recalibrate when changing bands or modes.
- **Diode Ring Receiver Front End!**  
The industry-standard dynamic range of the FT-901DM is now better than ever.
- **Curtis 8044 IC Keyer!**  
Full dot and dash memory are now provided on the built-in keyer.

**What's more, the FT-902DM retains these great features of the '901:**

- \* Variable IF Bandwidth
- \* Built-in memory system
- \* Audio peak CW filter
- \* IF rejection tuning
- \* SSB, CW, AM, FM and FSK
- \* Digital plus analog readout
- \* RF speech processor
- \* Highly stable PLL local oscillator
- \* Plug-in modular construction
- \* AC and DC operation built in

**The FT-902DM . . . designed to give you the competitive edge!**

Price And Specifications Subject To  
Change Without Notice Or Obligation

# YAESU

**The radio.**



181

YAESU ELECTRONICS CORP. 6851 Walthall Way, Paramount, CA 90723 • (213) 633-4007  
Eastern Service Ctr., 9812 Princeton-Glendale Rd., Cincinnati, OH 45246 • (513) 874-3100

# New 2-meter direction.



PS-20

TR-9000

BO-9

SP-120

**A compact transceiver with FM/SSB/CW plus...**

## TR-9000

Kenwood's done it again! Now, it's the exciting TR-9000 2-meter all-mode transceiver... complete with a host of new features. Combining the convenience of FM with long distance SSB and CW in a very compact, very affordable package, the TR-9000 is the answer for any serious Amateur Operator! Versatile? You

bet! Because of its compactness, the TR-9000 is ideal for mobile installation. Add on its fixed station accessories and it becomes the obvious choice for your ham shack!

See your Authorized Kenwood Dealer now for details on the TR-9000... the new direction in 2-meter all-mode transceivers!



UP/DOWN microphone (standard) ... "beep" sounds with each frequency step.

**Note:** Price, specifications subject to change without notice and obligation.

 **KENWOOD**  
...pacesetter in amateur radio

TRIO-KENWOOD COMMUNICATIONS INC.  
1111 WEST WALNUT/COMPTON, CALIFORNIA 90220