EB-1460Ui



DATASHEET / BROCHURE



























Develop a truly forward-thinking workplace by promoting efficient and collaborative meetings to drive knowledge sharing and communication

Bring interactivity to any meeting room with our latest ultra-short-throw projector, featuring finger-touch and dual pen capability, a high brightness level of 4,400 lumens, Full HD WUXGA resolution and remote multi-location connectivity. The ultra-short-throw EB-1460Ui is designed to present a scalable screen size of up to 100 inches to deliver the requirements of any business working environment.

Up to 100-inch display and outstanding quality

Full HD WUXGA resolution combined with Epson's 3LCD technology ensures high-quality content has more vivid colours and brighter images. HDMI connectivity also means that the audience benefits from sharper and clearer content displayed in any meeting room environment.

All in one office solution

This interactive meeting room solution combines the benefits of flipcharts, whiteboards and conventional screens into one unified meeting room solution. Meeting participants can view and annotate whiteboard content from a range of smart devices, without the need for any special application and this ensures information remains secure with the ability to apply passwords to meetings and notes.

Finger-touch and dual pen

Use your fingers to annotate directly on the screen. Epson's interactive pens are now even more responsive and easy to use. With the new dual pens, colleagues can work simultaneously using different pen attributes.

KEY FEATURES

- Up to 100-inch display & outstanding quality
 - Full HD WUXGA resolution with Epson's 3LCD technology
- All-in-one office solution
 Various office equipment in one interactive collaboration device
- Increase integration and collaboration Share content from a range of devices simultaneously
- Finger-touch and dual pen
 Use your fingers to annotate directly onto the screen
- Whiteboard sharing mode Invite and share meetings notes with participants







PRODUCT SPECIFICATIONS

TECHNOLOGY

Projection System 3LCD Technology LCD Panel 0.67 inch with MLA (D10)

IMAGE

Colour Light Output 4,400 lumen - 2,900 lumen (economy) In accordance with IDMS15.4

White Light Output 4,400 lumen - 2,900 lumen (economy) In accordance with ISO 21118:2012

Resolution WUXGA, 1920 x 1200, 16:10

Contrast Ratio 16,000 : 1

Lamp 300 W, 5,000 h durability, 10,000 h durability (economy mode)

Keystone Correction Manual vertical: \pm 3 °, Manual horizontal \pm 3 °

Colour Reproduction Upto 1.07 billion colours

OPTICAL

 Projection Ratio
 0.27 - 0.37:1

 Zoom
 Digital, Factor: 1 - 1.35

 Image Size
 70 inches - 100 inches

 Projection Distance Wide
 0.4 m (70 inch screen)

 Projection Distance Tele
 0.6 m (100 inch screen)

 Projection Lens F Number
 1.6

 Focal Distance
 4.2 mm

 Focus
 Manual

 Offset
 5.8:1

CONNECTIVITY

USB Display Function 3 in 1: Image / Mouse / Sound

Interfaces USB 2.0 Type A (2x), USB 2.0 Type B, RS-232C, Ethernet interface (100 Base-TX / 10 Base-T),

Wireless LAN IEEE 802.11b/g/n, VGA in, VGA out, HDMI in (2x), S-Video in, MHL, Stereo mini jack audio out, Stereo mini jack audio in (2x), Microphone input, Finger-touch interface, Sync. in, Sync. out, Miracast, Remote Desktop Connection, USB Interface for keyboard, DVI out

(whiteboard), Wireless LAN b/g/n (2.4GHz)

Epson iProjection App Ad-Hoc / Infrastructure

ADVANCED FEATURES

Security Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless

LAN unit lock, Wireless LAN security, Password protection

Interactivity Yes - pen and finger-touch

Video Colour Modes Blackboard, Dynamic, Photo, Presentation, sRGB, Whiteboard

GENERAL

Energy Use 490 W, 400 W (economy), 0.5 W (standby)

OTHER

Warranty 36 months On-site service or 8,000 h, Lamp: 12 months or 1,000 h

Optional warranty extension available

EB-1460Ui

WHAT'S IN THE BOX

- Remote control incl. batteries
- Control pad
- CD Manual
- Finger touch unit
- Interactive pens
- Power cable
- USB cable
- Wall mounting bracket
- Pen case
- Warranty card
- Quick Start Guide
- Wireless LAN unit
- Replacement pen tips
- Main unit



OPTIONAL ACCESSORIES

 Active Speakers (2 x 15W) - ELPSP02 V12H467040DA

- Active Speakers (2 x 15W) ELPSP02 V12H467040
- Interactive Pen ELPPN05A Orange EB-6xxWi/Ui / 14xxUi V12H773010
- Air Filter ELPAF45

V13H134A45

• ELPLP92

V13H010L92

- Interactive Pen ELPPN05B Blue EB-6xxWi/Ui / 14xxUi V12H774010
- Table Mount for Ultra-short-throw Series ELPMB29 V12H516040
- Replacement Pen Tip ELPPS03 (Teflon) x 2 pieces V12H775010
- Replacement Pen Tip ELPPS04 (Felt) x 4 pieces V12H776010

LOGISTICS INFORMATION

sкu	V11H726040 V11H726041
EAN code	8715946610283
Country of Origin	China





* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit www.epson-europe.com
Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04

(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece +30 211 198 62 12 Hungary 06800 147 83 Ireland 01 436 7742

Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway +47 67 11 37 00 Poland 0-0-800 4911299 (0,16 zl/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711)

465-9621 Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal – 0,99 kr/min, Lokala samtal – 0,30 kr/min, Utlandssamtal – 0,89 kr/min)

Switzerland 022 592 7923

Turkey (0212) 3360303 United Kingdom 0871 222 6702

- Compared to leading 1-chip DLP business and education projectors based on NPD data, July 2011 through June 2012. Colour Brightness (Colour Light Output) measured in accordance with IDMS 15.4. Colour Brightness will vary depending on usage conditions. For more information please visit www.epson.eu/CLO

EB-1460Ui

2. - iProjection App available on Android and iOS devices

