



SLOT IN PC

VPC10-WP-3

Key Features

- Powerful Intel Processing Power
- 8GB of Internal Memory, Up to 256GB SSD Storage
- Complete Wireless Control
- Improved User Experience with Windows 10 Pro OS Support
- Compatible with ViewSonic® ViewBoard® IFP8650/7550/6550/5550



Product Description

The ViewSonic® VPC10-WP-3 Windows slot-in PC is the ideal integrated solution for delivering smart whiteboard and smart meeting room functionality on ViewSonic® ViewBoard® interactive flat panel. This slot-in PC module supports high-definition audio and video, and easily plugs into compatible displays. With wireless Wi-Fi dual band and Bluetooth, a powerful Intel® Core™ i5 processor, 8GB DDR4 memory, and a 128GB SSD storage (up to 256GB), the VPC10-WP-3 contains the computing power needed to operate CPU intensive applications. Connectivity options including 4K DisplayPort, HDMI, VGA, USB 3.0 ports, and Gigabit LAN RJ45 ensure that you stay connected to any and all peripheral devices.



1. KENSINGTON LOCK SLOT
2. DISPLAY PORT

8. RJ45 (LAN)

- 3. AUDIO OUT
- 4. MIC IN
- 5. HDMI
- 6. USB 3.0
- 7. VGA OUT

Visit Us ■ www.viewsonic.com

SYSTEM

CPU:	Intel® Core™ i5-6400
Memory:	DDR4 8GB (expandable to 16GB)
Graphics:	Intel HD Graphics 530
Storage:	2.5" 128GB SATA3 SSD (expandable to 256G)
Network:	Wireless 802.11 abgn-AC (2.4GHz/5GHz) Bluetooth 4.0 Gigabit LAN ethernet
OS:	Windows 10 Pro 64 bit support

INPUT

MIC(Microphone):	x 1
------------------	-----

OUTPUT

HDMI:	x 1
RGB / VGA:	x 1
DisplayPort:	x 1
Audio (Earphone out):	x 1

LAN

RJ45:	x 1
-------	-----

USB

3.0 Type A:	x 6
-------------	-----

SOFTWARE

Windows 10 Pro 64 bit*, ViewBoard 2.1

POWER

Voltage:	AC 110-240V 50/60Hz 1A
Consumption:	95W

OPERATING CONDITIONS

Temperature (° C):	32°F to 113°F (0°C to 45°C)
Humidity:	10% ~ 90% non-condensing

DIMENSIONS(W X H X D)

Physical w/o Stand (mm / inch):	246 x 265 x 32 mm / 9.7 x 10.4 x 1.25 inch
---------------------------------	--

WEIGHT

Net (kg / lb):	1.9kg / 4.2lbs
Gross (kg / lb):	2.4 kg / 5.29 lbs

REGULATIONS

Standard:	FCC, FCC ID, IC ID, cTUVus, CE, CB, BSMI, NCC, PSB, iDA, RCM, SDPPI, EAC, CCC
-----------	---