



QuickStock


Current's Fast, Reliable, Delivery Program

From Fixtures to Lamps, Our Most Popular Products at Your Door Step with Same Day and Next Day Shipping




-  24 Hour Delivery
-  48+ Hour Delivery

* Delivery times based on carrier transit tables




- QuickStock products are available for shipping same day or next day and include the popular industry leading Lumination®, Evolve® and Albeo® LED luminaires, as well as select Lamps and Ballasts.
- **Free Shipping & No Minimums** on QuickStock orders.
- Guaranteed Returns within 12 months (restrictions apply).




Indoor

Lumination® LED luminaires provide the advantages of LED indoor lighting at an affordable cost, for a variety of indoor lighting applications.



Industrial

Innovative **Albeo®** LED lighting luminaires for use in a variety of operating conditions, including commercial, demanding, hazardous, and NSF.



Outdoor

Evolve® outdoor luminaires for parking lots and campuses, pedestrian walkways, floods, security and garage applications.



Lamps & Tubes


LED Tubes and Lamps are a smart, efficient and long-lasting solution to replace traditional lighting.

Order Requirements

- Same-day shipment for orders placed by 12pm local time for both lamps & fixtures
- Next-day shipment for orders placed after 12pm local time
- For Canada orders, products will be shipped the following day
- Free shipping on QuickStock SKUs
- QuickStock orders will not have minimum order charges (Orders must only contain QuickStock SKUs to waive the freight and minimum order charges; Case quantities as designated)
- QuickStock guaranteed returns within 12 months from placing the order. (exceptions apply)

QuickStock

Current's Fast, Reliable, Delivery Program




LRX Series

Type: Downlight Retrofit
Voltage: 120-277
Lumens: Up to 3000 lm
CCT: 3000K - 4000K
CRI: 82



LRX Disc

**Next Gen
Coming Soon**



LPL Series

**Next Gen
Coming Soon**



RPL Series

Type: Recessed Retrofit
Voltage: 120-277
Lumens: Up to 4950 lm
CCT: 3500K - 4000K
CRI: 80



LVT Series

Type: Recessed Troffer
Voltage: 120-277
Lumens: Up to 4800 lm
CCT: 3500K - 4000K
CRI: 80



HID / Halide

Type: High Intensity Lamp
Voltage: -
Lumens: Up to 108000 lm
CCT: 4000K - 4200K
CRI: 65



EWAS/LS Series

Type: Wall Pack
Voltage: 120-277
Lumens: Up to 7500 lm
CCT: 4000K
CRI: >70



ABC Series

Type: High Bay
Voltage: 120-277
Lumens: Up to 24,000 lm
CCT: 4000K - 5000K
CRI: 70



ALV Series

Type: Low Bay
Voltage: 120-277
Lumens: Up to 8000 lm
CCT: 4000K - 5000K
CRI: 80



EACL Series

Type: Area & Site
Voltage: 120-277
Lumens: Up to 20,000 lm
CCT: 4000K
CRI: >70



PAR Series

Type: Directional Lamp
Voltage: 120
Lumens: 1050 lm
CCT: 3000K
CRI: 80



BR Series

Type: Directional Lamp
Voltage: 120
Lumens: 700 lm
CCT: 2700K - 3000K
CRI: 80



Plug-In Series

Type: Directional Lamp
Voltage:
Lumens: Up to 3200 lm
CCT: 3500K - 4100K
CRI: 82



HID Series

Type: HID Replacement
Voltage: 120-277, 277-480
Lumens: Up to 65,000 lm
CCT: 4000K - 5000K
CRI: >70



Tubes Series

Type: A, B, & LFL Tubes
Voltage: 120-277
Lumens: Up to 3000 lm
CCT: 3500K-4100K
CRI: Up to 85



A-Line Series

Type: General Lamp
Voltage: 120
Lumens: Up to 800 lm
CCT: 2700K - 3000K CRI:
80



Bright Stik™

Type: General Lamp
Voltage: 120
Lumens: Up to 1600 lm
CCT: 2700K-5000K
CRI: 80

