Data sheet

HP Officejet Enterprise Color MFP X585 series



An HP Officejet for the enterprise—up to twice the speed and half the cost per page of lasers.^{1,2}

A printing revolution for business. HP Officejet Enterprise MFPs deliver colour prints at up to twice the speed and half the cost per page of colour lasers plus copy, scan, and fax. ^{1,2,8} They're designed for advanced workflow—and built to last.



HP Officejet Enterprise Color MFP X585dn



HP Officejet Enterprise Color MFP X585f



HP Officejet Enterprise Color Flow MFP X585z

Faster than lasers—for less1,2

- Quality colour, up to half the cost. Spend up to 50% less per page compared with colour lasers.²
- Accelerate business printing and keep productivity high—print up to twice as fast as lasers.¹
- Rely on pigment inks for durable documents that are water-, fade-, and smear-resistant.⁵
- Designed for speed—enable full-page-width printing at high speeds with HP PageWide Technology.

Fully loaded for the enterprise

- Be confident that sensitive business data is protected with advanced security solutions.
- Centrally monitor and control your printers with HP Web Jetadmin.⁶
- Deploy new features through upgradable firmware and add solutions to expand the capabilities
 of this MFP.
- Enable optional wireless direct printing and NFC touch-to-print technology—no need to access the network.^{3,4}

Performance you can rely on

- High volume, high value—get exceptional value from Original HP high-capacity black ink cartridges.¹⁰
- Up to the task—choose a robust MFP designed for demanding, high-volume workloads.
- Rely on longevity—this MFP is designed for less maintenance, with minimal consumable parts.
- Loaded for productivity—tackle large print jobs with a paper capacity of up to 1,050 sheets.

Make workflow faster

- Worry-free scanning—capture every page and detect potential misfeeds before they slow you down.⁹
- Finish faster—scan in a single pass and send documents to network folders, email, and more. 11
- Manage jobs directly at the MFP, using the 20.3 cm (8-inch) colour touchscreen with image preview.
- Fast, accurate input—enter data more quickly and accurately using the pull-out keyboard.9

¹ Comparison based on manufacturers' published specifications of fastest-available colour mode (as of December 2013) and includes colour laser MFPs ≤\$3,000 USD, based on market share as reported by IDC as of Q3 2013 and HP internal testing of printer in fastest-available colour mode (sample 4-page category documents tested from ISO 24734). For more information, see hp.com/go/printerspeeds² Cost-per-page (CPP) claim is based on the majority of colour laser MFPs ≤\$3,000 USD as of December 2013, based on market share as reported by IDC as of Q3 2013. ISO yield is based on continuous printing in default mode. CPP comparisons for laser supplies are based on published specifications of the manufacturers' highest-capacity cartridges. For details, see hp.com/go/ficejet. CPP based on HP 980 ink cartridges' estimated street price. For more information, see hp.com/go/learnaboutsupplies² Wireless direct printing requires purchase of optional module. Mobile device needs to be connected directly to the Wi-Fi network of a wireless-direct-capable MFP prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP. For details, see hp.com/go/wirelessprinting a Touch-to-print capability requires purchase of optional module. Mobile device must support near field communications-enabled printing. For a list of supported devices, see hp.com/go/businessmobileprinting² Display-permanence rating by Wilhelm Imaging Research, Inc., or HP Image Permanence Lab. For details, see hp.com/go/printpermanence a Universal device plug-in is offered with HP Web Jetadmin 10.3 SR4 and higher. HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin² Additional purchase of an optional paper tray is required. Be Fa functionality is only available on the HP Officejet Enterprise Color Flow MFP X585z. 10 Page volume based on HP 980 Black Original Ink Cartridge. IT single-pass dual-sided scanning is only availabl

Product walkaround

- 1 Intuitive 8-inch (20.3 cm) HP Easy Select pivoting touchscreen colour control panel
- 2 Hardware integration pocket for solution integration
- 3 Easy access USB port to save and print files directly
- 4 Pull-out keyboard for easy, accurate data entry (z bundle only)
- Front door allows convenient access to easy to replace ink cartridges
- 6 50-sheet multipurpose tray with long paper extension
- 7 Integrated automatic two-sided printing
- 8 Power On/Off button
- 9 100-sheet automatic document feeder with single-pass, two-sided scanning and HP EveryPage with ultrasonic double-feed detection¹
- 10 Platen glass colour scanner handles up to legal size (216 by 356 mm)
- 11 300-sheet output bin with long paper extension
- 12 500-sheet input tray 2
- 13 796 MHz processor, 1.75 GB RAM
- 14 320 GB HP High-Performance Secure Hard Disk
- 15 Two internal host USB 2.0 type ports for third-party solutions
- 16 Hi-Speed USB 2.0 printing port
- 17 HP Jetdirect Gigabit Ethernet print server
- 18 Foreign interface harness (for connecting external devices)
- 19 Access port for optional Kensington-style lock
- 20 Fax port, RJ-11
- 21 Hi-Speed USB 2.0 port for connecting third-party devices

HP Officejet Enterprise Color Flow MFP X585z shown





Back I/O panel close-up

Series at a glance







Model	HP Officejet Enterprise Color MFP X585dn	HP Officejet Enterprise Color MFP X585f	HP Officejet Enterprise Color Flow MFP X585z
Part number	B5L04A	B5L05A	B5L06A
ADF input capacity	Up to 50 sheets	Up to 50 sheets	Up to 100 sheets
HP EveryPage ultrasonic double-feed detection	Not available	Not available	✓
Two-sided scanning	Reversing ADF	Reversing ADF	Single-pass duplexing ADF
OCR (optical character recognition)	Optional with HP DSS	Optional with HP DSS	✓
Large pull-out keyboard	Not available	Not available	✓
Fax	Optional	✓	✓

 $^{^{\}mbox{\tiny 1}}$ Available only on HP Office jet Enterprise Color Flow MFP X585z.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

HP Care Pack Services provide comprehensive suite of protection services designed to keep HP Hardware and software up and running so employees can stay productive.

Choose from:

Next Business Day Onsite Repair: Makes an HP technician available at customers' premise the next business day, if the issue cannot be resolved remotely.

Same Day Onsite - 4 hour 9 x 5 and 13 x 5:

Sends an HP technician to customer's site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.

Next Business Day Onsite with Defective Media Retention: Customers can retain their hard disk drive and keep control of sensitive data.

For care pack availability visit: hp.com/qo/cpc











Top Features

Keep productivity high while keeping your bottom line in mind. These powerful HP MFPs deliver colour documents at up to twice the speed and half the cost per page of colour lasers. ^{1,2} Proven HP PageWide Technology makes it possible.

Designed for the demands of business, this MFP delivers the enterprise features you need. Make it easy on IT, with advanced security and management solutions, easy upgrades and mobile printing options.

Bolster your fleet with an MFP that goes the distance. Load large projects and let it handle the job while employees move on with business. Like an HP LaserJet, this MFP is built to last.

Give your office powerful productivity with all the features of lasers. Count on super-fast, dual-sided scanning, a colour touchscreen with image preview, and an integrated keyboard for smooth data entry.

Accessories				
B5L07A	HP Officejet Enterprise 500-sheet paper tray			
B5L08A	HP Officejet Enterprise Printer Cabinet & Stand			
J8026A	HP Jetdirect 2700w USB Wireless Print Server			
J8029A	HP NFC/Wireless Direct Accessory			
CC487A	HP MFP Analog Fax Accessory 500			
L2718A	HP 100 ADF Roller Replacement Kit			
B5L09A	HP Officejet Ink Collection Unit			
Supplies ¹				
D8J07A	HP 980 Cyan Original Ink Cartridge (6,600 pages)			
D8J08A	HP 980 Magenta Original Ink Cartridge (6,600 pages)			
D8J09A	HP 980 Yellow Original Ink Cartridge (6,600 pages)			
D8J10A	HP 980 Black Original Ink Cartridge (10,000 pages)			
Services				
U1PB8E	HP 2-year Next business day Color Officejet X585 MFP Hardware Support			
U1PB9E	HP 3-year Next business day Color Officejet X585 MFP Hardware Support			
U1PC0E	HP 4-year Next business day Color Officejet X585 MFP Hardware Support			
U1PC1E	HP 5-year Next business day Color Officejet X585 MFP Hardware Support			
U1PC2E	HP 3-year 4 hour 9 x 5 Color Officejet X585 MFP Hardware Support			
U1PC4E	HP 4-year 4 hour 9 x 5 Color Officejet X585 MFP Hardware Support			
U1PC6E	HP 5-year 4 hour 9 x 5 Color Officejet X585 MFP Hardware Support			
U1PC8E	HP 3-year Next business day+Defective Media Retention Color Officejet X585 MFP Support			
U1PC9E	HP 4-year Next business day+Defective Media Retention Color Officejet X585 MFP Support			
U1PD0E	HP 5-year Next business day+Defective Media Retention Color Officejet X585 MFP Support			
U1PE0PE	HP 1-year Post Warranty Next business day Color Officejet X585 MFP Hardware Support			
U1PE1PE	HP 2-year Post Warranty Next business day Color Officejet X585 MFP Hardware Support			
U1PE2PE	HP 1-year Post Warranty 4 hour 9 x 5 Color Officejet X585 MFP HW Support			
U1PE3PE	HP 1-year Post Warranty 4 hour 13 x 5 Color Officejet X585 MFP HW Support			
U1PE4PE	HP 1-year Post Warranty Next business day+Defective Media Retention Color Officejet X585 MFP Support			
U1PE5PE	HP 1-year Post Warranty Channel Partner only Remote and Parts Color Officejet X585 MFP Support			
U1PE6PE	HP 1-year PW Next business day Call to Repair with Defective Media Retention Color Officejet X585 MFP Support			
U1PE7PE	HP 1-year PW 2nd Business day Call to Repair with Defective Media Retention Color Officejet X585 MFP Support			

¹ Average colour composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see hp.com/go/learnaboutsupplies

HP Officejet Enterprise Color MFP X585 series

All transports of the speed of 150 genetic type of 2 grown block. Use to 4 grown block.	AiO functions Duplex print options	HP Officejet Enterprise Color MFP X585dn (B5L04A)	HP Officejet Enterprise Color MFP X585f (B5L05A)	HP Officejet Enterprise Color Flow MFP X585z (B5L06A)		
His speed 1909 personal (1909 of personal (190		Print, scan, and copy; AiO multitasking supported: Yes		nultitasking supported: Yes		
## special Black Darks (18) - Client Format Medical Control of Transport						
### Special Park Shareh (1) 10 Core 200 (Article Park 1) 10 Core 200 (Arti	int speed¹	ISO speed: Up to 42 ppm black, Up to 44 ppm colour: Maximum, A4: Up to 72 ppm black, Up to 75 ppm colour				
Introduction In	st page out					
Scale Seathers Seath						
Interdedings Interdedings Interdedings Interdeding position In	incresotation					
Interface Inte	int tachnalagu	Cotour (best)		note i apcidi		
The effect (appealment) The effect (appealmen						
In PACE OF EARTH CAPPERT CAPPE	int cartridges number		1 each (black, cyan, magenta, yellow)			
## SPECE OF POT CYPRON CYPRON CONTROL WITH ADVANCE AND	bile printing capability ²		HP ePrint, Apple AirPrint™			
His chart of special control from the co		HP PCL 6. HP PCL 5c (HE		ative PDE printing (v 1 4)		
International Control of Section 1997 (Section 1997) The Policy Control of Section 1997 (Section 1997) The Section 1997) The Section 1997 (Section 1997) The Section 1997 (Section 1997) The Section 1997) The Section 1997 (Section 1997) The Section 1997 (Section 1997) The Section 1997) The Section 1997 (Section 1997) The Section 1997) The Section 1997 (Section 1997) The Section 1997 (Section 1997) The Section 1997) The Section 1997 (Section 1997) The Section 1997) The Section						
an specification an invasion and invasion an invasion an invasion an invasion an invasion an invasion and invasion an invasion						
se resortion for page and pa	inter management	HP Web Jetadmin; HP Utility (Mac)				
Testination Testi	an type/technology		Type: Flatbed, ADF; Technology: Charge Coupled Device (CCD)			
Testination Testi	an speed	Normal, A4: Up to 41 ipm (b&w); up to 41 ipm (color	ur); Duplex: Up to 16 ipm (b&w), up to 16 ipm (colour)	Normal, A4: Up to 61 ipm (b&w); up to 59 ipm (colour)		
an resolution fine formate F	•	, , , , , , , , , , , , , , , , , , , ,	., .,			
## 1905 FACE FACE FACE FACE FACE FACE FACE FACE FACE	an receivation	-	Inhanced. He to 600 dai: Handware. He to 600 v 600 dai: Ontical. He to 600 d			
Set place PETRO COS, Searchias PETRO COS, Search Labor						
Frost pared applications Copy, E-mail, Sove to Network Foldor, Save to Device Nermay, Query International Profession (DRI) applications. Prost pared applications: Copy, E-mail, Sove to Network Foldors, Save to Device Nermay, Query International Profession (DRI) applications. Prost pared applications: Copy, E-mail, Sove to Device Nermay, Query International Profession (DRI) applications: Prost pared applications: Profession (DRI)	an nie format	PDF, JPEG, TIFF, N	MTIFF, XPS, PDF/A			
ander advantum As ide anadium As ide anadium						
ander advantum As ide anadium As ide anadium	an input modes	Front panel applications: Copy, E-mail, Save to Network Folder, Save to Us	SB, Save to Device Memory, Open Extensibility Platform (OXP) applications	Front panel applications: Copy, E-mail, Save to Network Folder, Sav		
Technology of the control of the con	•					
an size anxiolization Common encloped process to be build. Open any suppression of the build. Open any suppression of th						
Commisse enforted experting segment and control of the Control of	an cizo mavimum		Elathod: 0 5 v 14 in (216 v 256 mm)			
### State Committed ### State		0-6-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-		F I-b		
ye specified Black Betar and graphicsh: (pin 500 x		Uptimize text/picture; image adjustments; Job build; Output qu		Erase; Jou notincation; Blank page suppression; HP Quick Sets		
ye specified Black Betar and graphicsh: (pin 500 x	depth/Grayscale levels	<u> </u>	Bit Depth: 24-bit; Grayscale: 256			
Part Color			ISO speed: Up to 44 ppm black. Up to 44 ppm colour			
se, no., et copies pier residue Pro-sided cogyring, scalability, image adjustments (softwares, cortous), Eactory under death, Thanpered, New No. 2-storting, content internation, collation, Lookiet, II, 20ca, p. child, edge-to-edge, by drange pier residue Pro-sided cogyring, scalability, image adjustments (softwares, cortous), Eactory under the content of the conte		Rlack (toxt and graphics). He to 600 v		x 600 dpi (Elathed), 300 x 600 dpi (ADE)		
pier restries To sided copying, scalability, image adjustments (laterness, contrast, background cleenup, sharpost), hou, in viz - condering, content or inentation, collation, booklet, ID Sam, jib Duild, edge-toedge, jib Stooge 1, 1996 of the Property of the Copying Scalability, image adjustments (laterness, contrast, background cleenup, sharpost), hou, in viz - condering, contrast or investigation (laterness). The property of the proper		Prack (rest and Arabines): Ob 10 900 x		λ 000 αρι (ε (ατύσα), 300 λ 000 αρι (ADF)		
Presenting Two-sheld copyring, scalability, image againteries fasheres, context, independent content or neutron, containt, no-balled, 10 sea, jp braid, edge-three days, jp to storage responded Recognition		 				
served between the applicable and within the applicable between the applicable the applicable between the applicable the appli	pier resize					
served between the applicable and within the applicable between the applicable the applicable between the applicable the appli	pier settings	Two-sided copying, scalability, image adjustments (darkness, con-	trast, background cleanup, sharpness), N-up. N or Z-ordering, content orientation	on, collation, booklet, ID Scan, job build. edge-to-edge. job storage		
resolution Mode Specialists Black Extending 2013 + 80 git; Black and writing films). 2014 + 19 git; Black Plants Grangscale Lipis 2014 - 2010 git for rectword free part of the street of the properties of th		17 30 20 20 20 20 20 20 20 20 20 20 20 20 20				
And for acredation supported: "See Apported Sendings 100 Districtive ing detection supported: "See Apport 100 Districtive ing detection in support 100 Districtive ing detection in support 100 Districtive ing detection in supported: "See Apport 100 Districtive ing detection in support 100 Districtive						
service dependence of the control of						
2 44-Speed USB 2.0 Hosts.; 14-Speed USB 2.0 Ho	x features	Not applicable				
1 (spidst Ethernet 10/1001/0007 relevant, 1 Favorgo Interface) 1 (Fledware Histophan Check?, 2 Favor and Ches Hast St. 1 (1988 Hast) 1 (Hastware Histophan Check?, 2 Favor and Ches Hast St. 1 (1988 Hast) 1 (Hastware Histophan Check?, 2 Favor and Ches Hastware (1988 Hast) 1 (Hastware Histophan Check?, 2 Favor and Ches Hastware (1988 Hastware Accessory) 1 (1988 Hastw			supported: Yes; Junk barrier supported: Yes; Maximum speed die	lling numbers: Up to 9,999 numbers; PC interface supported: Yes		
1 (agabet Ethernet 10/1001/000T relevoids; Florarigo Interface) 1 (hardware interpolation floods; 2 (hardward) supports 1005ase 1, 1005ase 1st, 1005	andard connectivity	2 Hi-Speed USB 2.0 Host: 1 Hi-Speed USB 2.0 Device:	2 Hi-Speed USB 2.0 Host: 1 Hi-Speed USB 2.0 Device: 1 Gigabit Ethernet 10	/100/1000T network: 1 Foreign Interface: 1 Hardware Integration Pock		
treviex capabilities Variety Editories Emerate embedded print server (standard) supports 108ses -1, 1008ses -1, 1						
Val F9 Internet embedded print server (standard) supports 108ses -1, 1006sea-1, 1006			internal out most,	Trakinoden port		
Cessor speed			T4000 T40000 T0000 (FFF) + F + FH + 160	1251 10 (1 1 0 002 001 (1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
street trees to the control of the c		Via HP Jetdirect Ethernet embedded print server (standard) supports: 108a		gabit Ethernet; iPsec (standard); 802. i 1b/g/n wireless networking (optic		
per handling Try cycle from Arbity Try cyc	ireless capability		Optional, enabled with purchase of a hardware accessory			
Testing Test	emory		1792 MB (system memory)			
## Suppose from the page volume? 2,000 to 6,000 pages Section and the page volume? 2,000 to 6,000 pages Section and the page page flight, intermediate, mid-weight, heavy, setta havy, perpanched, recycled, bond, other inject plain paper), plots (glossy, plots, soft plots, soft matter, other inject plots), envelopes, labels, cards, specially papers (glossy)						
Delput S00-sheet input tray, 50-sheet multi-purpose tray Media useight S00-sheet input tray, 50-sheet multi-purpose tray Delput S00-sheet input tray, 50-sheet multi-purpose tray Media useight S00-sheet S00-she		11.				
Disput 9 S00-sheet multi-purpose tray Disput 9 Plain paper (light, intermediate, mid-weight, heavy, extra heavy perpuncher, recycled, bond, other inject plain paper), photo (ginosy, gloss, soft places, sarin, matte, other inject plain paper), photo (ginosy, gloss, soft places, sarin, matte, other inject plain paper), photo (ginosy, gloss, soft places, sarin, matte, other inject plain paper), photo (ginosy, gloss, soft places, sarin, matte, other inject plain paper), photo (ginosy, gloss, soft places, sarin, matte, other inject plain paper). Media sizes sustom 9 S01 120 g/m² (plain) paper), 125 to 300 g/m² (plain) paper), photo (ginosy, gloss, soft places, sarin, matte, other inject plain paper). Media sizes sustom 9 S01 120 g/m² (plain) paper), 125 to 300 g/m² (plain) paper), photo (gloss, gloss), photo (gloss), photo			o to 75,000 pages, Recommended monthly page volume. 2,000 to 0,000 pa	ges		
Output Model system Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkeigt plant paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inkeigt paper), plant (glossy, gloss, soft plants, salt), matter, other inkeigt photol, envelopes, labels, cards, specially papers (glossy and paper), plants (glossy), plants (gloss						
Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inisiet phain paper, floto (glossy, gloss, soft gloss, sairt, matter, other inisiet photo), envelopes, labels, cards, specialty papers (brochure, mid-fold brochure, the field brochure, t	Input		500-sheet input tray, 50-sheet multi-purpose tray			
Plain paper (light, intermediate, mid-weight, heavy, extra heavy, prepunched, recycled, bond, other inisiet phain paper, floto (glossy, gloss, soft gloss, sairt, matter, other inisiet photo), envelopes, labels, cards, specialty papers (brochure, mid-fold brochure, the field brochure, t	Output		300-sheet face-down output bin			
Media seight 60 to 120 g/m² (plain paper). 155 to 300 g/m² (preling). 210 to 180 g/m² (perling). 210 g/m² (perling		Diain paper (light intermediate mid weight beauty outra beauty propunched		matte other inkint photo) equalopes labels sayds energely papers (e		
Media sizes sustam ADF capacity Standard, 50 sheets Typ 13 x 5 in 10 6 5 x 1 d in, Typ 23 x 4 (o x 8 3 in 10 8 5 x 1 1 in, Typ 23 x 4 (o x 8 3 in 10 8 5 x 1 1 in, Typ 23 x 4 (o x 8 3 in 10 8 5 x 1 4 in) ADF capacity Standard, 50 sheets Politicipal Enterprise Color X5856 MPP; Introductory HP Officiegle Black, Cyan, Yellow, Magneta print cartridges (Black - 7.800 pages, Colour-3-A00 pages), Hardware Install Gude; Warranty card; Software and electroid counteration on CP-0004, Power cord arranty features Windows XP (SP3 or greater) (32-bit & 64-bit), Windows SV (SP3 or greater) (32-bit & 64-bit), Windows SV (SP3 or higher, Machas Sp4 in Heaving Sp4 in He	rieula type					
Media size custom Tray 1:3 x S in to 8.5 x 14 in, Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in And Crapadoty Standard, 50 sheets Standard, 100 sheets Media size custom 21 x 21.5 x 22.6 in (53.3 x 546 x 574 mm); Max: 51.5 x 26 4 x 23.8 in (800 x 670 x 604 mm) with MP tray down and extended, main tray extended, output tray extension in legal position 183 x [80 lib] HP Officiejet Enterprise Color X585 MPP; Introductory HP Officiejet Black, Cyan, Vellow, Mageria print cartridges (Black - 7,800 pages, Colour - 3,400 pages, Endrawer lestal Guide, Warranty card, Software and electronic documentation on CD-RDM; Power cord 180 are an electron						
All Capacity Standard, 50 Sheets 12 x 21.5 x 22.6 in (533 x 546 x 574 mm); Max: 31.5 x 26.4 x 23.8 in (800 x 670 x 604 mm) with MP tray down and extended, main tray extended, output tray extension in legal position HP Officejet Enterprise Color XS85d MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print catridges (Black - 7,800 pages, Colour: -3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-RMP, Power cord One-yea; Onsite warranty; one-year technical phone support, chat, and e-mail Evergy efficiency compliance Impatible operating systems Windows XP (SP) or greater) (32-bit 8, 64-bit); Windows Vista (32-bit 8, 64-bit); Windows Server 2008 (32-bit 8, 6	Media weight	60 to 120 g/m² (plain pape	r); 125 to 300 g/m² (photo); 75 to 90 g/m² (envelope); 120 to 180 g/m² (broch	ure); 163 to 200 g/m² (card)		
Standard, 50 Sheets	Media sizes custom	Trav 1: 3 x 5 i	n to 8.5 x 14 in: Tray 2: 4.0 x 8.3 in to 8.5 x 11.7 in: Optional Tray 3: 4.0 x 8.3	n to 8.5 x 14 in		
Politice Enterprise Color X585dn MFP, Introductory HP Officejet Black, Gran, Yellow, Magenta print cartridges (Black - 7,800 pages, Colour - 3,400 pages, Hardware Installa Glacke Warranty card, Software Color X585dn MFP, Introductory HP Officejet Black, Gran, Yellow, Magenta print cartridges (Black - 7,800 pages, Colour - 3,400 pages, Hardware Installa Glacke Warranty card, Software and electronic documentation on CD-40M, Power cord Politice Enterprise Color X585dn MFP, Introductory HP Officejet Black, Gran, Yellow, Magenta print cartridges (Black - 7,800 pages, Colour - 3,400 pages, Hardware Installa Guide, Warranty card, Software and electronic documentation on CD-40M, Power cord Politice Enterprise Color X585dn MFP, Introductory HP Officejet Black, Gran, Yellow, Magenta print cartridges (Black - 7,800 pages, Colour - 3,400 pages, Hardware Installa Guide, Warranty card, Software and electronic documentation on CD-40M, Power cord Politice Enterprise Color X585dn MFP, Introductory HP Officejet Enterprise Color X585dn MFP, Introductory HP Officejet Black, Gran, Yellow, Magenta print cartridges (Black - 7,800 pages, Colour - 3,400 pages, Hardware Installa Guide, Warranty card, Software Color HP) (Politice) (Po						
He Difficejet Enterprise Color XSSS.dn MFP Introductory HP Officejet Black, (yan, Yellow, Magenta print cartridges (Black - 7,800 pages, Color: -3,400 pages, Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM, Power cord Account of the Color: -3,400 pages, Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM, Power cord One-year technical phone support, character, and phone support, phone support, phone support, phone support, phone support	ныг сараску					
HP Officigle Enterprise Color X585d MPP, Introductory HP Officigle Elack, (Con. Yellow, Magenta print cartridges Black - 7,800 pages), Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord One-year confliction documentation on CD-ROM; Power cord One-year confliction documentation on CD-ROM; Power cord One-year confliction on		21 x 21 5 x 22 6 in (533 x 546 x 574 mm): Max• 31 5	\times 26.4 \times 23.8 in (800 \times 670 \times 604 mm) with MP tray down and extended main	tray extended, output tray extension in legal position		
HP Officigle Enterprise Color X585d MPP, Introductory HP Officigle Enterprise Color X585f MPP, Introductory HP Officigle Ends., (you, Yellow, Magenta print cartridges Black - 7,800 pages, Colour: -3,400 pages), Hardware Install Guide; Warranty card; Software and electronic documentation on CD-R0M; Power cord One-year on the extraints of documentation on CD-R0M; Power cord One-year on the extraints of extraints of the commendation on CD-R0M; Power cord One-year on the extraints of extraints of the power cord One-year on the extraints of extraints of the power cord One-year on the extraints of extraints of the power cord One-year on the extraints of the power cord One-year on the one of the power one of the power cord One-year on the one of the power one of the power cord One-year on the one of the power one of the power cord One-year on the one of the power one of the power cord One-year on the one of the power one of the power cord One-year on the one of the power one of the power one of the power one of the power cord One-year on the one of the power one of th		ETAETIS ALEIGNI (333 A 3 TO A 3 T T T T T T T T T T T T T T T T T T	TALO: TALO: O TALO: O TALO: TA			
Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pagés, Colour: 34,00 pages). Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord The page of the	mensions (W x D x H)	ETALISALLO III (333 X 3 TO X 37 THIII), FIRM 31.2				
colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord one-year, onsite warranty; one-year technical phone support, chat, and e-mail. Blue Angel, ENERGY 51AR® qualified, EPEAT* Silver in the properties of	imensions (W x D x H) leight		36.3 kg (80 lb)			
and electronic documentation on CD-ROM; Power cord and electronic documentation on CD-ROM; Power conditions of CD-ROM; Power conditions on CD-ROM; Power conditions on CD-ROM; Power conditions on CD-ROM; Power c	mensions (W x D x H) eight	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black,	36.3 kg (80 lb) HP Officejet Enterprise Color X585f MFP; Introductory HP Officejet Black,	HP Officejet Enterprise Color X585z MFP; Introductory HP Officejet Bla		
One-year, onsite warranty, one-year rechnical phone support, chat, and e-mail ergy efficiency compliance mpatible operating systems Windows XP (SP3 or greater) (32-bit 8.64-bit); Windows S12-bit 8.64-bit); Windows S2-bit 8.64-	mensions (W x D x H) eight	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages,	36.3 kg (80 lb) HP Officejet Enterprise Color X585f MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages,	HP Officejet Enterprise Color X585z MFP; Introductory HP Officejet Bla Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages,		
Blue Angel, ENERGY STAR® qualified, EPEAT® Silver Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Vista (32-bit & 64-bit); Windows S (32-bit & 64-bit); W	mensions (W x D x H) eight	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colou: ~3,400 pages); Hardware Install Guide; Warranty card; Software	36.3 kg (80 lb) HP Officejet Enterprise Color X585f MFP, Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages), Hardware Install Guide; Warranty card; Software	HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet Bli Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softw		
Windows XP (SP3 or greater) (32-bit & 64-bit), Windows Vsta (32-bit & 64-bit), Windows 8 (32-bit & 64-bit), Windows Server 2008 (22-bit & 64-bit), Windows Server 2008 (46-bit), Windows Server 2012 (64-bit), Windows 2013 (592-1) (64-bit), Windows Server 2003 (592-1) (64-bit), Windows 2013 (6	mensions (W x D x H) eight hat's in the box ^e	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord	36.3 kg (80 lb) HP Officejet Enterprise Color X585f MFP; Introductory HP Officejet Black, (yan, Yellow, Magenta print carridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord	HP Officejet Enterprise Color X585z MFP; Introductory HP Officejet Bla Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softwa and electronic documentation on CD-ROM; Power cord		
Windows XP (SP3 or greater) (32-bit & 64-bit), Windows Vista (32-bit & 64-bit), Windows 8 (32-bit & 64-bit), Windows 8 (32-bit & 64-bit), Windows Server 2008 (25-bit & 64-bit), Windows Server 2012 (64-bit), Windows S	mensions (W x D x H) eight nat's in the box ^e	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord	36.3 kg (80 lb) HP Officejet Enterprise Color X585f MFP; Introductory HP Officejet Black, (yan, Yellow, Magenta print carridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord	HP Officejet Enterprise Color X585z MFP; Introductory HP Officejet Bla Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softwa and electronic documentation on CD-ROM; Power cord		
Windows Server 2008 (32-bit & 64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2012 (64-bit), Windows Server 2003 (SP2-), Windows Server 2008 (SP2-),	mensions (W x D x H) eight hat's in the box ^e arranty features	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord	36.3 kg (80 lb) HP Officejet Enterprise Color XSBS1 MFP, Introductory HP Officejet Black,	HP Officejet Enterprise Color X585z MFP; Introductory HP Officejet Blac Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softwa and electronic documentation on CD-ROM; Power cord		
AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows Terminal Services (hp. com/go/unity, 1NIX before the p.com/go/eitdriver hp.com/go/eitdriver hp.com/g	imensions (W x D x H) eight that's in the box ⁴ farranty features nergy efficiency compliance	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord	36.3 kg (80 lb) HP Officejet Enterprise Color X585f MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty; one-year technical phone support, chat, and e-mai Blue Angel, ENERGY STAR® qualified, EPEAT® Silver	HP Officejet Enterprise Color X585z MFP; Introductory HP Officejet Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softwa and electronic documentation on CD-ROM; Power cord		
impatible network operating instead in a proper stream in process of the process	imensions (W x D x H) eight that's in the box ⁴ farranty features nergy efficiency compliance	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Vista (3.	36.3 kg (80 lb) HP Officejet Enterprise Color X585f MFP. Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages), Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warrotty; one-year technical phone support, chat, and e-mai Blue Angel, ENERGY STAR® qualified, EPEAT® Silver 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Windows 7 (32-bit & 64-bit).	HP Officejet Enterprise Color X585z MFP; Introductory HP Officejet Black: ~7,800 pages, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softward electronic documentation on CD-ROM; Power cord ows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit);		
HP-UX 10.20, 11.x, 11.; IBM AIX 3.2.5 or higher; Mac OS X v 10.6, OS X v 10.6, OS X v 10.8 Mountain Lion; Windows 2000; MPE-IX; Citrix MetaFrame Server; Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high (S4-bit); Windows Server 2003 (SP2+); Windows Ferminal Services; Windows Vista (32-bit & 64-bit); Windows XP (SP3+) Hore; Windows XP (SP3+) Hore; Windows XP (SP3+) Porfessional, Windows Server 2003 (SP2+); Windows Server 2003 (Windows SP (SP3+) Professional and Windows SP (SP3+); Windows Server 2003 (SP2+); Windows Server 2003 (Windows SP (SP3+); Windows SP (S	mensions (W x D x H) eight hat's in the box ⁴ arranty features ergy efficiency compliance	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 Windows Server 2008 G32-bit & 64-bit); Windows Server 2008 R2	36.3 kg (80 lb) HP Officejet Enterprise Color X585f MFP, Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty; one-year technical phone support, chat, and e-mai Blue Angel, ENERGY STAR® qualified, EPEAT® Silver 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Windows 6(64-bit); Windows Server 2012 (64-bit); Ma CS X V10.6, OS X V10.7 Lion, OS X	HP Officejet Enterprise Color X585z MFP; Introductory HP Officejet Blt. (yan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softwi and electronic documentation on CD-ROM; Power cord ows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); v10.8 Mountain Lion. For the latest operating system support see:		
(SPARC systems only); SuSe Linux 8.x or higher; Windows 2003 (SP2+) (64-bit); Windows Server 2003 (SP2+); Windows Vista (32-bit 8.64-bit); Windows XP (SP3+) Home; Windows XP (SP3+) Home; Windows XP (SP3+) Professional; Win	imensions (W x D x H) eight hat's in the box ⁴ arranty features nergy efficiency compliance	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows	36.3 kg (80 lb) HP Officejet Enterprise Color X585f MFP, Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty; one-year technical phone support, chat, and e-mai Blue Angel, ENERGY STAP® qualified, EPEAT® Silver 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Windows Server 2012 (64-bit); Mac OS X v10, OS X V10.7 Lion, OS X emmial Services (Ipp.com/go/logibl; HP ePrint Software Driver hp.com/go/eprint	HP Officejet Enterprise Color X585z MFP; Introductory HP Officejet Black Cyan, Yellow, Magenta print cartridges (Black C-7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softwand electronic documentation on CD-ROM; Power cord ows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); v10.8 Mountain Lion. For the latest operating system support see: offware; Linux (hplip:net); Novell (novell.com/print); SP4 device types		
(SPARC systems only); SuSe Linux 8.x or higher; Windows 2003 (SP2+) (64-bit); Windows Server 2003 (SP2+); Windows Vista (32-bit 8.64-bit); Windows XP (SP3+) Home; Windows XP (SP3+) Home; Windows XP (SP3+) Professional; Win	imensions (W x D x H) eight hat's in the box ⁴ ferranty features nergy efficiency compliance ompatible operating systems	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows	36.3 kg (80 lb) HP Officejet Enterprise Color X585f MFP, Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty; one-year technical phone support, chat, and e-mai Blue Angel, ENERGY STAP® qualified, EPEAT® Silver 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Windows Server 2012 (64-bit); Mac OS X v10, OS X v10.7 Lon, OS X emmial Services (Ipp.com/go/loght); HP ePrint Software Driver hp.com/go/eprint	HP Officejet Enterprise Color X585z MFP; Introductory HP Officejet Black Cyan, Yellow, Magenta print cartridges (Black C-7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softwand electronic documentation on CD-ROM; Power cord ows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); v10.8 Mountain Lion. For the latest operating system support see: offware; Linux (hplip:net); Novell (novell.com/print); SP4 device types		
XP (SP3+) Home; Windows XP (SP3+) Home; Windows XP (SP3+) Professional; Windows XP (SP3+) Professional and Windows VSta; Windows 7 (SP1) or greater (32-bit and 64-bit); Windows Server 2008 R2 (64-bit); For Microsoft IPv6 compatibility use Windows 2003, Windows XP Home, Windows XP Professional and Windows VSta; Windows Server 2008 R2 (64-bit); Windows Server 2012 (64-bit); Windows Serv	imensions (W x D x H) eight that's in the box ⁴ farranty features nergy efficiency compliance	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide, Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit 8.64-bit); Windows Vista (3: Windows Server 2008 (32-bit 8.64-bit); Windows Server 2008 R2 Air Print support.apple.com/kb/ht4556; Android; Citria and Windows To Mp.com/go/sap/drivers; SAP Print	36.3 kg (80 lb) HP Officejet Enterprise Color X585f MFP, Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages), Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty; one-year technical phone support, chat, and e-mai Blue Angel, ENERGY STAR® qualified, EPEAT® Silver 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Wind (64-bit); Windows Server 2012 (64-bit); Mac OS X v1 0.6, OS X v1 0.7 Lion, OS X emmial Services (Ipp.com/go/plat); HP Perint Software Driver hp.com/go/jetichect	HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet Bit. (Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softwand electronic documentation on CD-ROM; Power cord ows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); v10.8 Mountain Lion. For the latest operating system support see: offware; Linux (Rpipl.pnet); Novell (novell.com/iprint); SAP device types unix_software; Unix Model Scripts		
(32-bit and 64-bit); Windows Server 2008 R2 (64-bit); Windows Server 2012 (64-bit); Windows Server 2012 (64-bit); Windows 2013, Windows 2013, Windows XP Professional and Windows Vista Windows 9; Windows 9; Windows 9; Windows 9; Windows 10; Window	mensions (W x D x H) eight hat's in the box' arranty features ergy efficiency compliance impatible operating systems	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Vista (3: Windows Server 2008 G2-bit & 64-bit); Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows T bp.com/go/sapdrivers; SAP Print HP-UX 10.20, 11.x, 11.i; IBM AIX 3.2.5 or higher; Mac OS X v 10.6, OS X v 1	36.3 kg (80 lb) HP Officejet Enterprise Color X585f MFP, Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty; one-year technical phone support, chat, and e-mai Blue Angel, ENERGY STAR® qualified, EPEAT® Silver 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Wind (64-bit); Windows Server 2012 (64-bit); Mac OS x V10.6, OS x V10.7 Lion, OS X erminal Services (Inp.com/go/upit); HP ePrint Software Driver hp.com/go/eprint hp.com/go/sap/print); UNIX hp.com/go/sinty UNIX eDirect hp.com/go/eprint hp.com/go/sap/print); UNIX hp.com/go/sox 2000; MPE-IX; Citrix MetaFrame 85	HP Officejet Enterprise Color X585z MFP; Introductory HP Officejet Bli. (yan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softw and electronic documentation on CD-ROM; Power cord ows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); v10.8 Mountain Lion. For the latest operating system support see: offtware; Linux (fiplip.net); Novell (novell.com/iprint); SAP device types unix_software; Unix Model Scripts rver; Novell S.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high		
PC: Windows 8; Windows Vista; Windows 7 (SP1+); Windows Server 2003 (SP1+); Windows Server 2008; Windows Server 2008 R2 (64-bit); Windows Server 2012 (64-bit); Windows XP (SP2+); CD-ROM or DVD drive, or Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-ROM or DVD drive, or Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; Dedicated universal bus (USB 1.1 or 2.0), or network connection; Dedicated universal bus (USB 1.1 or 2.0), or network connection; Dedicated universal bus (USB 1.1 or 2.0), or network connection; Dedicated universal bus (USB 1.1 or 2.0), or network connection; Dedicated universal bus (USB 1.1 or 2.0), or network connection; Dedicated universal bu	mensions (W x D x H) eight hat's in the box ⁴ arranty features ergy efficiency compliance mpatible operating systems mpatible network operating	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Vista (3; Windows Server 2008 (32-bit & 64-bit); Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows T hp.com/go/sap/drivers; SAP Print HP-UX 10.20, 11.x, 11.i; IBM AIX 3.2.5 or higher; Mac OS X v 10.6, OS X v 1 (SPARC Systems only); SuSe Linux & X or higher; Windows 2003 (SP2+) (64-	36.3 kg (80 lb) HP Officejet Enterprise Color X585f MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty; one-year technical phone support, chat, and e-mai Blue Angel, ENERGY STAR® qualified, EPEAT® Silver 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Wind G4-bit); Windows Server 2012 (64-bit); Mac OS X v10.6, OS X v10.7, Lion, OS X erminal Services (hp.com/go/upd); HP ePrint Software Driver hp.com/go/jetdired Or Lion, OS X v 10.8 Mountain Lion; Windows 2000; MPE-IX; Citrix MetaFrame Se bit); Windows Server 2003 (652-t); Windows Terminal Services; Windows Vista 36	HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet Bl. (Van, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softw and electronic documentation on CD-ROM; Power cord ows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); v10.8 Mountain Lion. For the latest operating system support see: oftware; Linux (Ipilip.net); Novell (novell.com/iprint); SAP device types unix_software; Unix Model Scripts rver; Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high 2-bit & 64-bit); Windows Vista Ready; Windows XP (SP3+) (64-bit); Windo		
or Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; 200 MB available hard disk space; Operating system compatible hardware system requirements see microsoft.com; Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-ROM or DVD drive, or Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; 1 GB of available hardware system requirements see apple.com Vironmental ranges Operating temperature range: 59 to 86° F (15 to 30° C); Recommended operating temperature: 59 to 86° F (15 to 30° C); Non-operating humidity range: 25 to 90% RH; Operating humidity range: 20 to 80% RH; Operating altitude: Up to 1,0,000 ft (Up to 3,048 m); Storage Altitude (Imperial): 4572 m Acoustic power emissions: 6.7 B(A); Acoustic power emissions: 6.7 B(A); Acoustic power emissions: 53 dB(A) (printing at 43 ppm) Wer Power supply type: Internal (Built-in) power supply; Power supply; Power supply required: Input voltage: 100 to 240 VAC (+/- 19%), 50/60 Hz (+/- 3 Hz); Power consumption: 67 wasts (Printing), 34 watts (Ready), 9 watts (Sleep), 0.35 watts (Manual-Off), 0.35 watts (Auto-Off/Manual-On), 1.7 watts (Auto-Off/Wake on LAN, disabled in default shipping configuration) 8.0° (2.0.3 cm) touchscreen, SVGA LCD (colour graphics) ftware included HP CL 6 Discrete Printer Driver; Mac Software Link to Web (Mac Installer); Windows Installer 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPOS Emulation available at hp.com/go/laserjetfonts	mensions (W x D x H) eight hat's in the box ⁴ arranty features ergy efficiency compliance mpatible operating systems mpatible network operating	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows Tips.com/go./paf/tivers; SAP Print Support.apple.com/kb/ht4356; Android; Citrix and Windows Tips.com/go./paf/tivers; SAP Print HP-UX 10.20, 11.x, 11.i; IBM AIX 3.2.5 or higher; Marco SX v 10.6, OS X v 1 (SPARC systems only); SuSe Linux & x or higher; Wardows 2003 (SP2+) (64-XP (SP3+) Horne; Windows XP (SP3+) Profession	36.3 kg (80 lb) HP Officejet Enterprise Color XSBSF MFP, Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty, card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty, one-year technical phone support, chat, and e-mai Blue Angel, ENERGY STAR® qualified, EPEAT® Silver 2-bit 8.64-bit); Windows 7 (32-bit 8.64-bit); Windows 8 (32-bit 8.64-bit), Windows 6 (32-bit 8.64-bit), Windows Server 2012 (64-bit); Mac OS x V10.6, OS X V10.7 Lion, OS X erminal Services (hp.com/go/dupl); HP ePrint Software Driver hp.com/go/eleprint-hp.com/go/eprint); UNIX hp.com/go/sapprint); UNIX hp.com/go/sapprint); UNIX hp.com/go/sapprint; UNIX hp.com/go/sapp	HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet Bl. (yan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softw and electronic documentation on CD-ROM; Power cord ows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); v10.8 Mountain Lion. For the latest operating system support see: oftware; Linux (hplip.net); Novell (novell.com/iprint); SAP device types unix_software; Unix Model Scripts rver; Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high 2-bit & 64-bit); Windows Vista Ready; Windows XP (SP3+) (64-bit); Window Server 2.		
Mac: Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-ROM or DVD drive, or Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection; 1 GB of available hard-disk space; Operating system compatible hardware system requirements see apple.com Vironmental ranges Operating temperature range: 59 to 86° F (15 to 30° C). Recommended operating temperature: 59 to 86° F (15 to 30° C). Ron-operating humidity range: 5 to 90% RH; Operating humidity range: 20 to 80% RH; Operating altitude: Up to 10,000 ft (Up to 3048 m); Storage Altitude (imperial): 4572 m Acoustic power emissions: 6.7 B(A); Acoustic power emissions (active, copy): 7.1 B (A); Acoustic pressure emissions: 53 dB(A) (printing at 43 ppm) Wer Power supply type: Internal (Built-in) power supply required: Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); Power consumption: 67 watts (Printing), 34 watts (Ready), 9 watts (Sleep), 0.35 watts (Manual-Uf), 0.35 watts (Auto-OfffManual-On), 1.7 watts (Auto-OfffWake on LAN), disabled in default shipping configuration) 8.0° (2.0.3 cm) touchscreen, SVGA LCD (colour graphics) ftware included HP PCL 6 Discrete Printer Driver; Mac Software Link to Web (Mac Installer); Windows Installer 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts	mensions (W x D x H) eight hat's in the box ⁴ arranty features ergy efficiency compliance mpatible operating systems mpatible network operating stems	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2-bit & 64-bit); Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows The Committee of the Color of t	36.3 kg (80 lb) HP Officejet Enterprise Color X585f MFP, Introductory HP Officejet Black,	HP Officejet Enterprise Color X585z MFP; Introductory HP Officejet Bit. (yan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softw. and electronic documentation on CD-ROM; Power cord ows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); v10.8 Mountain Lion. For the latest operating system support see: offtware; Linux (Ipplip.net); Novell (novell.com/iprint); SAP device types unix_software; Unix Model Scripts rver; Novells.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high 2-bit & 64-bit); Windows Vista Ready, Windows XP (SP3+) (64-bit); Windo te (32-bit and 64-bit); Windows Red 32-bit and 64-bit); Windows Server 2 dows XP Home, Windows XP Professional and Windows Vista		
Operating system compatible hardware system requirements see applic.com Operating temperature range: 90 to 86° F (15 to 30° C); Recommended operating temperature: 90 to 86° F (15 to 30° C); Non-operating humidity range: 20 to 80% RH; Operating altitude: Up to 10,000 ft (Up to 3048 m); Storage Altitude (Imperial): 4572 m oustic Acoustic power emissions: 6.7 B(A); Acoustic power emissions (active, copy): 7.1 B (A); Acoustic pressure emissions: 53 dB(A) (printing at 43 ppm) Power supply type: Internal (Built-in) power supply, Power supply required: Input voltage: 100 to 240 VAC (+7-10%), 50/60 Hz (+7-3 Hz); Power consumption: 67 watts (Printing), 34 watts (Ready), 9 watts (Sleep), 0.35 watts (Manual-Off), 0.35 watts (Auto-Off/Manual-On), 1.7 watts (Auto-Off/Wake on LNA, disabled in default shipping configuration) Power supply type: Internal (Built-in) power supply required: Input voltage: 100 to 240 VAC (+7-10%), 50/60 Hz (+7-3 Hz); Power consumption: 67 watts (Printing), 34 watts (Ready), 9 watts (Sleep), 0.35 watts (Manual-Off), 0.35 watts (Auto-Off/Manual-On), 1.7 watts (Auto-Off/Wake on LNA, disabled in default shipping configuration) Power supply type: Internal Configuration (Printing), 34 watts (Ready), 9 watts (Sleep), 0.35 watts (Manual-Off), 0.35 watts (Auto-Off/Manual-On), 1.7 watts (Auto-Off/Wake on LNA, disabled in default shipping configuration) Body of the configuration of the configuration of the configuration (Printing), 34 watts (Ready), 9 watts (Sleep), 0.35 watts (Manual-Off), 1.7 watts (Auto-Off/Wake on LNA, disabled in default shipping configuration) Body of the configuration of the configuration of the configuration (Printing), 34 watts (Ready), 9 watts (Sleep), 0.35 watts (Manual-Off), 1.7 watts (Auto-Off/Wake on LNA, 1.7 watts (Auto	mensions (W x D x H) eight hat's in the box ⁴ arranty features ergy efficiency compliance mpatible operating systems mpatible network operating stems	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows Table.com/go/sapldrivers; SAP Print HP-UX10.20, 11.x, 11.i; IBM AIX 3.2.5 or higher; Mac OS X v 10,6, OS X v 1 (SPARC systems only); SuSe Linux & x or higher; Windows 2003 (SP2+) (64- XP (SP3+) Horne; Windows XP (SP3+) Prioression (32-bit and 46-bit); Windows Server 2008 R2 (64-bit); Windows PC: Windows 8; Windows Vista; Windows 7 (SP1+); Windows Server	36.3 kg (80 lb) HP Officejet Enterprise Color X585f MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty; one-year technical phone support, chat, and e-mail Blue Angel, ENERGY STAR® qualified, EPEAT® Silver 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Wind (64-bit); Windows Server 2012 (64-bit); Auc SX v10.6, OS X v10.7 Lion, OS X erminal Services (hp.com/go/lupd); HP ePrint Software Driver hp.com/go/eprint- hp.com/go/sap/print); UNIX hp.com/go/unix; UNIX JetDirect hp.com/go/fetdirect O7 Lion, OS X v 10.8 Mountain Lion; Windows 2000; MPE-i-X; Citrix MetaFrame Se bit); Windows Server 2003 (SP2-); Windows Terminal Services; Windows V15ta; 3 al; Windows XP (SP3-) Professional and Windows V15ta; Windows 7 (SP1) or gree ws Server 2012 (64-bit); For Mircsoft IPVs compatibility use Windows 2003 (SP1+); Windows Server 2008 R2 (64-bit); Windows Server 2008 R2 (HP Officejet Enterprise Color X585z MFP; Introductory HP Officejet Bit. (Yan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softw. and electronic documentation on CD-ROM; Power cord ows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); v10.8 Mountain Lion. For the latest operating system support see: offtware; Linux (hplip.net); Novell (novell.com/iprint); SAP device types unix_Software; Unix Model Scripts rover, Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high 2-bit & 64-bit); Windows Vista Ready; Windows XP (SP3+) (64-bit); Windo ter (32-bit and 64-bit); Windows 8 (32-bit and 64-bit); Windows Server 2 dows XP Home, Windows XP (SP2+); CD-ROM or DVD drive,		
Operating system compatible hardware system requirements see applic.com Operating temperature range: 90 to 86° F (15 to 30° C); Recommended operating temperature: 90 to 86° F (15 to 30° C); Non-operating humidity range: 20 to 80% RH; Operating altitude: Up to 10,000 ft (Up to 3048 m); Storage Altitude (Imperial): 4572 m oustic Acoustic power emissions: 6.7 B(A); Acoustic power emissions (active, copy): 7.1 B (A); Acoustic pressure emissions: 53 dB(A) (printing at 43 ppm) Power supply type: Internal (Built-in) power supply, Power supply required: Input voltage: 100 to 240 VAC (+7-10%), 50/60 Hz (+7-3 Hz); Power consumption: 67 watts (Printing), 34 watts (Ready), 9 watts (Sleep), 0.35 watts (Manual-Off), 0.35 watts (Auto-Off/Manual-On), 1.7 watts (Auto-Off/Wake on LNA, disabled in default shipping configuration) Power supply type: Internal (Built-in) power supply required: Input voltage: 100 to 240 VAC (+7-10%), 50/60 Hz (+7-3 Hz); Power consumption: 67 watts (Printing), 34 watts (Ready), 9 watts (Sleep), 0.35 watts (Manual-Off), 0.35 watts (Auto-Off/Manual-On), 1.7 watts (Auto-Off/Wake on LNA, disabled in default shipping configuration) Power supply type: Internal Configuration (Printing), 34 watts (Ready), 9 watts (Sleep), 0.35 watts (Manual-Off), 0.35 watts (Auto-Off/Manual-On), 1.7 watts (Auto-Off/Wake on LNA, disabled in default shipping configuration) Body of the configuration of the configuration of the configuration (Printing), 34 watts (Ready), 9 watts (Sleep), 0.35 watts (Manual-Off), 1.7 watts (Auto-Off/Wake on LNA, disabled in default shipping configuration) Body of the configuration of the configuration of the configuration (Printing), 34 watts (Ready), 9 watts (Sleep), 0.35 watts (Manual-Off), 1.7 watts (Auto-Off/Wake on LNA, 1.7 watts (Auto	mensions (W x D x H) eight hat's in the box ⁴ arranty features ergy efficiency compliance mpatible operating systems mpatible network operating stems	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit 8.64-bit); Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows Taipper.com/kb/ht4356; Android; Citrix and Windows Taipper.com/kb/ht4356; Android; Citrix and Windows Taipper.straipper.com/kb/ht4356; Android; Citrix and Windows Taipper.straipper.	36.3 kg (80 lb) HP Officejet Enterprise Color XSBSF MFP, Introductory HP Officejet Black,	HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softwa and electronic documentation on CD-ROM; Power cord ows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); v10.8 Mountain Lion. For the latest operating system support see: oftware; Linux (hplip.net); Novell (novell.com/liprint); SAP device types unix_software; Unix Model Scripts rver; Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or hight ct (32-bit and 64-bit); Windows Stata Ready; Windows XP (SP3+) (64-bit); Window SCP (24-bit); Windows XP (25-bit & 64-bit); Windows SP (32-bit and 64-bit); Windows Server 2 dows XP Home, Windows XP Professional and Windows Vista ws Server 2012 (64-bit); Windows XP (SP2+); CD-ROM or DVD drive, mr compatible hardware system requirements see microsoft.com;		
Operating temperature range: 59 to 86° F (15 to 30° C); Recommended operating temperature: 59 to 86° F (15 to 30° C); Non-operating humidity range: 20 to 80% RH; Operating humidity range: 20 to 80% RH; Operating altitude: Up to 10,000 ft (Up to 3048 m); Storage Altitude (Imperial): 4572 m Acoustic power emissions: 6.7 B(A); Acoustic power emissions: 6.7 B(A); Acoustic power emissions: 53 dB(A); (Arionatic po	mensions (W x D x H) light lat's in the box ⁴ mranty features ergy efficiency compliance mpatible operating systems mpatible network operating stems	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit 8.64-bit); Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows Taipper.com/kb/ht4356; Android; Citrix and Windows Taipper.com/kb/ht4356; Android; Citrix and Windows Taipper.straipper.com/kb/ht4356; Android; Citrix and Windows Taipper.straipper.	36.3 kg (80 lb) HP Officejet Enterprise Color XSBSF MFP, Introductory HP Officejet Black,	HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet Blt. (yan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softw. and electronic documentation on CD-ROM; Power cord ows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); v10.8 Mountain Lion. For the latest operating system support see: oftware; Linux (hplip.net); Novell (novell.com/liprint); SAP device types unix_software; Unix Model Scripts rver; Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high c 13-bit and 64-bit); Windows Sta Ready, Windows XP (SP3+) (64-bit); Window Server 2 (32-bit and 64-bit); Windows XP (SP3+) (64-bit); Window Server 2012 (64-bit); Windows XP (SP2+); CD-ROM or DVD drive, compatible hardware system requirements see microsoft.com;		
Recommended operating humidity range: 20 to 60% RH; Operating altitude: Up to 10,000 ft (Up to 3048 m); Storage Altitude (imperial): 4572 m Acoustic power emissions: 6, 75 (RA); Acoustic power emissions: 6, 75 (RA); Acoustic power emissions: 6, 104, RA); Acoustic pressure emissions: 63 dB(A) (printing at 43 ppm) Power supply type: Internal (Built-in) power supply; Power supply required: Input voltage: 100 to 240 VAC (+-1 OR); 0,50(60 Hz (+-3 Hz); Power consumption; 67 wats: (Printing), 34 watts (Ready), 9 watts (Sleep), 0.35 watts (Manual-Off), 0.35 watts (Auto-Off/Manual-On), 1.7 watts (Auto-Off/Wake on LAN, disabled in default shipping configuration) 8.0° (2.0.3 cm) touchscreen, SVGA LCD (colour graphics) ftware included HP PCL 6 Discrete Printer Driver; Mac Software Link to Web (Mac Installer), Windows Installer 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts	mensions (W x D x H) eight hat's in the box ⁴ arranty features ergy efficiency compliance mpatible operating systems mpatible network operating stems	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit 8.64-bit); Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows Taipper.com/kb/ht4356; Android; Citrix and Windows Taipper.com/kb/ht4356; Android; Citrix and Windows Taipper.straipper.com/kb/ht4356; Android; Citrix and Windows Taipper.straipper.	36.3 kg (80 lb) HP Officejet Enterprise Color XSB/ MFP; Introductory HP Officejet Black,	HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softwa and electronic documentation on CD-ROM; Power cord ows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); v10.8 Mountain Lion. For the latest operating system support see: oftware; Linux (hplip.net); Novell (novell.com/liprint); SAP device types unix_software; Unix Model Scripts rver; Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or hight ct (32-bit and 64-bit); Windows Stata Ready; Windows XP (SP3+) (64-bit); Window SCP (24-bit); Windows XP (25-bit & 64-bit); Windows SP (32-bit and 64-bit); Windows Server 2 dows XP Home, Windows XP Professional and Windows Vista ws Server 2012 (64-bit); Windows XP (SP2+); CD-ROM or DVD drive, mr compatible hardware system requirements see microsoft.com;		
Acoustic power emissions: 6.7 B(A); Acoustic power emissions (active, copy): 7.1 B (A); Acoustic pressure emissions: 53 dB(A) (printing at 43 ppm) Power supply type: Internal (Built-in) power supply; Power supply required: Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); Power consumption; 67 watts (Printing), 34 watts (Ready), 9 watts (Sleep), 0.35 watts (Manual-Off), 0.35 watts (Auto-Off/Manual-On), 1.7 watts (Auto-Off/Wake on LAN, disabled in default shipping configuration) Splay 8.0° (20.3 cm) touchscreen, SVGA LCD (colour graphics) ftware included HP PCL 6 Discrete Printer Driver; Mac Software Link to Web (Mac Installer); Windows Installer 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts	mensions (W x D x H) eight hat's in the box* arranty features ergy efficiency compliance mpatible operating systems mpatible network operating stems nimum system requirements	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black, -7,800 pages, Colour: -3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows Theo.com/go/sapldrivers; SAP Print HP-UX 10.20, 11.x, 11.; IBM AIX 3.2.5 or higher; Mac 05 X v 10.6, 05 X v 10.6 (S X v 10.6) (S X	36.3 kg (80 lb) HP Officejet Enterprise Color X585f MFP; Introductory HP Officejet Black,	HP Officejet Enterprise Color X585z MFP; Introductory HP Officejet Bit. (Van, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softwand electronic documentation on CD-ROM; Power cord ows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); v10.8 Mountain Lion. For the latest operating system support see: offtware; Linux (hplip.net); Novell (novell.com/iprint); SAP device types unix_software; Unix Model Scripts river; Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high 2-bit & 64-bit); Windows Vista Ready; Windows XP (SP3+) (64-bit); Windo ter (32-bit and 64-bit); Windows 8 (32-bit and 64-bit); Windows Server 2 dows XP Home, Windows XP (SP2+); CD-ROM or DVD drive, m compatible hardware system requirements see microsoft.com; 1 or 2.0), or network connection; 1 GB of available hard-disk space;		
Power supply type: Internal (Built-in) power supply: Power supply required: Input voltage: 100 to 240 VAC (+/- 10%), 50/66 Hz (+/- 3 Hz); Power consumption: 67 watts (Printing), 34 watts (Ready), 9 watts (Sleep), 0.35 watts (Manual-Off), 0.35 watts (Auto-Off/Manual-On), 1.7 watts (Auto-Off/Wake on LAN, disabled in default shipping configuration) splay ftware included HP PCL 6 Discrete Printer Driver; Mac Software Link to Web (Mac Installer); Windows Installer 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts	mensions (W x D x H) eight hat's in the box* arranty features ergy efficiency compliance mpatible operating systems mpatible network operating stems nimum system requirements	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit 8.64-bit); Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows Tapple.com/kb/ht4356; Android; Citrix and Windows T	36.3 kg (80 lb) HP Officejet Enterprise Color XSBSF MFP, Introductory HP Officejet Black,	HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softwa and electronic documentation on CD-ROM; Power cord ows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); v10.8 Mountain Lion. For the latest operating system support see: offtware; Linux (hplip.net); Novell (novell.com/liprint); SAP device types units, Software; Unix Model Scripts rver; Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or higher (32-bit and 64-bit); Windows Stata Ready; Windows XP (SP3+) (64-bit); Window Stata (32-bit and 64-bit); Window Server 2 dows XP Home, Windows XP Professional and Windows Vista ws Server 2012 (64-bit); Windows XP (SP2+); CD-ROM or DVD drive, morphatible hardware system requirements see microsoft.com; .1 or 2.0), or network connection; 1 GB of available hard-disk space; slity range: 5 to 90% RH; Operating humidity range: 20 to 80% RH;		
Power supply type: Internal (Built-in) power supply; Power supply required: Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); Power consumption; 67 watts (Printing), 34 watts (Ready), 9 watts (Sleep), 0.35 watts (Manual-Off), 0.35 watts (Auto-Off/Manual-On), 1.7 watts (Auto-Off/Wake on LAN, disabled in default shipping configuration) splay If ware included HP PCL 6 Discrete Printer Driver; Mac Software Link to Web (Mac Installer); Windows Installer 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts	mensions (W x D x H) eight hat's in the box ⁴ arranty features ergy efficiency compliance impatible operating systems impatible network operating stems inimum system requirements	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit 8.64-bit); Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows Tapple.com/kb/ht4356; Android; Citrix and Windows T	36.3 kg (80 lb) HP Officejet Enterprise Color XSBSF MFP, Introductory HP Officejet Black,	HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet Blt. (yan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softw and electronic documentation on CD-ROM; Power cord ows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); v10.8 Mountain Lion. For the latest operating system support see: offtware; Linux (hplip.net); Novell (novell.com/iprint); SAP device types unix_software; Unix Model Scripts rver; Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high c13-bit & 64-bit); Windows KP (SP3+) (64-bit); Window c13-bit & 64-bit); Windows & (32-bit and 64-bit); Window Server 2 dows XP Home, Windows XP Professional and Windows Vista ws Server 2012 (64-bit); Windows XP (SP2+); CD-ROM or DVD drive, m compatible hardware system requirements see microsoft.com; .1 or 2.0), or network connection; 1 GB of available hard-disk space; dity range: 5 to 90% RH; Operating humidity range: 20 to 80% RH;		
0.35 watts (Manual-Off), 0.35 watts (Auto-Off/Manual-On), 1.7 watts (Auto-Off/Wake on LAN, disabled in default shipping configuration) 8.0° (2.0.3 cm) touchs creen, SVGA LCD (colour graphics) 8.0° (2.0.3 cm) touchs creen, SVGA LCD (colour graphics) 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postcript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts	mensions (W x D x H) eight hat's in the box ^a arranty features ergy efficiency compliance impatible operating systems impatible network operating stems nimum system requirements	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2-bit & 64-bit); Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows XP (SP3 + Print Systems only); SuSe Linux 8-x or higher; Mac OS X v 10.6, OS X v 1 (SPARC systems only); SuSe Linux 8-x or higher; Windows 2003 SP2+) (64-XP (SP3+) Home; Windows XP (SP3+) Home; Windows XP (SP3+) Forfession (32-bit and 64-bit); Windows Server 2008 R2 (64-bit); Window Pt: Windows 8; Windows Vista; Windows 7 (SP1+); Windows Server or Internet connection; Dedicated universal serial bus (USB 1.1 or Mac; Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Operating temperature range: 59 to 86° F (15 to 30° C); Recomme Recommended operating humidit	36.3 kg (80 lb) HP Officejet Enterprise Color X585f MFP, Introductory HP Officejet Black,	HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet Bit. (yan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softw and electronic documentation on CD-ROM; Power cord ows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); v10.8 Mountain Lion. For the latest operating system support see: offtware; Linux (hplip.net); Novell (novell.com/iprint); SAP device types unix_software; Unix Model Scripts rver; Novells.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high 2-bit & 64-bit); Windows Vista Ready, Windows XP (SP3+) (64-bit); Windo 1c (32-bit and 45-bit); Windows 8 (32-bit and 64-bit); Windows Server 2 ddows XP Home, Windows XP Professional and Windows Vista ws Server 2012 (64-bit); Windows XP (SP2+); CD-ROM or DVD drive, m compatible hardware system requirements see microsoft.com; .1 or 2.0), or network connection; 1 GB of available hard-disk space; lity range: S to 90% RH; Operating humidity range: 20 to 80% RH; orage Altitude (imperial): 4572 m		
8.0° (20.3 cm) touchscreen, SVGA LCD (colour graphics) If tware included HP PCL 6 Discrete Printer Driver; Mac Software Link to Web (Mac Installer); Windows Installer 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts	mensions (W x D x H) eight hat's in the box ⁴ arranty features tergy efficiency compliance impatible operating systems impatible network operating stems inimum system requirements avironmental ranges	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows The Cyan Special Sp	36.3 kg (80 lb) HP Officejet Enterprise Color XSB/ MFP; Introductory HP Officejet Black,	HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet BI. (Van, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softw and electronic documentation on CD-ROM; Power cord ows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); V10.8 Mountain Lion. For the latest operating system support see: offtware; Linux (hplip, net); Novell (novell.com/iprint); SAP device types units_software; Unix Model Scripts rver; Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high 2-bit & 64-bit); Windows Vista Ready; Windows XP (SP3+) (64-bit); Window dows XP Horne, Windows XP store; and Windows Vista and 64-bit); Windows XP store; 2 dows XP Horne, Windows XP rofessional and Windows Vista ws Server 2012 (64-bit); Windows XP (SP2+); CD-ROM or DVD drive, m compatible hardware system requirements see microsoft.com; 1 or 2.0), or network connection; 1 GB of available hard-disk space; dity range: 5 to 90% RH; Operating humidity range: 20 to 80% RH; orage Altitude (imperial): 4572 m slons: 53 dB(A) (printing at 43 ppm)		
HPPCL 6 Discrete Printer Driver; Mac Software Link to Web (Mac Installer); Windows Installer 105 internal TrueType fonts scalable in HPPCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts	mensions (W x D x H) eight hat's in the box* arranty features ergy efficiency compliance mpatible operating systems mpatible network operating stems nimum system requirements vironmental ranges oustic	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 AirPrint support.apple.com/Rb/hr4356; Android; Citrix and Windows TairPrint support.apple.com/Rb/hr4356; Android; Citrix and Windows TairPrint support.apple.com/Rb/hr4356; Android; Citrix and Windows TairPrint support.apple.com/Rb/hr4356; Android; Citrix and Windows XP (SP3+) Horneys; AP Print HP-LIX 10.20, 11.x, 11.i; IBM AIX 3.2.5 or higher; Mac OS X v 10.6, OS X v 1 (SPARC systems only); SuSe Linux &s. or higher; Windows 2003 F2P (64-bit); Window XP (SP3+) + Profession (32-bit and 64-bit); Windows Server 2008 R2 (64-bit); Windows Potti and 64-bit); Windows Server and Server or Internet connection; Dedicated universal serial bus (USB 1.1 or Mac: Mac OS X v 10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Operating temperature range: 59 to 86° F (15 to 30° C); Recomme Recommended operating humidit Acoustic power emissions: 6.7 B/A	36.3 kg (80 lb) HP Officejet Enterprise Color XSBS1 MFP, Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty, card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty, one-year technical phone support, chat, and e-mai Blue Angel, ENERGY STAR® qualified, EPEAT® Silver 2-bit 8.64-bit); Windows 7 (32-bit 8.64-bit); Windows 8 (32-bit 8.64-bit), Windows 6 (32-bit 8.64-bit); Windows 5 (32-bit 8.64-bit), Windows Server 2012 (64-bit); Mac OS x V10.6, OS X V10.7 Lion, OS X erminal Services (hp.com/go/depint); DNIX Porton/go/dupint); DNIX Potron/go/dupint); DNIX Potron/	HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet BI. (yan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softw and electronic documentation on CD-ROM; Power cord ows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); v10.8 Mountain Lion. For the latest operating system support see: offtware; Linux (hplip.net); Novell (novell.com/iprint); SAP device types unix_software; Unix Model Scripts rver; Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high 2-bit & 64-bit); Windows Vista Ready, Windows XP (SP3+) (64-bit); Winde (r32-bit and 64-bit); Windows 8 (32-bit and 64-bit); Windows Server 2 dows XP Home, Windows XP Professional and Windows Vista vs Server 2012 (64-bit); Windows XP (SP2+); CD-ROM or DVD drive, mr compatible hardware system requirements see microsoft.com; .1 or 2.0), or network connection; 1 GB of available hard-disk space; dity range: 5 to 90% RH; Operating humidity range: 20 to 80% RH; orage Altitude (imperial): 4572 m sions: 53 dB(A) (printing at 43 ppm) consumption: 67 watts (Printing), 34 watts (Ready), 9 watts (Sleep),		
nts and typefaces 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPOS Emulation available at hp.com/go/laserjetfonts	mensions (W x D x H) light lat's in the box ^e marranty features ergy efficiency compliance mpatible operating systems mpatible network operating stems nimum system requirements vironmental ranges oustic wer	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 AirPrint support.apple.com/Rb/hr4356; Android; Citrix and Windows TairPrint support.apple.com/Rb/hr4356; Android; Citrix and Windows TairPrint support.apple.com/Rb/hr4356; Android; Citrix and Windows TairPrint support.apple.com/Rb/hr4356; Android; Citrix and Windows XP (SP3+) Horneys; AP Print HP-LIX 10.20, 11.x, 11.i; IBM AIX 3.2.5 or higher; Mac OS X v 10.6, OS X v 1 (SPARC systems only); SuSe Linux &s. or higher; Windows 2003 F2P (64-bit); Window XP (SP3+) + Profession (32-bit and 64-bit); Windows Server 2008 R2 (64-bit); Windows Potti and 64-bit); Windows Server and Server or Internet connection; Dedicated universal serial bus (USB 1.1 or Mac: Mac OS X v 10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Operating temperature range: 59 to 86° F (15 to 30° C); Recomme Recommended operating humidit Acoustic power emissions: 6.7 B/A	36.3 kg (80 lb) HP Officejet Enterprise Color X58P MFP; Introductory HP Officejet Black,	HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet BI. (yan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softw and electronic documentation on CD-ROM; Power cord ows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); v10.8 Mountain Lion. For the latest operating system support see: offtware; Linux (hplip.net); Novell (novell.com/iprint); SAP device types unix_software; Unix Model Scripts rver; Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high 2-bit & 64-bit); Windows Vista Ready, Windows XP (SP3+) (64-bit); Winde (r32-bit and 64-bit); Windows 8 (32-bit and 64-bit); Windows Server 2 dows XP Home, Windows XP Professional and Windows Vista vs Server 2012 (64-bit); Windows XP (SP2+); CD-ROM or DVD drive, mr compatible hardware system requirements see microsoft.com; .1 or 2.0), or network connection; 1 GB of available hard-disk space; dity range: 5 to 90% RH; Operating humidity range: 20 to 80% RH; orage Altitude (imperial): 4572 m sions: 53 dB(A) (printing at 43 ppm) consumption: 67 watts (Printing), 34 watts (Ready), 9 watts (Sleep),		
nts and typefaces 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPOS Emulation available at hp.com/go/laserjetfonts	mensions (W x D x H) eight hat's in the box* arranty features ergy efficiency compliance mpatible operating systems mpatible network operating stems nimum system requirements vironmental ranges oustic wer	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 AirPrint support.apple.com/Rb/hr4356; Android; Citrix and Windows TairPrint support.apple.com/Rb/hr4356; Android; Citrix and Windows TairPrint support.apple.com/Rb/hr4356; Android; Citrix and Windows TairPrint support.apple.com/Rb/hr4356; Android; Citrix and Windows XP (SP3+) Horneys; AP Print HP-LIX 10.20, 11.x, 11.i; IBM AIX 3.2.5 or higher; Mac OS X v 10.6, OS X v 1 (SPARC systems only); SuSe Linux &s. or higher; Windows 2003 F2P (64-bit); Window XP (SP3+) + Profession (32-bit and 64-bit); Windows Server 2008 R2 (64-bit); Windows Potti and 64-bit); Windows Server and Server or Internet connection; Dedicated universal serial bus (USB 1.1 or Mac: Mac OS X v 10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Operating temperature range: 59 to 86° F (15 to 30° C); Recomme Recommended operating humidit Acoustic power emissions: 6.7 B/A	36.3 kg (80 lb) HP Officejet Enterprise Color X58P MFP; Introductory HP Officejet Black,	HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet BI. (yan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softw and electronic documentation on CD-ROM; Power cord ows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); v10.8 Mountain Lion. For the latest operating system support see: offtware; Linux (hplip.net); Novell (novell.com/iprint); SAP device types unix_software; Unix Model Scripts rver; Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high 2-bit & 64-bit); Windows Vista Ready, Windows XP (SP3+) (64-bit); Winde (r32-bit and 64-bit); Windows 8 (32-bit and 64-bit); Windows Server 2 dows XP Home, Windows XP Professional and Windows Vista vs Server 2012 (64-bit); Windows XP (SP2+); CD-ROM or DVD drive, mr compatible hardware system requirements see microsoft.com; .1 or 2.0), or network connection; 1 GB of available hard-disk space; dity range: 5 to 90% RH; Operating humidity range: 20 to 80% RH; orage Altitude (imperial): 4572 m sions: 53 dB(A) (printing at 43 ppm) consumption: 67 watts (Printing), 34 watts (Ready), 9 watts (Sleep),		
(Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts	mensions (W x D x H) sight nat's in the box* arranty features ergy efficiency compliance mpatible operating systems mpatible network operating stems nimum system requirements vironmental ranges oustic wer	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black. ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows The Committee of Start Software (SP4) (SP4) HP-UX 10.20, 11.x, 11.i; IBM AIX 3.2.5 or higher; Mac 05 X v 10.6, 05 X v 1.0.6,	36.3 kg (80 lb) HP Officejet Enterprise Color X58/HPF; Introductory HP Officejet Black, Cyan, Yellow, Magenta pirit cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card: Software and electronic documentation on CD-R0M; Power cord One-year, onsite warranty; one-year technical phone support, chat, and e-mai Blue Angel, ENERGY STAR® qualified, EPEAT® Silver 2-bit & 64-bit); Windows 7 (32-bit & 64-bit); Windows 8 (32-bit & 64-bit), Wind (64-bit); Windows Server 2012 (64-bit); MoS V v 10.8 (05 X v 10.6, 05 X v 10.6, 10 X v 10.7 Lion, O5 X v 10.6, 10 X v 10.8 Mountain Lion; Windows Toftware briver hp.com/go/eprinthp.com/go/sap/print); UNIX hp.com/go/lunix; UNIX JetDirect hp.com/go/eprinthp.com/go/sap/print); UNIX hp.com/go/winix; UNIX JetDirect hp.com/go/eprinthp.com/go/sap/print); UNIX hp.com/go/winix; UNIX JetDirect hp.com/go/leprinthp.com/go/sap/print); UNIX hp.com/go/winix; UNIX JetDirect hp.com/go/leprinthp.com/go/sap/print); UNIX hp.com/go/winix; UNIX JetDirect hp.com/go/leprinthp.com/go/sap/print); UNIX hp.com/go/winix; UNIX JetDirect hp.com/go/liprinthp.com/go/sap/printhp.com/go/go/go/go/go/go/go/go/go/go/go/go/go/	HP Officejet Enterprise Color X585z MFP; Introductory HP Officejet Bit. (Van, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softw and electronic documentation on CD-ROM; Power cord ows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); v10.8 Mountain Lion. For the latest operating system support see: offtware; Linux (hplip, net); Novell (novell.com/iprint); SAP device types units_software; Unix Model Scripts rver; Novell S.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high 2-bit & 64-bit); Windows Vista Ready; Windows XP (SP3+) (64-bit); Window Cays XP Horne, Windows XP store; Abit and 64-bit); Windows Server 2 dows XP Horne, Windows XP Professional and Windows Vista ws Server 2012 (64-bit); Windows XP (SP2+); CD-ROM or DVD drive, m compatible hardware system requirements see microsoft.com; . 1 or 2.0), or network connection; 1 GB of available hard-disk space; dity range: 5 to 90% RH; Operating humidity range: 20 to 80% RH; orage Altitude (imperial): 4572 m slons: 53 dB(A) (printing at 43 ppm) consumption: 67 watts (Printing), 34 watts (Ready), 9 watts (Sleep), fault shipping configuration)		
	mensions (W x D x H) eight hat's in the box ⁴ arranty features ergy efficiency compliance mpatible operating systems matible network operating stems inimum system requirements evironmental ranges oustic wer splay ftware included	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 AirPrint support.apple.com/Rb/hrl4356; Android; Citrix and Windows The Committee of t	36.3 kg (80 lb) HP Officejet Enterprise Color XSBSF MFP, Introductory HP Officejet Black, Cyan, Yellow, Magenta print carridges (Black: ~7,800 pages, Colour: ~3,400 pages), Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty; one-year technical phone support, chat, and e-mai Blue Angel, ENERGY STAR® qualified, EPEAT® Silver 2-bit & 64-bit), Windows 73.2-bit & 64-bit), Windows 81.2-bit & 64-bit), Windows 70.2-bit & 64-bit), Windows Server 2012 (64-bit), Mac 05 x v10.6, 05 X v10.7 Lion, 05 X v10.7 Lion, 05 X v10.8 Mountain Lion; Windows 2000; MPE-IX; Citrix MetaFrame Sebit), Windows Server 2003 (SP2-), Windows Terminal Services, Windows Vista (3) and Windows Server 2003 (SP2-), Windows Terminal Services, Windows Vista (3) and Windows Server 2003 (SP2-), Windows Terminal Services, Windows Vista (3) and Windows Server 2003 (SP2-), Windows Terminal Services, Windows 2003, Wir 2003 (SP1-); Windows Server 2008; Windows Server 2009; Windows Server 2	HP Officejet Enterprise Color XS85z MFP; Introductory HP Officejet BI. (yan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softw and electronic documentation on CD-ROM; Power cord ows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); v10.8 Mountain Lion. For the latest operating system support see: offtware; Linux (hplip.net); Novell (novell.com/iprint); SAP device types unix_software; Unix Model Scripts rver; Novell 5.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high 2-bit & 64-bit); Windows K9 Rospania (Ad-bit); Windows Server 2 dows XP Home, Windows XP rofessional and Windows Vista ws Server 2012 (64-bit); Windows XP (SP2+); CD-ROM or DVD drive, mr compatible hardware system requirements see microsoft.com; .1 or 2.0), or network connection; 1 GB of available hard-disk space; dity range: 5 to 90% RH; Operating humidity range: 20 to 80% RH; orage Altitude (imperial): 4572 m sions: 53 dB(A) (printing at 43 ppm) consumption: 67 watts (Printing), 34 watts (Ready), 9 watts (Sleep), fault shipping configuration)		
curity management Management security: SNMPv3, SSL/TLS, 802.1X authentication (EAP-PEAP EAP-TLS), IPP over TLS, IPSer/Firewall with Certificate. Pre-Shared Key Authentication, and Kerheros Authentication Support for WIA-10 IPSer	mensions (W x D x H) eight hat's in the box ⁴ arranty features ergy efficiency compliance mpatible operating systems matible network operating stems inimum system requirements evironmental ranges oustic wer splay ftware included	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows The Discom/go/sapdrivers; SAP Print hp-UX 10.20, 11.x, 11.i; IBM AIX 3.2.5 or higher; Mac OS X v 10.6, OS X v 1 (SPARC systems only); SuSe Linux 8.x or higher; Mac OS X v 10.6, OS X v 1 (SPARC systems only); SuSe Linux 8.x or higher; Mindows 2003 (SP2) (64-XP (SP3+) Home; Windows XP (SP3+) Home; Windows XP (SP3+) Yoffession (32-bit and 64-bit); Windows Server 2008 R2 (64-bit); Window Pt: Windows Server or Internet connection; Dedicated universal serial bus (USB 1.1 or Mac; Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Operating temperature range: 59 to 86° F (15 to 30° C); Recomme Recommended operating humidit Acoustic power emissions; 6.7 BiA Power supply type: Internal (Built-in) power supply; Power supply 10.35 watts (Manual-Off).	36.3 kg (80 lb) HP Officejet Enterprise Color X58Ff MFP, Introductory HP Officejet Black, Cyan, Yellow, Magents Color X58Ff MFP, Introductory HP Officejet Black, Cyan, Yellow, Magents print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty, card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty; one-year technical phone support, chat, and e-mai Blue Angel, ENERGY STAR® qualified, EPEAT® Silver 2-bit & 64-bit); Windows Server 2012 (64-bit); Mac OS x V10.6, OS x V10.7 Lion, OS x V10.6 in Mindows Server 2012 (64-bit); Mindows Server 2012 (64-bit); Mindows Server 2013 (64-bit); Mindows Server 2003 (SP2+); Windows Server 2012 (64-bit); For Microsoft IPv6 compatibility use Windows 2003, Wir 2003 (SP1+); Windows Server 2008 R2 (64-bit); Windows Server 2018 (64-bit); For Microsoft IPv6 compatibility use Windows 2003, Wir 2003 (SP1+); Windows Server 2008 R2 (64-bit); Windows Server 2018 (64-bit); For Microsoft IPv6 compatibility use Windows 2003, Wir 2003 (SP1+); Windows Server 2008 R2 (64-bit); Windows Server 2018 (64-bit); Windows	HP Officejet Enterprise Color XS85z MF2; Introductory HP Officejet BI. (Yoan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softw and electronic documentation on CD-ROM; Power cord ows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); v10.8 Mountain Lion. For the latest operating system support see: offtware; Linux (hplip.net); Novell (novell.com/iprint); SAP device types unix_software; Unix Model Scripts rver; Novell S.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high 2-bit & 64-bit); Windows Vista Ready, Windows XP (SP3+) (64-bit); Windo 16 (32-bit and 46-bit); Windows SR (32-bit and 64-bit); Windows Server 2 dows XP Home, Windows XP Professional and Windows Vista ws Server 2012 (64-bit); Windows XP (SP2+); CD-ROM or DVD drive, mcompatible hardware system requirements see microsoft.com; .1 or 2.0), or network connection; 1 GB of available hard-disk space; slity range: S to 90% RH; Operating humidity range: 20 to 80% RH; torage Altitude (imperial): 4572 m slons: 53 dB(A) (printing at 43 ppm) consumption: ⁷ 67 watts (Printing), 34 watts (Ready), 9 watts (Sleep), fault shipping configuration)		
	mensions (W x D x H) right nat's in the box* marranty features ergy efficiency compliance mpatible operating systems mpatible network operating stems nimum system requirements vironmental ranges oustic wer splay ftware included	HP Officejet Enterprise Color X585dn MFP; Introductory HP Officejet Black, Cyan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Software and electronic documentation on CD-ROM; Power cord Windows XP (SP3 or greater) (32-bit & 64-bit); Windows Server 2008 R2 AirPrint support.apple.com/kb/ht4356; Android; Citrix and Windows The Discom/go/sapdrivers; SAP Print hp-UX 10.20, 11.x, 11.i; IBM AIX 3.2.5 or higher; Mac OS X v 10.6, OS X v 1 (SPARC systems only); SuSe Linux 8.x or higher; Mac OS X v 10.6, OS X v 1 (SPARC systems only); SuSe Linux 8.x or higher; Mindows 2003 (SP2) (64-XP (SP3+) Home; Windows XP (SP3+) Home; Windows XP (SP3+) Yoffession (32-bit and 64-bit); Windows Server 2008 R2 (64-bit); Window Pt: Windows Server or Internet connection; Dedicated universal serial bus (USB 1.1 or Mac; Mac OS X v10.6, OS X 10.7 Lion, OS X 10.8 Mountain Lion; CD-Operating temperature range: 59 to 86° F (15 to 30° C); Recomme Recommended operating humidit Acoustic power emissions; 6.7 BiA Power supply type: Internal (Built-in) power supply; Power supply 10.35 watts (Manual-Off).	36.3 kg (80 lb) HP Officejet Enterprise Color X58Ff MFP, Introductory HP Officejet Black, Cyan, Yellow, Magents Color X58Ff MFP, Introductory HP Officejet Black, Cyan, Yellow, Magents print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty, card; Software and electronic documentation on CD-ROM; Power cord One-year, onsite warranty; one-year technical phone support, chat, and e-mai Blue Angel, ENERGY STAR® qualified, EPEAT® Silver 2-bit & 64-bit); Windows Server 2012 (64-bit); Mac OS x V10.6, OS x V10.7 Lion, OS x V10.6 in Mindows Server 2012 (64-bit); Mindows Server 2012 (64-bit); Mindows Server 2013 (64-bit); Mindows Server 2003 (SP2+); Windows Server 2012 (64-bit); For Microsoft IPv6 compatibility use Windows 2003, Wir 2003 (SP1+); Windows Server 2008 R2 (64-bit); Windows Server 2018 (64-bit); For Microsoft IPv6 compatibility use Windows 2003, Wir 2003 (SP1+); Windows Server 2008 R2 (64-bit); Windows Server 2018 (64-bit); For Microsoft IPv6 compatibility use Windows 2003, Wir 2003 (SP1+); Windows Server 2008 R2 (64-bit); Windows Server 2018 (64-bit); Windows	HP Officejet Enterprise Color XS85z MF2; Introductory HP Officejet Bit. (yan, Yellow, Magenta print cartridges (Black: ~7,800 pages, Colour: ~3,400 pages); Hardware Install Guide; Warranty card; Softw and electronic documentation on CD-ROM; Power cord ows 8.1; Windows Server 2003 (SP2 or greater) (32-bit & 64-bit); v10.8 Mountain Lion. For the latest operating system support see: offtware; Linux (Ipplip.net); Novell (novell.com/iprint); SAP device types unix_software; Unix Model Scripts rver; Novell S.1 or higher; Red Hat Linux 7.x or higher; Solaris 2.5 or high 2-bit & 64-bit); Windows Vista Ready, Windows XP (SP3+) (64-bit); Windo E (32-bit and 45-bit); Windows 8 (32-bit and 64-bit); Windows Server 2 dows XP Home, Windows XP Professional and Windows Vista ws Server 2012 (64-bit); Windows XP (SP2+); CD-ROM or DVD drive, mcompatible hardware system requirements see microsoft.com; .1 or 2.0), or network connection; 1 GB of available hard-disk space; slity range: S to 90% RH; Operating humidity range: 20 to 80% RH; torage Altitude (imperial): 4572 m slons: 53 dB(A) (printing at 43 ppm) consumption: ² 67 watts (Printing), 34 watts (Ready), 9 watts (Sleep), fault shipping configuration)		

150 speeds measured using ISO/IEC 24734. Excludes first page or first set of ISO test pages. For details see hp.com/go/printerclaims' Requires an Internet connection to the printer. Feature works with any connected Internet- and email-capable device. Requires HP Web Services Account Registration. Print times may vary. For a list of supported documents, and image types, see hp.com/go/printerclaims' Requires an Internet connection to the printer. Feature works with any connected Internet- and email-capable device. Requires HP Web Services Account Registration. Print times may vary. For a list of supported documents, and image types, see hp.com/go/printerclaims. See hp.com/go/mobile-printing-solutions. Supports the following devices running iOS 4.2 or later: IPad®, IPad® 2, IPhone® (3GS or later), IPod touch® (3rd generation or later). Works with IPS AirPrint™ enabled printers and requires the printer be connected to the same network as your IOS device. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint t. top. IPad®, IPAD® (3D) of Service. Wireless performance is dependent upon physical environment and distance from the access point. See performance is dependent upon physical environment and distance from the access point. See performance is dependent upon physical environment and distance from the access point. See performance is dependent upon physical environment and distance from the access point. See performance is dependent upon physical environment and distance from the access point. See performance is dependent upon physical environment and distance from the access point. See Purcon Printers and See performance, access point in the U.S. and to printers and device performance, beseed on foliate in the U.S. and to printers and MPs to satisfy the demands of connected individuals or groups. IP Precommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on tactors including supplies replac

To learn more, visit hp.com

© Copyright 2014 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. Warranties for HP products and services are set out in the express warranty statements accompanying such products and services. In addition, our products and services come with guarantees that cannot be excluded under the Australian Consumer Law. Subject to the foregoing, nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group. NetWare® is a trademark of Novell, Inc. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks.

