



TANK & ACCESSORY CATALOG

"YOUR SPECIALISTS IN LIQUID HANDLING PRODUCTS"



P.O. Box 700338 · Wabasso, Florida 32970

Local: (863) 261-8388 · Fax: (863) 261-8389

www.clarionmunicipal.com



Contents

Vertical Storage Tanks	4 - 5
Cone Bottom Tanks.....	6 - 7
Double Wall & Containment Basins	8
Septic, Cistern, & Elliptical Tanks.....	9
Horizontal Tanks	10 - 11
Polyethylene Pest Control, Transport & Loaf Tanks	12
Specialty, Total Drain, Open Top Cylindrical & Spot Sprayer Tanks	13
Tank Accessories.....	14 - 15
Couplers, Adapters and Strainers.....	16
Polypropylene Ball Valves	17
CPP Fittings and Adapters	18
Polyethylene Tank Facts	19

Vertical Storage Tanks

Dome Top

Vertical polyethylene storage tanks are designed for handling bulk quantities of water and chemicals. While being resilient to ranging temperatures and weather, tanks can be deployed in either interior or exterior applications for liquid containment.



Dome Top Vertical Tanks					
Part #	Gallons	Diameter	Height	Fill	
T1004A	10	12"	25"	8"	
T1007A	20	16"	28"	8"	
T1006N	22	20"	20"	8"	
T1008N	25	18"	29"	5"	
T1009A	40	18"	43"	5"	
T1011N	45	20"	37"	5"	
T1010N	50	18"	53"	5"	
T1011A	55	20"	47"	5"	
T1012A	65	23"	42"	5"	
T1012N	65	23"	43"	8"	
T1014A	75	23"	50"	7"	
T1016D	100	31"	37"	8"	
T1018A	100	28"	45"	7"	
T1018N	100	28"	43"	8"	
T1020N	105	23"	63"	8"	
T1024N	120	38"	31"	5"	
T1026A	135	23"	82"	16"	
T1026N	150	30"	56"	8"	
T1028D	165	31"	57"	8"	
T1028N	165	31"	56"	16"	
T1030N	200	30"	72"	8"	
T1032N	210	32"	67"	16"	
T1040N	220	42"	44"	5"	
T1046N	250	30"	89"	8"	
T1048A	300	42"	55"	8"	
T1048N	300	35"	79"	16"	
T1052N	305	46"	50"	16"	
T1058A	425	42"	75"	8"	
T1059P	450	46"	73"	8"	
T1060N	500	48"	73"	16"	
T1068N	550	67"	44"	16"	
T1070A	625	64"	50"	8"	
T1072N	750	48"	103"	16"	
T1076N	850	48"	118"	16"	
T1086A	900	46"	132"	16"	
T1088N	1000	64"	80"	16"	
T1092A	1050	86"	54"	16"	

Dome Top Vertical Tanks Cont.					
Part #	Gallons	Diameter	Height	Fill	
T1096N	1100	87"	53"	16"	
T1100A	1200	64"	97"	16"	
T1100D	1200	76"	68"	16"	
T1100R	1200	76"	68"	16"	
T1104N	1500	64"	116"	16"	
T1108N	1550	87"	67"	16"	
T1112A	1650	86"	74"	16"	
T1114N	1700	87"	74"	16"	
T1116A	2000	91"	84"	16"	
T1120N	2000	64"	152"	16"	
T1124N	2100	87"	89"	16"	
T1125A	2150	102"	71"	16"	
T1128A	2500	91"	103"	16"	
T1128N	2500	95"	91"	16"	
T1132A	3000	91"	120"	16"	
T1132N	3000	95"	109"	16"	
T1133A	3100	102"	103"	16"	
T1136A	4000	96"	140"	16"	
T1136N	4000	102"	125"	16"	
T1138N	4200	102"	131"	16"	
T1140N	5000	102"	152"	16"	
T1144N	5500	138"	92"	16"	
T1148N	6000	102"	182"	16"	
T1152N	6100	119"	140"	16"	
T1156N	6500	119"	150"	16"	
T1156O	6502	102"	196"	16"	
T1158A	7000	142"	125"	16"	
T1158N	7800	119"	176"	16"	
T1159N	8400	119"	188"	16"	
T1160N	9000	141"	146"	22"	
T1164N	10000	141"	160"	22"	
T1165A	10500	142"	177"	16"	
T1166N	10500	130"	202"	22"	
T1165N	11000	144"	167"	22"	
T1168N	13000	144"	198"	22"	
T1170N	15500	141"	244"	22"	
T1175N	20000	165"	242"	22"	

Call to ask about color availability, or heavy duty tanks.
863-261-8388

Vertical Storage Tanks

Flat Top & Water Only



Flat Top Vertical Tanks

Part #	Gallons	Diameter	Height	Fill	
T1005N	20	16"	28"	8"	
T1011AF	55	23"	38"	8"	
T1012D	65	23"	43"	8"	
T1018AF	100	23"	64"	7"	
T1024AA	130	32"	46"	8"	
T1027A	160	28"	68"	8"	
T1029A	175	31"	61"	8"	
T1047A	265	31"	88"	8"	
T1056R	330	46"	51"	16"	
T1060A	500	46"	77"	8"	
T1064R	550	46"	79"	16"	
T1071D	650	56"	71"	16"	
T1076A	850	54"	94"	8"	
T1112R	1650	86"	78"	16"	
T1128D	2500	94.5"	92"	16"	

Water Only Vertical Tanks

Part #	Gallons	Diameter	Height	Fill	
T1096NWTB	1100	87"	53"	16"	
T1124NWTB	2100	87"	89"	16"	
T1128NWTB	2500	95"	91"	16"	
T1129N	3000	95"	109"	16"	
T1132NWTB	3000	102"	93"	16"	
T1140NWTB	5000	102"	152"	16"	
T1164NWOB	10000	141"	159"	22"	



Vertical polyethylene water and chemical storage tanks out-perform the more expensive, traditional water storage systems like aluminum, steel, carbon steel fiberglass, for a variety of reasons; because our tanks are rotationally molded, they are seamless and water tight, they will never rust or corrode and are nearly indestructible, made of 100% virgin resin listed by the

FDA for potable water storage, our polyethylene water tanks contain no colorants. All are efficiently lightweight for easy transportation and installation.

Common Fittings

Bulkhead fittings

Part #	Size	Thread	Material	
TA1199	1/2"	FPT x FPT	Polypropylene	
TA1200	3/4"	FPT x FPT	Polypropylene	
TA1201	1"	FPT x FPT	Polypropylene	
TA1203	1 1/4"	FPT x FPT	Polypropylene	
TA1205	1 1/2"	FPT x FPT	Polypropylene	
TA1206	2"	FPT x FPT	Polypropylene	
TA1207	2"	FPT x FPT	Heavy Duty	
TA1209	3"	FPT x FPT	Polypropylene	

Bolted fittings

Part #	Size	Thread	Material	
TA3000	1/2"	FPT x FPT	Polypropylene	
TA3010	3/4"	FPT x FPT	Polypropylene	
TA3020	1"	FPT x FPT	Polypropylene	
TA3030	1 1/2"	FPT x FPT	Polypropylene	
TA3040	2"	FPT x FPT	Polypropylene	
TA3050	3"	FPT x FPT	Polypropylene	

Polypropylene Ball Valves

Part #	Size	Thread	Material	
BV100	1"	FPT	Polypropylene	
BV125	1 1/4"	FPT	Polypropylene	
BV150	1 1/2"	FPT	Polypropylene	
BV200	2"	FPT	Polypropylene	
BV300	3"	FPT	Polypropylene	

See Many More
Tank Accessories
on pages 14-15

Cone Bottom Tanks

Closed Top & Mini Bulk

These one piece tanks are molded from rugged high density polyethylene. They feature conical bottoms for quick and complete drainage. Designed for either indoor or outdoor service.

Cone Bottom Mini-Bulk Tanks

These polyethylene tanks come with bases that allow stacking up to three high fully loaded. Forklift pockets are built in for easy loading/unloading. Both size tanks have 6" fill lids and bottom discharge.



Closed Top Cone Bottom Tanks

Part #	Gallons	Diameter	Height	Fill	Stand	Total Height / Clearance
T2010A*	55	23"	39"	8"		60" / 20"
T2024A*	100	23"	65"	8"		86" / 20"
T2030A	150	36"	51"	12"	ST6311AC	65" / 14"
T2032N*	175	42"	49"	16"		49" / 10"
T2037A	200	42"	55"	12"	ST6309S	68" / 13"
T2040D	250	47"	51"	16"	ST6311	64" / 13"
T2044A	300	42"	67"	16"	ST6309S	80" / 13"
T2044N	300	48"	50"	16"	T2044N/B	58" / 8"
T2044N*	300	49"	61"	16"		61" / 9"
T2045N*	310	43"	72"	8"		72" / 9"
T2047A	350	42"	81"	12"	ST6309S	94" / 13"
T2048D	400	47"	72"	16"	ST6311	85" / 13"
T2052A	500	52"	81"	12"	ST6311AS	94" / 13"
T2052N*	500	49"	87"	16"		87" / 9"
T2062N*	750	73"	67"	16"		67" / 11"
T2067A	1000	64"	98"	16"	ST6309A	112" / 14"
T2068N*	1050	73"	86"	16"		86" / 11"
T2070A	1490	64"	132"	16"	ST6309A	146" / 14"
T2074N*	1600	89"	96"	16"		96" / 11"
T2080N	2500	96"	105"	16"	ST6310	116" / 11"
T2082N*	2500	99"	116"	16"		116" / 10"
T2086N	3000	96"	123"	16"	ST6310	134" / 11"
T2086N*	3000	99"	134"	16"		134" / 10"
T2087N	3000	91"	120"	16"	-	-
T2089A	4900	102"	159"	16"	ST6314A	170" / 11"
T2090N	5500	119"	148"	16"	ST6315	160" / 12"
T2092N	6000	102"	195"	16"	ST6317	207" / 12"
T2094N	7500	141"	148"	16"	ST6318	175" / 27"

Cone Bottom Mini-Bulk Tanks

Part #	Gallons	Diameter	Height
T2026R*	110	45"	38"
T2038R*	220	45"	54"



Cone bottom tanks with steel stands.

Steel stands can be modified to suit custom applications.

Inductor Tanks

These tanks are suitable for mixing chemicals when filling a larger tank or used as supply tanks for application systems.

Inductor Tanks

Part #	Gallons	Diameter	Height	Fill	Stand	Total Height / Clearance
T2004A	15	19"	24"	8"	ST6308	36" / 12"
T2004N	15	19"	23"	8"	ST6308	35" / 12"
T2006A	15	19"	27"	12"	ST6308	39" / 12"
T2007A	30	24"	30"	12"	ST6309AS	42" / 12"
T2008A*	35	24"	49"	12"		49" / 13"
T2008N	35	23"	29"	8"	ST6309	38" / 9"
T2009A	40	30"	34"	12"	ST6309C	49" / 15"
T2015A	55	24"	42"	12"	ST6309AS	54" / 12"
T2015A*	60	24"	62"	12"		62" / 13"
T2015N	60	31"	32"	16"	ST6309B	44" / 12"
T2020O	80	32"	37"	10"	ST6309N	52" / 15"
T2021A	85	30"	43"	12"	ST6309C	58" / 15"
T2025A	110	30"	51"	12"	ST6309C	66" / 15"

Items in red include Polyethylene stand.



Cone bottom tank with polyethylene stand.

Cone Bottom Tanks

Open Top and Mix Tanks

Heavy walled tanks designed to withstand rugged service. Open top for convenient mixing and filling, self supporting, translucent-visible content level, FDA approved material. Optional steel stands with corrosion resistant coating, or stainless steel, constructed stands are available.

Common Fittings

Part #	Type	Size	Material
BVSF200	Ball Valve	2"	Polypropylene
BV100	Ball Valve	1"	Polypropylene
BV150	Ball Valve	1 1/2"	Polypropylene
BV200	Ball Valve	2"	Polypropylene
BVSM200	Ball Valve	2"	Polypropylene
B200CAP	Camlock Cap	2"	Polypropylene
TA1201	Bulkhead	1"	Polypropylene
TA1205	Bulkhead	1 1/2"	Polypropylene
TA1206	Bulkhead	2"	Polypropylene

Open Top Cone Bottom Tanks

Part #	Gallons	Diameter	Height	Stand	Total Height / Clearance	Agitation Mount
T2530C	55	22"	36"	ST6580	52" / 16"	YES
T2540C	100	30"	36"	ST6582	52" / 16"	YES
T2550A	145	36"	41"	ST6311AP	59" / 18"	NO
T2550U	147	31"	53"	ST6584	69" / 16"	YES
T2559A	200	36"	53"	ST6311AP	71" / 18"	NO
T2560A	250	36"	65"	ST6311AP	83" / 18"	NO
T2560C	250	42"	46"	ST6588	61" / 15"	YES
T2562A	325	36"	82"	ST6311AP	100" / 18"	NO
T2570C	500	52"	64"	ST6590	80" / 16"	YES
T2571A	840	91"	49"	ST6310AA	60" / 11"	NO
T2575A	1010	64"	99"	ST6309A	113" / 14"	NO
T2580A	1050	91"	57"	ST6310AA	68" / 11"	NO
T2585A	1150	91"	60"	ST6310AA	71" / 11"	NO
T2590A	1450	91"	79"	ST6312AA	92" / 13"	NO
T2595A	1500	64"	134"	ST6309A	148" / 14"	NO
T2600A	1710	86"	87"	ST6313A	98" / 11"	NO
T2620A	2350	91"	106"	ST6310AA	117" / 11"	NO
T2625A	2440	91"	117"	ST6312AA	130" / 13"	NO
T2630A	2610	86"	147"	ST6312A	158" / 11"	NO



55 Gallon cone bottom tank with custom stand, mixer bracket, 3/4 H.P. mixer, & chemical feed pump

Complete Cone Bottom Mix Tanks

With steel support stands, mixer support brackets and 115V mixer with 316 stainless steel shaft and propeller.

Complete Mix Stations

Gallons	Diameter	Height
35	26"	43"
55	26"	55"
100	22"	60"
147	33"	69"
250	44"	56"
500	55"	80"

Call to ask about color availability, or heavy duty tanks.

863-261-8388

Double Wall & Containment Basins

Polyethylene fluid containment basins are designed as a secondary containment system. Based on chemical volume quantities, these systems will meet state and federal requirement for containment.

Made from 100% virgin resin, these vertical polyethylene tanks have double walls for extra strength and durability when storing water or liquid chemicals. Seamless and water tight as a result of being rotationally molded. The food grade material used to make this tank is approved by the FDA as safe to hold potable water.



Containment Basins Rectangle

Part #	Gallons	L x W	Height
T6084A	100	55" x 31"	25"
T6088D	150	72" x 36"	12"
T6090A	150	75" x 31"	25"
T6092D	175	48" x 48"	18"
T6096D	240	48" x 65"	18"
T6103A	325	60" x 96"	24"
T6104D	350	68" x 68"	18"
T6109A	425	69" x 71"	25"
T6124A	690	108" x 72"	24"
T6124D	690	106" x 59"	26"
T6125P	700	96" x 72"	25"
T6128A	825	73" x 73"	66"
T6136C	1150	73" x 73"	66"
T6141N	1300	175" x 97"	22"
T6140A	1650	84" x 84"	60"
T6161A	2075	96" x 96"	62"
T61695A	2275	96" x 96"	68"
T6176T	3500	218" x 108"	40"

Double Wall Storage Tanks

Part #	Gallons	Diameter	Height	Fill
T7011PDBL	55	36"	29"	7"
T7012ADBL	65	28"	44"	16"
T7016PDBL	105	36"	42"	7"
T7020ADBL	120	36"	50"	16"
T7023ADBL	150	36"	60"	16"
T7024PDBL	160	36"	59"	7"
T7029ADBL	300	57"	45"	16"
T7029PDBL	405	48"	69"	7"
T7030PDBL	540	77"	48"	17"
T7030ADBL	550	57"	69"	16"
T7034ADBL	1000	77"	82"	16"
T7034PDBL	1000	77"	79"	17"
T7040ADBL	1500	77"	119"	16"
T7040PDBL	1550	96"	83"	17"
T7041ADBL	2000	102"	97"	16"
T7046PDBL	2500	96"	119"	19"
T7050PDBL	3150	122"	91"	24"
T7060PDBL	4400	123"	123"	24"
T7066PDBL	5400	143"	117"	24"
T7067ADBL	6000	120"	191"	16"
T7068ADBL	6500	120"	207"	16"
T7070PDBL	6650	122"	171"	24"
T7080PDBL	8700	143"	174"	24"

Containment Basins Round

Part #	Gallons	Diameter	Height
T6082D	90	43"	18"
T6112D	450	75"	31"
T6091A	610	96"	24"
T6116C	675	66"	46"
T6117C	675	82"	30"
T6127A	920	106"	29"
T6139A	1200	86"	54"
T6169A	2200	91"	85"
T6170N	2800	102"	104"



Common Fittings

Part #	Item Type	Size	Material
BVSF200	Ball Valve	2"	Polypropylene
BV100	Ball Valve	1"	Polypropylene
BV150	Ball Valve	1 1/2"	Polypropylene
BV200	Ball Valve	2"	Polypropylene
BVSMT200	Ball Valve	2"	Polypropylene
B200CAP	Camlock Cap	2"	Polypropylene
TA1201	Ball Valve	1"	Polypropylene
TA1205	Ball Valve	1 1/2"	Polypropylene
TA1206	Ball Valve	2"	Polypropylene

Septic, Cistern, & Elliptical Tanks

Our below ground cisterns feature the same rugged, ribbed design found in our septic tanks. Cisterns are ideal for instances when drinking water must be hauled in, or when a well just doesn't meet consumption needs. Bulkhead fittings are available in full range of sizes to help adapt the cistern to suit specific needs or applications.

Polyethylene Septic Tanks

Part #	Gallons	Length	Width	Height	Height to Inlet	Height to Outlet	
T6020N	300	Sphere	54"	54"	44"	42"	
T6026N	500	101"	51"	47"	36"	33"	
T6036N	1000	102"	60"	63"	51"	48"	
T6044N	1500	135"	55"	70"	59"	56"	

Below Ground Cistern Tanks

Part #	Gallons	Length	Width	Height	Manhole Diameter	
T6046N	325	Sphere	54"	54"	20"	
T6048N	600	101"	51"	47"	20"	
T6050A	850	60"	70"	60"	24"	
T6052N	1200	102"	60"	63"	20"	
T6058N	1700	135"	55"	70"	20"	
T6059N	2500	159"	99"	51"	20"	
T6059A	2500	98"	158"	54"	24"	



Any septic tank can be transported to the job in a pickup truck and carried by two men. Contractors can pick up tank, pipe and fittings

in one trip, and install the tank on schedule because there's no waiting for the tank to be delivered. Because our polyethylene septic tanks are rotationally molded they are seamless and water tight with no joints or seams to leak.



Elliptical Leg Tanks

This elliptical leg tank style is designed to provide the greatest capacity with the lowest center of gravity, making it the best design for transporting larger volumes. Elliptical tanks feature molded-in legs that act as "baffles" to reduce sloshing and provide increased stability during transport.

Polyethylene Elliptical Leg Tanks

Part #	Gallons	Width	Length	Height	Fill		# of Bands	Band	
T3130N	335	48"	71"	33"	16"		2	ST6124	
T3140A	510	57"	80"	39"	16"		2	ST6125A	
T3140N	535	57"	80"	39"	16"		2	ST6127	
T3144N	1035	79"	89"	54"	16"		3	ST6130	
T3148N	1235	66"	128"	53"	16"		4	ST6220	
T3149N	1335	66"	126"	55"	16"		4	ST6223	
T3152N	1635	71"	142"	58"	16"		4	ST6260	
T3156N	2035	84"	142"	56"	16"		4	ST6303	
T3160N	2635	90"	140"	72"	16"		4	ST6301	
T3164N	3135	88"	150"	80"	16"		4	ST6301A	
T3168N	4035	92"	192"	75"	16"		4	ST6301B	



Polyethylene Elliptical Tanks

Part #	Gallons	Width	Length	Height	Fill		Skid	Total Height	
T8008N	200	40"	66"	30"	8"		ST6603	38"	
T8012N	300	48"	70"	36"	8"		ST6605	44"	
T8016N	500	57"	82"	44"	16"		ST6610	52"	
T8020N	750	69"	88"	48"	16"		ST6615	56"	
T8024N	1000	78"	90"	55"	16"		ST6620	63"	
T8025N	1600	78"	138"	54"	16"		ST6631N	62"	

Call to ask about color availability, or heavy duty tanks.
863-261-8388

Horizontal Tanks

Leg Tanks & Bases



Horizontal Leg Tanks

Used primarily for transport and nursing applications, leg tanks feature molded-in legs that act as “baffles” to reduce sloshing.

Polyethylene Horizontal Leg Tanks									
Part #	Gallons	Diameter	Length	Fill	# of Bands		# of Bands	Band	
T3004A	35	18"	34"	5"	2		2	ST6010A	
T3004N	35	20"	29"	5"	2		2	ST6010	
T3008A	65	24"	39"	5"	2		2	ST6020A	
T3008N	65	23"	43"	5"	2		2	ST6020	
T3012A	125	32"	44"	8"	3		2	ST6030A	
T3012N	125	32"	41"	8"	2		2	ST6030	
T3002A	165	32"	54"	8"	3		2	ST6030A	
T3016A	225	38"	52"	8"	3		2	ST6040A	
T3016N	225	38"	49"	8"	2		2	ST6040	
T3020A	325	38"	72"	12"	3		2	ST6040A	
T3020N	325	38"	68"	16"	2		2	ST6040	
T3022A	335	44"	56"	16"	3		2	ST6041A	
T3021N	425	49"	60"	16"	2		2	ST6210	
T3024N	525	49"	71"	16"	2		2	ST6210	
T3025A	535	48"	78"	16"	3		2	ST6210A	
T3028N	725	49"	101"	16"	3		2	ST6210	
T3029A	735	48"	103"	16"	3		3	ST6211A	
T3032A	925	62"	81"	16"	3		2	ST6213A	
T3031A	1010	48"	130"	16"	3		4	ST6129A	
T3032N	1025	49"	139"	16"	4		2	ST6210	
T3033A	1065	56"	105"	16"	3		3	ST6131A	
T3033N	1325	66"	99"	16"	4		4	ST6222	
T3036N	1625	63"	139"	16"	4		4	ST6300	
T3036A	1750	62"	147"	16"	4		4	ST6216A	
T3038N	3725	92"	145"	16"	4		4	ST6301C	
T3037N	5025	92"	190"	16"	5		5	ST6301C	



Horizontal Tank Bases

Part #	Tank Size	Length	Width	
ST6080	35	29"	22"	
ST6085	65	44"	29"	
ST6090	125	42"	38"	
ST6095	225	64"	42 3/4"	
ST6100	325	64"	42 3/4"	
ST6110	525	67"	53 3/4"	
ST6120	725	96"	53 1/4"	
ST6200	1025	133"	53 3/4"	
ST6233	1325	99"	66"	

Horizontal Tanks

Applicator Tanks & Slimline Space Saver


Horizontal Applicator Tanks							
Part #	Gallons	Diameter	Length	Fill	Drain		Saddle
T4020N	20	15"	31"	5"	3/4"		NO SADDLE
T4028N	30	23"	21"	5"	3/4"		ST6330
T4032A	55	23"	38"	5"	3/4"		ST6340A
T4032N	55	23"	34"	5"	3/4"		ST6340
T4036N	85	23"	52"	5"	3/4"		ST6340
T4040A	95	24"	56"	5"	3/4"		ST6342A
T4044N	110	30"	41"	8"	1 1/4" + 1 1/4"		ST6410
T4048A	150	32"	52"	8"	3/4" + 1 1/4"		ST6410A
T4048N	150	32"	46"	8"	1 1/4" + 1 1/4"		ST6410
T4056N	200	32"	62"	8"	1 1/4" + 1 1/4"		ST6420
T4060N	200	38"	47"	8"	1 1/4" + 1 1/4"		ST6430
T4072N	300	38"	68"	8"	1 1/4" + 1 1/4"		ST6440
T4076N	400	42"	74"	8"	1 1/4" + 1 1/4"		ST6500
T4080N	500	48"	75"	8"	1 1/4" + 1 1/4"		ST6510

Whether you're looking for a new or replacement tank, you will find it at Clarion Municipal. These rugged polyethylene tanks will take all the tough knocks that is expected from fieldwork. Corrosion resistant, lightweight and seamless. And the uniquely designed sealant system on the lids will eliminate excessive loss of material.



Horizontal Applicator Tank Saddles

Support sections include two curved sections for small tanks, and one for large tanks, with bands for one tank, which lets you mount it on your own equipment. Cradles are ideal for replacement tank support. The cradles come with a pre-stamped hole, designed to fit the sump.



Slimline Space Saver Tanks						
Part #	Gallons	Width	Length	Height		Saddle
T4052N	150	28"	50"	41"		ST6419
T4064A	200	24"	55"	46"		ST6421
T4068A	250	24"	61"	51"		ST6425A

- Cut away style for better visibility.
- Suited for trailer and truck bed mounting when space is limited.
- Bottom sump for drainage.
- Molded in gallonage indicator.
- 8" fill opening.



Call to ask about color availability, or heavy duty tanks.
863-261-8388

Polyethylene Pest Control, Transport & Loaf Tanks

Pest Control Operators (PCO) Tanks


Rotationally molded polyethylene with a ribbed design for extra strength. The standard color is white, and UV inhibitors are added for protection against sunlight. Standard features include; a 8" fill well and splash guard cover, two flat spots on tank ends for mechanical or jet agitation, optional bulkheads and lid strainer bracket. They are ideal for agricultural, nursery, lawn care and commercial turf sprayers.



Loaf tanks

Molded, noncorrosive polyethylene with one-piece seamless construction. Although extremely strong and durable, these tanks weigh only a fraction of aluminum or stainless and are unaffected by electrolysis or corrosion.

Water tanks meet F. D. A. standards for potable water use.



Pest Control Tanks					
Part #	Gallons	Length	Width	Height	
T5520N	30	25"	19"	23"	
T5530A	50	38"	19"	23"	
T5530AS	50 (SUMP)	38"	19"	23"	
T5530N	50	38"	19"	23"	
T5540A	100	38"	30"	29"	
T5540N	100	38"	30"	30"	
T5550A	150	48"	37"	29"	
T5550N	150	48"	37"	29"	
T5560A	200	48"	37"	38"	
T5560N	200	48"	37"	37"	
T5570A	300	69"	37"	40"	
T5570N	300	69"	36"	37"	

Polyethylene Loaf Tanks					
Part #	Gallons	Length	Width	Height	
T5023D	2	23"	7"	4"	
T5034R	6	18"	12"	8"	
T5042D	10	16"	12"	12"	
T5047D	11	30"	10"	8"	
T5052AS	12	16"	12"	22"	
T5052D	12	22"	16"	9"	
T5052R	12	23"	10"	14"	
T5058R	13	20"	17"	9"	
T5066R	14	24"	14"	10"	
T5088R	15	23"	14"	12"	
T5094R	16	27"	14"	10"	
T5102R	20	22"	19"	11"	
T5116R	20	26"	14"	13"	
T5124R	21	27"	14"	13"	
T5132R	21	36"	20"	7"	
T5142A	26	25"	18"	19"	
T5142N	26	25"	18"	20"	
T5154R	29	30"	20"	12"	
T5174R	30	43"	16"	11"	
T5166R	31	30"	24"	10"	
T5187D	38	37"	22"	12"	
T5191A	45	37"	18"	22"	
T5192A	50	38"	19"	23"	
T5192R	50	36"	18"	18"	
T5196A	55	18"	18"	44"	
T5198R	61	35"	27"	15"	
T5206R	60	69"	27"	9"	
T5213A	68	42"	26"	17"	
T5239N	68	42"	27"	17"	
T5239A	80	27"	18"	44"	
T5242D	90	55"	22"	18"	
T5245A	100	43"	27"	29"	
T5245D	100	46"	20"	26"	
T5251D	120	59"	31"	17"	
T5252A	150	48"	36"	29"	
T5261A	200	48"	36"	38"	
T9680R	300	62"	42"	33"	

Transport Tanks

These one-piece, molded polyethylene tanks are designed for transporting, hauling, low spaces, etc. The low profile, flat bottom rectangular design saves space and does not need stands or cradles for support. The tank comes complete with an 8" anti-surge vented fill cap and molded-in calibrations.

Transport Tanks						
Part #	Gallons	Length	Width	Height	Fill	
T5191A	45	37"	18"	22"	5"	
T5192A	50	38"	19"	23"	8"	
T9620R	50	38"	26"	13"	8"	
T5239A	68	27"	18"	44"	8"	
T5245A	100	43"	27"	29"	8"	
T9640R	110	38"	26"	26"	8"	
T5252A	150	48"	36"	29"	8"	
T5261A	200	48"	36"	38"	8"	
T9680R	300	62"	42"	29"	8"	
T9640A	110 (Low Profile)	48"	35"	19"	5"	
T9658A	200 (Low Profile)	60"	48"	19"	8"	
T9890N	1250 (Low Profile)	130"	81"	38"	16"	
T9892N	1275 (Low Profile)	126"	84"	36"	2"	
T9891N	1500 (Low Profile)	130"	81"	44"	16"	
T9645N	1600 (Low Profile)	126"	84"	42"	16"	
T9700N	2400 (Box)	150"	90"	53"	16"	

*These tanks do not include lids or fittings. Please refer to page 12 for fitting types and lids.

Specialty, Total Drain, Open Top Cylindrical & Spot Sprayer Tanks

Specialty Tanks

Part #	Type	Gallons	Length	Width	Height	Fill	
T5042A	Rinse Tank	10	13"	13"	21"	8"	
T5131A	Upright	20	15"	11"	31"	5"	
T5174A	Total Drain	35	28"	19"	20"	5"	
T5198A	Total Drain	56	38"	20"	26"	5"	
T9686N	Free Standing Narrow	100	36"	18"	43"	8"	
T9689A	Free Standing	250	62"	29"	42"	16"	
T9687N	Free Standing	300	62"	29"	48"	16"	
T9690A	Free Standing	400	62"	29"	66"	16"	
T9691N	Free Standing	500	74"	31"	70"	16"	
T9692N	Free Standing	750	82"	35"	85"	16"	
T9693N	Free Standing	1000	92"	40"	89"	16"	
T9700N	Horizontal Box	2400	150"	90"	53"	16"	
T9680A	Dock Float	-	48"	24"	12"	-	



Total Drain Tanks

Part #	Gallons	Length	Width	Height	Fill	
T5025ATD	2.5	15"	7"	14"	5"	
T5027A	4	11"	11"	15"	5"	
T5028ATD	5	11"	11"	20"	5"	
T5042A	10	13"	13"	21"	8"	
T4012N	12	18"	14"	15"	5"	
T5174A	35	28"	19"	20"	5"	
T5198A	56	38"	20"	26"	5"	



Open Top Cylindrical Tanks

Part #	Gallons	Diameter	Height		Cover	
T60199C	7	10"	21"		T60199CA	
T60240C	15	15"	19"		T60240CA	
T60260C	17	18"	15"		T60260CA	
T60280C	30	18"	29"		T60280CA	
T60320C	36	15"	48"		T60320CA	
T60360A	55	23"	36"		T60360CA	
T60360C	55	22"	36"		T60360CA	
T60400C	73	30"	24"		T60400CA	
T60440C	90	24"	48"		T60440CA	
T60480C	100	28"	42"		T60480CA	
T60561C	125	36"	30"		T60561CA	
T60600C	150	31"	48"		T60600CA	
T60680C	200	36"	48"		T60680CA	
T60720C	275	42"	48"		T60720CA	
T60500C	330	45"	48"		T60500CA	
T60520C	360	48"	48"		T60520CA	
T60530A	500	56"	65"		Incl. bolt on	
T60530C	500	52"	60"		T60530CA	
T60540C	600	48"	84"		T60540CA	
T6125A	1000	74"	64"		Incl. bolt on	
T60560C	1250	69"	84"		T60560CA	
T6126A	1500	86"	68"		Incl. bolt on	
T6169A	2200	91"	85"		Incl. bolt on	

Spot Sprayer Tanks

Part #	Gallons	Width	Length	Height	
T4016R	15	14"	32"	14"	
T4017A	15	16"	34"	13"	
T4024A	25	18"	36"	17"	
T4024R	25	16"	35"	18"	
T4029A	40	24"	36"	19"	
T4035A	60	24"	36"	26"	

Tank Accessories

Bolted, Bulkhead & Coupling Tank Fittings

At Clarion Municipal, we have the ability to place tank fittings in the appropriate place on your tank to customize your piping and containment needs. We complete all of our custom work with the level of excellence that industry professionals have come to trust.

Bolted Tank Fittings				
Part #	Size	Thread	Material	
TA3000	1/2"	FPT X FPT	Polypropylene	
TA3000A	1/2"	FPT X FPT	316 Stainless	
TA3010	3/4"	FPT X FPT	Polypropylene	
TA3010A	3/4"	FPT X FPT	316 Stainless	
TA3011A	1"	FPT X FPT	316 Stainless	
TA3020	1"	FPT X FPT	Polypropylene	
TA3030	1 1/2"	FPT X FPT	Polypropylene	
TA3040	2"	FPT X FPT	Polypropylene	
TA3050	3"	FPT X FPT	Polypropylene	
TA3058A	3/4"	MPT X MPT	316 Stainless	
TA3059A	1"	MPT	316 Stainless	
TA3060	1 1/2"	MPT X Antivortex	316 Stainless	
TA3060A	1 1/2"	FPT X FPT	316 Stainless	
TA3061A	2"	FPT X FPT	316 Stainless	
TA3062	3"	MPT X Antivortex	316 Stainless	
TA3063A	4"	FPT X FPT	316 Stainless	
TA3070	1 1/2"	FPT X Antivortex	316 Stainless	
TA3072	3"	FPT X FPT	316 Stainless	
TA3079	2"	MPT X MPT	316 Stainless	
TA3080	3"	MPT X MPT	316 Stainless	
TA3085	3/4"	MPT X FPT	316 Stainless	
TA3086	1"	MPT X FPT	316 Stainless	
TA3092	1 1/2"	FPT X FPT	316 Stainless	
TA3093	2"	FPT X FPT	316 Stainless	
TA3095	4"	FPT X FPT	316 Stainless	

Bulkhead Tank Fittings				
Part #	Size	Thread	Material	
TA1105	1/2"	FPT X FPT	PVC	
TA1107	3/4"	FPT X FPT	PVC	
TA1110	1"	FPT X FPT	PVC	
TA1112	1 1/4"	FPT X FPT	PVC	
TA1115	1 1/2"	FPT X FPT	PVC	
TA1120	2"	FPT X FPT	PVC	
TA1130	3"	FPT X FPT	PVC	
TA1140	4"	FPT X FPT	PVC	
TA1199	1/2"	FPT X FPT	Polypropylene	
TA1200	3/4"	FPT X FPT	Polypropylene	
TA1201	1"	FPT X FPT	Polypropylene	
TA1203	1 1/4"	FPT X FPT	Polypropylene	
TA1205	1 1/2"	FPT X FPT	Polypropylene	
TA1206	2"	FPT X FPT	Polypropylene	
TA1207	2"	FPT X FPT	Heavy Duty	
TA1209	3"	FPT X FPT	Polypropylene	
TA1207A	2"	FPT X FPT	P/Pro Siphon Tube	
TA1211	4"	FPT X FPT	Polypropylene	
TA1210A	3"	FPT X FPT	P/Pro Siphon Tube	
TA1160	6"	FPT X FPT	PVC	

Polyethylene Coupling Tank Fittings					
Part #	Size	Thread	Material	Type	
TA4007	1/2"	Weld X FPT	Polyethylene	Full Coupling	
TA4007A	3/4"	Weld X FPT	Polyethylene	Full Coupling	
TA4008	1"	Weld X FPT	Polyethylene	Full Coupling	
TA4008B	1 1/4"	Weld X FPT	Polyethylene	Full Coupling	
TA4009	1 1/2"	Weld X FPT	Polyethylene	Full Coupling	
TA4010	2"	Weld X FPT	Polyethylene	Full Coupling	
TA4011	3"	Weld X FPT	Polyethylene	Full Coupling	
TA4012	4"	Weld X FPT	Polyethylene	Full Coupling	
TA4007B	1/2"	Weld X FPT	Polyethylene	Half Coupling	
TA4007C	3/4"	Weld X FPT	Polyethylene	Half Coupling	
TA4008A	1"	Weld X FPT	Polyethylene	Half Coupling	
TA4008C	1 1/4"	Weld X FPT	Polyethylene	Half Coupling	
TA4009A	1 1/2"	Weld X FPT	Polyethylene	Half Coupling	
TA4010A	2"	Weld X FPT	Polyethylene	Half Coupling	
TA4011A	3"	Weld X FPT	Polyethylene	Half Coupling	
TA4012A	4"	Weld X FPT	Polyethylene	Half Coupling	



Poly Coupling



316 SS Bolted Fitting



Spinweld Fitting



Bulkhead Fitting



Self-Aligning PVC Fitting



Poly Bolted Fitting

Tank Accessories

Spinweld & Self Aligning Fittings, Tank Lids

Polyethylene Spinweld Tank Fittings

Part #	Size	Thread	Material
TA4000	3/8"	Spin Weld X FPT	Polyethylene
TA4001HD	1/2"	Spin Weld X FPT	Polyethylene
TA4002	3/4"	Spin Weld X FPT	Polyethylene
TA4003	1"	Spin Weld X FPT	Polyethylene
TA4004	1 1/2"	Spin Weld X FPT	Polyethylene
TA4005	2"	Spin Weld X FPT	Polyethylene
TA4006	3"	Spin Weld X FPT	Polyethylene



16" Lid With Vent



5" Lid w/ check



8" Lid With Ring and Vent



16" Hinged Lid with Ring and Vent

Self Aligning Bulkhead Fittings

Part #	Size	Thread	Material
TA1201A	1"	FPT X FPT	PVC
TA1206A	2"	FPT X FPT	PVC
TA1206N	2"	FPT X FPT	P/Pro
TA1209A	3"	FPT X FPT	PVC

Tank Lids

Part #	Size	Type
TL4000	5"	Lid with Check
TL4100	5"	Lid with Check
TL4300D	8"	Lid with Ring and Vent
TL4200	8"	Lid with Ring and Vent
TL4300	8"	Lid With Vent
TL4400	8"	Ring
TL4700	16"	Lid with Ring and Vent
TL4800	16"	Lid With Vent
TL4900	16"	Ring
TL5025	16"	Vent
TL4700NH	16"	Hinged Lid w/ Ring and Vent
TL5501	20"	Septic Lid

Tank Accessories

Part #	Size	Thread	Material	Type
D387	1"	FPT	PVC	Flange
D388	1 1/4"	FPT	PVC	Flange
D389	1 1/2"	FPT	PVC	Flange
D390	2"	FPT	PVC	Flange
D392	3"	FPT	PVC	Flange
D393	4"	FPT	PVC	Flange
D375	1"	SLIP	PVC	Flange
D376	1 1/4"	SLIP	PVC	Flange
D377	1 1/2"	SLIP	PVC	Flange
D378	2"	SLIP	PVC	Flange
D380	3"	SLIP	PVC	Flange
D381	4"	SLIP	PVC	Ball Valve
V130	1/2"	FPT	PVC	Ball Valve
V131	3/4"	FPT	PVC	Ball Valve
V132	1"	FPT	PVC	Ball Valve
V133	1 1/4"	FPT	PVC	Ball Valve
V134	1 1/2"	FPT	PVC	Ball Valve
V135	2"	FPT	PVC	Ball Valve
BV050	1/2"	FPT	Polypropylene	Ball Valve
BV075	3/4"	FPT	Polypropylene	Ball Valve
BV100	1"	FPT	Polypropylene	Ball Valve
BV125	1 1/4"	FPT	Polypropylene	Ball Valve
BV150	1 1/2"	FPT	Polypropylene	Ball Valve
BV200	2"	FPT	Polypropylene	Ball Valve
BV300	3"	FPT	Polypropylene	Ball Valve
V332	1/2"	FPT	316 SS	Ball Valve
V333N	3/4"	FPT	316 SS	Ball Valve
V334N	1"	FPT	316 SS	Ball Valve
V335	1 1/4"	FPT	316 SS	Ball Valve
V336	1 1/2"	FPT	316 SS	Ball Valve
V337	2"	FPT	316 SS	Ball Valve
V338	3"	FPT	316 SS	Ball Valve
V200	1/2"	FPT	PVC	Gate Valve
V201	3/4"	FPT	PVC	Gate Valve
V202	1"	FPT	PVC	Gate Valve
V203	1 1/4"	FPT	PVC	Gate Valve
V204	1 1/2"	FPT	PVC	Gate Valve
V205	2"	FPT	PVC	Gate Valve



PVC Ball Valve



PVC Gate Valve



PVC Flange

Couplers, Adapters and Strainers



Cam Action Couplers

1/2"		3/4"		1"		1 1/4"		1 1/2"		2"		3"	
Part #		Part #		Part #		Part #		Part #	Part #		Part #		Part #
B050A		B075A		B100A		B125A		B150A		B200A		B300A	
B050B		B075B		B100B		B125B		B150B		B200B		B300B	
B050C		B075C		B100C		B125C		B150C		B200C		B300C	
B050D		B075D		B100D		B125D		B150D		B200D		B300D	
B050E		B075E		B100E		B125E		B150E		B200E		B300E	
B050F		B075F		B100F		B125F		B150F		B200F		B300F	
B050CAP		B075CAP		B100CAP		B125CAP		B150CAP		B200CAP		B300CAP	
B050PL		B075PL		B100PL		B125PL		B150PL		B200PL		B300PL	

90° Cam Action Couplers

Part #	
B150A90	
B200A90	
B150C90	
B200C90	
B150D90	
B200D90	
B150F90	
B200F90	



Manufactured from glass reinforced polypropylene. Smooth Operating 304 Stainless Steel cam arms and pins. Pressure rating 1/2" - 2" 125 PSI, 3" 100 PSI. Standard with EPDM gaskets, Viton Available. Interchangeable with other couplers and adapters.

Basket Strainers

Part #	Size	
TL3050	8"	
TL3052	10"	
TL3051	16"	



We stock a huge assortment of Strainers and screen meshes, in a variety of configurations for virtually any application. Give our expert sales staff a call and let them help you choose which is right for your needs.

Polypropylene Ball Valves

2" Standard Port Ball Valves

Part #	Fitting	Max PSI	Opening Thru Ball
BVSF200	2" Male Adapter X 2" Female NPT	100	1 1/2"
BVSMT200	2" Male NPT X 2" Female NPT	100	1 1/2"
BVSFMT200	2" Male Adapter X 2" Male NPT	100	1 1/2"
BVSFHB200	2" Male Adapter X 2" Male Hose Barb	100	1 1/2"



BVSFHB200



BVSMT200

6 Bolt Polypropylene Bolted Ball Valve

Part #	Port	Max PSI	Fitting Size	Opening Thru Ball
BV200FP	Full	150	2"	2"
BV300	Standard	150	3"	2 1/2"
BV300FP	Full	150	3"	3"
BV400	Standard	75	4"	3 1/2"



BVSF200

4 Bolt Polypropylene Bolted Ball Valve

Part #	Port	Max PSI	Fitting Size	Opening Thru Ball
BV050	Full	150	1/2"	3/4"
BV075	Full	150	3/4"	3/4"
BV100	Standard	150	1"	3/4"
BV100FP	Full	150	1"	1"
BV125	Standard	150	1 1/4"	1"
BV125FP	Full	150	1 1/4"	1 1/2"
BV150	Full	150	1 1/2"	1 1/2"
BV200	Standard	150	2"	1 1/2"

2" Full Port Ball Valves

Part #	Fitting	Max PSI	Opening Thru Ball
BVSMT204FP	2" Male NPT X 2" Female NPT	100	2"
BVSF204FP	2" Male Adapter X 2" Female NPT	100	2"
BVS204FP	2" Female NPT X 2" Female NPT	100	2"
BVSFMT204FP	2" Male Adapter X 2" Male NPT	100	2"

3" Standard Port Ball Valves

Part #	Fitting	Max PSI	Opening Thru Ball
BMVSF300	3" Manifold Flange X 3" Male Adapter	100	2 1/2"
BMVSMT300	3" Manifold Flange X 3" Male NPT	100	2 1/2"
BVSMT300	3" Female NPT X 3" Male NPT	100	2 1/2"
BVSF300	3" Female NPT X 3" Male Adapter	100	2 1/2"
BVSFMT300	3" Male NPT X 3" Male Adapter	100	2 1/2"

CPP Fittings and Adapters



Clarion Municipal offers a variety of CPP fittings including camlocks, IBC valves, key-lock, easy-seal, hose fittings and more.



- 275 Gallon UN Transport Tanks (Reconditioned)
- 6" Top Lid
- 2" Bottom Valve
- Polyethylene Bottle
- Galvanized Steel Cage
- 40"W x 48"D x 45"H
- Call For Pricing

Part # - T9670CCS



CPP Fittings	
Part #	Description
CPP200SVALVEC	SCHUETZ CONT. VALVE 2" CAM, CAP
CPP200SVALVEB	SCHUETZ CONT. VALVE 2" CAM, CAP
CPP2BCS/20B/024	2" BSP SHORT DUST CAP, BLK
CPP2BC20N024	2" NPT FEMALE DUST CAP
CPP200UD	2" DUST CAP, IBC THREAD
CPP21B024	2 1/8" DUST CAP, IBC VALVE CAM OULET
CPP1020M027	1" PART A CAM X 2" NPS FEMALE
CPP200ABPS	2" PART A, 2" CAM ADAPTOR
CPP200200C	2" PART C, 2" CAM X 2" HB
CPP200150C	2" PART C, 2" CAM X 1 1/2" HB
CPP200125C	2" PART C, 2" CAM X 1 1/4" HB
CPP200100C	2" PART C, 2" CAM X 1 1/4" HB
CPP150P20BV	IBC LID, 6" FILL, W/ 2" VENT



Polyethylene Tank Facts

Tank Warranty

The heavy duty tanks carry a 5 year warranty, premium weight tanks carry a 3 year warranty and and water tanks a 1 year warranty, from date of manufacture.

FDA Approval for Potable Water

The resins used for above ground tanks and cistern below ground tanks are safe for holding potable water. When storing potable water, it is important to keep all light out of the tank to prevent mold build up.



What Can My Tank Hold

Premium tanks, which are 1.5-1.6 specific gravity, for liquids weighing up to 12.5 pounds per gallon. Heavy duty tanks, which are 1.9 specific gravity, for liquids weighing up to 15.8 pounds per gallon. Storing chemicals that have a higher specific gravity than the tanks maximum capacity will void the warranty.

What is the Maximum Temperature for the Tank

Polyethylene tanks can withstand temperatures up to 120 degrees F, but do not have a minimum temperature rating. Storing contents above this temperature can permanently weaken the tank. Due to the maximum allowed temperature of 120 degrees F, liquids with low flash points cannot be held in poly tanks.

What Chemicals Can I Store in the Tank

There are a variety of chemicals that can be stored in a poly tank, but due to the vast amount of different chemical concentrations, we strongly encourage you to contact our expert salesman to ensure that the chemical is compatible with our tanks.

What Tanks Can I Bury

The only tanks that can be buried are the cistern and septic tanks. They have ribbed walls for structural integrity and will not collapse from the backfill procedure.

What Type of Surface do I Need for My Tanks

We recommend that you properly install a concrete pad for any vertical tanks over 2,000 gallons.

For any questions not answered by our tank facts page, please contact our expert salesman and they can answer any questions you may have.

863-261-8388



- 275 Gallon UN Transport Tanks (Reconditioned)
- 6" Top Lid
- 2" Bottom Valve
- Polyethylene Bottle
- Galvanized Steel Cage
- 40"W x 48"D x 45"H
- Call For Pricing

Part # - T9670CCS

Molded to fit full-size American made pickups, the 325 and 425 sizes now have low profiles for better rear vision and feature fill openings offset to the side of the tank for safe and easy access. Tough circular design adds strength. The 210 gallon tanks fits both "mini" pickups as well as full-size models.



Keep your liquids at nominal temperature this winter. Custom heat tracing panels can be installed to virtually any size tanks. Latex mastic coating is applied to the external tank surface to achieve the correct "R" value.

Call Today for pricing and availability.



Pickup Truck Tanks

Part #	Gallons	Diameter	Height	Fill
T0904N	210	60" / 51"	28"	8"
T0908N	325	62"	32"	8"
T0912N	425	65"	37"	8"



500 gallon fuel tank shown in T6124D containment basin

Carbon Steel Fuel Tanks Available in 3 popular sizes, 280 Gallon, 500 Gallon and 1000 Gallon. Available in Single wall and Double wall, Also available with or without UL Label. All Carbon Steel Fuel tanks include Roll Over Brackets.

Call for current pricing.



CLARION MUNICIPAL
 WWW.CLARIONMUNICIPAL.COM
 PO BOX 700338
 WABASSO, FL 32970
 INFO@ONECLARION.COM
 PH: (863)-261-8388
 FAX: (863)-261-8389