


	REVISION				
REV	DESCRIPTION	BY	DATE	CHANGE NO.	
1	NOTES & DESCRIPTION UPDATED	JL	01/10/14	CBH-	



PERFORATED REAR DOOR-

THIS DRAWING AND/OR THE TECHNICAL INFORMATION CONTAINED HEREON IS THE PROPERTY OF COOPER BLINE, INC, ("BLINE"), AND IS ISSUED IN CONFIDENCE FOR BLINE ENGINEERING PURPOSES ONLY AND MAY NOT BE REPRODUCED OR USED FOR AMP PURPOSE WHATSIGEVER WITHOUT THE EXPRESS WHITTEN PERMISSION OF BLINE TO THE USER. THIS DRAWING ANDIOR TECHNICAL INFORMATION IS THE PROPERTY OF BLINE AND IS CLOWED FOR MAINT ASSISTANCE, TO BE RETURNED WHEN ITS INTERIOR DURPOSE HAS BEEN SERVED.					
Powering Business Worldwide Walrow Industrial Estate Highbridge, Somerset England TA9 4AQ Phone +44 (0) 1278 783371 FAX +44 (0) 1278 789037	REC SERIES RACK 42U & 47U 600w PERFORATED DOORS RCA42610SPBE / RCA42612SPBE RCA47610SPBE / RCA47612SPBE	REFERENCE DWG(S):		SUBMITTAL NO: S00024952 DRAWN BY: CHECKED BY: REV. JL GGB 1 DATE: 17/09/14	
www.cooperbline.com		MODEL SOURCE FILE: 00024952	REV: 00	1 OF 3	
*****.000pcrbillic.00111	EQUIPMENT FURNISHED HAS BEEN FABRICATED IN ACCORDANCE WITH THIS DRAWING.	333Z+302			



FATON

EXAMPLE EATON LOGO LABEL

LOCATED TOP LEFT OF CABINET FRAME FRONT AND REAR (SEE LOCATION HIGHLIGHTED ON FRONT VIEW **)

LOCATED INSIDE CABINET CENTRALISED AT THE FRONT ON THE UNDERSIDE OF THE TOP PANEL (SEE LOCATION HIGHLIGHTED ON FRONT VIEW *)	

	REVISION				
REV	DESCRIPTION	BY	DATE	CHANGE NO.	
1	NOTES & DESCRIPTION UPDATED	JL	01/10/14	CBH-	

SPECIFICATION:

: BASIC FRAME WITH JACKING FEET & CASTORS

: 2 X PAIRS OF FULLY ADJUSTABLE 19-INCH RAILS

: UNIT HEIGHT LABELS (FRONT & REAR, BOTTOM TO TOP)

: PERFORATED STEEL FRONT DOOR WITH 3-POINT LOCKING SWING HANDLE (80% PERFORATED AREA)

: PERFORATED STEEL REAR DOOR WITH 3-POINT LOCKING SWING HANDLE (80% PERFORATED AREA)

: SIDE PANELS (PAIR)

: TOP COMPRISING OF 1 X BRUSH PANEL (REAR), ALL OTHERS PLAIN PANELS

: SUPPLIED WITH EARTH KIT (LOOSE)

: SUPPLIED WITH FIXING KIT

: BAYING KIT

: STATIC LOAD RATING - 1100KG

: FINISHED BLACK RAL9005

: SUPPLIED FULLY ASSEMBLED

: ON HEAT TREATED EURO PALLET



