

Thunderbolt 3 to Dual HDMI 2.0 Adapter - 4K 60Hz - Thunderbolt 3 Certified - Dual Monitor HDMI Video Converter Adapter - Mac & Windows compatible - Dual 4K Display HDMI

Product ID: TB32HD24K60



This high-performance Thunderbolt 3 adapter lets you add two 4K 60Hz HDMI monitors to your Windows or Mac computer through a single Thunderbolt 3 port.

The Thunderbolt video adapter is compatible with computer systems that support Thunderbolt 3, such as models of MacBook Pro, Dell Precision and Dell XPS. Thunderbolt 3 is a protocol that uses the USB-C connector, but your computer system must support Thunderbolt 3 in order for the adapter to function as expected. If you connect the adapter to a USB-C port that does not support Thunderbolt 3, the adapter will not function.

With an unprecedented 40Gbps of throughput, Thunderbolt 3 enables you to achieve the previously impossible feat of using a single port on your laptop to output dual 4K resolution at 60Hz to two independent displays. This performance lets you run the most resource-demanding applications imaginable. You can output independent content to each display at resolutions of up to 4096 x 2160p (60Hz), which is perfect for editing 4K video or performing other Ultra HD tasks such as creating CAD drawings or reviewing medical imagery.

Functioning as an external 2-port graphics adapter with audio support, this is a compact and convenient alternative to a laptop dock when you don't need full docking capability.

With two UHD 4K displays, you can work more efficiently from your laptop, so you can accomplish more in the same amount of time. With each display delivering 4K performance, you can have four times the screen space compared to 1080p. Creative professionals can be more productive with the freedom to edit 4K video on one display while previewing raw video playback on the second 4K display.

This adapter helps to keep your system running at peak performance. Unlike USB external video solutions, Thunderbolt 3 lets you run Ultra HD 4K resolution at 60Hz on both displays without draining system resources.

Because it's backward compatible with your high-definition 1080p displays, this is a great accessory for home, office or other desktop workspace applications.

The TB32HD24K60 is backed by a 2-year StarTech.com warranty and free lifetime technical support.



Certifications, Reports and Compatibility

Applications

- Connect your computer to two 4K monitors
- Design high-resolution, graphic-intensive content, such as CAD drawings and Photoshop graphic images
- Create and edit 4K video while using resource intensive software
- Multitask by previewing your raw output content on a second 4K display
- Connect to different systems with 4K or 1080p displays for hot desking in BYOD office applications
- Use one screen for referencing data such as websites, while composing 4K content on your other screen
- · Span a spreadsheet or worksheet across multiple displays to avoid side-scrolling
- Access panoramic views that are built into software applications, while viewing helpful tutorial content on your laptop monitor
- Connect your MacBook Pro, Dell XPS or Dell Precision to two external DP monitors

Features

• HIGH PERFORMANCE: Thunderbolt 3 (40Gbps) to Dual HDMI 2.0 4K 60Hz (4096x2160) Monitor Adapter 7.1ch Audio HDCP 2.2/1.4 TB3 Certified High Frame Rates Uncompressed Dual 4K 60Hz

• DUAL 4K 60HZ SUPPORT: Using a single Thunderbolt 3 USB Type-C port, this bus-powered dual monitor adapter supports resolutions up to 4K 60Hz on both screens and is backward compatible w/ 1440p & 1080p

• HOST COMPATIBILITY: Supports TB3 devices incl. MacBook Pro & MacBook Air (extended dual displays on Mac w/ Intel processor; dual display not compatible w/ Apple M1 chip), Lenovo X1 Carbon, ThinkPad & Yoga, Dell XPS, Latitude & Precision, HP EliteBook

• DISPLAY COMPATIBILITY: Video converter tested w/ 4K (UHD) & 1080p (FHD) displays incl brands LG, Samsung, Sony, Dell, ASUS, ACER, BenQ; great for content creation, imaging, & labs w/ high-res monitors

• EASY TO USE: Driverless setup & compatible w/ macOS & Windows (some Windows PCs may not support dual video output w/ TB3); designed w/ a compact aluminum housing and 10in/25cm cable

Hardware		
	Warranty	2 Years
	Active or Passive Adapter	Active
	AV Input	Thunderbolt 3 USB-C (24-pin) (40Gbps)



	AV Output	HDMI
	Audio	Yes
Performance		
	Maximum Data Transfer Rate	40 Gbps
	Maximum Analog Resolutions	4K
	Maximum Digital Resolutions	Dual monitor: 4K @ 60 Hz
	Supported Resolutions	4096x2160
		3840x2160
		2560x1600
		1920x1200
		1920x1080
		1280x720
Connector(s)		
	Connector A	Thunderbolt 3 USB-C (24-pin) (40Gbps)
	Connector B	HDMI (19 pin)
Software		
	OS Compatibility	Windows 8, 8.1, 10, 11
		macOS 10.12 - 10.15, 11.0, 12.0
Special Notes / Requirements		
1	Nata	The edepter will only function when connected to the

Note

Color

Physical Characteristic

Characteristics

Silver

Cable Length

11.2 in [28.4 cm]

The adapter will only function when connected to the

Thunderbolt 3 port of your computer. If the port is a USB-C port that does not support Thunderbolt 3 the adapter will not function.



What's in the Box	Included in Package	Thunderbolt 3 to dual HDMI adapter
	Shipping (Package) Weight	7.9 oz [224.0 g]
	Package Height	1.6 in [40.0 mm]
	Package Width	5.7 in [14.4 cm]
Information	Package Length	8.3 in [21.0 cm]
Packaging		
	Weight of Product	3.6 oz [103.0 g]
	Product Height	0.4 in [10.0 mm]
	Product Width	2.4 in [60.0 mm]
	Product Length	4.5 in [11.4 cm]

*Product appearance and specifications are subject to change without notice.

