XM5200 Series



Fast, quality monochrome output



Productivityboosting speed, functionality and reliability



Workflowsmoothing solutions and flexibility



Security for sensitive data



Cost control plus environmental responsibility

This is an FCC Class A device. Not intended for use in residential or domestic environments.



Authorized Dealer:



Lexmark XM5200

Versatile, productive, and easy to use



Versatility

The Lexmark XM5200 Series is a versatile multifunction system to help your business be more productive. Configure your device with the right features and productivity solutions to simplify your workflow so you can focus more on business.

- Process even the most complex jobs utilizing the 800 MHz dualcore processing power and up to 3 GB of memory.
- Get work done quickly with print speeds up to 70 ppm and produce your first page in as little as four seconds.
- Produce professional output with a system that delivers consistent image quality on a diverse range of materials.
- Instant warm-up fuser helps reduce energy consumption and improve time to first page.
- The large, vivid display is also ideal for print and scan preview, and has magnification and reverse-image options to assist users with varying abilities.
- Lexmark's innovative e-Task user interface makes it easy to take advantage of preinstalled solutions to meet business process needs.

Business productivity

The Lexmark XM5200 Series combines exceptional multifunction performance with time-saving applications designed to make you more productive.

- Save time with fast two-sided color scanning in a single pass and quickly convert hard-copy documents into a digital format.
- Advanced copy functions let you interrupt long print runs to make a quick copy and proof the first copy set before completing your copy job.
- Scan to multiple destinations, including network, email, FTP, fax and more.
- For higher-volume print speeds, optional input capacity can be added to keep jobs moving.

Easy and intuitive

The Lexmark XM5200 Series is designed for easy operation so you can stay focused on running your business instead of routine maintenance.

- The easy-to-navigate 7-inch or 10-inch color touch screen provides audible feedback to make tasks intuitive.
- Print preview features help you select documents or specific pages within a document.
- Extend your environmental responsibility with energy-efficient settings such as the sleep button and hibernate mode.
- Manage your devices with available software.



Propel your business forward

Our solutions are designed with your productivity in mind. The Lexmark XM5200 Series platform lets you interact with business applications directly on the device, using an on-premise server, or hosted in the cloud. Reduce unnecessary printing and simplify work processes with Lexmark solutions.

Professional-quality output is only part of the story

Lexmark is focused on delivering tailored solutions to solve the unique challenges businesses face. Lexmark's broad portfolio of high-quality products, solutions and services help improve productivity, increase efficiency and empower employees to perform at their best.

By leveraging our industry expertise, you can generate efficiency and increase productivity across business processes to move ahead. Lexmark technology solutions are tailored to your business environment—where business interactions and decisions are happening.

Empower your employees with workflow solutions that refine work processes, capture critical data and deliver information to the right place at the right time and in the right format. Contact your Lexmark Business Solutions Dealer for specific vertical solutions.* Solutions are customized through your dealer.

Advanced scanning technology

Connect your digital systems to your unstructured content with ease. The advanced scanning technology on the XM5200 makes it fast and hassle-free.

- Improve scanning productivity and capture efficiency by reducing the time involved in manual document preparation and automatically enhancing the quality of scanned images with the Lexmark VirtualReScan (VRS) integration option.[§]
- Scan a stack of mixed-sized originals at full speed.
- Keep things fast and file sizes small with color detection that scans in mono if no color is found.
- Reduce file sizes and maintain information accuracy with Mixed Raster Content (MRC) file compression.
- Get accurate, high-resolution images with Charged Coupled Device (CCD) sensors and four-piece optical glass lenses.
- Don't waste time restarting a job. Page-level jam recovery picks up where the job left off.

*Additional Lexmark solutions are available through your authorized Lexmark partner.



Navigate to efficiency

The Lexmark color touch screen is a key access point to your device. The large customizable 7-inch or 10-inch screen gives you the ability to preview thumbnails of documents prior to printing, as well as change print jobs at the device. You can even view, select and print specific pages within a document directly from the touch screen. Its easy-to-use, intuitive navigation provides fast access to functions and shortcuts.

Examples of preloaded solutions* on XM5200 Series MFPs:






AccuRead OCR

In less time than it takes to enter data manually, your organization can create searchable files or editable content using the AccuRead OCR solution, standard on the XM5270 and optional on the XM5263**.



to multiple destinations simultaneously and print a copy if you choose. Documents can be routed to email, network folders or FTP sites.



1



Forms and Favorites

Eliminate waste and inefficiencies associated with preprinted forms. Store frequently printed forms, marketing materials or other documents online, then print them on demand.



Address Book

This application provides you with an easy way to send information about your device to your authorized dealer or internal help desk.



Scan to Network Basic


Scan a hard copy document and route the image to one of 100 destinations.

See the possibilities with our intuitive interface

Minimize the need for training with the familiar, modern, tabletlike capabilities of our eTask interface on a bright color touch screen. Use swipe and touch gestures to navigate the intuitive interface to access convenient capabilities, including:

- Preview your entire print job
- Customize shortcuts and bookmarks
- Realize your return on investment with true integration
- Access corporate address book for quick document routing
- Enable user tracking, accounting and permissions for cost and print management

*Additional Lexmark solutions are available through your authorized Lexmark partner. **requires hard drive



XM5200 Series



XM5163 model with 550-sheet tray, 2100 sheet tray and caster base



5. Single-pass automatic document feeder Save time by scanning both sides of your document in one pass with robust color scanning capabilities and ultrasonic multi-feed detection to prevent jams (XM5270 only).



6. Direct USB The front USB port allows for convenient walk-up preview, and printing and is compatible with most printable image file formats. 7. Eco-friendly features Easy-to-access features like Eco-Mode reduce paper and toner consumption, while the sleep button and hibernate mode make it easy to print responsibly and save energy.



 Intuitive color touch screen Operate your device with ease through smart and intuitive navigation. Receive audible feedback when you use the touch screen.



2. Flexible media handling Print on a wide range of media with built-in two-sided printing. Add additional input capacity to 3300 pages for higher-volume printing needs.



 Lexmark's Unison[™] Toner Unison's advanced toner science is powerful enough to deliver consistently outstanding image quality, with a shake-free print system.



4. Lexmark solutions Reduce unnecessary printing and simplify work processes through solutions applications preloaded on your device. Choose additional Lexmark solutions to fit your unique workflow needs.

Eco-responsible

Printing responsibly and reducing the impact of printing on the environment is a win for your business and your budget. Our goal is to design, package and deliver innovative products and solutions that produce high-quality output with reliable performance, while minimizing the number of cartridges you use over the life of a printer and conserving paper and energy.

The Lexmark Cartridge Collection Program provides a variety of methods for free returns of your empty cartridges to Lexmark or our collection partners. Program availability and details vary by country.

Environmental protection is a shared responsibility

Through work with industry groups, Lexmark helps guide the formation of standards and guiding principles for environmental sustainability.

Our memberships include:

- AeA Europe
- Ecma International
- Electronics Industry Citizenship Coalition (EICC)
- DIGITALEUROPE
- European Information & Communications Technology Industry Association (EICTA)
- Information Technology Industry Council (ITI)
- Environmental Leadership Council

Keep sensitive information and documents secure

Lexmark builds network devices with security in mind to protect your data and documents throughout your entire workflow. Our wide range of security functions include device management, device hardening and device operation.

Device management. Tools include administrative access and passwords, HTTPS, SNMPv3, IP security (IPSec) and 802.1x support to remotely monitor and manage device usage.

Device hardening. Port filtering, TCP connection filtering, hard disk encryption, hard disk wiping and digitally signed firmware updates enhance the security of the device's network interface.


Device operation. Reduce vulnerabilities with authentication and authorization features, address book lookup via LDAP over SSL and device lockout for protection of user information.

Lexmark has shown its strength and leadership with respect to security by:

- Forming and chairing the group that created the IEEE 2600 standards for security on hardcopy devices
- Becoming the first hard-copy device manufacturer to take a holistic approach with the National Information Assurance Partnership (NIAP) Common Criteria evaluation



Lexmark XM5200



XM5200 Series

24T9400Lexmark XM526357X90122048MBx32 DDR3-DRAM24T9401Lexmark XM527057X9101256MB Flash Memory Card24T9401Lexmark XM5270Hard DiskPart #Laser toner/print cartridge57X9100Traditional Chinese Font Card24B6015Toner Cartridge57X9112Simplified Chinese Font Card24B6025Imaging Unit57X9115Japanese Font Card40X8420Fuser KitFuser KitForer Kit40X8431ADF Maintenance KitPart #Application solutions9art #Paper handling24T7351Card for IPDS40G0800250-sheet tray24T7353Card for PRESCRIBE Emulation40G0820250-sheet lockable tray24T7353Card for PRESCRIBE Emulation40G0820250-sheet lockable tray27X0225MarkNet N8350 802.11b/g/n Wireless Print Server40G0820250-sheet lockable tray1021294USB Cable (2 Meter)40G08544.3 in. (11 cm) Spacer1021294USB Cable (2 Meter)40G0855Caster base14F0000Parallel Cable (10 Foot)40G0855Sorse base14F0100R5-232C Serial Interface Card	Part #	Models	Part #	Memory options
2419401Lexmark XMS27027X0200Hard DiskPart #Laser toner/print cartridge57X9110Traditional Chinese Font Card2486015Toner Cartridge57X9112Simplified Chinese Font Card2486025Imaging Unit57X9114Korean Font Card40X8420Fuser KitPart #Application solutions40X8431ADF Maintenance KitPart #Application solutionsPart #Paper handling24T7351Card for IPDS40G08042100-sheet tray24T7353Card for PRESCRIBE Emulation40G0805550-sheet trayPart #Connectivity40G0820250-sheet lockable tray27X0225Mark Net N8350 802.11b/g/n Wireless Print Server40G08544.3 in. (11 cm) Spacer1021231Parallel Cable (10 Foot)Part #Furniture1021231Parallel Cable (10 Foot)40G0855Caster base85-332C Serial Interface Card	24T9400	Lexmark XM5263	57X9012	2048MBx32 DDR3-DRAM
Part #Laser toner/print cartridge57X9110Traditional Chinese Font Card24B6015Toner Cartridge57X9112Simplified Chinese Font Card24B6025Imaging Unit57X9114Korean Font Card24B6026Fuser Kit57X9115Japanese Font Card40X8420Fuser Kit57X9115Japanese Font Card40X8431ADF Maintenance KitPart #Application solutionsPart #Paper handling2417351Card for IPDS40G08042100-sheet tray2417353Card for PRESCRIBE Emulation40G0802550-sheet tray2417353Card for PRESCRIBE Emulation40G0820250-sheet trayPart #Connectivity40G0820250-sheet lockable tray27X0225MarkNet N8350 802.11b/g/n Wireless Print Server40G0820250-sheet lockable tray27X0225MarkNet N8350 802.11b/g/n Wireless Print Server40G0820250-sheet lockable tray27X0225MarkNet N8350 802.11b/g/n Wireless Print Server40G08544.3 in. (11 cm) Spacer1021294USB Cable (2 Meter)40G0855Caster base1021231Parallel Cable (10 Foot)40G0855Caster base1021231Parallel Cable (10 Foot)	24T9401	Lexmark XM5270	57X9101	256MB Flash Memory Card
Part #Laser toner/print cartridge57X9112Simplified Chinese Font Card2486015Toner Cartridge57X9112Simplified Chinese Font Card2486025Imaging Unit57X9114Korean Font Card40X8420Fuser Kit57X9115Japanese Font Card40X8431ADF Maintenance KitPart #Application solutionsPart #Paper handling2417351Card for IPDS40G08042100-sheet tray2417352Forms and Bar Code Card40G0805250-sheet tray2477353Card for PRESCRIBE Emulation40G0820250-sheet tray2477353Card for PRESCRIBE Emulation40G0820250-sheet lockable tray27X0225MarkNet N8350 802.11b/g/n Wireless Print Server40G0820250-sheet lockable tray27X0225MarkNet N8350 802.11b/g/n Wireless Print Server40G08544.3 in. (11 cm) Spacer1021294USB Cable (2 Meter)40G0855Caster base1021231Parallel Cable (10 Foot)40G0855Caster base14F0100R5-232C Serial Interface Card			27X0200	Hard Disk
2486015Toner Cartridge57X9112Simplified Chinese Font Card2486025Imaging Unit57X9114Korean Font Card40X8420Fuser KitJapanese Font Card40X8431ADF Maintenance KitPart # Application solutionsPart #Paper handling24T7351Card for IPDS40G08042100-sheet tray24T7352Forms and Bar Code Card40G0802550-sheet tray24T7353Card for PRESCRIBE Emulation40G0820250-sheet trayPart #Connectivity40G0820250-sheet lockable tray27X0225MarkNet N8350 802.11b/g/n Wireless Print Server40G08544.3 in. (11 cm) Spacer1021294USB Cable (2 Meter)40G0855Caster base1021231Parallel Cable (10 Foot)40G0855Caster base14F0100RS-232C Serial Interface Card	Part #	Laser toner/print cartridae	57X9110	Traditional Chinese Font Card
2486025Imaging Unit57X9114Korean Font Card40X8420Fuser Kit57X9115Japanese Font Card40X8431ADF Maintenance KitPart # Application solutionsPart #Paper handling24T7351Card for IPDS40G08042100-sheet tray24T7353Card for PRESCRIBE Emulation40G0802550-sheet tray24T7353Card for PRESCRIBE Emulation40G0820250-sheet tray27X0225MarkNet N8350 802.11b/g/n Wireless Print Server40G0820250-sheet lockable tray27X0225MarkNet N8350 802.11b/g/n Wireless Print Server40G08544.3 in. (11 cm) Spacer1021294USB Cable (2 Meter)40G0855Caster base1021231Parallel Cable (10 Foot)40C0855Caster base14F0100RS-232C Serial Interface Card			57X9112	Simplified Chinese Font Card
40X8420Fuser Kit57X9115Japanese Font Card40X8431ADF Maintenance KitPart # Application solutionsPart # Paper handling24T7351Card for IPDS40G08042100-sheet tray24T7352Forms and Bar Code Card40G0802550-sheet tray24T7353Card for PRESCRIBE Emulation40G0802250-sheet trayPart # Connectivity40G0820250-sheet lockable trayPart # Connectivity40G0820250-sheet lockable tray27X022540G0820250-sheet lockable tray27X022540G08544.3 in. (11 cm) Spacer102129440G0855Caster base1021231Part # Furniture102123140G0855Caster base			57X9114	Korean Font Card
40X8431ADF Maintenance KitPart #Application solutionsPart #Paper handling24T7351Card for IPDS40G08042100-sheet tray24T7352Forms and Bar Code Card40G0802550-sheet tray24T7353Card for PRESCRIBE Emulation40G0800250-sheet lockable trayPart #Connectivity40G0820250-sheet lockable tray27X0225MarkNet N8350 802.11b/g/n Wireless Print Server40G0820250-sheet lockable tray27X0225MarkNet N8350 802.11b/g/n Wireless Print Server40G08544.3 in. (11 cm) Spacer1021294USB Cable (2 Meter)14F0000Parallel 1284-B Interface Card1021231Parallel Cable (10 Foot)40G0855Caster base14F0100RS-232C Serial Interface Card			57X9115	Japanese Font Card
Part #Paper handlingPart #Application solutions40G08042100-sheet tray24T7351Card for IPDS40G0802550-sheet tray24T7353Forms and Bar Code Card40G0800250-sheet tray24T7353Card for PRESCRIBE Emulation40G0820250-sheet lockable trayPart #Connectivity40G0820250-sheet lockable tray27X0225MarkNet N8350 802.11b/g/n Wireless Print Server40G08544.3 in. (11 cm) Spacer1021294USB Cable (2 Meter)40G0855Caster base1021231Parallel Cable (10 Foot)44F0100RS-232C Serial Interface Card				
Part #Paper handling24T7352Forms and Bar Code Card40G08042100-sheet tray24T7353Card for PRESCRIBE Emulation40G0802550-sheet tray250-sheet tray40G0822550-sheet lockable trayPart #Connectivity40G0820250-sheet lockable tray27X0225MarkNet N8350 802.11b/g/n Wireless Print Server40G08544.3 in. (11 cm) Spacer1021294USB Cable (2 Meter)40G0855Caster base1021231Parallel Cable (10 Foot)40G0855Caster base14F0100RS-232C Serial Interface Card	-0/0-51		Part #	Application solutions
40008042100-sheet tray24T7352Forms and Bar Code Card4000802550-sheet tray24T7353Card for PRESCRIBE Emulation4000800250-sheet tray250-sheet lockable trayPart #Connectivity4000820250-sheet lockable tray27X0225MarkNet N8350 802.11b/g/n Wireless Print Server40008544.3 in. (11 cm) Spacer1021294USB Cable (2 Meter)4000855Caster base1021231Parallel 1284-B Interface Card	Part #	Paper handling	24T7351	Card for IPDS
40G0802550-sheet tray24T7353Card for PRESCRIBE Emulation40G0800250-sheet trayPart # Connectivity40G0820550-sheet lockable tray27X0225MarkNet N8350 802.11b/g/n Wireless Print Server40G0820250-sheet lockable tray27X0225MarkNet N8350 802.11b/g/n Wireless Print Server40G08544.3 in. (11 cm) Spacer1021294USB Cable (2 Meter)14F0000Parallel 1284-B Interface CardPart #Furniture102123140G0855Caster base14F0100RS-232C Serial Interface Card			24T7352	Forms and Bar Code Card
40G0800250-sheet trayPart #Connectivity40G0820550-sheet lockable tray27X0225MarkNet N8350 802.11b/g/n Wireless Print Server40G0820250-sheet lockable tray1021294USB Cable (2 Meter)40G08544.3 in. (11 cm) Spacer14F0000Parallel 1284-B Interface CardPart #Furniture40G0855Caster base14F0100RS-232C Serial Interface Card		,	24T7353	Card for PRESCRIBE Emulation
40G0822550-sheet lockable trayPart #Connectivity40G0820250-sheet lockable tray27X0225MarkNet N8350 802.11b/g/n Wireless Print Server40G08544.3 in. (11 cm) Spacer1021294USB Cable (2 Meter)40G0854		,		
40G0820250-sheet lockable tray27X0225MarkNet N8350 802.11b/g/n Wireless Print Server40G08544.3 in. (11 cm) Spacer1021294USB Cable (2 Meter)14F0000Parallel 1284-B Interface CardPart #Furniture1021231Parallel Cable (10 Foot)40G0855Caster base14F0100RS-232C Serial Interface Card		,	Part #	Connectivity
40G08544.3 in. (11 cm) Spacer1021294USB Cable (2 Meter)14F0000Parallel 1284-B Interface CardPart #Furniture1021231Parallel Cable (10 Foot)40G0855Caster base14F0100RS-232C Serial Interface Card		,	27X0225	MarkNet N8350 802.11b/g/n Wireless Print Server
Part #Furniture14F0000Parallel 1284-B Interface Card40G0855Caster base1021231Parallel Cable (10 Foot)14F0100RS-232C Serial Interface Card	40G0854	,	1021294	USB Cable (2 Meter)
Part # Furniture 40G0855 Caster base 14F0100 RS-232C Serial Interface Card		· ·	14F0000	Parallel 1284-B Interface Card
40G0855 Caster base 14F0100 RS-232C Serial Interface Card	Dart #	Furniture	1021231	Parallel Cable (10 Foot)
			14F0100	RS-232C Serial Interface Card

Product specifications	Lexmark XM5263	Lexmark XM5270				
Printing						
Display	Lexmark e-Task 7-inch (17.8 cm) color touch screen	Lexmark e-Task 10-inch (25 cm) class color touch screen				
Print Speed: Up to ⁶	Black: 63 ppm	Black: 70 ppm				
Time to First Page: As fast as	Black: 4.4 seconds	Black: 4.0 seconds				
Print Resolution	Black: 1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi					
Memory / Processor	Standard: 1512 MB / Maximum: 2512 MB / Dual Core, 800 MHz	Standard: 2048 MB / Maximum: 3072 MB / Dual Core, 800 MHz				
Hard Disk	Option available	Included in configuration				
Recommended Monthly Page Volume ²	5000 - 75000 pages	5000 - 100000 pages				
Maximum Monthly Duty Cycle: Up to ³	300000 pages per month	350000 pages per month				
Copying						
Copy Speed: Up to ^₅	Black: 63 cpm	Black: 70 cpm				
Time to First Copy: As fast as	Black: 4.2 seconds	Black: 4.0 seconds				
Scanning						
Scanner Type / ADF Scan	Flatbed scanner with ADF / DADF (single pass Duplex)					
A4/Ltr Duplex Scan Speed: Up to	Black: 132 / 140 sides per minute / Color: 132 / 140 sides per minute					
A4/Ltr Simplex Scan Speed: Up to	Black: 66 / 70 sides per minute / Color: 66 / 70 sides per minute					
Faxing						
Modem Speed	ITU T.30, V.34 Half-Duplex, 33.6 Kbps					
Supplies						
Laser Cartridge Yields (up to) ¹	35,000-page Extra High Yield Cartridge					
Imaging Unit Estimated Yield: Up to ⁵	100000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage					
Cartridge(s) Shipping with Product ⁷	10,000-page Starter Return Program Toner Cartridge	25,000-page Starter High Yield Return Program Toner Cartridge				
Paper Handling						
Included Paper Handling	550-Sheet Input, 100-Sheet Multipurpose Feeder, 550-Sheet Output Bin, Integrated Duplex					
Optional Paper Handling	250-Sheet Tray, 550-Sheet Tray, 2100-Sheet Tray, 250-Sheet Lockable Tray, 550-Sheet Lockable Tray					
Paper Input Capacity: Up to	Standard: 650 pages 20 lb or 75 gsm bond / Maximum: 3300 pages 20 lb or 75 gsm bond					
Paper Output Capacity: Up to	Output Capacity: Up to Standard: 550 pages 20 lb or 75 gsm bond / Maximum: 550 pages 20 lb or 75 gsm bond					
Media Types Supported	Card Stock, Dual Web Labels, Envelopes, Integrated Labels, Paper Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide.					
Media Sizes Supported	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B5 Envelope, C5 Envelope, DL Envelope, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal, Oficio, A6					
General Information⁴						
Standard Ports	One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000), Front USB 2.0 Specification Hi-Speed Certified port (Type A), Two Rear USB 2.0 Specification Hi-Speed Certified ports (Type A)					
Optional Network Ports / Optional Local Ports	Internal MarkNet N8350 802.11b/g/n Wireless / Internal RS-232C serial, Internal 1284-B Bidirectional Parallel					
Noise Level: Operating	Print: 58 dBA / Copy: 58 dBA / Scan: 57 dBA					
Specified Operating Environment	Temperature: 16 to 32°C (60 to 90°F), Humidity: 8 to 80% Relative Humidity, Altitude: 0 - 2896 Meters (9,500 Feet)					
Size (in H x W x D) / Weight (lb.)	28.6 × 21.6 >	< 22.8 in. / 95.4 lb.				

¹Average yield based on approximately 5% print coverage. ²"Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. ³"Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. ⁴Printers are sold subject to certain license/agreement conditions. See www.lexmark.com/printerlicense for details. ⁵Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity. ⁴Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: www.lexmark.com/ISOspeeds. ⁷Average standard page yield value declared in accordance with ISO/IEC 19752.

This is a Class A device according to the FCC Rules and international electromagnetic emissions standards. This device is not intended for use in residential or domestic environments due to potential interference to radio communications.

© 2016 Lexmark and the Lexmark logo are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. ENERGY STAR® is a U.S. registered mark.

AirPrint and the AirPrint logo are trademarks of Apple Inc.

Authorized Dealer:





www.comprobusiness.com

