Fujitsu recommends Windows 8 Pro.



Data Sheet FUJITSU LIFEBOOK E744 Notebook

Uncompromising Elegant Design and Functionality

Being a member of the FUJITSU Notebook LIFEBOOK E Line, the LIFEBOOK E744 should be your choice when looking for an attractive and fully-equipped notebook. With its light weight of 1.7 kg (4.19 lbs.) and the 35.6 cm (14-inch) display as well as a full set of interfaces maximum convenience is provided. Moreover, ultimate security features helps ensure your company data stays safe at all times.

Family Concept

Reduce your acquisition cost as well as the complexity of your IT equipment.

 Shared components such as AC Adapter, modular bay elements, port replicator, keyboard layout and shared mainboard with same drivers, BIOS, bit image with LIFEBOOK E734 and LIFEBOOK E754

High-End Design

Outstanding mobility, ease of use and sleek looks for highest business demands.

■ Especially slim from 20 mm, light weight starting from only 1.7 kg, 35.6 cm (14-inch) display, attractive red elements, high-value material with magnesium lid and strong metal hinges

Premium Features

Maximize your productivity with premium notebooks providing ultimate convenience and best feature set for business users.

- Optional backlit keyboard, large touchpad and modular bay for 2nd battery, 2nd HDD, bay projector or DVD Super Multi for convenient and flexible working
- Integrated SmartCard reader, optional Full Disk Encryption (FDE) and fingerprint sensor for absolute protection of company data
- Full set of interfaces, optional embedded 4G/LTE, WLAN and Bluetooth and Full HD webcam with status LED for maximum connectivity









Page 1 / 7 www.fujitsu.com/fts/mobile

Components

Processor	Intel® Core™ i7-4702MQ processor (2.2 GHz, up to 3.2 GHz, 6 MB) *		
	Intel® Core™ i5-4200M processor (2.5 GHz, up to 3.1 GHz, 3 MB) *		
	Intel® Core™ i3-4000M processor (2.4 GHz, 3 MB) *		
	Intel® Core™ i7-4600M processor (2.9 GHz, up to 3.6 GHz, 4 MB)		
	Intel® Core™ i5-4300M processor (2.6 GHz, up to 3.3 GHz, 3 MB)		
	*Processor only for retail, SMB, education and government		
	Intel® Core™ i7 processors only available for Intel® QM87 Chipset; Intel® Core™ i3 processors only for Intel® HM86		
	Intel® Core™ vPro™ Processor - Best Platform for Businesses of all sizes		
	Intel® Core™ Processor with Intel® Small Business Advantage - Smart Platform for Unmanaged Small Business		
Operating systems			
Operating system	Windows® 7 Professional 64-bit		
	Windows 8.1 Pro 64-bit		
	Windows 8.1 64-bit		
Operating system compatible	Windows 8 32-bit		
	Windows® 7 Professional 32-bit		
	Windows 8 64-bit		
Memory modules	2 GB (1 module(s) 2 GB) DDR3 L, 1600 MHz, PC3-12800, SO DIMM		
	4 GB (1 module(s) 4 GB) DDR3 L, 1600 MHz, PC3-12800, SO DIMM		
	8 GB (1 module(s) 8 GB) DDR3 L, 1600 MHz, PC3-12800, SO DIMM		
Base unit memory	LIFEBOOK E744 14.0-inch HM86 LIFEBOOK E744 14.0-inch QM87		
Supported capacity RAM (max.)	16 GB		
Memory slots total	2		
Memory slot type	DIMM (DDR3L)		
Memory notes	DDR3L – 1,600 MHz		
Hard disk drives (internal)	SSHD, 5,400 rpm, 500 GB / 8 GB SSD Cache, 2.5-inch, S.M.A.R.T.		
	SSD SATA III FDE, 256 GB, 2.5-inch		
	SSD SATA III, 512 GB, 2.5-inch		
	SSD SATA III, 256 GB, 2.5-inch		
	SSD SATA III, 128 GB, 2.5-inch		
	SATA, 5,400 rpm, 500 GB, 2.5-inch, S.M.A.R.T.		
	SATA, 5,400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.		
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.		
	Accessible capacity may vary, also depending on used software.		
	Up to 20 GB of HDD space is reserved for system recovery		
	Internal HDD interface: S-ATA III (6GBit/s)		
WLAN (optional)	Intel® Centrino® Wireless-N 7260 2x2 a/b/g/n with integrated Bluetooth 4.0		
	Intel® Centrino® Wireless-N 7260 2x2 b/g/n with integrated Bluetooth 4.0		
Wireless technologies			
Antennas	2 Dual band WLAN antennas, 2 UMTS/LTE antennas optional		
WLAN notes	Import and usage according to country-specific regulations.		
3G/4G (optional)	Ciarra Wireless FAA000 / Develor and / 2 Mbis/s Uplink and 5 7 C Mbis/s		
3G/4G (optional)	Sierra Wireless EM8805 (Downlink speed 42 Mbit/s, Uplink speed 5.76 Mbit/s)		
3G/4G (optional)	LTE Sierra Wireless EM7305 (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)		

Page 2 / 7 www.fujitsu.com/fts/mobile

Modular bay options	2nd battery			
	Bay Projector			
	Blu-ray Disc™ Triple Writer			
	DVD Super Multi			
	Weight saver			
Base unit	LIFEBOOK E744 14.0-inch HM86	LIFEBOOK E744 14.0-inch QM87		
General system information				
Chipset	Intel® HM86	Intel® QM87		
Chipset notes	THE THIO	Supports iAMT 9.0, Intel® vPro™ requires Core i5-43xx &		
- Import notes		i7-46xx CPU, Intel WLAN 7260 a/b/g/n, TPM module		
BIOS features	BIOS based on Phoenix SecureCore	,		
Display				
Display notes	ISO 9241-307 - Pixel class II			
	Viewing angle: Left/Right 45°, Top 15°, Bottom 35°			
Graphics				
Base unit	LIFEBOOK E744 14.0-inch HM86	LIFEBOOK E744 14.0-inch QM87		
TFT resolution (DisplayPort)	up to 2,560 x 1,600	up to 2,560 x 1,600		
TFT resolution (VGA)	up to 1,920 x 1,200	up to 1,920 x 1,200		
TFT resolution (DVI on Port Replicator)	up to 1,920 x 1,200	up to 1,920 x 1,200		
Graphics brand name	Intel® HD Graphics 4600	Intel® HD Graphics 4600		
Graphics notes	Shared memory depending on main memory size and	Shared memory depending on main memory size and		
	operating system	operating system		
Video memory total	256MB with Win XP; up to 1,535MB with Win7 32bit; up to 1,696MB with Win7 64bit MB	$256 \rm MB$ with Win XP; up to 1,535 MB with Win7 32bit; up to 1,696 MB with Win7 64bit MB		
Interfaces				
Memory card slots	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 64GB)			
SmartCard slot	1 (optional)			
SIM card slot	1 (only for models with integrated 3G/UMTS or 4G/LTE mod	ule)		
USB 3.0 total	3 (1 with Anytime USB Charge functionality)			
USB 2.0 total	1			
VGA	1			
DisplayPort	1			
Ethernet (RJ-45)	1			
DC-in	1			
Audio: line-in / microphone	1			
Audio: line-out / headphone	1			
Internal microphones	2x digital microphones (array)			
Docking connector for Port Replicator	1			
Kensington Lock support	1			
Wired communication				
LAN	Built-in 10/100/1,000 MBit/s Intel® I217LV	Built-in 10/100/1,000 MBit/s Intel® I217LM		
Keyboard and pointing devices				
	Black colored key caps for backlight keyboard#Black colored key caps with red frame for regular keyboard#Isolation keyboard			
	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Key	board stroke: 1.7 mm		
	Multi gesture touchpad (93mmx55mm) with 2 integrated			
	Optional: Fingerprint sensor			
	Application buttons			
	Status LED			

Page 3 / 7 www.fujitsu.com/fts/mobile

Multimedia			
Audio type	On board		
Audio codec	Realtek ALC3233		
Audio features	Stereo speakers		
Camera	Optional: Built-in webcam, Full HD (2,073 megapixel) (Microsoft® Lync™)		
Power supply			
AC Adapter	10 V / 65 W /3 / 2 A \ 100 V 2/0 V 50 Hz 6	0. Hz. 3. pip (arounded) AC Adapter 0. 250 kg. 108v/6v30 mm	
Ac Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter, 0.250 kg, 108x46x30 mm 19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) slim and light AC-Adapter		
	19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) 0-Watt AC Adapter technology		
	19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter		
Notes	65W AC Adapter for usage with system/ 80 & 90W AC Adapter for usage with Port Replicator		
1st battery options	Li-lon battery 6-cell, 5,800 mAh, 63 Wh		
ist battery options	Li-Ion battery 6-cell, 6,700 mAh, 72 Wh		
2nd battery (optional)	Li-Ion battery 6-cell, 2,600, mAh, 28 Wh		
Runtime 1st battery	up to 13 h (tbd)		
Runtime 1st + 2nd battery	up to 19 h (tbd)		
Battery charging time	~160 min (63Wh) ~ 200 min (72Wh)		
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers		
bactery notes	mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct produc		
	comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lowe		
	and may vary depending on product model, configuration, application and power management settings. The batter		
	capacity slightly decreases with every charging cycle and over the lifetime.		
Dimensions / Weight / Environmental			
Dimensions (W x D x H)	338 x 231 x 20 (f) - 27 (r) mm		
Weight	1.7 kg		
Weight notes	Incl. weight saver. Weight may vary dependi	ng on actual configuration.	
Operating ambient temperature	5 - 35 °C	,	
Operating relative humidity	20 - 85 %		
Additional Software			
Security software	McAfee Multi Access Security (anti-virus and	internet security software; 60 days trial version)	
Additional software (preinstalled)	Adobe® Reader® (pdf reader)		
,	Fujitsu LIFEBOOK Application Panel		
	Fujitsu Display Manager		
	ShockSensor Utility		
	Power Saving Utility		
	Fujitsu Plugfree Network (network management utility) EasyGuide online user documentation		
	Win8: Microsoft Push Button Recovery (hard disk based recovery)		
	Wino: Fujitsu Recovery (hard disk based recovery)		
Additional software (optional)	Drivers & Utilities DVD (DUDVD)	10.11	
ricerione, serencie (opinene,	UMTS connection manager (optional with UM	MTS)	
 Manageability	3 (1)		
Manageability technology	DeskUpdate Driver management	DeskUpdate Driver management	
Manageability technology	PXE 2.1 Boot code	PXE 2.1 Boot code	
	Wake up from S5 (off mode)	Wake up from S5 (off mode)	
	WoL (Wake on LAN)	Intel® vPro™ technology	
	•	WoL (Wake on LAN)	
		Intel® SBA Manageability Solution (see details: http://	
		www.intel.com/go/sba)	
		iAMT 9.0 (depending on CPU)	
Manageability software	DeskView Client		
	DeskView Instant BIOS Management	nent Dlatform	
	DeskView Integration for Symantec Manager	nent Platform	

Page 4 / 7 www.fujitsu.com/fts/mobile

Manageability DeskView components Inventory Management BIOS Management Driver Management Security Management Alarm Management MMI PXE BootP (made4you) Manageability link Mensington Lock support Security Physical Security System and BIOS Security Computrace® enabled BIOS EraseDisk (optional)	
BIOS Management Driver Management Security Management Alarm Management WMI PXE BootP (made4you) Manageability link http://www.fujitsu.com/fts/solutions/high-tech/solutions/workplace/manageability/feature-finder.htm Security Physical Security System and BIOS Security Computrace® enabled BIOS	
Driver Management Security Management Alarm Management Supported standards WMI PXE BootP (made4you) Manageability link http://www.fujitsu.com/fts/solutions/high-tech/solutions/workplace/manageability/feature-finder.htm Security Physical Security Kensington Lock support System and BIOS Security Computrace® enabled BIOS	
Security Management Alarm Management Supported standards WMI PXE BootP (made4you) Manageability link http://www.fujitsu.com/fts/solutions/high-tech/solutions/workplace/manageability/feature-finder.htm Security Physical Security Kensington Lock support System and BIOS Security Computrace® enabled BIOS	
Alarm Management Supported standards WMI PXE BootP (made4you) Manageability link http://www.fujitsu.com/fts/solutions/high-tech/solutions/workplace/manageability/feature-finder.htm Security Physical Security Kensington Lock support System and BIOS Security Computrace® enabled BIOS	
Supported standards WMI PXE BootP (made4you) Manageability link http://www.fujitsu.com/fts/solutions/high-tech/solutions/workplace/manageability/feature-finder.htm Security Physical Security Kensington Lock support System and BIOS Security Computrace® enabled BIOS	
PXE BootP (made4you) Manageability link http://www.fujitsu.com/fts/solutions/high-tech/solutions/workplace/manageability/feature-finder.htm Security Physical Security Kensington Lock support System and BIOS Security Computrace® enabled BIOS	
BootP (made4you) Manageability link http://www.fujitsu.com/fts/solutions/high-tech/solutions/workplace/manageability/feature-finder.htm Security Physical Security Kensington Lock support System and BIOS Security Computrace® enabled BIOS	
Manageability link http://www.fujitsu.com/fts/solutions/high-tech/solutions/workplace/manageability/feature-finder.htm Security Physical Security Kensington Lock support System and BIOS Security Computrace® enabled BIOS	
Security Physical Security Kensington Lock support System and BIOS Security Computrace® enabled BIOS	
Physical Security Kensington Lock support System and BIOS Security Computrace® enabled BIOS	
System and BIOS Security Computrace® enabled BIOS	
Liasebisk (optional)	
Optional: Trusted platform module (TPM 1.2)	
Advanced Theft Protection (Computrace® only)	
User Security Hard disk password	
Access protection via internal SmartCard reader (optional)	
User and supervisor BIOS password	
Workplace Protect (secure authentication solution)	
Compliance with standards	
Europe CE	
CB	
Global RoHS (Restriction of hazardous substances)	
WEEE (Waste electrical and electronic equipment)	
Microsoft Operating Systems (HCT / HCL entry / WHQL)	
WiFi certified	
ENERGY STAR® 6.0	
EPEAT® Gold (dedicated regions) (planned)	
Compliance link http://globalsp.ts.fujitsu.com/sites/certificates	
Port Replicator interfaces (optional)	
DC-in 1	
Audio: line-in 1	
Audio: line-out 1	
USB 3.0 total 4	
DisplayPort 2	
VGA 1	
DVI 1	
Ethernet (RJ-45) 1	
Kensington Lock support 1	
eSATA 1	
Warranty	
Standard Warranty 2 years (depending on country)	
Service level Collect & Return Service / Bring-in Service (for countries within region FTS CEMEA&I, for all other countries with region FTS CEMEA&I, for all ot	tries depending
on local regulations)	
Warranty Terms & Conditions http://support.ts.fujitsu.com/warranty	
Maintenance and Support Services - the perfect extension	
Recommended Service9x5, Response Time: Next Business Day	
Spare Parts availability 5 years after end of product life Service Weblink http://www.fujitsu.com/fts/services/support	

Page 5 / 7 www.fujitsu.com/fts/mobile

Recommended Accessories

Port Replicator for LIFEBOOK E Series (E754, E744 and E734)



Flexibility, expandability, desktop replacement, investment protection – to Order Code: name just a few benefits of Fujitsu's docking options.

S26391-F1337-L100

Second Battery for Modular Bay



Modern business demands that busy professionals be ready to meet customers, make presentations, and work wherever is necessary to get the S26391-F1314-L500 job done. With a Second Battery for your Fujitsu LIFEBOOK you will be more flexible than ever. Installation is effortless. Just slide the Second Battery into your Fujitsu LIFEBOOK's modular bay.

Order Code:

Security Lock



We at Fujitsu Technology Solutions consider the safety of your devices to be Order Code: paramount. The Standard Security Lock is our low cost option that saves you S26361-F1650-L210 money without ever sacrificing on quality or security. The 180cm cord comes with two keys, and is compatible with any product which utilizes a T-slot locking mechanism.

Prestige Pro Case Maxi 14



The Fujitsu Prestige Pro Case Maxi 14 doesn't compromise on capacity or style. It is a toploader with a roomy zippered main compartment and a padded notebook slot for your 35.6 cm (14-inch) notebook. In addition it has numerous compartments with dedicated spaces for phones, documents, office supplies, and accessories like a travel mouse.

Order Code: S26391-F1191-L81

Fujitsu Bay Projector



The innovative Fujitsu Bay Projector is the first projector which can be inserted in the modular bay of a notebook. The patented projector offers mobility and convenience in the office as well as at home. The Bay Projector converts your notebook into a fully-mobile office, giving you the flexibility you demand.

Order Code: S26391-F1244-L600

Wireless Notebook Mouse WI610



The Wireless Notebook Mouse WI610 uses the latest wireless 2.4 GHz technology, and an ultra-high resolution switchable sensor to give you the precision and reliability you need (1000/1500/2000 dpi). Sporting a stylish silver-black finish, the WI610 wireless mouse is well suited to all environments.

Order Code: S26381-K460-L100

SOUNDSYSTEM DS E2000 Air



The new more powerful SOUNDSYSTEM DS E2000 Air gives you impressive, well-balanced sound throughout the frequency band. It is an unbeatable USB speaker set with a surprisingly small form factor. The robust satellite speakers are decorated with a deluxe piano finish and the base is adorned with warm ambient lighting.

Order Code: S26391-F7128-L600

Page 6 / 7 www.fujitsu.com/fts/mobile

More information

Fujitsu OPTIMIZATION Services

In addition to Fujitsu LIFEBOOK E744, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK E744, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

FUJITSU Technology Solutions Website: www.fujitsu.com/fts 2014-01-21 CE-EN All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

Copyright © Fujitsu Technology Solutions