

U.S. Consumer Product Safety Commission (CPSC) 4330 East West Highway Room 820 Bethesda, MD 20814-4408

> Report 08/23/2019 Date: Time: 12:13 PM

## FOIA Log Requested between 04/01/2019 and 06/30/2019

Request ID	Request Description	Request Type	Organization
19-F-00275	Requesting any and all documents or reports regarding explosions and/or fires caused by the use of a canned aerosol product named "Flex Seal".	FOIA	JONES & ASSOCIATES, PC
2019-CON-00002	NARA Records Management Self-Assessment (years 2015-2017)	Consultation	1
19-F-00276	Request for any and all reported incidents relating to a fire explosion from the use of Flex Seal Rubber Spray in aersole can.	FOIA	
19-F-00277	Request a copy of the May 20, 2013 letter, authored by the US CPSC (see attached article).	FOIA	Koeller, Nebeker, Carlson & Haluck
19-F-00278	Request records on bicycle injury accidents. Those records that mention the bicycle fender, an accessory. (Date Range for Record Search: From 01/01/2009 To 01/01/2019)	FOIA	
19-F-00280	Request CPSC files concerning Methylene Chloride (see request description).	FOIA	Neal Cohen Law LLC/Consumer Product Safety Law
19-F-00258	Copies of the following records related to Fisher Price Rock 'n Play sleepers, which were recalled on April 12, 2019 (Recall #19-105)*: • compliance files • reported incidents • consumer complaints • complaints reported by retailers • In-Depth Investigation files • monthly recall/corrective-action-plan reports (if not already included in compliance files) • any CPSC preliminary determination of a substantial product hazard (if not already included in compliance files) I'm interested in all of these records from January 2009 through the date the CPSC staff fulfills this request.	FOIA	Chicago Tribune
19-F-00259	Documents released in FOIA request #13-F-00195, submitted by [REDACTED] of BLANK ROME LLP, for "Mattel, Inc. by Fisher-Price Rock N' Play Sleeper ~ Request information regarding all reported accidents, injuries, reports-of harm or deaths involving this product from 2002 through present. In addition, we request all of		Safety Research & Strategies

19-F-00260  Search timeframe 2002-Present  Documents released in FOIA request #13-F-00457, submitted by [REDACTED] of Stewart & Stewart, P.C., for "Request all information regarding the recall of Fisher- Price product, Rock 'N Play Infant Sleeper, Recall No. 13- 087. Certificate." While the original request appears to ask for certified copies of documents, documents released in this request do not need to be recertified 2008-Present  Documents released in FOIA request #13-F-00745, submitted by [REDACTED] of Kerhsaw, Cutter & Ratinoff, LLP, for "Request all documents relating to the recall on January 8, 2013, of the Fisher-Price Rock 'N Play Infant Sleepers between January 1, 2009 until the present. 2008-Present  I would like to request documents released in FOIA request #14-F-00549, submitted by [REDACTED] of Kids In Danger, for "Recall data for Rock 'N Play Infant Sleeper by Fisher Price recalled on 01/08/2013. Please send all monthly correction tracking forms to date on this product 2008-Present  1. The FOIA request from the entity requesting documents from the U.S. Consumer Product Safety Commission ("CPSC") that resulted in "nonpublic manufacturer information identifying our company by name along with product model name and/or model number" that was "released in error to the public without following the procedures in 15 U.S.C. § 2055" as more fully set forth in the letter from the CPSA attached hereto as Exhibit "A". 2. All documents and information released by the CPSC in response to #1 above. 3. All documents requesting that the recipient of the unauthorized disclosure return the information to CPSC or destroy the information and certify that destruction. 4. All documents responsive to #3 above.	Safety Research & Strategies
19-F-00261  Documents released in FOIA request #13-F-00745, submitted by [REDACTED] of Kerhsaw, Cutter & Ratinoff, LLP, for "Request all documents relating to the recall on January 8, 2013, of the Fisher-Price Rock 'N Play Infant Sleepers between January 1, 2009 until the present. 2008-Present  19-F-00262  I would like to request documents released in FOIA request #14-F-00549, submitted by [REDACTED] of Kids In Danger, for "Recall data for Rock 'N Play Infant Sleeper by Fisher Price recalled on 01/08/2013. Please send all monthly correction tracking forms to date on this product 2008-Present  19-F-00267  1. The FOIA request from the entity requesting documents from the U.S. Consumer Product Safety Commission ("CPSC") that resulted in "nonpublic manufacturer information identifying our company by name along with product model name and/or model number" that was "released in error to the public without following the procedures in 15 U.S.C. § 2055" as more fully set forth in the letter from the CPSA attached hereto as Exhibit "A". 2. All documents and information released by the CPSC in response to #1 above. 3. All documents requesting that the recipient of the unauthorized disclosure return the information to CPSC or destroy the information and certify that destruction. 4. All documents responsive to #3 above.  Records on bicycle injury accidents for a ten year period FOIA	
I would like to request documents released in FOIA request #14-F-00549, submitted by [REDACTED] of Kids In Danger, for "Recall data for Rock 'N Play Infant Sleeper by Fisher Price recalled on 01/08/2013. Please send all monthly correction tracking forms to date on this product 2008-Present  19-F-00267  1. The FOIA request from the entity requesting documents from the U.S. Consumer Product Safety Commission ("CPSC") that resulted in "nonpublic manufacturer information identifying our company by name along with product model name and/or model number" that was "released in error to the public without following the procedures in 15 U.S.C. § 2055" as more fully set forth in the letter from the CPSA attached hereto as Exhibit "A". 2. All documents and information released by the CPSC in response to #1 above. 3. All documents requesting that the recipient of the unauthorized disclosure return the information to CPSC or destroy the information and certify that destruction. 4. All documents responsive to #3 above.  19-F-00268  Records on bicycle injury accidents for a ten year period FOIA	Safety Research & Strategies
1. The FOIA request from the entity requesting documents from the U.S. Consumer Product Safety Commission ("CPSC") that resulted in "nonpublic manufacturer information identifying our company by name along with product model name and/or model number" that was "released in error to the public without following the procedures in 15 U.S.C. § 2055" as more fully set forth in the letter from the CPSA attached hereto as Exhibit "A". 2. All documents and information released by the CPSC in response to #1 above. 3. All documents requesting that the recipient of the unauthorized disclosure return the information to CPSC or destroy the information and certify that destruction. 4. All documents responsive to #3 above.  19-F-00268  Records on bicycle injury accidents for a ten year period FOIA	Safety Research & Strategies
19-F-00268 Records on bicycle injury accidents for a ten year period FOIA	TEKNIPLEX
from January 2009 to January 2019. To narrow the search, I am requesting those records that mention the bicycle fender, an accessory. Date Range for Record Search: 01/01/2009 to 01/01/2019	-
We are requesting all relevant materials, including monthly corrective action plan reports filed in the information campaign outlined in this press release for Britax: https://www.cpsc.gov/Newsroom/News Releases/2019/Update-CPSC-Britax-Settle-Lawsuit-Involving-BOB-Jogging-Strollers, that show actions by the company and response by consumers that indicate the level of participation in the program, the 'incentives' chosen and provided to consumers and Britax steps to fix problems in the campaign including notification to retailers and a defective bolt provided as one 'incentive' to consumers.	Kids In Danger
any and all of investigation file in electronic format including but not limited to all in depth investigation reports, photos, videos, recall, consumer complaints, correspondence to/from Intex, and any other documents pertaining to the investigation, (ifany) issued for Intex Above Ground Pool Ladders from 1998 to 2019  19-F-00301  Referral to Texas Child Protective Services  FOIA	Padilla Rodriguez, LLP

19-F-00302	We are requesting copy of CPSC age determination report for the product represented by CPSC sample	FOIA	-
19-F-00303	number 19-304-0762  Any information related to a recall, investigation, complaint, meeting log, technical staff analysis, or manufacturer's self-report relative to a malfunction, fire, or the spontaneous energizing of one or more surface elements of any make or model radiant electric cook top with touch activated controls with or without a power interruption or with or without the involvement of a pet walking or lying on the surface of the cook top.	FOIA	Crain & Associates
19-F-00304	All data, communications, engineering documents, reports, emails, expert reports, analyses, and any other documents relating to the recalls of Polaris Industries, Inc.'s RZR vehicles.	FOIA	The Guerin Law Firm
19-F-00305		FOIA	The Claiborne Firm, P.C.
19-F-00306	The entire study, including research and information related to Abt Associates, Inc, including research, documents, and information regarding shower shelfs, soap dishes, slip resistance, and the study entitled A Systematic Program to Reduce the Incidence and Severity of Bathtub and Shower Area Injuries.  Undersigned additionally requests all documents, including electronically stored information, tangible things in the agency's possession, custody, or control, any record, report, witness statement, Papers, unpublished books, maps and photographs; Information stored on magnetic tape or computer, laser or optical disc; Materials that are capable of being read by a machine, including, without limitation, microforms and audio and visual materials; and Materials that are made or received by the U.S. Consumer Product Safety Commission and preserved by your agency or its successor as evidence of the organization, operation, policy or any other activity of that agency or because of the information contained in the material, related to any reports, documents, and information related to consumer safety, and manufacture reports related toHarrah's Las Vegas, a/k/a and d/b/a Harrah's Las Vegas, LLC, Harrah's Hotel and Casino, Mardi Gras Tower, Caesar's Entertainment, Harrah's Las Vegas Propco LLC, and Claudine Propco LLC, with the address listed of 3475 Las Vegas Boulevard South, Las Vegas, NV 89109-8922.	FOIA	Calder B. Gabroy, LTD.
19-F-00307	Requesting: Narrative Summaries, years 2017, 2018, 2019 (to date), youth baseball & softball organized sports, head & facial injuries including eyes, dental, skull, concussions & other head & facial injuries, also an injuries involving cardiac arrest due to commotion cardis or line drives to the heart.		-
19-F-00308	Request information on the Husqvarna Riding Mowers Residential Zero Turn with Briggs and Stratton motors and their tendency to explode.	FOIA	The Shields Law Firm, PLLC

19-F-00309	Request the transcription(s) of the recorded interviews of	FOIA	Hueston
	[REDACTED] and [REDACTED] taken on April 30, 2014 by [REDACTED] with Investigator ID [REDACTED].		McNulty, P.C.
19-F-00310	Request all recall information and complaints on World Marketing of America, Inc. a/k/a- Wordl	FOIA	Wolff Ardis, P.C.
19-F-00311	Our current reading of your rules discusses the identification of manufacturers that potentially should not have been disclosed. We are happy to destroy that info, as such we have not and will not use/disclose that information. > > So that we can better understand your position and make an informed decision, please forward to us all the information that "should have" appropriately been provided to us in response to our original valid and relevant request. > > We can then review that information and determine next steps. > Thank you for you anticipated cooperation in resolving your concerns. > > [REDACTED]	FOIA	Clausen Miller
19-F-00312	Request information related to any and all claims, incidents, reports, and allegations regarding baby/infant injuries or deaths associated with the use of any and all Evenflo Inc. Playards. (Date Range for Record Search: From 8/4/2014 To 6/17/2019)	FOIA	CARCIONE, CATTERMOLE, DOLINSKI, STUCKY LLP
19-F-00203	I am requesting records reflecting your investigation into a Honeywell Thermostat Focus PRO TH5220D at [REDACTED], Walker, Louisiana and/or a Honeywell Thermostat Focus Pro TH5220D at [REDACTED], Baton Rouge, Louisiana. If any reports were prepared by CPSC, please provide a certified copy of the report. (Date Range for Record Search: From 08/01/2016 To 04/01/2019)		-
19-F-00222	We are requesting all records in your possession concerning ladders manufactured by the Werner Ladder Company under all of the following model numbers: MT-26 MT-IAA-13A MT-IAA-17A MT-IAA-22A MT-IAA-26 MT-IAA-26A Model numbers including the IAA designation are believed to have been the subject of a recall in June of 2018 under recall number 18-179. We request all information pertinent to that recall, even if it is beyond the model numbers listed above.	FOIA	Seikaly Stewart & Bennett
19-F-00223	All records which reference: (1) "flexi" Note: "flexi" is a dog leash manufacturer; (2) any injury or other incident allegedly caused by a retractable dog leash; (3) any alleged defect or malfunction in one or more retractable dog leash(es); (4) any hazard associated with one or more retractable dog leash(es); and, (5) any consumer complaint about one or more retractable dog leash(es).		-
19-F-00224	I am interested in receiving purged incident data relating to tipover of outdoor (furniture) chairs from all relevant CPSC databases (including NEISS, IPII, and IDI), for all ages and for the years 2014 to present.	FOIA	Independent Safety Consulting
19-F-00225	We are requesting all records on Fireworks Lady & Co., LLC (Date Range for Record Search: From 04/19/2016 To 04/16/2019)	FOIA	-
19-F-00209	Referral to FDA	FOIA	-
19-F-00210	All reports, photographs, investigation file materials, testing records, as well as any and all other records in your possession related to the CPSC staff report, CPSC Staff Assessment on Eutectic-Type Thermal-Cutoff Fuse Failures in Shaded-Pole Motors Used in Exhaust Fans, and specifically all documents/information associated	FOIA	Oracle Forensics

with the fans and motors that are mentioned in the CPSC report. Specifically, we request the compani(es) manufactured the fans in mentioned in the study, the specific model(s) of the fans in the study, the variation in date code(s) of the fans that were examined in the study, the model number (s) of the fan motors examined in the study, the model number (s) of the fan motors in the study, the model number of the TCOs in the fan motors in the study, the model number of the TCOs in the fan motors in the study, the model number of the TCOs in the fan motors in the study, the model number of the TCOs in the fan motors in the study. The study Pursuant to 16 CFR 3 1016.3 (6), we ask that the Secretary of the Commission certify the authenticity of these copies and the Commission core.  19-F-00211 We are submitting this Freedom of Information Act (FOIA) request to determine: 1) When the Consumer Product Safety Commission (CPSC) began investigating incidents that resulted in serious injuries and deaths at trampoline parks; 2) What each investigation revealed 3) What subsequent actions were taken.  19-F-00212 Hello- I am requesting information on the below records propried in the Nov 2018 publication: "Toy-Related Deaths and Injuries: Calendar Year 2017": 1, Ball-choking of a 21 month-old male 2. Ball-choking of a 9 year-old male. Item described as 1" orange foam ball 3. Rubber Toy Dog-choking of a 4 year-old female. Unit of the substance of the years provided in the properties of the years provided in the provided in				
(FOIA) request to determine: 1) When the Consumer Product Safety Commission (CPSC) began investigating incidents that resulted in serious injuries and deaths at trampoline parks 2) What each investigation revealed 3) What subsequent actions were taken	10 E 00211	report. Specifically, we request the compan(ies) manufactured the fans in mentioned in the study, the specific model(s) of the fans in the study, the variation in date code(s) of the fans that were examined in the study, the model number(s) of the fan motors examined in the study, the company that manufactured the thermal cut off (TCO) within the fan motors in the study, the model number of the TCOs in the fan motors in the study. Pursuant to 16 CFR § 1016.3 (b), we ask that the Secretary of the Commission certify the authenticity of these copies and the Consumer Product Safety Commission Report.		
reported in the Nov 2018 publication "Toy-Related Deaths and Injuries: Calendar Year 2017": 1. Ball-choking of a 21 month-old male 2. Ball-choking of a 9 year-old male. Item described as 1" orange foam ball 3. Rubber Toy Dog-choking of a 4 year-old female. Item described as 5x3x3 cm 4. Rubber Ball-choking of a 4 year-old female 5. Unspecified Toy-button battery incident involving 20 month-old male Thank you, [REDACTED] (Date Range for Record Search: From 01/01/2017 To 12/31/2017)  19-F-00213 Hello, I am requesting the raw data incident/injury/fatality records from the following databases for the years provided: - DTHS (2010-2017) - INDP (2010-2017) - IPII (2010-2017) Thank you for your support. [REDACTED] (Date Range for Record Search: From 01/01/2010 To 12/31/2017)  19-F-00214 1. Any documentation regarding Analysis of Benzene products from 1975 through 1980 which include, but not limited to, any air monitoring tests, Environmental Studies and Benzene content of products 2. Any documentation regarding Red Devil's Paint Products which include, but not limited to, any air monitoring tests, Environmental Studies and Benzene content of products from 1975 through 1980 3. Any documentation regarding Wilson Imperial Products which include, but not limited to, any air monitoring tests, Environmental Studies and Benzene content of products from 1975 through 1980 4. Any documentation regarding KWIK No-Wash Paint and Varnish Remover which include, but not limited to, any air monitoring tests, Environmental Studies and Benzene content of products from 1973 through 1978 5. Any documentation regarding Chemical Products Company, INC products sold in Louisiana and the name / location of hardware stores which sold said products. 6. Any documentation regarding Klean Kutter Paint Remover which include, but not limited to, any air monitoring tests, Environmental Studies and Benzene content of products from 1975 through 1980  NBC News is requesting any and all consumer FOIA NBC NEWS		(FOIA) request to determine: 1) When the Consumer Product Safety Commission (CPSC) began investigating incidents that resulted in serious injuries and deaths at trampoline parks 2) What each investigation revealed 3) What subsequent actions were taken	FOIA	-
Hello, I am requesting the raw data incident/injury/fatality records from the following databases for the years provided: - DTHS (2010-2017) - INDP (2010-2017) - IPII (2010-2017) Thank you for your support. [REDACTED] (Date Range for Record Search: From 01/01/2010 To 12/31/2017)  1. Any documentation regarding Analysis of Benzene products from 1975 through 1980 which include, but not limited to, any air monitoring tests, Environmental Studies and Benzene content of products 2. Any documentation regarding Red Devil's Paint Products which include, but not limited to, any air monitoring tests, Environmental Studies and Benzene content of products which include, but not limited to, any air monitoring tests, Environmental Studies and Benzene content of products from 1975 through 1980 3. Any documentation regarding Wilson Imperial Products which include, but not limited to, any air monitoring tests, Environmental Studies and Benzene content of products from 1975 through 1980 4. Any documentation regarding KWIK No-Wash Paint and Varnish Remover which include, but not limited to, any air monitoring tests, Environmental Studies and Benzene content of products from 1973 through 1978 5. Any documentation regarding Chemical Products Company, INC products sold in Louisiana and the name / location of hardware stores which sold said products. 6. Any documentation regarding Klean Kutter Paint Remover which include, but not limited to, any air monitoring tests, Environmental Studies and Benzene content of products from 1975 through 1980  NBC News is requesting any and all consumer  HOLA  WILLIAMS LAW  OFFICE, LLC  WILLIAMS LAW  OFFICE, LLC	19-F-00212	reported in the Nov 2018 publication "Toy-Related Deaths and Injuries: Calendar Year 2017": 1. Ball-choking of a 21 month-old male 2. Ball-choking of a 9 year-old male. Item described as 1" orange foam ball 3. Rubber Toy Dog-choking of a 4 year-old female. Item described as 5x3x3 cm 4. Rubber Ball-choking of a 4 year-old female 5. Unspecified Toy-button battery incident involving 20 month-old male Thank you, [REDACTED] (Date Range for Record Search: From	FOIA	
1. Any documentation regarding Analysis of Benzene products from 1975 through 1980 which include, but not limited to, any air monitoring tests, Environmental Studies and Benzene content of products 2. Any documentation regarding Red Devil's Paint Products which include, but not limited to, any air monitoring tests, Environmental Studies and Benzene content of products from 1975 through 1980 3. Any documentation regarding Wilson Imperial Products which include, but not limited to, any air monitoring tests, Environmental Studies and Benzene content of products from 1975 through 1980 4. Any documentation regarding KWIK No-Wash Paint and Varnish Remover which include, but not limited to, any air monitoring tests, Environmental Studies and Benzene content of products from 1973 through 1978 5. Any documentation regarding Chemical Products Company, INC products sold in Louisiana and the name / location of hardware stores which sold said products. 6. Any documentation regarding Klean Kutter Paint Remover which include, but not limited to, any air monitoring tests, Environmental Studies and Benzene content of products from 1975 through 1980  19-F-00215  NBC News is requesting any and all consumer  FOIA  WILLIAMS LAW  OFFICE, LLC  WILLIAMS LAW  OFFICE, LLC  WILLIAMS LAW  OFFICE, LLC  WILLIAMS LAW  OFFICE, LLC  NBC NEWS	19-F-00213	Hello, I am requesting the raw data incident/injury/fatality records from the following databases for the years provided: - DTHS (2010-2017) - INDP (2010-2017) - IPII (2010-2017) Thank you for your support. [REDACTED] (Date Range for Record	FOIA	
line a contract of a contract		1. Any documentation regarding Analysis of Benzene products from 1975 through 1980 which include, but not limited to, any air monitoring tests, Environmental Studies and Benzene content of products 2. Any documentation regarding Red Devil's Paint Products which include, but not limited to, any air monitoring tests, Environmental Studies and Benzene content of products from 1975 through 1980 3. Any documentation regarding Wilson Imperial Products which include, but not limited to, any air monitoring tests, Environmental Studies and Benzene content of products from 1975 through 1980 4. Any documentation regarding KWIK No-Wash Paint and Varnish Remover which include, but not limited to, any air monitoring tests, Environmental Studies and Benzene content of products from 1973 through 1978 5. Any documentation regarding Chemical Products Company, INC products sold in Louisiana and the name / location of hardware stores which sold said products. 6. Any documentation regarding Klean Kutter Paint Remover which include, but not limited to, any air monitoring tests, Environmental Studies and Benzene content of products from 1975 through 1980		OFFICE, LLC
and/or injury reports and investigations by the CPSC	19-F-00215	NBC News is requesting any and all consumer	-	NBC NEWS

19-F-00216	regarding all models of the Fisher Price Rock n Play from January 1, 2012 through April 8, 2019. NBC News is also requesting any and all emails including the words "Fisher Price" and/or "rock 'n' play" from January 1, 2019 through April 8, 2019 from the email accounts of the following people: Ann Marie Buerkle, Robert Adler, Elliot Kaye, Dana Baiocco, Peter Feldman, Patty Davis, General Counsel - Patricia Hanz, Office of the Secretary - Alberta Mills, Executive Director - Mary Boyle, DeWane Ray, George Borlase and Duane E. Boniface.  Request monthly corrective action reports from January		Kids In Danger
19-F-00217	1, 2018 to March 31, 2018.  Request a copy of the following documents involving the Fisher Price Rock 'N Play from 2015 to present. Death Certificate File and the In-Depth Investigations (INDP) File for each of these incidents.	FOIA	-
19-F-00218	Request a copy of the following documents involving the Fisher Price Rock 'N Play, from 2015 to present. Death Certificate File and the In-Depth Investigations (INDP) File for each of these incidents.	FOIA	-
19-F-00219	We are requesting statistics of children killed in washing machines (Date Range for Record Search: From 04/01/2014 To 04/01/2019)	FOIA	Kentucky State Police
19-F-00220	My firm represents the family and estate of [REDACTED], who died as result of drowning at Mystic Dunes Resort, located at 7806 Mystic Dunes Lane, Kissimmee, FL 34747, on 06/30/2018. We would like to request a copy of your entire investigation file and report, including, but not limited to, any notes, photographs, reports, e-mails, addendums, plats, design schematics of the subject pool (the Dunes Lagoon Pool), maps, permits, construction information, incident reports, field notes, copies of results of any tests conducted on the property, site inspection notes, site inspection photographs, and copies of witness statements. We would further request any notes or findings regarding the pool's structure, shape, design, clarity, drains, safety compliance, and any other documents related to the Dunes Lagoon Pool in your possession. (Date Range for Record Search: From 06/30/2018 To 04/12/2019)		Colling Gilbert Wright & Carter, LLC
19-F-00221	Request a copy of the following documents, along with any documents containing the following information from January 1, 2009 through present, on the following: ASUSTEK laptops manufactured and/or distributed by ASUSTEK, Battery cells manufactured by Samsung, Battery packs manufactured by Simplo Technology Co., Ltd. and ASUSTEK branded laptops that caught fire and/or produced/exhibited and smoke, flame or overheating.	FOIA	-
19-F-00336	N. Marcy, G. Rutherford. "Strangulations Involving Children Under 5 Years Old." U.S. Consumer Product Safety Commission, December 2002.	FOIA	Exponent, Inc.
19-F-00337	We are requesting records on HALE FIREWORKS LLC (Date Range for Record Search: From 01/01/2013 To 06/24/2019)	FOIA	Newman Bronson & Wallis
19-F-00338	We are requesting records on Mr. Coffee® Single Cup Brewing System (Date Range for Record Search: From 01/01/2010 To 01/01/2013)	FOIA	Newman Bronson & Wallis
19-F-00339	Please see attachment. (Date Range for Record Search: From 01/01/2000 To 06/24/2019)	FOIA	Gingras, Cates & Wachs

10 F 00240		E014	I
19-F-00340	I would like to request the CPSC's complete DTHS Death	FOIA	-
10 5 00011	Certificate file from 1980 to present.		
19-F-00341	Reports by Big Marks Inc., or anyone else, of accidents	FOIA	-
	that occurred in connection with this device/ride at that		
	location or other locations.		
19-F-00342	I would like to make a request for CPSC/ASTM joint	FOIA	Newsome
	subcommittee F15.60 meeting materials from these		Melton
	proceedings, specifically the lists of meeting attendees,		
	meeting minutes, notes, and presentations. I was hoping		
	that you, as the Committee Manager, could assist in my		
	locating copies of these materials. The time frame for		
	this request is June 1, 2005 through June 1, 2019. (Date		
	Range for Record Search: From 6/1/2015 To 6/1/2019)		
19-F-00343	We are requesting records relating to airgun muzzle	FOIA	_
	velocity; in particular, records or testing that examines	IOIA	
	or discusses the and changes in airgun muzzle velocity		
	when the airgun is loaded and cocked and then some		
	times passes before the airgun is fired. By way of		
	explanation, a Gamo airgun was rated at 1200 FPS. This		
	airgun was loaded and cocked and then placed in a		
	corner. Two months later, a child picked up the airgun		
	and pulled the trigger, not knowing it was loaded. The		
	airgun muzzle velocity was still so high that it penetrated		
	the skull of another child who has permanent brain		
	damage. We are interested in knowing if any records		
	exist that measure any changes in muzzle velocity of an		
	airgun after it has been loaded and cocked and then		
	allowed to sit for a period of time before being fired.		
	Thank you. [REDACTED] (Date Range for Record Search:		
	From 06/25/1005 To 05/20/2019)		
	From 06/25/1995 To 05/29/2018)		
19-F-00344	Please see the attachment for description of request	FOIA	-
19-F-00344 19-F-00345		FOIA FOIA	- RC Mowers
	Please see the attachment for description of request Number of deaths due to mower roll overs in 2018		- RC Mowers de LUCA LEVINE
19-F-00345	Please see the attachment for description of request Number of deaths due to mower roll overs in 2018  1. Correspondence between Sunbeam Products, Inc.,	FOIA FOIA	
19-F-00345	Please see the attachment for description of request  Number of deaths due to mower roll overs in 2018  1. Correspondence between Sunbeam Products, Inc., and the CPSC from 1995 to the present regarding fires in	FOIA FOIA	de LUCA LEVINE
19-F-00345	Please see the attachment for description of request  Number of deaths due to mower roll overs in 2018  1. Correspondence between Sunbeam Products, Inc., and the CPSC from 1995 to the present regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice	FOIA FOIA	de LUCA LEVINE
19-F-00345	Please see the attachment for description of request  Number of deaths due to mower roll overs in 2018  1. Correspondence between Sunbeam Products, Inc., and the CPSC from 1995 to the present regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 2. Correspondence between Sunbeam Products	FOIA FOIA	de LUCA LEVINE
19-F-00345	Please see the attachment for description of request  Number of deaths due to mower roll overs in 2018  1. Correspondence between Sunbeam Products, Inc., and the CPSC from 1995 to the present regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 2. Correspondence between Sunbeam Products Inc., and the CPSC from 1995 to the present regarding	FOIA FOIA	de LUCA LEVINE
19-F-00345	Please see the attachment for description of request  Number of deaths due to mower roll overs in 2018  1. Correspondence between Sunbeam Products, Inc., and the CPSC from 1995 to the present regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 2. Correspondence between Sunbeam Products Inc., and the CPSC from 1995 to the present regarding sparking, smoking, melting, and/or burning in Oster	FOIA FOIA	de LUCA LEVINE
19-F-00345	Please see the attachment for description of request  Number of deaths due to mower roll overs in 2018  1. Correspondence between Sunbeam Products, Inc., and the CPSC from 1995 to the present regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 2. Correspondence between Sunbeam Products Inc., and the CPSC from 1995 to the present regarding sparking, smoking, melting, and/or burning in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster).	FOIA FOIA	de LUCA LEVINE
19-F-00345	Please see the attachment for description of request Number of deaths due to mower roll overs in 2018  1. Correspondence between Sunbeam Products, Inc., and the CPSC from 1995 to the present regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 2. Correspondence between Sunbeam Products Inc., and the CPSC from 1995 to the present regarding sparking, smoking, melting, and/or burning in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 3. The entire CPSC investigation file, if any, relating to	FOIA FOIA	de LUCA LEVINE
19-F-00345	Please see the attachment for description of request Number of deaths due to mower roll overs in 2018  1. Correspondence between Sunbeam Products, Inc., and the CPSC from 1995 to the present regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 2. Correspondence between Sunbeam Products Inc., and the CPSC from 1995 to the present regarding sparking, smoking, melting, and/or burning in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 3. The entire CPSC investigation file, if any, relating to any and all investigations into fires in Oster brand	FOIA FOIA	de LUCA LEVINE
19-F-00345	Please see the attachment for description of request Number of deaths due to mower roll overs in 2018  1. Correspondence between Sunbeam Products, Inc., and the CPSC from 1995 to the present regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 2. Correspondence between Sunbeam Products Inc., and the CPSC from 1995 to the present regarding sparking, smoking, melting, and/or burning in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 3. The entire CPSC investigation file, if any, relating to any and all investigations into fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 4.	FOIA FOIA	de LUCA LEVINE
19-F-00345	Please see the attachment for description of request Number of deaths due to mower roll overs in 2018  1. Correspondence between Sunbeam Products, Inc., and the CPSC from 1995 to the present regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 2. Correspondence between Sunbeam Products Inc., and the CPSC from 1995 to the present regarding sparking, smoking, melting, and/or burning in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster).  3. The entire CPSC investigation file, if any, relating to any and all investigations into fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster).  4. Any and all information regarding fires in Oster brand	FOIA FOIA	de LUCA LEVINE
19-F-00345	Please see the attachment for description of request Number of deaths due to mower roll overs in 2018  1. Correspondence between Sunbeam Products, Inc., and the CPSC from 1995 to the present regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 2. Correspondence between Sunbeam Products Inc., and the CPSC from 1995 to the present regarding sparking, smoking, melting, and/or burning in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 3. The entire CPSC investigation file, if any, relating to any and all investigations into fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 4. Any and all information regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster) from	FOIA FOIA	de LUCA LEVINE
19-F-00345	Please see the attachment for description of request Number of deaths due to mower roll overs in 2018  1. Correspondence between Sunbeam Products, Inc., and the CPSC from 1995 to the present regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 2. Correspondence between Sunbeam Products Inc., and the CPSC from 1995 to the present regarding sparking, smoking, melting, and/or burning in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster).  3. The entire CPSC investigation file, if any, relating to any and all investigations into fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster).  4. Any and all information regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster) from 1995 through the present. 5. Any and all information	FOIA FOIA	de LUCA LEVINE
19-F-00345	Please see the attachment for description of request Number of deaths due to mower roll overs in 2018  1. Correspondence between Sunbeam Products, Inc., and the CPSC from 1995 to the present regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 2. Correspondence between Sunbeam Products Inc., and the CPSC from 1995 to the present regarding sparking, smoking, melting, and/or burning in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster).  3. The entire CPSC investigation file, if any, relating to any and all investigations into fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster).  4. Any and all information regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster) from 1995 through the present. 5. Any and all information regarding fires in Sunbeam brand toasters, model	FOIA FOIA	de LUCA LEVINE
19-F-00345	Please see the attachment for description of request Number of deaths due to mower roll overs in 2018  1. Correspondence between Sunbeam Products, Inc., and the CPSC from 1995 to the present regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 2. Correspondence between Sunbeam Products Inc., and the CPSC from 1995 to the present regarding sparking, smoking, melting, and/or burning in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster).  3. The entire CPSC investigation file, if any, relating to any and all investigations into fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster).  4. Any and all information regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster) from 1995 through the present. 5. Any and all information regarding fires in Sunbeam brand toasters, model TSSTTR6330-NP (4-Slice Toaster) from 1995 through the Present STTR6330-NP (4-Slice Toaster) from 1995 through the	FOIA FOIA	de LUCA LEVINE
19-F-00345	Please see the attachment for description of request Number of deaths due to mower roll overs in 2018  1. Correspondence between Sunbeam Products, Inc., and the CPSC from 1995 to the present regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 2. Correspondence between Sunbeam Products Inc., and the CPSC from 1995 to the present regarding sparking, smoking, melting, and/or burning in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 3. The entire CPSC investigation file, if any, relating to any and all investigations into fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 4. Any and all information regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster) from 1995 through the present. 5. Any and all information regarding fires in Sunbeam brand toasters, model TSSTTR6330-NP (4-Slice Toaster) from 1995 through the present. 6. Communications by and between the CPSC	FOIA FOIA	de LUCA LEVINE
19-F-00345	Please see the attachment for description of request Number of deaths due to mower roll overs in 2018  1. Correspondence between Sunbeam Products, Inc., and the CPSC from 1995 to the present regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 2. Correspondence between Sunbeam Products Inc., and the CPSC from 1995 to the present regarding sparking, smoking, melting, and/or burning in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 3. The entire CPSC investigation file, if any, relating to any and all investigations into fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 4. Any and all information regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster) from 1995 through the present. 5. Any and all information regarding fires in Sunbeam brand toasters, model TSSTTR6330-NP (4-Slice Toaster) from 1995 through the present. 6. Communications by and between the CPSC and the Association of Home Appliance Manufacturers	FOIA FOIA	de LUCA LEVINE
19-F-00345	Please see the attachment for description of request Number of deaths due to mower roll overs in 2018  1. Correspondence between Sunbeam Products, Inc., and the CPSC from 1995 to the present regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 2. Correspondence between Sunbeam Products Inc., and the CPSC from 1995 to the present regarding sparking, smoking, melting, and/or burning in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 3. The entire CPSC investigation file, if any, relating to any and all investigations into fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 4. Any and all information regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster) from 1995 through the present. 5. Any and all information regarding fires in Sunbeam brand toasters, model TSSTTR6330-NP (4-Slice Toaster) from 1995 through the present. 6. Communications by and between the CPSC and the Association of Home Appliance Manufacturers ("AHAM") concerning toaster oven fires from 1995	FOIA FOIA	de LUCA LEVINE
19-F-00345	Please see the attachment for description of request Number of deaths due to mower roll overs in 2018  1. Correspondence between Sunbeam Products, Inc., and the CPSC from 1995 to the present regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 2. Correspondence between Sunbeam Products Inc., and the CPSC from 1995 to the present regarding sparking, smoking, melting, and/or burning in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 3. The entire CPSC investigation file, if any, relating to any and all investigations into fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 4. Any and all information regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster) from 1995 through the present. 5. Any and all information regarding fires in Sunbeam brand toasters, model TSSTTR6330-NP (4-Slice Toaster) from 1995 through the present. 6. Communications by and between the CPSC and the Association of Home Appliance Manufacturers ("AHAM") concerning toaster oven fires from 1995 through the present in either Oster or Sunbeam brand	FOIA FOIA	de LUCA LEVINE
19-F-00345 19-F-00346	Please see the attachment for description of request Number of deaths due to mower roll overs in 2018  1. Correspondence between Sunbeam Products, Inc., and the CPSC from 1995 to the present regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 2. Correspondence between Sunbeam Products Inc., and the CPSC from 1995 to the present regarding sparking, smoking, melting, and/or burning in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster).  3. The entire CPSC investigation file, if any, relating to any and all investigations into fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster).  4. Any and all information regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster) from 1995 through the present. 5. Any and all information regarding fires in Sunbeam brand toasters, model TSSTTR6330-NP (4-Slice Toaster) from 1995 through the present. 6. Communications by and between the CPSC and the Association of Home Appliance Manufacturers ("AHAM") concerning toaster oven fires from 1995 through the present in either Oster or Sunbeam brand toasters, model TSSTTR6330-NP (4-Slice Toaster).	FOIA FOIA	de LUCA LEVINE
19-F-00345	Please see the attachment for description of request Number of deaths due to mower roll overs in 2018  1. Correspondence between Sunbeam Products, Inc., and the CPSC from 1995 to the present regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 2. Correspondence between Sunbeam Products Inc., and the CPSC from 1995 to the present regarding sparking, smoking, melting, and/or burning in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 3. The entire CPSC investigation file, if any, relating to any and all investigations into fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 4. Any and all information regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster) from 1995 through the present. 5. Any and all information regarding fires in Sunbeam brand toasters, model TSSTTR6330-NP (4-Slice Toaster) from 1995 through the present. 6. Communications by and between the CPSC and the Association of Home Appliance Manufacturers ("AHAM") concerning toaster oven fires from 1995 through the present in either Oster or Sunbeam brand	FOIA FOIA	de LUCA LEVINE
19-F-00345 19-F-00346	Please see the attachment for description of request Number of deaths due to mower roll overs in 2018  1. Correspondence between Sunbeam Products, Inc., and the CPSC from 1995 to the present regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 2. Correspondence between Sunbeam Products Inc., and the CPSC from 1995 to the present regarding sparking, smoking, melting, and/or burning in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 3. The entire CPSC investigation file, if any, relating to any and all investigations into fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 4. Any and all information regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster) from 1995 through the present. 5. Any and all information regarding fires in Sunbeam brand toasters, model TSSTTR6330-NP (4-Slice Toaster) from 1995 through the present. 6. Communications by and between the CPSC and the Association of Home Appliance Manufacturers ("AHAM") concerning toaster oven fires from 1995 through the present in either Oster or Sunbeam brand toasters, model TSSTTR6330-NP (4-Slice Toaster). a copy of each CPSC memorandum concerning lithium batteries, for example, risks from Lithium batteries	FOIA FOIA	de LUCA LEVINE
19-F-00345 19-F-00346	Please see the attachment for description of request Number of deaths due to mower roll overs in 2018  1. Correspondence between Sunbeam Products, Inc., and the CPSC from 1995 to the present regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 2. Correspondence between Sunbeam Products Inc., and the CPSC from 1995 to the present regarding sparking, smoking, melting, and/or burning in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster).  3. The entire CPSC investigation file, if any, relating to any and all investigations into fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster).  4. Any and all information regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster) from 1995 through the present. 5. Any and all information regarding fires in Sunbeam brand toasters, model TSSTTR6330-NP (4-Slice Toaster) from 1995 through the present. 6. Communications by and between the CPSC and the Association of Home Appliance Manufacturers ("AHAM") concerning toaster oven fires from 1995 through the present in either Oster or Sunbeam brand toasters, model TSSTTR6330-NP (4-Slice Toaster).  a copy of each CPSC memorandum concerning lithium	FOIA FOIA	de LUCA LEVINE
19-F-00345 19-F-00346	Please see the attachment for description of request Number of deaths due to mower roll overs in 2018  1. Correspondence between Sunbeam Products, Inc., and the CPSC from 1995 to the present regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 2. Correspondence between Sunbeam Products Inc., and the CPSC from 1995 to the present regarding sparking, smoking, melting, and/or burning in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster).  3. The entire CPSC investigation file, if any, relating to any and all investigations into fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster).  4. Any and all information regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster) from 1995 through the present. 5. Any and all information regarding fires in Sunbeam brand toasters, model TSSTTR6330-NP (4-Slice Toaster) from 1995 through the present. 6. Communications by and between the CPSC and the Association of Home Appliance Manufacturers ("AHAM") concerning toaster oven fires from 1995 through the present in either Oster or Sunbeam brand toasters, model TSSTTR6330-NP (4-Slice Toaster).  a copy of each CPSC memorandum concerning lithium batteries, for example, risks from Lithium batteries catching on fire, in products such as vape pens, scooters,	FOIA FOIA	de LUCA LEVINE
19-F-00345 19-F-00346	Please see the attachment for description of request Number of deaths due to mower roll overs in 2018  1. Correspondence between Sunbeam Products, Inc., and the CPSC from 1995 to the present regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 2. Correspondence between Sunbeam Products Inc., and the CPSC from 1995 to the present regarding sparking, smoking, melting, and/or burning in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 3. The entire CPSC investigation file, if any, relating to any and all investigations into fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 4. Any and all information regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster) from 1995 through the present. 5. Any and all information regarding fires in Sunbeam brand toasters, model TSSTTR6330-NP (4-Slice Toaster) from 1995 through the present. 6. Communications by and between the CPSC and the Association of Home Appliance Manufacturers ("AHAM") concerning toaster oven fires from 1995 through the present in either Oster or Sunbeam brand toasters, model TSSTTR6330-NP (4-Slice Toaster). a copy of each CPSC memorandum concerning lithium batteries, for example, risks from Lithium batteries catching on fire, in products such as vape pens, scooters, phones, laptops, automobiles, etc., or plans to look into	FOIA FOIA	de LUCA LEVINE
19-F-00345 19-F-00346	Please see the attachment for description of request Number of deaths due to mower roll overs in 2018  1. Correspondence between Sunbeam Products, Inc., and the CPSC from 1995 to the present regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 2. Correspondence between Sunbeam Products Inc., and the CPSC from 1995 to the present regarding sparking, smoking, melting, and/or burning in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 3. The entire CPSC investigation file, if any, relating to any and all investigations into fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 4. Any and all information regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster) from 1995 through the present. 5. Any and all information regarding fires in Sunbeam brand toasters, model TSSTTR6330-NP (4-Slice Toaster) from 1995 through the present. 6. Communications by and between the CPSC and the Association of Home Appliance Manufacturers ("AHAM") concerning toaster oven fires from 1995 through the present in either Oster or Sunbeam brand toasters, model TSSTTR6330-NP (4-Slice Toaster). a copy of each CPSC memorandum concerning lithium batteries, for example, risks from Lithium batteries catching on fire, in products such as vape pens, scooters, phones, laptops, automobiles, etc., or plans to look into this topic. I limit my request to records since October 1,	FOIA FOIA	de LUCA LEVINE
19-F-00345 19-F-00346	Please see the attachment for description of request Number of deaths due to mower roll overs in 2018  1. Correspondence between Sunbeam Products, Inc., and the CPSC from 1995 to the present regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 2. Correspondence between Sunbeam Products Inc., and the CPSC from 1995 to the present regarding sparking, smoking, melting, and/or burning in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 3. The entire CPSC investigation file, if any, relating to any and all investigations into fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 4. Any and all information regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster) from 1995 through the present. 5. Any and all information regarding fires in Sunbeam brand toasters, model TSSTTR6330-NP (4-Slice Toaster) from 1995 through the present. 6. Communications by and between the CPSC and the Association of Home Appliance Manufacturers ("AHAM") concerning toaster oven fires from 1995 through the present in either Oster or Sunbeam brand toasters, model TSSTTR6330-NP (4-Slice Toaster). a copy of each CPSC memorandum concerning lithium batteries, for example, risks from Lithium batteries catching on fire, in products such as vape pens, scooters, phones, laptops, automobiles, etc., or plans to look into this topic. I limit my request to records since October 1, 2018. Please omit records already posted on the CPSC	FOIA FOIA	de LUCA LEVINE
19-F-00345 19-F-00346	Please see the attachment for description of request Number of deaths due to mower roll overs in 2018  1. Correspondence between Sunbeam Products, Inc., and the CPSC from 1995 to the present regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 2. Correspondence between Sunbeam Products Inc., and the CPSC from 1995 to the present regarding sparking, smoking, melting, and/or burning in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 3. The entire CPSC investigation file, if any, relating to any and all investigations into fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster). 4. Any and all information regarding fires in Oster brand toasters, model TSSTTR6330-NP (4-Slice Toaster) from 1995 through the present. 5. Any and all information regarding fires in Sunbeam brand toasters, model TSSTTR6330-NP (4-Slice Toaster) from 1995 through the present. 6. Communications by and between the CPSC and the Association of Home Appliance Manufacturers ("AHAM") concerning toaster oven fires from 1995 through the present in either Oster or Sunbeam brand toasters, model TSSTTR6330-NP (4-Slice Toaster). a copy of each CPSC memorandum concerning lithium batteries, for example, risks from Lithium batteries catching on fire, in products such as vape pens, scooters, phones, laptops, automobiles, etc., or plans to look into this topic. I limit my request to records since October 1,	FOIA FOIA	de LUCA LEVINE

10 5 00249	All completely according a supplied devices and de	FOLA	THENELL LAVA
19-F-00348	All complaints regarding surgical devises made,	FOIA	THENELL LAW
	distributed or produced by DuPuy Synthes Sales, Inc., a		GROUP, PC
	foreign corporation: Correspondence, Records, Reports,		
	Notes. (Date Range for Record Search: From 1/1/2004 To 7/10/2019)		
19-F-00349	Any correspondence between John A. James, John E.	FOIA	-
	James, Lorron James, and emails with domain of		
	@jamesgroupintl.com and the Consumer Product Safety		
	Commission.		
19-F-00350	Copies of all communications between CPSC	FOIA	Mintz, Levin,
	employees and individuals at Consumer Reports relating		Cohn, Ferris,
	to the Unauthorized Disclosure, including		Glovsky and
	communications discussing whether Consumer Reports		Popeo, P.C
	would return or destroy the information received under		
	the Unauthorized Disclosure. 2. Copies of all		
	communications between CPSC employees and		
	individuals at the Mary Kay O'Connor Process Safety		
	Center at Texas A&M University ("Texas A&M") relating		
	to the Unauthorized Disclosure, including		
	communications discussing whether Texas A&M would		
	return or destroy the information received under the		
	Unauthorized Disclosure. In addition, Mintz specifically		
	requests a copy of Texas A&M's certification(s) of destruction.		
19-F-00351	Copies of any In Depth Investigation ("IDI") Reports and	EOLA	Newsome
17-1-00331	materials into incidents of injury or death involving	FUIA	Melton
	INTEX above ground pools (Manufacturer's full name,		Menon
	"Intex Recreation Corp."). The scope of this request is		
	from Jan. 1 2000 through June 25 2019.		
19-F-00356	Request an official copy of report no. [redacted] and any	FOIA	Hinshaw &
	other report made by a [REDACTED], regarding a "Mr.		Culbertson, LLP
	Bar-B-Q" dual bristle grill brush made between August 2,		,
	2015 and August 10, 2015.		
19-F-00357	Request a copy of the report that involves the premature	FOIA	-
	failure of a smoke alarm(s) with a sealed Lithium-ion		
	battery at a timeshare run by "Marriott Vacations Club."		
	and resulted in two deaths. (Date Range for Record		
10 5 00212	Search: From 12/1/2018 To 12/31/2018)	5014	14, 10, 11
19-F-00313	All records, reports, documents and findings related to	FOIA	Wood Smith
	the Full Report pursuant to 16 CFR 1115(d) For CPSC file		Henning & Berman
	no PL170021 –Kensington 5-drawer dresser performed on or about April 2017.		Delillali
19-F-00314	All public records containing internal communication and	ΕΩΙΛ	_
171 00011	correspondence with the public regarding how to comply	IOIA	
	with Commission rules, guidelines, policies, and		
	principles as they apply to the following: Lenses used		
	within an augmented or mixed reality headset; Use of		
	novel materials such as liquid lenses, liquid crystal		
	lenses, focus tunable lenses, and lasers within an		
	augmented or mixed reality headset; and Treatment or		
	diagnostic uses of augmented or mixed reality displays		
	or applications. (See request for clarification)		
19-F-00315	All recall records and complaints regarding Pinnacle	FOIA	Wolff Ardis, P.C.
10 F 5	Climate Technologies, Inc. D/B/A Remington		
19-F-00316	Refer to US Coast Guard	FOIA	-
19-F-00317	We are requesting records related to reports by Amazon	FOIA	Herman,
	about lithium ion laptop battery failures, fires and		Herman & Katz,
	explosions, including but not limited to batteries with		LLC
	Amazon ASIN # B00748GAD2, sold or made available on		
	Amazon's website by sellers E-Life, GOOD TIME,		
	Talented & Gifted, AUIO and/or Gety. This request was		

	previously made and denied (see Request # 18-F-	
	00371). Counsel for Amazon has been informed of this	
	request, and has indicated that Amazon will consent to	
	the disclosure of the requested materials pursuant to	
	6(b)(5) of the CPSA. Below is the contact information for	
	Amazon's counsel involved in this particular case:	
	[REDACTED] Stone Pigman Walther Wittmann L.L.C. One	
	American Place, Suite 1150, 301 Main Street, Baton	
	Rouge, LA 70801 P: 225.490. [REDACTED]   F:	
	225.490.5860   [REDACTED] @stonepigman.com (Date	
	Range for Record Search: From 03/31/2016 To	
19-F-00318	06/17/2019)	
19-F-00318	We are interested in in the Archived Annual NEISS Data FOIA	-
	for calendar years 1990 through 1996 in either an Excel	
	(.xlsx/.xls) or Comma Delimited (.csv) file format. (Date	
	Range for Record Search: From 01/01/1990 To	
10 5 00010	12/31/1996)	100
19-F-00319	Any documents regarding dehumidifiers manufactured by FOIA	White and
	New Widetech (a Taiwanese company) that were	Williams LLP
10 5 00000	involved in fires.	
19-F-00320	Number of (1) recalls in the past 5 years and (2) total FOIA	Ontario
	units recalled · Number of (3) Letters of Advice (LOA)	Teachers'
	received · Total amount of (4) monetary losses as a	Pension Plan
	result of legal proceedings associated with product safety	
10.5.00001	(ie. Fines or Penalties)	
19-F-00321	all notes, memoranda, correspondence, and all other FOIA	Cunningham
	documents and materials related to alleged violations of	Bounds, LLC
	statutes, rules or regulations regarding the design,	
	manufacture, assembly, marketing, sale, inspection	
	and/or distribution of Trek Super Commuter 8+ e-bikes;	
	2. all notices, claims, complaints, and all other all	
	documents and materials relating to allegations or claims	
	that the front fender on a Trek Super Commuter 8+ e-	
	bike failed, including, but not limited to, notices, claims,	
	or complaints alleging failure of the front fender on a	
	Trek Super Commuter 8+ e-bike caused or contributed	
	to cause an accident resulting in injuries to the rider; 3.	
	all documents and materials relating to the importation	
	and/or distribution of Trek Super Commuter 8+ e-bikes.	
19-F-00322	Copies of any records, documentation, and data that FOIA	-
	exist regarding the product testing that is required to be	
	conducted under the Consumer Product Safety	
	Improvement Act (CPSIA) by Infantino, a manufacturer	
	of products for children, for the period of January 1,	
	2017 through June 1, 2019. Such documentation may	
	include, but is not limited to the Children's Product	
	Certificate, General Certificate of Conformity,	
	andlaboratory testing results from CPSC approved	
	laboratories for the following Infantino products:	
	SENSORY DISCOVER AND PLAY SENSORY BALL BIG TOP	
	DISCOVERY CUBE SQUEEZE AND STACK BLOCK SET	
	TEXTURED MULTI BALL SET TUB O' TOYS 9 PIECE SET	
	STICK & SPIN HIGH CHAIR PAL SPIRAL ACTIVITY TOY -	
	FARM FUN WATER TEETHER FUNNY FACES RING	
	STACKER LINKABLE TRUNK & TAGS TOY BALLS, BLOCKS	
	& BUDDIES™ GO GAGA	
19-F-00323	Is it correct that there were 18,000 people sent to the ERFOIA	Scholastic
	due to trampoline injuries in 2017?	Magazines
19-F-00324	1. The number of PD's (Preliminary Determinations) FOIA	Union of
	made by the Office of Compliance from 1997 through	Concerned
	June 1, 2019, broken down either by fiscal year or	Scientists
		•

	calendar year, whichever is easier based on CPSC's existing records system. 2. The number of Compliance Initiated investigations designated as "CA" cases from 1997 through June 1, 2019, broken down either by fiscal year or calendar year, whichever is easier. 3. The number of cases designated by the Office of Compliance as "RP" cases from 1997 through June 1, 2019, broken down either by fiscal year or calendar year, whichever is easier. 4. The number of "Fast Track" recalls from 1997 through June 1, 2019, broken down either by fiscal year or calendar year, whichever is easier. 5. The number of recalls for reasons other than violations of mandatory safety standards or banning regulations, i.e., recalls due to actual or potential defects, from 1997 through June 1, 2019, broken down either by fiscal year or calendar year, whichever is easier.		
19-F-00325	Copies of his final report as well as all other documents related to his investigation and any reports/investigations by any other individual of this loss.	FOIA	Golden Scaz Gagain
19-F-00326	Please provide copies of any "summary information of incident reports and In-Depth Investigation Reports" relating to Polaris that were erroneously disclosed to the "29 unique recipients." (Please see attached request for more information)	FOIA	Polaris Industries Inc
19-F-00327	Any and all chain of custody records related to the Honeywell Thermostat and the identification of the current physical location of the Honeywell Thermostat. The Honeywell Thermostat allegedly came into the possession of CPSC on or about November 3, 2016. At this time, [REDACTED], an engineer employed in theElectrical Engineering Division of CPSC Conducted testing on the Honeywell Thermostat and issued a report regarding his findings dated on or about November 17,2016. Time period for which you wish the files searched – October 25, 2016 to present Specific accident or hazard scenario of interest – CPSC took custody and control of the Honeywell Thermostat as part of an investigation related to the October 25, 2016 death of [REDACTED].		STINSON LLP
19-F-00328	1. All records, to include complaints, reports, summaries, inspection reports, safety bulletins, letters and any other documents of any kind, concerning Self-Balancing Scooter/Hoverboards manufactured and/or distributed by Hoverzon, LLC. from January 1, 2015 to December 31, 2017. 2. Any and all records between CPSC and Hoverzon that in any way relate to Self-Balancing Scooter/Hoverboards manufactured and/or distributed by Hoverzon, LLC. from January 1, 2015 to December 31, 2017.	,	Cozen ~ O'Connor
19-F-00329	Referral to FDA	FOIA	Cooper Law Firm
19-F-00330	All Investigative materials minus the medical records and compliance officer reports and documents IDI Assnmnt # [redacted] Source Doc # [redacted] Sample# [redacted] Compliance Officer: [REDACTED]	;	Charles G Monnett, III & Associates
19-F-00331	Any and all records, reports, or other information gathered in connection with the investigation conducted in Case Number: [redacted], including death certificates; summaries of reports of any investigations; as well as victim/witness interviews.	FOIA	Ouintairos, Prieto, Wood & Boyer, P.A.

19-F-00332	1. All Regulations, Laws and Relative Standards involving	FOIA	ALLEN ALLEN
	Dorel Juvenile Group, Inc., 2007 COSCO Fun Sport Play Yards, Model Number 05028SNO from 1/1/2011 - 6/13/2019; 2. All recall issues of any kind involving		ALLEN & ALLEN
	Dorel Juvenile Group, Inc., 2007 COSCO Fun Sport Play		
	Yards, Model Number 05028SNG 1/1/2011 -6/13/2019;		
	3. All redesigns or modifications reports involving Dorel		
	Juvenile Group, Inc., 2007 COSCO Fun Sport Play Yard,		
	Model Number 05028SNG 1/1/2011 - 6/13/2019; 5, All U.S. Consumer Product Safety Commission history and		
	reports of any and all products manufactured and/or		
	distributed by Dorel Juvenile Group, Inc. 1/1/2011 - 6/13/2019.		
19-F-00333	Incident reports, injuries, NEISS reports. Fires, injuries,	FOIA	DPI LLC
	Models. Recall number: 12-199 Recall number: 14-125	1017	DIT EEO
	Recall number: 12-739		
19-F-00334	We are requesting all complaints against The Dyson-	FOIA	Connell Foley
	Kissner-Moran Corporation, Thetford Corporation, and		LLP
	Norcold Inc., as well as any other materials in the CPSC's	5	
19-F-00226	possession regarding these entities.  Data and/or statistics for incidents/injuries/deaths	FOIA	Bridge House
	associated with playground equipment. I would		Advisors
	preferably like to be able to sort the data by state. Years		
	2012 to 2019.		
19-F-00227	All documents related in whole or in part to the April 12,	FOIA	NBC News
19-F-00228	2019 recall by Fisher-Price of the Rock 'n Play sleeper.  copies of all documents relating to product Brother MFC	FOIA	Rumberger
.,	L3770CDW Wireless Color All In One Laser Printer	IOIA	KIRK & Caldwell
	Scanner Copier Fax.		
19-F-00229	Comments or reports from the jewelry industry (i.e.	FOIA	Department of
	FJATA) relating to CPSIA and their calculations of the		Justice Research
	lowest feasible lead limits in jewelry production. Any report since 2007 would be appreciated. This is for an		Center
	informational research project for the California		
	Department of Justice.		
19-F-00235	A list of all baby products currently being investigated by	FOIA	-
	the Consumer Product Safety Commission over baby		
	safety concerns." We are requesting access to the following information: All currently open investigations		
	into baby products containing any of the following terms:		
	Sleeper, rocker, bassinet, lounger, bouncer, cradle,		
	carrier, co-sleeper Please include copies of all complaints		
	and investigative reports. (Date Range for Record		
19-F-00236	Search: From 01/01/2014 To 05/02/2019) Referral	FOIA	
19-F-00237	All INDP, IPII, Death Certificate, and NEISS files relating	FOIA	Gizmodo
	to incidents, injuries, and complaints associated with		
	wireless headphones manufactured by Apple Inc.—sold		
	commercially as Apple AirPods—from December 2016 to		
19-F-00238	present.  Any and all records, notices, bulletins, investigations,	FOIA	Jerry W. Wicker
7-1-00230	complaints, reports, manuals, recalls, incidents, audio,	UIA	Law Office
	visual files, known prior/current litigation involving the		Law Onioc
	product herein, and other such relevant data pertaining		
	to the 27" Log Mountain inflatable slide (Serial #:		
	0616T15015) manufactured by TentAndTable.Com, LLC,		
	and more fully referenced in the attached document, between January 01, 2012 through present.		
19-F-00239	We are requesting statistics of children killed in washing	FOIA	Kentucky State
	machines from 04/01/2014 To 04/01/2019.		Police
_		_	

10 5 000 10			1
19-F-00240	Requesting records for any reported fire with a Holmes FOI	IA	-
	humidifier, a Guangdong Xinbao humidifier, and a		
	Sunbeam humidifier for the 5 preceding years.		
19-F-00241	request a copy of all records, including but not limited to, FOI	NΑ	Dewsnup, King
	incident reports, special study reports, and hazard		& Olsen
	analysis reports pertaining to the following product		
	recalls: 1. 2007 Icon Health & Fitness Recall for Nordic		
	Track Bench, Model No: 831.14595.0; 2. 2007 Icon		
	Health & Fitness Recall for Reebok Bench, Model No:		
	RBBE1996.0; 3. 2010 Icon Health & Fitness Recall for		
	Nordic Track Revitalize Inversion Bench 2.0, Model No:		
	831.14895.0; 4. 2010 Icon Health & Fitness Recall for		
	Gold's Gym Inversion System, Model Nos: GGBE0867.0		
	and GGCCBE0867.0; 5. 2010 Icon Health & Fitness		
	Recall for Weider Club Inversion System, Model No:		
	WEBE0878.0; and, 6. 2014 Dick's Sporting Goods, Inc.		
	Recall for Fitness Gear Inversion Table FG IT 300, Model		
10 5 00040	Nos: STE00059FG and STE00118FG.	\	0 - 11 0
19-F-00242	The entire and complete file relating to recall 17-095, FOI	ЛА	Golberg &
	including any documents created during an investigation		Rosen, P.A.
10 5 000 10	by U.S. Consumer Product Safety Commission.		
19-F-00243	All email communications between any person outside FOI	NΑ	American
	the federal government (such as anyone communicating		Oversight
	from an email address ending in		
	.com/.net/.org/.edu/.mail) and the following individuals:		
	Commissioner and Acting Chair Ann Marie Buerkle 2.		
	Chief of Staff Nancy Lowery 3. Chief Counsel to the		
	Chairman John "Gib" Mullan 4. Executive Assistant		
	Katelyn Costello Please provide all responsive records		
	from January 20, 2017, through the date of the search.		
	In addition to the records requested above, American		
	Oversight also requests records describing the		
	processing of this request, including records sufficient to		
	identify search terms used and locations and custodians		
	searched and any tracking sheets used to track the		
	processing of this request. If CPSC uses FOIA		
	questionnaires or certifications completed by individual		
	custodians or components to determine whether they		
	possess responsive materials or to describe how they		
	conducted searches, we also request any such records prepared in connection with the processing of this		
	i i i		
19-F-00244	request.	\	T
19-F-00244	We are seeking to resubmit our 12/18/18 request, under FOI	ЛА	Taylor Anderson
	the recommendation of [REDACTED], FOIA Specialist,		LLP
	regarding Recall Number 18-199, for the Vornado VH101		
	Personal Vortex space heater("the VH101 Recall").		
	Please provide our office with all documents regarding		
	the VH101 Recall, including but not limited to (1)		
	consumer complaints, (2) submissions from the		
	manufacturer, (3) investigation files, (4) communications		
	with the manufacturer, (5) photographs or video, (6)		
	technical documents, and (7) incident reports. We prefer		
	to receive documents electronically.		
19-F-00245	American Oversight requests that CPSC produce the FOI	NA AI	American
	following records within twenty business days: 1. The		Oversight
	resume provided by Ann Marie Buerkle to CPSC in		
	connection with determining her appropriate salary, or, if		
	that is not available, a recent resume for Ms. Buerkle		
	contained within the agency's records. We have no		
	objection to the redaction of contact information		
	(addresses, telephone numbers, e-mail addresses) for		
	Kanaresses, reiebijone unumbers, e-maii anaresses) 101		l .

Ms. Buerkle or her references, or to the redaction of past salary information. Employment, education, and professional association information is not exempt and we object to any redactions of such information. 2. Any conflicts or ethics walvers or authorizations for Ann Marie Buerkle, including authorizations pursuant to 5 C.F.R. § 2635.502. 3. Records reflecting any recusal determination made or issued for Ann Marie Buerkle. For items two and three of this request, please provide all responsive records from January 20, 2017, through the date of the search.  All calendars or calendar entries for Ann Marie Buerkle, For items two and three of this request, please provide all responsive records from January 20, 2017, through the date of the search.  All calendars or calendar entries for Ann Marie Buerkle, including any calendars maintained on her behalf (e.g., by an administrative assistant). American Oversight to guests that the calendars be prod. Please do not limit your search to Outlook cellendars. We request the production of any document—paper or electronic, whether on government-issued or personal devices—used to track or coordinate how these individuals allocate their time on agency business. Please provide all responsive records from January 20, 2017, through the date of the search.  Tequesting ciples of all files maintained by, or in the possession, custody, or control of the U.S. Consumer Product Safety Commission ("CPSC") relating to any investigation of, or inquiry about, the safety, quality, and/or performance of any coffee or beverage brewers or other products manufactured, licensed, or sold by Keung Green Mountain, Inc.  19-F-00248 Acceptable of the comments sufficient to identify the Submitter of the Incident Report dated 3/4/2019, Report Number [redacted], attached here to as Exhibit A. (See attached request)  19-F-00250 Lam requesting detailed information on the incidents cited in Recall 19-105 along with information on Italiaties in similar products. See attachment. (Date Range for Record Searc				
salary information. Employment, education, and professional association information is not exempt and we object to any redactions of such information. 2. Any conflicts or ethics waivers or authorizations for Ann Marie Buerkle, including authorizations pursuant to 5 C.F.R. § 2635.502. 3. Records reflecting any recusal determination made or issued for Ann Marie Buerkle. For Items two and three of this request, please provide all responsive records from January 20, 2017, through the date of the search.  All calendars or calendar entries for Ann Marie Buerkle, including any calendars maintained on her behalf (e.g., by an administrative assistant). American Oversight requests that the calendars be prod. Please do not limit your search to Outlook calendars. We request the production of any document—paper or electronic, whether on government-issued or personal devices—used to track or coordinate how these individuals allocate their time on agency business. Please provide all responsive records from January 20, 2017, through the date of the search.  19.F-00247 requesting copies of all files maintained by, or in the possession, custody, or control of, the U.S. Consumer Product Safety Commission (*CPSC*) relating to any investigation of, or inquiry about, the safety, quality, and/or performance of any coffee or beverage brewers or other products manufactured, licensed, or sold by Keurig Green Mountain, Inc.  19.F-00248 A copy of documents containing the following information FOIA be provided to me: documents sufficient to identify the Submitter of the incident Report dated 3/4/2019, Report Number (redacted), attached here to as Exhibit A. (See attached request).  19.F-00249 Requesting declined information on the incidents cited in Recall 19-105 along with information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  19.F-00250 I am requesting detailed information on the incidents cited in Recall 19-105 along with information on fatalities in similar products		Ms. Buerkle or her references, or to the redaction of past		
we object to any redactions of such information. 2. Any conflicts or ethics welvers or authorizations for Ann Marie Buerkle, including authorizations pursuant to 5 C.F.R. § 2635.502. 3. Records reflecting any recusal determination made or issued for Ann Marie Buerkle. For Items two and three of this request, please provide all responsive records from January 20, 2017, through the date of the search.  All calendars or calendar entries for Ann Marie Buerkle, including any calendars maintained on her behalf (e.g., by an administrative assistant). American Oversight requests that the calendars be prod. Please do not limit your search to Outlook calendars. We request the production of any document—paper or electronic, whether on government-issued or personal devices—used to track or coordinate how these individuals allocate their time on agency business. Please provide all responsive records from January 20, 2017, through the date of the search.  19.F-00247 requesting copies of all files maintained by, or in the possession, custody, or control of, the U.S. Consumer Product Safely Commission ("CPSC") relating to any investigation of, or inquiry about, the safety, quality, and/or performance of any coffee or beverage brewers or other products manufactured, licensed, or sold by Keurig Green Mountain, Inc.  19.F-00248 A copy of documents containing the following information FOIA be provided to me: documents sufficient to identify the Submitter of the incident Report dated 3/4/2019, Report Number (redacted), attached here to as Exhibit A. (See attached request).  19.F-00249 Requesting documents related to File NO. [redacted], the FOIA Bosch dishwasher/electrical fire investigation. >  19.F-00250 I am requesting detailed information on the incidents cited in Recall 19-105 along with information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  19.F-00250 Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the Univer		salary information. Employment, education, and		
conflicts or ethics waivers or authorizations presumant to 5 C.F.R. § 2635.502. 3. Records reflecting any recusal determination made or issued for Ann Marie Buerkle. For Items two and three of this request, please provide all responsive records from January 20, 2017, through the date of the search.  All calendars or calendar entries for Ann Marie Buerkle, Including any calendars maintained on her behalf (e.g., by an administrative assistant). American Oversight requests that the calendars be proof. Please do not limit your search to Outlook calendars. We request the production of any document—paper or electronic, whether on government-lissued or personal devices— used to track or coordinate how these individuals allocate their time on agency business. Please provide all responsive records from January 20, 2017, through the date of the search.  19-F-00247 requesting copies of all files maintained by, or in the possession, custody, or control of, the U.S. Consumer Product Safety Commission (*CPSC*) relating to any investigation of, or ingiry about, the safety, quality, and/or performance of any coffee or beverage brewers or other products manufactured, licensed, or sold by Keurig Green Mountain, Inc.  19-F-00248 A copy of documents containing the following information FOIA be provided to me: documents sufficient to identify the bubmitter of the Incident Report dated 3/4/2019, Report Number (redacted), attached here to as Exhibit A. (See 19-F-00249 Requesting documents related to File NO. (redacted), the FOIA Bosch dishwasher/electrical fire investigation. >  19-F-00250 I am requesting detailed information on the incidents cited in Recall 19-105 along with information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  19-F-00251 Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recentity (Thanksgiving day, 2017) had a similar experience with her		professional association information is not exempt and		
Buerkle, Including authorizations pursuant to 5 C.F.R. § 2635 502. 3. Records reflecting any recusal determination made or issued for Ann Marie Buerkle. For Items two and three of this request, please provide all responsive records from January 20, 2017, through the date of the search.  All calendars or calendar entries for Ann Marie Buerkle, including any calendars maintained on her behalf (e.g., by an administrative assistant). American Oversight requests that the calendars be prod. Please do not limit your search to Outlook calendars. We request the production of any document—paper or electronic, whether on government-issued or personal devices— used to track or coordinate how these individuals allocate their time on agency business. Please provide all responsive records from January 20, 2017, through the date of the search.  19-F-00247  19-F-00247  19-F-00248  A copy of documents of any toffee or beverage brewers or other products manufactured, licensed, or sold by keurig Green Mountain, Inc.  19-F-00248  A copy of documents containing the following information FOIA be provided to me: documents sufficient to identify the Submitter of the Incident Report dated 3/4/2019, Report Number (redacted), attached here to as Exhibit A. (See attached request)  19-F-00249  Requesting documents related to File NO. (redacted), the FOIA Bosch dishwasher/dectrical fire investigation. >  19-F-00250  1 am requesting detailed information on the incidents cited in Recall 19-105 along with information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009 10 04/26/2019)  19-F-00251  Creetings to you. I am a pediatric health services researcher and critical care pediatric health services researcher of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeply- embedded glass in his body. A colleague of mine recently (Inahksylving day, 2017) had a similar experience with her 16-year old son who required stitc		we object to any redactions of such information. 2. Any		
2635.502. 3. Records reflecting any recusal determination made or issued for Ann Marie Buerkle. For Items Iwo and three of this request, please provide all responsive records from January 20, 2017, through the date of the search.  19-F-00246 All calendars or calendar entries for Ann Marie Buerkle, including any calendars maintained on her behalf (e.g., by an administrative assistant). American Oversight requests that the calendars be prof. Please do not limit your search to Outlook calendars. We request the production of any document—paper or electronic, whether on government-issued or personal devices—used to track or coordinate how these individuals allocate their time on agency business. Please provide all responsive records from January 20, 2017, through the date of the search.  19-F-00247 requesting copies of all files maintained by, or in the possession, custody, or control of, the U.S. Consumer Product Safety Commission (*CPSC*) relating to any investigation of, or inquiry about, the safety, quality, and/or performance of any coffee or beverage brewers or other products manufactured, licensed, or sold by Keurig Green Mountain, Inc.  19-F-00248 A copy of documents containing the following information FOIA be provided to me: documents sufficient to identify the Submitter of the Incident Report dated 37/4/2019, Report Number [redacted], attached here to as Exhibit A. (See attached request)  19-F-00249 Requesting documents related to File NO. [redacted], the FOIA Bosch dishwasher/electrical fire investigation. >  19-F-00250 I am requesting detailed information on the incidents for Minimal Products. See attachment. (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  19-F-00251 Greetings to you. I am a pediatric health services. FOIA researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (Thanksglving day, 2017) had as infinite reperience with her 16-year old son who required striches placed by his father, a surgeon. Review of the internet			,	
2635.502. 3. Records reflecting any recusal determination made or issued for Ann Marie Buerkle. For Items two and three of this request, please provide all responsive records from January 20, 2017, through the date of the search.  19-F-00246 All calendars or calendar entries for Ann Marie Buerkle, including any calendars maintained on her behalf (e.g., by an administrative assistant). American Oversight requests that the calendars be prod. Please do not limit your search to Outlook calendars. We request the production of any document—paper or electronic, whether on government-issued or personal devices—used to track or coordinate how these individuals allocate their time on agency business. Please provide all responsive records from January 20, 2017, through the date of the search.  10-F-00247 requesting copies of all files maintained by, or in the possession, custody, or control of, the U.S. Consumer Product Safety Commission (*CPSC*) relating to any investigation of, or inquiry about, the safety, quality, and/or performance of any coffee or beverage brewers or other products manufactured, licensed, or sold by Keurig Green Mountain, Inc.  19-F-00248 A copy of documents containing the following information FOIA be provided to me: documents sufficient to identify the Submitter of the Incident Report dated 3/4/2019, Report Number (redacted), attached here to as Exhibit A. (See attached request)  19-F-00249 Requesting documents related to File NO. (redacted), the FOIA Bosch dishwasher/electrical fire investigation. >  19-F-00250 I am requesting detailed information on the incidents cited in Recall 19-105 along with information on freatilities in similar products. See attachment. (Date Range for Record Search, From 01/01/2009 To 04/26/2019)  19-F-00251 Greetings to you. I am a pediatric health services with the responsive formation of the product of the		Buerkle, including authorizations pursuant to 5 C.F.R. §		
determination made or issued for Ann Marie Buerkle, For tems two and three of this request, please provide all responsive records from January 20, 2017, through the date of the search.  All calendars or calendar entries for Ann Marie Buerkle, including any calendars maintained on her behalf (e.g., by an administrative assistant). American Oversight requests that the calendars be prod. Please do not limit your search to Outlook calendars. We request the production of any document—paper or electronic, whether on government-issued or personal devices—used to track or coordinate how these individuals allocate their time on agency business. Please provide all responsive records from January 20, 2017, through the date of the search.  19.F-00247 requesting copies of all files maintained by, or in the possession, custody, or control of, the U.S. Consumer Product Safety Commission (*CPSC*) Pelating to any investigation of, or inquiry about, the safety, quality, and/or performance of any coffee or beverage brewers or other products manufactured, licensed, or sold by Keurig Green Mountain, Inc.  19.F-00248 A copy of documents containing the following information FOIA be provided to me: documents sufficient to identify the Submitter of the Incident Report dated 3/4/2019, Report Number [redacted], attached here to as Exhibit A. (See attached request)  19.F-00249 Requesting documents related to File NO. [redacted], the FOIA Bosch diskiwasher/electrical fire investigation. >  19.F-00250 I am requesting detailed information on the incidents cited in Recall 19-105 along with information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009) To 04/26/2019)  19.F-00251 Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet reve				
tems two and three of this request, please provide all responsive records from January 20, 2017, through the date of the search.  All calendars or calendar entries for Ann Marie Buerkle, including any calendars maintained on her behalf (e.g., by an administrative assistant). American Oversight requests that the calendars be prod. Please do not limit your search to Outlook calendars. We request the production of any document—paper or electronic, whether on government-issued or personal devices— used to track or coordinate how these individuals allocate their time on agency business. Please provide all responsive records from January 20, 2017, through the date of the search.  19-F-00247 requesting copies of all files maintained by, or in the possession, custody, or control of, the U.S. Consumer Product Safety Commission (*CPSC*) relating to any investigation of, or inquiry about, the safety, quality, and/or performance of any coffee or beverage brewers or other products manufactured, licensed, or sold by Keurig Green Mountain, Inc.  19-F-00248 A copy of documents containing the following information FOIA be provided to me: documents sufficient to identify the Submitter of the Incident Report dated 3/4/2019, Report Number [redacted], altached here to as Exhibit A. (See attached request)  19-F-00249 Requesting documents related to File No. [redacted], the FOIA Bosch dishwasher/electrical fire investigation. >  19-F-00250 I am requesting detailed information on the incidents cited in Recall 19-105 along with information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009) To 04/26/2019)  19-F-00251 Greetings to you. I am a pediatric health services folia researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (no January 6, 2018) had an unfortunate traumatic experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeply-emb				
responsive records from January 20, 2017, through the date of the search.  All calendars or calendar entries for Ann Marie Buerkle, including any calendars maintained on her behalf (e.g., by an administrative assistant). American Oversight requests that the calendars be prod. Please do not limit your search to Outlook calendars. We request the production of any document—paper or electronic, whether on government-issued or personal devices—used to track or coordinate how these individuals allocate their time on agency business. Please provide all responsive records from January 20, 2017, through the date of the search.  19-F-00247 requesting copies of all files maintained by, or in the possession, custody, or control of, the U.S. Consumer Product Safety Commission ("CPSC") relating to any investigation of, or inquiry about, the safety, quality, and/or performance of any coffee or beverage brewers or other products manufactured, licensed, or sold by Keurig Green Mountain, Inc.  19-F-00248 A copy of documents containing the following information FOIA be provided to me: documents sufficient to identify the Submitter of the Incident Report dated 3/4/2019, Report Number [redacted], attached here to as Exhibit A. (See attached request)  19-F-00249 Requesting documents related to File No. [redacted], the FOIA Bosch dishwasher/electrical fire investigation. >  19-F-00250 I am requesting detailed information on the incidents cited in Recall 19-105 along with information on fatalities in similar products. See attachment, (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  19-F-00251 Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (on January 6, 2018) had an unfortunate traumatic experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeply-semedded glass in his body. A colleague of mine recently (Thanksgi				
date of the search.  All calendars or calendar entries for Ann Marie Buerkle, including any calendars maintained on her behalf (e.g., by an administrative assistant). American Oversight requests that the calendars be prod. Please do not limit your search to Outlook calendars. We request the production of any document—paper or electronic, whether on government-issued or personal devices— used to track or coordinate how these individuals allocate their time on agency business. Please provide all responsive records from January 20, 2017, through the date of the search.  19-F-00247  requesting copies of all files maintained by, or in the possession, custody, or control of, the U.S. Consumer Product Safety Commission ("CPSC") relating to any investigation of, or inquiry about, the safety, quality, and/or performance of any coffee or beverage brewers or other products manufactured, licensed, or sold by Keurig Green Mountain, Inc.  19-F-00248  A copy of documents containing the following information FOIA be provided to me: documents sufficient to identify the Submitter of the incident Report dated 3/4/2019, Report Number [redacted], attached here to as Exhibit A. (See attached request)  19-F-00249  Requesting documents related to File NO. [redacted], the FOIA Bosch dishwasher/electrical fire investigation. >  19-F-00250  1 am requesting detailed information on the incidents cited in Recall 19-105 along with information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  19-F-00251  Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (on January 6, 2018) had an unfortunate traumatic experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and reweded by				
19-F-00246		· · · · · · · · · · · · · · · · · · ·		
including any calendars maintained on her behalf (e.g., by an administrative assistant). American Oversight requests that the calendars be prod. Please do not limit your search to Outlook calendars. We request the production of any document—paper or electronic, whether on government-issued or personal devices— used to track or coordinate how these individuals allocate their time on agency business. Please provide all responsive records from January 20, 2017, through the date of the search.  19-F-00247 requesting copies of all files maintained by, or in the possession, custody, or control of, the U.S. Consumer Product Safety Commission ("CPSC") relating to any investigation of, or inquiry about, the safety, quality, and/or performance of any coffee or beverage brewers or other products manufactured, licensed, or sold by Keurig Green Mountain, Inc.  19-F-00248 A copy of documents containing the following information FOIA be provided to me: documents sufficient to identify the Submitter of the Incident Report dated 3/4/2019, Report Number (redacted), attached here to as Exhibit A. (See attached request)  19-F-00249 Requesting documents related to File NO. (redacted), the FOIA Bosch dishwasher/electrical fire investigation. >  19-F-00250 I am requesting detailed information on the incidents cited in Recall 19-105 along with information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  19-F-00251 Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (no January 6, 2018) had an unfortunate traumatic experience with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeply-embedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeply-embedded glass in his b	19-F-00246		FOLA	American
by an administrative assistant). American Oversight requests that the calendars be prod. Please do not limit your search to Outlook calendars. We request the production of any document—paper or electronic, whether on government-issued or personal devices—used to track or coordinate how these individuals allocate their time on agency business. Please provide all responsive records from January 20, 2017, through the date of the search.  19-F-00247 requesting copies of all files maintained by, or in the possession, custody, or control of, the U.S. Consumer Product Safety Commission ("CPSC") relating to any investigation of, or inquiry about, the safety, quality, and/or performance of any coffee or beverage brewers or other products manufactured, licensed, or sold by Keurig Green Mountain, Inc.  19-F-00248 A copy of documents containing the following information FOIA be provided to me: documents sufficient to identify the Submitter of the Incident Report dated 3/4/2019, Report Number (redacted), attached here to as Exhibit A. (See attached request)  19-F-00249 Requesting documents related to File NO. fredacted], the FOIA Bosch dishwasher/electrical fire investigation. >  19-F-00250 I am requesting detailed information on the incidents cited in Recall 19-105 along with information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  19-F-00251 Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (on January 6, 2018) had an unfortunate traumatic experience with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeply-embedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower door exploiding on innocent, unsuspecting,	.,. 552.15		IOIA	
réquests that the calendars be prod. Please do not limit your search to Outlook calendars. We request the production of any document—paper or electronic, whether on government—issued or personal devices—used to track or coordinate how these individuals allocate their time on agency business. Please provide all responsive records from January 20, 2017, through the date of the search.  19-F-00247 requesting copies of all files maintained by, or in the possession, custody, or control of, the U.S. Consumer Product Safety Commission ("CPSC") relating to any investigation of, or inquiry about, the safety, quality, and/or performance of any coffee or beverage brewers or other products manufactured, licensed, or sold by Keurig Green Mountain, Inc.  19-F-00248 A copy of documents containing the following information FOIA be provided to me: documents sufficient to identify the Submitter of the Incident Report dated 3/4/2019, Report Number [redacted], attached here to as Exhibit A. (See attached request)  19-F-00249 Requesting documents related to File NO. [redacted], the FOIA Bosch dishwasher/electrical fire investigation. >  19-F-00250 I am requesting detailed information on the incidents cited in Recall 19-105 along with information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  19-F-00251 Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (On January 6, 2018) had an unfortunate traumatic experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeply-embedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower door explode with him inside the shower. He required sur				Oversign
your search to Outlook calendars. We request the production of any document—paper or electronic, whether on government-issued or personal devices—used to track or coordinate how these individuals allocate their time on agency business. Please provide all responsive records from January 20, 2017, through the date of the search.  19-F-00247 requesting copies of all files maintained by, or in the possession, custody, or control of, the U.S. Consumer Product Safety Commission ("CPSC") relating to any investigation of, or inquiry about, the safety, quality, and/or performance of any coffee or beverage brewers or other products manufactured, licensed, or sold by Keurig Green Mountain, Inc.  19-F-00248 A copy of documents containing the following information FOIA be provided to me: documents sufficient to identify the Submitter of the Incident Report dated 3/4/2019, Report Number [redacted], attached here to as Exhibit A. (See attached request)  19-F-00249 Requesting documents related to File NO. [redacted], the FOIA Bosch dishwasher/electrical fire investigation. >  19-F-00250 I am requesting detailed information on the incidents cited in Recall 19-105 along with information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  19-F-00251 Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (on January 6, 2018) had an unfortunate traumatic experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeply-embedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower door explode with him in inside the shower the separation of childhood injuries, I feel a great service to the ci				
production of any document—paper or electronic, whether on government-issued or personal devices—used to track or coordinate how these individuals allocate their time on agency business. Please provide all responsive records from January 20, 2017, through the date of the search.  19-F-00247 requesting copies of all files maintained by, or in the possession, custody, or control of, the U.S. Consumer Product Safety Commission ("CPSC") relating to any investigation of, or inquiry about, the safety, quality, and/or performance of any coffee or beverage brewers or other products manufactured, licensed, or sold by Keurig Green Mountain, Inc.  19-F-00248 A copy of documents containing the following information FOIA be provided to me: documents sufficient to identify the Submitter of the Incident Report dated 3/4/2019, Report Number (redacted), attached here to as Exhibit A. (See attached request)  19-F-00249 Requesting documents related to File NO. (redacted), the FOIA Bosch dishwasher/electrical fire investigation. >  19-F-00250 I am requesting detailed information on the incidents cited in Recall 19-105 along with information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  19-F-00251 Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (on January 6, 2018) had an unfortunate traumatic experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeply-embedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower door exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to t				
whether on government-issued or personal devices— used to track or coordinate how these individuals allocate their time on agency business. Please provide all responsive records from January 20, 2017, through the date of the search.  19-F-00247 requesting copies of all files maintained by, or in the possession, custody, or control of, the U.S. Consumer Product Safety Commission (*CPSC*) relating to any investigation of, or inquiry about, the safety, quality, and/or performance of any coffee or beverage brewers or other products manufactured, licensed, or sold by Keurig Green Mountain, Inc.  19-F-00248 A copy of documents containing the following information FOIA be provided to me: documents sufficient to identify the Submitter of the Incident Report dated 3/4/2019, Report Number [redacted], attached here to as Exhibit A. (See attached request)  19-F-00250 Requesting documents related to File NO. [redacted], the FOIA Bosch dishwasher/electrical fire investigation. >  19-F-00250 I am requesting detailed information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  19-F-00251 Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (on January 6, 2018) had an unfortunate traumatic experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeply- embedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower door exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding ma				
used to track or coordinate how these individuals allocate their time on agency business. Please provide all responsive records from January 20, 2017, through the date of the search.  19-F-00247 requesting copies of all files maintained by, or in the possession, custody, or control of, the U.S. Consumer Product Safety Commission ("CPSC") relating to any investigation of, or inquiry about, the safety, quality, and/or performance of any coffee or beverage brewers or other products manufactured, licensed, or sold by Keurig Green Mountain, Inc.  19-F-00248 A copy of documents containing the following information FOIA be provided to me: documents sufficient to identify the Submitter of the Incident Report dated 3/4/2019, Report Number [redacted], attached here to as Exhibit A. (See attached request)  19-F-00249 Requesting documents related to File NO. [redacted], the FOIA Bosch dishwasher/electrical fire investigation. >  19-F-00250 I am requesting detailed information on the incidents cited in Recall 19-105 along with information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  19-F-00251 Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (on January 6, 2018) had an unfortunate traumatic experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeply-embedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower door exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the clitzerry will be to report the epidemiology of these shower door injuries. I reviewed the NEI				
their time on agency business. Please provide all responsive records from January 20, 2017, through the date of the search.  19-F-00247 requesting copies of all files maintained by, or in the possession, custody, or control of, the U.S. Consumer Product Safety Commission ("CPSC") relating to any investigation of, or inquiry about, the safety, quality, and/or performance of any coffee or beverage brewers or other products manufactured, licensed, or sold by Keurig Green Mountain, Inc.  19-F-00248 A copy of documents containing the following information FOIA be provided to me: documents sufficient to identify the Submitter of the Incident Report dated 3/4/2019, Report Number (redacted), attached here to as Exhibit A. (See attached request)  19-F-00249 Requesting documents related to File NO. (redacted), the FOIA Bosch dishwasher/electrical fire investigation. >  19-F-00250 I am requesting detailed information on the incidents cited in Recall 19-105 along with information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  19-F-00251 Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (on January 6, 2018) had an unfortunate traumatic experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeply-embedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower door exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or door		The state of the s	J	
responsive records from January 20, 2017, through the date of the search.  19-F-00247 requesting copies of all files maintained by, or in the possession, custody, or control of, the U.S. Consumer Product Safety Commission ("CPSC") relating to any investigation of, or inquiry about, the safety, quality, and/or performance of any coffee or beverage brewers or other products manufactured, licensed, or sold by Keurig Green Mountain, Inc.  19-F-00248 A copy of documents containing the following information FOIA be provided to me: documents sufficient to Identify the Submitter of the Incident Report dated 3/4/2019, Report Number [redacted], attached here to as Exhibit A. (See attached request)  19-F-00249 Requesting documents related to File NO. [redacted], the FOIA Bosch dishwasher/electrical fire investigation. >  19-F-00250 I am requesting detailed information on the incidents cited in Recall 19-105 along with information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  19-F-00251 Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (on January 6, 2018) had an unfortunate traumatic experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeply-embedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower door exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathub or sho			1	
date of the search.  requesting copies of all files maintained by, or in the possession, custody, or control of, the U.S. Consumer Product Safety Commission ("CPSC") relating to any investigation of, or inquiry about, the safety, quality, and/or performance of any coffee or beverage brewers or other products manufactured, licensed, or sold by Keurig Green Mountain, Inc.  19-F-00248 A copy of documents containing the following information FOIA be provided to me: documents sufficient to identify the Submitter of the Incident Report dated 3/4/2019, Report Number [redacted], attached here to as Exhibit A. (See attached request)  19-F-00249 Requesting documents related to File NO. [redacted], the FOIA cited in Recall 19-105 along with information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  19-F-00251 Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (on January 6, 2018) had an unfortunate traumatic experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeply-embedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower doors exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to				
requesting copies of all files maintained by, or in the possession, custody, or control of, the U.S. Consumer Product Safety Commission ("CPSC") relating to any investigation of, or inquiry about, the safety, quality, and/or performance of any coffee or beverage brewers or other products manufactured, licensed, or sold by Keurig Green Mountain, Inc.  A copy of documents containing the following information FOIA be provided to me: documents sufficient to identify the Submitter of the Incident Report dated 3/4/2019, Report Number [redacted], attached here to as Exhibit A. (See attached request)  19-F-00249 Requesting documents related to File NO. [redacted], the FOIA Bosch dishwasher/electrical fire investigation. >  19-F-00250 I am requesting detailed information on the incidents cited in Recall 19-105 along with information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  19-F-00251 Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (on January 6, 2018) had an unfortunate traumatic experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeply embedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower doors exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizerry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to				
possession, custody, or control of, the U.S. Consumer Product Safety Commission ("CPSC") relating to any investigation of, or inquiry about, the safety, quality, and/or performance of any coffee or beverage brewers or other products manufactured, licensed, or sold by Keurig Green Mountain, Inc.  19-F-00248 A copy of documents containing the following informationFOIA be provided to me: documents sufficient to identify the Submitter of the Incident Report dated 3/4/2019, Report Number (redacted), attached here to as Exhibit A. (See attached request)  19-F-00249 Requesting documents related to File NO. (redacted), the FOIA Bosch dishwasher/electrical fire investigation. >  19-F-00250 I am requesting detailed information on the incidents cited in Recall 19-105 along with information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  19-F-00251 Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (on January 6, 2018) had an unfortunate traumatic experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeply-embedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the interner revealed numerous cases of glass shower doors exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to	19-F-00247		EOLA	Mineton 9
Product Safety Commission ("CPSC") relating to any investigation of, or inquiry about, the safety, quality, and/or performance of any coffee or beverage brewers or other products manufactured, licensed, or sold by Keurig Green Mountain, Inc.  19-F-00248 A copy of documents containing the following information FOIA be provided to me: documents sufficient to identify the Submitter of the Incident Report dated 3/4/2019, Report Number (redacted), attached here to as Exhibit A. (See attached request)  19-F-00249 Requesting documents related to File NO. [redacted], the FOIA Bosch dishwasher/electrical fire investigation. >  19-F-00250 I am requesting detailed information on the incidents cited in Recall 19-105 along with information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  19-F-00251 Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (on January 6, 2018) had an unfortunate traumatic experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeply-embedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower doors exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to	7-1-00247		FUIA	
investigation of, or inquiry about, the safety, quality, and/or performance of any coffee or beverage brewers or other products manufactured, licensed, or sold by Keurig Green Mountain, Inc.  19-F-00248  A copy of documents containing the following information FOIA be provided to me: documents sufficient to identify the Submitter of the Incident Report dated 3/4/2019, Report Number (redacted), attached here to as Exhibit A. (See attached request)  Requesting documents related to File NO. [redacted], the FOIA Bosch dishwasher/electrical fire investigation. >  19-F-00250  I am requesting detailed information on the incidents cited in Recall 19-105 along with information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  19-F-00251  Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (on January 6, 2018) had an unfortunate traumatic experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeply-embedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower doors exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to				Strawii LLP
and/or performance of any coffee or beverage brewers or other products manufactured, licensed, or sold by Keurig Green Mountain, Inc.  19-F-00248  A copy of documents containing the following information FOIA be provided to me: documents sufficient to identify the Submitter of the Incident Report dated 3/4/2019, Report Number [redacted], attached here to as Exhibit A. (See attached request)  19-F-00249  Requesting documents related to File NO. [redacted], the FOIA Bosch dishwasher/electrical fire investigation. >  1 am requesting detailed information on the incidents cited in Recall 19-105 along with information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  19-F-00251  Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (on January 6, 2018) had an unfortunate traumatic experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeply-embedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower doors exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathub or shower enclosures (0609). I would like to know to obtain data on injuries to				
or other products manufactured, licensed, or sold by Keurlig Green Mountain, Inc.  19-F-00248  A copy of documents containing the following information FOIA be provided to me: documents sufficient to identify the Submitter of the Incident Report dated 3/4/2019, Report Number [redacted], attached here to as Exhibit A. (See attached request)  19-F-00249  Requesting documents related to File NO. [redacted], the FOIA Bosch dishwasher/electrical fire investigation. >  19-F-00250  I am requesting detailed information on the incidents cited in Recall 19-105 along with information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  19-F-00251  Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (on January 6, 2018) had an unfortunate traumatic experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeply-embedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower doors exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to				
Reurig Green Mountain, Inc.   A copy of documents containing the following information FOIA   Purple   De provided to me: documents sufficient to identify the   Submitter of the Incident Report dated 3/4/2019, Report   Number (redacted), attached here to as Exhibit A. (See attached request)				
A copy of documents containing the following information FOIA be provided to me: documents sufficient to identify the be provided to me: documents sufficient to identify the lumovation, LLC Submitter of the Incident Report dated 374/2019, Report Number [redacted], attached here to as Exhibit A. (See attached request)  19-F-00249 Requesting documents related to File NO. [redacted], the FOIA Bosch dishwasher/electrical fire investigation. >  19-F-00250 I am requesting detailed information on the incidents cited in Recall 19-105 along with information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  19-F-00251 Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (on January 6, 2018) had an unfortunate traumatic experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeplyembedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower doors exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to				
be provided to me: documents sufficient to identify the Submitter of the Incident Report dated 3/4/2019, Report Number [redacted], attached here to as Exhibit A. (See attached request)  19-F-00249 Requesting documents related to File NO. [redacted], the FOIA Bosch dishwasher/electrical fire investigation. >  19-F-00250 I am requesting detailed information on the incidents cited in Recall 19-105 along with information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  19-F-00251 Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (on January 6, 2018) had an unfortunate traumatic experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeply-embedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower doors exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to	10 F 00240		FOLA	D
Submitter of the Incident Report dated 3/4/2019, Report Number [redacted], attached here to as Exhibit A. (See attached request)  19-F-00249 Requesting documents related to File NO. [redacted], the FOIA Bosch dishwasher/electrical fire investigation. > 19-F-00250 I am requesting detailed information on the incidents cited in Recall 19-105 along with information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  19-F-00251 Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (on January 6, 2018) had an unfortunate traumatic experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeply-embedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower doors exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to	19-1-00248		IFOIA	
Number [redacted], attached here to as Exhibit A. (See attached request)  Requesting documents related to File NO. [redacted], the FOIA Bosch dishwasher/electrical fire investigation. >  19-F-00250  I am requesting detailed information on the incidents cited in Recall 19-105 along with information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  19-F-00251  Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (on January 6, 2018) had an unfortunate traumatic experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeply-embedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower doors exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to				innovation, LLC
attached request)  Requesting documents related to File NO. [redacted], the FOIA Bosch dishwasher/electrical fire investigation. >  19-F-00250  I am requesting detailed information on the incidents cited in Recall 19-105 along with information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  19-F-00251  Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (on January 6, 2018) had an unfortunate traumatic experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeply-embedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower doors exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to				
Requesting documents related to File NO. [redacted], the Bosch dishwasher/electrical fire investigation. >  19-F-00250  I am requesting detailed information on the incidents cited in Recall 19-105 along with information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  19-F-00251  Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (on January 6, 2018) had an unfortunate traumatic experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeply-embedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower doors exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to				
Bosch dishwasher/electrical fire investigation. >  19-F-00250  I am requesting detailed information on the incidents cited in Recall 19-105 along with information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (on January 6, 2018) had an unfortunate traumatic experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeply-embedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower doors exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to	10 5 00040		E014	
I am requesting detailed information on the incidents cited in Recall 19-105 along with information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  I 9-F-00251  Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (on January 6, 2018) had an unfortunate traumatic experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeply-embedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower doors exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to	19-F-00249		FOIA	-
cited in Recall 19-105 along with information on fatalities in similar products. See attachment. (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  19-F-00251  Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (on January 6, 2018) had an unfortunate traumatic experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeply-embedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower doors exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to	10 5 00050		E014	
in similar products. See attachment. (Date Range for Record Search: From 01/01/2009 To 04/26/2019)  19-F-00251  Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (on January 6, 2018) had an unfortunate traumatic experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeplyembedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower doors exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to	19-F-00250		-	
Record Search: From 01/01/2009 To 04/26/2019)  19-F-00251  Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (on January 6, 2018) had an unfortunate traumatic experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeply-embedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower doors exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to				LLC
Greetings to you. I am a pediatric health services researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (on January 6, 2018) had an unfortunate traumatic experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeply-embedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower doors exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to				
researcher and critical care pediatrician at the University of Michigan Health System. My 10 year old son recently (on January 6, 2018) had an unfortunate traumatic experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeply-embedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower doors exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to	10 5 00054			
of Michigan Health System. My 10 year old son recently (on January 6, 2018) had an unfortunate traumatic experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeplyembedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower doors exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to	19-F-00251		FOIA	-
(on January 6, 2018) had an unfortunate traumatic experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeplyembedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower doors exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to				
experience of having a glass shower door explode with him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeplyembedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower doors exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to				
him inside the shower. He required surgery under anesthesia to repair lacerations and remove deeplyembedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower doors exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to				
anesthesia to repair lacerations and remove deeply- embedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower doors exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to				
embedded glass in his body. A colleague of mine recently (Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower doors exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to				
(Thanksgiving day, 2017) had a similar experience with her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower doors exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to				
her 16-year old son who required stitches placed by his father, a surgeon. Review of the internet revealed numerous cases of glass shower doors exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to			1	
father, a surgeon. Review of the internet revealed numerous cases of glass shower doors exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to				
numerous cases of glass shower doors exploding on innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to				
innocent, unsuspecting, people. As a parent and researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to				
researcher who has worked a lot on prevention of childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to				
childhood injuries, I feel a great service to the citizenry will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to				
will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to				
injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to		childhood injuries, I feel a great service to the citizenry		
injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to		will be to report the epidemiology of these shower door		
these codes: Glass doors or doors with glass panels (1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to				
(1892) and Glass bathtub or shower enclosures (0609). I would like to know to obtain data on injuries to				
would like to know to obtain data on injuries to				
marriadalo, a datod at 220 m als dioli, moni glado dilovoi		individuals, treated at EDs in the U.S., from glass shower		
would like to know to obtain data on injuries to		will be to report the epidemiology of these shower door injuries. I reviewed the NEISS coding manual and found these codes: Glass doors or doors with glass panels		
			.]	

	L		
	doors, from January 1, 2012 to December 31, 2018. Any		
	assistance you can render will be greatly appreciated. Thank you and have a great day. (Date Range for Record		
	Search: From 01/01/2012 To 12/31/2018)		
19-F-00256	Referral to NHTSA	FOIA	-
19-F-00257	All records, including but not limited to, recall files,	FOIA	Dewsnup, King
	investigations, consumer complaints, meeting logs,		& Olsen
	incident reports, special study reports, and hazard		
	analysis reports pertaining to the following product		
	recalls: 1. 2007 Icon Health & Fitness Recall for Nordic		
	Track Bench, Model No: 831.14595.0; 2. 2007 Icon		
	Health & Fitness Recall for Reebok Bench, Model No:		
	RBBEI 996.0; 3. 2010 Icon Health & Fitness Recall for		
	Nordic Track Revitalize Inversion Bench 2.0, Model No: 831.14895.0; 4. 2010 Icon Health & Fitness Recall for		
	Gold's Gym Inversion System, Model Nos: GGBE0867.0		
	and GGCCBE0867.0; 5. 2010 Icon Health & Fitness		
	Recall for Weider Club Inversion System, Model No:		
	WEBE0878.0; and, 6. 2014 Dick's Sporting Goods, Inc.		
	Recall for Fitness Gear Inversion Table FG IT 300, Model		
	Nos: STE00059FG and STE00118FG.		
19-F-00263	I would like to request documents released in FOIA	FOIA	Safety Research
	request #16-F-00411, submitted by [REDACTED], for		& Strategies
	"Fisher Price Rock n Play Sleeper ~ Have there been any		
	reported problems with its safety, especially when used for unsupervised sleep 2008- present.		
19-F-00264	I would like to request documents released in FOIA	FOIA	Safety Research
77 00201	request #18-F-00325, submitted by Christian & Davis,	IOIA	& Strategies
	LLC, for "Request for all CPSC documents pertaining to		a Strategies
	Fisher Price Rock 'n' Play Sleeper between January 1,		
	2015 to December 31, 2017		
19-F-00265	CPSC Recall File # 13-087, released on January 8, 2013,	FOIA	Safety Research
	titled"Fisher-Price Recalls to Inspect Rock 'N Play Infant		& Strategies
	Sleepers Due to Risk of Exposure to Mold," for Fisher-		
10 5 002//	Price Rock 'n Play infant sleepers 2008-Present		0.6.
19-F-00266	I would like to request the CPSC Recall File # 19-105,	FOIA	Safety Research
	released on April 12, 2019, titled "Fisher- Price Recalls Rock 'n Play Sleepers Due to Reports of Deaths," for		& Strategies
	Fisher-Price Rock 'n Play sleepers.		
19-F-00271	Referral to NHTSA	FOIA	_
19-F-00272	I would like to request the CPSC Recall File # 07-073,	FOIA	Safety Research
	released on January 4, 2007, titled "Pentair Water Pool		& Strategies
	and Spa Inc. Recalls Gas Pool Heaters for Carbon		3
	Monoxide Hazard," for MiniMax® NT STD Gas Pool		
	Heaters.		
19-F-00273	I would like to request documents released in FOIA	FOIA	Safety Research
	request #2007050008, submitted by [REDACTED], of		& Strategies
	Schachter & Hendy, P.s.c., for "Pentair Minimax Nt Std		
	Pool Heaters." The request was opened on 05/02/2007		
19-F-00274	and closed 05/29/2007.  copies of any and all documents the CPSC possesses,	FOIA	
171 00274	including but not limited to correspondence, letters,	IOIA	
	emails, memoranda, records, investigation reports,		
	consumer complaints, incident reports, and notifications,		
	regarding the Safety Recall numbered 15-026 and		
	numbered above. Please make full-sized copies of all		
	documents as they appear in your file and kindly return		
	copies of them to my attention via facsimile and/or email		
	if the file is not too large.		
19-A-00004		Appeal	-
	[sec.] 552(b)(5) and (b)(7)(A)" as a sole premise for		

		1	
	denying all requested documents. Those exceptions are		
	CPSC discretionary and disfavored. Yet the Denial, dated		
	14 months after the FOIA request, provides no reasoning		
	of its decision; nor does it describe any of the CPSC		
	documents withheld.		
19-F-00281	CPSC Files Concerning Methylene Chloride	FOIA	Neal Cohen Law LLC/Consumer
			Product Safety Law
19-F-00282	A copy of the report taken by a CPSC inspector for a	FOIA	-
	house fire on [REDACTED] Street in Tyler, Texas that		
	occurred in February 2019.		
19-F-00283	Any and all of investigation file in electronic format	FOIA	Padilla
	including but not limited to all in depth investigation		Rodriguez, LLP
	reports, photos, videos, recall, consumer complaints,		10 th 19 th 2
	correspondence to/from Intex, and any other documents		
	pertaining to the investigation, (if any) issued for Intex		
	Above Ground Pool Ladders from 1998-2019.		
19-F-00284		FOIA	
.,. 5525.	accidents that required Hospital Attention from events	IOIA	
	that occurred while the golf cart was in motion.		
19-F-00285		FOLA	
17-1-00203	Information regarding infant deaths due to infant devices	FUIA	-
	for 10+/- years regarding deaths in devices such as		
	swings, bouncy seats, strollers, etc? I can only find		
	statistics for the Fisher Price Rock N Play. Would like		
19-F-00286	other devices included if applicable	F014	
19-F-00286	Would like to request, on a rolling basis, the following:	FOIA	-
	Specifically, we ask that you produce all public records		
	containing internal communication and Program Office:		
	Pending correspondence with the public regarding how to	)	
	comply with Commission rules, guidelines, policies, and		
	principles as they apply to the following: Lenses used		
	within an augmented or mixed reality headset; Use of		
	novel materials such as liquid lenses, liquid crystal		
	lenses, focus tunable lenses, and lasers within an		
	augmented or mixed reality headset; and Treatment or		
	diagnostic uses of augmented or mixed reality displays		
	or applications.		
19-F-00287	Regarding Release Number 75-055, attached hereto, the	FOIA	Calder B.
	undersigned requests the entire study, including		Gabroy, LTD.
	research and information related to Abt Associates, Inc,		
	including research, documents, and information		
	regarding shower shelfs, soap dishes, slip resistance, and	d	
	the study entitled A Systematic Program to Reduce the		
	Incidence and Severity of Bathtub and Shower Area		
	Injuries. Undersigned additionally requests all		
	documents, including electronically stored information,		
	tangible things in the agency's possession, custody, or		
	control, any record, report, witness statement, Papers,		
	unpublished books, maps and photographs; Information		
	stored on magnetic tape or computer, laser or optical		
	disc; Materials that are capable of being read by a		
	machine, including, without limitation, microforms and		
	audio and visual materials; and Materials that are made		
	or received by the U.S. Consumer Product Safety		
	Commission and preserved by your agency or its		
	successor as evidence of the organization, operation,		
	policy or any other activity of that agency or because of		
	the information contained in the material, related to any		
	reports, documents, and information related to consumer	_	
	safety, and manufacture reports related to Harrah's Las		
L	paraty and manarature reports related to marrait's Las	1	L

		1	T
	Vegas, a/k/a and d/b/a Harrah's Las Vegas, LLC,		
	Harrah's Hotel and Casino, Mardi Gras Tower, Caesar's		
	Entertainment, Harrah's Las Vegas Propco LLC, and		
	Claudine Propco LLC, with the address listed of 3475 Las		
10 5 00000	Vegas Boulevard South, Las Vegas, NV 89109-8922.		
19-F-00288	Intent Unknown	FOIA	-
19-F-00289	The entire Consumer Product Safety Commission's file,	FOIA	Smiley & Smiley
	including but not limited to all correspondence, emails,		LLP
	documents and reports, in connection with Target's recall		
	of Embark Resistance Cords, dated September 8, 2011,		
	Recall number 11-320 (copy attached for reference); 2.		
	The entire Consumer Product Safety Commission's file,		
	including but not limited to correspondence, emails,		
	documents, reports, written requests and answers, in		
	connection with the 2014 inspection/investigation of BRG		
	Sports performed by [REDACTED], reference number		
10.5.00000	140423WRC8246, date of inspection August 6, 2014.		
19-F-00290	(1) All communications, photographs, video recordings,	FOIA	Huff, Powell &
	audio recordings, documents, and data (including		Bailey, LLC
	originals, drafts, and non-identical copies)—whether		
	printed or electronically stored—that evidence, discuss,		
	or refer or relate in any way to CPSC Case No.		
	RP070243. (2) All communications, photographs, video		
	recordings, audio recordings, documents, and data		
	(including originals, drafts, and non-identical copies)—		
	whether printed or electronically stored—that evidence,		
	discuss, or refer or relate in any way to CPSC Case No.		
	[redacted]. (3) All communications, photographs, video		
	recordings, audio recordings, documents, and data		
	(including originals, drafts, and non-identical copies)—		
	whether printed or electronically stored—that evidence,		
	discuss, or refer or relate in any way to CPSC Recall No.		
	[redacted]. (4) All communications, photographs, video		
	recordings, audio recordings, documents, and data		
	(including originals, drafts, and non-identical copies)— whether printed or electronically stored—that evidence,		
	discuss, or refer or relate in any way to CPSC Recall No.		
	[redacted].		
19-F-00291	Purged data for children up to 2 years of age for	EO LA	
17-1-00271	outerwear, sleeping bags, sleep sacks, and nightwear.	FOIA	-
	Please include data summaries from the following		
	databases: IDI, IPII, MECAP, and Death Certificates for		
	lu i i a		
19-F-00292	All information and documents, including the Product	FOIA	Chaffin Luhana
., 1 002/2	Safety Assessment (PSA), related to the Nuby Sippy Cup		LLP
	Sample collected by the CPSC from our client,		
	[REDACTED] (receipt enclosed) on May 1, 2019, and all		
	information concerning injuries, property damage,		
	explosions, and/or fires from a Nuby brand Sippy Cup.		
19-F-00293	Respectfully request some information on the above	FOIA	_
17 1 002/3	referenced chemical (Bisphenol A) and any known side	IOIA	_
	effects of syptoms of ingesting this chemical. Specifically		
	looking for facts based on studies, trials, or other fact		
	related conclusions.		
19-F-00294	Regulations, Laws and Relative Standards involving	EOLA	ALLEN ALLEN
17-1-00274	Dorol Invenile Croup. Inc. 2007 COSCO Fun Sport Plant	FUIA	
	Dorel Juvenile Group, Inc., 2007 COSCO Fun Sport Play		ALLEN & ALLEN
	Yards, Model Number 05028SNG; 2. All recall issues of		
	any kind involving Dorel Juvenile Group, Inc., 2007		
	COSCO Fun Sport Play Yards, Model Number 05028SNG;		
	3. All redesigns or modifications reports involving Dorel		
	Juvenile Group, Inc., 2007 COSCO Fun Sport Play Yard,		

directory with email addresses  Copies of the following public records, whether created or maintained in physical or electronic form, pursuant to 5 U.S.C. 552, 15 U.S.C. 2074, and 16 C.F.R. Part 1015 regarding the following product/recall. (See request for more information)  19-A-00007  On April 29, you responded, releasing 741 pages of documents, nearly all of which were redacted in their entirety under various exemptions provided by the Freedom of Information Act (F01A) and by the Consumer Product Safety Act 15 U.S.C. §2 2055(a)(2), and 2055(b)(11). We are appealing this response, and request that you re-release these materials with appropriate redactions. We are further challenging the withholding of pages with content that has not been specifically dentified, but withheld under F01A Exemptions 3.4.5 and 6, and under the Consumer Product Safety Act 15 U.S.C. §§ 2055(a)(2), and 2055(b)(1). We request a Vaughn Index and a commission declaration to determine what exactly these materials are, and if they were properly withheld.  19-F-00298  I request all materials by Daffy Duck. (Date Range for Record Search: From 05/16/2016 To 05/01/2019)  A copy of the CSPC File# (redacted) that was conducted F01A n my home regarding an injury that relates to my son nigesting small magnets.  An index of all injuries, deaths and/or incidents caused by or contributed to by inclined sleep products, including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  CPSC Recall File # 19-735, released April 11, 2019, titled F01A  **KTM and Husqvarna Motorcycles Recall Motorcycles Due to Crash Hazard (Recall Alert)* for the following KTM & Husqvarna models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles with 50c 2-cycle engines. If a search timeframe is needed, please search  2016 to present.  I would like to request all incidents of crockpot and/or slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or s	19-F-00295 19-F-00296	suffocation involving Dorel Juvenile Group, Inc., 2007 COSCO Fun Sport Play Yard, Model Number 05028SNG; 5. All U.S. Consumer Product Safety Commission history and reports of any and all products manufactured and/or		
COSCO Fun Sport Play Yard, Model Number 05028SNG; S. All U.S. Consumer Product Safety Commission history and reports of any and all products manufactured and/or distributed by Dorel Juvenile Group, Inc.  1). CPSC FOIA logs for 1-1-18 to 12-31-18 2). FOIA staff FOIA directory with email addresses  Copies of the following public records, whether created or maintained in physical or electronic form, pursuant to 5 U.S.C. 552, 15 U.S.C. 2074, and 16 C.F.R. Part 1015 regarding the following product/recall. (See request for more information)  19-A-00007  On April 29, you responded, releasing 741 pages of documents, nearly all of which were redacted in their entirety under various exemptions provided by the Freedom of Information Act (FOIA) and by the Consumer Product Safety Act 15 U.S.C. § 2055(a)(2), and 2055(b)(1). We are appealing this response, and request that you re-release these materials with appropriate redactions. We are further challenging the withholding of pages with content that has not been specifically identified, but withheld under FOIA Exemptions 3,4,5 and 6, and under the Consumer Product Safety Act 15 U.S.C. § 2055(a)(2), and 2055(b)(1). We request a Vaughn Index and a commission declaration to determine what exactly these materials are, and if they were properly withheld.  19-F-00298  I request all materials by Daffy Duck. (Date Range for Record Search: From 05/16/2016 To 05/01/2019)  A copy of the CSPC File# [redacted] that was conducted fold in my home regarding an injury that relates to my son ingesting small magnets.  An index of all injuries, deaths and/or incidents caused by or contributed to be inclined sleep products, including but not limited to the infant deaths cled in CPSC release number: 18-171 (attached), reported from 2005 to present.  CPSC Recall File # 19-735, released April 11, 2019, titled FOIA KTM and Husqvarna Motorcycles Recall Motorcycles Due to Crash Hazard (Recall Alert)* for the following KTM & Husqvarna models: KTM 50 SX and Husqvarna from 50 Consumer (Recall Alert)* for		COSCO Fun Sport Play Yard, Model Number 05028SNG; 5. All U.S. Consumer Product Safety Commission history and reports of any and all products manufactured and/or		
S. All U.S. Consumer Product Safety Commission history and reports of any and all products manufactured and/or distributed by Dorel Juvenile Group, Inc.  19-F-00296  19-F-00296  Opies of the following public records, whether created or maintained in physical or electronic form, pursuant to 5 U.S.C. 552, 15 U.S.C. 2074, and 16 C.F.R. Part 1015 regarding the following product/recall. (See request for more information)  On April 29, you responded, releasing 741 pages of documents, nearly all of which were redacted in their entirety under various exemptions provided by the Freedom of Information Act (FOIA) and by the Consumer Product Safety Act 15 U.S.C. \$9 2055(a)(2), and 2055(b)(1). We are appealing this response, and request that you re-release these materials with appropriate redactions. We are further challenging the withholding of pages with content that has not been specifically identified, but withheld under FOIA Exemptions 3.4,5 and 6, and under the Consumer Product Safety Act 15 U.S.C. \$9 2055(a)(2), and 2055(b)(1). We request a Vaughn Index and a commission declaration to determine what exactly these materials are, and if they were properly withheld.  19-F-00298  I request all materials by Daffy Duck (Date Range for Record Search: From 06/16/2016 To 06/01/2019)  19-F-00299  A copy of the CSPC File# [redacted] that was conducted in my home regarding an injury that relates to my son ingesting small magnets.  An index of all injuries, deaths and/or incidents caused by or contributed to by inclined sleep products, including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  19-F-00230  Referral to FDA  CPSC Recall File # 19-735, released April 11, 2019, titled FOIA  KTM and Husqvarna Motorcycles Recall Motorcycles Duc to Crash Hazard (Recall Alert)* for the following KTM & Strategies, inc.  19-F-00231  CPSC Recall File # 19-735, released April 11, 2019, titled FOIA  KTM and Husqvarna models: KTM 50 SX and Husqvarna KT 50, closed course/compet		5. All U.S. Consumer Product Safety Commission history and reports of any and all products manufactured and/or		
and reports of any and all products manufactured and/or distributed by Dorel Juvenile Group, Inc.  19.F-00295  1). CPSC FOIA logs for 1-1-18 to 12-31-18 2). FOIA staff FOIA directory with email addresses  Copies of the following public records, whether created or maintained in physical or electronic form, pursuant to S U.S.C. 552, 15 U.S.C. 2074, and 16 C.F.R. Part 1015 regarding the following product/recall. (See request for more information)  19.A-00007  On April 29, you responded, releasing 741 pages of documents, nearly all of which were redacted in their entirety under various exemptions provided by the Freedom of Information Act (FOIA) and by the Consumer Product Safety Act 15 U.S.C. §§ 2055(a)(2), and 2055(b)(1). We are appealing this response, and request that you re-release these materials with appropriate redactions. We are further challenging the withholding of pages with content that has not been specifically identified, but withheld under FOIA Exemptions 3.4,5 and 6, and under the Consumer Product Safety Act 15 U.S.C. §§ 2055(a)(2), and 2055(b)(1). We request a Vaughn Index and a commission declaration to determine what exactly these materials are, and if they were properly withheld.  19.F-00298  I request all materials by Daffy Duck. (Date Range for Record Search: From 05/16/2016 To 05/01/2019)  A copy of the CSPC File (Fredatced) that was conducted in my home regarding an injury that relates to my son ingesting small magnets.  An index of all injuries, deaths and/or incidents caused by or contributed to by inclined sleep products; including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  19.F-00230  Referral to FDA  CPSC Recall File # 19-735, released April 11, 2019, titled FOIA Kustagaria models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles Recall Motorcycles Due to Crash Hazard (Recall Alert)* for the following KTM & Husqvarna models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles		and reports of any and all products manufactured and/or		
distributed by Doriel Juvenile Group, Inc.  1). CPSC FOIA logs for 1-1-18 to 12-31-18 2). FOIA staff FOIA directory with email addresses Copies of the following public records, whether created or maintained in physical or electronic form, pursuant to 5 U.S.C. 552, 15 U.S.C. 2074, and 16 C.F.R. Part 1015 regarding the following product/recall. (See request for more information) On April 29, you responded, releasing 741 pages of documents, nearly all of which were redacted in their entirety under various exemptions provided by the Freedom of Information Act (FOIA) and by the Consumer Product Safety Act 15 U.S.C. \$505(a) (2), and 2055(b) (1). We are appealing this response, and request that you re-release these materials with appropriate edactions. We are further challenging the withholding of pages with content that has not been specifically identified, but withheld under FOIA Exemptions 3,4,5 and 6, and under the Consumer Product Safety Act 15 U.S.C. \$5 2055(a) (2), and 2055(b) (1). We request a Vaughn Index and a commission declaration to determine what exactly these materials are, and if they were properly withheld.  19-F-00298 I request all materials by Daffy Duck. (Date Range for Record Search: From 05/16/2016 To 05/01/2019) A copy of the CSPC File# [redacted] that was conducted in my home regarding an injury that relates to my son ingesting small magnets.  19-F-00290 A regarding an injury that relates to my son ingesting small magnets.  19-F-00210 Referral to FDA  CPSC Recall File # 19-735, released April 11, 2019, titled FOIA  KTM and Husquarna Motorcycles Recall Motorcycles Due to Crash Hazard (Recall Alert)* for the following KTM & Husquarna models: KTM 50 SX and Husquarna TC 50, closed course/competition motorcycles with 50cc 2-cycle angines. If a search timeframe is needed, please search 2010 to present.  I would like to request all in-ciedth investigations Files (HDP) (including epidemiological reports), injury/Potential Injury Incident Files (FIII), Death				1
19.F-00295   1). CPSC FOIA logs for 1-1-18 to 12-31-18 2). FOIA staff FOIA directory with email addresses   Copies of the following public records, whether created or maintained in physical or electronic form, pursuant to 5 U.S. C. 522, 15 U.S. C. 2074, and 16 C.F.R. Part 1015 regarding the following product/recall. (See request for more information)   On April 29, you responded, releasing 741 pages of documents, nearly all of which were redacted in their entirety under various exemptions provided by the Freedom of Information Act (FOIA) and by the Consumer Product Safety Act 15 U.S.C. §§ 2055(a)(2), and 2055(b)(1). We are appealing this response, and request that you re-release these materials with appropriate redactions. We are further challenging the withholding of pages with content that has not been specifically identified, but withheld under FOIA Exemptions 3,4,5 and 6, and under the Consumer Product Safety Act 15 U.S.C. §§ 2055(a)(2), and 2055(b)(1). We request a Vaughn Index and a commission declaration to determine what exactly these materials are, and if they were properly withheld.  19-F-00298   request all materials by Daffy Duck. (Date Range for Record Search: From 05/16/2016 To 05/01/2019)   19-F-00299   A copy of the CSPC Flew [redacted] that was conducted fold in my home regarding an injury that relates to my son ingesting small magnets.  19-F-00300   An index of all injuries, deaths and/or incidents caused by or contributed to by inclined sleep products, including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  19-F-00231   CPSC Recall File # 19-735, released April 11, 2019, titled FOIA "Safety, Research & Strategies under the lid belonging to a crockyot and/or stoky cooker products that have exploded or shattered, or where the lid belonging to a crockyot and/or stoky cooker has exploded, shattered, or fractured, while in use. Please search from 2000 to present.  19-F-00232   I would like to request all in-Depth Investigati		distributed by Dorel Juvenile Group, Inc.	1	
directory with email addresses Copies of the following public records, whether created or maintained in physical or electronic form, pursuant to 5 U.S.C. 552, 15 U.S.C. 2074, and 16 C.F.R. Part 1015 regarding the following product/recall. (See request for more information)  19-A-00007  On April 29, you responded, releasing 741 pages of documents, nearly all of which were redacted in their entirety under various exemptions provided by the Freedom of Information Act (FOIA) and by the Consumer Product Safety Act 15 U.S.C. \$9 2055(a)(2), and 2055(b)(1). We are appealing this response, and request that you re-release these materials with appropriate redactions. We are further challenging the withholding of pages with content that has not been specifically dentified, but withheld under FOIA Exemptions 3,4,5 and 6, and under the Consumer Product Safety Act 15 U.S.C. \$9. 2055(a)(2), and 2055(b)(1). We request a Vaughn Index and a commission declaration to determine what exactly these materials are, and if they were properly withheld.  19-F-00298  I request all materials by Daffy Duck. (Date Range for Record Search: From 05/16/2016 To 05/01/2019)  A copy of the CSPC File# [redacted] that was conducted FOIA in my home regarding an injury that relates to my son ingesting small magnets.  An Index of all injuries, deaths and/or incidents caused by or contributed to by inclined sleep products, including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  PSP-F-00230  Referral to FDA  CPSC Recall File # 19-735, released April 11, 2019, titled FOIA KTM and Husqvarna Motorcycles Recall Motorcycles Due to Crash Hazard (Recall Alert)* for the following KTM & Husqvarna models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search  2016 to present.  I would like to request all incidents of crockpot and/or slow cooker products that have exploded or shattered, or where the lid belo				
Copies of the following public records, whether created profile in paintained in physical or electronic form, pursuant to 5 U.S.C. 552, 15 U.S.C. 2074, and 16 C.F.R. Part 1015 regarding the following product/recall. (See request for more information)   On April 29, you responded, releasing 741 pages of documents, nearly all of which were redacted in their entirety under various exemptions provided by the Freedom of Information Act (FollA) and by the Consumer Product Safety Act 15 U.S.C. \$2 2055(a)(2), and 2055(b)(1). We are appealing this response, and request that you re-release these materials with appropriate redactions. We are further challenging the withholding of pages with content that has not been specifically identified, but withheld under FollA Exemptions 3,4,5 and 6, and under the Consumer Product Safety Act 15 U.S.C. \$3 2055(a)(2), and 2055(b)(1). We request a Vaughn Index and a commission declaration to determine what exactly these materials are, and if they were properly withheld.  19-F-00298   I request all materials by Daffy Duck. (Date Range for Record Search: From 05/16/2016 To 05/01/2019)  19-F-00299   A copy of the CSPC File# (redacted) that was conducted foll in my home regarding an injury that relates to my son ingesting small magnets.  19-F-00300   An index of all injuries, deaths and/or incidents caused by or contributed to by inclined sleep products, including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  19-F-00231   CPSC Recall File # 19-735, released April 11, 2019, titled FOIA "KTM and Husqvarna Motorcycles Recall Motorcycles Due to Crash Hazard (Recall Alert)" for the following KTM & Husqvarna models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search & Strategies, inc. Where the lid belonging to a crockpot and/or slow cooker products that have exploded or shattered, or hace the lid belonging to a crockpot and/or slow	19-F-00296		FOIA	-
or maintained in physical or electronic form, pursuant to 5 U.S.C. 552, 15 U.S.C. 2074, and 16 C.F.R. Part 1015 regarding the following product/recall. (See request for more information)  On April 29, you responded, releasing 741 pages of documents, nearly all of which were redacted in their entirety under various exemptions provided by the Freedom of Information Act (FOIA) and by the Consumer Product Safety Act 15 U.S.C. §8 2055(a)(2), and 2055(b)(1). We are appealing this response, and request that you re-release these materials with appropriate redactions. We are further challenging the withholding of pages with content that has not been specifically identified, but withheld under FOIA Exemptions 3.4,5 and 6, and under the Consumer Product Safety Act 15 U.S.C. §8 2055(a)(2), and 2055(b)(1). We request a Vaughn Index and a commission declaration to determine what exactly these materials are, and if they were properly withheld.  I request all materials by Daffy Duck. (Date Range for Record Search: From 05/16/2016 To 05/01/2019)  A copy of the CSPC File# [redacted] that was conducted in my home regarding an injury that relates to my son ingesting small magnets.  An index of all injuries, deaths and/or incidents caused by or contributed to by inclined sleep products, including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  Referral to FDA  CPSC Recall File # 19-735, released April 11, 2019, titled FOIA KSTrategies  FOIA  PI-F-00230  Referral to FDA  CPSC Recall File # 19-735, released April 11, 2019, titled FOIA KSTrategies.  FOIA  DIVISION OF CONSUMER PROTOCECHE with Soc 2-cycle engines. If a search timeframe is needed, please search & Strategies, Inc. Where the lid belonging to a crockpot and/or slow cooker has exploded, shattered, or fractured, while in use. Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all	19-F-00296			
S U.S.C. 552, 15 U.S.C. 2074, and 16 C.F.R. Part 1015 regarding the following product/recall. (See request for more information)   On April 29, you responded, releasing 741 pages of documents, nearly all of which were redacted in their entirety under various exemptions provided by the Freedom of Information Act (FolA) and by the Consumer Product Safety Act 15 U.S.C. §§ 2055(a)(2), and 2055(b)(1). We are appealing this response, and request that you re-release these materials with appropriate redactions. We are further challenging the withholding of pages with content that has not been specifically identified, but withheld under FOIA Exemptions 3.4,5 and 6, and under the Consumer Product Safety Act 15 U.S.C. §§ 2055(a)(2), and 2055(b)(1). We request a Vaughn Index and a commission declaration to determine what exactly these materials are, and if they were properly withheld.  19-F-00298   I request all materials by Daffy Duck. (Date Range for Record Search: From 05/16/2016 To 05/01/2019)   A copy of the CSPC File# [redacted] that was conducted in my home regarding an injury that relates to my son ingesting small magnets.  19-F-00290   A copy of the CSPC File# [redacted] that was conducted by or contributed to by inclined sleep products, including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  19-F-00230   Referral to FDA   FOIA   Safety Research & Strategies   Strateg			FOIA	
regarding the following product/recall. (See request for more information)  On April 29, you responded, releasing 741 pages of documents, nearly all of which were redacted in their entirety under various exemptions provided by the Freedom of Information Act (FOIA) and by the Consumer Product Safety Act 15 U.S.C. §\$ 2055(a)(2), and 2055(b)(1). We are appealing this response, and request that you re-release these materials with appropriate redactions. We are further challenging the withholding of pages with content that has not been specifically identified, but withheld under FOIA Exemptions 3.4,5 and 6, and under the Consumer Product Safety Act 15 U.S.C. §\$ 2055(a)(2), and 2055(b)(1). We request a Vaughn Index and a commission declaration to determine what exactly these materials are, and if they were properly withheld.  19-F-00298 I request all materials by Daffy Duck. (Date Range for Record Search: From 05/16/2016 To 05/01/2019)  A copy of the CSPC File# [redacted] that was conducted in my home regarding an injury that relates to my son ingesting small magnets.  An index of all injuries, deaths and/or incidents caused by or contributed to by inclined sleep products, including but not limited to the Infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  PF-F-00230 Referral to FDA FOIA DIVISION OF CONSUMER PROTECTION  Referral to FDA FOIA DIVISION OF CONSUMER PROTECTION  Safety Research & Strategies, Inc.  19-F-00231 CPSC Recall File # 19-735, released April 11, 2019, titled FOIA Husqvarna models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search Strategies, Inc.  19-F-00232 I would like to request all incidents of crockpot and/or slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or slow cooker products that have exploded or shattere				LASKEY LLC
more information)  On April 29, you responded, releasing 741 pages of documents, nearly all of which were redacted in their entirety under various exemptions provided by the Freedom of Information Act (FolA) and by the Consumer Product Safety Act 15 U.S.C. §§ 2055(a)(2), and 2055(b)(f)). We are appealing this response, and request that you re-release these materials with appropriate redactions. We are further challenging the withholding of pages with content that has not been specifically in the consumer Product Safety Act 15 U.S.C. §§ 2055(a)(2), and 2055(b)(1). We request a Vaughn Index and a commission declaration to determine what exactly these materials are, and if they were properly withheld.  I request all materials by Daffy Duck. (Date Range for Record Search: From 05/16/2016 To 05/01/2019)  19-F-00299  A copy of the CSPC File/# (redacted) that was conducted in my home regarding an injury that relates to my son ingesting small magnets.  An index of all injuries, deaths and/or incidents caused by or contributed to by inclined sleep products, including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  Referral to FDA  CPSC Recall File # 19-735, released April 11, 2019, titled FOIA FOIA and Husqwarna Motorcycles Recall Motorcycles Due to Crash Hazard (Recall Alert)* for the following KTM & Husqwarna models: KTM 50 SX and Husqwarna TC 50, closed course/competition motorcycles who bocc 2-cycle engines. If a search timeframe is needed, please search  19-F-00232  I would like to request all incidents of crockpot and/or slow cooker has exploded, shattered, or fractured, while in use. Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death		5 U.S.C. 552, 15 U.S.C. 2074, and 16 C.F.R. Part 1015		
On April 29, you responded, releasing 741 pages of documents, nearly all of which were redacted in their entirety under various exemptions provided by the Freedom of Information Act (FOIA) and by the Consumer Product Safety Act 15 U.S.C. §8 2055(a)(2), and 2055(b)(1). We are appealing this response, and request that you re-release these materials with appropriate redactions. We are further challenging the withholding of pages with content that has not been specifically identified, but withheld under FOIA Exemptions 3,4,5 and 6, and under the Consumer Product Safety Act 15 U.S.C. §§ 2055(a)(2), and 2055(b)(1). We request a Vaughn Index and a commission declaration to determine what exactly these materials are, and if they were properly withheld.  19-F-00298   I request all materials by Daffy Duck. (Date Range for Record Search: From 05/16/2016 To 05/01/2019)  A copy of the CSPC File# [redacted] that was conducted in my home regarding an injury that relates to my son ingesting small magnets.  19-F-00299   A copy of the CSPC File# [redacted] that was conducted by or contributed to by inclined sleep products, including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  19-F-00230   Referral to FDA   FOIA   Safety Research & Strategies		regarding the following product/recall. (See request for		
documents, nearly all of which were redacted in their entirety under various exemptions provided by the Freedom of Information Act (FOIA) and by the Consumer Product Safety Act 15 U.S.C. §§ 2055(a)(2), and 2055(b)(1). We are appealing this response, and request that you re-release these materials with appropriate redactions. We are further challenging the withholding of pages with content that has not been specifically identified, but withheld under FOIA Exemptions 3,4,5 and 6, and under the Consumer Product Safety Act 15 U.S.C. §§ 2055(a)(2), and 2055(b)(1). We request a Vaughn Index and a commission declaration to determine what exactly these materials are, and if they were properly withheld.  19-F-00298 I request all materials by Daffy Duck. (Date Range for Record Search: From 05/16/2016 To 05/01/2019)  A copy of the CSPC File# [redacted] that was conducted in my home regarding an injury that relates to my son ingesting small magnets.  An index of all injuries, deaths and/or incidents caused by or contributed to by inclined sleep products, including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  Referral to FDA  CPSC Recall File # 19-735, released April 11, 2019, titled FOIA KTM and Husqvarna Motorcycles Recall Motorcycles Due to Crash Hazard (Recall Alert)* for the following KTM & Husqvarna modes: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search  19-F-00232 I would like to request all incidents of crockpot and/or slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or show cooker has exploded, shattered, or fractured, while in use. Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available adigital or electronic version of this list.  19-F-00233   would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Inju		more information)		
entirety under various exemptions provided by the Freedom of Information Act (FOIA) and by the Consumer Product Safety Act 15 U.S.C. §§ 2055(a)(2), and 2055(b)(1). We are appealing this response, and request that you re-release these materials with appropriate redactions. We are further challenging the withholding of pages with content that has not been specifically identified, but withheld under FOIA Exemptions 3,4,5 and 6, and under the Consumer Product Safety Act 15 U.S.C. §§ 2055(a)(2), and 2055(b)(1). We request a Vaughn Index and a commission declaration to determine what exactly these materials are, and if they were properly withheld.  I request all materials by Daffy Duck. (Date Range for Record Search: From 05/16/2016 To 05/01/2019)  A copy of the CSPC File# [redacted] that was conducted in my home regarding an injury that relates to my son ingesting small magnets.  An index of all injuries, deaths and/or incidents caused by or contributed to by inclined sleep products, including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  PF-F-00230  Referral to FDA  CPSC Recall File # 19-735, released April 11, 2019, titled FOIA 'KTM and Husqvarna Motorcycles Recall Motorcycles Due to Crash Hazard (Recall Alert)' for the following KTM & Husqvarna models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search 2016 to present.  I would like to request all incidents of crockpot and/or slow cooker has exploded, shattered, or fractured, while in use. Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  Injury/Pytoential Injury Incident Files ([PII), Death  POIA Safety Research & Strategies	19-A-00007	On April 29, you responded, releasing 741 pages of	Appeal	Safety Research
entirety under various exemptions provided by the Freedom of Information Act (FOIA) and by the Consumer Product Safety Act 15 U.S.C. §§ 2055(a)(2), and 2055(b)(1). We are appealing this response, and request that you re-release these materials with appropriate redactions. We are further challenging the withholding of pages with content that has not been specifically identified, but withheld under FOIA Exemptions 3,4,5 and 6, and under the Consumer Product Safety Act 15 U.S.C. §§ 2055(a)(2), and 2055(b)(1). We request a Vaughn Index and a commission declaration to determine what exactly these materials are, and if they were properly withheld.  I request all materials by Daffy Duck. (Date Range for Record Search: From 05/16/2016 To 05/01/2019)  A copy of the CSPC File# [redacted] that was conducted in my home regarding an injury that relates to my son ingesting small magnets.  An index of all injuries, deaths and/or incidents caused by or contributed to by inclined sleep products, including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  Referral to FDA  CPSC Recall File # 19-735, released April 11, 2019, titled FOIA 'KTM and Husqvarna Motorcycles Recall Motorcycles Due to Crash Hazard (Recall Alert)' for the following KTM & Husqvarna models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search 2016 to present.  I would like to request all incidents of crockpot and/or slow cooker has exploded, shattered, or fractured, while in use. Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  Injury/Pytoential Injury Incident Files (IPII), Death  PoliA Safety Research & Strategies				
Freedom of Information Act (FOIA) and by the Consumer Product Safety Act 15 U.S.C. §§ 2055(a)(2), and 2055(b)(1). We are appealing this response, and request that you re-release these materials with appropriate redactions. We are further challenging the withholding of pages with content that has not been specifically identified, but withheld under FOIA Exemptions 3,4,5 and 6, and under the Consumer Product Safety Act 15 U.S.C. §§ 2055(a)(2), and 2055(b)(1). We request a Vaughn Index and a commission declaration to determine what exactly these materials are, and if they were properly withheld.  19-F-00298 I request all materials by Daffy Duck. (Date Range for Record Search: From 05/16/2016 To 05/01/2019)  A copy of the CSPC File# [redacted] that was conducted in my home regarding an injury that relates to my son ingesting small magnets.  An index of all injuries, deaths and/or incidents caused by or contributed to by inclined sleep products, including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  PI-F-00230 Referral to FDA FOIA Safety, Research & Strategies  POIA DIVISION OF CONSUMER PROTECTION  Safety, Research & Strategies  PROTECTION  Safety, Research & Strategies, Inc. Safety Research & Strategies and Safety Research & Strategies, Inc. Safety Research & Strategies in a search timeframe is needed, please search & Strategies where the lid belonging to a crockpot and/or slow cooker has exploded, shattered, or fractured, while in use. Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.				_
Product Safety Act 15 U.S.C. §§ 2055(a)(Ž), and 2055(b)(1). We are appealing this response, and request that you re-release these materials with appropriate redactions. We are further challenging the withholding of pages with content that has not been specifically identified, but withheld under FOIA Exemptions 3,4,5 and 6, and under the Consumer Product Safety Act 15 U.S.C. §§ 2055(a)(2), and 2055(b)(1). We request a Vaughn Index and a commission declaration to determine what exactly these materials are, and if they were properly withheld.  19-F-00298 I request all materials by Daffy Duck. (Date Range for Record Search: From 05/16/2016 To 05/01/2019)  19-F-00299 A copy of the CSPC File# [redacted] that was conducted in my home regarding an injury that relates to my son ingesting small magnets.  19-F-00300 An index of all injuries, deaths and/or incidents caused by or contributed to by inclined sleep products, including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  19-F-00230 Referral to FDA  CPSC Recall File # 19-735, released April 11, 2019, titled FOIA  "KTM and Husqvarna Motorcycles Recall Motorcycles Due to Crash Hazard (Recall Alert)" for the following KTM & Husqvarna models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search 2016 to present.  I would like to request all incidents of crockpot and/or slow cooker has exploded, shattered, or fractured, while in use. Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  19-F-00233 I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), injury/Potential Injury Incident Files (IPII), Death				
2055(b)(1). We are appealing this response, and request that you re-release these materials with appropriate redactions. We are further challenging the withholding of pages with content that has not been specifically identified, but withheld under FOIA Exemptions 3,4,5 and 6, and under the Consumer Product Safety Act 15 U.S.C. S§ 2055(a)(2), and 2055(b)(1). We request a Vaughn Index and a commission declaration to determine what exactly these materials are, and if they were properly withheld.  19-F-00298 I request all materials by Daffy Duck. (Date Range for Record Search: From 05/16/2016 To 05/01/2019)  A copy of the CSPC File# [redacted] that was conducted in my home regarding an injury that relates to my son ingesting small magnets.  19-F-00299 An index of all injuries, deaths and/or incidents caused by or contributed to by inclined sleep products, including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  19-F-00230 Referral to FDA FOIA DIVISION OF CONSUMER PROTECTION  19-F-00231 CPSC Recall File # 19-735, released April 11, 2019, titled FOIA Safety, Research & Strategies or Crash Hazard (Recall Alert)* for the following KTM & Husqvarna models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search & Strategies, Inc.  19-F-00232 I would like to request all incidents of crockpot and/or slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or slow cooker has exploded, shattered, or fractured, while in use. Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  19-F-00233 I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPI1), Death				
that you re-release these materials with appropriate redactions. We are further challenging the withholding of pages with content that has not been specifically identified, but withheld under FOIA Exemptions 3,4,5 and 6, and under the Consumer Product Safety Act 15 U.S.C. §§ 2055(a)(2), and 2055(b)(1). We request a Vaughn Index and a commission declaration to determine what exactly these materials are, and if they were properly withheld.  19-F-00298 I request all materials by Daffy Duck. (Date Range for Record Search: From 05/16/2016 To 05/01/2019)  19-F-00299 A copy of the CSPC File# [redacted] that was conducted in my home regarding an injury that relates to my son ingesting small magnets.  19-F-00300 An index of all injuries, deaths and/or incidents caused by or contributed to by inclined sleep products, including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  19-F-00230 Referral to FDA  19-F-00231 CPSC Recall File # 19-735, released April 11, 2019, titled FOIA Safety, Research & Strategies but to Crash Hazard (Recall Alert)* for the following KTM & Husqvarna models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search 2016 to present.  19-F-00232 I would like to request all incidents of crockpot and/or slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or slow cooker has exploded, shattered, or fractured, while in use. Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  19-F-00233 I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death				
redactions. We are further challenging the withholding of pages with content that has not been specifically identified, but withheld under FOIA Exemptions 3,4,5 and 6, and under the Consumer Product Safety Act 15 U.S.C. §§ 2055(a)(2), and 2055(b)(1). We request a Vaughn Index and a commission declaration to determine what exactly these materials are, and if they were properly withheld.  19-F-00298 I request all materials by Daffy Duck. (Date Range for Record Search: From 05/16/2016 To 05/01/2019)  A copy of the CSPC File# [redacted] that was conducted in my home regarding an injury that relates to my son ingesting small magnets.  An index of all injuries, deaths and/or incidents caused by or contributed to by inclined sleep products, including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  Referral to FDA FOIA FOIA Strategies  19-F-00231 CPSC Recall File # 19-735, released April 11, 2019, titled FOIA KTM and Husqvarna Motorcycles Recall Motorcycles Due to Crash Hazard (Recall Alert)* for the following KTM & Husqvarna models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search 2016 to present.  I would like to request all incidents of crockpot and/or slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or slow cooker has exploded, shattered, or fractured, while in use. Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiolo				
pages with content that has not been specifically identified, but withheld under FOIA Exemptions 3, 4, 5 and 6, and under the Consumer Product Safety Act 15 U.S.C. §\$ 2055(a)(2), and 2055(b)(1). We request a Vaughn Index and a commission declaration to determine what exactly these materials are, and if they were properly withheld.  19-F-00298  I request all materials by Daffy Duck. (Date Range for Record Search: From 05/16/2016 To 05/01/2019)  A copy of the CSPC File# [redacted] that was conducted in my home regarding an injury that relates to my son ingesting small magnets.  An index of all injuries, deaths and/or incidents caused by or contributed to by inclined sleep products, including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  Referral to FDA  CPSC Recall File # 19-735, released April 11, 2019, titled FOIA  "KTM and Husqvarna Motorcycles Recall Motorcycles Due to Crash Hazard (Recall Alert)" for the following KTM & Husqvarna models: KTM 50 SX and Husqvarna KTM & Husqvarna Models: KTM 50 SX and Husqvarna Modorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search 2016 to present.  I would like to request all incidents of crockpot and/or slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or slow cooker has exploded, shattered, or fractured, while in use. Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death				
identified, but withheld under FOIA Exemptions 3,4,5 and 6, and under the Consumer Product Safety Act 15 U.S.C. §§ 2055(a)(2), and 2055(b)(1). We request a Vaughn Index and a commission declaration to determine what exactly these materials are, and if they were properly withheld.  19-F-00298   I request all materials by Daffy Duck. (Date Range for Record Search: From 05/16/2016 To 05/01/2019)   A copy of the CSPC File# [redacted] that was conducted in my home regarding an injury that relates to my son ingesting small magnets.  19-F-00300   An index of all injuries, deaths and/or incidents caused by or contributed to by inclined sleep products, including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  19-F-00230   Referral to FDA   FOIA   DIVISION OF CONSUMER PROTECTION    19-F-00231   CPSC Recall File # 19-735, released April 11, 2019, titled FOIA (*KTM and Husqvarna Motorcycles Recall Motorcycles Due to Crash Hazard (Recall Alert)" for the following KTM & Husqvarna models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search 2016 to present.  19-F-00232   I would like to request all incidents of crockpot and/or slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or slow cooker pass exploded, shattered, or fractured, while in use. Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  19-F-00233   I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death				
and 6, and under the Consumer Product Safety Act 15 U.S.C. §§ 2055(a)(2), and 2055(b)(1). We request a Vaughn Index and a commission declaration to determine what exactly these materials are, and if they were properly withheld.  19-F-00298   request all materials by Daffy Duck. (Date Range for Record Search: From 05/16/2016 To 05/01/2019)  A copy of the CSPC File# [redacted] that was conducted in my home regarding an injury that relates to my son ingesting small magnets.  An index of all injuries, deaths and/or incidents caused by or contributed to by inclined sleep products, including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  19-F-00230   Referral to FDA   FOIA   DIVISION OF CONSUMER PROTECTION   Safety, Research & Strategies   CPSC Recall File # 19-735, released April 11, 2019, titled FOIA   Safety, Research & Crash Hazard (Recall Alert)* for the following KTM & Husqvarna models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search 2016 to present.  I would like to request all incidents of crockpot and/or slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or slow cooker has exploded, shattered, or fractured, while in use.  Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death				
U.S.C. §§ 2055(a) (2), and 2055(b) (1). We request a Vaughn Index and a commission declaration to determine what exactly these materials are, and if they were properly withheld.  I request all materials by Daffy Duck. (Date Range for Record Search: From 05/16/2016 To 05/01/2019)  IP-F-00299 A copy of the CSPC File# [redacted] that was conducted in my home regarding an injury that relates to my son ingesting small magnets.  An index of all injuries, deaths and/or incidents caused by or contributed to by inclined sleep products, including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  Referral to FDA  CPSC Recall File # 19-735, released April 11, 2019, titled FOIA  "KTM and Husqvarna Motorcycles Recall Motorcycles Due to Crash Hazard (Recall Alert)" for the following KTM & Husqvarna models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search 2016 to present.  I would like to request all incidents of crockpot and/or slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or slow cooker has exploded, shattered, or fractured, while in use. Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death				
Vaughn Index and a commission declaration to determine what exactly these materials are, and if they were properly withheld.  I request all materials by Daffy Duck. (Date Range for Record Search: From 05/16/2016 To 05/01/2019)  A copy of the CSPC File# [redacted] that was conducted in my home regarding an injury that relates to my son ingesting small magnets.  An index of all injuries, deaths and/or incidents caused by or contributed to by inclined sleep products, including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  Referral to FDA  CPSC Recall File # 19-735, released April 11, 2019, titled FOIA ROTH Hazquarna Motorcycles Recall Motorcycles Due to Crash Hazard (Recall Alert)" for the following KTM & Strategies, Inc. Husquarna models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search 2016 to present.  I would like to request all incidents of crockpot and/or slow cooker has exploded, shattered, or fractured, while in use. Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death				
determine what exactly these materials are, and if they were properly withheld.  1 request all materials by Daffy Duck. (Date Range for Record Search: From 05/16/2016 To 05/01/2019)  19-F-00299  A copy of the CSPC File# [redacted] that was conducted in my home regarding an injury that relates to my son ingesting small magnets.  An index of all injuries, deaths and/or incidents caused by or contributed to by inclined sleep products, including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  Referral to FDA  POIA  DIVISION OF CONSUMER PROTECTION  19-F-00231  CPSC Recall File # 19-735, released April 11, 2019, titled FOIA  "KTM and Husqvarna Motorcycles Recall Motorcycles Due to Crash Hazard (Recall Alert)" for the following KTM & Husqvarna models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search 2016 to present.  I would like to request all incidents of crockpot and/or slow cooker has exploded, shattered, or fractured, while in use. Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death				
Nere properly withheld   I request all materials by Daffy Duck. (Date Range for Record Search: From 05/16/2016 To 05/01/2019)   Record Search: From 05/16/2016 To 05/01/2019)   A copy of the CSPC File# [redacted] that was conducted in my home regarding an injury that relates to my son ingesting small magnets.   An index of all injuries, deaths and/or incidents caused by or contributed to by inclined sleep products, including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.   FOIA   Safety Research   Pois   Po				
I request all materials by Daffy Duck. (Date Range for Record Search: From 05/16/2016 To 05/01/2019)   A copy of the CSPC File# [redacted] that was conducted in my home regarding an injury that relates to my son ingesting small magnets.    Index of all injuries, deaths and/or incidents caused by or contributed to by inclined sleep products, including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.    Index of all File# 19-735, released April 11, 2019, titled FOIA   Safety, Research with the crash of the control of				
Record Search: From 05/16/2016 To 05/01/2019)  A copy of the CSPC File# [redacted] that was conducted in my home regarding an injury that relates to my son ingesting small magnets.  19-F-00300  An index of all injuries, deaths and/or incidents caused by or contributed to by inclined sleep products, including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  19-F-00230  Referral to FDA  CPSC Recall File # 19-735, released April 11, 2019, titled FOIA  Referral to Grash Hazard (Recall Alelet)" for the following KTM & Husqvarna models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search 2016 to present.  19-F-00232  I would like to request all incidents of crockpot and/or slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or slow cooker has exploded, shattered, or fractured, while in use. Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death	19-F-00298		FOIA	_
A copy of the CSPC File# [redacted] that was conducted in my home regarding an injury that relates to my son ingesting small magnets.  An index of all injuries, deaths and/or incidents caused by or contributed to by inclined sleep products, including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  Referral to FDA  CPSC Recall File # 19-735, released April 11, 2019, titled FOIA  Referral to FDA  CPSC Recall File # 19-735, released April 11, 2019, titled FOIA  KTM and Husqvarna Motorcycles Recall Motorcycles Due to Crash Hazard (Recall Alert)" for the following KTM & Husqvarna models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search 2016 to present.  I would like to request all incidents of crockpot and/or slow cooker has exploded, shattered, or where the lid belonging to a crockpot and/or slow cooker has exploded, shattered, or fractured, while in use. Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death			1017	
in my home regarding an injury that relates to my son ingesting small magnets.  An index of all injuries, deaths and/or incidents caused by or contributed to by inclined sleep products, including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  Referral to FDA  CPSC Recall File # 19-735, released April 11, 2019, titled FOIA  Referral to FDA  CPSC Recall File # 19-735, released April 11, 2019, titled FOIA  "KTM and Husqvarna Motorcycles Recall Motorcycles Due to Crash Hazard (Recall Alert)" for the following KTM & Safety, Research & Strategies, Inc. Husqvarna models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search 2016 to present.  I would like to request all incidents of crockpot and/or slow cooker has exploded, shattered, or fractured, while in use. Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death	19-F-00299		FOLA	_
ingesting small magnets.  An index of all injuries, deaths and/or incidents caused by or contributed to by inclined sleep products, including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  Referral to FDA  CPSC Recall File # 19-735, released April 11, 2019, titled FOIA "KTM and Husqvarna Motorcycles Recall Motorcycles Due to Crash Hazard (Recall Alert)" for the following KTM & Strategies, Inc. Husqvarna models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search 2016 to present.  I would like to request all incidents of crockpot and/or slow cooker has exploded, shattered, or fractured, while in use. Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death  Safety Research & Strategies	.,. 002,,		IOIA	
An index of all injuries, deaths and/or incidents caused by or contributed to by inclined sleep products, including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  19-F-00230  Referral to FDA  CPSC Recall File # 19-735, released April 11, 2019, titled FOIA "KTM and Husqvarna Motorcycles Recall Motorcycles Due to Crash Hazard (Recall Alert)" for the following KTM & Husqvarna models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search 2016 to present.  I would like to request all incidents of crockpot and/or slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or slow cooker has exploded, shattered, or fractured, while in use. Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death				
by or contributed to by inclined sleep products, including but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  Referral to FDA  CPSC Recall File # 19-735, released April 11, 2019, titled FOIA  KKTM and Husqvarna Motorcycles Recall Motorcycles Due to Crash Hazard (Recall Alert)" for the following KTM & Husqvarna models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search 2016 to present.  I would like to request all incidents of crockpot and/or slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or slow cooker has exploded, shattered, or fractured, while in use. Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death	19-F-00300		FOLA	Safety Pesearch
but not limited to the infant deaths cited in CPSC release number: 18-171 (attached), reported from 2005 to present.  Referral to FDA  Referral to FDA  CPSC Recall File # 19-735, released April 11, 2019, titled FOIA  Safety, "KTM and Husqvarna Motorcycles Recall Motorcycles Due to Crash Hazard (Recall Alert)" for the following KTM & Husqvarna models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search 2016 to present.  I would like to request all incidents of crockpot and/or slow cooker has exploded, shattered, or fractured, while in use. Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death			IOIA	
number: 18-171 (attached), reported from 2005 to present.  Referral to FDA  Referral to FDA  CPSC Recall File # 19-735, released April 11, 2019, titled FOIA  CPSC Recall File # 19-735, released April 11, 2019, titled FOIA  "KTM and Husqvarna Motorcycles Recall Motorcycles Due to Crash Hazard (Recall Alert)" for the following KTM & Husqvarna models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search 2016 to present.  I would like to request all incidents of crockpot and/or slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or slow cooker has exploded, shattered, or fractured, while in use. Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death				a Strategies
present.  Referral to FDA  DIVISION OF CONSUMER PROTECTION  Safety, Research & Safety, Research & Strategies, Inc.  Research & Strategies  FOIA  Safety Research & Strategies  Research (INDP) (including epidemiological reports),  Injury/Potential Injury Incident Files (IPII), Death				
Referral to FDA  DIVISION OF CONSUMER PROTECTION  CPSC Recall File # 19-735, released April 11, 2019, titled FOIA  KTM and Husqvarna Motorcycles Recall Motorcycles Due to Crash Hazard (Recall Alert)" for the following KTM & Safety, Research & Strategies, Inc. Husqvarna models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search 2016 to present.  I would like to request all incidents of crockpot and/or slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or slow cooker has exploded, shattered, or fractured, while in use. Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death				
CONSUMER PROTECTION  CPSC Recall File # 19-735, released April 11, 2019, titled FOIA  "KTM and Husqvarna Motorcycles Recall Motorcycles Due to Crash Hazard (Recall Alert)" for the following KTM & Husqvarna models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search 2016 to present.  I would like to request all incidents of crockpot and/or slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or slow cooker has exploded, shattered, or fractured, while in use. Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death	19-F-00230		FOLA	DIVISION OF
PROTECTION  19-F-00231  CPSC Recall File # 19-735, released April 11, 2019, titled FOIA  "KTM and Husqvarna Motorcycles Recall Motorcycles Due to Crash Hazard (Recall Alert)" for the following KTM & Husqvarna models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search 2016 to present.  I would like to request all incidents of crockpot and/or slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or slow cooker has exploded, shattered, or fractured, while in use.  Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death	171 00230	Referral to I DA	IOIA	
CPSC Recall File # 19-735, released April 11, 2019, titled FOIA  "KTM and Husqvarna Motorcycles Recall Motorcycles Due to Crash Hazard (Recall Alert)" for the following KTM & Husqvarna models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search 2016 to present.  I would like to request all incidents of crockpot and/or slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or slow cooker has exploded, shattered, or fractured, while in use. Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death				
"KTM and Husqvarna Motorcycles Recall Motorcycles Due to Crash Hazard (Recall Alert)" for the following KTM & Husqvarna models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search 2016 to present.  I would like to request all incidents of crockpot and/or slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or slow cooker has exploded, shattered, or fractured, while in use.  Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death	10_F_00231	CDCC Decall File # 10.725 released April 11. 2010 titles	I COLA	
to Crash Hazard (Recall Alert)" for the following KTM & Husqvarna models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search 2016 to present.  I would like to request all incidents of crockpot and/or slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or slow cooker has exploded, shattered, or fractured, while in use.  Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death	171 00231			
Husqvarna models: KTM 50 SX and Husqvarna TC 50, closed course/competition motorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search 2016 to present.  I would like to request all incidents of crockpot and/or slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or slow cooker has exploded, shattered, or fractured, while in use.  Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death				
closed course/competition motorcycles with 50cc 2-cycle engines. If a search timeframe is needed, please search 2016 to present.  I would like to request all incidents of crockpot and/or slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or slow cooker has exploded, shattered, or fractured, while in use.  Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death				Strategies, Inc.
engines. If a search timeframe is needed, please search 2016 to present.  I would like to request all incidents of crockpot and/or slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or slow cooker has exploded, shattered, or fractured, while in use.  Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death				
2016 to present.  I would like to request all incidents of crockpot and/or slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or slow cooker has exploded, shattered, or fractured, while in use.  Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death				
I would like to request all incidents of crockpot and/or slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or slow cooker has exploded, shattered, or fractured, while in use.  Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death				
slow cooker products that have exploded or shattered, or where the lid belonging to a crockpot and/or slow cooker has exploded, shattered, or fractured, while in use.  Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death	10 F 00222		EQ14	Cafati. Danaanah
where the lid belonging to a crockpot and/or slow cooker has exploded, shattered, or fractured, while in use.  Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death	19-1-00232		_	
has exploded, shattered, or fractured, while in use. Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death				& Strategies
Please search from 2000 to present. A generic list of incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death  Please search from 2000 to present. A generic list of incidents of such as a digital or electronic version of this list.  Safety Research & Strategies				
incidents would be adequate. Please also make available a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death  Incidents would be adequate. Please also make available a digital place.  FOIA Safety Research & Strategies				
a digital or electronic version of this list.  I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death  A digital or electronic version of this list.  Safety Research & Strategies				
I would like to request all In-Depth Investigations Files (INDP) (including epidemiological reports), Injury/Potential Injury Incident Files (IPII), Death				
(INDP) (including epidemiological reports), & Strategies Injury/Potential Injury Incident Files (IPII), Death			ļ	
Injury/Potential Injury Incident Files (IPII), Death	19-F-00233		FOIA	
				& Strategies
Contificate Files and NEICC data associated with injuries		Injury/Potential Injury Incident Files (IPII), Death		
		Certificate Files, and NEISS data associated with injuries,		
deaths and/or incidents caused by or contributed to by		deaths and/or incidents caused by or contributed to by		
crockpot and/or slow cooker products manufactured by			100	

	any of the following companies: • Hamilton Booch		<u> </u>
	any of the following companies: • Hamilton Beach Brands Holding Company • Hamilton Beach • Proctor		
	Silex • NACCO Industries Please search from 2000 to		
	present.		
19-F-00234	The current data retention policy and schedule for the	FOIA	-
	Consumer Product Safety Commission. In addition,		
	please provide copies of the record layout, code sheet		
	and all relevant documentation regarding this data. I am		
	requesting all data fields. If there are any fields that you		
	must withhold by law, please cite this omission in the		
	redaction log.		
19-PA-00002	We are requesting all the records on [REDACTED] (Date	Consultation	Law office of
	Range for Record Search: From 01/01/1990 To		Parastoo Zahedi
	05/02/2019)		
19-F-00252	Requesting records for any reported fire with a Holmes	FOIA	_
	humidifier, a Guangdong Xinbao humidifier, and a		
	Sunbeam humidifier for the 5 preceding years.		
19-F-00253	Requesting information regarding the QVC products	FOIA	Kontos Mengine
	called the "Trolley Dolly", specifically for the investigation	n	Law Group
	file #18- 0723CCC1865, which involved my client, who		
	was injured by the product. Search timeframe: The		
	previous 5 years.		
19-F-00254	Any and all In Depth Investigation Reports prepared; 2.	FOIA	Onder Law, LLC
	Any and all communications with manufacturers,		
	including but not limited to, letters, emails,		
	documentation of communications, responses to CPSC		
	inquiries, etc.; 3. Any and all communications with trade		
	groups or organizations, including but not limited to,		
	letters, emails, documentation of communications, etc.;		
	<ol> <li>Any and all incidents of complaint, injury or death, regardless of whether an IDI was prepared; and 5. Any</li> </ol>		
	and all reports, documents, studies, and/or information		
	regarding the Fisher-Price Rock 'N Play Sleeper and/or		
	similar sleeper/play/rocker products as this category has		
	been defined on a "working basis" by the CPSC, from any	,	
	and all manufacturers. Please include records for the		
	years 1973 to present.		
19-A-00005	On April 29, you responded, releasing 370 pages of	Appeal	Safety Research
	documents, most of which were redacted in their entirety		& Strategies,
	under various exemptions provided by the Freedom of		Inc.
	Information Act (FOIA) and by the Consumer Product		
	Safety Act 15 U.S.C. §§ 2055(a)(2), and 2055(b)(1).		
	We are appealing this response, and request that you re-		
	release these materials with appropriate redactions. We		
	are further challenging the withholding of pages with		
	content that has not been specifically identified, but		
	withheld under FOIA Exemptions 3,4,5 and 6, and under		
	the Consumer Product Safety Act 15 U.S.C. §§		
	2055(a)(2), and 2055(b)(1). We request a Vaughn		
	Index and a commission declaration to determine what		
	exactly these materials are, and if they were properly		
10.4.00007	withheld.		
19-A-00006	On April 29, you responded, releasing 317 pages of	Appeal	Safety Research
	documents, most of which were redacted in their entirety	1	& Strategies,
	under various exemptions provided by the Freedom of		Inc.
	Information Act (FOIA) and by the Consumer Product		
	Safety Act 15 U.S.C. §§ 2055(a)(2), and 2055(b)(1).		
	We are appealing this response, and request that you re-		
	release these materials with appropriate redactions. We are further challenging the withholding of pages with		
	content that has not been specifically identified, but		
	pointent that has not been specifically identified, but		

	withheld under FOIA Exemptions 3,4,5 and 6, and under the Consumer Product Safety Act 15 U.S.C. §§ 2055(a)(2), and 2055(b)(1). We request a Vaughn Index and a commission declaration to determine what exactly these materials are, and if they were properly withheld.	
19-F-00297	This is a request for documents sent to the Consumer Product Safety Commission either staff or commissioners from Eric A. Rubel, aka Eric Rubel. This request is seeking letters, emails and written notices and/or testimony from Eric A. Rubel and in possession of the CPSC. This would include documents sent on his behalf, but mentioning him, as well (Date Range for Record Search: From 01/01/2012 To 05/29/2019)	The Washington Post

**Total No of Requests**: 149