earlswood SUPPLIES LTD



CATALOGUE - Edition 21





carrimore surefoot



Welcome to our Version 21 catalogue

Packed full of innovative products

our unique range allows you to fulfil your customers hardware and equipment requirements in full, on time, every time.

Knowledgeable operators

are on hand 07:00 – 16:45 hrs Monday – Friday offering industry leading customer service, product knowledge and fast bespoke quotations.

Our New Website

allows you to access live stock availability and to place orders 24/7

Sales: 01295 758734

Email: sales@earlswoodsupplies.com Web: www.earlswoodsupplies.com









CONTENTS



SECTION	PRODUCTS	PAGE
ONE	Rubber Matting	5-14
TWO	Wheelbarrows & Tools	15-28
THREE	Buckets & Storage Containers	29-36
FOUR	Stable & Tack Room Equipment	37-56
FIVE	Grooming & Hi Viz	57-72
SIX	Electric Fencing	73-118
SEVEN	Pest Control	119-122
EIGHT	GateMate Hardware	123-136
NINE	Hardware & Gate Fittings (Incorporating Security)	137-152
TEN	Smallholder Range	153-159
ELEVEN	Agricultural Products	161-170
TWELVE	Hygiene & Cleaning	171-174
INDEX	Index	175-177
TERMS	Terms & Conditions	178-179



Patura Electric Fencino

...ONE OF THE BEST ELECTRIC FENCING SYSTEMS IN THE WORLD

When you invest in electric fencing, you'll want to be sure you can depend on it, without question, without fail - whether it's to keep animals in or to keep them out! Already the "system of choice" across Continental Europe, Patura is a respected brand with an enviable reputation for practical, efficient yet innovative products.

As part of our ongoing commitment to and investment in our stockists, we offer branded merchandisers free of charge with an initial order over £1,000.

plus German attention to detail from the acknowledged experts in electric fencing. Patura won't let you down, guaranteed.

Call your Account Manager today!



GOLD STAMP OF QUALITY

Patura is a German manufacturer of a quality product with outstanding strength and durability.

*Terms and conditions apply, for more information please contact your supplier.



5-YEAR WARRANTY

All Patura products are manufactured to the highest industry standards and this is backed by a no-quibble guarantee policy. All energisers have a 3-year warranty* and some insulators have a 10-year warranty.

D 70 mm

Combining the latest technologies

and materials with guaranteed

quality, reliability and durability,





surefoot



Rubber Matting

STANBRIDGE STABLE MAT

The Stanbridge stable mat is made from solid rubber with a moulded bubble top surface. Our best selling and most popular stable mat has a wide rib base which allows for easy drainage.

Application: Stables, Walkways, Horseboxes



CODE SIZE MM WEIGHT KG 4089-1857 1830 x 1220 [6'x4'] x 17 35

WYCOMBE STABLE MAT

Manufactured from high quality non-porous solid rubber. The hammer top / tortoiseshell surface makes mucking out and sweeping very easy, with a wide rib base allowing for easy drainage.

Application: Stables, Walkways, Horseboxes



 CODE
 SIZE MM
 WEIGHT KG

 4091-1857
 1830 x 1220 (6'x4') x 17mm
 35kg

 4093-1857
 1830 x 1220 (6'x4') x 10mm
 25kg

PREMIUM STABLE MAT

Manufactured to our own pattern and specification, we have created a mat with extremely high abrasion resistant properties. The top surface has a diamond chequer plate finish giving very good grip but still allowing for easy cleaning and sweeping.

Application: Stables, Walkways, Horseboxes, Horse Walkers



 CODE
 SIZE MM
 WEIGHT KG

 4083-1857
 1830 x 1220 [6'x4'] x 18mm
 40

LOKMAT

Manufactured from high quality non-porous solid rubber, this mat is easy to handle due to its size. It has an interlocking edge on four sides of the mat, allowing any size to be created, preventing gapping, and van be used in areas without walls.

Application: Stables, Walkways




CODE SIZE MM WEIGHT KG 4090-1227 1220 x 910 x (4'x3') 17mm 20

CONTINUOUS ROLL RUBBER

Hardwearing anti-slip rubber matting - the ultimate for joint- free walkways and horse transporter flooring. Up to 2.4m wide. Hammer blow top with micro rib base.

Application: Horseboxes, Stables, Walkways




CODE SIZE

4110-2407 2.4m x 10mm x 40m. Available cut to length **4110-2417** 2.4m x 15mm x 40m. Available cut to length

TUDOR INTERLOCKING MAT

Very high abrasion resistant interlocking mat for the most demanding of areas. Easy clean hammer top and mats will not separate due to interlocking system.



CODE SIZE MM

4308-1010 1000 x 1000 x 17mm

RUBBERLITE MAT

This unique mat is made from a mixture of rubber and EVA. This gives the lightweight characteristics of EVA but with added durability for long lasting use.

Application: Stables, Horseboxes



CODE SIZE MM WEIGHT KG 4094-0320 1850 x 1200 x 20mm 9

GRANULISTIC LIQUID RUBBER FLOORING

A trowel applied latex rubber flooring that cures to form an impervious hard wearing equestrian flooring. Suitable for veterinary situations, stables, lorries and trailers. Pack coverage 1.8m2 @ 12mm thick. Use a spiked roller to finish and seal the surface.

Application: Stables, Horseboxes






4097-1000 Spiked Roller

DURAFLOOR

Hard wearing rubber matting with a linen surface to provide a lighter weight flooring for single piece trailer and vehicle floors. Rubber top surface with a polyester backing gives exceptional strength and ease of bonding.



CODE SIZE

Code 4111-2021C 2m wide x 4mm cut to length.

MOULDED RUBBER RAMP MAT

Ribbed ramp mat with integral rubber bars. The superb rib texture offers maximum slip resistance while the integral rubber bars, spaced to conform to DEFRA regulations, are also ribbed to ensure a secure foothold for both horse and handler. The mat is non-absorbent

100% rubber and can be hosed clean in seconds. The premium choice of most horsebox manufacturers. Available in two sizes with the largest mat designed to cover the gap between ramp and lorry.

Application: Horsebox Ramps



CODE


SIZE

4100-2257 2.3 x 2.48m (single piece) **4100-2387** 2.3 x 2.8m (single piece)

GRIP TOP MATTING

Hard wearing grip-top rubber matting providing excellent grip for all ramps. Available in two widths.

Application: Horsebox Ramps




CODE SIZ

4105-1507 1.5m wide x 50m. Available cut to length **4106-1207** 1.2m wide x 50m. Available cut to length

RAMP CARPET

Latex backed ribbed ramp carpet. Stocked in dark grey but other colours available to order. Available in two widths.

Application: Horsebox Ramps



CODE SIZE

4103-2008 2m wide x 25m. Available cut to length **4104-2009** 1m wide x 25m. Available cut to length

BROAD RIB RUBBER

An economical ribbed rubber suitable for many applications from ramps to living areas and general walkways.

Application: Horsebox ramps & General Walkways



CODE SIZE


4107-1207 1.2m x 6mm x 10m. Available cut to length.

FINE RIB RUBBER

Suitable for many applications where low cost, easy clean protection is required.

Application: Application: Horsebox Ramps,

Living Areas & Walkways



CODE SIZE

4108-1207 1.2m x 3mm x 10m. Available cut to length

INSERTION RUBBER

Smooth finish rubber with a cotton insertion for use on partitions and walls.

Application: Horsebox Partitions



CODE SIZE

4120-1407 1.4m x 5mm x 10m. Available cut to length **4121-1207** 1.4m x 3mm x 10m. Available cut to length

RUBBER SHEETING

Smooth finish rubber.

Application: Horsebox Partitions & Walls



. .

SIZE


4114-1407

CODE

1.4m x 10mm x 5m

CLEAR PVC SHEETING

Exceptionally strong clear PVC sheeting for use on horsebox partitions and doorways.



CODE SIZE

4125-1208 1.2m x 4mm x 10m **4125-1208C** 1.2 x 4mm cut to length

EVA WALL BOARDS

Suitable for lining horsebox and stable walls. These lightweight energy absorbing wallboards are of the highest quality and will provide ultimate protection for your horse. Surface finished in a random pattern.

Application: Horsebox & Stable Walls & Floors




CODE	SIZE MM W	EIGHT KG
4094-0127	1800 x 1200 x 11mm.	4.5
4094-0167	1800 x 1200 x 15mm	6
4094-0227	1800 x 1200 x 22mm	9

EVA WALL BOARDS - STANDARD QUALITY

Energy absorbing EVA boards with a cross hatch surface pattern.

Application: Horsebox & Stable Walls



CODE SIZE MM WEIGHT KG 4094-0107 1800 x 1200 x 10mm 4.5

4094-0117 1800 x 1200 x 20mm 9

EVA WALL FIXINGS

Recessed plastic washer. Set includes 1 x stainless steel screw, 1 x plug, 1 x plastic recessed washer.




CODE DESCRIPTION

4094-1000 s/s screw, plug & recessed washer **4094-1001** Recessed black finishing washer

GROUND RING MAT

The ideal solution for muddy gateways. Free draining perforated mats reduce poaching and create a stable walking surface.



CODE SIZE MM WEIGHT KG

4191-1507 1500 x 1000 x 16mm 14 **4192-1507** 1500 x 1000 x 23mm 18

SUREFOOT RUBBER ADHESIVE

A trowel applied polyurethane adhesive specially suited for gap filling and used widely to bond horsebox floors and ramp mats.

Application: Horsebox Floor & Ramp bonding.



CODE WEIGHT KG

4128-6001

SUREFOOT MAT ADHESIVE

Formulated for bonding stable mats, this moisture cure adhesive will foam to fill and seal gaps as it cures.

Application:
Stable floors –
bond rubber to
concrete.



CODE WEIGHT KG

4130-1000 10 **4130-2501** 22.5

SUREFOOT JOINT SEALANT

Our joint sealer is specially formulated to seal joints around the perimeter and between rubber mats. The 600ml tube has to be used with a barrel applicator gun (available part No 4129-2000).

Application: Sealing rubber matting
- Horseboxes, Stables etc.



CODE SIZE MM

4129-1000 600ml

4129-2000 Sealant Applicator Gun. For 600ml Joint.

BROUGHTON FITNESS MAT

Solid rubber matting suited to the most demanding areas. Ideal for weights training as they protect the floor from heavy weights. Two thicknesses are available.



 CODE
 SIZE MM
 WEIGHT KG

 4091-1857
 1830 x 1220 x 17mm
 35

 4093-1857
 1830 x 1220 x 10mm
 25

GYM FLOOR

1m square tiles which interlock together to form an energy absorbing soft warm floor.
Suitable for all workout areas.



 CODE
 SIZE MM
 WEIGHT KG

 4302-1007BL
 1000 x 1000 x 20mm
 3

 4302-1007BK
 1000 x 1000 x 20mm
 3

RUBBER BRIQUETTES

Interlocking bricks made from thick composite rubber. Specifically developed in extra heavy-duty quality for horse walkers. They provide a higher level of shock absorption with greater slip resistance and are free draining. Choice of red, green or black.

Application: Horse Walkers



CODE FINISH 4089-1000 Red

ULTI-MAT

Hollow top mat ideal for cleaning boots and shoes. Raised design on surface provided for greater traction and ramped edges for non-trip safety. This makes an excellent entrance mat or economical anti fatigue mat for behind a counter.



CODE SIZE MM 4202-1527 910 x 1550mm

MAXI GUARD ENTRANCE MAT

Thousands of rubber bristles clean boots and shoes fast. Exceptionally hardwearing and will not clog with dirt. Ramped edges for non-trip safety.



CODE **SIZE MM** 4217-0617 800 x 600mm 4217-1617 1000 x 600mm

GALVANISED BOOT SCRAPER ENTRANCE MAT

A galvanised boot scraper complete with side brushes.



CODE

SIZE MM

4096-1007 1007mm

ANTI-FATIGUE MATTING

ERGO-TRED

The ultimate anti-fatigue mat for behind any counter. Air-cushioned surface is designed to create a comfortable working environment. Heavy duty construction with flexible dome designed surface to reduce fatigue and increase productivity. 5 star rating for comfort.



CODE **SIZE MM**

900 x 1200 (black with yellow safety border) 4200-2917

FOOT BATH MAT

Ramped edges contain any sanitising solution for boot dipping. The base of our boot dips are constructed with hundreds of rubber bristles which trap dirt and grit and scrub boots clean.



CODE

SIZE MM

4213-1707 4213-2507

700 x 900 x 25mm 980 x 810 x 48mm

DIRT-BUSTER MAT



LOGO ENTRANCE MAT

Couple the first impression of your company with custom Logo Entrance Mats. We offer in-house graphic design, all that we require is an electronic copy of what you are seeking to promote. Choose up to 8 colours from our huge 30 colour palette to 'show your true colours'. Tough nitrile rubber backing ensures no slipping will occur.



CODE

SIZE MM

4214-1207

850 x 1200mm







Wheelbarrows & Tools



PREMIUM JUNIOR WHEELBARROW

High quality children's wheelbarrow with an easy clean polypropylene pan. Supplied flat packed in a display box.

COLOURS AVAILABLE:





CODE

FINISH

695-0125

Blue, Pink, Green



This specially designed wheelbarrow is ideal for small children. Its all steel construction gives it increased strength and durability whilst being lightweight for children to use. It comes flat packed in a box and is easily assembled, with a solid puncture free wheel.

COLOUR AVAILABLE:



CODE 695-010 FINISH

695-0100 Red



A 90-litre wheelbarrow with a strong single piece black epoxy frame. This wheelbarrow comes with a high-quality polypropylene body available in 4 different colours. An excellent wheelbarrow for light duty general purpose work. Comes as standard with pneumatic wheels and roller bearings. Optional puncture proof wheel available. Available assembled or unassembled – simple assembly, 6 bolts supplied.

CODE

DESCRIPTION FINISH

695-1090 Unassembled **695-1090A** Assembled **695-9090** Spare wheel

ssembled Blue, Green, Pink, Purple embled Blue, Green, Pink, Purple re wheel Black

695-9190PP

Puncture proof wheel Black



ECONOMY BARROW

An 85-litre general purpose wheelbarrow with a durable plated steel pan. Its epoxy black one-piece welded frame gives it a smart attractive appearance. An excellent wheelbarrow for lighter duty requirements. Comes as standard with pneumatic wheels and roller bearings. Optional puncture proof wheel available. Available assembled or unassembled – simple assembly, 6 bolts supplied.

CODE

DESCRIPTION

695-0900 695-0900A 695-9090

Unassembled Assembled Spare wheel

695-9150PP

Puncture proof wheel

NEW PRODUCT

GENERAL PURPOSE WHEELBARROW

Strong all metal wheelbarrow complete with a puncture proof wheel. 80Litre metal pan general purpose wheelbarrow will handle heavy loads for years. Supplied unassembled.



COLOURS AVAILABLE:



CODE





695-0850 Unassembled

DESCRIPTION

Blue, Red, Green

FINISH

METAL PAN WHEELBARROW

An excellent quality all steel wheelbarrow that will take the toughest of punishment. Its generous size 120 litre pan makes it ideal for use around the stables and yard. It has a single piece welded galvanised frame for increased strength, as well as having a front support for the wheelbarrow body. Comes as standard with a pneumatic wheel and roller bearings. Optional puncture proof wheel is available. Available assembled or unassembled - simple assembly, 7 bolts supplied.



DESCRIPTION

CODE 695-1300 Unassembled 695-1300A Assembled 695-9050 Spare wheel

695-9150PP Puncture proof wheel Black

DUAL WHEEL 120 LITRE STARI F RARROW

Our smallest wheelbarrow with two wheels. The dual wheel design gives increased stability and ease of use for the operator. It has a single piece welded galvanised frame for increased strength, as well as having a front support for the wheelbarrow body. This wheelbarrow has a polypropylene body which is available in 4 different colours. Comes as standard with pneumatic wheels and roller bearings. Optional puncture proof wheels available. Supplied assembled.



CODE **DESCRIPTION**

695-1120 695-9050 695-9150PP Assembled Spare Wheel Puncture Proof

Wheel

Black

FINISH

Blue, Red, Green, Pink

Blue, Red, Green, Pink

FINISH



CODE 695-1200 **DESCRIPTION** Unassembled

695-1200A Assembled Spare wheel


695-9050 695-9150PP

Puncture proof wheel

FINISH

Blue, Red, Green, Pink Blue, Red, Green, Pink Blue, Red, Green, Pink

Black





COLOUR AVAILABLE:



CODE **DESCRIPTION** 695-2000 Unassembled

695-2000A Assembled 695-8000 Spare body 695-9000 Spare wheel

695-9100PP

Puncture proof wheel

FINISH

Blue

A LIFETIME GUARANTEE



CODE 695-2200



HEAVY DUTY PLATFORM TROLLEY

Ideal for transporting feed around making light of heavy loads. With a 200KG load capacity this trolley is ideal around the store, warehouse, workshop or yard. A robust tubular steel frame with a wooden platform. Heavy duty 5" casters (2 x swivel and 2 x fixed).

COLOUR AVAILABLE:



CODE 695-2150 **SIZE (MM)** 935 x 500 x 955



H2GO BAG

The H2GO bag is a problem solver for the equestrian, allotment, garden and building markets. A way of transporting up to 80 litres of water in a wheelbarrow where there is no hosepipe available. Fitted with a spout and cap which is permanently attached. Comes with an anti-slide mat to prevent the bag from slipping out of the wheelbarrow. Display options available; free standing floor unit holding 32 packs or counter display unit with 12 packs.

CODE DESCRIPTION

696-1080 H2Go single pack

696-1081 Counter display unit with 12 packs **696-1082** Free standing floor unit with 32 packs





BARROW BAG

Triple the capacity of your wheelbarrow. Made from heavy duty laminated woven polypropylene making the bag durable and mould and rot resistant. Cut the number of trips when using your wheelbarrow with this 270 litre capacity bag. Display options available; free standing floor unit holding 30 packs or counter display unit with 10 packs.



CODE DESCRIPTION SIZE

695-2070 Barrow bag 90 x 60 x 50cm **695-2071** Counter display unit with 8 packs **695-2072** Free standing floor unit with 30 packs



CODE DESCRIPTION FINISH 679-6110 4 Prong Long Handle Grey, Pink 679-6120 4 Prong D-Handle Grey 679-6150 5 Prong Long Handle Grey 679-6160 5 Prong D-Handle Grey



D-Handle Black, Pink Long Handle Black, Pink

CODE

674-1021

674-1521



CODE

DESCRIPTION

671-0259 671-0250 603-0040

CODE

672-1009

Head & Handle Head only Wooden Handle

SADDLERS **ALUMINIUM SHOVEL** An essential tool around the yard and stables. The aluminium shovel has a large blade ideal for scraping and clearing. It has a fibreglass handle for increased strength and reduction of weight, and a D-handle grip for ease of use. An exceptionally lightweight shovel.

CODE

DESCRIPTION

672-6559

D-Handle



DESCRIPTION

D-Handle

SADDLERS YARD SCOOP

Handling of bedding and waste couldn't be much easier. With a long wooden handle and a lightweight plastic head, this scoop is an extremely versatile tool to have around the stable and yard.

Whether it be clearing bedding or rubbish, this scoop makes the job easier every time.



CODE

DESCRIPTION

673-1509

Long Handle



CODE 670-0309

DESCRIPTION

D-Handle

FINISH

Red, Orange Lime Green, Yellow



Hand shovel with small reinforced flared blade and end cap. A must have versatile tool ideal for general stable and yard applications and cleaning small areas such as trailers.



CODE

FINISH

670-0019 Magenta, Blue, Red, Orange





CODE DESCRIPTION

681-1100 D-Handle – 110cm **681-1200** Long Handle – 120cm

CODE 684-1020

DESCRIPTION

684-1020 D-Handle **684-1220** Long Handle



CODE DESCRIPTION
690-1100 D-Handle

Long Handle

690-1200

683-1210

Long Handle



CODE 686-1200 **DESCRIPTION**Long Handle







JUNIOR SHAVINGS FORK

A scaled down version of the Fynalite Shavings Fork designed for the younger user. A smaller more appropriate fork meet children's needs allowing them to become more involved and helps establish good stable practise and responsibility for the horse. Available in D-Handle.



CODE

DESCRIPTION

682-7500 D-Handle



688-7500

Long Handle

Blue, Pink



ASH HANDLE MANURE FORKS

Manufactured with high quality forged high carbon heads which are designed for long life and strength. The fork head is forged out of a single piece of steel resulting in them being less likely to snap, shatter or bend.

Strong wooden ash handles light in weight yet exceptionally strong. Choice of handles available in D or Long. Superbly balanced to ease back strain.

Specific Spe

CODE DESCRIPTION

680-2120 2 Prong Pitch Fork – Long Ash Handle
680-3120 3 Prong Hay Fork – Long Ash Handle
680-4110 4 Prong Manure Fork – Ash D-Handle
680-4120 4 Prong Manure Fork – Long Ash Handle

680-4540 4 Prong Manure Fork – Extra-Long Ash Handle




680-6120 4 Prong Manure fork -

Hi-Strength Long Handle

Green, Pink







METAL YARD / LEAF RAKE

All metal construction leaf rake that is ideally suited to more demanding clearing up operations.

The metal head has 16 tines with a 1200mm handle. Its comfortable grip allows for heavy use.



DESCRIPTION

Metal



DUSTPAN & BRUSH

Heavy duty metal dustpan with a quality PVC hand brush to suit. Dustpan and brush are sold



CODE

DESCRIPTION

603-0080 Metal Dustpan

603-0082 PVC Banister Brush to Suit Dustpan





CODE SIZE 603-0064 13"

603-0060 18" 603-0062 24"



 CODE
 SIZE

 603-0030
 12"

 603-0010
 18"


 603-0020
 24"



CODE SIZE 603-0054 12" 603-0052 18" 603-0053 24"







Feed Buckets & Storage Containers

SADDLERS

3 GALLON STABLE BUCKET

Our heavy duty stable bucket is not to be confused with inferior alternatives. Will also fit in our bucket holder. Has a moulded spout for easy pouring.



CODE 957-0003 DESCRIPTION FINISH

3 Gallon

Black, Blue, Green, Pink, Purple, Red, Yellow

SADDLERS

SUPERBUCKET 3 GALLON

An exceptional unbreakable quality bucket. This superior bucket will squash but not break and can be returned to its shape. Moulded spout for easy pouring.



CODE 957-0033

DESCRIPTION

3 Gallon

FINISH

Black, Blue, Green, Pink, Purple, Red

SADDLERS

BUCKET HOLDER HEAVY DUTY

Two types of bucket holder are available and will suit most types of bucket. Our light duty version is available in a powder-coated finish and the heavy duty version is constructed from thicker material and comes in a galvanised finish. Both



CODE 937-0321 938-0321 DESCRIPTION FINISH

Heavy duty wall fix Galvanised Heavy duty hook over Galvanised

SADDLERS

2 GALLON AGRICULTURAL BUCKET

A useful size bucket calibrated in gallons and litres.



CODE 957-0002 **DESCRIPTION FINISH** 2 Gallon

Green



CODE

DESCRIPTION FINISH

959-0008 3 Gallon


Black, Blue, Green, Pink, Purple, Red, Yellow



CODE 957-0022 DESCRIPTION FINISH

5 litre

Blue, Green, Red



CODE DESCRIPTION 963-0121 12 Litre



SADDLERS

MUCK BUCKET

69 litre bucket with rope handle with a very strong construction for durability.



CODEDESCRIPTIONFINISH956-000369 LitreBlack



SADDLERS

RUBBER FEED SKIP

Durable heavy duty skips made from recycled rubber.



 CODE
 DESCRIPTION

 967-2250
 Small 21/4 gallons

 967-2500
 Large 51/4 gallons

SADDLERS

SUPER SIZE FLEXI CONTAINER

Ideally suited for water or feed, this container with carry handles is manufactured from the strongest flexible plastic. Use of this material results in no injury risk to animals and exceptionally long life. 50L capacity.



CODE 961-1500 **DESCRIPTION FINISH**

Blue



CODE **DESCRIPTION FINISH**

961-1123 15 Litre Black, Blue, Green, Pink, Purple, Red, Yellow 961-1253 25 Litre Black, Blue, Green, Pink, Purple, Red, Yellow 961-1403 40 Litre Black, Blue, Green, Pink, Purple, Red, Yellow

Black, Blue, Red, Yellow. 961-1753 75 Litre

961-1273 15 Litre Shallow Blue, Red.

SADDLERS

HOOK-OVER MANGER

A very popular feeder which will fit over any fence or gate. Durable and strong.



CODE **FINISH**

Black, Blue, Green, Pink, 917-0399 Purple, Red, White

SADDLERS

HOOK-OVER MANGER WITH HANDLE

Similar in design and construction to our standard hookover manger. This product has the added versatility of a handle.



CODE **FINISH**

932-0399 Black, Blue, Green, Pink,

Purple, Red, White









SADDLERS

28 LITRE PET FEED CONTAINER & LID

Heavy duty storage container with lid. Ideal for storage of pet and animal feed.



CODE **DESCRIPTION FINISH**

957-0060 28 Lltre Blue, Green, Pink, Red

SADDLERS

70 LITRE DUSTBIN & LID

This good quality smaller bin is ideal for storage of feed. Complete with clip on lid.



CODE **957-0070** 70 Litre

DESCRIPTION

FINISH

Black, Blue, Red

SADDLERS

50 LITRE HEAVY DUTY DUSTBIN & LID

A durable heavy duty small dustbin with clip on lid. Ideal for storage of feed.



CODE 957-0050

DESCRIPTION FINISH

50 Litre

Black, Blue, Green, Pink, Purple, Red

SADDLERS

85 LITRE HEAVY DUTY DUSTBIN & LID WITH **METAL CLIP HANDLES**


A durable heavy duty dustbin & lid with metal clip handles. Ideal for feeds storage.



CODE 957-0085 **DESCRIPTION FINISH**


85 Litre


Black











Stable & Tack Room Equipment

ANTI-WEAVER GRILLES

Our anti-weaver grille panels will fit most stable door openings. Each panel is supplied with two sockets and can be easily moved. Available in three sizes. Robust construction from 12 mm rod and galvanised finish.



CODE

DESCRIPTION 900-0891 890W x 610H (35 x 24) 900-1041 1040W x 760H [41 x 30]

900-1171 1170W x 760H [46 x 30]

FINISH

Galvanised Galvanised Galvanised

SADDLERS

ANTI-WEAVER INFIL PANELS

Designed to fit the anti-weaver grilles, our infill panels are manufactured to the same quality and are available in two sizes with galvanised finish.



CODE

DESCRIPTION

901-0891 Small - fits item 900-0891 901-1171

Large - fits item 900-1041 & 900-1171

FINISH Galvanised

Galvanised

SADDLERS

DOOR GRILLES

These door grilles will effectively enclose a stable. Available in three sizes and supplied with two sockets per grille. They are interchangeable with anti-weaver panels, strong construction and galvanised finish.



CODE

DESCRIPTION 902-0891 890W x 610H (35 x 24) 902-1041 1040W x 760H (41 x 30)


902-1171 1170W x 760H (46 x 24) **FINISH**

Galvanised Galvanised Galvanised

SADDLERS

GRILLE SOCKETS

Additional sockets for securing all of our door grilles. Designed for continuous use and galvanised for good protection.



CODE

903-0001

FINISH Galvanised

SALES LINE: 01295 758734 QUALITY, INTEGRITY AND VALUE IN ALL WE DO

INTERNAL STABLE GRILLES

Manufactured to the same specification as the door grilles, our internal grilles are designed for building into a dividing wall between stables. Robust construction with 12mm rods and galvanised finish. Available in three sizes, complete with holes for fixing.



CODE
934-0891
934-1041

934-1171

DESCRIPTION 890W x 610H (35 x 24)

1040W x 760H (41 x 30) 1170W x 760H (46 x 30)

FINISH

Galvanised Galvanised Galvanised

SADDLERS

HEAVY DUTY STABLE GRILLES

Our heavy duty grilles can be used for internal stables, or built into partition walls. Constructed from 22mm diameter bars with narrower spacing than our other grilles for safety. Available in two sizes although other sizes are available for special order. Galvanised finish for durability, complete with fixing holes.



CODE 941-1221

SIZE MM (INS) 941-1831

1215W x 760H [48 x 30] 1823W x 760H (72 x 30) **FINISH**

Galvanised Galvanised

SADDLERS

HEAVY DUTY WALL HAYRACK

This large traditionally designed hayrack will fit onto any flat surface. Manufactured to the same quality standard as our heavy-duty corner hayrack, galvanised finish for durability.



CODE 904-0761

SIZE MM


500H x 760W x 420D

FINISH Galvanised

SADDLERS

HEAVY DUTY CORNER HAYRACK

This robust havrack will fit into any 90° corner and has a good capacity. Heavy 12mm diameter bars welded to a strong frame in galvanised finish for durability.



CODE

SIZE MM

FINISH

904-0631 630H x 860W x 530D Galvanised

WALL HAYRACK

Our popular hayrack can be fitted to any flat surface and will suffice for most feeding requirements. Strong mesh construction, supplied with four fixing clips, BZP finish.



CODE

SIZE MM

906-0902 500H x 900W x 400D

FINISH B7P

SADDLERS

CORNER HAYRACK

A lighter duty but strong hayrack to fit any 90° corner of a stable. Welded wire mesh construction and supplied with four fixing clips. BZP finish for protection.



CODE

SIZE MM


905-0872 530H x 870W x 610D

FINISH BZP



WALL HAYLAGE RACK

This angled feeder will fit onto a flat surface. It has a finer mesh like the corner version and comes complete with four fixing clips, in BZP finish.



CODE 908-0902 SIZE MM

500H x 900W x 400D

FINISH BZP



CORNER HAYLAGE RACK

Our haylage rack has a finer mesh to reduce wastage and is made to the same standard as our corner hayrack. Versatile and functional, this is supplied with four fixing clips, BZP finish.




CODE 907-0872 SIZE MM

FINISH

530H x 870W x 610D

HAYRACK FIXING CLIPS

Spare clips for fixing all our standard hayracks. Packed in a set of four. BZP finish.



CODE FINISH 909-0002 BZP

SADDLERS

CORNER FEEDING STATION



Heavy duty plastic corner feed station that holds a small bale of hay and two buckets for feed or minerals. By incorporating the buckets within the feeding station the risk of trapped hooves, broken buckets and hay wastage are minimised. The feeding station ensures horses eat a natural level which results in a healthy respiratory system and reduction in the risk of colic. Easy to clean smooth, non-porous surface. Available in horse or pony size. Bucket holders are removable.

CODE	SIZE MM	FINISH
909-0859	Pony (does not hold buckets)	Black, green
909-1209	Horse (buckets not included)	Black, green

SADDLERS

HAY-GRAZE FEEDER

Reduce hay wastage by up to 50%. Keeps the paddock tidy. Minimise poaching by rotating around the field. Quick & easy to fill. Strong frost resistant plastic. 250L capacity. Alleviated boredom with slower feeding. Use in field, yard or stable. Allows horses to eat at natural level. Ideal for laminitics and horses on restrictive diets.


Size: 110 x 75 x 55 cm.



CODE 909-2209

BLANKET HANGER & RAIL

An innovative, versatile and effective rug hanging system allows storage of up to 20 rugs in a compact but accessible way. Its horizontal bars also enable the hanger to be used for smaller items such as Numnahs and Saddle Pads. Galvanised finish.



CODE


DESCRIPTION

947-0002 Rail 948-1002 Hanger



RUG HANGER

Uniquely designed tubular rug hanging rail can be screwed to a wall in any suitable location. The folding arms make for convenient storage when not in use. Available with three or five arms in the highest quality epoxy finish. An excellent quality British made product.



CODE

DESCRIPTION

945-3002 3 Arm 945-5002 5 Arm

SADDLERS

RUG RAIL

Heavy duty tubular steel rail designed for hanging horse rugs. Steel construction gives it increased strength. Complete with two hanging hooks for extra storage.



COLOURS AVAILABLE:



CODE

FINISH 930-0913

Black, Red

HEAD COLLAR HOOK

A fixed position heavy duty hook. Its large size makes it an exceptionally useful product.



COLOURS AVAILABLE:



CODE

FINISH

924-0233 Black, Red

SADDLERS

STANDARD HOOK SET

Set of five standard wall fixed hooks. A general purpose hook ideal for many applications in the stables, tack rooms or horse transporters.



CODE

FINISH

943-1003

Black, Red



BRIDLE RACK

Heavy duty bridle rack made from steel for added durability. Rounded design for safe storage of bridles, complete with a lip to help prevent the bridle falling off.



CODE **FINISH** 913-0113 Black, Red SADDLERS SADDLE **DISPLAY STAND** Designed to hold a full saddle for display or storage. With three detachable legs, transporting this product couldn't be A sturdy yet portable design. Available in two sizes, tall or short (short only available in black). **COLOURS AVAILABLE:**

CODE


DESCRIPTION

914-0843 Tall

914-0653 Short

FINISH

Black Black, Blue, Pink, Purple, Red




CODE **FINISH**

912-0543 Black, Blue, Green, Pink, Red



WESTERN SADDLE RACK

Wall fix saddle rack with extra wide rest for Western Saddles, complete with bridle hanging hook.



CODE

FINISH 912-0653 Black



Superior design folding saddle rack is ideal for displaying saddles face out, reducing wear against the wall. This saddle rack can be folded against the wall when not in use, reducing space giving you added flexibility.

COLOURS AVAILABLE:





CODE **FINISH** 925-0583 Black, Red



FOLDING POLE SADDLE RACK

Simple, sturdy design. The folding pole saddle rack is ideal for use in your stable or horse transporter where space is a premium. The folding pole always stays attached to the wall bracket and cannot be detached when fixed to the wall. When the pole saddle rack is out, it has a very useful bridle hook underneath.

COLOURS AVAILABLE:



CODE FINISH

933-0463 Black, Red, Pink, Purple

SADDLERS **HOOK OVER** SADDLE RACK An extremely versatile saddle rack with two fixed position arms. Its hooks design allows the saddle rack to be placed over a gate or fence and used in an environment where permanent fixing is not available. Complete with a bridle hook underneath for increased versatility.

COLOURS AVAILABLE:



CODE

FINISH

940-5403 Black



CLIP-ON SADDLE RACK

Extreme practicality with this clip-on design. It is ideal for use in areas where a saddle rack is not always required, and space is limited. It can be removed by simply lifting from its two brackets and storing safely.

With fixed brackets it is easy to put back in place when required. It is available in two versions; two or three arms. The arms are in fixed positions.



COLOURS AVAILABLE:



CODE DESCRIPTION

939-4503 Double Hook **939-7003** Triple Hook

FINISH Black

Black



HANDY HANGER

Useful wherever it is used. With two hooks and four hangers, it can be used almost anywhere; doors, fences, gates etc. Its steel construction gives it exceptional strength.

COLOURS AVAILABLE:





CODE

FINISH

927-0363

Black, Red

SADDLERS

HELMET HANGER

Simple design helmet hanger with hook. Designed for storage of helmets and the hook is ideal for holding riding gear.

This can be fixed to any suitable surface using the screw holes provided. Strong steel construction with a durable black finish.



COLOUR AVAILABLE:



CODE

FINISH

928-0253

Black

SADDLERS

LUGGAGE RACK

A versatile luggage rack designed for effective storage of products. It is ideally located in horse transporters or tack rooms. This luggage rack comes complete with two hanging hooks for convenient storage of hanging items. Available in two widths:

Small: 660W x 355D x 330H mm (25x14x13") Large: 1200W x 355D x 330H mm (48x14x13")



CODE

DESCRIPTION

Large

Black Black

949-1203

FINISH 949-0673 Small

SADDLERS

CLEANING HOOK

Very versatile three prong cleaning hook for hanging items whilst cleaning. Comes with a hanging eye and can be hung from any suitable location.



COLOURS AVAILABLE:



CODE 929-0253

Black, Red

FINISH

SALES LINE: 01295 758734

WELLINGTON RACK

Storing wellingtons has never been so easy. Our wellington rack is available in two designs; wall mounted or portable version, suitable for both indoor and outdoor use.



CODE 950-1003 950-2502 **DESCRIPTION**

Wall mounted

Portable

FINISH Black

Black

SADDLERS

SADDLERS TOOL **HOLDER**

This tool holder is an original design and is ideal for use where space is minimal. The folding design allows the holder to be flat against the wall when not in use. To use simply slide the tool handle behind the bottom of the hook and the rubber sleeve will grip any tool.



CODE **FINISH** 952-1502 **BZP**

SADDLERS

FUNCTIONAL TOOL HOLDER

Holds up to three tools securely by the handle. Simply place the tool handle in the gap and it is immediately gripped and held in place. To remove the tool, lift the handle back up and the grip will release. 350mm long



CODE

FINISH

952-3502

Plastic

SCREW IN TOOL HOLDERS

A versatile tool holder which can be fixed to any suitable location. The screw in tool holder comes in a pack of 5.



CODE

FINISH

952-0702 BZP

SADDLERS

BOOT JACK

Incredibly useful product that ensures removing wellingtons or boots is not difficult. The boot jack comes with a vinyl sleeve to protect the boots.



CODE

969-1023



MANURE COLLECTOR AND RAKE SET

Our high quality moulded manure scoop is complemented by a rake with rear scraper blade. Excellent for use on all types of bedding and all floors including grass. It is manufactured in one piece construction with a PVC grip.



COLOURS AVAILABLE:



CODE

FINISH MANURE COLLECTOR AND RAKE SET (TALL)

916-2582 Black, Blue, Green, Pink, Purple, Red

Pack of 10 - Assorted colours 916-2582PACK

CODE **FINISH**

MANURE RAKE (TALL) 915-0802 B7P

MANURE COLLECTOR (TALL)

916-0582 Black, Blue, Green, Pink, Purple, Red







FINISH

CODE

916-3582

10cm long wooden handle & stainless-steel blades. Contains; hoof pick, universal blade, hoof knife, bottle and can opener, and mane blade.

Black, Blue, Green, Red



CODE 637-1200

TRADITIONAL SPRING BALANCE

Traditional spring balance for quick weight control. Sturdy suspension ring and hook for weighing up to 25kg.



CODE 825-1250

HEAVY DUTY SPRAY NOZZLE

High quality metal spray nozzle which is hardwearing and anti-slip for fatigueless working. Continuously adjustable spray nozzle from fine spray to full water jet. Complete with standardised hose couplings – ½"



4 PIECE HOSE FITTING

Economy hose connector set including; 1 x $\frac{1}{2}$ " quick connector with water stop, 1 x $\frac{1}{2}$ " quick connector without water stop, 1 x $\frac{3}{4}$ " BSP tap connector, 1 x $\frac{1}{2}$ " BSP tap connector and 1 x 100mm spray nozzle with infinite variable spray pattern.



CODE

965-3010

HEAVY DUTY REINFORCED PVC WATER HOSE

Heavy duty PVC water hose with high tensile, polyester cord reinforcement. Highly flexible, kinkresistant with extra thick outer sheath for rugged environments.



CODE SIZE 965-2300 30m

SADDLERS

HOSE HOLDER

A useful yard essential for keeping the hose tidy and out of the way. Removes any trip hazards for when the hose is not in use. Strong steel construction with powder coated finish.



CODE

FINISH


946-0223

Black, Red









STALL CHAINS

Rubber coated chain supplied with a clip on each end, it ensures that the horse remains in its stable whilst having access to more fresh air and light.



CODE

FINISH

942-1241

Back, Blue, Green, Red

SADDLERS

BUNGEE TRAILER TIES

Our trailer tie is 24" long and made from strong bungee cord with a heavy duty bull snap on one end and a quick release clip the other.



CODE

FINISH

953-5246

Black, Blue, Red, White

CROSS TIE CHAIN

Cross tie chain available in two lengths; 70cm or 140cm. Chain with plastic coating. Comes complete with a carbine hook and a panic hook



CODE

DESCRIPTION

942-1470 942-1471 70cm 140cm

SADDLERS

ADJUSTABLE JUMP CUP SUPPORT BARS

Our U-shaped heavy duty bar can be screwed onto any jump stand. 'Keyhole' slotted holes along the whole length of the support bar enable a jump bar to be positioned at a wide range of different heights. Available in galvanised finish.



CODE

SIZE

FINISH

256-1521

1520mm

Galvanised

ADJUSTABLE JUMP CUPS

We offer three versions of jump cups to fit our 256-1521 support bar. Simple and effective, our jump cups are of heavy construction.



CODE 256-0001 256-0021

256-0031

DESCRIPTION

Adjustable Cup for Round Bar Galvanised Adjustable Cup for Flat Bar Safety Spring-loaded

Adjustable Cup for Round Bar Galvanised

FINISH

Galvanised

SADDLERS

SHOW JUMP / DRESSAGE **MARKERS**

A wide range of markers are available including numbers, letters, start and finish, as well as spare self adhesive labels. All are good quality and strong construction.



CODE

DESCRIPTION

931-0693 931-0793 931-0803 931-0813

Show jump number markers (1 - 12) Dressage markers (A,B,C,E,F,H,K,M) Show jump number markers (R,S,V,P)

Show jump number markers (A,B,C,E,F,H,K,M,R,S,V,P)

9931-0993 Show jump start / finish markers

SADDLERS

SALT LICK HOLDER

A traditional holder manufactured from plastic designed to hold standard brick type salt blocks.



COLOURS AVAILABLE:



CODE 922-0123

FINISH Black, Red



SADDLERS

SALT LICK HOLDER (WIRE TYPE)

Our wire formed holder will retain a salt block securely and can be fixed anywhere. **COLOURS AVAILABLE:**

CODE

FINISH

922-0113

Black, Red

PURE HIMALAYAN SALT LICK

Saddlers Pure Himalayan Salt Licks provide the essential minerals Sodium and Chloride, which are often short in diets of working horses. Salt (Sodium Chloride) is such an important mineral for good health that horses seek it out if they are short. Therefore, offering a block is a good way to ensure they can help themselves to what they need. One of the purest, most natural sources of salt available, the Himalayan blocks are mined out of the ground at the foot hills of the Himalayan mountains. The blocks are 550 million years old, a completely natural source of salt for your horse.

The blocks are very hard so they won't crumble and the horse will not be able to bite off large chunks as they may do with pressed salt blocks. The hardness also makes them more resistant to rain so they can be hung in the field. Saddlers Pure Himalayan Salt Licks contain mostly salt, with a small amount of other essential minerals including magnesium, potassium and iron.



 CODE
 SIZE
 BOX QTY

 6008-100
 1kg
 12

 6008-110
 3kg
 6

 6008-120
 5kq
 4

HAY BALL

Playfully promotes slow and horse-friendly roughage intake. The ball is suitable for use in stables or pastures. Contains 19 x 70mm food openings to ensure sufficient food supply. Durable UV-resistant plastic. Holds up to 3kg of hay. 40cm diameter / 1.7kg empty weight. Filling opening 116mm, secured with a screw cap.



CODE	FINISH
980-2700BL	Blue
980-2700PK	Pink
980-2700PP	Purple
980-2700RD	Red

EQUINE PLAY BALL

Made from hard-wearing, robust but soft material. The ultimate ball to relieve boredom and stress.



COLOURS AVAILABLE:

CODESIZEFINISH980-260025cm diameterBlue, Red

STUD CARD HOLDER

Securely displays horse details on stable door. The card is reversible and comes in a PVC wallet for durability. Spare cards are available.



COLOURS AVAILABLE:





 CODE
 SIZE
 FINISH

 923-0103
 Small
 Black, Red

 923-0153
 Large
 Black, Red

 923-0175
 Small replacement cards

 923-0205
 Large replacement cards

DRINKING BOWLS



 CODE
 SIZE
 FINISH

 968-1001
 2.5L
 Galvanised

 968-2009
 4L
 Plastic

TACK CABINET

High quality saddle cabinet, comes flatpack for simple assembly. Made from sendzimir galvanised sheet steel. Comes with a storage compartment, 2 saddle hooks, and hook and holder. Cabinets are lockable, air vented and stackable. The small size does not contain saddle hooks or hook and holders. This is an ideal attachment to the medium or large tack cabinet.



966-6000 Small 60 x 60 x 60 cm **966-6001** Medium 60 x 60 x 106cm **966-6002** Large 60 x 60 x 150cm

SADDLERS

LEAD ROPE

An essential piece of tack for use anywhere, our lead ropes are high quality and have either a Walsal or Trigger clip on one end. Available in random colours.



CODE SIZE M FINISH 953-3006 2m long Cotton.

953-30062m longCotton, two tone953-30562.25m longExtra thick soft touch acrylic

STANDARD HAYNET

Large 42" haynet available with standard or small size mesh. They have top rings for long life and easy opening.



953-5003 42" Standard Hole

953-6006 42" small hole.

953-6306 30" small hole

Black, Dark Green,

Purple, Red Black, Bright Green, Navy, Dark Green,

Pink, Purple.

Black, Red, Royal Blue.

SADDLERS

EXTRA STRONG HAYNET

These haynets have an extra thick hanging rope with metal rings top and bottom for extra long life and ease of use. Available with standard and fine mesh.



CODE

DESCRIPTION


953-7006 953-8006 Standard hole Small hole

FINISH

Black, Red, Royal Blue Black, Red, Royal Blue

SADDLERS

HAYLAGE NET



CODE **DESCRIPTION FINISH**

953-6056 Large 42" 953-6356 Medium 30"

953-8356

Extra Strong Medium 30'

Black, Royal Blue, Red Green, Purple, Royal Blue

Blue/Black, Red/ Black

LARGE RECTANGULAR HAYNET

- Extremely strong and durable
- Use indoors and outdoors
- 3cm x 3cm mesh promotes slow feeding



CODE

SIZE

953-9010 90 x 60cm 953-9030 120x90cm 953-9020

160 x 100cm



Grooming Products & High Viz

GRIPPEE **DANDY BRUSH**

Multi coloured overmoulded dandy brush with polypropylene fill. The back is made of a combination of plastic and rubber giving superb grip and making the brush very comfortable on the hands. Available in packs of 6 assorted colours

CODE

SIZE MM

633-1026

175 x 55, 55 trim

GRIPPEE BODY BRUSH

Multi coloured overmoulded body brush with polypropylene fill and matching woven strap. The back is made of a combination of plastic and rubber giving superb grip and making the brush easy and comfortable to use. Available in packs of 6 assorted colours.



CODE

SIZE MM

633-2026

175 x 75, 30 trim

GRIPPEE BUCKET BRUSH

The ultimate multi coloured bucket brush with polypropylene fill is angled to get into the corners of the bucket. The brush is overmoulded with rubber making it soft on the hands and easy to grip. Available in packs of 6 assorted colours.



CODE

SIZE MM

633-3026

260 x 65, 47-40 wedge trim

BEASTIE DANDY BRUSH

Multi coloured very hard wearing Beastie dandy brush. Plastic back filled with fine flexible polypropylene. Available in packs of assorted colours.



CODE

DESCRIPTION

SIZE MM

634-1026

634-1016

Pack of 12 brushes Mini: 159 x 60, 40 trim Pack of 8 brushes Large: 210 x 65, 45 trim

BEASTIE BODY BRUSH

Multi coloured durable Beastie body brush. Plastic back, hardwearing PVC fill and woven strap. Available in packs of 12 assorted colours.



CODE QUANTITY 634-2016 173 x 76, 27 trim

SWEAT SCRAPER



CODE 636-1015

SOFT TOUCH HOOF PICK

Coloured hoof pick with hanging loop.



CODE COLOUR
632-2620 Assorted colours

BUCKET BRUSH

Bucket Brush with bassine bristles.



CODE 622-0020

HOOF OIL BRUSH

Traditional hoof oil brush. Plastic handle with hanging hole filled with white bristle.



CODE SIZE MM **632-1620** 162

COVALLIERO RANGE

COVALLIERO BODY BRUSH

Non-slip plastic back with elastic wrist loop. Polypropylene plastic bristles.



CODE

SIZE

623-2010

17 x 8cm, 3cm trim

COVALLIERO HORSE HAIR BODY BRUSH

Non-slip plastic back with elastic wrist loop. Horsehair bristles.



CODE SIZE

623-2011 17 x 8cm, 3cm trim

COVALLIERO DANDY BRUSH

Non-slip plastic back with polypropylene plastic bristles.



CODE

SIZE

623-2012

18 x 5cm, 4cm trim

COVALLIERO HOOF PICK WITH BRUSH

Made of robust plastic with metal scraper and cleaning brushes made from polypropylene bristles.



CODE 623-2014

COVALLIERO CURRY COMB Made of robust plastic with nylon wrist loop.

CODE

623-2013

SIZE

16 x 11cm





LILLI STARLIGHT DANDY BRUSH

Non-slip plastic back with polypropylene plastic bristles.



CODE

LILLI STARLIGHT HOOF PICK

Made of robust plastic with metal scraper and cleaning brushes made from polypropylene bristles.



LILLI STARLIGHT CURRY COMB

623-3012

Made of robust plastic with nylon wrist loop.



MAGIC BRUSH SOFT

623-3014

Care brush ideal for sensitive areas of ponies and horses. Ultra-soft Quadro bristles clean gently leaving a great shine. Individually packed.





CODE 635-1420 **DESCRIPTION**

635-1421

White Lilly Turquoise

MAGICBRUSH



KBF99



The new range of KBF99 products brings a revolution to Horse Health Care. KBF99 will assist in the prevention of infection and reinfection of these troublesome and painful diseases. Laboratory tests resulted in KBF99 material killing 99% of the bacteria test culture.

Any reduction of harmful bacteria and fungus in the stable environment assists in reducing the chances of the diseases being transmitted from horse to horse. The KBF99 product range has been developed to help protect and safeguard horses and in some cases humans from contracting these and other conditions.

BODY BRUSH



CODE 636-1010

DANDY BRUSH



CODE 636-1011

HOOF BRUSH



CODE 636-1013

MANE & TAIL BRUSH



CODE SIZE 180 x 65mm

SWEAT SCRAPER



CODE 636-1015









ALUMINIUM TACK BOX

Lightweight aluminium construction for effortless carrying and comes with a carrying strap. Reinforced corners, lockable clips and comes with keys. Foam padding throughout the inside.



CODE SIZE

966-3003 40 x 30 x 30cm



TACK CABINET

High quality saddle cabinet, comes flatpack for simple assembly. Made from sendzimir galvanised sheet steel. Comes with a storage compartment, 2 saddle hooks, and hook and holder. Cabinets are lockable, air vented and stackable.

The small size does not contain saddle hooks or hook and holders. This is an ideal attachment to the medium or large tack cabinet.









CODE DESCRIPTION

966-6000 S **966-6001** M **966-6002** L

Small Medium Large **SIZE**60 x 60 x 60 cm
60 x 60 x 106cm
60 x 60 x 150cm

SEALING TAPE

Sealing Tape is a heavy duty, reinforced tape, designed for holding bandages and poultices in position for prolonged periods. Ideal for use on awkward to access areas and hooves. Individually wrapped, 7.5cm wide, 50cm long, the Sealing Tape is very economical in use.



CODE **PACK QUANTITY** 800-0125

Single Roll 800-0126 Pack 16 Rolls

WRAPTEC

The VetSet Wrap Tec is a self-adhering bandage, ideal for holding dressings and providing support during strenuous exercise. Care must be taken when used over padding to avoid restriction to blood flow. Easy to tear, WrapTec will conform to hold dressings securely, allowing movement without slippage. Individually packed to avoid contamination and available in a variety of colours.



CODE 800-0085

SIZE 10 cm

12 rolls

POLDRESS

PolDress is a highly absorbent, multi-layered and impregnated dressing making it the preferred choice of many veterinarians. PolDress contains a mild anti-septic, Boric Acid, to minimise the risk of infection and promote the healing process. For maximum effect, the PolDress should be impregnated with water. This will activate the Tragacanth, a poulticing agent, which will help draw out infected wounds. Each PolDress poultice is wrapped individually to ensure a clean dressing is immediately available. Use wet or dry, cut to the required size and secure with ElasTec or WrapTec cohesive bandage.



CODE SIZE PACK QUANTITY 800-0015 20 x 40 cm 10 dressings

POLDRESS HOOF

The PolDress Hoof Poultice is a highly absorbent, multilayered and impregnated dressing, made in the same way as the PolDress Poultice Dressing. PolDress Hoof Poultice contains a mild anti-septic, Boric Acid, to minimise the risk of infection and promote the healing process. For maximum effect, the PolDress should be impregnated with water. This will activate the Tragacanth, a poulticing agent, which will help draw out infected wounds. The PolDress Hoof Poultice is packed individually to ensure a clean dressing every time.



CODE SIZE PACK QUANTITY 800-0025 Hoof 40 dressings

COMBEE T

ComBee T is a highly absorbent cotton padding covered in a gauze tissue. The ComBee T is the traditional medical grade cotton padding - ideal for protection, insulation and absorbency. ComBee T is known for its insulating properties which cushions and protects wounds from external trauma. The low-adherent surface avoids any wound disruption and prevents contamination from loose fibres or harmful particles. ComBee T can be applied over dressings prior to bandaging or cut to size to be used as a primary wound dressing. Ideal for infected and discharging wounds. Can be autoclave sterilized and used as a protective wound padding for all animals. ComBee T should be cut to the required size and secured with ElasTec or WrapTec cohesive bandage. To avoid pressure points do not overlap or fold.



COTTON WOOL

VetSet Cotton Wool is manufactured specifically for Veterinary use. Premium quality fibres are used to produce this highly absorbent veterinary quality cotton wool, which can be used for a variety of applications, including cleansing and padding.



 CODE
 SIZE
 PACK QUANTITY

 800-0035
 500 g
 15 rolls

 800-0036
 500 g
 1 roll

REFLECTIVE BLANKET

- For a safer ride in low visibility conditions.
- 100% polyester
- Reflective strips
- Saddle notch and broad Velcro fastener at the withers for fixing
- Tail straps for a non-slip fit
- Washable up to 30°c




CODE SIZE 2100-101 135cm **2100-102** 145cm



REFLECTIVE CHEST STRAP

- For optimal visibility & safety when riding at night
- Increases front visibility





HI-VIS GAITERS

- · Highly reflective heavy duty
- Easily adjustable with Velcro fastener
- Additional snap-closure prevents losing the horse straps
- Sold as pairs



CODE SIZE 2100-301 M 2100-302 L

REFLECTIVE ARMBANDS

- · Highly reflective
- Designed to be fixed at the upper arm with Velcro fastening
- Complies with CE-EN 471



CODE 2100-001





Electric Fencing



patura

Patura Electric Fencing

...ONE OF THE BEST ELECTRIC FENCING SYSTEMS IN THE WORLD...

When you invest in electric fencing, you'll want to be sure you can depend on it, without question, without fail - whether it's to keep animals in or to keep them out!

Already the "system of choice" across Continental Europe, Patura is a respected brand with an enviable reputation for practical, efficient yet innovative products.

Combining the latest technologies and materials with guaranteed quality, reliability and durability, plus German attention to detail from the acknowledged experts in electric fencing.

Patura won't let you down, guaranteed.



GOLD STAMP OF QUALITY

Patura is a German manufacturer of a quality product with outstanding strength and durability.

*Terms and conditions apply, for more information please contact your supplier.




5-YEAR WARRANTY

All Patura products are manufactured to the highest industry standards and this is backed by a no-quibble guarantee policy. All energisers have a 3-year warranty* and some insulators have a 10-year warranty.

PATURA HAS A COMPLETE RANGE FOR EVERY NEED







THE ENERGISER (POWER SOURCE)

An efficient energiser is the foundation of the basic power supply to your electric fence. The output power of an energiser is specified in joules.

Four factors play a crucial role when deciding which energiser to use:

- (1) Vegetation load on the fence
- Fence length and conductivity of the wire used
- 3 Type of animal
- 4 Whether a permanent or temporary (moveable) system is required

You will find detailed advice regarding the selection of an energiser in the tables for the particular energisers.





ELECTRIC FENCING ENERGISERS & BATTERIES

Choosing the right energiser

In order to simplify the choice of an energiser in any particular circumstance, consider all the following factors.

VEGETATION (WEEDS ETC)

The decisive role in the selection of an energiser is determined by the effect of vegetation at the fence. The high output energy of the PATURA® energisers is used primarily to destroy heavy vegetation at the fence and, despite this vegetation, to maintain a high voltage level at the fence. These are the various vegetation conditions:



No vegetation no contact between the vegetation and the fence wire




Normal vegetation the vegetation is often touching the wire



Heavy vegetation – the wire runs completely in vegetation

FENCE LENGTH After the vegetation, the length of the

After the vegetation, the tength of the fence plays the next most important role in the selection of equipment. By fence length we mean not the total length of the individual wires added together, but simply the length of the actual fence itself. Multi-wire fences carry the current better than single strand ones, providing that the wires are connected to each other at regular intervals.



ANIMAL TYPE

The type of animal plays an important role in the selection. With animals that are difficult to contain, such as wild animals, sheep, goats and fowl, powerful equipment should be used. With more easily contained animals, such as cattle, horses, pigs and domestic animals, less powerful equipment is needed for the equivalent length of fencing.

For recommended maximum fence length please refer to the tables for the particular energisers.



Animals that are easy to contain



Animals that are difficult to contain

THE POWER SOURCE

Various power sources are available for powering energisers:

- 230 volts AC from the power outlet
- 12 volts DC from a rechargeable battery
- · 12 volts DC from solar cells + battery
- 9 volts DC from non-rechargeable batteries

There are many reasons for choosing an energiser with a mains connection, should such a connection be available: the acquisition price of the energiser is relatively low, the energy costs are extremely low, and the ease of operation is very high. If there is no mains supply available, then the next best alternative is equipment with a 12 volt battery connection. The energy costs are still justifiable, but the maintenance requirement for the recharging of the batteries is nonetheless considerable. In

order to minimise this requirement – at least in the spring to autumn period – we recommend the use of solar panels, especially with the more powerful 12 volt energisers.

The most expensive alternative for powering energisers is the use of 9 volt non-rechargeable dry batteries, which also have to be disposed as special waste when exhausted. The advantage with these energisers is that they are easy to use, but their low power is a disadvantage.



9V Dry-Cell Battery Energisers

PATURA® 9V Dry-Cell Battery Energiser

Battery powered energisers for use with 9V non-rechargable 'dry-cell' batteries or 12V rechargable 'wet-cell' batteries. Ideal for use in areas where mains power is not easily available.



DESC	KEY FEATURES	ENERGY OUTPUT (JOULES)	MIN. ORDER Qty	OUTER CARTON Qty	CODE
P20	Great value amongst Patura 9V dry-cell battery energisers; ideal for small cattle and horse pastures. User friendly switch with a single indicator light.	0.17	1	2	P141220
P40	The all round Patura energiser for 9V dry-cell batteries; ideal for cattle and horse pastures with no or little vegetation. Includes battery test, slow pulse sequence, night save mode and half/full power indicator.	0.23	1	2	P141420
P60	Our most powerful energiser using 9V dry-cell batteries; high performance for effective animal control even under load conditions at the fence. Includes battery test, slow mode, night safe mode, and half/full power indicator.	0.33	1	2	P141620
Lead Adaptor Set for 9V Battery Energiser	Adaptor set for connecting all Patura 9V dry-cell battery energisers to 12V battery or mains adaptor.		1	10	P159101



ALL ENERGISERS HAVE A 3 YEAR WARRANTY*

And many other products are covered up to 10 years.





Low Powered Battery Energisers

PATURA® 3V Battery Energiser

This handy little energiser is ideal for light duty work with horses and ponies. It is also suitable for pheasant release pens and for domestic work such as keeping cats out of gardens and herons from fish ponds.

DESC	SUITABLE FOR	ENERGY OUTPUT (JOULES)	MIN. ORDER Qty	OUTER CARTON Qty	CODE	
P10	3V Battery	0.04	1	6	P140700	

Powered by 2 x D-size 1.5V dry-cell batteries. Max fence length: 800m.



PATURA® 6 or 12V Battery Energiser

The ideal energiser for small horse paddocks, for trekking and for domestic animals.

DESC	SUITABLE FOR	ENERGY OUTPUT (JOULES)	MIN. ORDER Qty	OUTER CARTON Qty	CODE
P30	6 or 12V Battery	0.12	1	8	P140800
P30 + post*	6 or 12V Battery	0.12	1	6	P140900

Powered by 4 x 1.5V internal batteries, D-size or 12V battery.



earthi	perfect ng allows m power at	(joules)	rgy (joules)	(volts)	ohms (volts)	consumption at 9 V (mA)	(volts)	Max. fe	nce leng ple w		(multi-		battery monitor	and 12 V 12 V cable)	spa	er levels		protection	earth stake (m)
	CODE	Stored energy (jo	Max. output energy	No- load voltage	Voltage at 500 ol	Max. power consu	Supply voltage (v	No vegetation	Little vegetation	No vegetation	Little vegetation	Single indicator	3-step fence and	Connection to 9 ar (*with separate 12	Switch for 2 speeds	Switch for 2 power	Night save mode	Deep discharge p	Min. length of ea
P10	P140700	0.05	0.04	5800	1000	14	3	0.8	0.2	0.4	0.1	•	-	-	-	-	-	-	0.25
P20	P141220	0.22	0.17	8400	2600	24	9-12	1.4	0.5	0.7	0.25	•	-	•*	-	-	-	•	0.25
P30	P140800/900	0.16	0.12	8300	1400	15-27	6-12	1.2	0.4	0.6	0.2	•	-	•	•	-	-	-	0.25
P40	P141420	0.29	0.23	8700	2800	15-29	9-12	1.9	0.75	0.9	0.35	-	•	•*	•	•	•	•	0.25
P60	P141620	0.43	0.33	8700	2900	24-45	9-12	3	1.5	1.5	0.75	-		•*	•	•	•	•	0.25

PATURA® energisers comply with all obligatory standards

Particularly in dry subsoil conditions, we recommend the use of a supplementary earth stake (Ref.P161700) in addition to that provided with the energiser.

^{*}Addition of practical mounting post, which under good earth conditions doubles as an earth stake.





PATURA® 12V Battery Energiser

Greatest value for money amongst the 12V energisers; for short fences for cattle, horses and domestic animals. Features deep discharge protection for longest possible operating life of the battery.

DESC	SUITABLE FOR	ENERGY OUTPUT (JOULES)	MIN. OUTE ORDER CARTO Qty Qty		
P100	12V Battery	0.45	1 4	P146100	
P200	12V Battery	1.10	1 4	P146200	

	Bat	Volt tery ergisers	(Sa	(joutes)	(volts)	s (volts)	tion at 12 V (mA)	(8)	₹ -2			ength in			ts.	lights		rotection		r panel power	ery (min Ah)	stakes (min)
ea	Only per rthing a imum p the fer	allows oower at	Stored energy (joule	Max. output energy	No- load voltage (vo	Voltage at 500 ohms	Max. power consumption	Supply voltage (volts)	No vegetation	Normal vegetation	Heavy vegetation	No vegetation	Normal vegetation	Heavy vegetation	Fence indicator lights	Battery indicator lig	Day/night switch	Deep discharge prot	2 power levels	Recommended soloar outputut	Recommended battery	No. of 1 m earth sta
	P100	P146100	0.6	0.45	7900	4300	50-70	12	5	2	0	2.5	1	0	-	-	-	•	-	15	60	1
	P200	P146200	1.5	1.1	9600	5400	110-155	12	10	3	1	5	1.5	0.5	-	-	-	•	-	15	60	1

As part of our ongoing commitment to and investment in our stockists, we offer branded merchandisers free of charge with an initial order over £1,000. Call your Account Manager today!





Mains Operated Energisers

	PATURA®	230V	Mains	Energisers
--	----------------	------	-------	-------------------

DESC	KEY FEATURES	ENERGY OUTPUT (JOULES)	MIN. ORDER Qty	OUTER CARTON Qty	CODE
P2000	The 230V energiser for short fences with light vegetation for cattle and horses. Includes energiser monitoring indicator.	1.10	1	4	P142000
P4000	Our most powerful 230V energiser for electric fences for cattle, horses and sheep; also for longer fences with heavier vegetation. Includes energiser monitoring indicator.	3.20	1	4	P144040





	230 V Mains giser	olt Ener-	(S)	(joules)	(ts)	s (volts)	on (watts)	(volts)								ge indicators			terminal		no	stakes (min)
ea ma	Only perfe rthing allo ximum po at the fend	ows ower	Stored energy (joules)	Max. output energy	No- load voltage (volts)	Voltage at 500 ohms	Power consumption	Supply voltage (v	No vegetation	Normal vegetation	Heavy vegetation	No vegetation	Normal vegetation	Heavy vegetation	Signal indicator	Multiple fence voltage	MaixPuls technology	Adaptive control	Reduced voltage ten	Earth monitoring	Remote control option	No. of 1 m earth stal
	P2000	P142000	1.5	1.1	9900	5400	2.5	230	10	3	1	5	1.5	0.5	•	-	-	-	-	-	-	1
	P4000	P144040	5.8	3.2	9900	6100	7.0	230	23	8	3	12	4	1.5		-	-	-	-	-	-	2

 ${\sf PATURA}^{*}\ energisers\ comply\ with\ all\ obligatory\ standards$



Multi-Voltage Energisers

PATURA® Multi-Voltage Energiser

Energisers for use with either mains power or batteries. Supplied with stainless steel connectors and all leadsets.



DESC	KEY FEATURES	ENERGY OUTPUT (JOULES)	MIN. ORDER Qty	OUTER CARTON Qty	CODE
P1	The PATURA® multi-voltage energiser for short fences with light vegetation and domestic animals.	0.50	1	5	P147110
P2	The PATURA® multi-voltage energiser for short fences with light vegetation for cattle and horses.	1.00	1	5	P147210
P3	The PATURA® multi-voltage energiser for electric fences with normal vegetation.	2.00	1	5	P147310
P4	The PATURA® multi-voltage energiser for longer fences with normal vegetation.	3.00	1	5	P147410
P5	The PATURA® multi-voltage energiser for electric fences for cattle, sheep and horses, also for longer fences with heavier vegetation. Includes 230V mains adaptor and 12V adaptor cable.	3.80	1	5	P147500

	for 2	rgisers 230 2 volts	(5:	(joules)	(volts)	s (volts)	(w) ^	tion at 12 V (mA)		Ma	x. fence l (multiple	ength in e wires)	km	a	battery	V mains adaptor	g indicator	rge protection	ery (min Ah)	stakes (min)
ing al	lows m	ct earth- naximum ne fence	Stored energy (joules)	Max. output energy	No- load voltage (vo	Voltage at 500 ohms	Power input at 230 \	Max. power consumption	No vegetation	Normal vegetation	Heavy vegetation	No vegetation	Normal vegetation	Heavy vegetation	Operation with 12 V	Operation with 230 \	Energiser monitoring	Battery deep discharge	Recommended battery	No. of 1 m earth sta
	P1	P147110	0.7	0.5	8300	4400	1.0	55	5	2	0	2.5	1	0	•	•	•	•	60	1
	P2	P147210	1.4	1.0	9800	5300	2.0	105	10	3	1	5	1.5	0.5	•	•	•	•	60	1
	P3	P147310	2.7	2.0	11000	5900	3.2	195	15	5	1.5	7.5	2.5	0.75	•	•	•	•	80	2
	P4	P147410	4.5	3.0	11400	6200	4.8	320	20	7.5	2.5	10	3	1	•	•	•	•	80	2
	P5	P147500	6.4	3.8	11400	6300	6.8	450	25	8.5	3	12	3.5	1.2	•	•	•	•	100	3

PATURA® energisers comply with all obligatory standards



PATURA® Multi-Voltage Energisers (Multi-Function)

These PATURA $^{\circ}$ multi-function energisers have highly efficient energiser technology:

- 5 step fence and battery monitor
- 6 step switch
- Deep discharge protection
- Includes 240V mains adaptor, stainless steel 12V adaptor set and fence/earth lead set

DESC	KEY FEATURES	ENERGY OUTPUT (JOULES)	MIN. ORDER Qty	OUTER CARTON Qty	CODE
P1500	Multi-function energiser for short fences with little vegetation for cattle and horses.	1.00	1	5	P142100
P2500	Multi-function energiser for fences with normal vegetation for cattle and horses.	2.00	1	5	P142200





6-STEP SWITCH	ORO OT #N-C	(11) (2)
Note: The battery test	A OFF	D Night slow, day fast
mode works with 12V	B Battery Test	E Half power
batteries only.	C Night fast, day slow	F Full power

	Energisers for 230 + 12 volts	(1	(joules)	(5:	(volts)	(w) ^ I	on at 12 V (mA)		Max	fence l (multipl	ength in	km		battery	mains adaptor	indicator	ge protection	panel performance	y (min Ah)	es (min)
ea max	Only perfect rthing allows imum power at the fence	Stored energy (joules)	Max. output energy (j	No- load voltage (volts)	Voltage at 500 ohms	Power input at 230	Max. power consumption	No vegetation	Normal vegetation	Heavy vegetation	No vegetation	Normal vegetation	Heavy vegetation	Operation with 12 V b	Operation with 230 V	Energiser monitoring	Battery deep discharge	Recommended solar pa	Recommended battery	No. of 1 m earth stakes
	P1500 P142100	1.4	1	9800	5300	2	60-105	10	3	1	5	1.5	0.5	•	•	•	•	15	60	1
	P2500 P142200	2.7	2	11000	5900	3.2	105-195	15	5	1.5	7.5	2.5	0.75					25	80	2





PATURA® Multi-Voltage Energisers MaxiPuls (Multi-Function)

These PATURA® multi-function energisers have MaxiPuls technology for long fences for cattle, sheep, horses, and to exclude wild animals:

- 10 step fence and battery monitor
- 6 step switch
- · Deep discharge protection
- Includes 230V mains adaptor, stainless steel 12V adaptor set and fence/earth lead set

DESC	KEY FEATURES	ENERGY OUTPUT (JOULES)	MIN. ORDER Qty	OUTER CARTON Qty	CODE
MaxiPuls P4600	Powerful, multi-function energiser for long fences with heavy vegetation; digital display to monitor the fence, the earth and the battery; earth monitoring via reference earth.	6.00	1	4	P145450
MaxiPuls P6000	Extremely powerful multi- function energiser for long fences with heavier vegetation; digital display to monitor the fence, the earth and the battery; earth monitoring via reference earth.	15.00	1	-	P145602

Special order only.

	Energ for 23 + 12 v	30		(5		s)		at 12 V (mA)	7			ength i			battery or 230 V	alternation alarm	night switch	monitor				power output (W)	in Ah)	(min)
eai maxi	Inly perfections allowed the fence t	ows ver at	Stored energy (joules)	Max. output energy (joules)	No- load voltage (volts)	Voltage at 500 ohms (volts)	Power input at 230 V (W)	Max. power consumption a	No vegetation	Normal vegetation	Heavy vegetation	No vegetation	Normal vegetation	Heavy vegetation	Operation with 12 V bar mains adaptor	Time-delayed and loads al	Two power levels / day/ni	10-step fence and battery	Digital display	Earth monitoring	Remote control option	Recommended solar panel p	Recommended battery (min	No. of 1 m earth stakes (m
	P4600	P145450	9	6	9500	6800	10	330-650	30	10	5	15	5	2.5	•	•			•	•	•	65	130	3
	P6000	P145602	20	15	9800	7500	18	630-1250	48	18	8	24	9	4					•	•	•	2x65	130	3

PATURA® energisers comply with all obligatory standards




PATURA® Multi-Voltage Energiser Accessories

DESC	FINISH	ORDER CARTON Qty Qty	l CODE
Mains Adaptor (A)	N/A	1 -	P165030
Remote Control (B)*	Green	1 16	P151001

*Remote control for use with the P4600 and P6000 energisers; includes fence compass with digital voltmeter and ammeter. Ideal for use on wires, limited use on polywire, not suitable for polyrope or polytape.



Solar Powered Energisers & Panels



PATURA® Solar Panel with Universal Mounting Bracket

- · Polycrystalline cells for highest energy efficiency
- 5 year efficiency warranty
- · Integrated charge regulator
- Aluminium universal mounting bracket allow mounting onto posts and walls

SUITABLE FOR	ENERGY OUTPUT	MIN. ORDER Qty	CODE
P2500	25W	1	P148521









PATURA® Solar Energisers & Batteries

Solar powered energisers with built in solar cells. A low-cost solution for powering fences in areas where mains power is not easily available.

DESC	KEY FEATURES	ENERGY OUTPUT (JOULES)	MIN. ORDER Qty	OUTER CARTON Qty	CODE
P25 (Low Power)	Energiser with integrated 3.0W solar panel and 6V/4Ah gel-cell battery, ideal for short fences. Max fence length (no vegetation): 800m. Max fence length (little vegetation): 300m	0.08	1	2	P140310
P35 (Medium Power)	Energiser with integrated 3W solar panel and 6V/4Ah gel-cell battery. Ideal for small cattle and horses. Max fence length (no vegetation) 1600m. Max fence length (little vegetation) 600m.	0.15	1	-	P140410
P70 (High Power)	Energiser with integrated 9.6W solar panel and 12V/7Ah gel-cell battery; ideal for cattle and horse pastures. Max fence length (no vegetation): 4000m. Max fence length (little vegetation): 2000m.	0.50	1	-	P140510

Solar Installati	ons	oules)	gy (joules)	(volts)	hms (volts)	umption (mA)	Max. fence length in km (multiple wires) Let the maximum support of		m earth stakes (metres)
	CODE	Stored energy (joules)	Max. output energy (joules)	No- load voltage	Voltage at 500 ohms (volts)	Max. power cons	No vegetation	Little vegetation	No. of 1 m earth
P25 Solar	P140310	0.11	0.08	7300	2100	16	1.0	0.3	0.60
P35 Solar	P140410	0.21	0.15	9300	2600	30	1.6	0.6	0.60
P70 Solar	P140510	0.65	0.50	9800	4800	40	5.0	3.0	0.60




PATURA® Earth Stake 2m with Stainless Steel Screw

- Galvanised T- angle-Iron for maximum surface area and effectiveness
- · With Stainless steel screw for attaching the earth connection

LENGTH (M)	FINISH	MIN. ORDER Qty	OUTER ORDER Qty	CODE
1	Galvanised	1	10	P161800
2	Galvanised	1	10	P161802



Energiser Batteries



The constant voltage supply of PATURA® alkaline batteries provides full energiser performance until the very last day.

PATURA® 9 V alkaline electric fence battery

PATURA® alkaline batteries have a high constant voltage supply throughout their life. Thus it can be assured that throughout this time the energiser will always provide a constant output to the fence. In comparison with a zinc-carbon battery of the same capacity there is more energy stored (see figure). PATURA® alkaline batteries contain neither mercury nor cadmium. Suitable for storage up to 3 years.

By the use of the glass mat battery you get longer use from them and thus make a contribution in preventing waste batteries.

PATURA® 12 V glass mat batteries

Starter batteries for cars or trucks have decisive disadvantages if used to power energisers. They have a high self-discharge, and are only cycle proof to a small degree. i.e. they will stand for markedly fewer charge-discharge cycles. PATURA® glass mat batteries for 12 V energisers and solar installations are totally maintenance-free and function independent from locations. They have a low self-discharge and are especially cyclic proof.



PATURA® 9V Super Alkaline Battery for Energisers

- Our most powerful 9V battery
- The environmentally friendly electric fence battery with constant voltage level; for constant optimal energiser performance

ENERGY OUTPUT	MIN. OUTER ORDER CARTON Qty Qty	CODE
9V/55Ah	1 4	P190500
9V/120Ah	1 4	P191200
9V/175Ah	1 4	P191500





PATURA® 12V Super Glass Mat Battery

- The ideal leak proof maintenance free battery, which will operate in any position; for all 9V energisers which will also operate on 12V
- · No acid necessary ready to use!

ENERGY OUTPUT	SIZE (MM)	WEIGHT (KG)	MIN. ORDER Qty	CODE
12V/32Ah	166 x 175 x 125	8.9	1	P133200

PATURA® 12V Standard Wet-Cell Battery

The cost effective wet-cell battery for use with 12V battery energisers.

ENERGY OUTPUT	MIN. ORDER Qty	PALLET Qty	CODE
12V/84Ah	4	45	P133500

Please note: this product is delivered without battery acid.



PATURA® 9V Special Battery for Energisers

Zinc-carbon battery for energisers.

ENERGY OUTPUT	MIN. ORDER Qty	OUTER CARTON Qty	CODE
9V/55Ah	1	4	P151200
9V/90Ah	1	4	P151300
9V/130Ah	1	4	P151400



patura

THE ELECTRIC FENCE CIRCUIT EXPLAINED

How does the electric fence circuit work? What are the five main parts to consider?

See page 75 for more information.






ELECTRIC FENCING CONDUCTORS & ACCESSORIES

Recommended Wire Spacings

Fence animals in...


In principle, containing animals is easier than excluding them. Animals that are contained quickly get used to the fence and can be relied upon to respect it. In excluding animals, we have to consider that animals approaching the fence have no previous experience of it. In this case we need to ensure that initially the animal receives a strong and memorable electric shock, and adjusts itself to give the electric fence the necessary respect. Thus for exclusion fences, only especially powerful energisers should be used.

cows



Electric fences for cows are 0.85 to 1.05 m high with 1 to 2 wires.

SHEEP



Electric fences for sheep require 3 or 4 highly conductive wires at the spaces shown. (The bottom wire is only necessary if lambs are being kept in)

ELECTRIC FENCES

Electric fences are suitable for containing or deterring just about all kinds of animal.

The fences differ only in their height, the number of wires and partly in the fence material.

Whether the fence is to be an outer fence or a subdivision also plays a role.

On these pages you will find the information on outer fence construction with respect to the quantity and height of wires for the most important types of animal.

For inner fences the heights can be selected as some 10 to 15 cm less, and one wire fewer can possibly be used.


We will be pleased to advise you on any electric fencing questions.

HORSES & PONIES



Electric fences for large horses are 1.30 to 1.60 m high with 2 to 3 conducting wires.


PIGS



Electric fences for pigs are 0.55 to 0.75 m high with 2 to 3 wires. Outer fences for domestic pigs should have a second fence to protect against wild animals.

...or keep wildlife out

EXCLUDING RED DEER




Electric fences for protecting against red deer are up to 1.50 m high with 5 wires.

THE ELECTRIC FENCE FOR EXCLUDING ANIMALS

As stated above, electric fences used for keeping animals out (excluding) require high power energisers. Also be sure to choose the right conductor as wires may be subject to extreme power loss (wires placed near to the ground or through woodland). The best product to use to withstand this requirement is aluminium wire featured on page 88.

EXCLUDING RABBITS



Electric fences for protecting against rabbits are approx. 0.55 m high with 3 wires. With rabbits, in order to prevent them digging under the fence, it may be necessary to lay an earthed wire directly on the ground. The fence should be slightly canted towards the animals.



Wire

PATURA® Plain Steel Wire

For permanent electric fencing systems.

FINISH	LENGTH (M)	WIRE Ø (MM)	MIN. ORDER Qty	OUTER CARTON Qty	CODE
Galvanised	approx. 250	1.8	1	5	P109100



PATURA® Tornado Steel Wire

Tornado Steel Wire has a special thick galvanised coating of 95% zinc and 5% aluminium, giving it a life that is 9 times that of normal thick galvanised wire. The retention of the zinc coating on the wire is markedly improved by combination with the aluminium.

LENGTH (M)	NGTH (M) WIRE Ø (MM)		R N CODE
approx. 625	2.5	1 10	P190000

Ø 2.5mm = very high tensile strength.



PATURA® Hippo Wire with Conductive Plastic Coating

- The best visibility, optimum conductivity, minimal risk of injury and a long life - the PATURA® Hippowire meets all those demands with 2.5mm steel wire sheathed in conductive plastic
- The steel wire core ensures the best conductivity, the thick plastic sheathing offers good visibility and the lowest risk of injury, while the 4 black conducting portions ensure that the current is best passed to the animal

FINISH	LENGTH (M)	WIRE Ø (MM)	ORDER Qty	PALLET Qty	CODE
White	304	7	1	40	P190400





PATURA® Stranded Wire

Typically used with permanent outdoor pig and cattle fences. This product is particularly suitable for fences that are used to deter wildlife as wires can be installed close to the ground.

FINISH	LENGTH (M)	WIRE Ø (MM)	MIN. ORDER Qty	CODE
Galvanised	200	1.5	1	P108100
Galvanised	500	1.5	1	P108200







PATURA® Aluminum Wire

- · Very high conductivity, 4 times lighter than normal plain steel wire
- Particularly suitable for fences used to deter wildlife as wires can be installed close to the ground

FINISH	LENGTH (M)	WIRE Ø (MM)	MIN. ORDER Qty	OUTER CARTON Qty	CODE
Aluminium	400	2.0	1	4	P191800


Tip: these wires only require a lightweight tension up to 20kg which can be easily reached by hand

Polywire


Conductivity of the fence wiring

Long lengths of electric fence can only function using fence wiring with good conductivity. When using 4 wires of 2.5mm steel, fences up to 120km can be considered when there is no vegetation. Using only one wire of the same, the maximum length drops to 30km.

If you go down to one compact-polywire that has 6 x \emptyset 0.20mm stainless steel strands, the maximum length of fence goes down to 250m. If there is vegetation at the fence, then these figures drop considerably. The fence wire must be carefully selected depending on the desired fence length and the anticipated vegetation growth.



In longer fence lengths, only high conductivity fence wires ensure maximum performance to the end of the fence.



PATURA® Tornado: MAXIMUM CONDUCTIVITY FOR THE HIGHEST SECURITY

Extremely strong and conductive, thanks to a combination of stainless steel and copper strands. Stainless steel strands are very durable and copper strands are very conductive, which results in an highly effective product - able to cope with long fences in the most challenging conditions!



PATURA® Standard 3 Strand Polywire

Our recommendation for fences up to 100m long.

FINISH	LENGTH (M)	MIN. OUTER ORDER CARTON Qty Qty		CODE
Yellow-Orange	250	1	20	P180000



PATURA® Compact 6 Strand Polywire

Our recommendation for fences up to 250m long.

FINISH	LENGTH (M)	WIRE Ø (MM)	MIN. ORDER Qty	OUTER CARTON Qty	CODE
White-Green	200	0.3	1	12	P180100
White-Green	400	0.3	1	12	P180200



PATURA® Tornado 6 Strand Polywire

- 5 x stainless steel strands and 1 x copper strand for extra conductivity
- · Recommended for fences up to 5000m long

FINISH	LENGTH (M)	COPPER STRANDS Ø (MM)	STAINLESS STEEL STRANDS Ø (MM)	MIN. ORDER Qty	OUTER CARTON Qty	CODE
White- Orange	200	0.3	0.2	1	12	P180501
White- Orange	400	0.3	0.2	1	12	P180601
White- Orange	1000	0.3	0.2	1	6	P180701



PATURA® Tornado XL 11 Strand Polywire

- · Conductive wire and rope for use with temporary electric fencing systems
- 8 x stainless steel strands and 3 x copper strands for extra conductivity
- · Our recommendation for fences up to 13000m long


FINISH	LENGTH (M)	COPPER STRANDS Ø (MM)	STAINLESS STEEL STRANDS Ø (MM)	MIN. ORDER Qty	OUTER CARTON Qty	CODE
White- Red	200	0.3	0.2	1	12	P181001
White- Red	400	0.3	0.2	1	12	P181101
White- Red	1000	0.3	0.2	1	5	P181201





Polyrope

Ideal for use with horses and good for use in exposed windy areas.





PATURA® Compact 6 Strand Polyrope

- · 6 x stainless steel strands
- · Our recommendation for fences up to 300m long


FINISH	LENGTH (M)	STAINLESS STEEL STRANDS Ø (MM)	MIN. ORDER Qty	OUTER CARTON Qty	CODE
White	200	0.3	1	6	P182000


PATURA® Super 3 Strand Polyrope

- 3 x stainless steel strands
- · Our recommendation for fences up to 700m long



FINISH	LENGTH (M)	STAINLESS STEEL STRANDS Ø (MM)	MIN. ORDER Qty	OUTER CARTON Qty	CODE
White-Green	200	0.4	1	6	P182100





Our recommendation for fences up to 5000m long



FINISH	LENGTH (M)	COPPER STRANDS Ø (MM)	STAIN- LESS STEEL STRANDS Ø (MM)	MIN. ORDER Qty	OUTER CARTON Qty	CODE
White- Orange	200	0.3	0.2	1	6	P182501
White- Orange	500	0.3	0.2	1	2	P182601



PATURA® Tornado XL 11 Strand Polyrope

- · 8 x stainless steel strands and 3 x copper strands for extra conductivity
- · Our recommendation for fences up to 13000m long

FINISH	LENGTH (M)	COPPER STRANDS Ø (MM)	STAINLESS STEEL STRANDS Ø (MM)	MIN. ORDER Qty	OUTER CARTON Qty	CODE
White- Red	200	0.3	0.2	1	6	P183001
White- Red	500	0.3	0.2	1	2	P183101



PATURA® Tornado XXL Braided Polyrope

- 6 x stainless steel strands and 3 x copper strands for extra conductivity
- Braided polyrope for ultimate durability
- · Our recommendation for fences up to 13000m long

FINISH	LENGTH (M)	COPPER STRANDS Ø (MM)	STAINLESS STEEL STRANDS Ø (MM)	MIN. ORDER Qty	CODE
Red/White	200	0.3	0.2	1	P183500



Polytape

The most important criteria in the assessment of polytape is the conductivity, it's mechanical strength and particularly for use with horses, it's weight and higher flexibility.

PATURA® Standard 4 Strand Polytape

- 4 x stainless steel strands
- · Our recommendation for fences up to 150m long

FINISH	LENGTH (M)	TAPE Ø (MM)	STAINLESS STEEL STRANDS Ø (MM)	MIN. ORDER Qty	OUTER CARTON Qty	CODE
White	200	10	0.16	1	16	P184400



PATURA® Compact 6 Strand Polytape

- 6 x stainless steel stands
- Our recommendation for fences up to 200m long

FINISH	LENGTH (M)	TAPE Ø (MM)	STAINLESS STEEL STRANDS Ø (MM)	MIN. ORDER Qty	OUTER CARTON Qty	CODE
White- Green	200	10	0.16	1	16	P184200
White- Green	200	20	0.16	1	8	P186100
White- Green	400	10	0.16	1	8	P184300







PATURA® Compact 8 Strand Polytape


- 8 x stainless steel strands
- · Our recommendation for fences up to 300m long

FINISH	LENGTH (M)	TAPE Ø (MM)	STAINLESS STEEL STRANDS Ø (MM)	MIN. ORDER Qty	OUTER CARTON Qty	CODE
White- Green	200	40	0.16	1	2	P188500



PATURA® Compact Plus 8 Strand Polytape

- 8 x stainless steel strands
- · Our recommendation for fences up to 400m long





PATURA® Tornado Multi Strand Polytape

- Features cross connecting vertical stainless steel wires providing optimum current flow
- · Mixture of stainless steel and copper strands for extra conductivity
- Clustered connectors, with reinforced edges, increase resistance to sparks and guarantees immediate re-electrification in the event of a power cut
- Our recommendation for fences up to 5000m long



COPPER STRANDS Ø (MM)	STAINLESS STEEL STRANDS Ø (MM)	FINISH	LENGTH (M)	TAPE Ø (MM)	MIN. ORDER Qty	OUTER CARTON Qty	CODE
1 x 0.3	4 x 0.2	White- Orange	200	12.5	1	12	P185001
1 x 0.3	5 x 0.2	White- Orange	200	20	1	6	P186501
1 x 0.3	5 x 0.2	White- Orange	400	20	1	2	P186601
1 x 0.3	11 x 0.16	White- Orange	200	38	1	2	P189001
1 x 0.3	12 x 0.16	Brown	200	38	1	2	P189101



PATURA® Tornado XL Multi Strand Polytape


- · Features cross connecting vertical stainless steel wires providing optimum current flow
- Mixture of stainless steel and copper strands for extra conductivity
- Clustered connectors, with reinforced edges, increase resistance to sparks and guarantees immediate re-electrification in the event of a power cut
- Our recommendation for fences up to 9000m or 13000m long, when used with 12.5/20mm tape or 40mm tape respectively

COPPER STRANDS Ø (MM)	STAINLESS STEEL STRANDS Ø (MM)	FINISH	LENGTH (M)	TAPE Ø (MM)	MIN. ORDER Qty	OUTER CARTON Qty	CODE
3 x 0.3	11 x 0.16	White-Red	200	40	1	2	P189501



Reels

SHEEP SYSTEMS How to erect a 3-line temporary fence system for grazing sheep



Rapid Fence construction - step by step



Place mounting post Se with reels at one at



Set corner posts at all corners and



Take the polywires from the reels and unwind



Run the polywires over the corner insulators at the



Attach the polywires at the end of the fence and ...



... tension by winding back on the reels



Put in the plastic posts and attach the



Attach the crossconnection approx. every 200 m



Attach and earth the energiser

PATURA® Reel Universal with Handle & Hanging Hook

Tensioning fixture with locking ratchet. Holds up to 800m polywire. Also suitable to fasten to the standard mounting post.

FINISH	SUITABLE FOR	MIN. ORDER Qty	OUTER CARTON Qty	CODE
Steel and Black/Red Plastic	Up to 800mm polywire	1	6	P161002







PATURA® Mini Hand Reel with Carry Handle & Hanging Hook

With lock pin, carry handle and hook to hang on fence wire. Holds up to $300 \mathrm{m}$ polywire.

FINISH	MIN. ORDER Qty	PALLET Qty	CODE
Black/Red Plastic	1	120	P105210



PATURA® Reel Standard with Handle & Mounting Hook

With carry handle, mounting hook and tensioning device.

FINISH	SUITABLE FOR	MIN. ORDER Qty	OUTER CARTON Qty	CODE
Steel and Black Plastic	up to 500m polywire	1	4	P161001



PATURA® Special Reel with Reduction Gearing

With carry handle, mounting hook and tensioning device.

FINISH	SUITABLE FOR	MIN. ORDER Qty	OUTER CARTON Qty	CODE
Steel and White Plastic	up to 600m polywire	1	4	P161301



Made of sturdy, hot dip galvanised angle iron, with 3 points and predrilled holes for insulators such as corner insulators and ring insulators.





PATURA® Standard Mounting Post

Standard mounting post for short temporary fences with only a few corners. Reels are firmly bolted on.

DESC	FINISH	FENCE HEIGHT (M)	MIN. ORDER Qty	CODE
3 Reel	Galvanised	1	1	P635000

SALES LINE: 01295 758734



PATURA® Special Mounting Post

- Special mounting post for longer temporary fences, particularly those with many corners
- · Hand-screw sockets allow quick and easy removal of reels
- · No tools required!

DESC	FINISH	FENCE HEIGHT (M)	MIN. ORDER Qty	CODE
3 Reel	Galvanised	1	1	P633001



Strainers & Tensioners

PATURA® Rotating Wire Tensioner

- This rotating wire tensioner system enables you to easily tighten wires without cutting them
- The tensioner is inserted in the wire at any place on the fence
- The handle is attached and the tensioner is turned around its own axle until the correct fence tension is reached
- · A cotter pin is then installed and the wire tensioner handle removed
- · If necessary the wire can be retightened or relaxed at any time

DESC	FINISH	UNIT Qty	MIN. ORDER Qty	OUTER CARTON Qty	CODE
Rotating Wire Tensioner (A)	Aluminium	Pack of 3	1 Pack	12 Packs	P164303
Rotating Wire Tensioner (A)	Aluminium	Box of 25	1 Box	-	P164325
Wire Tensioner Handle (B)	Galvanised	Pack of 1	1 Pack	-	P644000



PATURA® Wire Strainer with Lock

Used to tighten wires.

FINISH	UNIT Qty	MIN. ORDER Qty	OUTER CARTON Qty	CODE
Galvanised/Plastic	Pack of 10	1 Pack	5 Packs	P164602





PATURA® Wire Strainer with Insulator

Used to tighten live wires easily and securely.



FINISH	UNIT Qty	MIN. ORDER Qty	OUTER CARTON Qty	CODE
Galvanised/Plastic	Box of 10	1 Box	5 Boxes	P164612

PATURA® Tension handle for wire strainer

For easy tensioning of wire strainers.



FINISH	UNIT Qty	MIN. ORDER Qty	OUTER CARTON Qty	CODE
Galvanised	1	1	10	P164630

Underground Cables & Connectors



PATURA® High Voltage Cable - Lead Out

- The PATURA® high voltage electric fence cable is double insulated and high voltage safe to over 10,000V. It can be used for over and underground lead outs, for the connection of earth stakes and for carrying current past gates.
- For fence and earth lead outs up to 50m, or for by-passing gates; resistance 0.1ohms/m.

FINISH	LENGTH (M)	MIN. GAUGE ORDER (MM) Qty	CODE
Black	10	1.6 1	P160910
Black	25	1.6 1	P160925
Black	50	1.6 1	P160950
Black	100	1.6 1	P160960

PATURA® High Voltage Cable - Underground



High voltage, double insulated, single core cable with 2.5mm steel core; for fence and earth lead outs up to 200m; resistance 0.0350hms/m.

FINISH	LENGTH (M)	GAUGE (MM)	MIN. ORDER Qty	CODE
Black	50	2.5	1	P161050
Black	100	2.5	1	P161060



Cross-Connections

PATURA® Fence Connecting Cable

With insulated spring clamps and stainless steel contacts; for quick wire connection with multi-wire temporary fences.

DESC	FINISH	UNIT Qty	MIN. ORDER Qty	OUTER CARTON Qty	CODE
2 Wire	Red	Pack of 2	1 Pack	10 Packs	P101102



PATURA® Fence & Earth Lead Set with Eyelets

- Insulated spring clips (red=fence/green=earth) with stainless steel contacts and 8mm eyelets
- For PATURA® energisers P250 and P350

DESC	FINISH	EYELET (MM)	PACK TYPE	MIN. ORDER Qty	OUTER CARTON Qty	CODE
Fence & Earth	Red/ Green	8	Hanging Card	1	10	P100901
Fence	Red	8	Hanging Card	1	10	P100101



PATURA® Fence & Earth Lead Set with Probes

Insulated spring clips (red=fence/green=earth) with stainless steel contacts and 3mm probes.

DESC	FINISH	PROBE (MM)	PACK TYPE	MIN. ORDER Qty	OUTER CARTON Qty	CODE
Fence & Earth	Red/ Green	3	Hanging Card	1	10	P101001
	Green Lead					P100601
	Red Lead					P100301



PATURA® Spare Spring Clip

Spare spring clips suitable for PATURA® connecting cables.

FINISH	MIN. OUTER ORDER CARTON Qty Qty	CODE
Red	1 10	P919001
Black	1 10	P919002
Green	1 10	P919003





PATURA® Fence Lead Connector

For connecting the energiser to polytape fences.



DESC	FINISH	PROBE (MM)	SUITABLE FOR	PACK TYPE	MIN. ORDER Qty	OUTER CARTON Qty	CODE
For Polytape	Stainless Steel	3	up to 40mm tape	Hanging Card	1	10	P170601

PATURA® Fence Connecting Cable

- For establishing cross-connections on polyrope fences With 2 stainless steel polyrope clamps for polyropes up to 6mm

	KEY FEATURES	FINISH	SUITABLE FOR	PACK TYPE	MIN. ORDER Qty	OUTER CARTON Qty	CODE
	With 2 stainless steel polyrope clamps; for establishing cross connections on polyrope fences (A)	Red	up to 6mm rope	Hanging Card	1	10	P101401
,	Rapid inter- connection for multi wire polytape fences (B)	Stainless Steel	up to 40mm tape	Hanging Card	1	10	P170401



PATURA® 12V Lead Set for Battery Energisers				
MIN. ORDER Qty	CODE			
1 Pair	P9187225			




Electric Fence Netting



PATURA® Electric Fence Netting

PATURA® netting features three distinctive advantages; clips for optimium connection, double spikes for easy ground insertion and firmly welded joints. Each net also includes extra ground pegs and a repair kit.

DESC	FINISH	HEIGHT (MM)	LENGTH (M)	MIN. ORDER Qty	OUTER CARTON Qty	CODE
With Double Spike	Orange	900	50	1	77	P109250
With Single	Orange	900	50	1	77	P108900







PATURA® Fowl Netting

Electric netting fence for fowl. Features small mesh aperture in the lower area.

DESC	FINISH	HEIGHT (MM)	LENGTH (M)	MIN. ORDER Qty	OUTER CARTON Qty	CODE	
w/ Double Spike	Orange	1120	50	1	45	P111200	









ELECTRIC FENCING INSULATORS & JOINERS

Insulators



PATURA® Permanent Fence Insulator for Rope & Hippo Wire

Solid, UV resistant plastic insulator, to be mounted using screws.

FINISH	UNIT Qty	MIN. ORDER Qty	OUTER CAR- TON Qty	CODE
Black Plastic	Pack of 25	1 Pack	10 Packs	P168425



PATURA® Permanent Fence Insulators for Wire

- For use with wire in permanent electric fencing systems
- Solid, UV resistant plastic insulator to be mounted using staples

FINISH	UNIT Qty	MIN. ORDER Qty	OUTER CARTON Qty	CODE
Black Plastic	Tub of 25	1 Tub	20 Tubs	P167325
Black Plastic	Tub of 150	1 Tub	-	P167365


CODE





PATURA® Porcelain High Tensile Corner Insulator

Corner insulator for high tensile wire and hippowire.







Start and end insulator for wire, hippowire and rope.

FINISH	UNIT Qty	MIN. ORDER Qty	OUTER CARTON Qty	CODE
Black Plastic	Tub of 25	1 Tub	20 Tubs	P167725
Black Plastic	Tub of 100	1 Tub	-	P167760
Strain Insulator	Tub of 6	1 Tub	_	P167706



PATURA® Super Strain Insulator Fibreglass

- · Start and end insulator for high tensile wire, hippowire and rope
- · Fibreglass reinforced plastic

FINISH	UNIT Qty	MIN. ORDER Qty	OUTER CARTON Qty	CODE
White Fibreglass	Tub of 6	1 Tub	12 Tubs	P167806
White Fibreglass	Tub of 25	1 Tub	20 Tubs	P167825
White Fibreglass	Tub of 100	1 Tub	-	P167860



PATURA® Porcelain High Tensile Strain Insulator

Porcelain start and end insulator for high tensile wire.

FINISH	UNIT Qty	MIN. ORDER Qty	CODE
White Porcelain	Tub of 50	1 Tub	P169250



PATURA® Nail-On Insulator

- · Traditional nail-on economy insulator method
- Generally used with polywire and standard wire
- · Fix to wooden posts using integrated nail

FINISH	UNIT Qty	MIN. ORDER Qty	OUTER CARTON Qty	CODE
Black Plastic	Pack of 100	1 Pack	25 Packs	P101110



PATURA® Insultube

- · Traditional tube insulating method
- · Slide insulator onto wire prior to fixing to the posts
- Generally used with high tensile wire
- Fix to wooden posts using 40mm staples
 Generally used for high tension wire or polyrope up to 6mm


FINISH	LENGTH (MM)	UNIT Qty	MIN. ORDER Qty	CODE
Black Plastic	100	Pack of 100	1 Pack	P161410
Insultube.	5m	Pack 1		P161405






PATURA® Ring Insulator

For use with polywire.





^{**}For the easy screwing in of ring insulators in softwood posts using an electric screwdriver.



PATURA® Universal Rope and Tape Insulator

PATURA® Doughnut Type Corner Insulators

For rope and tapes up to 20mm.



DESC	FINISH	SHAFT DIAMETER (MM)	UNIT Qty	MIN. ORDER Qty	OUTER CARTON Qty	CODE	
Wood Screw Thread	Black Plastic	6	Pack of 25	1 Pack	8 Packs	P127325	



DESC	FINISH	SUITABLE FOR	UNIT Qty	MIN. ORDER Qty	OUTER CARTON Qty	CODE
Wood Screw Thread (A)	Black Plastic	Polytapes up to 40mm	Pack of 3	1 Pack	12 Packs	P104003
Wood Screw Thread (B)	Black Plastic	Redirection of polywires and rope at corners without chafing	Pack of 6	1 Pack	12 Packs	P102206



PATURA® Super Screw-on Rod Insulator

- UV resistant, solid plastic insulator
- · Height adjustable
- · For all posts without cap insulator up to 16mm
- · Suitable for polywires and polytapes up to 12.5mm

FINISH	SUITABLE FOR	UNIT Qty	MIN. ORDER Qty	OUTER CARTON Qty	CODE
Black Plastic	up to 16mm posts	Pack of 25	1 Pack	10 Packs	P165625



PATURA® Polytape Line Insulator

- · Economy nail-on polytape insulator
- · Suitable for all sizes of tapes and ropes

FINISH	UNIT Qty	MIN. OR- DER Qty	OUTER CARTON Qty	CODE
Black Plastic	Pack of 25	1 Pack	20 Packs	P166825
Polytape Line Insulator	Tub of 60	1 Pack		P166851



PATURA® Polytape & Rope Insulator

For tapes up to 40mm and ropes.

DESC	FINISH	UNIT Qty	MIN. ORDER Qty	OUTER CARTON Qty	CODE
Wood Screw Thread	Black plastic	Pack of 25	1 Pack	8 Packs	P127025



PATURA® Tornado Polytape Insulator

- · Rugged line insulator for polytape tensioning
- · Suitable for all polytapes up to 40mm
- · Safe and protective clamping of the polytape due to offset rubber inserts

FINISH	SUITABLE FOR	UNIT Qty	MIN. ORDER Qty	OUTER CARTON Qty	CODE
Black Plastic	up to 40mm tape	Pack of 20	1 Pack	10 Packs	P166920







patura



PATURA® Corner Insulator for Polytape

DESC	FINISH	SUITABLE FOR	UNIT Qty	MIN. ORDER Qty	OUTER CARTON Qty	CODE
Includes 2 stainless steel tape joiners (A)	Black Plastic/ Stainless Steel	up to 40mm tape	Pack of 3	1 Pack	12 Packs	P168003
Clamps the tape safely between 2 faces (B)	Black Plastic	up to 40mm tape	Pack of 3	1 Pack	12 Packs	P167003

PATURA® Strain and Corner Insulator for Polytape

- Sturdy insulator with stainless steel connector plate for polytape up to 40 mm
- Multiple applications in polytape fences, eg. start insulator, 3-way insulator, gate insulator





PATURA® Offset Ring insulator with Long Shaft

For polywires and polyropes.





i i

(B)

PATURA® Offset Rope & Tape Insulator with Long Shaft

DESC	SHAFT LENGTH (MM)	SUITABLE FOR	UNIT Qty	MIN. ORDER Qty	OUTER CARTON Qty	CODE
w/ Long Shaft Wood Screw Thread (A)	180	up to 20mm tape + rope	Pack of 10	1 Pack	8 Packs	P127410
w/ Long Shaft Wood Screw Thread (B)	180	up to 40mm tape + rope	Pack of 10	1 Pack	8 Packs	P127910



PATURA® Offset Pigtail Bracket with Eyelet Insulator

- · Offset insulator made of round bar steel with an insulated loop
- Designed for use with polywire and polyrope, but can also be used for polytape up to 40mm
- Nail directly onto wooden posts (secure additionally with 1 staple)
- Secure insulator with at least 2 staples when installed on top of post

LENGTH (MM)	UNIT Qty	MIN. ORDER OUTER CAR- Qty TON Qty	CODE
250	Pack of 5	1 Pack 20 Packs	P166105
400	Pack of 5	1 Pack 20 Packs	P166205
800 (2 Sided)	Pack of 5	1 Pack 10 Packs	P166505



Joiners

PATURA® Polywire Joiner

- For secure connection of all electric fence polywires up to 2.5mm
- · This product can also be used to join high voltage cable above ground

FINISH	SUITABLE FOR	UNIT Qty	MIN. ORDER Qty	OUTER CARTON Qty	CODE
Galvanised	up to 2.5mm polywire	Pack of 5	1 Pack	12 Packs	P160505



PATURA® Polyrope Joiner

- · For secure connection of all electric fence polyrope up to 6mm
- · This product can also be used to join high voltage cable above ground

FINISH	SUITABLE FOR	UNIT Qty	MIN. OR- DER Qty	OUTER CARTON Qty	CODE
Galvanised	up to 6mm rope	Pack of 5	1 Pack	10 Packs	P103205
Stainless Steel	up to 6mm rope	Pack of 3	1 Pack	12 Packs	P103903



PATURA® Tape Joiner

 ${\it Good connection, no corrosion, optimum current flow, stainless steel.}$

FINISH	SIZE INS (MM)	UNIT Qty	MIN. ORDER Qty	OUTER CARTON Qty	CODE
Stainless Steel	12	Pack of 5	1 Pack	12 Packs	P103305
Stainless Steel	20	Pack of 5	1 Pack	12 Packs	P103405
Stainless Steel	40	Pack of 5	1 Pack	12 Packs	P103505







Rope Clamp

FINISH	SUITABLE FOR	DESC	MIN. OUTER ORDER CARTON Qty Qty	CODE
				P160405





FINISH	SUITABLE FOR	DESC	MIN. ORDER (Qty	OUTER CARTON Qty	CODE
Galvanised	1.40-2.20mm steel wire	Small	20	200	2210011
Galvanised	2 - 3.25mm steel wire and hippo wire	Medium	20	200	2210021

PATURA® Joint Screw



Hot dip galvanised: for the electrical cross connection of several wires or for the connection of high voltage cable with the fence.

FINISH	UNIT Qty	MIN. ORDER Qty	OUTER CARTON Qty	CODE
Galvanised	Pack of 5	1 Pack	12 Packs	P169605
Galvanised	Pack of 25	1 Pack	10 Packs	P169625

ELECTRIC FENCING POSTS





DESC	LENGTH MM	MIN. ORDER Qty	CODE
w/ Pigtail Insulator	1000	1	P164220

PATURA® Steel Step-In Pig Post


Round (10mm/ $\!\!\!/$) galvanised metal post with welded double tread-in bracket. Use with round rod insulator.

FINISH	LENGTH (MM)	MIN. ORDER Qty	CODE
Galvanised	1100	1	P164211

PATURA® Polypost with Metal Spike & Double Step

- · Robust, fully insulating plastic post with metal spike and double step
- 7 or 8 wire holders and 1-3 rope holders

FINISH	LENGTH (MM)	NO. WIRE HOLDERS	FENCE HEIGHT (MM)	UNIT Qty	MIN. ORDER Qty	PALLET Qty	CODE
White	1050	7	550	Pack of 10	1 Pack	100 Packs	P163710
Green	1050	7	850	Pack of 10	1 Pack	100 Packs	P163720
White	1550	8	1300	Pack of 10	1 Pack	100 Packs	P163810





Heavy Duty Polypost

FINISH	LENGTH (MM)	NO. WIRE HOLDERS		UNIT Qty	MIN. ORDER Qty	CODE
Green	1550	8	1300	Pack of 10	1 Pack	P163820
Pink	1550	8	1300	Pack of 10	1 Pack	163920
Petrol	1550	8	1300	Pack	1 Pack	163910

PATURA® Plastic Stirrup Post

- Robust, fully insulating plastic post with metal spike and strong stirrup for easy ground insertion
- · 6 or 8 holders for polywires
- · Up to 40mm tape and cable

FINISH	LENGTH (MM)	NO. WIRE HOLDERS	FENCE HEIGHT (MM)	UNIT Qty	MIN. ORDER Qty	PALLET Qty	CODE
White	1500	6	1300	Pack of 10	1 Pack	60 Packs	P163610
Green	1500	8	900	Pack of 10	1 Pack	60 Packs	P163630

PATURA® Metal Corner Post - Super

Made of sturdy, hot dip galvanised angle iron, with 3 points and predrilled holes for insulators such as corner insulators and ring insulators.

FINISH	LENGTH (MM)	MIN. OUTER ORDER CARTON Qty Qty	CODE
Galvanised	850	1 10	P104500

PATURA® Special Mounting Post


- Special mounting post for longer temporary fences, particularly those with many corners. Hand-screw sockets allow quick and easy removal of reels
- No tools required!

DESC	FINISH	FENCE HEIGHT (M)	MIN. ORDER Qty	CODE	
3 Reel	Galvanised	1	1	P633001	





ELECTRIC FENCING GATES



Gates in the Fence - 5 basic rules

- Keep the number of gates to a minimum, as gates are always a weak point in the fence.
- 2. If possible, ensure that the gate is on level ground, as the gate area is always endangered by erosion.
- You will simplify the fence construction by putting the gate in a corner area.
- Never run the current through the gate itself from one side to the other, rather use high voltage cable to pass it under the gate.
- 5. Do not use spring gate sets in horse fences

Spring gate set - the practical gate

A spring gate set consists of 4 parts: the gate handle, gate handle insulator, gate tensioning spring and the insulator for attaching the spring. Patura spring gate sets contain an especially large spring and and are suitable for all gate widths from 3 to 5 metres. In the opened condition the spring carries no current, contracts to about 25cm and hangs down, with the handle from the gatepost. To shut the gate, the gate handle and spring are attached to the gate insulator on the other side of the gate. From here, the gate handle and spring obtain the current.

	PATURA® Spring Ga	te Set	
	FINISH	MIN. ORDER Qty	CODE
-0() d) d) d)	Galvanised	1	P164001





PATURA® Elastic Rope Gate Set

Suitable for use with horses. Includes:

- Gate handle
- Insulators
- · 3m elastic polyrope (extends to 6m)

SUITABLE FOR	MIN. ORDER Qty	OUTER CARTON Qty	CODE
up to 6m gateways	1	8	P641201



PATURA® Polytape Gate Set

- · Complete polytape set. Includes:
 - · Gate handle
 - Insulators
 - 5m polytape
- · Ideal for use with horses due to high visibility

SUITABLE FOR	MIN. ORDER Qty	OUTER CARTON Qty	CODE
up to 5m gateways	1	6	P641001



PATURA® Gate Handle with Galvanised Hook

With galvanised hook and tension spring.

FINISH		OUTER CARTON Qty	CODE	
Black Plastic	1	20	P639100	
Pack of 10	1	20	P639100PK10	



PATURA® Special Gate Handle

DESC	FINISH	KEY FEATURES	MIN. ORDER Qty	OUTER CARTON Qty	CODE
w/ Tension Spring (B)	Orange Plastic	Stainless steel hook, stainless steel spring and wide protective shield.	1	50	P639400
for Tape (C)	Orange Plastic	Stainless steel connector plate for polytape up to 40mm.	1	50	P639500

^{*}The tension on the gate handle is converted to pressure on the spring inside, avoiding over extension of the spring gate $\frac{1}{2} \left(\frac{1}{2} \right) = \frac{1}{2} \left(\frac{1}{2} \right) \left(\frac{1}{2} \right)$



Gate Handle with Galvanised Hook & Spring

FINISH		MIN. (ORDER C Qty	OUTER ARTON Qty	CODE
Petrol		1	20	P639100PR
Petrol	Pack of 10	1	20	P639100PRPK10
Pink		1	20	P639100PK
Pink	Pack of 10	1	20	P639100PKPK10







PATURA® Retractable Roller Gate

- For fast installation of flexible gates and partitions on pastures, drive paths, passage ways and paddocks
- · Tape retracts automatically and is protected inside the housing
- Mounting parts and gate handle are included

DESC	SUITABLE FOR	MIN. ORDER Qty	OUTER CARTON Qty	CODE
6m rope	up to 6m gateways	1	6	P641301
6m tape, 35mm	up to 6m gateways	1	6	P641302



PATURA® Gate Handle Connector Plate

FINISH	SUITABLE FOR	ORDER Qty	CODE
Stainless Steel	up to 40mm tape	1	P639800



PATURA® Gate Handle Insulator

DESC	FINISH	KEY FEATURES	UNIT Qty	MIN. ORDER Qty	OUTER CARTON Qty	CODE
2-Way (A)	Black Plastic	Wood Screw Thread w/ 2 eyelets	Pack of 4	1 Pack	6 Packs	P102504
3-Way (B)	Hot dipped galvanised plate	Attachment screw for high voltage cable and 2 woodscrews.	Pack of 4	1 Pack	6 Packs	P102604



PATURA® Elastic Rope

Spare elastic rope for PATURA® electric gate systems.

LENGTH (M)	DIAMETER (MM)	MIN. OUTER ORDER CARTON Qty Qty	CODE
25	8	1 14	P162225

ELECTRIC FENCING INSTALLATION GUIDELINES

See page 115-118 for our handy installation guides

Tips and advice for installation of PATURA® products in a range of settings





PATURA® Fence Tester (8 levels)

 Essential for daily fence monitoring; shows the condition of your fence in 8 stages (1000 to 8000V). Complete with connecting cable and earth stake.

MIN. ORDER Qty	CODE
1	P150002



PATURA® Digital Voltmeter

The ideal measuring equipment with earth stake, fence contacts and digital display. Essential for the monitoring of electric fences, their earthing, for fault finding and for checking equipment. With integrated activatable load resistor to simulate animal contact

MIN. ORDER Qty	OUTER CARTON Qty	CODE
1	10	P150302



PATURA® Cutout Switch

For switching the current on and off independently of the energiser and for switching individual paddocks on or off.

MIN. ORDER Qty	OUTER CARTON Qty	CODE
1	12	P160701



PATURA® Lightening Diverter

MIN. ORDER Qty	OUTER CARTON Qty	CODE
1	10	P164801






PATURA® Warning Sign

DESC	MIN. ORDER Qty	CODE
Plastic printed both sides	1	P160001

Caution: Electric fence international standards require that warning signs be placed at clearly visible points 50m apart, at junctions with byways, as well as at points where the existence of an electric fence would not be expected.



International standard requirements:

"Energisers for the operation of electric fence installations on pasture land may not be installed in buildings that are susceptible to fire such as barns, hay lofts and stables.

To protect against lightning damage, a lightning protection system (spark gap with earthing) must be built into the fence lead-out before the introduction of that lead out cable into the building".



SITEMATE® Spinning Jenny Wire Dispenser

- · Galvanised adjustable wire dispenser including ground spike
- For the simple rolling up of steel wire, horse wire and plain steel wire; with base to allow direct insertion into the ground

FINISH	MIN. ORDER Qty	CODE
Galvanised	1	6600003



Tensioning Tool for Gripples				
DESC	FINISH	MIN. ORDER Qty	CODE	
For tensioning wire	Plastic	1	2210000	



PATURA® Electric Fencing Pliers			
DESC	FINISH	MIN. ORDER Qty	CODE
Traditional fencing pliers with hammer and wire cutter	Steel	1	P152201



PATURA® Professional Electric Fencing Pliers

- · Rugged insulated pliers
- Heavy duty model with hammer, parallel clamping jaws and special wire cutter for steel wire

FINISH	MIN. ORDER Qty CODE		
Steel	1	P522001	







INSTALLATION GUIDELINES


















Pest Control

WOODEN TRAPS

Wooden mouse and rat traps supplied on display cards.



CODE

DESCRIPTION

7009-201 7010-101

7010-209

7010-210

Wooden mouse trap – 2 mounted on card Wooden rat trap – mounted on card

SNAPPER TRAPS

Strong plastic traps, hygienic and easy to use. Supplied mounted on display cards.



CODE

DESCRIPTION

7009-209 7010-109 Snapper Mousetrap – 2 mounted on card Snapper Rattrap – mounted on card

RATSTOP TRAP Ready to use Rat Trap including special trigger. Used trigger is quickly and easily replaced. Guaranteed trapping efficiency. Replacement bait supplied in packs of 3.

Mounted on a display card

Replacement Bait. 3 Pack

FLY PAPER ROLL

Glue trap for controlling flies and flying insects. Use in the stable or dairy. $7m \log x \ 30cm$ wide with a metal hanging handle. Yellow paper has a greater attraction to flies and insects.



CODE

SIZE

7407-700

Size: 7m x 30cm

BAIT BOX

Lockable rat bait box station ideal for use with lose grain, block bait and pasta bait. Two pre-moulded reservoirs hold grain or pellets and a removable bar with hold block or pasta bait.



7107-100

CODE

HORSEFLY TRAP

This trap will reduce gadfly presence by up to 95% in the immediate vicinity. It has a maximum effective range of approximately 5000m².

- Completely non-toxic and environmentally friendly.
- Easy to assemble and hang using the supplied link chain.
- Umbrella diameter approximately 1.1m.



WASP/FLY TRAP

- Very high capture rate for wasps and flies and other insects attracted by sugar.
- Complete protection for bees the special entrance to the trap and the transparent cover prevent bees from falling into the trap
- Effective area up to 200m2 per trap.
- · Exceptionally easy to use.
- Can be stood on a flat surface or hung up
- Weather resistant plastic with UV protection.



CODE 6012-003 **DESCRIPTION**

6012-003 6012-003R

6012-003B Box of 13

WASP/FLY ATTRACTANT

- Highly effective ready to use natural attractant.
- The attractant remains effective for up to 6 weeks.
- Can be used indoors and out.
- Attracts wasps, fruit and house flies and midges thanks to its natural fruit juice concentrates.
- Eco friendly and 100% non-toxic.



CODE DESCRIPTION

6010-001

6010-001B Box of 12

FLYCAGE 2

Very effective fly trap.

• Special attractants made from natural raw materials.

Flies are attracted by the scent and drown in the trap.

 Removes approximately 70% of all flies and wasps in a radius of up to 1000m².

• Effective for 4-6 weeks.

Non-toxic and ecological.



CODE DESCRIPTION

6011-002

6011-002B Box of 20

HORSEFLY BUCKET TRAP

Bucket trap complete with suspension cord and spring snap hook for hanging.



CODE

DESCRIPTION

7408-200

HORSEFLY GLUE

High quality Horsefly glue that remains firmly adhered to the substrate even at high temperatures. Simply coat a surface and flies are immediately attracted and stuck fast . No insecticide and rain resistant.




CODE

DESCRIPTION


7408-050 7408-150 500g


1.5Kg

GATEMATE®



Gatemate













CODE	SIZE INS	FINISH PA	IRS PER BOX
509-4501	18	Galvanised	5
509-5001	20	Galvanisad	5

509-5001 20 Galvanised 5 **509-6001** 24 Galvanised 5

ADJUSTABLE GATE EYES WITH 2 NUTS



CODE SIZE INS FINISH PAIRS PER BOX 549-6202 6"x3/4" Galvanised 5

2 Per Pack

GATEMATE BRENTON PADBOLTS 5/8" SHOOT




 CODE
 SIZE INS
 FINISH
 QTY PER BOX

 513-1501
 6
 Galvanised
 5

 513-2001
 8
 Galvanised
 5


GATEMATE AUTOLOCK ANIMAL BOLTS



CODE
515-2301SIZE INS
9FINISH
GalvanisedQTY PER BOX
5


516-0122


½ dia



Galvanised

5







GATEMATE KICK OVER STABLE LATCHES



CODE 530-2401 SIZE INS 91/2

FINISH Galvanised

OTY PER BOX

GATEMATE SLIP RAIL BRACKETS



CODE

SIZE **529-0001** For rails up to 100 x 50 mm

FINISH OTY PER BOX

Galvanised

GATEMATE SELF LOCKING GATE CATCH KIT



CODE **563-0001** c/w striker fixings Galvanised

DESCRIPTION

FINISH QTY PER BOX




GATEMATE CABIN HOOKS CAST PATTERN




CODE	SIZE INS	FINISH	PAIRS PER BOX
541-1501	6	Galvanised	5
541-2001	8	Galvanised	5
541-2501	10	Galvanised	5

GATEMATE CABIN HOOKS WIRE PATTERN FINISH: GALVANISED **PAIRS PER BOX** CODE **SIZE INS FINISH** 532-1501 Galvanised 5 532-2001 Galvanised 5 532-2501 10 5 Galvanised








CODESIZE INSFINISHQTY PER BOX536-15026Galvanised5

GATEMATE PADLOCK PROTECTORS FINISH: GALVANISED CODE SIZE INS FINISH OTY PER BOX 538-1853 7½ x 2½ Galvanised 5





GATEMATE STAPLES ON PLATES

Pack of 2.




CODE
583-0501SIZE INS
2 x 2FINISH
GalvanisedQTY PER PACK
5

GATEMATE RINGS ON PLATES



CODE
584-0501SIZE INS
2 x 2FINISH
GalvanisedQTY PER BOX
5

BUCKET CLIP



CODE
584-0001SIZE INS
2x2FINISH
GaalvanisedQTY PER BOX
5

GATEMATE RINGS ON EYEBOLT




 CODE
 SIZE INS
 FINISH
 QTY PER BOX

 585-0752
 3 x 8
 BZP
 5

GATEMATE CARBINE HOOKS

Pack of 2.



CODE SIZE MM FINISH QTY PER PACK

587-8082 80 x 8 BZP 5 **587-1002** 10 x 100 BZP 5

GATEMATE SWIVEL HARNESS SNAP HOOKS





CODE 588-0760

SIZE INS

FINISH Q

QTY PER BOX

5

GATEMATE SWIVEL SPRING HOOKS

Pack of 2.





CODE SIZE INS FINISH QTY PER PACK

589-0752 3" Galvanised 5 **589-1002** 4" Galvanised 5

SNAP HOOK

Heavy duty snap hook with swivel ring.



CODE 910-1402 **FINISH**

O2 Galvanised

PANIC HOOK

Heavy duty 14mm eye panic hook for tie ropes.



CODE 910-1401 **FINISH** Galvanised

GATEMATE QUICK REPAIR LINKS

Pack of 2.






CODE 591-0062 SIZE MM

QTY PER PACK FINISH 5

BZP 6 591-0082 8 BZP 5

GATEMATE MENDING LINKS FOR CHAIN



CODE **238-0062** 1¼ x ¼ (30 x 6) E-Galvanised

SIZE INS (MM) FINISH QTY PER BOX

SPIKED CHAIN ALTERNATE LINKS





CODE 235-0061

SIZE INS

FINISH Galvanised

OTY PER REEL 25 m











CODE	CODE	PACK	LENGTH	GAUGE
(GALVANISED)	(BRIGHT)	SIZE	MM	MM
601-0191	601-0194	500 g	50	2.65
611-0191	611-0194	1 kg	50	5.65
601-0081	601-0084	500 g	75	3.35
611-0081	611-0084	1 kg	75	3.35
601-0041	601-0044	500 g	100	4.5
611-0041	611-0044	1 kg	100	4.5
601-0021	601-0024	500 g	125	5.6
611-0021	611-0024	1 kg	125	5.6
601-0111	601-0114	500 g	150	6
611-0011	611-0014	1 kg	150	6







POWER PRO TIMBER SCREWS

Countersunk head Pro Screws



CODE	FINISH	SIZE MM	QTY / BOX
374-00302	BZP	4x30	200
374-00402	BZP	4x40	200
374-00502	BZP	4x50	200
375-00402	BZP	5x40	200
375-00502	BZP	5x50	200
375-00602	BZP	5x60	100
375-00702	BZP	5x70	100
375-00802	BZP	5x80	100
375-00902	BZP	5x90	100
375-01002	BZP	5x100	100
376-00802	Ruspert	5x80	100
376-01002	Ruspert	5x100	100

TIMBER HEX HEAD SCREWS

Hex Head Sure Drive Screws



CODE	FINISH	SIZE MM	QTY / BOX
441-0701	Ruspert	70mm	100
441-1001	Ruspert	100	100
441-1501	Ruspert	150	100


CUP SQUARE HEX BOLT & NUT



CODE	FINISH	SIZE MM	QTY / BOX
C101-002	BZP	M10x100	50
C101-402	BZP	M10x140	50
C101-502	BZP	M10x150	50
C101-602	BZP	M10x160	25
C101-802	BZP	M10x180	25

STEEL WASHERS

Mudguard Washers



CODE	FINISH	SIZE MM	QTY / BOX
423-0122	BZP	M8x25	100
423-0152	BZP	M10x30	100
423-0162	BZP	M10x40	100




CODE	FINISH	SIZE MM	QTY / BOX
R08-0302	BZP	M8x30	100
R08-402	BZP	M8x40	100
R08-0502	BZP	M8x50	100
R08-0602	BZP	M8x60	100
R08-0702	BZP	M8x70	100
R08-0802	BZP	M8x80	100
R08-1002	BZP	M8x100	50










Hardware & Gate Fittings

FIELD GATE HINGE SET WITH HOOKS ON PLATES (PRE-PACKED)

For 3" Gates, 2" \times 1\%" Top Band, 5" \times 2" \times 1\%" Bottom Band, 2 no. Hooks on 4" Square Plates and Fixings. This standard hinge set comes with hooks on plates to make installation easier.



CODE

SIZE INS (MM)


031-4501 18 (450) **031-6001** 24 (600)

FINISH

Galvanised Galvanised

STANDARD FIELD GATE HINGE SET (PRE-PACKED)

For 3" Gates, 2" \times \times " Top Band, 5" \times 2" \times \times \times " Bottom Band, Hook to Bolt, Hook to Drive and Fixings. A traditional hanging set for field gates complete with fixings.



CODE

SIZE INS (MM)

18 (450)

24 (600)

030-4501 030-6001 FINISH

Galvanised Galvanised

ADJUSTABLE HINGE SETS (PRE-PACKED)

For 3" Gates, 2" \times 1/4" Top Band, Adjustable Gate Eye and Heel Clips, Hook to Bolt, Hook to Drive and Fixings. An alternative field gate hanging set. The bottom fitting allows the gate to be adjusted up or down after installation. Complete with fixings.



CODE

SIZE INS (MM)

032-4501 18 (450) **032-6001** 24 (600)

FINISH

Galvanised Galvanised

ADJUSTABLE HINGE SETS WITH HOOKS ON PLATES (PRE-PACKED)

For 3" Gates, 2" x $\frac{1}{4}$ " Top Band, Adjustable Gate Eye and Heel Clips, 2 No Hooks on 4" Square Plates and Fixings. As our standard hooks on plates hinge set but with an adjustable gate eye to allow adjustment of the gate after installation



CODE

SIZE INS (MM)

033-4501 033-6001 18 (450) 24 (600) FINISH Galvanised

Galvanised

SPRING FASTENER SETS (PRE-PACKED)

For 3" Gates, Spring Fastener, Catch, Keep and Fixings. A spring latch, catch and keep to close a fieldgate. All fixings are included in this set.



CODE 036-0001 **DESCRIPTION**

FINISH c/w staple catch Galvanised

SELF LOCKING GATE CATCHES (PRE-PACKED)

An automatic catch complete with striker bar for closing gate. All fixings included.



CODE

FINISH

039-0001 Galvanised

ANIMAL SAFETY SELF LOCKING GATE CATCHES (PRE-PACKED)

An automatic gate catch complete with double leg striker and fixings. This catch is surrounded by a ring of steel to help protect livestock from damaging themselves on the catch.



CODE

FINISH

039-0041 Galvanised

DOUBLE GATE FASTENER SETS (PRE-PACKED)

A complete set of hardware to secure two gates together. Complete with fixings.



CODE 038-0001 **SIZE INS (MM)**

FINISH


For 3" gates

Galvanised

HOOKS AND CATCHES

HOOKS TO BOLT

A galvanised hook which is available separately. Fully threaded with a hole in the pin for added security.



CODE 040-3251 SIZE INS (MM)

PIN Ø MM 13 (325)

FINISH 19 Galvanised **HOOK TO DRIVE**

A gate hook normally fitted at the bottom of the post. Fully galvanised and barbed to ensure a strong fixing.



CODE 041-8191 SIZE INS (MM) 811/2 (215)

FINISH Galvanised

HOOK ON PLATE

This hook is mounted on a square plate with fixing holes which enables a gate to be hung without having to drill through the post.



CODE 042-4191 **SIZE INS (MM)**

4" sq (100)

FINISH Galvanised

HOOK ON NARROW PLATE

A narrow version of our standard hook on plate for hanging field gates.



CODE 045-0191 **SIZE INS (MM)**

3/4 (19)

FINISH Galvanised

ADJUSTABLE HOOK ON NARROW PLATE

This hook on plate allows for adjusting the gate after installation.



CODE **SIZE INS** (MM)

042-6191 3/4 (19)

FINISH

PAIRS PER BOX Galvanised 10

ADJUSTABLE GATE EYES WITH 2 NUTS

Adjustable gate eyes supplied with two nuts.



CODE	SIZE INS (MM)	FINISH	BOX QT
049-4201	4 x ¾ (100 x 20)	Galvanised	25
049-6161	6 x 5/8 (150 x 16)	Galvanised	50
049-6201	6 x ¾ (150 x 20)	Galvanised	25
049-8201	8 x ¾ (200 x 20)	Galvanised	25
049-8241	8 x 7/8 (200 x 22)	Galvanised	25

SELF LOCKING GATE CATCH

An automatic catch.



CODE 063-0001 **FINISH**

Galvanised

25

BOX QTY

SELF LOCKING GATE CATCHES HUNTING **TYPE**

An automatic catch with a long handle which can easily be reached on horseback.



CODE

FINISH

064-0001

Galvanised

STRIKERS FOR SELF LOCKING **GATE CATCHES**

A range of strikers available to complement our gate catches.



CODE

DESCRIPTION FINISH

065-0041 065-0021

Straight leg Galvanised Double leg Galvanised

GATE HOOK TO WELD

Hooks to weld with a flat base.



CODE

046-0194

SIZE INS (MM)

3/4 (19)

BOX QTY

Self colour 10

FINISH

GATE EYE TO WELD

Eyes to weld with a flat base.



CODE 047-0194 **SIZE INS (MM)**

3/4 (19)

FINISH Self colour

BOX QTY 10

WEIGHTY SCOTCH TEE HINGE

Material thickness between 2.00 and 4.00mm



CODE **SIZE INS (MM)**

004-4501 18 (450) 004-5001 20 (500) 004-6001 24 (600) **FINISH**

Galvanised 10 Galvanised 10

Galvanised 10

BOX QTY

HINGES

STRONG TEE HINGES


A heavy duty tee hinge for all types of doors. Galvanised finish for extra durability. Also available in epoxy black.

CODE	SIZE INS (MM)	FINISH	PAIRS PER BO
003-2501	10 (250)	Galvanised	10
003-3001	12 (300)	Galvanised	10
003-3003	12 (300)	Epoxy Black	10
003-3501	14 (350)	Galvanised	10
003-3503	14 (350)	Epoxy Black	10
003-4001	16 (400)	Galvanised	10
003-4003	16 (400)	Epoxy Black	10
003-4501	18 (450)	Galvanised	10
003-4503	18 (450)	Epoxy Black	10
003-5001	20 (500)	Galvanised	10
003-5003	20 (500)	Epoxy Black	10
003-6001	24 (600)	Galvanised	10
003-6003	24 (600)	Epoxy Black	10



STRAIGHT BANDS AND HOOKS ON PLATES


A heavy duty band hinge ideal for stable doors.



CODE	SIZE INS (MM)	FINISH	PAIRS PER BOX
006-3501	14 (350)	Galvanised	5
006-4001	16 (400)	Galvanised	5
006-4501	18 (450)	Galvanised	5
006-5001	20 (500)	Galvanised	5
006-6001	24 (600)	Galvanised	2
006-4001 006-4501 006-5001	14 (350) 16 (400) 18 (450) 20 (500)	Galvanised Galvanised Galvanised	5 5 5

CRANKED BANDS AND HOOKS ON PLATES

Another heavy duty band hinge which is cranked to allow the stable door to fit flush with the frame.




CODE	SIZE INS (MM)	FINISH	PAIRS PER BOX
007-3501	14 (350)	Galvanised	5
007-4001	16 (400)	Galvanised	5
007-4501	18 (450)	Galvanised	5
007-5001	20 (500)	Galvanised	5
007-6001	24 (600)	Galvanised	2

HEAVY REVERSIBLE HINGES A decorative heavy band hinge for stable doors. CODE SIZE INS (MM) FINISH PAIRS

CODE	SIZE INS (MM)	FINISH	PAIRS PER BOX
017-3001	12 (300)	Galvanised	5
017-3501	14 (350)	Galvanised	5
017-4001	16 (400)	Galvanised	5
017-4501	18 (450)	Galvanised	5
017-5001	20 (500)	Galvanised	5
017-6001	24 (600)	Galvanised	2
017-7501	30 (750)	Galvanised	2
017-9001	36 (900)	Galvanised	2







SLIP RAIL BRACKETS

A galvanised set of brackets to ease the removal and retaining of a single rail within a fence.




CODE DESCRIPTION FINISH
072-0001 For rails up to 100 x 50 mm Galvanised

BOLTS

BRENTON PADBOLTS

Our brenton padbolts are ideal for a stable door.



CODE 104-1501	SIZE INS (MM) 6 (150)	FINISH Galvanised	BOX QTY
104-2011	8 (200)	Galvanised	5
104-2501 104-3001	(with elongated ke 10 (250) 12 (300)	Galvanised Galvanised	5 5

OVAL PADBOLT

A door bolt that requires a smaller fixing area.



CODE SIZE INS FINISH BOX QTY 102-1001 4 Galvanised 10

ELONGATED KEEPS

A wider keep to allow for plenty of clearance on a stable door.



CODE FINISH BOX QTY 106-0161 Galvanised 10

GATE RETURN SPRING



CODE


SIZE INS (MM)

132-2002 8 (200) 132-2502 10 (250) **FINISH**

Finish BZP Finish BZP

AUTOLOCK ANIMAL BOLTS

An ingeniously designed bolt. Cannot be opened unless the catch and the shoot are moved at the same



CODE 108-2301

SIZE INS (MM) FINISH

6 (150)

BOX QTY

Galvanised

1/2" SPRING LOADED BOLT

A strong, spring loaded bolt complete with staple for securing a door or gate.



CODE

109-0122

SIZE INS (MM) 1/2 (12)

FINISH

E-Galvanised

10

BOX QTY

SPRING LOADED BOLT

Another spring loaded bolt for use on a door or gate, 450 mm (18") long.



CODE

SIZE INS (MM)

FINISH

BOX QTY

110-4501

1/2 (12)

Galvanised

10

18" DROP BOLT

A popular drop down bolt for securing a gate. Comes with ground sockets.



CODE 116-4501 SIZE INS (MM)

18 (450) Galvar

FINISH Galvanised

HEAVY DUTY SPRING LOADED GATE WHEEL

Heavy duty spring loaded gate wheel for carrying the gate weight.



CODE 081-3681 **SIZE INS (MM)**


14 ½ (368)

FINISH Galvanised

LATCHES AND CATCHES

AUTO GATE CATCHES

Heavy duty auto gate catch which is popular for most types of gates.




CODE 120-0021 SIZE Large FINISH Galvanised **BOX QTY**

10

6" RING GATE LATCH

A neat and easy to fix latch for any gate. Strong construction.



CODE 124-1501 **SIZE INS (MM)** 6 (150)

FINISH Galvanised

BOX QTY

CABIN HOOKS

Our wire pattern cabin hook is all galvanised and ideal for holding back a door or gate.



CODE	SIZE INS (MM)	FINISH	BOX QTY
135-1501	6 (150)	Galvanised	20
135-2001	8 (200)	Galvanised	20
135-2501	10 (250)	Galvanised	10
135-3001	12 (300)	Galvanised	10

TURN BUTTON

Useful for holding a door closed.



CODE SIZE INS (MM) 133-0502 2 (50)

FINISH E-Galvanised

HEAVY HASP AND STAPLE


A very strong security product complete with hardened staple.



CODE SIZE INS FINISH BOX QTY (MM)

139-2501 10 (250) Galvanised 10

KICK OVER STABLE LATCHES



 CODE
 SIZE INS (MM)
 FINISH
 BOX QTY

 131-2401
 9½ (240)
 Galvanised
 5

RING ON PLATE

Our popular Ring on Plate can be screwed anywhere for tying up a horse. Heavy duty ring with welded staple, available in galvanised.



CODE 246-0501

FINISH Galvanised

BUCKET CLIP

A galvanised spring clip for holding a bucket against a wall. The staple is welded for durability.



CODE

910-0001

FINISH Galvanised

STAPLE ON PLATE

This product can be used for many applications. The welded staple is sufficient for use with a padlock. Galvanised finish.



CODE

245-0501

FINISH Galvanised

HOOK ON PLATE

Our Hook on Plate will hold a rope or chain securely. Screw fixings and galvanised finish.



CODE

244-0501


FINISHGalvanised

WEB: WWW.EARLSWOODSUPPLIES.COM

EMAIL: SALES@EARLSWOODSUPPLIES.COM

MANGER RING ON EYEBOLT

Fully threaded eyebolt with nut and washer.



CODE SIZE INS (MM)FINISH

247-0752 75x200

LASHING RING


3 part lashing ring with 2 hole fixing – M10 hole. Breaking force 2270kg e.g. permitted tensile force max 1135kg.




CODE FINISH

BOX QTY

247-1501 145x100x15.5mm



CODE **SIZE INS** FINISH/ KEYED BOX/ COLOUR ALIKE **PACK OTY** (MM) 148-0500 2 (50) Brass Νo 5 148-0650 23/4 (70) Brass Νo 5








CODE	SIZE INS	FINISH/	KEYED	BOX/	
	(MM)	COLOUR	ALIKE	PACK QTY	
713-0510	2 (50)	Laminated Steel	No	5	
713-0600	2 (60)	Laminated	No	5	

Steel







HEAVY DUTY SECURITY CHAIN

Fully hardened square steel links in a PVC sheath for weather resistance.



CODE 149-1200

SIZE MM 1200

SLEEVED SECURITY CHAIN

High specification links produced from 10mm hardened steel. Large link size for use with large shackles. Fabric covered.



CODE

SIZE (MM)

149-0060

600

149-0120

1200



Smallholder Range

DRINKERS



CODE DESCRIPTION

5008-029 1.5L **5008-039** 3.5L **5008-059** 5L **5008-109** 10L

COMBINATION DRINKER

Can be hanging or ground standing including the option of four push fit legs. Tube can be stood on end for ease of filling.



 CODE
 SIZE

 5008-139
 3 litre

 5008-159
 6 litre

 5008-209
 12 litre

5003-709 Legs for combination drinker

MINI CUP DRINKER

A unique self-filling multi use drinker that can be fitted to any water container.



CAGE CUPS

Available in 5 colours. Suited to a wide range of purposes.



CODE FINISH

5008-609 Blue, Green, Red, White, Yellow

FEEDERS

EMPEROR FEEDER

Designed for use in pens, open woodland and moorland. It has a capacity of 70 litres and includes a unique rain water capture system.



NORTON FEEDER

12 kg capacity feeder with a feed flow adjuster and ergonomic carry handle that doubles as a hanger. Finned tube to minimise waste. Push fit legs can be purchased separately. Rain hat can be purchased separately.



CODE

DESCRIPTION

5003-409 12 kg feeder

5003-419 Rain hat for Norton feeder

CHENEY FEEDER

High quality popular size feeder. Comes with four push fit legs. Outdoor model has a rain hat.



CODE DESCRIPTION

5003-309 6 kg (without rain hat) **5003-309C** 6 kg outdoor c/w rain hat & legs

WESTON FEEDER

A smaller model of our Cheney Feeder. Available as indoor or outdoor version. The outdoor one has four push fit legs and a rain hat.



CODE

DESCRIPTION

5003-329 2.5 kg

2.5 kg indoor with fins

5003-329C 2.5 kg outdoor c/w rain hat & legs

SUTTON FEEDER

Made of high-grade plastic. Two adjustable height settings regulates feed supply.



CODE 5003-109

DESCRIPTION

5003-109 7 kg **5003-209** 15 kg

BASIC FEEDER

Economical, translucent plastic feeder. Allows you to see feed level.



CODE 5003-019

DESCRIPTION

5003-039 5003-059 1.5 kg chick feeder3 kg hen feeder5kg hen feeder

RAIN HATS

The rain hat is designed to fit the Norton and Aston feeders enabling them to be used outside without feed becoming wet or contaminated.



CODE

DESCRIPTION

5003-419 5003-519 Fits Norton Feeder Fits Aston Feeder

GALVANISED FEEDERS

Made of high quality galvanised sheet metal. For hanging or free standing.



CODE

DESCRIPTION

5001-051 5001-052 5 kg chick/hen feeder

5 kg chick/hen feeder c/w rain hat

5001-181

18 kg hen feeder

5001-401

40 kg hen/turkey feeder

GRIT / FEED STATION

Heavy duty and designed to provide easy access to feed and grit.



CODE 5009-309

PLASTIC FEED SCOOP Marked with graduations for accurate measuring. COLOURS AVAILABLE: CODE FINISH 919-0009 Black, Green, Red, Blue



TROUGHS

STANDARD FEEDING TROUGH

Plastic economy trough



CODE

5006-059 50 cm long x 7 cm wide

5006-509 50 cm long **5006-759** 75 cm long

GALVANISED FEEDING TROUGH

Galvanised anti-perch feeding trough




CODE

5004-001 50 cm long x 7.5 cm wide 50 cm long x 13 cm wide

5004-101 100 cm long x 13 cm wide



ANTI-PERCH FEEDING TROUGH



5005-059 50 cm long x 7 cm wide **5005-509** 50 cm long x 10.5 cm wide **5005-759** 75 cm long x 20 cm wide

BARRIER HEALTHCARE

100% natural products suitable for organic systems

LIVESTOCK LOUSE POWDER

Fully HSE Approved. A 100% natural insect repellent for use against biting and blood sucking lice by direct application to horses, ponies, donkeys, cattle, goats, rabbits and other small pets. One application remains active for up to six weeks depending on weather conditions. Suitable for use in organic farming systems. Note: Efficacy will be affected if used in conjunction with chemical based products.



CODE SIZE 5010-705 500 g

RED MITE POWDER

This kind and gentle powder is designed to be applied to all poultry. Its slow release formulation will last for up to 6 weeks depending on weather.



CODE DESCRIPTION 500 ml





ANTI-FATIGUE AND ANTI-SLIP MATTING


Upgrade corporate entrance ways through our sister company

Work Well Mats UK





We also offer:
Custom Shapes and Sizes
On-site analysis and reports
Measuring and fitting service
Wide range of standard sizes available



















E: sales@wwmuk.uk Call: 01295 757157



Agricultural Products

CODE **DESCRIPTION SIZE** WEIGHT 4301-3001 1040 x 920 x 24 mm AgriMat 23kg 4302-1007 PitZone 1000 x 1000 x 20 mm 2.5kg 4305-1807 ComfortBed 1800 x 1150 x 25 mm 35kg 4306-1807 DuraLav 1800 x 34 mm x cut to length 4300-1807 SoftBed 1800 x 24400 x 40 mm available cut to length 4094-0320 Rubberlite 1850 x 1200 x 20 4308-1010 Tudor interlocking 1000 x 1000 x 17mm



AGRIMAT

Premium solid rubber interlocking system manufactured in Canada. Stands on a stud to aid softness with high grip surface. Use anywhere cattle are slipping. Can be driven on when fixed with our stainless steel fixings.

4301-3001



TUDOR INTERLOCKING MAT

Very high abrasion resistant interlocking mat for the most demanding of areas. Easy clean hammer top and mats will not separate due to interlocking system.


4308-1010



PITZONE

EVA foam matting designed to take pressure off the milker's feet, legs and back. Interlocking lightweight yet super tough matting tile.

4302-1007



COMFORTBED

High quality 25mm thick cubicle rubber mat. Unique honeycomb base that provides softness and stability. Suitable for floormounted and suspender divider systems.

4305-1807



DURALAY

Dual mattress system with a 4mm thick linen textured rubber laid over 30mm thick polyurethane foam underlay. Superb bedding choice for a lower budget.


4306-1807



SOFTBED

Premium quality free stall barn matting system delivering outstanding warmth and comfort. Dual mat system renowned for its structural integrity and long life. Bevelled edge assists run-off of dirt and liquid. Top sheet has 22mm thick solid rubber at the edges with 10mm thick rubber through the centre, laid on 30mm polyurethane foam. Exceptional comfort and strength.

4300-1807



RUBBERLITE

20mm thick EVA & rubber mix cow bed mat with a tear drop surface. Excellent quality. **4094-0320**

STAINLESS STEEL MAT FIXING

Drive in stainless steel concrete split fixing with recessed washer. Requires 7mm hole. Size: 2.5 inches x 7mm

CODE 4302-3807



STAINLESS STEEL MAT FIXING

Drive in stainless steel mat fixings with recessed washer and plug. Requires 8mm hole. Size 3 inches x 8 mm

CODE 4302-3808



CATTLE BRUSHES

DUO COW BRUSH

Fully automatic rotating brushes alternating direction after each activation. Two brushes give complete and thorough cleaning. High quality polyamide brushes for long life.. Newly developed electronics for low maintenance fault free operation. Supplied assembled ready to mount and plug in.



HAPPY COW BRUSH

Fully automatic rotating brush. Encourages the cows natural behaviour. Easy to mount. Dense brush bristle for thorough cleaning. Supplied assembled ready to mount and

plug in.



CODE 5011-3002

SWING BRUSH

Fully automatic rotating brush. Brush can pivot in every direction to allow thorough cleaning. New powerful motor for maximum loads. Electronic controls with informative display. Designed for long life with low maintenance.



CODE 5011-2002



CODE

5011-4002

5011-4012

5011-4022

DESCRIPTION

Texas Cattle Brush Spare Brush

Spare Spring for Texas Cattle Brush.

SIZE

500 x 100 mm 500 x 100 mm

LIFTING DEVICES

COW LIFTING FRAME

Lifting device for cows, used for standing up downer cows. Clamps are infinitely adjustable to the specific bowl width. Any animal can be raised with the help of a pulley or other lifting device.



CODE 9000-0001

COW SLING LIFTING DEVICE

Developed for short to medium-term support of weak cows. Large main sling resulting in no pressure points. Adjustable to different sizes. Supplied as complete kit in a carry bag. Recommended for animals up to 1000kg live weight.

Water Market



CODE 9000-0002

DEHORNING PRODUCTS



CODE DESCRIPTION

1100-1001 Gas Buddex DeHorner

1101-1002 Gas Cartridge for Gas Buddex DeHorner

1001-1201 Spare 15mm Dehorning Tip for Gas Buddex DeHorner

TOOLS

MANURE SCRAPER HALF ROUND

Galvanised shaft. Bolted with interchangeable, ammonia-resistant rubber scraper. High quality blend with mesh insert ensuring maximum flexibility while preventing the occurrence of fractures and cracks. Sturdy design with reinforced back. Shaft holder with wing-nut. Complete with handle. Size: 73cm



TAILWELL2 POWER TAIL TRIMMER

Fits to most battery powered screwdrivers operating at 14 volt. Removes all tail hair in seconds, even completely matted with dung and dirt. Easy to sharpen with the supplied specially developed sharpening paste. Supplied in handy plastic case for safe storage. Included DVD and Handbook. Drill not included.



9001-0001 9001-0011


Manure Scraper Half Round Replacement rubber blade for

Manure Scraper Half Round.

COLOSTROSTART SET

Colostrum bags with their aluminium lining are designed to cool and heat at maximum rate removing the risk of bacteria breeding. Bags are single use and by attaching the supplied teat or feeding tube,







AGRICULTURAL ACCESSORIES

FEEDING BUCKET WITH FIXCLIP-VALVE AND VITAL TEAT

Complete with FixClip valve and teat.

- 8 Litres
- Metal handle
- Acid proof
- Food Safe
- Easy to clean
- Mounting bracket sold separately Product Code 9020 -1021
- Spare FixClip Valve with Vital Teat 9020-1003
- Vital Teat for FixClip Valve 9020-1013



CODE DES

DESCRIPTION

9020-1001

Feeding Bucket

9020-1021

Mounting bracket for Feeding Bucket

Suitable for 9020-1001 and 9020-1002

PLASTIC CALF FEEDING BUCKET

Transparent feeding bucket complete with red teat and valve. 8 Litre capacity with measuring scale on both sides.

- Metal handle
- Acid proof
- Food Safe
- Easy to clean
- Mounting bracket sold separately -Product Code 9020 -1021
- Spare valve 9020-1022
- Spare valve and teat 9020-1023
- Spare teat 9020-1033



CODE

DESCRIPTION

9020-1002 9020-1022 Plastic Calf Feeding Bucket

Occupied Valve. Spare valve for Calf feeding

bucket - Product code 9020 -1002

FIXCLIP VALVE WITH VITAL TEAT

Patented clip fastener making the removal, instillation and cleaning of the valve and teat easier and faster. Minimal bacterial load, minimal time required for valve replacement. FixClip consists of 3 pats, valve body (a) with straight intake supports making them easier to access for cleaning, Removable valve flap (b), Clip (c) for fixing the teat and valve body to the bracket. Suitable for all feeding buckets with a hole size 36-38mm but only usable with specially developed Vital and Super teats.



CODE 9020-1003

VITAL TEAT FOR FIXCLIP VALVE

The shape and materials of the Vital Teat promote natural suckling behaviour in calves. Slower and more challenging sucking, reducing the amount of mutual sucking. Increased saliva ensures better digestion. Box of 5.



CODE 9020-1013

SPARE VALVE WITH 100MM SUPER TEAT

Complete valve and Super Teat for the Plastic Calf Feeding Bucket. Display pack of 2.



CODE 9020-1024

SUPER TEAT FOR PLASTIC CALF FEEDING BUCKET

Spare 100mm Super Teat - X pierced and suitable for the Plastic Calf Feeding Bucket. Display pack of 3.



CODE 9020-1033

CALF FEEDING TROUGH

5 teat outlets for simultaneous feeding of 5 calves. 30 litre capacity. Rounded corners resulting in easy cleaning. Acid proof, food safe. No fixings or teats included.



CODE

DESCRIPTION

9020-1023 700 x 354 x 278 mm









Hygiene Products

ULTRA-GRIME MULTI-USE XXL CLOTHWIPES

BIGGER: Over twice the size of regular wipes. Huge absorbency capacity

WETTER: Stay wet & usable for over 1 hour. Pack does not dry out, even when left open for days.

FREE COUNTERTOP POS DISPLAY STAND WHEN YOU BUY 18 PACKS



CODE

1000-5100

OTY Pack of 100 XXL wipes

ULTRA-GRIME PET WIPES

Ultra-Grime life pet clothwipes are purrfect for paws, claws and dirty floors.

- For Pets, pet equipment and household surfaces
- 80 sheets per pack

Features and benefits

- These XXL pet clothwipes have been especially designed to keep your pet and home clean. Tough on mess and kind to furry friends, the cloth-like fabric easily cleans up mess & mud on upholstery, tiles, leather and carpets.
- High moisture retention & absorption
- Huge wipes double the size of common wipes
- Leaves surfaces looking and smelling fresher
- Wipes stay wet even when the lid is left open
- Designed for pets with cosmetic grade ingredients.





CODE

1000-6100 Pack of 80 XXL wipes

CLINICAL MIDI DISINFECTANT SURFACE WIPES

Highly effective disinfectant cleaning wipes with outstanding microbiocidal performance. Clinical Midi-Wipes are active against bacteria, fungi & viruses. With dual action cleaning and disinfecting properties.



CODE

OTY

1000-4200

Pack of 200 wipes

CENTRE FEED ROLL – 2 PLY

Ideal for surface wiping and hand drying. Allows you to tear as little or as much as you require. Hygienic, convenient and economical.



COLOURS AVAILABLE:



CODE QTY

1000-1006 Pack of 6, 150m per roll

INSTANT 70% ALCOHOL HAND SANITISER

Kills 99.99% of bacteria & germs Child safe bottles Long lasting protection Fragrance free



CODE SIZE 1000-0050 50ml



1000-3050

Box of 50

LUXURY HAND SOAP - ANTI BACTERIAL

A luxury soft white antibacterial hand soap. Use on a regular basis to help reduce the risk of cross contamination.



CODE **SIZE** 1000-2001 1L 1000-2005 5L

PINE DISINFECTANT SOLUTION

A strong green pine QAP 30 disinfectant designed to kill germs and bacteria.



CODE SIZE 1000-2105 5L

PREMIUM TFR CONCENTRATE 350

Our premium traffic film remover is a super concentrate with a dilution rate of 350-1. This TFR is highly popular due to its effectiveness at the rapid removal of soiling, grease and general traffic film.

With high foaming action, it is ideal for power washing stables through hot or cold pressure washer systems.



INDUSTRIAL HAND CLEANING PASTE

The powerful cleaning paste has been manufactured to a grade paste consistency for extreme environments. Specially selected blend of natural citrus terpene, abrasive pumice compound and additional detergents to provide rapid removal of grease, oil and general dirt.



51

CODE

1000-2225

INDEX

CA	TEGORY	PAGE	CA	ATEGORY	PAGI
Δ	Aluminium Shovel	22,170		Calf Feeding Trough	169
•	All Purpose Broom	28		Centre Feed Roll	173
	Anti-Weaver Grille	38		control recurrent	170
	Autolock Animal Bolts	125,146	D	Dirt Buster Entrance Mat	14
	Auto Gate Catch	126,147	_	Dual Wheel Wheelbarrow	17
	Agrimat	162		Dustpan & Brush	27
	Agrillat	102		Dustbin 85L	35
3	Broad Rib Rubber	9		Dustbin 70L	35
•	Broughton Fitness Mat	12		Dustbin 50L	35
	Briquettes	12		Dustbin 110L	36
	Barrow Bag	21		Door Grille	38
	Bass Broom	28		Dressage Markers	53
		30			55 55
	Bucket 3 Gallon			Drinking Bowl	
	Bucket Holder	30		Drop Bolt	147
	Bucket 2 Gallon	30		Drinkers	154
	Bucket 6 Gallon	32		Duralay	163
	Blanket Hanger	42		Durafloor	8
	Boot Jack	48		Disinfectant	174
	Bungee Trailer Tie	52	_		
	Beastie Brushes	59	Ε	EVA Matting	10
	Bucket Brush	59		EVA Fixings	10
	Batteries	86-87		Ergo-Tred	13
	Brenton Padbolts	125,145		Economy Barrow	16
	Bands & Hooks on Plates	124,143		Energisers 9V	77
	Bolts - Cup Square	135		Energisers 12V	78-79
	Bucket Clip	130,149		Energisers D Battery	78
	Bulbs	159,167		Energisers Mains	80
				Energisers Multi Voltage	81-82
;	Continuous Roll Rubber	7		Energisers Solar	85
	Coco Broom	28		Earth Stake	85
	Corn Broom	28		Eyebolt	130,150
	Calf Bucket	31		Elongated Keep	145
	Corner Manger	34		,	
	Corner Manger Support Frame	34	F	Fine Rib Rubber	9
	Corner Hayrack	39		Foot Bath Mat	13
	Corner Hayrack	40		Forged Forks	21,170
	Corner Haylage Rack	40		Fynalite Forks	23-26
	Corner Feeding Station	41		Fynalite Rake	26
	Clip on Saddle Rack	45		Feed Mixer Bucket	31
	Cleaning Hook	46		Flat Sided Bucket	31
	Cross Tie Chain	52		Feeding Bowl	34
	Covaliero Grooming Brushes	60		Folding Saddle Rack	44
	Combee T	70		Folding Pole Saddle Rack	45
	Cotton Wool	70		Feed Scoop	51,157
	Conductive Wire	89		Fence Netting	101
	Cabin Hook	128,148		Fence Testers	113
	Carbine Hooks	131		Fly Paper Roll	120
	Chain	132,133			120
	Coach Screws	132,133		Flycage 2	
				Field Gate Hinge Sets	138
	Combination Drinkers	154 157		Feeders	155,156
	Cage Cups	154		Feeding Trough	158
	Comfortbed	162		Feeding Bucket	168
	Cow Brushes	164		Fix Clip Valve	168
	Cow Lifting Frame	165		Face Mask	173
	Cow Lifting Sling	165			
	Colostrostart Set	166			
	Calf Milk Heater	167			

INDEX

CATEGORY		PAGE	CA	TEGORY	PAGE	
	Granulistic Liquid Rubber	7		Hook on Plate-Adjustable	141	
	Grip Top Matting	8		Hasp and Staple	148	
	Ground Ring Mat	11		Hand Sanitiser	173	
					173	
	Gym Flooring	12		Hand Cleaning Paste	1/4	
	General Purpose Wheelbarrow	17	_			
	General Purpose Broom	27	ı	Insertion Rubber	9	
	Galvanised Bucket	31		Incinerator	36	
	Galvanised Dustbin	36		Infil Panel	38	
	Grille Sockets	38		Internal Stable Grille	39	
	Grippee Brushes	58		Insulators	102-106	
	Grooming Boxes	65-67		Insultube	103	
	Gate Handles	111-112		Infrared Lamp	159,167	
	Garage Door Bolt	126		illilared Larrip	137,107	
				I-:-+ CI+	11	
	Gate Catch-Self Locking	139,141	J	Joint Sealant	11	
	Gate Catch-Animal Safety	139		Junior Wheelbarrow	16	
	Gate Eyes	141		Junior Manure Collector Set	49	
	Gate Catch-Hunting Type	141		Jump Cup Support Bars	52	
	Gate Hook to Weld	142		Jump Cups	53	
	Gate Eye to Weld	142		Joiners	107-108	
	Gate Return Spring	146				
	Gate Wheel	147	K	KBF99 Grooming	63-64	
	Grit Station	157		Kick Over Stable Latch	127,148	
	Gas Buddex	165		Linch Pins	136	
	H2go Bag	20	L	Lokmat	6	
	Harold Moore Standard Shovel	23		Logo Entrance Mat	14	
	Hand Shovel	23		Large Capacity Wheelbarrow	18	
	Hook Over Manger	33		Large Plastic Shovel	22,170	
	Hay Soaker	36		Luggage Rack	46	
	Heavy Duty Grille	39		Lead Rope	55	
	Hayrack Fixing Clips	41		Lilli Starlight Brushes	61	
	Hay-Graze Feeder	41		Lead Out Cable	98	
	Head Collar Hook	43		Lead Sets	99-100	
	Hook Set	43		Lashing Ring	150	
	Hook Over Saddle Rack	45		Louse Powder	159	
	Handy Hanger	46				
	Helmet Hanger	46	М	Mat Adhesive	11	
	Hose Fittings	50		Maxi Guard	13	
	Hose Pipe	50		Muck Bucket	32	
	Hose Holder	50		Manure Collector & Rake	48	
	Himalayan Salt	54		Manure Shaker & Rake Set	49	
		54			47	
	Hay Ball			Multi Purpose Knife		
	Hay Nets	56		Magic Brush Soft	62	
	Haylage Nets	56		Magic Brush	63	
	Hoof Pick	59		Mounting Post	96	
	Hoof Oil Brush	60		Mouse Traps	120	
	Hi-Viz	71-72		Monkey Tail Bolt	144	
	Horsefly Trap	121		Manuré Scraper	166	
	Horsefly Glue	122				
	Horsefly Bucket Trap	122	N	Nails Pre Packed	134	
	Honey Dovorsible Linese		14			
	Heavy Reversible Hinges	125,144		Nails Tubs	134	
	Hunting Type Latch	127		Nails Clout Head	134	
	Heavy Hasp & Staple	128				
	Hook on Plate	129,149	0	Oval Padbolt	145	
	Hooks to Bolt	140				
	Hook on Plate (Field Gate)	140				
	• • • • • • • • • • • • • • • • • • •	140				

SALES LINE: 01295 758734

CA	ATEGORY	PAGE	CA	TEGORY	PAGE
Р	Premium Stable Mat	6		Spray Nozzle	50
•	PVC (Clear)	10		Stirrer	51
	Platform Trolley	20		Stall Chain	52
	PVC Brooms	27		Salt Lick Holder	53
	Pet Feed container	35		Stud Card Holder	55
	Play Ball	54		Sweat Scraper	59
	Poldress	70		Sealing Tape	69
	Patura Electric Fencing	73-118		Solar Panel	84
	Polywire	91		Spring Gate Set	110
	Polyrope	92-93		Spinning Jenny	114
	Polytape	93-95		Spring Loaded Bolt	126,146
	Pigtail Insulators	107		Slip Rail Bracket	127
	Posts	108-109		Staple on Plate	130,149
	Polytape Gate Set	111		Swivel Harness Snap Hook	131
	Pliers	114		Snap Hook	131
	Padlock Protector	129		Staples	134
	Panic Hook	132		Screws Power Pro	135
	Padlocks	150,151		Screws Hex Head	135
	Pitzone	162		Spring Fastener Sets	139
	Pet Wipes	172		Slip Rail Brackets	145
	i et mpes	172		Security Chain	152
R	Rubberlite Mat	7,163		Softbed	136
	Ramp Mat	8		Stainless Steel Fixings	163
	Ramp Carpet	8		Sanitising Wipes	173
	Rubber Sheeting	9		Soap	174
	Rubber Adhesive	11		Зоцр	174
	Metal Pan Wheelbarrow	17	Т	Tudor Interlocking mat	7,162
	Rake	26	•	Twin Wheel Barrow	19
	Rubber Feed Skip	32		Tyre Bowl	34
	Rug Hanger	42		Tool Holders	47
	Rug Rail	42		Tack Cabinet	55/68
	Round Bowl Scoop	51,157		Tee Hinges	124,143
	Reel	96		Tower Bolt	144
	Rope Gate Set	111		Turn Button	148
	Rat Traps	120		Tail Trimmer	166
	Ring Gate Latch	126,147		Teats	169
	Ring on Plate	130,149		TFR Concentrate	174
	Repair Links	130,147		TTR Concentrate	174
	Rope	133	U	Ulti-Mat	12
	Roofing Bolts	136	Ū	Ultra-Grime Wipes	172
	Rain Hats	156		otti a orinic wipes	172
	Red Mite Powder	159	W	Wycombe Stable Mat	6
	Neu Mite i owdei	137	**	Water Carrier	34
S	Stanbridge Stable Mat	6		Wall Hayrack Heavy Duty	39
3	Spiked Roller	8		Wall Hayrack	40
	Scraper Mat	13		Wall Haylage Rack	40
	Super Barrow	16		Western Saddle Rack	44
	Stable Barrow	18		Wellington Rack	47
	Sack Truck	20		Wraptec	69
	Shavings Fork	21		Wire Strainer	97
	Shavings Fork (Economy)	22		Wasp Trap	121
	Superbucket	30		Weighty Scotch Tee Hinges	124,142
	Super Size Container	30		Washers	124,142
	Super Size Container Supertub	32		***************************************	133
		33 43	Υ	Yard Scoop	22
	Saddle Display Stand Saddle Rack	43 44	•	Yard Rake	26
		44 49		iaiu ivanc	20
	Spring Balance	47			

TERMS & CONDITIONS

1. INTERPRETATION

Definitions. In these Conditions, the following definitions apply:

Business Day a day (other than a Saturday, Sunday or public holiday) when banks in London are open for business.

the terms and conditions set out in this document as amended from Conditions Contract

the terms and conduions set out in his document as amended from time to time in accordance with clause 11.6. the contract between the Supplier and the Customer for the sale and purchase of the Gods in accordance with these Conditions, the person or firm who purchases the Goods from the Supplier.

Customer t Force Majeure Event

Order

has the meaning given in clause 10. the goods [or any part of them] set out in the Order. the Customer's order for the Goods, as set out in the Customer's written acceptance of the Supplier's quotation, or overleaf, as the case

Specification Supplier

written acceptance of the Supplier's quotation, or overleaf, as the case may specification for the Goods, including any related plans and drawings, that is agreed in writing by the Customer and the Supplier. Earlswood Supplies Limited [registered in England and Wales with company number 8814584].

Construction. In these Conditions, the following rules apply:

(a) A person includes a natural person, corporate or unincorporated body [whether or not having separate legal personality].

(b) A reference to a party includes its personal representatives, successors or permitted assigns.

(c) A reference to a statute or statutory provision is a reference to usch statute or provision includes any subordinate legislation made under that statute or statutory provision includes any subordinate legislation made under that statute or statutory provision includes any subordinate legislation made under that statute or statutory provision includes any subordinate legislation made under that statute or statutory provision includes any subordinate legislation made under that statute or statutory provision, as amended or re-enacted.

(d) Any phrase introduced by the terms including, include, in particular or any similar expression shalt be construed as illustrative and shalt not limit the sense of the words preceding those terms.

BASIS OF CONTRACT

- These Conditions apply to the Contract to the exclusion of any other terms that the Customer seeks to impose or incorporate, or which are implied by trade, custom, practice or course of dealing. The Order constitutes an offer by the Customer to purchase the Goods in accordance with these Conditions. The Customer is responsible for
- in accordance with these Colonions. The Gustomer is responsible for ensuring the terms of the Order and any applicable Specification are complete and courate. The Order shall only be deemed to be accepted when the Supplier issues a written acceptance of the Order or commences performed of the Contract by delivering the Goods at which point the Contract
- of the Contract by delivering the Goods at which point the Contract shall come into existence.

 The Contract constitutes the entire agreement between the parties. The Customer acknowledges that it has not relied on any statement, promise, representation, assurance or warranty made or given by or on behalf of the Supplier which is not set out in the Contract. Any samples, drawings, descriptive matter, or advertising produced by the Supplier's catalogues or brochures are produced for the sole purpose of giving an approximate idea of the Goods described in them. They shall not form part of the Contract or have any contractual force. A quotation for the Goods given by the Supplier shall not constitute an offer. A quotation shall only be valid for a period of 30 Business Days from its date of issue.
- from its date of issue.

- The Goods are described in the Supplier's catalogue as modified by any
- The Goods are described in the Supplier's catalogue as modified by any applicable Specification.

 To the extent that the Goods are to be manufactured in accordance with a Specification supplied by the Customer, the Customer shall indemnify the Supplier against all liabilities, costs, expenses, damages and losses fincluding any direct, indirect or consequential losses, loss of profit, loss of reputation and all interest, penalties and legal and other professional costs and expenses Justfered or incurred by the Supplier in connection with any claim made against the Supplier for actual or alleged infringement of a third party's intellectual property rights arising out of or in connection with the Supplier's use of the Specification. This clause 3.2 shall survive termination of the Contract. The Supplier reserves the right to amend the specification of the Goods if required by any applicable statutory or requlatory requirements.
- if required by any applicable statutory or regulatory requirements.

DELIVERY

- The Supplier shall ensure that:
- The Supplier shall ensure that:

 [a] each delivery of the Goods is accompanied by a delivery note which shows the date of the Order, all relevant Customer and Supplier reference numbers, the type and quantity of the Goods including the code number of the Goods, where applicable, special storage instructions [if any] and, if the Order is being delivered by instalments, the outstanding balance of Goods remaining to be delivered; and if the Supplier requires the Customer to return any packaging materials to the Supplier, that fact is clearly stated on the delivery note. The Customer shall make any such packaging materials available for collection at such times as the Supplier shall reasonably request. Returns of packaging materials shall be at the Supplier's expense. The Supplier shall deliver the Goods to the location set out in the Order or such other location as the parties may agree [Delivery Location] at any time after the Supplier notifies the Customer that the Goods are ready.
- 43
- any time after the Supplier notifies the Customer that the Goods are ready. Delivery of the Goods shall be completed on the Goods' arrival at the Delivery Location.

 Any dates quoted for delivery are approximate only, and the time of delivery is not of the essence. The Supplier shall not be liable for any delay in delivery of the Goods that is caused by a Force Majeure Event or the Customer's failure to provide the Supplier with adequate delivery instructions or any other instructions that are relevant to the supply of the Goods.

 If the Supplier fails to deliver the Goods, its liability shall be limited to the costs and expenses incurred by the Customer in obtaining replacement goods of similar description and quality in the cheapest market available, less the price of the Goods. The Supplier shall have no liability for any failure to deliver the Goods to the extent that such failure is caused by a Force Majeure Event or the Customer's failure to provide the Supplier with adequate delivery instructions or any other instructions that are relevant to the supply of the Goods. If the Customer fails to take delivery of the Goods within three Business Days of the Supplier notifying the Customer that the Goods

- are ready, then, except where such failure or delay is caused by a Force Majeure Event or the Supplier's failure to comply with its
- Force Majeure Event or the Supplier's failure to comply with its obligations under the Contract:

 (a) delivery of the Goods shall be deemed to have been completed at 9.00 am on the third Business Day after the day on which the Supplier notified the Customer that the Goods were ready; and

 (b) the Supplier shall store the Goods until delivery takes place, and charge the Customer for all related costs and expenses (including insurance).
- If 10 Business Days after the day on which the Supplier notified the Customer that the Goods were ready for delivery the Customer has not accepted delivery of them, the Supplier may resell or otherwise indispose of part or all of the Goods and, after deducting reasonable storage and selling costs, account to the Customer for any excess over the price of the Goods or charge the Customer for any shortfall below the price of the Goods.

 The Customer shall not be entitled to reject the Goods if the Supplier delivers up to and including 5% more or less than the quantity of Goods ordered.
- Goods ordered.

 The Supplier may deliver the Goods by instalments, which shall be invoiced and paid for separately. Each instalment shall constitute a separate Contract. Any delay in delivery or defect in an instalment shall not entitle the Customer to cancel any other instalment. 4.9

- The Supplier warrants that on delivery the Goods shall:

 (a) conform in all material respects with their description and any applicable Specification; and
- b) be free from material defects in design, material and workmanship. Subject to clause 5.3, if:
 [a] the Customer divergent in the control of 5.2
 - t to clause 5.5, if the Customer gives notice in writing to the Supplier within a reasonable time of discovery that some or all of the Goods do not comply with the warranty set out in clause 5.1; the Supplier is given a reasonable opportunity of examining such

 - Goods,

 Colombia to the Customer (if asked to do so by the Supplier) returns such Goods to the Supplier's place of business at the Customer's cost;

 (d) the Supplier in its reasonable opinion having examined such Goods finds that such Goods do not comply with the warranty set out in clause 5.1, the Supplier shall, at its option, repair or replace the defective Goods, or refund the price of the defective Goods in full.

 The Supplier shall not be liable for Goods failure to comply with the warranty set out in clause 5.1 in any of the following events:

 [a] the Customer makes any further use of such Goods after giving notice in accordance with clause 5.2; the defect arises because the Customer failed to follow the Supplier's oral or written instructions as to the storage, commissioning.
- 5.3

 - oral or written instructions as to the storage, commissioning, installation, use and maintenance of the Goods or (if there are none)
 - (c)
 - (d)
 - (e)
 - installation, use and maintenance of the Goods or lif there are nonel good trade practice regarding the same; the defect arises as a result of the Supplier following any drawing, design or Specification supplied by the Customer; the Customer alters or repairs such Goods without the written consent of the Supplier; the defect arises as a result of fair wear and tear, wilful damage, negligence, or abnormal storage or working conditions; or the Goods differ from their description as a result of changes made to ensure they comply with applicable statutory or regulatory reguirements.
- Except as provided in this clause 5, the Supplier shall have no liability to the Customer in respect of the Goods' failure to comply with the warranty set out in clause 5.1.
- The terms implied by sections 13 to 15 of the Sale of Goods Act 1979 are, to the fullest extent permitted by law, excluded from the Contract. These Conditions shall apply to any repaired or replacement Goods supplied by the Supplier. 5.5

6. TITLE and RISK

- The risk in the Goods shall pass to the Customer on completion of
- delivery.

 Title to the Goods shall not pass to the Customer until the earlier of:

 [a] the Supplier receives payment in full (in cash or cleared funds) for the
 Goods and any other goods that the Supplier has supplied to the
 Customer in respect of which payment has become due, in which case
 title to the Goods shall pass at the time of payment of all such sums;

 and
 - and the Customer resells the Goods, in which case title to the Goods shall the Customer resells the Goods in which case title to the Goods shall be closed k k(b)
- (a) the Customer resetts free bodos, in which case tittle to the Goods shall be the Customer at the time specified in clause 6.4.

 Until tittle to the Goods has passed to the Customer, the Customer shall:
 a store the Goods separately from all other goods held by the Customer so that they remain readily identifiable as the Supplier's property;
 not remove, deface or obscure any identifying mark or packaging on or relating not good to be considered to the consideration of the consideration 6.3
- Icl maintain the Goods in satisfactory condition and keep them insured against all risks for their full price from the date of delivery; (d) notify the Supplier immediately if the becomes subject to any of the events listed in clause 8.2; and (e) give the Supplier such information relating to the Goods as the Supplier may require from time to time. Subject to clause 6.4, the Customer may resell or use the Goods in the ordinary course of its business (but not otherwise) before the Supplier receives payment for the Goods. However, if the Customer resells the Goods before that time: 6.4
- time:

 [a] it does so as principal and not as the Suppliers' agent; and
 [b] title to the Goods shall pass from the Supplier to the Customer
 immediately before the time at which resale by the Customer occurs.

 If before title to the Goods passes to the Customer
 the Customer becomes subject to any of the events listed in clause 8.2,
 then, without limiting any other right or remedy the Supplier may have:
 [a] the Customer's right to reself the Goods or use
 them in the ordinary course of its business ceases
 - immediately; and

 - immediately; and the Supplier may at any time: require the Customer to deliver up all Goods in its possession which have not been resold, or irrevocably incorporated into another product; and if the Customer fails to do so promptly, enter any premises of the Customer or of any third party where the Goods are stored in order to receiver them.
 - recover them.

TERMS & CONDITIONS

7. PRICE and PAYMENT

- ICE and PAYMENT

 The price of the Goods shall be the price set out in the Order, or, if no price is quoted, the price set out in the Supplier's published price list in force as at the date of deliver, force to the Customer at any time before delivery, increase the price of the Goods to reflect any increase in the cost of the Goods to reflect any increase in the cost of the Goods that is due to:

 (a) any factor beyond the Supplier's control (including foreign exchange fluctuations, increases in taxes and duties, and increases in labour, materials and other manufacturing costs);

 (b) any request by the Customer to change the delivery date(s), quantities or types of Goods ordered, or the Specification; or

 (c) any delay caused by any instructions of the Customer or failure of the Customer to give the Supplier adequate or accurate information or instructions.

 The price of the Goods is exclusive of the costs and charges of packaging, insurance and transport of the Goods, which shall be invoiced to the Customer. The price of the Goods is exclusive of amounts in respect of value
- insurance and transport of the Goods, which shall be invoiced to the Customer. The price of the Goods is exclusive of amounts in respect of value added tax (VAT). The Customer shall, on receipt of a valid VAT invoice from the Supplier, pay to the Supplier such additional amounts in respect of VAT as are chargeable on the supply of the Goods. Unless otherwise agreed in writing by the Supplier [in which case clause 7.6 shall apply], payment for the Goods must be made in advance of delivery to the back pressure promoted in writing by the Supplier.
- shall applyl, payment for the Goods must be made in advance of delivery to the bank account nominated in writing by the Supplier.
 Where the Supplier agrees to provide the Customer with extended payment terms, it shall do in writing and the Customer shall pay the invoice in full and in cleared funds by the end of the month following the of the date of the invoice. Payment shall be made to the bank account nominated in writing by the Supplier. Time of payment is of the essence. 7.6
- the Supplier. Time of payment is of the essence. If the Customer falls to make any payment due to the Supplier under the Contract by the due date for payment, then the Customer shall pay interest on the overdue amount at the rate of 4% per annum above Barclay Bank plc's base rate from time to lime. Such interest shall accrue on a daily basis from the due date until actual payment of the overdue amount, whether before or after judgment. The Customer shall pay the interest together with the overdue amount. The Customer shall pay all amounts due under the Contract in full without any set-off, counterclaim, deduction or withholding lexcept for any deduction or withholding required by Jawl. The Supplier may at any time, without limiting any other rights or remedies it may have, set off any amount owing to it by the Customer against any amount payable by the Supplier to the Customer.

TERMINATION and SUSPENSION

- If the Customer becomes subject to any of the events listed in clause
- 82
- If the Customer becomes subject to any of the events listed in clause 8.2, the Supplier may terminate the Contract with immediate effect by giving written notice to the Customer. For the purposes of clause 8.1, the relevant events are:

 (a) the Customer suspends, or threatens to suspend, payment of its debts, or is unable to pay its debts as they fall due or admits inability to pay its debts, or Ibeing a company or limited liability partnership is deemed unable to pay its debts within the meaning of section 123 of the pay its debts or as having no reasonable prospect of so doing, in either case, within the meaning of section 286 of the Insolvency Act 1986, or [being a partnership] has any partner to whom any of the foregoing apply;
 - being a partnershipl has any partner to whom any of the foregoing apply:
 the Customer commences negotiations with all or any class of its creditors with a view to rescheduling any of its debts, or makes a proposal for or enters into any compromise or arrangement with its creditors other than (where the Customer is a company) where these events take place for the sole purpose of a scheme for a solvent amalgamation of the Customer with one or more other companies or the solvent reconstruction of the Customer; Ibeing a company] a petition is filed, a notice is given, a resolution is passed, or an order is made, for or in connection with the winding up of the Customer, other than for the sole purpose of a scheme for a solvent amalgamation of the Customer with one or more other companies or the solvent reconstruction of the Customer; Ibeing a company) an application is made to court, or an order is made, for the appointment of an administrator or if a notice of intention to appoint an administrator is given or if an administrator is appointed over the Customer;
 - [c]
 - (d)
 - over the Customer; [being a company] the holder of a qualifying floating charge over the Customer's assets has become entitled to appoint or has appointed an (e)
 - (f)
 - (g)
 - Customer's assets has become entitled to appoint or nos appointed on administrative receiver; a person becomes entitled to appoint a receiver over the Customer's assets or a receiver is appointed over the Customer's assets; being an individual the Customer is the subject of a bankruptcy petition or order; a creditor or encumbrancer of the Customer attaches or takes possession of, or a distress, execution, sequestration or other such process is levied or enforced on or sued against, the whole or any part of its assets and such attachment or process is not discharged within 1.4 davs. (h)
 - of its assets and second to determine the dependence of the Customer in any jurisdiction to which it is subject that has an effect equivalent or similar to any of the events mentioned in clause 8.2[a] to clause 8.2[f] (i)
 - (i) the Customer suspends, threatens to suspends, ceases or threatens to
 - (k)
 - the Customer suspends, threatens to suspends, ceases or threatens to cease to carry on all or a substantial part of its business; the Customer's financial position deteriorates to such an extent that in the Supplier's opinion the Customer's capability to adequately fulfilit obligations under the Contract has been placed in jeopardy; and being an individual the Customer dies or, by reason of illness or incapacity (whether mental or physical), is incapable of managing his contracts of the contract of the contract has the contract of the contract of the contract of the contract health. or her own affairs or becomes a patient under any mental health
- or ner own airars or becomes a patient under any mental neatin legislation.

 Without limiting its other rights or remedies, the Supplier may suspend provision of the Goods under the Contract or any other contract between the Customer and the Supplier if the Customer becomes subject to any of the events listed in clause 8.2(a) to clause 8.2(l), or the Supject to any of the events usted in clause 6.2(a) to clause 6.2(l), or in Supplier reasonably believes that the Customer is about to become subject to any of them, or if the Customer fails to pay any amount due under this Contract on the due date for payment.

 On termination of the Contract for any reason the Customer shall immediately pay to the Supplier all of the Supplier's outstanding unpaid invoices and interest.
- Termination of the Contract, however arising, shall not affect any of the parties' rights, remedies, obligations and liabilities that have accrued 8.5

as at termination. Clauses which expressly or by implication survive termination of the Contract shall continue in full force and effect.

- Nothing in these Conditions shall limit or exclude the Supplier's liability for:

 (a) death or personal injury caused by its negligence, or the negligence of its employees, agents or subcontractors [as applicable]; fraud or fraudulent misrepresentation; (c) breach of the terms implied by section 12 of the Sale of Goods Act
- reach of the terms implied by section 12 of the Sale of Goods Act 1979; or

 defective products under the Consumer Protection Act 1987.

 Subject to clause 9.1:

 a) the Supplier shall under no circumstances whatever be liable to the Customer, whether in contract, tord including negligencel, breach of statutory duty, or otherwise, for any loss of profit, or any indirect or consequential loss arising under or in connection with the Contract;
 - and the Supplier's total liability to the Customer in respect of all other losses arising under or in connection with the Contract, whether in contract, tor'l including negligencel, breach of statutory duty, or otherwise, shall in no circumstance exceed the price of the Goods.

FORCE MAJEURF

FORCE MAJEURE

Neither party shall be liable for any failure or delay in performing its obligations under the Contract to the extent that such failure or delay is caused by a Force Majeure Event. A Force Majeure Event means any event beyond a party's reasonable control, which by its nature could not have been foreseen, or, if it could have been foreseen, was unavoidable, including strikes lock-outs or other industrial disputes (whether involving its own workforce or a third party's), failure of energy sources or transport network, acts of God, war, terrorism, riot, civil commotion, interference by civil or military authorities, national or international calamity, armed conflict, malicious damage, breakdown of plant or machinery, nuclear, chemical or biological contamination, sonic boom, explosions, collapse of building structures, fires, floods, storms, earthquakes, loss at sea, epidemics or similar events, natural disasters or extreme adverse weather conditions, or default of suppliers or subcontractors.

GENERAL 11.

11.1

- Assignment and other dealings.

 [a] The Supplier may at any time assign, transfer, mortgage, charge, subcontract or deal in any other manner with all or any of its rights or obligations under the Contract.
 - Designations under the Lontract.

 The Customer may not assign, transfer, mortgage, charge, subcontract, declare a trust over or deal in any other manner with any or all of its rights or obligations under the Contract without the prior written consent of the Supplier.

11.2

- Notices.

 (a) Any notice or other communication given to a party under or in Any notice of other communication given to a party under of in connection with the Contract shall be in writing, addressed to that party at its registered office [if it is a company] or its principal place of business [in any other case] or such other address as that party may have specified to the other party in writing in accordance with this clause, and shall be delivered personally, sent by pre-paid first class past or other next working day delivery service, commercial courier, fax or e-mail.
- fax or e-mail.

 A notice or other communication shall be deemed to have been received: if delivered personally, when left at the address referred to in clause 11.2(a); if sent by pre-paid first class post or other next working day delivery service, at 9.00 am on the second Business Day after posting; if delivered by commercial courier, on the date and at the time that the courier's delivery receipt is signed; or, if sent by by fax or e-mail, one Business Day after transmission. The provisions of this clause shall not apply to the service of any proceedings or other documents in any legal action.

- Severance.

 (a) If any provision or part-provision of the Contract is or becomes invalid,

 If any provision or part-provision of the Contract is or becomes invalid,

 If any provision or part-provision of the Contract is or becomes invalid,

 If any provision or part-provision of the Contract is or becomes invalid,

 If any provision or part-provision of the Contract is or becomes invalid. illegal or unenforceable, it shall be deemed modified to the minimum extent necessary to make it valid, legal and enforceable. If such modification is not possible, the relevant provision or part-provision shall be deemed deleted. Any modification to or deletion of a provision or part-provision under this clause shall not affect the validity and enforceability of the rest of the Contract. If any provision or part-provision of this Contract is invalid, illegal or
- unenforceable, the parties shall negotiate in good faith to amend such provision so that, as amended, it is legal, valid and enforceable, and, to the greatest extent possible, achieves the intended commercial result of the original provision.

Waiver

A waiver of any right or remedy under the Contract or law is only effective if A waiver of any right or remedy under the Contract or law is only effective if given in writing and shall not be deemed a waiver of any subsequent breach or default. No failure or delay by a party to exercise any right or remedy provided under the Contract or by law shall constitute a waiver of that or any other right or remedy, nor shall it prevent or restrict the further exercise of that or any other right or remedy. No single or partial exercise of such right or remedy shall prevent or restrict the further exercise of that or any other right or remedy.

Third party rights

A person who is not a party to the Contract shall not have any rights to enforce its terms.

Variation.

Except as set out in these Conditions, no variation of the Contract, including the introduction of any additional terms and conditions, shall be effective unless it is in writing and signed by the Supplier.

Governing law.

The Contract, and any dispute or claim arising out of or in connection with it or its subject matter or formation (including non-contractual disputes or claims), shall be governed by, and construed in accordance with the law of England and Wales.

Jurisdiction

Each party irrevocably agrees that the courts of England and Wales shall have exclusive jurisdiction to settle any dispute or claim arising out of or in connection with this Contract or its subject matter or formation (including non-contractual disputes or claims).

earlswood SUPPLIES LTD

Thatchems Farm, Williamscot, Banbury Oxfordshire OX17 1AR

T: 01295 758734 E: sales@earlswoodsupplies.com W: www.earlswoodsupplies.com





