

VISION

smart | reliable | technical



LIFETIME
WARRANTY



The Vision

Smart

Smart design in the smallest detail of our products.

Smart installation. Installers only have two hands so we make sure you don't have to be an octopus to install our products.



Mount finder

Enter part of the flat panel part number and get a short list of your mount options.



Cable finder

Narrow down which cable you need in 30 seconds.



Techconnect configurator

Need help figuring out which parts you need to make up a faceplate? No problem.

Reliable



Reliable vendor

We won't ignore your e-mails when you need help. We are very reactive.



Reliable stock levels


We try really hard to always have what you need in stock, and we measure our success; 95% of the time we have what you order.



Reliable product

Lifetime warranty. We benchmark our reliability against other manufacturers so we are not just guessing, we know our products are extremely reliable.

Technical



Technical staff

They know the products, and know the challenges installers face.



Technical product

Our product development team are always pushing technical limits to offer integrators products that simplify solutions.



Easy installation through design

Our products are designed by AV engineers and are adaptable onsite.



“

We obsess over the detail, so if you spot a way we can make a product better please let us know.

This will go to a real person and you'll get an immediate reply.

”

Stuart Lockhart, Managing Director

✉ stuart.lockhart@visionaudiovisual.com

Vision Master Warehouse Locations

📍 Florida

📍 Czech Republic

📍 United Kingdom

📍 Sydney





Lifetime Warranty




Over 300,000 meeting rooms around the world use Vision's extremely reliable products.



Vision has benchmarked itself against some of the world's largest electronics manufacturers and has a world-class reliability record. We made RELIABLE a key word because we are passionate about making our products even more reliable.



If you have feedback that could help make our products better, we want to hear it!



Faceplates

Index.....

- Faceplate Packages
- Modules
- Cables
- Mounting Hardware
- Table Faceplate
- Control Module
- 50w Amplifier

TECHCONNECT FACEPLATE CONFIGURATOR

Select the products and parts you need to see a visual representation of your end product



vav.link/fc



Wall-Mount Faceplate Package

Part of the Techconnect 3 system



TC3-PK EU SAP: 3446594 US SAP: 12939494

Module Package Contents

Mounting Hardware:

1 x 2-Gang UK Backbox TC3 BACKBOX2G [SAP:3446598]

1 x 2-Gang Surround TC3 SURR2G [SAP:3446603]

Modules:

1 x VGA with Minijack TC3 VGAF3.5MM [SAP:3446585]

1 x USB (B-type on front) TC3 USBB [SAP:3446581]

1 x HDMI TC3 HDMI [SAP:3446573]


3 x Blanks TC3 BLANK [SAP:3446572]

vav.link/tc3-pk

Techconnect is a modular audio-visual faceplate family engineered especially for AV installers. A “surround” fits to a backbox (or “mudring” if your wall is hollow), then the modules fix in place to complete the installation.

For 99% of professional AV installations the same set of modules are required, so Vision offer a simple package that contains a basic selection of modules as a starting point. Just select the length of the cable package you need to go with it

Comes with your choice of you complementary Cable Lengths




Matt White

Pure white with a chiselled profile, Techconnect3 also has 11 mm of flat space above and below the connectors for information or company branding stickers.




Screw-In Modules

The modules have a tab that hooks into the surround at the bottom, then a couple of turns of the pre-installed screws locks the modules into place.



Stronger

Techconnect3 has shorter modules and extra ribbing to reduce module flex. On parts where flex is desirable to avoid shattering ABS plastic is used.



Improved Fit and Finish

Techconnect3 has more space behind the modules stash cables, and narrower and more even gaps between modules.

Modules

LIFETIME WARRANTY



TC3 Minijack Module (phoenix on rear)

TC3 3.5MM/V2 EU SAP: 5354529

Occupies 1 module space
Ideal for use with stereo audio cable
Phoenix connector at rear
Pass-through on rear
Input on front disconnects rear input

vav.link/tc3_3-5mm-v2



TC3 3-Phono [RCA] Module (phoenix on rear)

TC3 3PHO EU SAP: 3446571 US SAP: 12980821

Occupies 1 module space
Also known as a Cinch or RCA connector
Phoenix connector at rear
Techconnect cables pre-terminated to plug into rear

vav.link/tc3_3pho




TC3 Blank Module

TC3 BLANK EU SAP: 3446572 US SAP: 12980822

Simple blank modules for blanking off unused slots in the surround
Occupies 1 module space

vav.link/tc3_blank



TC3 Brush Module

TC3 BRUSH EU SAP: 4726966 US SAP: 13333558

Simple double-width module with hole for pulling cables out
Brushes over 42 x 22 mm (1.65" x 0.87") cable aperture
Occupies 2 module spaces

vav.link/tc3_brush




TC3 DisplayPort Module

TC3 DP EU SAP: 4319629 US SAP: 13041723

DisplayPort socket on front with short cable at rear with female DP connector
Carries digital audio and video over one cable
Occupies 1 module space

vav.link/tc3_dp



TC3 Dual RJ45 Module (bare-wire on rear)

TC3 2RJ45 EU SAP: 3446209 US SAP: 12980819

Twin RJ45 module (Cat5e/Cat6)
Occupies 1 module space
Push-down connectors at rear

vav.link/tc3_2rj45




TC3 HDMI Module

TC3 HDMI EU SAP: 3446573 US SAP: 12980823

HDMI module v2.0 (4K)
Includes short cable at rear with female HDMI connector
Carries digital audio and video over one cable
Occupies 1 module space

vav.link/tc3_hdmi



TC3 Table Faceplate Pull-Up Module

TC3 PULLUP EU SAP: 4875952 US SAP: 13445532

Two cables can be fitted to each module
Any cable can be fitted, including cloverleaf or figure-8 power cables
Smooth weight-assisted retraction

vav.link/tc3_pullup



TC3 EU Power Socket Module

TC3 PWREU EU SAP: 3446575 US SAP: 12980825

Occupies 3 module spaces
Grounded EU power socket
Ideal for table applications in Vision's table faceplate

vav.link/tc3_pwreu




TC3 UK Power Socket Module

TC3 PWRUUK EU SAP: 4875953

Occupies 3 module spaces
Grounded UK power socket
Ideal for table applications in Vision's table faceplate

vav.link/tc3_pwruk




TC3 RJ45 Module

TC3 RJ45 EU SAP: 3446576 US SAP: 12980826

Occupies 1 module space
RJ45 socket at rear

vav.link/tc3_rj45



TC3 9-Pin RS-232 Serial Male Module

TC3 SERIALM EU SAP: 3446577 US SAP: 12980827

Ideal for control applications
9-pin D-sub connectors on the rear too instead of phoenix connectors
Occupies 1 module space

vav.link/tc3_serialm



TC3 4-port Barewire Speaker Module

TC3 SPEAKER EU SAP: 3446578 US SAP: 12980828

Ideal for speaker cables
Spring terminals at rear, which are quick and secure
Occupies 1 module space

vav.link/tc3_speaker



TC3 Speakon Module (phoenix on rear)


TC3 SPEAKON EU SAP: 3446579 US SAP: 12980829

Phoenix connector at rear
Occupies 2 module spaces

vav.link/tc3_speakon

Modules

LIFETIME
WARRANTY




TC3 USB-A to USB-B Module

TC3 USBA EU SAP: 3446580 US SAP: 12980830

"B" type socket on the rear as found on a printer chassis
"A" type socket on front as found on a laptop chassis
Occupies 1 module space
USB 3.0

vav.link/tc3_usba




TC3 USB-B to USB-A Module

TC3 USBB EU SAP: 3446581 US SAP: 12980831

"A" type socket on the rear as found on a laptop chassis
"B" type socket on the front as found on a printer chassis
Occupies 1 module space
USB 3.0

vav.link/tc3_usbb



TC3 USB-B to USB-A Module with active booster circuit

TC3 USBB+ EU SAP: 3446582 US SAP: 12980832

"B" type socket on the front as found on a printer chassis
"A" type socket on the rear as found on a laptop chassis
Active circuit uses 5v carried on USB to boost signal
Occupies 1 module space
USB 3.0

vav.link/tc3_usbbplus



TC3 VGA Module (phoenix on rear)

TC3 VGAF EU SAP: 3446584 US SAP: 12980835

Female 15-pin D-sub connector for PC output
Phoenix connector at rear
Occupies 1 module space

vav.link/tc3_vgaf



TC3 VGA and Audio Module (phoenix on rear)

TC3 VGAF3.5MM EU SAP: 3446585 US SAP: 12980837

Female 15-pin D-sub connector for PC output
With a 3.5mm Minijack socket for stereo audio
Phoenix connector at rear
Not labeled
Occupies 1 module space

vav.link/tc3_vgaf3-5mm



TC3 VGA and Audio Module

TC3 VGAF3.5MMD EU SAP: 3446586 US SAP: 12980818

Female 15-pin D-sub connector for PC output
With a 3.5mm Minijack socket for stereo audio
Female D-Sub (VGA connector) on rear instead of phoenix connector
Not labeled
Occupies 1 module space

vav.link/tc3_vgaf3-5mmd




TC3 VGA Module

TC3 VGAFD EU SAP: 3498783 US SAP: 12980836

Female 15-pin D-sub connector for PC output
Female D-Sub (VGA connector) on rear instead of phoenix connector
Occupies 1 module space

vav.link/tc3_vgafd



TC3 XLR and 1/4" jack Module (phoenix on rear)

TC3 XLRJACK EU SAP: 3446588 US SAP: 12980838

Phoenix connector at rear
Occupies 2 module spaces

vav.link/tc3_xlrjack




TC3 50w Amplifier

TC3-AMP EU SAP: 3446595 US SAP: 12939499
TC3-AMP+SP-1800 EU SAP: 3692237 US SAP: 70017401
TC3-AMP+CS-1900 EU SAP: 5356158

Extremely small 2 x 25 w (RMS) at 8 ohms Digital Amp
2 x Stereo inputs (Input 1 duplicated on front and rear)
IR Remote control included

vav.link/tc3-amp



TC3 Control Module

TC3-CTL EU SAP: 3446596 US SAP: 12939501

Control projectors etc via IR, RS-232, RS-485, and 12V
Schedule commands
Powered by mains power or batteries

vav.link/tc3-ctl



White HDMI Cable

TC 1.5MHDMI;TC 0.5MHDMI;TC 1MHDMI;TC 2MHDMI;TC2 3MHDMI;TC2 10MHDMI;TC2 15MHDMI;TC 5MHDMICPR;TC 10MHDMICPR;TC 15MHDMICPR;TC2 5MHDMI

0.5m (1.6ft)

TC 0.5MHDMI EU SAP: 3058973 US SAP: 12939552
[vav.link/tc_0-5mhdmi](#)

1m (3.2ft)

TC 1MHDMI EU SAP: 3058974 US SAP: 12939589
[vav.link/tc_1mhdmi](#)

1.5m (4.9ft)

TC 1.5MHDMI EU SAP: 4500873 US SAP: 13041725
[vav.link/tc_1-5mhdmi](#)

2m (6.5ft)

TC 2MHDMI EU SAP: 3265151 US SAP: 12939586
[vav.link/tc_2mhdmi](#)

3m (9.8ft)

TC2 3MHDMI EU SAP: 3000666 US SAP: 12939521
[vav.link/tc2_3mhdmi](#)

5m (16.4ft)

TC2 5MHDMI EU SAP: 2746863 US SAP: 12939525
[vav.link/tc2_5mhdmi](#)

5m (16.4ft)

TC 5MHDMICPR EU SAP: 4724519 US SAP: 13445459
[vav.link/tc_5mhdmicpr](#)

10m (32.8ft)

TC2 10MHDMI EU SAP: 2746864 US SAP: 12939462
[vav.link/tc2_10mhdmi](#)

10m (32.8ft)

TC 10MHDMICPR EU SAP: 4724517 US SAP: 13445545
[vav.link/tc_10mhdmicpr](#)

15m (49.2ft)

TC2 15MHDMI EU SAP: 2746865 US SAP: 12939465
[vav.link/tc2_15mhdmi](#)

15m (49.2ft)

TC 15MHDMICPR EU SAP: 4724518 US SAP: 13445501
[vav.link/tc_15mhdmicpr](#)



White Minijack to Phoenix Cable

TC2 3M3.5MM;TC2 5M3.5MM;TC2 10M3.5MM;TC2 15M3.5MM;TC2 20M3.5MM

3m (9.8ft)

TC2 3M3.5MM EU SAP: 3000665 US SAP: 12939520
[vav.link/tc2_3m3-5mm](#)

5m (16.4ft)

TC2 5M3.5MM EU SAP: 2042096 US SAP: 12939524
[vav.link/tc2_5m3-5mm](#)

10m (32.8ft)

TC2 10M3.5MM EU SAP: 1461164 US SAP: 12939461
[vav.link/tc2_10m3-5mm](#)

15m (49.2ft)

TC2 15M3.5MM EU SAP: 1474524 US SAP: 13332303
[vav.link/tc2_15m3-5mm](#)

20m (65.6ft)

TC2 20M3.5MM EU SAP: 1461172 US SAP: 12939468
[vav.link/tc2_20m3-5mm](#)



White USB 2.0 Cable with active booster

TC2 10MUSB+;TC2 15MUSB+

10m (32.8ft)

TC2 10MUSB+ EU SAP: 3244188 US SAP: 12939463
[vav.link/tc2_10musbplus](#)

15m (49.2ft)

TC2 15MUSB+ EU SAP: 3004953 US SAP: 12939466
[vav.link/tc2_15musbplus](#)



White USB 2.0 Cable

TC2 3MUSB;TC 1MUSB;TC2 5MUSB;TC 2MUSB

1m (3.2ft)

TC 1MUSB EU SAP: 3265177 US SAP: 12939570
[vav.link/tc_1musb](#)

3m (9.8ft)

TC2 3MUSB EU SAP: 3004700 US SAP: 12939522
[vav.link/tc2_3musb](#)

2m (6.5ft)

TC 2MUSB EU SAP: 3265178 US SAP: 12939571
[vav.link/tc_2musb](#)

5m (16.4ft)

TC2 5MUSB EU SAP: 3004951 US SAP: 12939526
[vav.link/tc2_5musb](#)

Cables

LIFETIME
WARRANTY



White VGA to Phoenix Cable

TC2 3MVGA;TC2 5MVGA;TC2 10MVGA;TC2 15MVGA;TC2 20MVGA

3m (9.8ft)

TC2 3MVGA EU SAP: 3000667 US SAP: 12939523

vav.link/tc2_3mvga

15m (49.2ft)

TC2 15MVGA EU SAP: 1461168 US SAP: 12939467

vav.link/tc2_15mvga

5m (16.4ft)

TC2 5MVGA EU SAP: 2042118 US SAP: 12939527

vav.link/tc2_5mvga

20m (65.6ft)

TC2 20MVGA EU SAP: 1461174 US SAP: 12939469

vav.link/tc2_20mvga

10m (32.8ft)

TC2 10MVGA EU SAP: 1461166 US SAP: 12939464

vav.link/tc2_10mvga

Mounting Hardware



TC3 Table Faceplate

TC3 SURRTB EU SAP: 4875951 US SAP: 13445531

Fits into table
Chassis and surround included
Accommodates up to 9 modules (not included)
Very high quality fit and finish
Matt black

vav.link/tc3_surrtb




TC3 UK 2-Gang Drywall Mudring

TC2 MUDRING2G EU SAP: 1643908 US SAP: 12939512

Fixes double-gang Techconnect surround into hollow dry walls
Flush Mount

vav.link/tc2_mudring2g



TC3 UK 2-Gang Surface-Mount Backbox

TC3 BACKBOX2G EU SAP: 3446598 US SAP: 12939509

Fixes double-gang Techconnect surround to walls.
Surface Mount

vav.link/tc3_backbox2g



TC2/3 European Dado Rail Adaptors

TC2 ADAPTOR EU SAP: 1461181 US SAP: 12939507

Fits 4 different sizes of trunking

vav.link/tc2_adaptor



TC3 UK 2-Gang Surround

TC3 SURR2G EU SAP: 3446603 US SAP: 12939514

Double-gang frame which accommodates five modules (not included)
Fits to any standard double-gang UK backbox (pattress) or mudring


vav.link/tc3_surr2g



TC3 Australian 3-Module Surround

TC3 SURRAU3M EU SAP: 3446590 US SAP: 12939518

vav.link/tc3_surrau3m




TC3 UK 1-Gang Drywall Mudring

TC2 MUDRING1G EU SAP: 2357413 US SAP: 12939511

Fixes single-gang Techconnect surround into hollow dry walls
Flush Mount

vav.link/tc2_mudring1g



TC3 UK 1-Gang Surface-Mount Backbox

TC3 BACKBOX1G EU SAP: 3446597 US SAP: 12939508

Fixes single-gang Techconnect surround to walls.
Surface Mount

vav.link/tc3_backbox1g




TC3 UK 2-Gang Table Surface Mount Backbox

TC3 BACKBOX2GT EU SAP: 3446599 US SAP: 12939510

Fixes double-gang Techconnect surround to tables or walls.
Surface Mount

vav.link/tc3_backbox2gt



TC3 UK 1-Gang Surround

TC3 SURR1G EU SAP: 3446602 US SAP: 12939513

Single-gang frame which accommodates two modules (not included)
Fits to any standard single-gang UK backbox (pattress) or mudring

vav.link/tc3_surr1g



TC3 UK Black 2-Gang Surround

TC3 SURR2GDDA EU SAP: 5370687

Double-gang frame which accommodates five modules (not included)
Fits to any standard double-gang UK backbox (pattress) or mudring

vav.link/tc3_surr2gdda



TC3 Belgian 65mm Surround



TC3 SURRBE65 EU SAP: 3446591 US SAP: 12939519

Frame which accommodates four modules (not included)
Fits to standard 65mm/ 2.56" Le Grand trunking

vav.link/tc3_surrbe65

TC3 Table Faceplate

Part of the Techconnect 3 system



TC3 SURRTB EU SAP: 4875951 US SAP: 13445531

Fits into table

Chassis and surround included

Accommodates up to 9 modules (not included)

Very high quality fit and finish

Matt black

vav.link/tc3_surrbt

Part of Vision's Techconnect modular AV faceplate family, this table surround allows seamless AV integration into boardroom and meeting room tables.



Tactile Quality

Lift the lid and feel the weight. Strong, finely finished materials have been selected to make this product.



Slow-Close

Throw the lid closed and a damper slows the lid, closing silently.



9-Module Capacity

Mix and match the modules you need in a future-proof enclosure.



Optional Power Sockets

Choose Vision's Schuko (EU) or 1363 (UK) power socket modules (Part numbers TC3 PWREU or TC3 PWRUK).



Plug In And Close

A 15 mm / 0.6" gap around the lid means you can plug-in or pull-up, then close the lid to get back table space for your meeting.



A4

The bezel is very similar in size to an A4 piece of paper – slightly narrower.



Cable Tie Points

Vision takes ease of installation seriously. Installers will enjoy multiple 6 mm / 0.23" fixing holes for securing cables underneath the chassis.

TC3 Control Module

Part of the Techconnect 3 system




TC3-CTL EU SAP: 3446596 US SAP: 12939501

Control projectors etc via IR, RS-232, RS-485, and 12V

Schedule commands

Powered by mains power or batteries

vav.link/tc3-ctl



Techconnect Control is the most flexible professional AV control device available. This simple control panel controls all of your AV equipment – projectors, flat panels, amplifiers, and screens – simultaneously and only presents users with the functions they use every day. No tech support calls and no losing remote controls. All in a secure Techconnect module. Perfect for presentation rooms or meeting spaces.



Simple Setup Mode

Hold down the two middle buttons to put into learn mode, point the original device remote at the front of the Control and program a code per button.



Advanced Setup Mode

Connect to a PC and use the included software to allocate multiple RS-232, IR, and 12v triggers to each button.



Code Library

An integrated library of IR and RS-232 codes speed programming up. For example if you learn the codes for a projector those codes will be automatically uploaded to the database so that the next installer who needs those codes will find them in the software library.



Scheduling

Once programmed a schedule can be setup. e.g. turn the digital signage in a store off at midnight every night.



Delay

Commands can be delayed up to 60 seconds. For example when you turn a projector on it takes time to warm up so the motorised screen doesn't come down until the projector is ready.



Duplication

Programs can be saved to a PC making duplication for a roll out simple.



Extension Keypad

If more than six buttons are required the software allows you to add another Control as an extension keypad.



Labels

Clear caps unclip off the buttons from the front to allow label changes.



Backlit buttons

Backlit buttons are easy to read.



Battery

The Control comes with a mains power adaptor, but can also be powered by 2 x AAA batteries (not included).




Easy Wiring

To speed up installation it comes with a short 9-pin serial cable which plugs into the phoenix port on the Control.

TC3 50w Amplifier

Part of the Techconnect 3 system



TC3-AMP EU SAP: 3446595 US SAP: 12939499
 TC3-AMP+SP-1800 EU SAP: 3692237 US SAP: 70017401
 TC3-AMP+CS-1900 EU SAP: 5356158

Extremely small 2 x 25 w (RMS) at 8 ohms Digital Amp
 2 x Stereo inputs (Input 1 duplicated on front and rear)
 IR Remote control included

vav.link/tc3-amp

By using latest low-impedance digital amplifier chip technology the new Techconnect Amp module outputs a massive 2 x 25 watts RMS (at 8 ohms) but fits into the space of a double-space Techconnect module. Suited to meeting spaces, museums, and presentation suites.

Front Panel Input

Two Inputs are wired into the rear with removable phoenix connectors, but Input 1 is also duplicated on the front panel with a minijack socket for convenience. This "half-normalled" input disconnects

D-Class Amplifier

Digital amplifiers use no power unless they are amplifying program, so even on at full volume; unless it is receiving input it is effectively off. Digital amplifiers also have the advantage of running cold so a bulky heatsink is not necessary.

Power Four Speakers

Don't let size deceive you: this Amp can drive into a 4 ohm load allowing you to power up to four 8 ohm speakers (or two 4 ohm speakers).

Tactile Dial

A simple clear control interface makes the product easy to use long press on the dial to power on and off. Short press to change input.

Remote Control

A remote control is included and IR receivers are positioned on the front and rear for integration with a control system such as the Techconnect Control. Note: there is no tone control with this amplifier. Our spare remote controls have tone buttons but they do not work with this product.

Preset Memory

By default when power is activated the Techconnect Amp turns on and resumes the most recent settings. For hospitality applications it can be set to return to a preset input and level whenever it is powered on – for example in hotel guest rooms.

Cables Included

Speaker cable is included plus short input cables are included for connection to the rear of adjacent input modules on the Techconnect.

Easy to Install and Uninstall

A robust module that is easy to install or remove and disconnect from the front. Removable phoenix connectors allow non-technical end users to uninstall it very easily if required.

Close at Hand

Can be positioned anywhere in the room making it perfect for training rooms, boardrooms, and classrooms.


Integrated Techconnect Family

Included is a single-gang backbox and surround, or alternatively you can mount it in a double-gang surround with other Techconnect modules.

Secure

Ideal when you don't have furniture to sit an amplifier on, and because it is mounted to the wall it is much less obvious as a target for theft.

Build your own faceplate using our Techconnect Faceplate Configurator



Select the products and parts you need to see a visual representation of your end product and create a shopping list with all the technical details.

Your shopping list



Print



Download



TC3 Minijack Module (phoenix on rear)
[More info -](#)



TC3 3-Phono [RCA] Module (phoenix on rear)
[More info -](#)



TC3 HDMI Module
[More info -](#)



TC3 VGA and Audio Module (phoenix on rear)
[More info -](#)



TC3 Dual RJ45 Module (bare-wire on rear)
[More info -](#)



























TC3 4-port Barewire Speaker Module
[More info -](#)


















vav.link/fc









Modules

Product	Part Number	Link
 TC3 Minijack Module (phoenix on rear)	TC3 3.5MM/V2	vav.link/tc3_3-5mm-v2
 TC3 3-Phono [RCA] Module (phoenix on rear)	TC3 3PHO	vav.link/tc3_3pho
 TC3 Blank Module	TC3 BLANK	vav.link/tc3_blank
 TC3 Brush Module	TC3 BRUSH	vav.link/tc3_brush
 TC3 DisplayPort Module	TC3 DP	vav.link/tc3_dp
 TC3 Dual RJ45 Module (bare-wire on rear)	TC3 2RJ45	vav.link/tc3_2rj45
 TC3 HDMI Module	TC3 HDMI	vav.link/tc3_hdmi
 TC3 Table Faceplate Pull-Up Module	TC3 PULLUP	vav.link/tc3_pullup
 TC3 EU Power Socket Module	TC3 PWREU	vav.link/tc3_pwreu
 TC3 UK Power Socket Module	TC3 PWRUK	vav.link/tc3_pwruk
 TC3 RJ45 Module	TC3 RJ45	vav.link/tc3_rj45
 TC3 9-Pin RS-232 Serial Male Module	TC3 SERIALM	vav.link/tc3_serialm
 TC3 4-port Barewire Speaker Module	TC3 SPEAKER	vav.link/tc3_speaker
 TC3 Speakon Module (phoenix on rear)	TC3 SPEAKON	vav.link/tc3_speakon
 TC3 USB-A to USB-B Module	TC3 USBA	vav.link/tc3_usba
 TC3 USB-B to USB-A Module	TC3 USBB	vav.link/tc3_usbb
 TC3 USB-B to USB-A Module with active booster circuit	TC3 USBB+	vav.link/tc3_usbbplus
 TC3 VGA Module (phoenix on rear)	TC3 VGAF	vav.link/tc3_vgaf
 TC3 VGA and Audio Module (phoenix on rear)	TC3 VGAF3.5MM	vav.link/tc3_vgaf3-5mm
 TC3 VGA and Audio Module	TC3 VGAF3.5MMD	vav.link/tc3_vgaf3-5mmd
 TC3 VGA Module	TC3 VGAFD	vav.link/tc3_vgafd
 TC3 XLR and 1/4" jack Module (phoenix on rear)	TC3 XLRFJACK	vav.link/tc3_xlrfjack
 TC3 50w Amplifier	TC3-AMP	vav.link/tc3-amp
 TC3 Control Module	TC3-CTL	vav.link/tc3-ctl





Cables

Product	Part Number	Link
 White HDMI Cable 3m (9.8ft)	TC2 3MHDMI	vav.link/tc2_3mhdmi
 White HDMI Cable 10m (32.8ft)	TC2 10MHDMI	vav.link/tc2_10mhdmi
 White HDMI Cable 15m (49.2ft)	TC2 15MHDMI	vav.link/tc2_15mhdmi
 White USB 2.0 Cable 10m (32.8ft) with active booster	TC2 10MUSB+	vav.link/tc2_10musbplus
 White USB 2.0 Cable 15m (49.2ft) with active booster	TC2 15MUSB+	vav.link/tc2_15musbplus
 White USB 2.0 Cable 3m (9.8ft)	TC2 3MUSB	vav.link/tc2_3musb
 White USB 2.0 Cable 5m (16.4ft)	TC2 5MUSB	vav.link/tc2_5musb
 White VGA to Phoenix Cable 3m (9.8ft)	TC2 3MVGA	vav.link/tc2_3mvga
 White VGA to Phoenix Cable 5m (16.4ft)	TC2 5MVGA	vav.link/tc2_5mvga
 White VGA to Phoenix Cable 10m (32.8ft)	TC2 10MVGA	vav.link/tc2_10mvga
 White VGA to Phoenix Cable 15m (49.2ft)	TC2 15MVGA	vav.link/tc2_15mvga
 White Minijack to Phoenix Cable 10m (32.8ft)	TC2 10M3.5MM	vav.link/tc2_10m3-5mm
 White HDMI Cable 5m (16.4ft)	TC2 5MHDMI	vav.link/tc2_5mhdmi
 White Minijack to Phoenix Cable 20m (65.6ft)	TC2 20M3.5MM	vav.link/tc2_20m3-5mm
 White VGA to Phoenix Cable 20m (65.6ft)	TC2 20MVGA	vav.link/tc2_20mvga

Mounting Hardware

Product	Part Number	Link
 TC2/3 European Dado Rail Adaptors	TC2 ADAPTOR	vav.link/tc2_adaptor
 TC3 UK 1-Gang Drywall Mudring	TC2 MUDRING1G	vav.link/tc2_mudring1g
 TC3 UK 2-Gang Drywall Mudring	TC2 MUDRING2G	vav.link/tc2_mudring2g
 TC3 UK 1-Gang Surface-Mount Backbox	TC3 BACKBOX1G	vav.link/tc3_backbox1g
 TC3 UK 2-Gang Surface-Mount Backbox	TC3 BACKBOX2G	vav.link/tc3_backbox2g
 TC3 UK 2-Gang Table Surface Mount Backbox	TC3 BACKBOX2GT	vav.link/tc3_backbox2gt
 TC3 UK 1-Gang Surround	TC3 SURR1G	vav.link/tc3_surr1g
 TC3 UK 2-Gang Surround	TC3 SURR2G	vav.link/tc3_surr2g

Mounting Hardware

Product	Part Number	Link
 TC3 UK Black 2-Gang Surround	TC3 SURR2GDDA	vav.link/tc3_surr2gdda
 TC3 Australian 3-Module Surround	TC3 SURRAU3M	vav.link/tc3_surrau3m
 TC3 Belgian 65mm Surround	TC3 SURRBE65	vav.link/tc3_surrbe65
 TC3 Table Faceplate	TC3 SURRTB	vav.link/tc3_surrtb



Extenders

Index.....

- HDMI-over-IP
- HDMI Switcher
- HDMI-over-IP Matrix



Extenders



HDMI Switcher

TC-HDMI31 EU SAP: 4053413 US SAP: 12939503

RS-232 and remote control
4K2K at up to 60Hz
HDMI v2.0,
3 inputs / 1 output

vav.link/tc-hdmi31



Digital Signage HDMI-over-IP

TC-HDMIPTX EU SAP: 4234190 US SAP: 12939504

TC-HDMIIPRX EU SAP: 4235162 US SAP: 12939505

Distributes HDMI via a network, H.264 compression
One-to-One directly or One-to-Many over LAN
IR Pass-through

vav.link/tc-hdmiip



Digital Signage HDMI-over-IP Matrix




TC-MATRIXTX EU SAP: 4631209 US SAP: 13293711

TC-MATRIXRX EU SAP: 4631210 US SAP: 13293566

Transmits HDMI over a network or Point-to-Point
Plug-and-Play; no PC necessary for basic setup
4K @ 60Hz (H.264)
Supports video walls up to 3x3

vav.link/tc-matrix

Extenders

Product	Part Number	Info	Link
 HDMI Switcher	TC-HDMI31	RS-232 and remote control 4K2K at up to 60Hz HDMI v2.0, 3 inputs / 1 output	vav.link/tc-hdmi31
 Digital Signage HDMI-over-IP	TC-HDMIIP	Distributes HDMI via a network, H.264 compression One-to-One directly or One-to-Many over LAN IR Pass-through	vav.link/tc-hdmiip
 Digital Signage HDMI-over-IP Matrix	TC-MATRIX	Transmits HDMI over a network or Point-to-Point Plug-and-Play; no PC necessary for basic setup 4K @ 60Hz (H.264) Supports video walls up to 3x3	vav.link/tc-matrix



Cables

Index.....

- Audio Cables
- DisplayPort Cables & Adaptors
- USB Cables & Adaptors
- Fibre Data Cables
- CAT6 Ethernet Cables
- HDMI Cables & Adaptors
- USB-C Cables & Adaptors
- Power Cables
- Serial Cables & Adaptors
- VGA Cables & Adaptors

CABLE FINDER

Search our comprehensive range of cables by Connector Type, Length and Color

 vav.link/cf





White Minijack Cable

TC 1M3.5MMP;TC 2M3.5MMP;TC 3M3.5MMP;TC 5M3.5MMP;TC 10M3.5MMP;TC 15M3.5MMP

1m (3.2ft)

TC 1M3.5MMP EU SAP: 3546048 US SAP: 12939457

vav.link/tc_1m3-5mmp

5m (16.4ft)

TC 5M3.5MMP EU SAP: 4536894 US SAP: 13041712

vav.link/tc_5m3-5mmp

2m (6.6ft)

TC 2M3.5MMP EU SAP: 3265183 US SAP: 12939557

vav.link/tc_2m3-5mmp

10m (32.8ft)

TC 10M3.5MMP EU SAP: 4536895 US SAP: 13041713

vav.link/tc_10m3-5mmp

3m (9.8ft)

TC 3M3.5MMP EU SAP: 4500881 US SAP: 13041711

vav.link/tc_3m3-5mmp

15m (49.2ft)

TC 15M3.5MMP EU SAP: 4536896 US SAP: 13041714

vav.link/tc_15m3-5mmp



White Minijack to 2-Phono [RCA] Cable 2m (6.5ft)

TC 2M3.5MMP2PHO EU SAP: 3265179 US SAP: 12939572

Some amplifiers don't have a minijack input so in case cases this patch cable will be necessary to connect a computer, tablet, or phone to an amplifier or active loudspeakers. 2-Phono is also called RCA or sometimes cinch. Like the minijack cable this one carries a "line-level" signal.

vav.link/es/tc_2m3-5mm2pho



White Minijack Extension Cable 2m (6.6ft)

TC 2M3.5MMPEXT EU SAP: 4500882 US SAP: 13041715

This cable extends any minijack cable. Minijacks are also known as 1/8", or TRS jack (tip-ring-sleeve) and 3.5 mm / 0.14" jack. They carry a "line-level" signal.

vav.link/tc_2m3-5mmext



Black Minijack Cable 2m (6.6ft)

TC 2M3.5MMP/BL EU SAP: 4911627 US SAP: 13557584

This simple patch cable connects your phone or laptop to most audio systems. Minijacks are also known as 1/8", or TRS jack (tip-ring-sleeve) and 3.5 mm / 0.14" jack. They carry a "line-level" signal.

vav.link/tc_2m3-5mmp-bl



Braided Minijack Cable 2m (6.6ft)

TC 2M3.5MMP/HQ EU SAP: 4911582 US SAP: 13557660

This simple patch cable connects your phone or laptop to most audio systems. Minijacks are also known as 1/8", or TRS jack (tip-ring-sleeve) and 3.5 mm / 0.14" jack. They carry a "line-level" signal.

vav.link/tc_2m3-5mmp-hq



DisplayPort Cable & Adaptors



White DisplayPort Cable

TC 1MDP;TC 2MDP;TC 3MDP;TC 5MDP;TC 10MDP

1m (3.2ft)

TC 1MDP EU SAP: 3265160 US SAP: 13041729
vav.link/tc_1mdp

2m (6.6ft)

TC 2MDP EU SAP: 3265161 US SAP: 12939574
vav.link/tc_2mdp

3m (9.8ft)

TC 3MDP EU SAP: 4500876 US SAP: 13041730
vav.link/tc_3mdp

5m (16.4ft)

TC 5MDP EU SAP: 3265162 US SAP: 12939575
vav.link/tc_5mdp

10m (32.8ft)

TC 10MDP EU SAP: 4537083 US SAP: 13041731
vav.link/tc_10mdp



White DisplayPort to HDMI Cable

TC 2MDPHDMI4K;TC 3MDPHDMI4K

3m (9.8ft)

TC 3MDPHDMI4K EU SAP: 4821709
vav.link/tc_3mdphdmi4k

2m (6.5ft)

TC 2MDPHDMI4K EU SAP: 4821589
vav.link/tc_2mdphdmi4k



White Mini-DisplayPort to DisplayPort Cable

TC 2MMDPDP;TC 1MMDPDP

1m (3.2ft)

TC 1MMDPDP EU SAP: 4500874 US SAP: 13041727
vav.link/tc_1mmdpdp

2m (6.5ft)

TC 2MMDPDP EU SAP: 4500875 US SAP: 13041728
vav.link/tc_2mmdpdp



Black DisplayPort

TC 2MDP/BL;TC 3MDP/BL

2m (6.6ft)

TC 2MDP/BL EU SAP: 4911604 US SAP: 13557571
vav.link/tc_2mdp-bl

3m (9.8ft)

TC 3MDP/BL EU SAP: 4911605 US SAP: 13557572
vav.link/tc_3mdp-bl



Braided DisplayPort Cable

TC 2MDP/HQ;TC 3MDP/HQ

2m

TC 2MDP/HQ EU SAP: 4911409 US SAP: 13557593
vav.link/tc_2mdp-hq

3m (9.8ft)

TC 3MDP/HQ EU SAP: 4911410 US SAP: 13557594
vav.link/tc_3mdp-hq



Black DisplayPort to HDMI Cable 1m (3.2ft)

TC 1MDPHDMI/BL EU SAP: 4911607 US SAP: 13557574

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs.

vav.link/tc_1mdphdmi-bl



Braided DisplayPort to HDMI Cable 1m (3.2ft)

TC 1MDPHDMI/HQ EU SAP: 4911562 US SAP: 13557596

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs.

vav.link/tc_1mdphdmi-hq



White DisplayPort to HDMI Cable 1m (3.2ft)

TC 1MDPHDMI4K EU SAP: 4821588

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs.

vav.link/tc_1mdphdmi4k



Black USB-C Thunderbolt 3.0 Cable 1m (3.2ft)

TC 1MUSBCTB EU SAP: 4680785 US SAP: 13293569

Thunderbolt 3.0 uses the physical USB-C connectors. Thunderbolt cables are very similar to USB-C cables but have enhanced cable quality to support the high bandwidth.

vav.link/tc_1musbctb



DisplayPort Cable & Adaptors



Black DisplayPort to HDMI Cable 2m (6.5ft)

TC 2MDPHDMI/BL EU SAP: 4911608 US SAP: 13557575

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs.

vav.link/tc_2mdphdmi-bl



Braided DisplayPort to HDMI Cable 2m (6.5ft)

TC 2MDPHDMI/HQ EU SAP: 4911563 US SAP: 13557597

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs.

vav.link/tc_2mdphdmi-hq



White Mini-DisplayPort to HDMI Cable 2m (6.5ft)

TC 2MMDPHDMI EU SAP: 3265164 US SAP: 12939576

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs.

Note that Thunderbolt® uses the Mini-DP connector. In addition to carrying DisplayPort signal Thunderbolt also carries data.

vav.link/tc_2mmdphdmi



Black Mini-DisplayPort to HDMI Cable 2m (6.5ft)

TC 2MMDPHDMI/BL EU SAP: 4911606 US SAP: 13557573

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs.

Note that Thunderbolt® uses the Mini-DP connector. In addition to carrying DisplayPort signal Thunderbolt also carries data.

vav.link/tc_2mmdphdmi-bl



Braided Mini-DisplayPort to HDMI Cable 2m (6.5ft)

TC 2MMDPHDMI/HQ EU SAP: 4911561 US SAP: 13557595

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs.

Note that Thunderbolt® uses the Mini-DP connector. In addition to carrying DisplayPort signal Thunderbolt also carries data.

vav.link/tc_2mmdphdmi-hq



Professional Black DisplayPort to HDMI Adaptor

TC-DPHDMI/BL EU SAP: 4979292 US SAP: 13557585

Plugs into DisplayPort and has full-sized HDMI socket. Active circuit allows PCs with or without Dual-Mode DisplayPort (DP++) to connect to displays with HDMI inputs.

vav.link/tc-dphdmi-bl



Professional Premium Braided DisplayPort to HDMI Adaptor

TC-DPHDMI/HQ EU SAP: 4979149 US SAP: 13557661

Plugs into DisplayPort and has full-sized HDMI socket. Active circuit allows PCs with or without Dual-Mode DisplayPort (DP++) to connect to displays with HDMI inputs.

vav.link/tc-dphdmi-hq



Professional White DisplayPort to HDMI Adaptor

TC-DPHDMI4K EU SAP: 4821710 US SAP: 13517034

Plugs into DisplayPort and has full-sized HDMI socket. Active circuit allows PCs with or without Dual-Mode DisplayPort (DP++) to connect to displays with HDMI inputs.

vav.link/tc-dphdmi4k



Professional White DisplayPort to VGA Adaptor

TC-DPVGA EU SAP: 4507453 US SAP: 13041732

Plugs into DisplayPort on laptop and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

vav.link/tc-dpvga



Professional Black DisplayPort to VGA Adaptor

TC-DPVGA/BL EU SAP: 4979137 US SAP: 13557586

Plugs into DisplayPort on laptop and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

vav.link/tc-dpvga-bl



Professional Premium Braided DisplayPort to VGA Adaptor

TC-DPVGA/HQ EU SAP: 4979357 US SAP: 13557662

Plugs into DisplayPort on laptop and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

vav.link/tc-dpvga-hq



Professional White Mini-DisplayPort to DisplayPort Adaptor

TC-MDPDP EU SAP: 3265170 US SAP: 12939564

Plugs into Mini-DisplayPort and has DP socket.

vav.link/tc-mdpdp

DisplayPort Cable & Adaptors



Professional Black Mini-DisplayPort to DisplayPort Adaptor

TC-MDPDP/BL EU SAP: 4979138 US SAP: 13557588

Plugs into Mini-DisplayPort and has DP socket.

vav.link/tc-mdpdp-bl



Professional Black Mini-DisplayPort to HDMI Adaptor

TC-MDPHDMI/BL EU SAP: 4979147 US SAP: 13557589

Plugs into Mini-DisplayPort (also known as Thunderbolt) and has full-sized HDMI socket. Active circuit allows PCs with or without Dual-Mode DisplayPort (DP++) to connect to displays with HDMI inputs.

vav.link/tc-mdphdmi-bl



Professional Premium Braided Mini-DisplayPort to HDMI Adaptor

TC-MDPHDMI/HQ EU SAP: 4979312 US SAP: 13557664

Plugs into Mini-DisplayPort (also known as Thunderbolt) and has full-sized HDMI socket. Active circuit allows PCs with or without Dual-Mode DisplayPort (DP++) to connect to displays with HDMI inputs.

vav.link/tc-mdphdmi-hq



Professional White Mini-DisplayPort to HDMI Adaptor

TC-MDPHDMI4K EU SAP: 4821711

Plugs into Mini-DisplayPort (also known as Thunderbolt) and has full-sized HDMI socket. Active circuit allows PCs with or without Dual-Mode DisplayPort (DP++) to connect to displays with HDMI inputs.

vav.link/tc-mdphdmi4k



Professional White Mini-DisplayPort to VGA Adaptor

TC-MDPVGA EU SAP: 3265173 US SAP: 12939566

Plugs into Mini-DisplayPort (also known as Thunderbolt) and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

vav.link/tc-mdpvga



Professional Black Mini-DisplayPort to VGA Adaptor

TC-MDPVGA/BL EU SAP: 4979356 US SAP: 13557590

Plugs into Mini-DisplayPort (also known as Thunderbolt) and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

vav.link/tc-mdpvga-bl



Black USB 2.0 Cable

TC 1MUSB/BL;TC 2MUSB/BL;TC 3MUSB/BL;TC 5MUSB/BL

1m (3.2ft)

TC 1MUSB/BL EU SAP: 4911615 US SAP: 13557645
vav.link/tc_1musb-bl

2m (6.5ft)

TC 2MUSB/BL EU SAP: 4911616 US SAP: 13557646
vav.link/tc_2musb-bl

3m (9.8ft)

TC 3MUSB/BL EU SAP: 4911617 US SAP: 13557647
vav.link/tc_3musb-bl

5m (16.4ft)

TC 5MUSB/BL EU SAP: 4911618 US SAP: 13557648
vav.link/tc_5musb-bl



Black USB 2.0 Cable with active booster

TC 10MUSB+/BL;TC 15MUSB+/BL

15m (49.2ft)

TC 15MUSB+/BL EU SAP: 4911620 US SAP: 13557650
vav.link/tc_15musbplus-bl

10m (32.8ft)

TC 10MUSB+/BL EU SAP: 4911619 US SAP: 13557649
vav.link/tc_10musbplus-bl



Braided USB 2.0 Cable

TC 1MUSB/HQ;TC 2MUSB/HQ;TC 3MUSB/HQ;TC 5MUSB/HQ

1m (3.2ft)

TC 1MUSB/HQ EU SAP: 4911570 US SAP: 13557562
vav.link/tc_1musb-hq

2m (6.5ft)

TC 2MUSB/HQ EU SAP: 4911571 US SAP: 13557563
vav.link/tc_2musb-hq

3m (9.8ft)

TC 3MUSB/HQ EU SAP: 4911572 US SAP: 13557564
vav.link/tc_3musb-hq

5m (16.4ft)

TC 5MUSB/HQ EU SAP: 4911573 US SAP: 13557565
vav.link/tc_5musb-hq



Braided USB 2.0 Cable with active booster

TC 10MUSB+/HQ;TC 15MUSB+/HQ

15m (49.2ft)

TC 15MUSB+/HQ EU SAP: 4911575 US SAP: 13557567
vav.link/tc_15musbplus-hq

10m (32.8ft)

TC 10MUSB+/HQ EU SAP: 4911574 US SAP: 13557566
vav.link/tc_10musbplus-hq



Braided USB-C to USB 3.0A Cable

TC 1MUSBCA/HQ;TC 2MUSBCA/HQ

1m (3.2ft)

TC 1MUSBCA/HQ EU SAP: 4911579 US SAP: 13557656
vav.link/tc_1musbca-hq

2m (6.5ft)

TC 2MUSBCA/HQ EU SAP: 4911580 US SAP: 13557657
vav.link/tc_2musbca-hq



White USB 2.0 Cable with active booster

TC2 10MUSB+;TC2 15MUSB+

10m (32.8ft)

TC2 10MUSB+ EU SAP: 3244188 US SAP: 12939463
vav.link/tc2_10musbplus

15m (49.2ft)

TC2 15MUSB+ EU SAP: 3004953 US SAP: 12939466
vav.link/tc2_15musbplus



White USB 2.0 Cable

TC2 3MUSB;TC 1MUSB;TC2 5MUSB;TC 2MUSB

1m (3.2ft)

TC 1MUSB EU SAP: 3265177 US SAP: 12939570
vav.link/tc_1musb

2m (6.5ft)

TC 2MUSB EU SAP: 3265178 US SAP: 12939571
vav.link/tc_2musb

3m (9.8ft)

TC2 3MUSB EU SAP: 3004700 US SAP: 12939522
vav.link/tc2_3musb

5m (16.4ft)

TC2 5MUSB EU SAP: 3004951 US SAP: 12939526
vav.link/tc2_5musb

USB

LIFETIME
WARRANTY



White USB 2.0 Extension Cable

TC 1MUSBEXT;TC 5MUSBEXT+;TC 2MUSBEXT;TC 3MUSBEXT+

1m (3.2ft)

TC 1MUSBEXT EU SAP: 3265181 US SAP: 12939573
vav.link/tc_1musbext

3m (9.8ft)

TC 3MUSBEXT+ EU SAP: 4500879 US SAP: 13041747
vav.link/tc_3musbextplus

2m (6.5ft)

TC 2MUSBEXT EU SAP: 3265182 US SAP: 12939556
vav.link/tc_2musbext

5m (16.4ft)

TC 5MUSBEXT+ EU SAP: 4500880 US SAP: 13041700
vav.link/tc_5musbextplus



White USB 2.0 Micro-B to USB-A Cable

TC 1MUSBM;TC 2MUSBM;TC 3MUSBM

1m (3.2ft)

TC 1MUSBM EU SAP: 3265180 US SAP: 13332300
vav.link/tc_1musbm

3m (9.8ft)

TC 3MUSBM EU SAP: 4432259 US SAP: 13332296
vav.link/tc_3musbm

2m (6.5ft)

TC 2MUSBM EU SAP: 4432258 US SAP: 13332301
vav.link/tc_2musbm



White USB-C to USB 3.0A Cable

TC 2MUSBCA;TC 3MUSBCA;TC 1MUSBCA

1m (3.2ft)

TC 1MUSBCA EU SAP: 4322261 US SAP: 12938689
vav.link/tc_1musbca

3m (9.8ft)

TC 3MUSBCA EU SAP: 4322263 US SAP: 12939451
vav.link/tc_3musbca

2m (6.5ft)

TC 2MUSBCA EU SAP: 4322262 US SAP: 12938690
vav.link/tc_2musbca



Black USB-C to USB 3.0A Cable 1m (3.2ft)

TC 1MUSBCA/BL EU SAP: 4911624 US SAP: 13557580

On one end: USB A - plugs into the old connector on your laptop and carries USB 3.0 signal.

On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

vav.link/tc_1musbca-bl



White USB-C to USB 2.0 Micro-B Cable 1m (3.2ft)

TC 1MUSBCBM EU SAP: 4322268 US SAP: 12939456

On one end: Micro USB B - plugs into the old connector on your peripherals such as keyboard and mice. Very popular for charging devices. Carries USB 2.0 signal.

On the other end: USB C - the new smaller reversible USB plug which supports USB 3.1 signal.

vav.link/tc_1musbcm



Black USB-C to USB 3.0A Cable 2m (6.5ft)

TC 2MUSBCA/BL EU SAP: 4911625 US SAP: 13557581

On one end: USB A - plugs into the old connector on your laptop and carries USB 3.0 signal.

On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

vav.link/tc_2musbca-bl



Black USB 2.0 Extension Cable 2m (6.5ft)

TC 2MUSBEXT/BL EU SAP: 4911621 US SAP: 13557651

vav.link/tc_2musbext-bl



Braided USB 2.0 Extension Cable 2m (6.5ft)

TC 2MUSBEXT/HQ EU SAP: 4911576 US SAP: 13557568

vav.link/tc_2musbext-hq



Black USB 2.0 Micro-B to USB-A Cable 2m (6.5ft)

TC 2MUSBM/BL EU SAP: 4911623 US SAP: 13557653

vav.link/tc_2musbm-bl

USB

LIFETIME WARRANTY



Braided USB 2.0 Micro-B to USB-A Cable 2m (6.5ft)

TC 2MUSBM/HQ EU SAP: 4911578 US SAP: 13557655
vav.link/tc_2musbm-hq



Braided USB 2.0 Extension Cable 5m (16.4ft) with active booster

TC 5MUSBEXT+/HQ EU SAP: 4911577 US SAP: 13557654
vav.link/tc_5musbextplus-hq



Professional White USB-C to USB 3.0A Adaptor

TC-USBC3A EU SAP: 4322267 US SAP: 12939476

Converts the USB-C port on a laptop to older USB 3.0 so that mice, printers and other peripherals can be used.

vav.link/tc-usbc3a



Professional White USB 3.0 to Ethernet Adaptor

TC-USBETH EU SAP: 3265218 US SAP: 12939562

Converts a USB port on a laptop into an RJ45 ethernet port.

vav.link/tc-usbeth



Professional Black USB 3.0 to HDMI Adaptor

TC-USBHDMI EU SAP: 4322270 US SAP: 12939480

Connects the USB 3.0 port on a laptop to a display device.

Note: chassis updated Jan 2020

vav.link/tc-usbhdm



Professional Black USB 2.0 to 9-Pin RS-232 Serial Adaptor

TC-USBSER EU SAP: 3265219 US SAP: 12939563

Converts a USB port on a computer into a 9-pin serial port for RS-232 control applications.

vav.link/tc-usbser



Black USB 2.0 Extension Cable 5m (16.4ft) with active booster

TC 5MUSBEXT+/BL EU SAP: 4911622 US SAP: 13557652
vav.link/tc_5musbextplus-bl



Professional Black USB-C to USB 3.0A Adaptor

TC-USB3AC-BL EU SAP: 5535560

Plugs into the USB 3.0 port on a laptop to provide a USB 3.1 (USB-C) socket so that newer peripherals can be used.

vav.link/tc-usb3ac-bl



Professional Black USB-C to USB 3.0A Adaptor

TC-USBC3A/BL EU SAP: 4979313 US SAP: 13557624

Converts the USB-C port on a laptop to older USB 3.0 so that mice, printers and other peripherals can be used.

vav.link/tc-usbc3a-bl



Professional Black USB 3.0 to Ethernet Adaptor

TC-USBETH/BL EU SAP: 4979136 US SAP: 13557629

Converts a USB port on a laptop into an RJ45 ethernet port.

vav.link/tc-usbeth-bl



Professional Blue USB 3.0 Micro-B to USB-A Adaptor

TC-USBMBA EU SAP: 4500877 US SAP: 13041735

Converts the Micro USB-B port on a peripheral to a full-sized USB A socket.

vav.link/tc-usbm



Professional Black USB 3.0 to VGA Adaptor

TC-USBVGA EU SAP: 4322269 US SAP: 12939481

Connects the USB A port on a laptop to a display device.

vav.link/tc-usbv



Fibre Data Cable



Blue Data Fibre Cable

TC 3MFBR LCLC;TC 2MFBR LCLC;TC 1MFBR LCLC

1m (3.2ft)

TC 1MFBR LCLC EU SAP: 4500883 US SAP: 13041716

vav.link/tc_1mfbr_lclc

3m (9.8ft)

TC 3MFBR LCLC EU SAP: 4500864 US SAP: 13041744

vav.link/tc_3mfbr_lclc

2m (6.5ft)

TC 2MFBR LCLC EU SAP: 4500884 US SAP: 13041743

vav.link/tc_2mfbr_lclc

Ethernet

LIFETIME WARRANTY



White CAT6 Cable

TC 0.5MCAT6;TC 2MCAT6;TC 3MCAT6;TC 5MCAT6;TC 10MCAT6;TC 1MCAT6

0.5m (1.6ft)
TC 0.5MCAT6 EU SAP: 3265140 US SAP: 12939555
[vav.link/tc_0-5mcat6](#)

1m (3.2ft)
TC 1MCAT6 EU SAP: 3265141 US SAP: 12939580
[vav.link/tc_1mcat6](#)

2m (6.5ft)
TC 2MCAT6 EU SAP: 3265142 US SAP: 12939581
[vav.link/tc_2mcat6](#)

3m (9.8ft)
TC 3MCAT6 EU SAP: 3265146 US SAP: 12939582
[vav.link/tc_3mcat6](#)

5m (16.4ft)
TC 5MCAT6 EU SAP: 3265147 US SAP: 12939583
[vav.link/tc_5mcat6](#)

10m (32.8ft)
TC 10MCAT6 EU SAP: 3265148 US SAP: 12939584
[vav.link/tc_10mcat6](#)



Braided CAT6 Cable

TC 0.5MCAT6/HQ;TC 1MCAT6/HQ;TC 2MCAT6/HQ;TC 3MCAT6/HQ;TC 5MCAT6/HQ;TC 10MCAT6/HQ

0.5m (1.6ft)
TC 0.5MCAT6/HQ EU SAP: 4911628 US SAP: 13557630
[vav.link/tc_0-5mcat6-hq](#)

1m (3.2ft)
TC 1MCAT6/HQ EU SAP: 4911629 US SAP: 13557631
[vav.link/tc_1mcat6-hq](#)

2m (6.5ft)
TC 2MCAT6/HQ EU SAP: 4911630 US SAP: 13557632
[vav.link/tc_2mcat6-hq](#)

3m (9.8ft)
TC 3MCAT6/HQ EU SAP: 4911583 US SAP: 13557633
[vav.link/tc_3mcat6-hq](#)

5m (16.4ft)
TC 5MCAT6/HQ EU SAP: 4911584 US SAP: 13557634
[vav.link/tc_5mcat6-hq](#)

10m (32.8ft)
TC 10MCAT6/HQ EU SAP: 4911585 US SAP: 13557635
[vav.link/tc_10mcat6-hq](#)



Professional White USB-C to Ethernet Adaptor

TC-USBCETH EU SAP: 4322273 US SAP: 12939477

Converts a USB port on a laptop into an RJ45 Ethernet port.

[vav.link/tc-usbcth](#)



Professional White USB 3.0 to Ethernet Adaptor

TC-USBETH EU SAP: 3265218 US SAP: 12939562

Converts a USB port on a laptop into an RJ45 ethernet port.

[vav.link/tc-usbeth](#)



Black CAT6 Cable

TC 0.5MCAT6/BL;TC 1MCAT6/BL;TC 2MCAT6/BL;TC 3MCAT6/BL;TC 5MCAT6/BL;TC 10MCAT6/BL

0.5m (1.6ft)
TC 0.5MCAT6/BL EU SAP: 4911589 US SAP: 13557676
[vav.link/tc_0-5mcat6-bl](#)

1m (3.2ft)
TC 1MCAT6/BL EU SAP: 4911590 US SAP: 13557677
[vav.link/tc_1mcat6-bl](#)

10m (32.8ft)
TC 10MCAT6/BL EU SAP: 4911594 US SAP: 13557614
[vav.link/tc_10mcat6-bl](#)

2m (6.5ft)
TC 2MCAT6/BL EU SAP: 4911591 US SAP: 13557678
[vav.link/tc_2mcat6-bl](#)

3m (9.8ft)
TC 3MCAT6/BL EU SAP: 4911592 US SAP: 13557612
[vav.link/tc_3mcat6-bl](#)

5m (16.4ft)
TC 5MCAT6/BL EU SAP: 4911593 US SAP: 13557613
[vav.link/tc_5mcat6-bl](#)



Professional Black USB-C to Ethernet Adaptor

TC-USBCETH/BL EU SAP: 4979314 US SAP: 13557625

Converts a USB port on a laptop into an RJ45 Ethernet port.

[vav.link/tc-usbcth-bl](#)



Professional Black USB 3.0 to Ethernet Adaptor

TC-USBETH/BL EU SAP: 4979136 US SAP: 13557629

Converts a USB port on a laptop into an RJ45 ethernet port.

[vav.link/tc-usbeth-bl](#)

HDMI

LIFETIME
WARRANTY



White DisplayPort to HDMI Cable

TC 2MDPHDMI4K;TC 3MDPHDMI4K

3m (9.8ft)

TC 3MDPHDMI4K EU SAP: 4821709

vav.link/tc_3mdphdmi4k

2m (6.5ft)

TC 2MDPHDMI4K EU SAP: 4821589

vav.link/tc_2mdphdmi4k



White HDMI Cable

TC 1.5MHDMI;TC 0.5MHDMI;TC 1MHDMI;TC 2MHDMI;TC2 3MHDMI;TC2 10MHDMI;TC2 15MHDMI;TC 5MHDMICPR;TC 10MHDMICPR;TC 15MHDMICPR;TC2 5MHDMI

0.5m (1.6ft)

TC 0.5MHDMI EU SAP: 3058973 US SAP: 12939552

vav.link/tc_0-5mhdmi

5m (16.4ft)

TC 5MHDMICPR EU SAP: 4724519 US SAP: 13445459

vav.link/tc_5mhdmicpr

1m (3.2ft)

TC 1MHDMI EU SAP: 3058974 US SAP: 12939589

vav.link/tc_1mhdmi

10m (32.8ft)

TC2 10MHDMI EU SAP: 2746864 US SAP: 12939462

vav.link/tc2_10mhdmi

1.5m (4.9ft)

TC 1.5MHDMI EU SAP: 4500873 US SAP: 13041725

vav.link/tc_1-5mhdmi

10m (32.8ft)

TC 10MHDMICPR EU SAP: 4724517 US SAP: 13445545

vav.link/tc_10mhdmicpr

2m (6.5ft)

TC 2MHDMI EU SAP: 3265151 US SAP: 12939586

vav.link/tc_2mhdmi

15m (49.2ft)

TC2 15MHDMI EU SAP: 2746865 US SAP: 12939465

vav.link/tc2_15mhdmi

3m (9.8ft)

TC2 3MHDMI EU SAP: 3000666 US SAP: 12939521

vav.link/tc2_3mhdmi

15m (49.2ft)

TC 15MHDMICPR EU SAP: 4724518 US SAP: 13445501

vav.link/tc_15mhdmicpr

5m (16.4ft)

TC2 5MHDMI EU SAP: 2746863 US SAP: 12939525

vav.link/tc2_5mhdmi



White HDMI Cable with active booster

TC 30MHDMI;TC 50MHDMI;TC 20MHDMI+;TC 30MHDMI+

20m (65.6ft)

TC 20MHDMI+ EU SAP: 4842771 US SAP: 13445533

vav.link/tc_20mhdmiplus

30m (98.4ft)

TC 30MHDMI+ EU SAP: 4842772

vav.link/tc_30mhdmiplus

30m (98.4ft)

TC 30MHDMI EU SAP: 4085649 US SAP: 12939470

vav.link/tc_30mhdmi

50m (164ft)

TC 50MHDMI EU SAP: 4085650 US SAP: 12939471

vav.link/tc_50mhdmi



White Mini-HDMI to HDMI Cable

TC 1MHDMIM;TC 2MHDMIM;TC 3MHDMIM;TC 5MHDMIM

1m (3.2ft)

TC 1MHDMIM EU SAP: 3265156 US SAP: 12939472

vav.link/tc_1mhdmim

3m (9.8ft)

TC 3MHDMIM EU SAP: 3265158 US SAP: 12939588

vav.link/tc_3mhdmim

2m (6.5ft)

TC 2MHDMIM EU SAP: 3265157 US SAP: 12939587

vav.link/tc_2mhdmim

5m (16.4ft)

TC 5MHDMIM EU SAP: 3265159 US SAP: 12939553

vav.link/tc_5mhdmim



White USB-C to HDMI Cable

TC 3MUSBCHDMI;TC 2MUSBCHDMI

2m (6.5ft)

TC 2MUSBCHDMI EU SAP: 4322266 US SAP: 12939454

vav.link/tc_2musbchdmi

3m (9.8ft)

TC 3MUSBCHDMI EU SAP: 4322274 US SAP: 12939455

vav.link/tc_3musbchdmi

HDMI

LIFETIME WARRANTY



Black HDMI Cable

TC 0.5MHDMI/BL;TC 1MHDMI/BL;TC 1.5MHDMI/BL;TC 2MHDMI/BL;TC 3MHDMI/BL;TC 5MHDMI/BL;TC 10MHDMI/BL;TC 15MHDMI/BL

0.5m (1.6ft)

TC 0.5MHDMI/BL EU SAP: 4911595 US SAP: 13557616
vav.link/tc_0-5mhdmi-bl

1m (3.2ft)

TC 1MHDMI/BL EU SAP: 4911596 US SAP: 13557617
vav.link/tc_1mhdmi-bl

1.5m (4.9ft)

TC 1.5MHDMI/BL EU SAP: 4911597 US SAP: 13557618
vav.link/tc_1-5mhdmi-bl

2m (6.5ft)

TC 2MHDMI/BL EU SAP: 4911598 US SAP: 13557619
vav.link/tc_2mhdmi-bl

3m (9.8ft)

TC 3MHDMI/BL EU SAP: 4911599 US SAP: 13557620
vav.link/tc_3mhdmi-bl

5m (16.4ft)

TC 5MHDMI/BL EU SAP: 4911600 US SAP: 13557621
vav.link/tc_5mhdmi-bl

10m (32.8ft)

TC 10MHDMI/BL EU SAP: 4911601 US SAP: 13557622
vav.link/tc_10mhdmi-bl

15m (49.2ft)

TC 15MHDMI/BL EU SAP: 4911602 US SAP: 13557623
vav.link/tc_15mhdmi-bl



Braided HDMI Cable

TC 0.5MHDMI/HQ;TC 1MHDMI/HQ;TC 1.5MHDMI/HQ;TC 2MHDMI/HQ;TC 5MHDMI/HQ;TC 15MHDMI/HQ;TC 10MHDMI/HQ;TC 3MHDMI/HQ

0.5m (1.6ft)

TC 0.5MHDMI/HQ EU SAP: 4911586 US SAP: 13557636
vav.link/tc_0-5mhdmi-hq

1m (3.2ft)

TC 1MHDMI/HQ EU SAP: 4911587 US SAP: 13557637
vav.link/tc_1mhdmi-hq

1.5m (4.9ft)

TC 1.5MHDMI/HQ EU SAP: 4911588 US SAP: 13557638
vav.link/tc_1-5mhdmi-hq

2m (6.5ft)

TC 2MHDMI/HQ EU SAP: 4911403 US SAP: 13557639
vav.link/tc_2mhdmi-hq

3m (9.8ft)

TC 3MHDMI/HQ EU SAP: 4911404 US SAP: 13557640
vav.link/tc_3mhdmi-hq

5m (16.4ft)

TC 5MHDMI/HQ EU SAP: 4911405 US SAP: 13557641
vav.link/tc_5mhdmi-hq

10m (32.8ft)

TC 10MHDMI/HQ EU SAP: 4911406 US SAP: 13557642
vav.link/tc_10mhdmi-hq

15m (49.2ft)

TC 15MHDMI/HQ EU SAP: 4911407 US SAP: 13557643
vav.link/tc_15mhdmi-hq



Black DisplayPort to HDMI Cable 1m (3.2ft)

TC 1MDPHDMI/BL EU SAP: 4911607 US SAP: 13557574

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs.

vav.link/tc_1mdphdmi-bl



Braided DisplayPort to HDMI Cable 1m (3.2ft)

TC 1MDPHDMI/HQ EU SAP: 4911562 US SAP: 13557596

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs.

vav.link/tc_1mdphdmi-hq



White DisplayPort to HDMI Cable 1m (3.2ft)

TC 1MDPHDMI4K EU SAP: 4821588

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs.

vav.link/tc_1mdphdmi4k



Black DisplayPort to HDMI Cable 2m (6.5ft)

TC 2MDPHDMI/BL EU SAP: 4911608 US SAP: 13557575

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs.

vav.link/tc_2mdphdmi-bl



Braided DisplayPort to HDMI Cable 2m (6.5ft)

TC 2MDPHDMI/HQ EU SAP: 4911563 US SAP: 13557597

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs.

vav.link/tc_2mdphdmi-hq



White HDMI to VGA Cable 2m (6.5ft)

TC 2MHDMIVGA EU SAP: 4507432 US SAP: 13041726

Trying to connect a modern computer to a legacy display? *Note: Does not convert VGA to HDMI*

vav.link/tc_2mhdmiivga

HDMI

LIFETIME
WARRANTY



Black HDMI to VGA Cable 2m (6.5ft)

TC 2MHDmivGA/BL EU SAP: 4911603 US SAP: 13557570

Trying to connect a modern computer to a legacy display? *Note: Does not convert VGA to HDMI*

vav.link/tc_2mhdmivga-bl



Braided HDMI to VGA Cable 2m (6.5ft)

TC 2MHDmivGA/HQ EU SAP: 4911408 US SAP: 13557592

Trying to connect a modern computer to a legacy display? *Note: Does not convert VGA to HDMI*

vav.link/tc_2mhdmivga-hq



White Mini-DisplayPort to HDMI Cable 2m (6.5ft)

TC 2MMDPHDMI EU SAP: 3265164 US SAP: 12939576

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs.

Note that Thunderbolt® uses the Mini-DP connector. In addition to carrying DisplayPort signal Thunderbolt also carries data.

vav.link/tc_2mmdphdmi



Black Mini-DisplayPort to HDMI Cable 2m (6.5ft)

TC 2MMDPHDMI/BL EU SAP: 4911606 US SAP: 13557573

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs.

Note that Thunderbolt® uses the Mini-DP connector. In addition to carrying DisplayPort signal Thunderbolt also carries data.

vav.link/tc_2mmdphdmi-bl



Braided Mini-DisplayPort to HDMI Cable 2m (6.5ft)

TC 2MMDPHDMI/HQ EU SAP: 4911561 US SAP: 13557595

Allows PCs with 'Dual-Mode' DisplayPort (DP++) outputs to connect to displays with HDMI inputs.

Note that Thunderbolt® uses the Mini-DP connector. In addition to carrying DisplayPort signal Thunderbolt also carries data.

vav.link/tc_2mmdphdmi-hq



Black USB-C to HDMI Cable 2m (6.5ft)

TC 2MUSBCHDMI/BL EU SAP: 4911626 US SAP: 13557583

On one end: HDMI - plugs into a display device
On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

vav.link/tc_2musbchdmi-bl



Braided USB-C to HDMI Cable 2m (6.5ft)

TC 2MUSBCHDMI/HQ EU SAP: 4911581 US SAP: 13557659

On one end: HDMI - plugs into a display device
On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

vav.link/tc_2musbchdmi-hq



White VGA to HDMI Cable 2m (6.5ft)

TC 2MVGAHDMI EU SAP: 4507435 US SAP: 13041698

Trying to connect an old laptop to a modern display? *Note: Does not convert HDMI to VGA*

vav.link/tc_2mvgahdmi



Professional Black DisplayPort to HDMI Adaptor

TC-DPHDMI/BL EU SAP: 4979292 US SAP: 13557585

Plugs into DisplayPort and has full-sized HDMI socket. Active circuit allows PCs with or without Dual-Mode DisplayPort (DP++) to connect to displays with HDMI inputs.

vav.link/tc-dphdmi-bl



Professional Premium Braided DisplayPort to HDMI Adaptor

TC-DPHDMI/HQ EU SAP: 4979149 US SAP: 13557661

Plugs into DisplayPort and has full-sized HDMI socket. Active circuit allows PCs with or without Dual-Mode DisplayPort (DP++) to connect to displays with HDMI inputs.

vav.link/tc-dphdmi-hq



Professional White DisplayPort to HDMI Adaptor

TC-DPHDMI4K EU SAP: 4821710 US SAP: 13517034

Plugs into DisplayPort and has full-sized HDMI socket. Active circuit allows PCs with or without Dual-Mode DisplayPort (DP++) to connect to displays with HDMI inputs.

vav.link/tc-dphdmi4k



Professional Black HDMI Coupler

TC-HDMIFF EU SAP: 4500868 US SAP: 13041733

Connects two HDMI cables with full-sized connectors together.

vav.link/tc-hdmiff

HDMI

LIFETIME WARRANTY



White HDMI to VGA Adaptor

TC-HDMIVGA EU SAP: 4191274 US SAP: 12939473

Plugs into HDMI port on a laptop. Converts digital HDMI signal into analogue VGA signal. Ideal when you are presenting in an older presentation environment which only has VGA cable between the lectern and projector.

vav.link/tc-hdmivga



Braided HDMI to VGA Adaptor

TC-HDMIVGA/HQ EU SAP: 4979150 US SAP: 13557663

Plugs into HDMI port on a laptop. Converts digital HDMI signal into analogue VGA signal. Ideal when you are presenting in an older presentation environment which only has VGA cable between the lectern and projector.

vav.link/tc-hdmivga-hq



Professional Premium Braided Mini-DisplayPort to HDMI Adaptor

TC-MDPHDMI/HQ EU SAP: 4979312 US SAP: 13557664

Plugs into Mini-DisplayPort (also known as Thunderbolt) and has full-sized HDMI socket. Active circuit allows PCs with or without Dual-Mode DisplayPort (DP++) to connect to displays with HDMI inputs.

vav.link/tc-mdphdmi-hq



Professional Black Mini-HDMI to HDMI Adaptor

TC-MHDMIHDMI EU SAP: 3265169 US SAP: 12939474

Plugs into Mini-HDMI port and has full-sized HDMI socket

vav.link/tc-mhdmihdm



Professional Black mDP/DP/mHDMI/USB-C to HDMI Adaptor

TC-MULTIHDMI/BL EU SAP: 4979148 US SAP: 13557623

Four adaptors on a tether:

- MiniDisplayPort to HDMI
- DisplayPort to HDMI
- Mini-HDMI to HDMI (bi-directional)
- USB-C to HDMI

vav.link/tc-multihdmi-bl



Professional Black USB-C to HDMI Adaptor

TC-USBCHDMI/BL EU SAP: 4979315 US SAP: 13557626

Connects the USB-C port on a laptop to a display device.

vav.link/tc-usbchdmi-bl



Black HDMI to VGA Adaptor

TC-HDMIVGA/BL EU SAP: 4979146 US SAP: 13557587

Plugs into HDMI port on a laptop. Converts digital HDMI signal into analogue VGA signal. Ideal when you are presenting in an older presentation environment which only has VGA cable between the lectern and projector.

vav.link/tc-hdmivga-bl



Professional Black Mini-DisplayPort to HDMI Adaptor

TC-MDPHDMI/BL EU SAP: 4979147 US SAP: 13557589

Plugs into Mini-DisplayPort (also known as Thunderbolt) and has full-sized HDMI socket. Active circuit allows PCs with or without Dual-Mode DisplayPort (DP++) to connect to displays with HDMI inputs.

vav.link/tc-mdphdmi-bl



Professional White Mini-DisplayPort to HDMI Adaptor

TC-MDPHDMI4K EU SAP: 4821711

Plugs into Mini-DisplayPort (also known as Thunderbolt) and has full-sized HDMI socket. Active circuit allows PCs with or without Dual-Mode DisplayPort (DP++) to connect to displays with HDMI inputs.

vav.link/tc-mdphdmi4k



Professional White mDP/DP/mHDMI/USB-C to HDMI Adaptor

TC-MULTIHDMI EU SAP: 4540294 US SAP: 13041734

Four adaptors on a tether:

- MiniDisplayPort to HDMI
- DisplayPort to HDMI
- Mini-HDMI to HDMI (bi-directional)
- USB-C to HDMI

vav.link/tc-multihdmi



Professional White USB-C to HDMI Adaptor

TC-USBCHDMI EU SAP: 4322271 US SAP: 12939478

Connects the USB-C port on a laptop to a display device.

vav.link/tc-usbchdmi



Professional Black USB 3.0 to HDMI Adaptor

TC-USBHDMI EU SAP: 4322270 US SAP: 12939480

Connects the USB 3.0 port on a laptop to a display device.

Note: chassis updated Jan 2020

vav.link/tc-usbhdm

HDMI


LIFETIME
WARRANTY



Professional Black VGA and Audio to HDMI Adaptor

TC-VGAHDMI/BL EU SAP: 5252497

Plugs into VGA connector and has a full-sized HDMI socket. Active circuit converts the analogue VGA signal into digital for easy switching and long distance distribution.

vav.link/tc-vgahdmi-bl

USB-C

LIFETIME WARRANTY



White USB-C Cable

TC 1.5MUSBC;TC 1MUSBC;TC 4MUSBC

1m (3.2ft)

TC 1MUSBC EU SAP: 4322264 US SAP: 12939452
vav.link/tc_1musbc

4m (13.1ft)

TC 4MUSBC EU SAP: 4880388 US SAP: 13445504
vav.link/tc_4musbc

1.5m (4.9ft)

TC 1.5MUSBC EU SAP: 4322265 US SAP: 12939453
vav.link/tc_1-5musbc



White USB-C to HDMI Cable

TC 3MUSBCHDMI;TC 2MUSBCHDMI

2m (6.5ft)

TC 2MUSBCHDMI EU SAP: 4322266 US SAP: 12939454
vav.link/tc_2musbchdmi

3m (9.8ft)

TC 3MUSBCHDMI EU SAP: 4322274 US SAP: 12939455
vav.link/tc_3musbchdmi



White USB-C to USB 3.0A Cable

TC 2MUSBCA;TC 3MUSBCA;TC 1MUSBCA

1m (3.2ft)

TC 1MUSBCA EU SAP: 4322261 US SAP: 12938689
vav.link/tc_1musbca

3m (9.8ft)

TC 3MUSBCA EU SAP: 4322263 US SAP: 12939451
vav.link/tc_3musbca

2m (6.5ft)

TC 2MUSBCA EU SAP: 4322262 US SAP: 12938690
vav.link/tc_2musbca



Braided USB-C to USB 3.0A Cable

TC 1MUSBCA/HQ;TC 2MUSBCA/HQ

1m (3.2ft)

TC 1MUSBCA/HQ EU SAP: 4911579 US SAP: 13557656
vav.link/tc_1musbca-hq

2m (6.5ft)

TC 2MUSBCA/HQ EU SAP: 4911580 US SAP: 13557657
vav.link/tc_2musbca-hq



Black USB-C Cable 1m (3.2ft)

TC 1MUSBC/BL EU SAP: 4986194 US SAP: 13557582

USB-C is the latest USB connector. It has a smaller reversible plug which supports USB 3.1 signal. They also support the Thunderbolt 3.0 signal which now uses USB-C cable (Note Bandwidth only goes up to 10Gbps as with most USB-C cables).

vav.link/tc_1musbc-bl



Braided USB-C Cable 1m (3.2ft)

TC 1MUSBC/HQ EU SAP: 4991612 US SAP: 13557658

USB-C is the latest USB connector. It has a smaller reversible plug which supports USB 3.1 signal. They also support the Thunderbolt 3.0 signal which now uses USB-C cable (Note Bandwidth only goes up to 10Gbps as with most USB-C cables).

vav.link/tc_1musbc-hq



Black USB-C to USB 3.0A Cable 1m (3.2ft)

TC 1MUSBCA/BL EU SAP: 4911624 US SAP: 13557580

On one end: USB A - plugs into the old connector on your laptop and carries USB 3.0 signal.

On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

vav.link/tc_1musbca-bl



White USB-C to USB 2.0 Micro-B Cable 1m (3.2ft)

TC 1MUSBCBM EU SAP: 4322268 US SAP: 12939456

On one end: Micro USB B - plugs into the old connector on your peripherals such as keyboard and mice. Very popular for charging devices. Carries USB 2.0 signal.

On the other end: USB C - the new smaller reversible USB plug which supports USB 3.1 signal.

vav.link/tc_1musbcm

USB-C

LIFETIME WARRANTY



Black USB-C Thunderbolt 3.0 Cable 1m (3.2ft)

TC 1MUSBCTB EU SAP: 4680785 US SAP: 13293569

Thunderbolt 3.0 uses the physical USB-C connectors. Thunderbolt cables are very similar to USB-C cables but have enhanced cable quality to support the high bandwidth.

vav.link/tc_1musbctb



White USB-C Extension Cable 2m (6.5ft)

TC 2MUSBCEXT EU SAP: 4880385 US SAP: 13517032

USB-C is the latest USB connector. It has a smaller reversible plug which supports USB 3.1 signal. They also support the Thunderbolt 3.0 signal which now uses USB-C cable (Note Bandwidth only goes up to 10Gbps as with most USB-C cables).

vav.link/tc_2musbcext



Braided USB-C to HDMI Cable 2m (6.5ft)

TC 2MUSBCHDMI/HQ EU SAP: 4911581 US SAP: 13557659

On one end: HDMI - plugs into a display device
On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

vav.link/tc_2musbchdmi-hq



Professional White USB-C to USB 3.0A Adaptor

TC-USBC3A EU SAP: 4322267 US SAP: 12939476

Converts the USB-C port on a laptop to older USB 3.0 so that mice, printers and other peripherals can be used.

vav.link/tc-usbc3a



Professional White USB-C to Ethernet Adaptor

TC-USBCETH EU SAP: 4322273 US SAP: 12939477

Converts a USB port on a laptop into an RJ45 Ethernet port.

vav.link/tc-usbceth



Professional White USB-C to HDMI Adaptor

TC-USBCHDMI EU SAP: 4322271 US SAP: 12939478

Connects the USB-C port on a laptop to a display device.

vav.link/tc-usbchdmi



White Multiport USB-C Hub

TC-USBCHUB EU SAP: 4781040 US SAP: 13445502

A flexible 270mm (10.6") long cable allows discreet placement of the enclosure, which makes expanding ports easy and keeps your desk tidy.

vav.link/tc-usbchub



Black USB-C to USB 3.0A Cable 2m (6.5ft)

TC 2MUSBCA/BL EU SAP: 4911625 US SAP: 13557581

On one end: USB A - plugs into the old connector on your laptop and carries USB 3.0 signal.

On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

vav.link/tc_2musbca-bl



Black USB-C to HDMI Cable 2m (6.5ft)

TC 2MUSBCHDMI/BL EU SAP: 4911626 US SAP: 13557583

On one end: HDMI - plugs into a display device
On the other end: USB type C - the new smaller reversible USB plug which supports USB 3.1 signal.

vav.link/tc_2musbchdmi-bl



Professional Black USB-C to USB 3.0A Adaptor

TC-USB3AC-BL EU SAP: 5535560

Plugs into the USB 3.0 port on a laptop to provide a USB 3.1 (USB-C) socket so that newer peripherals can be used.

vav.link/tc-usb3ac-bl



Professional Black USB-C to USB 3.0A Adaptor

TC-USBC3A/BL EU SAP: 4979313 US SAP: 13557624

Converts the USB-C port on a laptop to older USB 3.0 so that mice, printers and other peripherals can be used.

vav.link/tc-usbc3a-bl



Professional Black USB-C to Ethernet Adaptor

TC-USBCETH/BL EU SAP: 4979314 US SAP: 13557625

Converts a USB port on a laptop into an RJ45 Ethernet port.

vav.link/tc-usbceth-bl



Professional Black USB-C to HDMI Adaptor

TC-USBCHDMI/BL EU SAP: 4979315 US SAP: 13557626

Connects the USB-C port on a laptop to a display device.

vav.link/tc-usbchdmi-bl



Black Multiport USB-C Hub

TC-USBCHUB/BL EU SAP: 4979134 US SAP: 13557627

A flexible 270mm (10.6") long cable allows discreet placement of the enclosure, which makes expanding ports easy and keeps your desk tidy.

vav.link/tc-usbchub-bl

USB-C

LIFETIME
WARRANTY



Professional White USB-C to VGA Adaptor

TC-USBCVGA EU SAP: 4322272 US SAP: 12939479

Connects the USB-C port on a laptop to a display device.

vav.link/tc-usbcvga



Professional Black USB-C to VGA Adaptor

TC-USBCVGA/BL EU SAP: 4979135 US SAP: 13557628

Connects the USB-C port on a laptop to a display device.

vav.link/tc-usbcvga-bl

Power

LIFETIME
WARRANTY



White IEC Power Extension Cable

TC 2MIECEXT;TC 0.5MIECEXT;TC 1MIECEXT

0.5m (1.6ft)

TC 0.5MIECEXT EU SAP: 4500863 US SAP: 13041745

vav.link/tc_0-5miecext

2m (6.5ft)

TC 2MIECEXT EU SAP: 4500865 US SAP: 13041699

vav.link/tc_2miecext

1m (3.2ft)

TC 1MIECEXT EU SAP: 4500885 US SAP: 13041746

vav.link/tc_1miecext



Professional White UK Figure-8 Power Cable 0.5m (1.6ft)

TC 0.5MUKF8 EU SAP: 4592993

Informally known as "Figure-8"

vav.link/tc_0-5mukf8



White EU IEC Power Cable 2m (6.5ft)

TC 2MEUIEC EU SAP: 4500867

vav.link/tc_2meuieic



White UK IEC Power Cable 2m (6.5ft)

TC 2MUKIEC EU SAP: 4500866

vav.link/tc_2mukieic

Serial

LIFETIME
WARRANTY



White 9-Pin RS-232 Serial Cable

TC 15MS;TC 10MS;TC 2MS;TC 5MS

2m (6.5ft)

TC 2MS EU SAP: 3265213 US SAP: 12939458

vav.link/tc_2ms

5m (16.4ft)

TC 5MS EU SAP: 3265214 US SAP: 12939559

vav.link/tc_5ms

10m (32.8ft)

TC 10MS EU SAP: 3265216 US SAP: 12939560

vav.link/tc_10ms

15m (49.2ft)

TC 15MS EU SAP: 3265217 US SAP: 12939561

vav.link/tc_15ms



Professional White 9-Pin RS-232 Serial Extension Cable 2m (6.5ft)

TC 2MSEXT EU SAP: 3265212 US SAP: 12939558

vav.link/tc_2msextd



Professional Black USB 2.0 to 9-Pin RS-232 Serial Adaptor

TC-USBSER EU SAP: 3265219 US SAP: 12939563

Converts a USB port on a computer into a 9-pin serial port for RS-232 control applications.

vav.link/tc-usbser

VGA Cables & Adaptors



Black VGA Cable

TC 1MVGAP/BL;TC 2MVGAP/BL;TC 3MVGAP/BL;TC 5MVGAP/BL;TC 15MVGAP/BL;TC 10MVGAP/BL

1m (3.2ft)

TC 1MVGAP/BL EU SAP: 4911609 US SAP: 13557576

[vav.link/tc_1mvgap-bl](#)

2m (6.5ft)

TC 2MVGAP/BL EU SAP: 4911610 US SAP: 13557577

[vav.link/tc_2mvgap-bl](#)

3m (9.8ft)

TC 3MVGAP/BL EU SAP: 4911611 US SAP: 13557578

[vav.link/tc_3mvgap-bl](#)

5m (16.4ft)

TC 5MVGAP/BL EU SAP: 4911612 US SAP: 13557579

[vav.link/tc_5mvgap-bl](#)

10m (32.8ft)

TC 10MVGAP/BL EU SAP: 4911613 US SAP: 13557643

[vav.link/tc_10mvgap-bl](#)

15m (49.2ft)

TC 15MVGAP/BL EU SAP: 4911614 US SAP: 13557644

[vav.link/tc_15mvgap-bl](#)



Braided VGA Cable

TC 1MVGAP/HQ;TC 2MVGAP/HQ;TC 3MVGAP/HQ;TC 5MVGAP/HQ;TC 15MVGAP/HQ;TC 10MVGAP/HQ

1m (3.2ft)

TC 1MVGAP/HQ EU SAP: 4911564 US SAP: 13557598

[vav.link/tc_1mvgap-hq](#)

2m (6.5ft)

TC 2MVGAP/HQ EU SAP: 4911565 US SAP: 13557599

[vav.link/tc_2mvgap-hq](#)

3m (9.8ft)

TC 3MVGAP/HQ EU SAP: 4911566 US SAP: 13557600

[vav.link/tc_3mvgap-hq](#)

5m (16.4ft)

TC 5MVGAP/HQ EU SAP: 4911567 US SAP: 13557539

[vav.link/tc_5mvgap-hq](#)

10m (32.8ft)

TC 10MVGAP/HQ EU SAP: 4911568 US SAP: 13557540

[vav.link/tc_10mvgap-hq](#)

15m (49.2ft)

TC 15MVGAP/HQ EU SAP: 4911569 US SAP: 13557561

[vav.link/tc_15mvgap-hq](#)



White VGA Cable

TC 20MVGAP;TC 15MVGAP;TC 10MVGAP;TC 5MVGAP;TC 3MVGAP;TC 2MVGAP;TC 1MVGAP

1m (3.2ft)

TC 1MVGAP EU SAP: 3546047 US SAP: 12939482

[vav.link/tc_1mvgap](#)

2m (6.5ft)

TC 2MVGAP EU SAP: 3265174 US SAP: 12939567

[vav.link/tc_2mvgap](#)

3m (9.8ft)

TC 3MVGAP EU SAP: 3265175 US SAP: 12939568

[vav.link/tc_3mvgap](#)

5m (16.4ft)

TC 5MVGAP EU SAP: 3265176 US SAP: 12939569

[vav.link/tc_5mvgap](#)

10m (32.8ft)

TC 10MVGAP EU SAP: 3480006 US SAP: 12939483

[vav.link/tc_10mvgap](#)

15m (49.2ft)

TC 15MVGAP EU SAP: 3480007 US SAP: 12939484

[vav.link/tc_15mvgap](#)

20m (65.6ft)

TC 20MVGAP EU SAP: 3480008 US SAP: 12939485

[vav.link/tc_20mvgap](#)



White VGA to Phoenix Cable

TC2 3MVGA;TC2 5MVGA;TC2 10MVGA;TC2 15MVGA;TC2 20MVGA

3m (9.8ft)

TC2 3MVGA EU SAP: 3000667 US SAP: 12939523

[vav.link/tc2_3mvga](#)

5m (16.4ft)

TC2 5MVGA EU SAP: 2042118 US SAP: 12939527

[vav.link/tc2_5mvga](#)

10m (32.8ft)

TC2 10MVGA EU SAP: 1461166 US SAP: 12939464

[vav.link/tc2_10mvga](#)

15m (49.2ft)

TC2 15MVGA EU SAP: 1461168 US SAP: 12939467

[vav.link/tc2_15mvga](#)

20m (65.6ft)

TC2 20MVGA EU SAP: 1461174 US SAP: 12939469

[vav.link/tc2_20mvga](#)



White HDMI to VGA Cable 2m (6.5ft)

TC 2MHDMIVGA EU SAP: 4507432 US SAP: 13041726

Trying to connect a modern computer to a legacy display? *Note: Does not convert VGA to HDMI*

[vav.link/tc_2mhdmi vga](#)



Black HDMI to VGA Cable 2m (6.5ft)

TC 2MHDMIVGA/BL EU SAP: 4911603 US SAP: 13557570

Trying to connect a modern computer to a legacy display? *Note: Does not convert VGA to HDMI*

[vav.link/tc_2mhdmi vga-bl](#)



VGA Cables & Adaptors



Braided HDMI to VGA Cable 2m (6.5ft)

TC 2MHDMIVGA/HQ EU SAP: 4911408 US SAP: 13557592

Trying to connect a modern computer to a legacy display? *Note: Does not convert VGA to HDMI*

vav.link/tc_2mhdmivga-hq



White VGA to HDMI Cable 2m (6.5ft)

TC 2MVGAHDMI EU SAP: 4507435 US SAP: 13041698

Trying to connect an old laptop to a modern display? *Note: Does not convert HDMI to VGA*

vav.link/tc_2mvgahdmi



Professional White DisplayPort to VGA Adaptor

TC-DPVGA EU SAP: 4507453 US SAP: 13041732

Plugs into DisplayPort on laptop and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

vav.link/tc-dpvga



Professional Black DisplayPort to VGA Adaptor

TC-DPVGA/BL EU SAP: 4979137 US SAP: 13557586

Plugs into DisplayPort on laptop and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

vav.link/tc-dpvga-bl



Professional Premium Braided DisplayPort to VGA Adaptor

TC-DPVGA/HQ EU SAP: 4979357 US SAP: 13557662

Plugs into DisplayPort on laptop and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

vav.link/tc-dpvga-hq



White HDMI to VGA Adaptor

TC-HDMIVGA EU SAP: 4191274 US SAP: 12939473

Plugs into HDMI port on a laptop. Converts digital HDMI signal into analogue VGA signal. Ideal when you are presenting in an older presentation environment which only has VGA cable between the lectern and projector.

vav.link/tc-hdmivga



Black HDMI to VGA Adaptor

TC-HDMIVGA/BL EU SAP: 4979146 US SAP: 13557587

Plugs into HDMI port on a laptop. Converts digital HDMI signal into analogue VGA signal. Ideal when you are presenting in an older presentation environment which only has VGA cable between the lectern and projector.

vav.link/tc-hdmivga-bl



Braided HDMI to VGA Adaptor

TC-HDMIVGA/HQ EU SAP: 4979150 US SAP: 13557663

Plugs into HDMI port on a laptop. Converts digital HDMI signal into analogue VGA signal. Ideal when you are presenting in an older presentation environment which only has VGA cable between the lectern and projector.

vav.link/tc-hdmivga-hq



Professional White Mini-DisplayPort to VGA Adaptor

TC-MDPVGA EU SAP: 3265173 US SAP: 12939566

Plugs into Mini-DisplayPort (also known as Thunderbolt) and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

vav.link/tc-mdpvga



Professional Black Mini-DisplayPort to VGA Adaptor

TC-MDPVGA/BL EU SAP: 4979356 US SAP: 13557590

Plugs into Mini-DisplayPort (also known as Thunderbolt) and has VGA socket. Active circuit converts the digital signal into analogue VGA for display devices which don't have a digital input.

vav.link/tc-mdpvga-bl



Professional White USB-C to VGA Adaptor

TC-USBCVGA EU SAP: 4322272 US SAP: 12939479

Connects the USB-C port on a laptop to a display device.

vav.link/tc-usbcvga



Professional Black USB-C to VGA Adaptor

TC-USBCVGA/BL EU SAP: 4979135 US SAP: 13557628

Connects the USB-C port on a laptop to a display device.

vav.link/tc-usbcvga-bl



Professional Black USB 3.0 to VGA Adaptor

TC-USBVGA EU SAP: 4322269 US SAP: 12939481

Connects the USB A port on a laptop to a display device.

vav.link/tc-usbvga



Professional White VGA Coupler

TC-VGAFF EU SAP: 4500878 US SAP: 13041736

Connects two 15-pin mini D-sub "VGA" cables together.

vav.link/tc-vga

VGA Cables & Adaptors



Professional Black VGA and Audio to HDMI Adaptor

TC-VGAHDMI/BL EU SAP: 5252497






Plugs into VGA connector and has a full-sized HDMI socket. Active circuit converts the analogue VGA signal into digital for easy switching and long distance distribution.

vav.link/tc-vgahdmi-bl

















Audio

Product	Part Number	Info	Link
 White Minijack Cable 10m (32.8ft)	TC 10M3.5MMP	Length: 10m (32.81ft) Colour: White Connector: Minijack (male)	vav.link/tc_10m3-5mmp
 White Minijack Cable 15m (49.2ft)	TC 15M3.5MMP	Length: 15m (49.21ft) Colour: White Connector: Minijack (male)	vav.link/tc_15m3-5mmp
 White Minijack Cable 1m (3.2ft)	TC 1M3.5MMP	Length: 1m (3.3ft) Colour: White Connector: Minijack (male)	vav.link/tc_1m3-5mmp
 White Minijack to 2-Phono [RCA] Cable 2m (6.5ft)	TC 2M3.5MM2PHO	Length: 2m (6.6ft) Colour: White Connector: Minijack (male); Phono/RCA (male)	vav.link/es/tc_2m3-5mm2pho
 White Minijack Extension Cable 2m (6.6ft)	TC 2M3.5MMEXT	Length: 2m (6.6ft) Colour: White Connector: Minijack (male); Minijack (female)	vav.link/tc_2m3-5mmext
 White Minijack Cable 2m (6.6ft)	TC 2M3.5MMP	Length: 2m (6.6ft) Colour: White Connector: Minijack (male)	vav.link/tc_2m3-5mmp
 Black Minijack Cable 2m (6.6ft)	TC 2M3.5MMP/BL	Length: 2m (6.6ft) Colour: Black Connector: Minijack (male)	vav.link/tc_2m3-5mmp-bl
 Braided Minijack Cable 2m (6.6ft)	TC 2M3.5MMP/HQ	Length: 2m (6.6ft) Colour: Braided Connector: Minijack (male)	vav.link/tc_2m3-5mmp-hq
 White Minijack Cable 3m (9.8ft)	TC 3M3.5MMP	Length: 3m (9.8ft) Colour: White Connector: Minijack (male)	vav.link/tc_3m3-5mmp
 White Minijack Cable 5m (16.4ft)	TC 5M3.5MMP	Length: 5m (16.4ft) Colour: White Connector: Minijack (male)	vav.link/tc_5m3-5mmp















DisplayPort

Product	Part Number	Info	Link
 White DisplayPort Cable 10m (32.8ft)	TC 10MDP	Length: 10m (32.81ft) Colour: White Connector: DisplayPort (male)	vav.link/tc_10mdp
 White DisplayPort Cable 1m (3.2ft)	TC 1MDP	Length: 1m (3.3ft) Colour: White Connector: DisplayPort (male)	vav.link/tc_1mdp
 Black DisplayPort to HDMI Cable 1m (3.2ft)	TC 1MDPHDMI/BL	Length: 1m (3.3ft) Colour: Black Connector: DisplayPort (male); HDMI (male)	vav.link/tc_1mdphdmi-bl
 Braided DisplayPort to HDMI Cable 1m (3.2ft)	TC 1MDPHDMI/HQ	Length: 1m (3.3ft) Colour: Braided Connector: DisplayPort (male); HDMI (male)	vav.link/tc_1mdphdmi-hq
 White DisplayPort to HDMI Cable 1m (3.2ft)	TC 1MDPHDMI4K	Length: 1m (3.3ft) Colour: White Connector: DisplayPort (male); HDMI (male)	vav.link/tc_1mdphdmi4k

DisplayPort

Product		Part Number	Info	Link
	White Mini-DisplayPort to DisplayPort Cable 1m (3.2ft)	TC 1MMDPDP	Length: 1m (3.3ft) Colour: White Connector: DisplayPort (male); MiniDisplayPort (male)	vav.link/tc_1mmdpdp
	Black USB-C Thunderbolt 3.0 Cable 1m (3.2ft)	TC 1MUSBCTB	Length: 1m (3.3ft) Colour: Black Connector: USB-C (male)	vav.link/tc_1musbctb
	White DisplayPort Cable 2m (6.6ft)	TC 2MDP	Length: 2m (6.6ft) Colour: White Connector: DisplayPort (male)	vav.link/tc_2mdp
	Black DisplayPort Cable 2m (6.6ft)	TC 2MDP/BL	Length: 2m (6.6ft) Colour: Black Connector: DisplayPort (male)	vav.link/tc_2mdp-bl
	Braided DisplayPort Cable 2m	TC 2MDP/HQ	Length: 2m (6.6ft) Colour: Braided Connector: DisplayPort (male)	vav.link/tc_2mdp-hq
	Black DisplayPort to HDMI Cable 2m (6.5ft)	TC 2MDPHDMI/BL	Length: 2m (6.6ft) Colour: Black Connector: DisplayPort (male); HDMI (male)	vav.link/tc_2mdphdmi-bl
	Braided DisplayPort to HDMI Cable 2m (6.5ft)	TC 2MDPHDMI/HQ	Length: 2m (6.6ft) Colour: Braided Connector: DisplayPort (male); HDMI (male)	vav.link/tc_2mdphdmi-hq
	White DisplayPort to HDMI Cable 2m (6.5ft)	TC 2MDPHDMI4K	Length: 2m (6.6ft) Colour: White Connector: DisplayPort (male); HDMI (male)	vav.link/tc_2mdphdmi4k
	White Mini-DisplayPort to DisplayPort Cable 2m (6.5ft)	TC 2MMDPDP	Length: 2m (6.6ft) Colour: White Connector: DisplayPort (male); MiniDisplayPort (male)	vav.link/tc_2mmdpdp
	White Mini-DisplayPort to HDMI Cable 2m (6.5ft)	TC 2MMDPHDMI	Length: 2m (6.6ft) Colour: White Connector: HDMI (male); MiniDisplayPort (male)	vav.link/tc_2mmdphdmi
	Black Mini-DisplayPort to HDMI Cable 2m (6.5ft)	TC 2MMDPHDMI/BL	Length: 2m (6.6ft) Colour: Black Connector: HDMI (male); MiniDisplayPort (male)	vav.link/tc_2mmdphdmi-bl
	Braided Mini-DisplayPort to HDMI Cable 2m (6.5ft)	TC 2MMDPHDMI/HQ	Length: 2m (6.6ft) Colour: Braided Connector: HDMI (male); MiniDisplayPort (male)	vav.link/tc_2mmdphdmi-hq
	White DisplayPort Cable 3m (9.8ft)	TC 3MDP	Length: 3m (9.8ft) Colour: White Connector: DisplayPort (male)	vav.link/tc_3mdp
	Black DisplayPort Cable 3m (9.8ft)	TC 3MDP/BL	Length: 3m (9.8ft) Colour: Black Connector: DisplayPort (male)	vav.link/tc_3mdp-bl
	Braided DisplayPort Cable 3m (9.8ft)	TC 3MDP/HQ	Length: 3m (9.8ft) Colour: Braided Connector: DisplayPort (male)	vav.link/tc_3mdp-hq
	White DisplayPort to HDMI Cable 3m (9.8ft)	TC 3MDPHDMI4K	Length: 3m (9.8ft) Colour: White Connector: DisplayPort (male); HDMI (male)	vav.link/tc_3mdphdmi4k

















DisplayPort

Product	Part Number	Info	Link
 White DisplayPort Cable 5m (16.4ft)	TC 5MDP	Length: 5m (16.4ft) Colour: White Connector: DisplayPort (male)	vav.link/tc_5mdp
 Professional Black DisplayPort to HDMI Adaptor	TC-DPHDMI/BL	Length: 225mm (8.85") Colour: Black Connector: DisplayPort (male); HDMI (female)	vav.link/tc-dphdmi-bl
 Professional Premium Braided DisplayPort to HDMI Adaptor	TC-DPHDMI/HQ	Length: 225mm (8.85") Colour: Braided Connector: DisplayPort (male); HDMI (female)	vav.link/tc-dphdmi-hq
 Professional White DisplayPort to HDMI Adaptor	TC-DPHDMI4K	Length: 225mm (8.85") Colour: White Connector: DisplayPort (male); HDMI (female)	vav.link/tc-dphdmi4k
 Professional White DisplayPort to VGA Adaptor	TC-DPVGA	Length: 220mm (8.66") Colour: White Connector: DisplayPort (male); VGA (female)	vav.link/tc-dpvga
 Professional Black DisplayPort to VGA Adaptor	TC-DPVGA/BL	Length: 220mm (8.66") Colour: Black Connector: DisplayPort (male); VGA (female)	vav.link/tc-dpvga-bl
 Professional Premium Braided DisplayPort to VGA Adaptor	TC-DPVGA/HQ	Length: 220mm (8.66") Colour: Braided Connector: DisplayPort (male); VGA (female)	vav.link/tc-dpvga-hq
 Professional White Mini-DisplayPort to DisplayPort Adaptor	TC-MDPDP	Colour: White Connector: MiniDisplayPort (male); DisplayPort (female)	vav.link/tc-mdpdp
 Professional Black Mini-DisplayPort to DisplayPort Adaptor	TC-MDPDP/BL	Colour: Black Connector: MiniDisplayPort (male); DisplayPort (female)	vav.link/tc-mdpdp-bl
 Professional Black Mini-DisplayPort to HDMI Adaptor	TC-MDPHDMI/BL	Length: 225mm (8.85") Colour: Black Connector: HDMI (female); MiniDisplayPort (male)	vav.link/tc-mdphdmi-bl
 Professional Premium Braided Mini-DisplayPort to HDMI Adaptor	TC-MDPHDMI/HQ	Length: 225mm (8.85") Colour: Braided Connector: HDMI (female); MiniDisplayPort (male)	vav.link/tc-mdphdmi-hq
 Professional White Mini-DisplayPort to HDMI Adaptor	TC-MDPHDMI4K	Length: 225mm (8.85") Colour: White Connector: HDMI (female); MiniDisplayPort (male)	vav.link/tc-mdphdmi4k
 Professional White Mini-DisplayPort to VGA Adaptor	TC-MDPVGA	Length: 220mm (8.66") Colour: White Connector: MiniDisplayPort (male); VGA (female)	vav.link/tc-mdpvga
 Professional Black Mini-DisplayPort to VGA Adaptor	TC-MDPVGA/BL	Length: 220mm (8.66") Colour: Black Connector: MiniDisplayPort (male); VGA (female)	vav.link/tc-mdpvga-bl

















USB

Product	Part Number	Info	Link
---------	-------------	------	------

















USB

Product	Part Number	Info	Link
 Black USB 2.0 Cable 10m (32.8ft) with active booster	TC 10MUSB+/BL	Length: 10m (32.81ft) Colour: Black Connector: USB-A (male); USB-B (male)	vav.link/tc_10musbplus-bl
 Braided USB 2.0 Cable 10m (32.8ft) with active booster	TC 10MUSB+/HQ	Length: 10m (32.81ft) Colour: Braided Connector: USB-A (male); USB-B (male)	vav.link/tc_10musbplus-hq
 Black USB 2.0 Cable 15m (49.2ft) with active booster	TC 15MUSB+/BL	Length: 15m (49.21ft) Colour: Black Connector: USB-A (male); USB-B (male)	vav.link/tc_15musbplus-bl
 Braided USB 2.0 Cable 15m (49.2ft) with active booster	TC 15MUSB+/HQ	Length: 15m (49.21ft) Colour: Braided Connector: USB-A (male); USB-B (male)	vav.link/tc_15musbplus-hq
 White USB 2.0 Cable 1m (3.2ft)	TC 1MUSB	Length: 1m (3.3ft) Colour: White Connector: USB-A (male); USB-B (male)	vav.link/tc_1musb
 Black USB 2.0 Cable 1m (3.2ft)	TC 1MUSB/BL	Length: 1m (3.3ft) Colour: Black Connector: USB-A (male); USB-B (male)	vav.link/tc_1musb-bl
 Braided USB 2.0 Cable 1m (3.2ft)	TC 1MUSB/HQ	Length: 1m (3.3ft) Colour: Braided Connector: USB-A (male); USB-B (male)	vav.link/tc_1musb-hq
 White USB-C to USB 3.0A Cable 1m (3.2ft)	TC 1MUSBCA	Length: 1m (3.3ft) Colour: White Connector: USB-C (male); USB-A (male)	vav.link/tc_1musbca
 Black USB-C to USB 3.0A Cable 1m (3.2ft)	TC 1MUSBCA/BL	Length: 1m (3.3ft) Colour: Black Connector: USB-C (male); USB-A (male)	vav.link/tc_1musbca-bl
 Braided USB-C to USB 3.0A Cable 1m (3.2ft)	TC 1MUSBCA/HQ	Length: 1m (3.3ft) Colour: Braided Connector: USB-C (male); USB-A (male)	vav.link/tc_1musbca-hq
 White USB-C to USB 2.0 Micro-B Cable 1m (3.2ft)	TC 1MUSBCBM	Length: 1m (3.3ft) Colour: White Connector: USB-C (male); USB-Micro-B (male)	vav.link/tc_1musbcbm
 White USB 2.0 Extension Cable 1m (3.2ft)	TC 1MUSBEXT	Length: 1m (3.3ft) Colour: White Connector: USB-A (male); USB-A (female)	vav.link/tc_1musbext
 White USB 2.0 Micro-B to USB-A Cable 1m (3.2ft)	TC 1MUSBM	Length: 1m (3.3ft) Colour: White Connector: USB-A (male); USB-Micro-B (male)	vav.link/tc_1musbm
 White USB 2.0 Cable 2m (6.5ft)	TC 2MUSB	Length: 2m (6.6ft) Colour: White Connector: USB-A (male); USB-B (male)	vav.link/tc_2musb
 Black USB 2.0 Cable 2m (6.5ft)	TC 2MUSB/BL	Length: 2m (6.6ft) Colour: Black Connector: USB-A (male); USB-B (male)	vav.link/tc_2musb-bl
 Braided USB 2.0 Cable 2m (6.5ft)	TC 2MUSB/HQ	Length: 2m (6.6ft) Colour: Braided Connector: USB-A (male); USB-B (male)	vav.link/tc_2musb-hq

USB

Product	Part Number	Info	Link
 White USB-C to USB 3.0A Cable 2m (6.5ft)	TC 2MUSBCA	Length: 2m (6.6ft) Colour: White Connector: USB-C (male); USB-A (male)	vav.link/tc_2musbca
 Black USB-C to USB 3.0A Cable 2m (6.5ft)	TC 2MUSBCA/BL	Length: 2m (6.6ft) Colour: Black Connector: USB-C (male); USB-A (male)	vav.link/tc_2musbca-bl
 Braided USB-C to USB 3.0A Cable 2m (6.5ft)	TC 2MUSBCA/HQ	Length: 2m (6.6ft) Colour: Braided Connector: USB-C (male); USB-A (male)	vav.link/tc_2musbca-hq
 White USB 2.0 Extension Cable 2m (6.5ft)	TC 2MUSBEXT	Length: 2m (6.6ft) Colour: White Connector: USB-A (male); USB-A (female)	vav.link/tc_2musbext
 Black USB 2.0 Extension Cable 2m (6.5ft)	TC 2MUSBEXT/BL	Length: 2m (6.6ft) Colour: Black Connector: USB-A (male); USB-A (female)	vav.link/tc_2musbext-bl
 Braided USB 2.0 Extension Cable 2m (6.5ft)	TC 2MUSBEXT/HQ	Length: 2m (6.6ft) Colour: Braided Connector: USB-A (male); USB-A (female)	vav.link/tc_2musbext-hq
 White USB 2.0 Micro-B to USB-A Cable 2m (6.5ft)	TC 2MUSBM	Length: 2m (6.6ft) Colour: White Connector: USB-A (male); USB-Micro-B (male)	vav.link/tc_2musbm
 Black USB 2.0 Micro-B to USB-A Cable 2m (6.5ft)	TC 2MUSBM/BL	Length: 2m (6.6ft) Colour: Black Connector: USB-A (male); USB-Micro-B (male)	vav.link/tc_2musbm-bl
 Braided USB 2.0 Micro-B to USB-A Cable 2m (6.5ft)	TC 2MUSBM/HQ	Length: 2m (6.6ft) Colour: Braided Connector: USB-A (male); USB-Micro-B (male)	vav.link/tc_2musbm-hq
 Black USB 2.0 Cable 3m (9.8ft)	TC 3MUSB/BL	Length: 3m (9.8ft) Colour: Black Connector: USB-A (male); USB-B (male)	vav.link/tc_3musb-bl
 Braided USB 2.0 Cable 3m (9.8ft)	TC 3MUSB/HQ	Length: 3m (9.8ft) Colour: Braided Connector: USB-A (male); USB-B (male)	vav.link/tc_3musb-hq
 White USB-C to USB 3.0A Cable 3m (9.8ft)	TC 3MUSBCA	Length: 3m (9.8ft) Colour: White Connector: USB-C (male); USB-A (male)	vav.link/tc_3musbca
 White USB 2.0 Extension Cable 3m (9.8ft) with active booster	TC 3MUSBEXT+	Length: 3m (9.8ft) Colour: White Connector: USB-A (male); USB-A (female)	vav.link/tc_3musbextplus
 White USB 2.0 Micro-B to USB-A Cable 3m (9.8ft)	TC 3MUSBM	Length: 3m (9.8ft) Colour: White Connector: USB-A (male); USB-Micro-B (male)	vav.link/tc_3musbm
 Black USB 2.0 Cable 5m (16.4ft)	TC 5MUSB/BL	Length: 5m (16.4ft) Colour: Black Connector: USB-A (male); USB-B (male)	vav.link/tc_5musb-bl
 Braided USB 2.0 Cable 5m (16.4ft)	TC 5MUSB/HQ	Length: 5m (16.4ft) Colour: Braided Connector: USB-A (male); USB-B (male)	vav.link/tc_5musb-hq



USB

Product	Part Number	Info	Link
 White USB 2.0 Extension Cable 5m (16.4ft) with active booster	TC 5MUSBEXT+	Length: 5m (16.4ft) Colour: White Connector: USB-A (male); USB-A (female)	vav.link/tc_5musbextplus
 Black USB 2.0 Extension Cable 5m (16.4ft) with active booster	TC 5MUSBEXT+/BL	Length: 5m (16.4ft) Colour: Black Connector: USB-A (male); USB-A (female)	vav.link/tc_5musbextplus-bl
 Braided USB 2.0 Extension Cable 5m (16.4ft) with active booster	TC 5MUSBEXT+/HQ	Length: 5m (16.4ft) Colour: Braided Connector: USB-A (male); USB-A (female)	vav.link/tc_5musbextplus-hq
 White USB 2.0 Cable 10m (32.8ft) with active booster	TC2 10MUSB+	Length: 10m (32.81ft) Colour: White Connector: USB-A (male); USB-B (male)	vav.link/tc2_10musbplus
 White USB 2.0 Cable 15m (49.2ft) with active booster	TC2 15MUSB+	Length: 15m (49.21ft) Colour: White Connector: USB-A (male); USB-B (male)	vav.link/tc2_15musbplus
 White USB 2.0 Cable 3m (9.8ft)	TC2 3MUSB	Length: 3m (9.8ft) Colour: White Connector: USB-A (male); USB-B (male)	vav.link/tc2_3musb
 White USB 2.0 Cable 5m (16.4ft)	TC2 5MUSB	Length: 5m (16.4ft) Colour: White Connector: USB-A (male); USB-B (male)	vav.link/tc2_5musb
 Professional Black USB-C to USB 3.0A Adaptor	TC-USB3AC-BL	Colour: Black Connector: USB-C (male); USB-A (female)	vav.link/tc-usb3ac-bl
 Professional White USB-C to USB 3.0A Adaptor	TC-USBC3A	Colour: White Connector: USB-C (male); USB-A (female)	vav.link/tc-usbc3a
 Professional Black USB-C to USB 3.0A Adaptor	TC-USBC3A/BL	Colour: Black Connector: USB-C (male); USB-A (female)	vav.link/tc-usbc3a-bl
 Professional White USB 3.0 to Ethernet Adaptor	TC-USBETH	Colour: White Connector: USB-A (male); RJ45 (female)	vav.link/tc-usbeth
 Professional Black USB 3.0 to Ethernet Adaptor	TC-USBETH/BL	Colour: Black Connector: USB-A (male); RJ45 (female)	vav.link/tc-usbeth-bl
 Professional Black USB 3.0 to HDMI Adaptor	TC-USBHDMI	Colour: Black Connector: USB-A (male); HDMI (female)	vav.link/tc-usbhdm
 Professional Blue USB 3.0 Micro-B to USB-A Adaptor	TC-USBMBA	Colour: Blue Connector: USB-A (female); USB-Micro-B (male)	vav.link/tc-usbmba
 Professional Black USB 2.0 to 9-Pin RS-232 Serial Adaptor	TC-USBSER	Length: 85 mm (3.35") Colour: Black Connector: Serial (male); USB-B (male)	vav.link/tc-usbser
 Professional Black USB 3.0 to VGA Adaptor	TC-USBVGA	Colour: Black Connector: USB-A (male); VGA (female)	vav.link/tc-usbvga














Fibre

Product	Part Number	Info	Link
 Blue Data Fibre Cable 1m (3.2ft) 50/125	TC 1MFBR LCLC	Length: 1m (3.3ft) Colour: Light blue Connector: Fibre	vav.link/tc_1mfbr_lclc

Fibre

Product	Part Number	Info	Link
 Blue Data Fibre Cable 2m (6.5ft) 50/125	TC 2MFBR LCLC	Length: 2m (6.6ft) Colour: Light blue Connector: Fibre	vav.link/tc_2mfbr_lclc
 Blue Data Fibre Cable 3m (9.8ft) 50/125	TC 3MFBR LCLC	Length: 3m (9.8ft) Colour: Light blue Connector: Fibre	vav.link/tc_3mfbr_lclc

Ethernet

Product	Part Number	Info	Link
 White CAT6 Cable 0.5m (1.6ft)	TC 0.5MCAT6	Length: 0.5m (1.6ft) Colour: White Connector: RJ45 (male)	vav.link/tc_0-5mcat6
 White CAT6 Cable 10m (32.8ft)	TC 10MCAT6	Length: 10m (32.81ft) Colour: White Connector: RJ45 (male)	vav.link/tc_10mcat6
 White CAT6 Cable 1m (3.2ft)	TC 1MCAT6	Length: 1m (3.3ft) Colour: White Connector: RJ45 (male)	vav.link/tc_1mcat6
 White CAT6 Cable 2m (6.5ft)	TC 2MCAT6	Length: 2m (6.6ft) Colour: White Connector: RJ45 (male)	vav.link/tc_2mcat6
 White CAT6 Cable 3m (9.8ft)	TC 3MCAT6	Length: 3m (9.8ft) Colour: White Connector: RJ45 (male)	vav.link/tc_3mcat6
 White CAT6 Cable 5m (16.4ft)	TC 5MCAT6	Length: 5m (16.4ft) Colour: White Connector: RJ45 (male)	vav.link/tc_5mcat6
 Black CAT6 Cable 0.5m (1.6ft)	TC 0.5MCAT6/BL	Length: 0.5m (1.6ft) Colour: Black Connector: RJ45 (male)	vav.link/tc_0-5mcat6-bl
 Black CAT6 Cable 10m (32.8ft)	TC 10MCAT6/BL	Length: 10m (32.81ft) Colour: Black Connector: RJ45 (male)	vav.link/tc_10mcat6-bl
 Black CAT6 Cable 1m (3.2ft)	TC 1MCAT6/BL	Length: 1m (3.3ft) Colour: Black Connector: RJ45 (male)	vav.link/tc_1mcat6-bl
 Black CAT6 Cable 2m (6.5ft)	TC 2MCAT6/BL	Length: 2m (6.6ft) Colour: Black Connector: RJ45 (male)	vav.link/tc_2mcat6-bl
 Black CAT6 Cable 3m (9.8ft)	TC 3MCAT6/BL	Length: 3m (9.8ft) Colour: Black Connector: RJ45 (male)	vav.link/tc_3mcat6-bl
 Black CAT6 Cable 5m (16.4ft)	TC 5MCAT6/BL	Length: 5m (16.4ft) Colour: Black Connector: RJ45 (male)	vav.link/tc_5mcat6-bl
 Professional White USB-C to Ethernet Adaptor	TC-USBCETH	Length: 200mm (7.87") Colour: White Connector: USB-C (male); RJ45 (female)	vav.link/tc-usbceth

















Ethernet

Product	Part Number	Info	Link
 Professional White USB 3.0 to Ethernet Adaptor	TC-USBETH	Colour: White Connector: USB-A (male); RJ45 (female)	vav.link/tc-usbeth
 Professional Black USB-C to Ethernet Adaptor	TC-USBCETH/BL	Length: 200mm (7.87") Colour: Black Connector: USB-C (male); RJ45 (female)	vav.link/tc-usbceth-bl
 Professional Black USB 3.0 to Ethernet Adaptor	TC-USBETH/BL	Colour: Black Connector: USB-A (male); RJ45 (female)	vav.link/tc-usbeth-bl
 Braided CAT6 Cable 0.5m (1.6ft)	TC 0.5MCAT6/HQ	Length: 0.5m (1.6ft) Colour: Braided Connector: RJ45 (male)	vav.link/tc_0-5mcat6-hq
 Braided CAT6 Cable 10m (32.8ft)	TC 10MCAT6/HQ	Length: 10m (32.81ft) Colour: Braided Connector: RJ45 (male)	vav.link/tc_10mcat6-hq
 Braided CAT6 Cable 1m (3.2ft)	TC 1MCAT6/HQ	Length: 1m (3.3ft) Colour: Braided Connector: RJ45 (male)	vav.link/tc_1mcat6-hq
 Braided CAT6 Cable 2m (6.5ft)	TC 2MCAT6/HQ	Length: 2m (6.6ft) Colour: Braided Connector: RJ45 (male)	vav.link/tc_2mcat6-hq
 Braided CAT6 Cable 3m (9.8ft)	TC 3MCAT6/HQ	Length: 3m (9.8ft) Colour: Braided Connector: RJ45 (male)	vav.link/tc_3mcat6-hq
 Braided CAT6 Cable 5m (16.4ft)	TC 5MCAT6/HQ	Length: 5m (16.4ft) Colour: Braided Connector: RJ45 (male)	vav.link/tc_5mcat6-hq

















HDMI

Product	Part Number	Info	Link
 White HDMI Cable 0.5m (1.6ft)	TC 0.5MHDMI	Length: 0.5m (1.6ft) Colour: White Connector: HDMI (male)	vav.link/tc_0-5mhdmi
 White HDMI Cable 1.5m (4.9ft)	TC 1.5MHDMI	Length: 1.5m (4.9ft) Colour: White Connector: HDMI (male)	vav.link/tc_1-5mhdmi
 White HDMI Cable 10m (32.8ft) CPR Rated	TC 10MHDMICPR	Length: 10m (32.81ft) Colour: White Connector: HDMI (male)	vav.link/tc_10mhdmicpr
 White HDMI Cable 15m (49.2ft) CPR Rated	TC 15MHDMICPR	Length: 15m (49.21ft) Colour: White Connector: HDMI (male)	vav.link/tc_15mhdmicpr
 White DisplayPort to HDMI Cable 1m (3.2ft)	TC 1MDPHDMI4K	Length: 1m (3.3ft) Colour: White Connector: DisplayPort (male); HDMI (male)	vav.link/tc_1mdphdmi4k
 White HDMI Cable 1m (3.2ft)	TC 1MHDMI	Length: 1m (3.3ft) Colour: White Connector: HDMI (male)	vav.link/tc_1mhdmi

















HDMI

Product	Part Number	Info	Link
 White Mini-HDMI to HDMI Cable 1m (3.2ft)	TC 1MHDMIM	Length: 1m (3.3ft) Colour: White Connector: HDMI (male); MiniHDMI (male)	vav.link/tc_1mhdmmim
 White HDMI Cable 20m (65.6ft) with active booster	TC 20MHDMI+	Length: 20m (65.6ft) Colour: White Connector: HDMI (male)	vav.link/tc_20mhdmiplus
 White DisplayPort to HDMI Cable 2m (6.5ft)	TC 2MDPHDMI4K	Length: 2m (6.6ft) Colour: White Connector: DisplayPort (male); HDMI (male)	vav.link/tc_2mdphdmi4k
 White HDMI Cable 2m (6.5ft)	TC 2MHDMI	Length: 2m (6.6ft) Colour: White Connector: HDMI (male)	vav.link/tc_2mhdmi
 White Mini-HDMI to HDMI Cable 2m (6.5ft)	TC 2MHDMIM	Length: 2m (6.6ft) Colour: White Connector: HDMI (male); MiniHDMI (male)	vav.link/tc_2mhdmmim
 White HDMI to VGA Cable 2m (6.5ft)	TC 2MHDMIVGA	Length: 2m (6.6ft) Colour: White Connector: HDMI (male); VGA (male)	vav.link/tc_2mhdmivga
 White Mini-DisplayPort to HDMI Cable 2m (6.5ft)	TC 2MMDPHDMI	Length: 2m (6.6ft) Colour: White Connector: HDMI (male); MiniDisplayPort (male)	vav.link/tc_2mmdphdmi
 White VGA to HDMI Cable 2m (6.5ft)	TC 2MVGAHDMI	Length: 2m (6.6ft) Colour: White Connector: HDMI (male); VGA (male)	vav.link/tc_2mvgahdmi
 Professional White HDMI Cable 30m (98.4ft) with active booster	TC 30MHDMI+	Length: 30m (98.4ft) Colour: White Connector: HDMI (male)	vav.link/tc_30mhdmiplus
 White DisplayPort to HDMI Cable 3m (9.8ft)	TC 3MDPHDMI4K	Length: 3m (9.8ft) Colour: White Connector: DisplayPort (male); HDMI (male)	vav.link/tc_3mdphdmi4k
 White Mini-HDMI to HDMI Cable 3m (9.8ft)	TC 3MHDMIM	Length: 3m (9.8ft) Colour: White Connector: HDMI (male); MiniHDMI (male)	vav.link/tc_3mhdmmim
 White USB-C to HDMI Cable 3m (9.8ft)	TC 3MUSBCHDMI	Length: 3m (9.8ft) Colour: White Connector: USB-C (male); HDMI (male)	vav.link/tc_3musbchdmi
 White HDMI Cable 5m (16.4ft) CPR Rated	TC 5MHDMICPR	Length: 5m (16.4ft) Colour: White Connector: HDMI (male)	vav.link/tc_5mhdmicpr
 White Mini-HDMI to HDMI Cable 5m (16.4ft)	TC 5MHDMIM	Length: 5m (16.4ft) Colour: White Connector: HDMI (male); MiniHDMI (male)	vav.link/tc_5mhdmmim
 White HDMI Cable 10m (32.8ft)	TC2 10MHDMI	Length: 10m (32.81ft) Colour: White Connector: HDMI (male)	vav.link/tc2_10mhdmi
 White HDMI Cable 15m (49.2ft)	TC2 15MHDMI	Length: 15m (49.21ft) Colour: White Connector: HDMI (male)	vav.link/tc2_15mhdmi















HDMI

Product	Part Number	Info	Link
	White HDMI Cable 3m (9.8ft)	Length: 3m (9.8ft) Colour: White Connector: HDMI (male)	vav.link/tc2_3mhdmi
	White HDMI Cable 5m (16.4ft)	Length: 5m (16.4ft) Colour: White Connector: HDMI (male)	vav.link/tc2_5mhdmi
	Black HDMI Cable 0.5m (1.6ft)	Length: 0.5m (1.6ft) Colour: Black Connector: HDMI (male)	vav.link/tc_0-5mhdmi-bl
	Black HDMI Cable 1.5m (4.9ft)	Length: 1.5m (4.9ft) Colour: Black Connector: HDMI (male)	vav.link/tc_1-5mhdmi-bl
	Black HDMI Cable 10m (32.8ft)	Length: 10m (32.81ft) Colour: Black Connector: HDMI (male)	vav.link/tc_10mhdmi-bl
	Black HDMI Cable 15m (49.2ft)	Length: 15m (49.21ft) Colour: Black Connector: HDMI (male)	vav.link/tc_15mhdmi-bl
	Black DisplayPort to HDMI Cable 1m (3.2ft)	Length: 1m (3.3ft) Colour: Black Connector: DisplayPort (male); HDMI (male)	vav.link/tc_1mdphdmi-bl
	Black HDMI Cable 1m (3.2ft)	Length: 1m (3.3ft) Colour: Black Connector: HDMI (male)	vav.link/tc_1mhdmi-bl
	Black DisplayPort to HDMI Cable 2m (6.5ft)	Length: 2m (6.6ft) Colour: Black Connector: DisplayPort (male); HDMI (male)	vav.link/tc_2mdphdmi-bl
	Black HDMI Cable 2m (6.5ft)	Length: 2m (6.6ft) Colour: Black Connector: HDMI (male)	vav.link/tc_2mhdmi-bl
	Black HDMI to VGA Cable 2m (6.5ft)	Length: 2m (6.6ft) Colour: Black Connector: HDMI (male); VGA (male)	vav.link/tc_2mhdmivga-bl
	Black Mini-DisplayPort to HDMI Cable 2m (6.5ft)	Length: 2m (6.6ft) Colour: Black Connector: HDMI (male); MiniDisplayPort (male)	vav.link/tc_2mmdphdmi-bl
	Black USB-C to HDMI Cable 2m (6.5ft)	Length: 2m (6.6ft) Colour: Black Connector: USB-C (male); HDMI (male)	vav.link/tc_2musbdhmi-bl
	Black HDMI Cable 3m (9.8ft)	Length: 3m (9.8ft) Colour: Black Connector: HDMI (male)	vav.link/tc_3mhdmi-bl
	Black HDMI Cable 5m (16.4ft)	Length: 5m (16.4ft) Colour: Black Connector: HDMI (male)	vav.link/tc_5mhdmi-bl
	Professional White DisplayPort to HDMI Adaptor	Length: 225mm (8.85") Colour: White Connector: DisplayPort (male); HDMI (female)	vav.link/tc-dphdmi4k


HDMI

Product	Part Number	Info	Link
 White HDMI to VGA Adaptor	TC-HDMIVGA	Colour: White Connector: HDMI (male); VGA (female)	vav.link/tc-hdmivga
 Professional White Mini-DisplayPort to HDMI Adaptor	TC-MDPHDMI4K	Length: 225mm (8.85") Colour: White Connector: HDMI (female); MiniDisplayPort (male)	vav.link/tc-mdphdmi4k
 Professional White mDP/DP/mHDMI/USB-C to HDMI Adaptor	TC-MULTIHDMI	Colour: White Connector: USB-C (male); DisplayPort (male); HDMI (female); MiniHDMI (male); MiniDisplayPort (male)	vav.link/tc-multihdmi
 Professional White USB-C to HDMI Adaptor	TC-USBCHDMI	Length: 200mm (7.87") Colour: White Connector: USB-C (male); HDMI (female)	vav.link/tc-usbchdmi
 Professional Black DisplayPort to HDMI Adaptor	TC-DPHDMI/BL	Length: 225mm (8.85") Colour: Black Connector: DisplayPort (male); HDMI (female)	vav.link/tc-dphdmi-bl
 Black HDMI to VGA Adaptor	TC-HDMIVGA/BL	Colour: Black Connector: HDMI (male); VGA (female)	vav.link/tc-hdmivga-bl
 Professional Black Mini-DisplayPort to HDMI Adaptor	TC-MDPHDMI/BL	Length: 225mm (8.85") Colour: Black Connector: HDMI (female); MiniDisplayPort (male)	vav.link/tc-mdphdmi-bl
 Professional Black Mini-HDMI to HDMI Adaptor	TC-MHDMIHDMI	Colour: Black Connector: HDMI (female); MiniHDMI (male)	vav.link/tc-mhdmihdmi
 Professional Black mDP/DP/mHDMI/USB-C to HDMI Adaptor	TC-MULTIHDMI/BL	Colour: Black Connector: USB-C (male); DisplayPort (male); HDMI (female); MiniHDMI (male); MiniDisplayPort (male)	vav.link/tc-multihdmi-bl
 Professional Black USB-C to HDMI Adaptor	TC-USBCHDMI/BL	Length: 200mm (7.87") Colour: Black Connector: USB-C (male); HDMI (female)	vav.link/tc-usbchdmi-bl
 Professional Black USB 3.0 to HDMI Adaptor	TC-USBHDMI	Colour: Black Connector: USB-A (male); HDMI (female)	vav.link/tc-usbhdmi
 Professional Black VGA and Audio to HDMI Adaptor	TC-VGAHDMI/BL	Colour: Black Connector: HDMI (female); VGA (male); Minijack (male); USB-B (male)	vav.link/tc-vgahdmi-bl
 Braided HDMI Cable 0.5m (1.6ft)	TC 0.5MHDMI/HQ	Length: 0.5m (1.6ft) Colour: Braided Connector: HDMI (male)	vav.link/tc_0-5mhdmi-hq
 Braided HDMI Cable 1.5m (4.9ft)	TC 1.5MHDMI/HQ	Length: 1.5m (4.9ft) Colour: Braided Connector: HDMI (male)	vav.link/tc_1-5mhdmi-hq
 Braided HDMI Cable 10m (32.8ft)	TC 10MHDMI/HQ	Length: 10m (32.81ft) Colour: Braided Connector: HDMI (male)	vav.link/tc_10mhdmi-hq
 Braided HDMI Cable 15m (49.2ft)	TC 15MHDMI/HQ	Length: 15m (49.21ft) Colour: Braided Connector: HDMI (male)	vav.link/tc_15mhdmi-hq


















HDMI

Product	Part Number	Info	Link
 Braided DisplayPort to HDMI Cable 1m (3.2ft)	TC 1MDPHDMI/HQ	Length: 1m (3.3ft) Colour: Braided Connector: DisplayPort (male); HDMI (male)	vav.link/tc_1mdphdmi-hq
 Braided HDMI Cable 1m (3.2ft)	TC 1MHDMI/HQ	Length: 1m (3.3ft) Colour: Braided Connector: HDMI (male)	vav.link/tc_1mhdm-hq
 Braided DisplayPort to HDMI Cable 2m (6.5ft)	TC 2MDPHDMI/HQ	Length: 2m (6.6ft) Colour: Braided Connector: DisplayPort (male); HDMI (male)	vav.link/tc_2mdphdmi-hq
 Braided HDMI Cable 2m (6.5ft)	TC 2MHDMI/HQ	Length: 2m (6.6ft) Colour: Braided Connector: HDMI (male)	vav.link/tc_2mhdm-hq
 Braided HDMI to VGA Cable 2m (6.5ft)	TC 2MHDMIVGA/HQ	Length: 2m (6.6ft) Colour: Braided Connector: HDMI (male); VGA (male)	vav.link/tc_2mhdmivga-hq
 Braided Mini-DisplayPort to HDMI Cable 2m (6.5ft)	TC 2MMDPHDMI/HQ	Length: 2m (6.6ft) Colour: Braided Connector: HDMI (male); MiniDisplayPort (male)	vav.link/tc_2mmdphdmi-hq
 White USB-C to HDMI 2m (6.5ft)	TC 2MUSBCHDMI	Length: 2m (6.6ft) Colour: White Connector: USB-C (male); HDMI (male)	vav.link/tc_2musbchdmi
 Braided USB-C to HDMI Cable 2m (6.5ft)	TC 2MUSBCHDMI/HQ	Length: 2m (6.6ft) Colour: Braided Connector: USB-C (male); HDMI (male)	vav.link/tc_2musbchdmi-hq
 Braided HDMI Cable 3m (9.8ft)	TC 3MHDMI/HQ	Length: 3m (9.8ft) Colour: Braided Connector: HDMI (male)	vav.link/tc_3mhdm-hq
 Braided HDMI Cable 5m (16.4ft)	TC 5MHDMI/HQ	Length: 5m (16.4ft) Colour: Braided Connector: HDMI (male)	vav.link/tc_5mhdm-hq
 Professional Premium Braided DisplayPort to HDMI Adaptor	TC-DPHDMI/HQ	Length: 225mm (8.85") Colour: Braided Connector: DisplayPort (male); HDMI (female)	vav.link/tc-dphdmi-hq
 Professional Black HDMI Coupler	TC-HDMIFF	Colour: Metal Connector: HDMI (female)	vav.link/tc-hdmiff
 Braided HDMI to VGA Adaptor	TC-HDMIVGA/HQ	Colour: Braided Connector: HDMI (male); VGA (female)	vav.link/tc-hdmivga-hq
 Professional Premium Braided Mini-DisplayPort to HDMI Adaptor	TC-MDPHDMI/HQ	Length: 225mm (8.85") Colour: Braided Connector: HDMI (female); MiniDisplayPort (male)	vav.link/tc-mdphdmi-hq













USB-C

Product	Part Number	Info	Link
 White USB-C Cable 1.5m (4.9ft)	TC 1.5MUSBC	Length: 1.5m (4.9ft) Colour: White Connector: USB-C (male)	vav.link/tc_1-5musbc




USB-C

Product	Part Number	Info	Link
 White USB-C Cable 1m (3.2ft)	TC 1MUSBC	Length: 1m (3.3ft) Colour: White Connector: USB-C (male)	vav.link/tc_1musbc
 White USB-C to USB 3.0A Cable 1m (3.2ft)	TC 1MUSBCA	Length: 1m (3.3ft) Colour: White Connector: USB-C (male); USB-A (male)	vav.link/tc_1musbca
 White USB-C to USB 2.0 Micro-B Cable 1m (3.2ft)	TC 1MUSBCBM	Length: 1m (3.3ft) Colour: White Connector: USB-C (male); USB-Micro-B (male)	vav.link/tc_1musbcm
 White USB-C to USB 3.0A Cable 2m (6.5ft)	TC 2MUSBCA	Length: 2m (6.6ft) Colour: White Connector: USB-C (male); USB-A (male)	vav.link/tc_2musbca
 White USB-C Extension Cable 2m (6.5ft)	TC 2MUSBCEXT	Length: 2m (6.6ft) Colour: White Connector: USB-C (male); USB-C (female)	vav.link/tc_2musbcext
 White USB-C to USB 3.0A Cable 3m (9.8ft)	TC 3MUSBCA	Length: 3m (9.8ft) Colour: White Connector: USB-C (male); USB-A (male)	vav.link/tc_3musbca
 White USB-C to HDMI Cable 3m (9.8ft)	TC 3MUSBCHDMI	Length: 3m (9.8ft) Colour: White Connector: USB-C (male); HDMI (male)	vav.link/tc_3musbchdmi
 White USB-C Cable 4m (13.1ft)	TC 4MUSBC	Length: 4m (13.1ft) Colour: White	vav.link/tc_4musbc
 Black USB-C Cable 1m (3.2ft)	TC 1MUSBC/BL	Length: 1m (3.3ft) Colour: Black Connector: USB-C (male)	vav.link/tc_1musbc-bl
 Black USB-C to USB 3.0A Cable 1m (3.2ft)	TC 1MUSBCA/BL	Length: 1m (3.3ft) Colour: Black Connector: USB-C (male); USB-A (male)	vav.link/tc_1musbca-bl
 Black USB-C Thunderbolt 3.0 Cable 1m (3.2ft)	TC 1MUSBCTB	Length: 1m (3.3ft) Colour: Black Connector: USB-C (male)	vav.link/tc_1musbctb
 Black USB-C to USB 3.0A Cable 2m (6.5ft)	TC 2MUSBCA/BL	Length: 2m (6.6ft) Colour: Black Connector: USB-C (male); USB-A (male)	vav.link/tc_2musbca-bl
 Black USB-C to HDMI Cable 2m (6.5ft)	TC 2MUSBCHDMI/BL	Length: 2m (6.6ft) Colour: Black Connector: USB-C (male); HDMI (male)	vav.link/tc_2musbchdmi-bl
 Professional White USB-C to USB 3.0A Adaptor	TC-USBC3A	Colour: White Connector: USB-C (male); USB-A (female)	vav.link/tc-usbc3a
 Professional White USB-C to Ethernet Adaptor	TC-USBCETH	Length: 200mm (7.87") Colour: White Connector: USB-C (male); RJ45 (female)	vav.link/tc-usbceth
 Professional White USB-C to HDMI Adaptor	TC-USBCHDMI	Length: 200mm (7.87") Colour: White Connector: USB-C (male); HDMI (female)	vav.link/tc-usbchdmi
 Professional White USB-C to VGA Adaptor	TC-USBCVGA	Length: 200mm (7.87") Colour: White Connector: USB-C (male); VGA (female)	vav.link/tc-usbcvga




USB-C

Product	Part Number	Info	Link
 Professional Black USB-C to USB 3.0A Adaptor	TC-USB3AC-BL	Colour: Black Connector: USB-C (male); USB-A (female)	vav.link/tc-usb3ac-bl
 Professional Black USB-C to USB 3.0A Adaptor	TC-USBC3A/BL	Colour: Black Connector: USB-C (male); USB-A (female)	vav.link/tc-usbc3a-bl
 Professional Black USB-C to Ethernet Adaptor	TC-USBCETH/BL	Length: 200mm (7.87") Colour: Black Connector: USB-C (male); RJ45 (female)	vav.link/tc-usbceth-bl
 Professional Black USB-C to HDMI Adaptor	TC-USBCHDMI/BL	Length: 200mm (7.87") Colour: Black Connector: USB-C (male); HDMI (female)	vav.link/tc-usbchdmi-bl
 Professional Black USB-C to VGA Adaptor	TC-USBCVGA/BL	Length: 200mm (7.87") Colour: Black Connector: USB-C (male); VGA (female)	vav.link/tc-usbcvga-bl
 Braided USB-C Cable 1m (3.2ft)	TC 1MUSBC/HQ	Length: 1m (3.3ft) Colour: Braided Connector: USB-C (male)	vav.link/tc_1musbc-hq
 Braided USB-C to USB 3.0A Cable 1m (3.2ft)	TC 1MUSBCA/HQ	Length: 1m (3.3ft) Colour: Braided Connector: USB-C (male); USB-A (male)	vav.link/tc_1musbca-hq
 Braided USB-C to USB 3.0A Cable 2m (6.5ft)	TC 2MUSBCA/HQ	Length: 2m (6.6ft) Colour: Braided Connector: USB-C (male); USB-A (male)	vav.link/tc_2musbca-hq
 White USB-C to HDMI 2m (6.5ft)	TC 2MUSBCHDMI	Length: 2m (6.6ft) Colour: White Connector: USB-C (male); HDMI (male)	vav.link/tc_2musbchdmi
 Braided USB-C to HDMI Cable 2m (6.5ft)	TC 2MUSBCHDMI/HQ	Length: 2m (6.6ft) Colour: Braided Connector: USB-C (male); HDMI (male)	vav.link/tc_2musbchdmi-hq
 White Multiport USB-C Hub	TC-USBCHUB	Length: 270mm (10.63") Colour: White Connector: USB-C (male); HDMI (female); USB-C (female); RJ45 (female)	vav.link/tc-usbchub
 Black Multiport USB-C Hub	TC-USBCHUB/BL	Length: 270mm (10.63") Colour: Black Connector: USB-C (male); HDMI (female); USB-C (female); RJ45 (female)	vav.link/tc-usbchub-bl

Power

Product	Part Number	Info	Link
 White IEC Power Extension Cable 0.5m (1.6ft)	TC 0.5MIECEXT	Length: 0.5m (1.6ft) Colour: White Connector: IEC Power (C13); IEC Power (C14)	vav.link/tc_0-5miecext
 Professional White UK Figure-8 Power Cable 0.5m (1.6ft)	TC 0.5MUKF8	Length: 0.5m (1.6ft) Colour: White Connector: Figure-8 Power; UK Power	vav.link/tc_0-5mukf8
 White IEC Power Extension Cable 1m (3.2ft)	TC 1MIECEXT	Length: 1m (3.3ft) Colour: White Connector: IEC Power (C13); IEC Power (C14)	vav.link/tc_1miecext





Power

Product	Part Number	Info	Link
 White EU IEC Power Cable 2m (6.5ft)	TC 2MEUIEC	Length: 2m (6.6ft) Colour: White Connector: IEC Power (C13); IEC Power (C14)	vav.link/tc_2meuiec
 White IEC Power Extension Cable 2m (6.5ft)	TC 2MIECEXT	Length: 2m (6.6ft) Colour: White Connector: IEC Power (C13); IEC Power (C14)	vav.link/tc_2miecext
 White UK IEC Power Cable 2m (6.5ft)	TC 2MUKIEC	Length: 2m (6.6ft) Colour: White Connector: IEC Power (C14); UK Power	vav.link/tc_2mukiec

















Serial

Product	Part Number	Info	Link
 White 9-Pin RS-232 Serial Cable 10m (32.8ft)	TC 10MS	Length: 10m (32.81ft) Colour: White Connector: Serial (female)	vav.link/tc_10ms
 White 9-Pin RS-232 Serial Cable 15m (49.2ft)	TC 15MS	Length: 15m (49.21ft) Colour: White Connector: Serial (female)	vav.link/tc_15ms
 White 9-Pin RS-232 Serial Cable 2m (6.5ft)	TC 2MS	Length: 2m (6.6ft) Colour: White Connector: Serial (female)	vav.link/tc_2ms
 Professional White 9-Pin RS-232 Serial Extension Cable 2m (6.5ft)	TC 2MSEXT	Length: 2m (6.6ft) Colour: White Connector: Serial (female); Serial (male)	vav.link/tc_2msext
 White 9-Pin RS-232 Serial Cable 5m (16.4ft)	TC 5MS	Length: 5m (16.4ft) Colour: White Connector: Serial (female)	vav.link/tc_5ms
 Professional Black USB 2.0 to 9-Pin RS-232 Serial Adaptor	TC-USBSER	Length: 85 mm (3.35") Colour: Black Connector: Serial (male); USB-B (male)	vav.link/tc-usbser


















VGA



Product	Part Number	Info	Link
 White VGA Cable 10m (32.8ft)	TC 10MVGAP	Length: 10m (32.81ft) Colour: White Connector: VGA (male)	vav.link/tc_10mvgap
 White VGA Cable 15m (49.2ft)	TC 15MVGAP	Length: 15m (49.21ft) Colour: White Connector: VGA (male)	vav.link/tc_15mvgap
 White VGA Cable 1m (3.2ft)	TC 1MVGAP	Length: 1m (3.3ft) Colour: White Connector: VGA (male)	vav.link/tc_1mvgap
 White VGA Cable 20m (65.6ft)	TC 20MVGAP	Length: 20m (65.6ft) Colour: White Connector: VGA (male)	vav.link/tc_20mvgap

VGA

Product	Part Number	Info	Link
 White HDMI to VGA Cable 2m (6.5ft)	TC 2MHDMIVGA	Length: 2m (6.6ft) Colour: White Connector: HDMI (male); VGA (male)	vav.link/tc_2mhdmivga
 White VGA to HDMI Cable 2m (6.5ft)	TC 2MVGAHDMI	Length: 2m (6.6ft) Colour: White Connector: HDMI (male); VGA (male)	vav.link/tc_2mvgahdmi
 White VGA Cable 2m (6.5ft)	TC 2MVGAP	Length: 2m (6.6ft) Colour: White Connector: VGA (male)	vav.link/tc_2mvgap
 White VGA Cable 3m (9.8ft)	TC 3MVGAP	Length: 3m (9.8ft) Colour: White Connector: VGA (male)	vav.link/tc_3mvgap
 White VGA Cable 5m (16.4ft)	TC 5MVGAP	Length: 5m (16.4ft) Colour: White Connector: VGA (male)	vav.link/tc_5mvgap
 White VGA to Phoenix Cable 10m (32.8ft)	TC2 10MVGA	Length: 10m (32.81ft) Colour: White Connector: VGA (male)	vav.link/tc2_10mvga
 Black VGA Cable 10m (32.8ft)	TC 10MVGAP/BL	Length: 10m (32.81ft) Colour: Black Connector: VGA (male)	vav.link/tc_10mvgap-bl
 Black VGA Cable 15m (49.2ft)	TC 15MVGAP/BL	Length: 15m (49.21ft) Colour: Black Connector: VGA (male)	vav.link/tc_15mvgap-bl
 Black VGA Cable 1m (3.2ft)	TC 1MVGAP/BL	Length: 1m (3.3ft) Colour: Black Connector: VGA (male)	vav.link/tc_1mvgap-bl
 Black HDMI to VGA Cable 2m (6.5ft)	TC 2MHDMIVGA/BL	Length: 2m (6.6ft) Colour: Black Connector: HDMI (male); VGA (male)	vav.link/tc_2mhdmivga-bl
 Black VGA Cable 2m (6.5ft)	TC 2MVGAP/BL	Length: 2m (6.6ft) Colour: Black Connector: VGA (male)	vav.link/tc_2mvgap-bl
 Black VGA Cable 3m (9.8ft)	TC 3MVGAP/BL	Length: 3m (9.8ft) Colour: Black Connector: VGA (male)	vav.link/tc_3mvgap-bl
 Black VGA Cable 5m (16.4ft)	TC 5MVGAP/BL	Length: 5m (16.4ft) Colour: Black Connector: VGA (male)	vav.link/tc_5mvgap-bl
 Professional White DisplayPort to VGA Adaptor	TC-DPVGGA	Length: 220mm (8.66") Colour: White Connector: DisplayPort (male); VGA (female)	vav.link/tc-dpvga
 White HDMI to VGA Adaptor	TC-HDMIVGA	Colour: White Connector: HDMI (male); VGA (female)	vav.link/tc-hdmivga
 Professional White Mini-DisplayPort to VGA Adaptor	TC-MDPVGA	Length: 220mm (8.66") Colour: White Connector: MiniDisplayPort (male); VGA (female)	vav.link/tc-mdpvga

VGA

Product	Part Number	Info	Link
	Professional White USB-C to VGA Adaptor	Length: 200mm (7.87") Colour: White Connector: USB-C (male); VGA (female)	vav.link/tc-usbcvga
	Professional Black DisplayPort to VGA Adaptor	Length: 220mm (8.66") Colour: Black Connector: DisplayPort (male); VGA (female)	vav.link/tc-dpvga-bl
	Black HDMI to VGA Adaptor	Colour: Black Connector: HDMI (male); VGA (female)	vav.link/tc-hdmivga-bl
	Professional Black Mini-DisplayPort to VGA Adaptor	Length: 220mm (8.66") Colour: Black Connector: MiniDisplayPort (male); VGA (female)	vav.link/tc-mdpvga-bl
	Professional Black USB-C to VGA Adaptor	Length: 200mm (7.87") Colour: Black Connector: USB-C (male); VGA (female)	vav.link/tc-usbcvga-bl
	Professional Black USB 3.0 to VGA Adaptor	Colour: Black Connector: USB-A (male); VGA (female)	vav.link/tc-usbvga
	Professional Black VGA and Audio to HDMI Adaptor	Colour: Black Connector: HDMI (female); VGA (male); Minijack (male); USB-B (male)	vav.link/tc-vгахdmi-bl
	Braided VGA Cable 10m (32.8ft)	Length: 10m (32.81ft) Colour: Braided Connector: VGA (male)	vav.link/tc_10mvgap-hq
	Braided VGA Cable 15m (49.2ft)	Length: 15m (49.21ft) Colour: Braided Connector: VGA (male)	vav.link/tc_15mvgap-hq
	Braided VGA Cable 1m (3.2ft)	Length: 1m (3.3ft) Colour: Braided Connector: VGA (male)	vav.link/tc_1mvgap-hq
	Braided HDMI to VGA Cable 2m (6.5ft)	Length: 2m (6.6ft) Colour: Braided Connector: HDMI (male); VGA (male)	vav.link/tc_2mhdmi-vga-hq
	Braided VGA Cable 2m (6.5ft)	Length: 2m (6.6ft) Colour: Braided Connector: VGA (male)	vav.link/tc_2mvgap-hq
	Braided VGA Cable 3m (9.8ft)	Length: 3m (9.8ft) Colour: Braided Connector: VGA (male)	vav.link/tc_3mvgap-hq
	Braided VGA Cable 5m (16.4ft)	Length: 5m (16.4ft) Colour: Braided Connector: VGA (male)	vav.link/tc_5mvgap-hq
	Professional Premium Braided DisplayPort to VGA Adaptor	Length: 220mm (8.66") Colour: Braided Connector: DisplayPort (male); VGA (female)	vav.link/tc-dpvga-hq
	Braided HDMI to VGA Adaptor	Colour: Braided Connector: HDMI (male); VGA (female)	vav.link/tc-hdmivga-hq
	Professional White VGA Coupler	Colour: Metal Connector: VGA (female)	vav.link/tc-vgaff



Audio

Index.....

- Amplifiers
- Active Loudspeakers
- Passive Loudspeakers



Amplifiers

LIFETIME
WARRANTY



2 x 25w Digital Amplifier

AV-1800 EU SAP: 4262711 US SAP: 12928309

AV-1800+CS-1900 EU SAP: 5356157

AV-1800+SP-1800 EU SAP: 4363209 US SAP: 70017411

2 x 25w RMS (at 8 ohms) low impedance digital power amplifier
3 x Stereo inputs / 1 x Stereo Pre-Output / 1 x Balanced Mic input with Phantom Power

Bluetooth Input

IR remote included, RS-232 control

vav.link/av-1800



TC3 50w Amplifier

TC3-AMP EU SAP: 3446595 US SAP: 12939499

TC3-AMP+SP-1800 EU SAP: 3692237 US SAP: 70017401

TC3-AMP+CS-1900 EU SAP: 5356158

Extremely small 2 x 25 w (RMS) at 8 ohms Digital Amp

2 x Stereo inputs (Input 1 duplicated on front and rear)

IR Remote control included

vav.link/tc3-amp

Active Loudspeakers



30w Active Soundbar Pro

SB-900P EU SAP: 4725414 US SAP: 13332295

Built-in 2 x 27 watts (PEAK) amplifier
 Minijack input
 Bluetooth input
 Wall brackets and brackets to hang under display included
 Auto-Standby (can be disabled)
 Auto-Resume when power cycled

vav.link/sb-900p



100w Active Soundbar Plus

SB-1900P EU SAP: 4801694 US SAP: 13445515

Built-in 2 x 90 watts (PEAK) amplifier
 HDMI 2 in 1 out
 1 x Minijack input
 Bluetooth input (re-nameable and pin can be set)
 Remote control included
 RS-232
 ARC HDMI Input (allows display to control volume)

vav.link/sb-1900p



Pair 70w Active Bluetooth Ceiling Speakers

CS-1900P EU SAP: 4883105 US SAP: 13825110

Integrated 2 x 35 watt (RMS) amplifier
 1 x wired input / 1 x Bluetooth input
 Switches between stand alone or daisy-chain mode
 IR remote included
 BT can be disabled

vav.link/cs-1900p



Pair 24w Active Loudspeakers

SP-800P EU SAP: 3645601 US SAP: 12928307

Built-in 2 x 12 watt (RMS) amplifier
 Two inputs (1 x Minijack / 1 x 2-Phono)
 Adjustable-tilt wall brackets included

vav.link/sp-800p

Active Loudspeakers



Pair 60w Active Loudspeakers

SP-1800PBT EU SAP: 4313061 US SAP: 12928308

Integrated 2 x 30 watt (RMS) analogue amplifier

Two inputs, IR remote included

RS-232 Control

Bluetooth input

vav.link/sp-1800pbt

Passive Speakers



Pair Ceiling Loudspeakers

CS-1900 EU SAP: 4815044

AV-1800+CS-1900 EU SAP: 5356157

TC3-AMP+CS-1900 EU SAP: 5356158

Slim bezel-less magnetic grille

Premium Kevlar 6.5" Woofer

Large 0.75" Titanium Tweeter

Passive Crossover

vav.link/cs-1900



Pair 3-Way Wall Loudspeakers

SP-1800 EU SAP: 3635038 US SAP: 12928302

AV-1800+SP-1800 EU SAP: 4363209 US SAP: 70017411

TC3-AMP+SP-1800 EU SAP: 3692237 US SAP: 70017401










5.25" Woofer 50w loudspeakers


Wall brackets included with 60° range of tilt adjustment

White, sold in pairs

vav.link/sp-1800

Audio

Product		Part Number	Link
	2 x 25w Digital Amplifier	AV-1800	vav.link/av-1800
	TC3 50w Amplifier	TC3-AMP	vav.link/tc3-amp
	Pair 70w Active Bluetooth Ceiling Speakers	CS-1900P	vav.link/cs-1900p
	100w Active Soundbar Plus	SB-1900P	vav.link/sb-1900p
	30w Active Soundbar Pro	SB-900P	vav.link/sb-900p
	Pair 60w Active Loudspeakers	SP-1800PBT	vav.link/sp-1800pbt
	Pair 24w Active Loudspeakers	SP-800P	vav.link/sp-800p
	Pair Ceiling Loudspeakers	CS-1900	vav.link/cs-1900
	Pair 3-Way Wall Loudspeakers	SP-1800	vav.link/sp-1800



Mounts

Index.....

- Projector
- Monitor
- Large Display
- Sit-Stand
- Laptop Shelves
- Logitech

MOUNT FINDER

Simply enter some or all of your Display, Monitor or Device model number to find the correct mount

 vav.link/mf





Universal Projector Ceiling Mount

TM-1200 EU SAP: 1562435 US SAP: 12939542

Projector ceiling mount with 1.1m pole cut to length onsite (overall length 1420mm / 55.9")
All parts included e.g drilling jig, cathedral ceiling mechanism, trim disc etc.
Cables can be routed after assembly

vav.link/tm-1200



Close-Coupled Projector Ceiling Mount

TM-CC EU SAP: 1932372 US SAP: 12939545

Universal projector ceiling mount for close-to-ceiling installation
All parts included and arrives 95% assembled reducing time onsite
4 fully adjustable spider arms fit 99% of projectors

vav.link/tm-cc



Short-Throw Projector Wall Mount

TM-ST2 EU SAP: 2775928 US SAP: 12939538

Telescopic boom 930-1530mm / 36.61" x 60.24" (centre-of-projector to wall)
Projector can be mounted at any point along boom
Adjustable boom incline

vav.link/tm-st2




Telescopic Projector Ceiling Mount

TM-TELE EU SAP: 2418655 US SAP: 12939544

Universal projector ceiling mount with telescopic pole
Overall length 440-735 mm (17.32" – 28.94")
Full adjustment: tilt at top for sloping ceilings / pitch and roll at the bottom

vav.link/tm-tele




Tilting Monitor Wall Mount 100×100

VFM-W1X1Tv2 EU SAP: 4754703 US SAP: 13445539

- VESA Wall Mount for LCD Monitors
- Fits displays with 75 x 75 and 100 x 100mm mounting holes
- For 10-34" Displays
- Locking anti-theft screw
- Tilt adjustment: up: 3° / down: 12°
- Thumbscrews for fixing display
- Portrait or Landscape

vav.link/vfm-w1x1tv2





Monitor Wall Mount 100×100

VFM-W1X1v2 EU SAP: 4754701 US SAP: 13445537

- VESA Wall Mount for LCD Monitors
- Fits displays with 75 x 75 and 100 x 100 mm mounting holes
- For 13-27" Displays
- Locking anti-theft screw
- Thumbscrews for fixing display
- Portrait or Landscape

vav.link/vfm-w1x1v2




Black Monitor Wall Arm 100x100

VFM-WA1X1B EU SAP: 4963686 US SAP: 13516848

- Double-articulated wall mount for Monitors from 13" to 27"
- Post-Installation levelling
- Reach 44-282 mm (1.7-11.1")
- Thumbscrews for fixing display

vav.link/vfm-wa1x1b

Desk Arm Mounts




Flat-Panel Desk Arm 100×100

VFM-DA3 EU SAP: 4684620 US SAP: 13293567

Double-articulated desk mount for flat panels up to 34"
Cable Management and adjustable dampers
Aluminium construction, White
Quick-Clamp

vav.link/vfm-da3




White Desk Arm With Shelf

VFM-DA3+S EU SAP: 4872175 US SAP: 70017263

Double-articulated desk mount with laptop tray
Adjustable side clamps to secure laptops
For laptops from 292-430 mm (11.5-16.9") wide
Shelf size: 292 x 275 mm (11.5 x 10.8") deep
Unique Quick-Clamp
Parts included for grommet fixing to desk

vav.link/vfm-da3pluss




Black Flat-Panel Desk Arm 100×100

VFM-DA3B EU SAP: 4850550 US SAP: 13445521

Double-articulated desk mount for flat panels up to 34"
Cable Management and adjustable dampers
Aluminium construction, Matt black
Quick-Clamp

vav.link/vfm-da3b

Desk Arm Mounts




Black Desk Arm with laptop shelf

VFM-DA3B+S EU SAP: 4872176 US SAP: 70017260

Double-articulated desk mount with laptop tray
Adjustable side clamps to secure laptops
For laptops from 292-430 mm (11.5-16.9") wide
Shelf size: 292 x 275 mm / 11.5 x 10.8" deep
Unique Quick-Clamp
Parts included for grommet fixing to desk

vav.link/vfm-da3bpluss




Flat-Panel Desk Arm 100×100 Dual

VFM-DAD3 EU SAP: 4684961 US SAP: 13293568

Double-articulated desk mount for two monitors up to 34"
Cable Management and adjustable dampers
Aluminium construction, White
Quick-Clamp

vav.link/vfm-dad3




White Dual Desk Arm with Shelf

VFM-DAD3+S EU SAP: 4871925 US SAP: 70017261

Dual arm double-articulated desk mount
One arm supports a display up to 34",
One arm has a laptop tray
Adjustable side clamps to secure laptops
For laptops from 292-430 mm (11.5-16.9") wide
Shelf size: 292 x 275 mm (11.5 x 10.8") deep
Unique Quick-Clamp
Parts included for grommet fixing to desk

vav.link/vfm-dad3pluss

Desk Arm Mounts




Black Flat-Panel Desk Arm 100×100 Dual

VFM-DAD3B EU SAP: 4850681 US SAP: 13445522

Double-articulated desk mount for two monitors up to 34"
Cable Management and adjustable dampers
Aluminium construction, Matt black
Quick-Clamp

vav.link/vfm-dad3b



Black Dual Desk Arm with laptop shelf and monitor arm

VFM-DAD3B+S EU SAP: 4871926 US SAP: 70017262

Dual arm double-articulated desk mount
One arm supports a display up to 34",
One arm has a laptop tray
Adjustable side clamps to secure laptops
For laptops from 292-430 mm (11.5-16.9") wide
Shelf size: 292 x 275 mm / 11.5 x 10.8" deep
Unique Quick-Clamp
Parts included for grommet fixing to desk

vav.link/vfm-dad3bpluss

Desk Post Mounts




Monitor Cubicle Divider Mount 100×100

VFM-CUB EU SAP: 4740216 US SAP: 13445520

Monitor mount for displays from 10-34"
Adjust for varying divider thicknesses
Rotates between portrait and landscape

vav.link/vfm-cub




Flat-Panel Desk Post 100×100

VFM-DP EU SAP: 3951893 US SAP: 12939534

Double-articulated desk mount for flat panels up to 34"
Cable management
Flexible low-cost post-style design

vav.link/vfm-dp




Black Monitor Desk Post 100×100

VFM-DP2B EU SAP: 4740217 US SAP: 13445516

Double-articulated desk mount for displays up to 32"
Popular post-style in Black
Parts included for grommet or clamp fixing to desk
Optional Laptop Shelf
Quick release VESA plate
Thumbscrews for fast assembly

vav.link/vfm-dp2b

Desk Post Mounts




Black Desk Post with laptop shelf

VFM-DP2B+S EU SAP: 4871927 US SAP: 70017259

Double-articulated desk mount with laptop tray
 Adjustable side clamps to secure laptops
 For laptops from 240-420 mm (9.4-16.5") wide
 Shelf size: 300 mm (12") wide x 280 mm (11") deep
 Parts included for grommet or clamping to desk
 Post Height: 443 mm (17.4") tall

vav.link/vfm-dp2bpluss




White Monitor Desk Post 100x100

VFM-DP2W EU SAP: 4740218 US SAP: 13445505

Double-articulated desk mount for displays up to 32"
 Popular post-style in White
 Parts included for grommet or clamp fixing to desk
 Optional Laptop Shelf
 Quick release VESA plate
 Thumbscrews for fast assembly

vav.link/vfm-dp2w

Desk Post Mounts




White Desk Post with Shelf

VFM-DP2W+S EU SAP: 4871928 US SAP: 70017256

Double-articulated desk mount with laptop tray
Adjustable side clamps to secure laptops
For laptops from 240-420 mm (9.4-16.5") wide
Shelf size: 300 mm (12") wide x 280 mm (11") deep
Parts included for grommet or clamping to desk
Post Height: 443 mm (17.4") tall

vav.link/vfm-dp2wpluss




Black Monitor Desk Post 100×100 Dual

VFM-DPD2B EU SAP: 4740219 US SAP: 13445506

Double-articulated dual desk mount for displays up to 27"
Popular post-style in Black
Parts included for grommet or clamp fixing to desk
Optional Laptop Shelf
Quick release VESA plate
Thumbscrews for fast assembly
Fine independent height adjustment

vav.link/vfm-dpd2b

Desk Post Mounts




Black Dual Desk Post with laptop shelf and monitor arm

VFM-DPD2B+S EU SAP: 4871929 US SAP: 70017257

Dual arm double-articulated desk mount
 One arm supports a display up to 27",
 One arm has a laptop tray
 Adjustable side clamps to secure laptops
 For laptops from 240-420 mm (9.4-16.5") wide
 Shelf size: 300 mm (12") wide x 280 mm (11") deep
 Parts included for grommet or clamping to desk
 Post Height: 443 mm (17.4") tall

vav.link/vfm-dpd2bpluss




White Monitor Desk Post 100x100 Dual

VFM-DPD2W EU SAP: 4740214 US SAP: 13445507

Double-articulated dual desk mount for displays up to 27"
 Popular post-style in White
 Parts included for grommet or clamp fixing to desk
 Optional Laptop Shelf
 Quick release VESA plate
 Thumbscrews for fast assembly
 Fine independent height adjustment

vav.link/vfm-dpd2w

Desk Post Mounts




White Dual Desk Post with Shelf

VFM-DPD2W+S EU SAP: 4871930 US SAP: 70017258

Dual arm double-articulated desk mount
 One arm supports a display up to 27",
 One arm has a laptop tray
 Adjustable side clamps to secure laptops
 For laptops from 240-420 mm (9.4-16.5") wide
 Shelf size: 300 mm (12") wide x 280 mm (11") deep
 Parts included for grommet or clamping to desk
 Post Height: 443 mm (17.4") tall

vav.link/vfm-dpd2wpluss




Monitor Desk Post 100×100 Quad

VFM-DPQ2B EU SAP: 4740098 US SAP: 13445508

Double-articulated desk mount for four displays up to 27"
 Black (only)
 Parts included for grommet or clamp fixing to desk
 Optional Laptop Shelf
 Quick release VESA plate
 Thumbscrews for fast assembly
 Fine independent height adjustment

vav.link/vfm-dpq2b

Desk Stand Mounts



Monitor Desk Stand 100×100

VFM-DSB EU SAP: 4740100 US SAP: 13445541

Freestanding desk stand for displays up to 32"

Black (only)


Full adjustment: height, rotation, swivel

Optional Laptop Shelf

Quick release VESA plate

Thumbscrews for fast assembly

vav.link/vfm-dsb



Black Desk Stand with Laptop Shelf

VFM-DSB+S EU SAP: 4943868 US SAP: 70017412

VFM-DP2SHELFB EU SAP: 4850694 US SAP: 13445510

Desk stand with laptop tray

Shelf has adjustable clamps to secure laptop

For laptops from 240-420 mm (9.4-16.5") wide


Shelf size: 300 mm (12") wide x 280 mm (11") deep

Post Height: 443 mm (17.4") tall

Black (only)

vav.link/vfm-dsbpluss

Desk Stand Mounts



Monitor Desk Stand 100×100 Dual

VFM-DSDB EU SAP: 4740212 US SAP: 13445542

Freestanding desk stand for two displays up to 32"

Black (only)

Full adjustment: height, rotation, swivel



Optional Laptop Shelf

Quick release VESA plate

Thumbscrews for fast assembly

Fine independent height adjustment

vav.link/vfm-dsdb



Black Desk Stand with Laptop Shelf and Monitor Arm

VFM-DSDB+S EU SAP: 4943869 US SAP: 70017413

VFM-DP2SHELFB EU SAP: 4850694

Desk stand with laptop tray and monitor arm

One arm supports a display up to 27",

One arm has a laptop tray


Shelf has adjustable clamps to secure laptop

For laptops from 240-420 mm (9.4-16.5") wide

Shelf size: 300 mm (12") wide x 280 mm (11") deep

Post Height: 443 mm (17.4") tall

vav.link/vfm-dsdbpluss



Monitor Gas Desk Stand 100×100 Dual

VFM-DSDG EU SAP: 4740215 US SAP: 13445544


Freestanding desk stand for two displays up to 27"

Premium gas-strut height adjustment

Black (only)

vav.link/vfm-dsdg

Desk Stand Mounts




Premium Desk Stand with Monitor arm and Laptop Shelf

VFM-DSDG+S EU SAP: 4943883 US SAP: 70017397

VFM-DP2SHELFB EU SAP: 4850694

Premium aluminium desk stand with laptop tray
 Gas-strut height adjustment with lock-off lever
 One arm supports a display up to 27"
 One arm has a laptop tray
 Shelf has adjustable clamps to secure laptop
 For laptops from 240-420 mm (9.4-16.5") wide
 Shelf size: 300 mm (12") wide x 280 mm (11") deep
 Column Height: 408-518 mm (16.1-20.4") tall
 Black (only)

vav.link/vfm-dsdgpluss




Monitor Gas Desk Stand 100×100

VFM-DSG EU SAP: 4740220 US SAP: 13445543

Freestanding desk stand for displays up to 32"
 Premium gas-strut height adjustment
 Black (only)

vav.link/vfm-dsg

Desk Stand Mounts




Premium Desk Stand with Laptop Shelf

VFM-DSG+S EU SAP: 4943796 US SAP: 70017414

VFM-DP2SHELFB EU SAP: 4850694

Premium aluminium desk stand with laptop tray
 Gas-strut height adjustment with lock-off lever
 Shelf has adjustable clamps to secure laptop
 For laptops from 240-420 mm (9.4-16.5") wide
 Shelf size: 300 mm (12") wide x 280 mm (11") deep
 Column Height: 408-518 mm (16.1-20.4") tall
 Black (only)

vav.link/vfm-dsgpluss





Monitor Riser

VFM-MRG EU SAP: 4992237

Elevates monitor to comfortable height
 400 x 240 mm (15.7" x 9.4")
 Adjustable height 75-90 mm (3.0-3.5")
 Tempered Glass platform

vav.link/vfm-mrg

Ceiling Mounts




Flat-Panel Ceiling Mount 200x200

VFM-C2X2 EU SAP: 3951895 US SAP: 12939530

Fixes flat panels up to 50" to the ceiling
Tilt adjustment up to 15°
Telescopic pole 460-790mm from ceiling to centre of screen

vav.link/vfm-c2x2




Flat-Panel Ceiling Mount 600x400

VFM-C6X4 EU SAP: 3951896 US SAP: 12939531

Fixes flat panels up to 70" to the ceiling
Tilt adjustment up to 15°
Telescopic pole 460-790mm from ceiling to centre of screen

vav.link/vfm-c6x4





Flat-Panel Ceiling Mount 600x400

VFM-C6X4/V2 EU SAP: 5370838

Fixes 37-75" displays to ceiling
Tilt 5° up / 25° down
Swivel 30° left / 30° right
Telescopic pole with 870 mm / 34" of adjustment
VESA sizes from 100x100 to 600x400
Cable Management

vav.link/vfm-c6x4-v2

Large Display Mounts



Heavy Duty Flat-Panel Wall Mount 1000×600

VFM-W10X6 EU SAP: 4934297 US SAP: 13557609

Non-tilting Wall Mount for large-format flat panels 55-90"
(subject to VESA pattern and weight limit)

Mounting points up to 1000 (wide) x 600 mm (tall) apart

Heavy duty 130 kg / 287 lb SWL

Display latches in place

Optional camera shelf

vav.link/vfm-w10x6

Tilting Flat-Panel Wall Mount 200×200

VFM-W2X2Tv2 EU SAP: 4754704 US SAP: 13445540

VESA Wall Mount for displays and TVs

Fits displays with 75 x 75, 100 x 100, 200 x 100, and 200 x 200 mm
mounting holes For 23-42"

(subject to VESA pattern and weight limit)

Locking anti-theft screw

Tilt adjustment: up: 3° / down: 12°

Thumbscrews for fixing display

Portrait or Landscape

vav.link/vfm-w2x2tv2



Flat-Panel Wall Mount 200×200

VFM-W2X2v2 EU SAP: 4754702 US SAP: 13445538

VESA Wall Mount for displays and TVs

Fits displays with 75 x 75, 100 x 100, 200 x 100, and 200 x 200mm
mounting holes

For 23-42" Displays

(subject to VESA pattern and weight limit)

Locking anti-theft screw

Thumbscrews for fixing display

Portrait or Landscape

vav.link/vfm-w2x2v2



Large Display Mounts


Heavy Duty Flat-Panel Wall Mount 400×400

VFM-W4X4 EU SAP: 4934292 US SAP: 13557601



Non-Tilting Wall Mount for large-format flat panels 37-70"
(subject to VESA pattern and weight limit)
Mounting points up to 400 (wide) x 400 mm (tall) apart
Heavy duty 100 kg / 220 lb SWL
Display latches in place
Optional camera shelf

vav.link/vfm-w4x4



Heavy Duty Tilting Flat-Panel Wall Mount 400×400

VFM-W4X4T EU SAP: 4934293 US SAP: 13557602



Tilting Wall Mount for large-format flat panels 37-70"
(subject to VESA pattern and weight limit)
Mounting points up to 400 (wide) x 400 mm (tall) apart
Heavy duty 100 kg / 220 lb SWL
Display latches in place
Optional camera shelf

vav.link/vfm-w4x4t

Tilting Flat-Panel Wall Mount 400×400

VFM-W4X4TV EU SAP: 5461091



Non-tilting Wall Mount for large-format flat panels 37-55"
(subject to VESA pattern and weight limit)
Mounting points up to 400 (wide) x 400 mm (tall) apart
Light Duty 60 kg / 132 lb SWL

vav.link/vfm-w4x4tv

Large Display Mounts




Fixed Flat-Panel Wall Mount 400×400

VFM-W4X4V EU SAP: 5461089

Non-tilting Wall Mount for large-format flat panels 32-55"
(subject to VESA pattern and weight limit)
Mounting points up to 400 (wide) x 400 mm (tall) apart
Light Duty 60 kg / 132 lb SWL

vav.link/vfm-w4x4v





Heavy Duty Portrait Flat-Panel Wall Mount 400×600

VFM-W4X6 EU SAP: 4934294 US SAP: 13557603

Non-tilting Portrait Wall Mount for large-format flat panels 37-75" subject to VESA
pattern and weight limit
Mounting points up to 400 (wide) x 600 mm (tall) apart
Heavy duty 100 kg / 220 lb SWL
Display latches in place
Optional camera shelf

vav.link/vfm-w4x6




Heavy Duty Flat-Panel Wall Mount 600×400

VFM-W6X4 EU SAP: 4996384 US SAP: 13557604

Non-tilting Wall Mount for large-format flat panels 37-75"
(subject to VESA pattern and weight limit)
Mounting points up to 600 (wide) x 400 mm (tall) apart
Heavy duty 100 kg / 220 lb SWL
Display latches in place
Optional camera shelf

vav.link/vfm-w6x4

Large Display Mounts




Heavy Duty Tilting Flat-Panel Wall Mount 600×400

VFM-W6X4T EU SAP: 4996386 US SAP: 13557605

Tilting Wall Mount for large-format flat panels 37-75"
 (subject to VESA pattern and weight limit)
 Mounting points up to 600 (wide) x 400 mm (tall) apart
 Heavy duty 100 kg / 220 lb SWL
 Display latches in place
 Optional camera shelf

vav.link/vfm-w6x4t




Tilting Flat-Panel Wall Mount 600×400

VFM-W6X4TV EU SAP: 5421209

Tilting Wall Mount for large-format flat panels 37-70"
 (subject to VESA pattern and weight limit)
 Mounting points up to 600 (wide) x 400 mm (tall) apart
 Light Duty 60 kg / 132 lb SWL

vav.link/vfm-w6x4tv




Fixed Flat-Panel Wall Mount 600×400

VFM-W6X4V EU SAP: 5421210

Non-tilting Wall Mount for large-format flat panels 37-70"
 (subject to VESA pattern and weight limit)
 Mounting points up to 600 (wide) x 400 mm (tall) apart
 Light Duty 60 kg / 132 lb SWL

vav.link/vfm-w6x4v

Large Display Mounts




Tilting Flat-Panel Wall Mount 800×400

VFM-W8X4TV EU SAP: 5424246

Tilting Wall Mount for large-format flat panels 47-75" (subject to VESA pattern and weight limit)
Mounting points up to 800 (wide) x 400 mm (tall) apart
Light Duty 60 kg / 132.28 lb SWL

vav.link/vfm-w8x4tv




Flat-Panel Wall Mount 800×400

VFM-W8X4V EU SAP: 4991750 US SAP: 13557606

Non-tilting Wall Mount for large-format flat panels 47-75" (subject to VESA pattern and weight limit)
Mounting points up to 800 (wide) x 400 mm (tall) apart
Light Duty 60 kg / 132.28 lb SWL

vav.link/vfm-w8x4v





Heavy Duty Flat-Panel Wall Mount 800×600

VFM-W8X6 EU SAP: 4934295 US SAP: 13557607

Non-tilting Wall Mount for large-format flat panels 47-90" (subject to VESA pattern and weight limit)
Mounting points up to 800 (wide) x 600 mm (tall) apart
Heavy duty 130 kg / 287 lb SWL
Display latches in place
Optional camera shelf

vav.link/vfm-w8x6

Large Display Mounts




Heavy Duty Tilting Flat-Panel Wall Mount 800x600

VFM-W8X6T EU SAP: 4934296 US SAP: 13557608

Tilting Wall Mount for large-format flat panels 47-90"
(subject to VESA pattern and weight limit)
Mounting points up to 800 (wide) x 600 mm (tall) apart
Heavy duty 130 kg / 287 lb SWL
Display latches in place
Optional camera shelf

vav.link/vfm-w8x6t





Laptop Shelf for Wall Mount & Floor Stands

VFM-WLS EU SAP: 4857149 US SAP: 13557610

Hangs on Vision's Professional wall mount range
Works for VFM-F30 and F40 floorstands
500 x 306 mm / 20" x 12" platform
Variable height

vav.link/vfm-wls




Wall Mount Video Conference Shelf

VFM-WVC EU SAP: 5048878 US SAP: 13557673

Works with Vision's professional wall mounts and floorstands
Highly adjustable
Can fix directly to wall
Platform 216 x 120 mm (8.5"x 4.4")

vav.link/vfm-wvc

Wall Arm Mounts




Black Flat-Panel Wall Arm 200x200

VFM-WA2X2B EU SAP: 4886839 US SAP: 13516849

Double-articulated wall mount for flat panels that ranges from 20" to 50"
Cable management
Reach 39-402 mm (1.5-15.8")

vav.link/vfm-wa2x2b




Flat-Panel Wall Arm 200x200

VFM-WA2X2V2 EU SAP: 4684962 US SAP: 13293713

Double-articulated wall mount for flat panels that ranges from 20" to 50"
Cable management
Reach 39-402 mm (1.5-15.8")

vav.link/vfm-wa2x2v2




Black Flat-Panel Wall Arm 400x400

VFM-WA4X4B EU SAP: 4887531 US SAP: 13516850

Double-articulated wall mount for flat panels that ranges from 37" to 60"
Reach 39-402 mm (1.5-15.8")

vav.link/vfm-wa4x4b



Flat-Panel Wall Arm 400x400

VFM-WA4X4V2 EU SAP: 4727527 US SAP: 13332294

Double-articulated wall mount for flat panels that ranges from 37" to 60"
White finish camouflages mount
Reach 39-402 mm (1.5-15.8")

vav.link/vfm-wa4x4v2

Wall Arm Mounts




Black Flat-Panel Wall Arm 600x400

VFM-WA6X4B EU SAP: 4887532 US SAP: 13517031

Double-articulated wall mount for flat panels that ranges from 42" to 70"
Sturdy 2.5 mm thick rolled steel
Reaches 55-356 mm (2.2-14.0")

vav.link/vfm-wa6x4b




Flat-Panel Wall Arm 600x400

VFM-WA6X4V2 EU SAP: 4686956 US SAP: 13293570

Double-articulated wall mount for flat panels that ranges from 42" to 70"
Sturdy 2.5 mm thick rolled steel
Reaches 55-356 mm (2.2-14.0")

vav.link/vfm-wa6x4v2

Video Wall Mounts





Video Wall Mount 600×400

VFM-VW6X4 EU SAP: 4758641 US SAP: 13445511

Wall Mount for displays with mounting points up to 600 x 400mm apart
 Pop-out style for fast access and adjustment
 Fine tilt, rotation, depth, and height adjustment
 Displays 45-70"

vav.link/vfm-vw6x4




Video Wall Mount 800×400

VFM-VW8X4 EU SAP: 4758642 US SAP: 13445512

Wall Mount for displays with mounting points up to 800 x 400mm apart
 Pop-out style for fast access and adjustment
 Fine tilt, rotation, depth, and height adjustment
 Displays 45-80"

vav.link/vfm-vw8x4

Sit-Stand Mounts




Monitor Riser

VFM-MRG EU SAP: 4992237

Elevates monitor to comfortable height
 400 x 240 mm (15.7" x 9.4")
 Adjustable height 75-90 mm (3.0-3.5")
 Tempered Glass platform

vav.link/vfm-mrg




Sit-Stand Desk Riser

VSS-1S EU SAP: 4457171 US SAP: 13041719
 VSS-1M EU SAP: 4457172 US SAP: 13041720

Maintain correct posture
 Two size options: small and medium
 380 mm (14.96") of height adjustment
 Tablet slot integrated

vav.link/vss-1




Sit-Stand Desk Riser

VSS-2S EU SAP: 4457173 US SAP: 13041721
 VSS-2M EU SAP: 4457174 US SAP: 13041722

Maintain correct posture
 Two size options: small and medium
 Quality Aluminium Construction
 Tablet slot integrated

vav.link/vss-2

Desk Shelf Mounts




White Desk Arm With Shelf

VFM-DA3+S EU SAP: 4872175 US SAP: 70017263

Double-articulated desk mount with laptop tray
Adjustable side clamps to secure laptops
For laptops from 292-430 mm (11.5-16.9") wide
Shelf size: 292 x 275 mm (11.5 x 10.8") deep
Unique Quick-Clamp
Parts included for grommet fixing to desk

vav.link/vfm-da3pluss




Black Desk Arm with laptop shelf

VFM-DA3B+S EU SAP: 4872176 US SAP: 70017260

Double-articulated desk mount with laptop tray
Adjustable side clamps to secure laptops
For laptops from 292-430 mm (11.5-16.9") wide
Shelf size: 292 x 275 mm / 11.5 x 10.8" deep
Unique Quick-Clamp
Parts included for grommet fixing to desk

vav.link/vfm-da3bpluss




White Dual Desk Arm with Shelf

VFM-DAD3+S EU SAP: 4871925 US SAP: 70017261

Dual arm double-articulated desk mount
One arm supports a display up to 34",
One arm has a laptop tray
Adjustable side clamps to secure laptops
For laptops from 292-430 mm (11.5-16.9") wide
Shelf size: 292 x 275 mm (11.5 x 10.8") deep
Unique Quick-Clamp
Parts included for grommet fixing to desk

vav.link/vfm-dad3pluss

Desk Shelf Mounts




Black Dual Desk Arm with laptop shelf and monitor arm

VFM-DAD3B+S EU SAP: 4871926 US SAP: 70017262

Dual arm double-articulated desk mount
 One arm supports a display up to 34",
 One arm has a laptop tray
 Adjustable side clamps to secure laptops
 For laptops from 292-430 mm (11.5-16.9") wide
 Shelf size: 292 x 275 mm / 11.5 x 10.8" deep
 Unique Quick-Clamp
 Parts included for grommet fixing to desk

vav.link/vfm-dad3bpluss




Black Desk Post with laptop shelf

VFM-DP2B+S EU SAP: 4871927 US SAP: 70017259

Double-articulated desk mount with laptop tray
 Adjustable side clamps to secure laptops
 For laptops from 240-420 mm (9.4-16.5") wide
 Shelf size: 300 mm (12") wide x 280 mm (11") deep
 Parts included for grommet or clamping to desk
 Post Height: 443 mm (17.4") tall

vav.link/vfm-dp2bpluss

Desk Shelf Mounts




White Desk Post with Shelf

VFM-DP2W+S EU SAP: 4871928 US SAP: 70017256

Double-articulated desk mount with laptop tray
Adjustable side clamps to secure laptops
For laptops from 240-420 mm (9.4-16.5") wide
Shelf size: 300 mm (12") wide x 280 mm (11") deep
Parts included for grommet or clamping to desk
Post Height: 443 mm (17.4") tall

vav.link/vfm-dp2wpluss




Black Dual Desk Post with laptop shelf and monitor arm

VFM-DPD2B+S EU SAP: 4871929 US SAP: 70017257

Dual arm double-articulated desk mount
One arm supports a display up to 27",
One arm has a laptop tray
Adjustable side clamps to secure laptops
For laptops from 240-420 mm (9.4-16.5") wide
Shelf size: 300 mm (12") wide x 280 mm (11") deep
Parts included for grommet or clamping to desk
Post Height: 443 mm (17.4") tall

vav.link/vfm-dpd2bpluss

Desk Shelf Mounts




White Dual Desk Post with Shelf

VFM-DPD2W+S EU SAP: 4871930 US SAP: 70017258

Dual arm double-articulated desk mount
 One arm supports a display up to 27",
 One arm has a laptop tray
 Adjustable side clamps to secure laptops
 For laptops from 240-420 mm (9.4-16.5") wide
 Shelf size: 300 mm (12") wide x 280 mm (11") deep
 Parts included for grommet or clamping to desk
 Post Height: 443 mm (17.4") tall

vav.link/vfm-dpd2wpluss





Black Desk Stand with Laptop Shelf

VFM-DSB+S EU SAP: 4943868 US SAP: 70017412
 VFM-DP2SHELFB EU SAP: 4850694 US SAP: 13445510

Desk stand with laptop tray
 Shelf has adjustable clamps to secure laptop
 For laptops from 240-420 mm (9.4-16.5") wide
 Shelf size: 300 mm (12") wide x 280 mm (11") deep
 Post Height: 443 mm (17.4") tall
 Black (only)

vav.link/vfm-dsbpluss

Desk Shelf Mounts



Black Desk Stand with Laptop Shelf and Monitor Arm

VFM-DSDB+S EU SAP: 4943869 US SAP: 70017413

VFM-DP2SHELFB EU SAP: 4850694

Desk stand with laptop tray and monitor arm

One arm supports a display up to 27",

One arm has a laptop tray


Shelf has adjustable clamps to secure laptop

For laptops from 240-420 mm (9.4-16.5") wide

Shelf size: 300 mm (12") wide x 280 mm (11") deep

Post Height: 443 mm (17.4") tall

vav.link/vfm-dsdbpluss



Premium Desk Stand with Monitor arm and Laptop Shelf

VFM-DSDG+S EU SAP: 4943883 US SAP: 70017397

VFM-DP2SHELFB EU SAP: 4850694

Premium aluminium desk stand with laptop tray

Gas-strut height adjustment with lock-off lever

One arm supports a display up to 27"

One arm has a laptop tray

Shelf has adjustable clamps to secure laptop

For laptops from 240-420 mm (9.4-16.5") wide


Shelf size: 300 mm (12") wide x 280 mm (11") deep

Column Height: 408-518 mm (16.1-20.4") tall

Black (only)

vav.link/vfm-dsdgpluss

Desk Shelf Mounts




Premium Desk Stand with Laptop Shelf

VFM-DSG+S EU SAP: 4943796 US SAP: 70017414

VFM-DP2SHELFB EU SAP: 4850694

Premium aluminium desk stand with laptop tray
Gas-strut height adjustment with lock-off lever
Shelf has adjustable clamps to secure laptop
For laptops from 240-420 mm (9.4-16.5") wide
Shelf size: 300 mm (12") wide x 280 mm (11") deep
Column Height: 408-518 mm (16.1-20.4") tall
Black (only)

vav.link/vfm-dsgpluss



Logitech Smartdock Wall Bracket



TM-SD EU SAP: 4204944 US SAP: 12939528

Wall Bracket with Cable Management
Supports touchscreen at native 60° angle, or vertical
Can fix to VESA desk or wall mount

vav.link/tm-sd



F10 Floorstands





White Flipchart-Style Floorstand

VFM-F10/WH EU SAP: 5252503 US SAP: 13777628

- Portable flipchart-style floorstand
- For 50-65" Displays up to 45 kg (99 lb)
(subject to VESA pattern and weight limit)
- Rotates portrait to landscape
- UL1678 Approved
- Large 4" wheels
- Colour-Matched to Samsung Flip

vav.link/vfm-f10-wh



Black Flipchart-Style Floorstand

VFM-F10/BL EU SAP: 4967380 US SAP: 13777637

- Portable flipchart-style floorstand
- For 50-65" Displays up to 45 kg (99 lb)
(subject to VESA pattern and weight limit)
- Rotates portrait to landscape
- UL1678 Approved
- Large 4" wheels


vav.link/vfm-f10-bl



Microsoft Hub 2 FLOORSTAND



KEY FEATURES



Screen rotation



2 cable hooks



Cable management



Removable laptop shelf



4 large wheels

Does Vision have any floor stands for Hub 2?

Yes! The VFM-F10 was designed for Hub 2 compatibility.

Does the standard VFM-F10 fit Hub2?

Yes! Hub2 uses a 350 x 350 pattern which the universal mount on the F10 fits.



What colours are available?



Does it rotate?

Yes. The universal VESA mount rotates. The rotating mechanism can be removed.

Does it tilt?

Not as standard, but the VESA arms can be replaced with arms from Vision's VFM-W4X4T to make it tilt if necessary.

As standard, this floor stand holds the display at a 7 degree angle. That is more upright than the 12 degrees of the Steelcase stand. We think 7 degrees is better to cut glare.

Does it have cable management?

Yes. Cables can be concealed all the way down the legs, and hold the cables so they don't get in the way of the wheels as you move the stand.

Can the APC battery fix to this floor stand?

We're working on an adaptor to support this. ETA early 2020.

Is the shelf detachable?

Yes. If the user doesn't want it just leave it off.


Does Vision have a wall mount for Hub 2?

Yes. VFM-W4X4. It's the same universal mount that comes on the F10 as standard.

We need something even more attractive...

Vision will soon offer a premium hub-specific mount which looks nicer than the universal VESA mount and holds the display closer to the legs for a more integrated look. It will tilt, but it will not allow rotation.

F20/25 Floorstands




Height-Adjustable Display Cart 50kg

VFM-F20 EU SAP: 4818836 US SAP: 13445518

- Portable floorstand for displays up to 50 kg (110 lb)
- Fits displays with VESA sizes up to 600 x 400 mm
- For 37-70" Displays subject to VESA pattern and weight limit
- Display rotates through 90°
- Height adjustable by crank hand
- Large 4" wheels
- Shelves included

vav.link/vfm-f20




Height-Adjustable Display Cart 80kg

VFM-F25 EU SAP: 4818528 US SAP: 13445519

- Portable floorstand for displays up to 80 kg (176 lb)
- Fits displays with VESA sizes up to 1000 x 600 mm
- For 60-100" Displays (subject to VESA pattern and weight limit)
- Height adjustable by crank hand
- Large 4" wheels
- Shelves included

vav.link/vfm-f25

F30 Floorstands





Motorised Flat Panel Floor Stand with Wheels

VFM-F30/W EU SAP: 4858418 US SAP: 70017415

Large-format flat panels 37-90"
 (subject to VESA pattern and weight limit)
 VESA 800 (wide) x 600 mm (tall)
 Lifts up to 110 kg (242 lb)
 800 mm (31.5") height adjustment
 Shallow leg design to reduce trip-hazard
 Premium 100 mm / 4" wheels

vav.link/vfm-f30-w




Motorised Flat Panel Floor Stand with XL Wheels

VFM-F30/WXL EU SAP: 5062718 US SAP: 70017404

Large-format flat panels 37-90"
 (subject to VESA pattern and weight limit)
 VESA 800 (wide) x 600 mm (tall)
 Lifts up to 130 kg (286 lb)
 800 mm (31.5") height adjustment
 Extra Large leg design for maximum stability
 Premium 100 mm 4" wheels

vav.link/vfm-f30-wxl

F30 Floorstands



Motorised Flat Panel Floor Stand

VFM-F30 EU SAP: 4858417 US SAP: 70017403

800 mm (31.5") height adjustment

Comes 95% assembled


Large-format flat panels 37-90"

(subject to VESA pattern and weight limit)

VESA 800 (wide) x 600 mm (tall)

SWL (safe working load) 130 kg (286 lb)

vav.link/vfm-f30



Motorised Flat Panel Floor Stand with Freestanding Floor Plate

VFM-F30/FP EU SAP: 4858419 US SAP: 70017405

Large-format flat panels 37-90"

(subject to VESA pattern and weight limit)



VESA 800 (wide) x 600 mm (tall)

Lifts up to 130 kg (286 lb)

800 mm (31.5") height adjustment

vav.link/vfm-f30-fp

F40 Floorstands





Motorised Flat Panel Floor Stand with Wheels

VFM-F40/W EU SAP: 5062720 US SAP: 70017407

- Lifts up to 110 kg (242 lb)
- 700 mm (27.6") height adjustment
- Grab handles
- Shallow leg design
- Premium 100 mm 4" wheels

vav.link/vfm-f40-w





Motorised Flat Panel Floor Stand with XL Wheels

VFM-F40/WXL EU SAP: 5062719 US SAP: 70017408

- Lifts up to 130 kg (286 lb)
- 700 mm (27.6") height adjustment
- Grab handles
- Long legs for maximum stability
- Premium 100 mm 4" wheels

vav.link/vfm-f40-wxl

F40 Floorstands





Motorised Flat Panel Floor Stand

VFM-F40 EU SAP: 5062731 US SAP: 70017406

- Lifts up to 130 kg (286 lb)
- 700 mm (27.6") height adjustment
- Fast linear-drive motor
- Comes 95% assembled
- Sturdy fixed column design

vav.link/vfm-f40



















Motorised Flat Panel Floor Stand with Freestanding Floor Plate

VFM-F40/FP EU SAP: 5062717 US SAP: 70017409

















- Lifts up to 130 kg (286 lb)
- 700 mm (27.6") height adjustment
- Freestanding Floorplate
- Adjustable Feet

vav.link/vfm-f40-fp















Monitor

Product	Part Number	Info	Link
 Flat-Panel Ceiling Mount 200x200	VFM-C2X2	Diagonal: 20" - 50" VESA: 100x100; 200x200 SWL: 35kg	vav.link/vfm-c2x2
 Flat-Panel Desk Arm 100x100	VFM-DA3	Diagonal: 10" - 34" VESA: 75x75; 100x100 SWL: 12kg	vav.link/vfm-da3
 White Desk Arm With Shelf	VFM-DA3+S	Diagonal: 0" - 0" VESA: SWL: 4.5kg	vav.link/vfm-da3pluss
 Black Flat-Panel Desk Arm 100x100	VFM-DA3B	Diagonal: 10" - 34" VESA: 75x75; 100x100 SWL: 12kg	vav.link/vfm-da3b
 Black Desk Arm with laptop shelf	VFM-DA3B+S	Diagonal: 0" - 0" VESA: SWL: 4.5kg	vav.link/vfm-da3bpluss
 Flat-Panel Desk Arm 100x100 Dual	VFM-DAD3	Diagonal: 10" - 34" VESA: 75x75; 100x100 SWL: 18kg	vav.link/vfm-dad3
 White Dual Desk Arm with Shelf	VFM-DAD3+S	Diagonal: 10" - 34" VESA: 75x75; 100x100 SWL: 9kg	vav.link/vfm-dad3pluss
 Black Flat-Panel Desk Arm 100x100 Dual	VFM-DAD3B	Diagonal: 10" - 34" VESA: 75x75; 100x100 SWL: 18kg	vav.link/vfm-dad3b
 Black Dual Desk Arm with laptop shelf and monitor arm	VFM-DAD3B+S	Diagonal: 10" - 34" VESA: 75x75; 100x100 SWL: 9kg	vav.link/vfm-dad3bpluss
 Monitor Cubicle Divider Mount 100x100	VFM-CUB	Diagonal: 10" - 34" VESA: 75x75; 100x100 SWL: 8kg	vav.link/vfm-cub
 Flat-Panel Desk Post 100x100	VFM-DP	Diagonal: 10" - 34" VESA: 100x100 SWL: 10kg	vav.link/vfm-dp
 Black Monitor Desk Post 100x100	VFM-DP2B	Diagonal: 13" - 32" VESA: 75x75; 100x100 SWL: 8kg	vav.link/vfm-dp2b
 Black Desk Post with laptop shelf	VFM-DP2B+S	Diagonal: 0" - 0" VESA: SWL: 4.5kg	vav.link/vfm-dp2bpluss
 White Monitor Desk Post 100x100	VFM-DP2W	Diagonal: 13" - 32" VESA: 75x75; 100x100 SWL: 8kg	vav.link/vfm-dp2w
 White Desk Post with Shelf	VFM-DP2W+S	Diagonal: 0" - 0" VESA: SWL: 4.5kg	vav.link/vfm-dp2wpluss
 Black Monitor Desk Post 100x100 Dual	VFM-DPD2B	Diagonal: 13" - 27" VESA: 75x75; 100x100 SWL: 8kg	vav.link/vfm-dpd2b













Monitor

Product	Part Number	Info	Link
 Black Dual Desk Post with laptop shelf and monitor arm	VFM-DPD2B+S	Diagonal: 13" - 27" VESA: 75x75; 100x100 SWL: 8.0kg	vav.link/vfm-dpd2bpluss
 White Monitor Desk Post 100x100 Dual	VFM-DPD2W	Diagonal: 13" - 27" VESA: 75x75; 100x100 SWL: 8kg	vav.link/vfm-dpd2w
 White Dual Desk Post with Shelf	VFM-DPD2W+S	Diagonal: 13" - 27" VESA: 75x75; 100x100 SWL: 8.0kg	vav.link/vfm-dpd2wpluss
 Monitor Desk Post 100x100 Quad	VFM-DPQ2B	Diagonal: 13" - 27" VESA: 75x75; 100x100 SWL: 8kg	vav.link/vfm-dpq2b
 Monitor Desk Stand 100x100	VFM-DSB	Diagonal: 13" - 32" VESA: 75x75; 100x100 SWL: 8kg	vav.link/vfm-dsb
 Black Desk Stand with Laptop Shelf	VFM-DSB+S	Diagonal: 0" - 0" VESA: SWL: 4.5kg	vav.link/vfm-dsbpluss
 Monitor Desk Stand 100x100 Dual	VFM-DSDB	Diagonal: 13" - 27" VESA: 75x75; 100x100 SWL: 8kg	vav.link/vfm-dsdb
 Black Desk Stand with Laptop Shelf and Monitor Arm	VFM-DSDB+S	Diagonal: 13" - 27" VESA: 75x75; 100x100 SWL: 8.0kg	vav.link/vfm-dsdbpluss
 Monitor Gas Desk Stand 100x100 Dual	VFM-DSDG	Diagonal: 17" - 27" VESA: 75x75; 100x100 SWL: 6kg	vav.link/vfm-dsdg
 Premium Desk Stand with Monitor arm and Laptop Shelf	VFM-DSDG+S	Diagonal: 17" - 27" VESA: 75x75; 100x100 SWL: 6kg	vav.link/vfm-dsdgpluss
 Monitor Gas Desk Stand 100x100	VFM-DSG	Diagonal: 17" - 32" VESA: 75x75; 100x100 SWL: 7kg	vav.link/vfm-dsg
 Premium Desk Stand with Laptop Shelf	VFM-DSG+S	Diagonal: 0" - 0" VESA: SWL: 4.5kg	vav.link/vfm-dsgpluss
 Monitor Riser	VFM-MRG		vav.link/vfm-mrg
 Black Monitor Wall Arm 100x100	VFM-WA1X1B	Diagonal: 13" - 27" VESA: 75x75; 100x100 SWL: 15kg	vav.link/vfm-wa1x1b
 Tilting Monitor Wall Mount 100x100	VFM-W1X1TV2	Diagonal: 10" - 34" VESA: 75x75; 100x100 SWL: 25kg	vav.link/vfm-w1x1tv2
 Monitor Wall Mount 100x100	VFM-W1X1V2	Diagonal: 10" - 34" VESA: 75x75; 100x100 SWL: 25kg	vav.link/vfm-w1x1v2


Large Display

Product	Part Number	Info	Link
	Black Flat-Panel Wall Arm 200x200	Diagonal: 20" - 50" VESA: 100x100; 200x200; 200x100 SWL: 25kg	vav.link/vfm-wa2x2b
	Black Flat-Panel Wall Arm 600x400	Diagonal: 42" - 70" VESA: 200x200; 300x300; 400x200; 600x400; 400x400; 200x100 SWL: 30kg	vav.link/vfm-wa6x4b
	Flat-Panel Wall Arm 200x200	Diagonal: 14" - 50" VESA: 100x100; 200x200; 200x100 SWL: 25kg	vav.link/vfm-wa2x2v2
	Black Flat-Panel Wall Arm 400x400	Diagonal: 37" - 60" VESA: 100x100; 200x200; 300x300; 400x200; 400x300; 400x400; 200x100; 300x200 SWL: 25kg	vav.link/vfm-wa4x4b
	Flat-Panel Wall Arm 400x400	Diagonal: 37" - 60" VESA: 100x100; 200x200; 300x300; 400x200; 400x300; 400x400; 200x100; 300x200 SWL: 25kg	vav.link/vfm-wa4x4v2
	Flat-Panel Wall Arm 600x400	Diagonal: 42" - 70" VESA: 200x200; 300x300; 400x200; 600x400; 400x400; 200x100 SWL: 30kg	vav.link/vfm-wa6x4v2
	Flat-Panel Ceiling Mount 200x200	Diagonal: 20" - 50" VESA: 100x100; 200x200 SWL: 35kg	vav.link/vfm-c2x2
	Flat-Panel Ceiling Mount 600x400	Diagonal: 42" - 70" VESA: 200x200; 300x300; 200x400; 400x200; 400x300; 500x500; 600x400; 400x400 SWL: 35kg	vav.link/vfm-c6x4
	Flat-Panel Ceiling Mount 600x400		vav.link/vfm-c6x4-v2
	Heavy Duty Flat-Panel Wall Mount 1000x600	Diagonal: 55" - 90" VESA: 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600; 1000x400; 1000x500; 1000x600; 400x400; 500x400; 600x500; 400x600 SWL: 130kg	vav.link/vfm-w10x6
	Tilting Flat-Panel Wall Mount 200x200	Diagonal: 20" - 50" VESA: 75x75; 100x100; 200x200; 200x100 SWL: 25kg	vav.link/vfm-w2x2tv2
	Flat-Panel Wall Mount 200x200	Diagonal: 20" - 50" VESA: 75x75; 100x100; 200x200; 200x100 SWL: 25kg	vav.link/vfm-w2x2v2
	Heavy Duty Flat-Panel Wall Mount 400x400	Diagonal: 37" - 70" VESA: 200x200; 300x300; 200x400; 400x200; 400x300; 350x350; 300x400; 400x400 SWL: 100kg	vav.link/vfm-w4x4
	Heavy Duty Tilting Flat-Panel Wall Mount 400x400	Diagonal: 37" - 70" VESA: 200x200; 300x300; 200x400; 400x200; 400x300; 350x350; 300x400; 400x400 SWL: 100kg	vav.link/vfm-w4x4t



Large Display

Product	Part Number	Info	Link
	Tilting Flat-Panel Wall Mount 400x400	VFM-W4X4TV Diagonal: 32" - 55" VESA: 200x200; 300x300; 200x400; 400x200; 400x300; 300x400; 400x400 SWL: 60kg	vav.link/vfm-w4x4tv
	Fixed Flat-Panel Wall Mount 400x400	VFM-W4X4V Diagonal: 32" - 55" VESA: 200x200; 300x300; 200x400; 400x200; 400x300; 300x400; 400x400 SWL: 60kg	vav.link/vfm-w4x4v
	Heavy Duty Portrait Flat-Panel Wall Mount 400x600	VFM-W4X6 Diagonal: 37" - 70" VESA: 200x200; 300x300; 200x400; 400x200; 400x300; 300x400; 400x400; 400x600; 400x500; 300x600; 300x500; 200x600 SWL: 100kg	vav.link/vfm-w4x6
	Heavy Duty Flat-Panel Wall Mount 600x400	VFM-W6X4 Diagonal: 37" - 75" VESA: 200x200; 300x300; 200x400; 400x200; 400x300; 500x500; 600x400; 300x400; 400x400; 500x400; 600x300; 500x300 SWL: 100kg	vav.link/vfm-w6x4
	Heavy Duty Tilting Flat-Panel Wall Mount 600x400	VFM-W6X4T Diagonal: 37" - 75" VESA: 200x200; 300x300; 200x400; 400x200; 400x300; 500x500; 600x400; 300x400; 400x400; 500x400; 600x300; 500x300 SWL: 100kg	vav.link/vfm-w6x4t
	Tilting Flat-Panel Wall Mount 600x400	VFM-W6X4TV Diagonal: 37" - 70" VESA: 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 300x400; 800x400; 400x400; 500x400; 600x300; 500x300; 800x300 SWL: 60kg	vav.link/vfm-w6x4tv
	Fixed Flat-Panel Wall Mount 600x400	VFM-W6X4V Diagonal: 37" - 70" VESA: 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 300x400; 800x400; 400x400; 500x400; 600x300; 500x300; 800x300 SWL: 60kg	vav.link/vfm-w6x4v
	Tilting Flat-Panel Wall Mount 800x400	VFM-W8X4TV Diagonal: 47" - 75" VESA: 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 300x400; 800x400; 400x400; 500x400; 600x300; 500x300; 800x300 SWL: 75kg	vav.link/vfm-w8x4tv
	Flat-Panel Wall Mount 800x400	VFM-W8X4V Diagonal: 47" - 75" VESA: 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 300x400; 800x400; 400x400; 500x400; 600x300; 500x300; 800x300 SWL: 75kg	vav.link/vfm-w8x4v
	Heavy Duty Flat-Panel Wall Mount 800x600	VFM-W8X6 Diagonal: 47" - 90" VESA: 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600; 400x400; 500x400; 600x500; 400x600 SWL: 130kg	vav.link/vfm-w8x6
	Heavy Duty Tilting Flat-Panel Wall Mount 800x600	VFM-W8X6T Diagonal: 47" - 90" VESA: 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600; 400x400; 500x400; 600x500; 400x600 SWL: 130kg	vav.link/vfm-w8x6t
	Laptop Shelf for Wall Mount & Floor Stands	VFM-WLS	vav.link/vfm-wls




Large Display

Product	Part Number	Info	Link
 Wall Mount Video Conference Shelf	VFM-WVC		vav.link/vfm-wvc







Video Wall

Product	Part Number	Info	Link
 Video Wall Mount 600x400	VFM-VW6X4	Diagonal: 45" - 70" VESA: 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 300x400; 400x400; 500x400 SWL: 70kg	vav.link/vfm-vw6x4
 Video Wall Mount 800x400	VFM-VW8X4	Diagonal: 45" - 80" VESA: 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 300x400; 800x400; 400x400; 500x400 SWL: 70kg	vav.link/vfm-vw8x4

Sit-Stand Desk Mounts

Product	Part Number	Info	Link
 Monitor Riser	VFM-MRG		vav.link/vfm-mrg
 Sit-Stand Desk Riser	VSS-1		vav.link/vss-1
 Sit-Stand Desk Riser	VSS-2		vav.link/vss-2


Laptop Shelves

Product	Part Number	Info	Link
 White Desk Arm With Shelf	VFM-DA3+S	Diagonal: 0" - 0" VESA: SWL: 4.5kg	vav.link/vfm-da3pluss
 Black Desk Arm with laptop shelf	VFM-DA3B+S	Diagonal: 0" - 0" VESA: SWL: 4.5kg	vav.link/vfm-da3bpluss
 White Dual Desk Arm with Shelf	VFM-DAD3+S	Diagonal: 10" - 34" VESA: 75x75; 100x100 SWL: 9kg	vav.link/vfm-dad3pluss
 Black Dual Desk Arm with laptop shelf and monitor arm	VFM-DAD3B+S	Diagonal: 10" - 34" VESA: 75x75; 100x100 SWL: 9kg	vav.link/vfm-dad3bpluss
 Black Desk Post with laptop shelf	VFM-DP2B+S	Diagonal: 0" - 0" VESA: SWL: 4.5kg	vav.link/vfm-dp2bpluss
 White Desk Post with Shelf	VFM-DP2W+S	Diagonal: 0" - 0" VESA: SWL: 4.5kg	vav.link/vfm-dp2wpluss





Laptop Shelves

Product	Part Number	Info	Link
 Black Dual Desk Post with laptop shelf and monitor arm	VFM-DPD2B+S	Diagonal: 13" - 27" VESA: 75x75; 100x100 SWL: 8.0kg	vav.link/vfm-dpd2bpluss
 White Dual Desk Post with Shelf	VFM-DPD2W+S	Diagonal: 13" - 27" VESA: 75x75; 100x100 SWL: 8.0kg	vav.link/vfm-dpd2wpluss
 Black Desk Stand with Laptop Shelf	VFM-DSB+S	Diagonal: 0" - 0" VESA: SWL: 4.5kg	vav.link/vfm-dsbpluss
 Black Desk Stand with Laptop Shelf and Monitor Arm	VFM-DSDB+S	Diagonal: 13" - 27" VESA: 75x75; 100x100 SWL: 8.0kg	vav.link/vfm-dsdbpluss
 Premium Desk Stand with Monitor arm and Laptop Shelf	VFM-DSDG+S	Diagonal: 17" - 27" VESA: 75x75; 100x100 SWL: 6kg	vav.link/vfm-dsdgpluss
 Premium Desk Stand with Laptop Shelf	VFM-DSG+S	Diagonal: 0" - 0" VESA: SWL: 4.5kg	vav.link/vfm-dsgpluss


Logitech

Product	Part Number	Info	Link
 Logitech Smartdock Wall Bracket	TM-SD		vav.link/tm-sd













Projector

Product	Part Number	EU SAP	US SAP
 Universal Projector Ceiling Mount	TM-1200	1562435	12939542
 Close-Coupled Projector Ceiling Mount	TM-CC	1932372	12939545
 Telescopic Projector Ceiling Mount	TM-TELE	2418655	12939544
 Short-Throw Projector Wall Mount	TM-ST2	2775928	12939538



Floorstands


Product	Part Number	Info	Link
 Black Flipchart-Style Floorstand	VFM-F10/BL	Diagonal: 50" - 55" VESA: 200x200; 300x300; 200x400; 400x200; 400x300; 350x350; 300x400; 400x400 SWL: 45kg	vav.link/vfm-f10-bl

Floorstands

Product	Part Number	Info	Link
 <p>White Floorstand for Microsoft Hub2</p>	VFM-F10/HB	<p>Diagonal: 50" - 55" VESA: 200x200; 300x300; 200x400; 400x200; 400x300; 350x350; 300x400; 400x400 SWL: 45kg</p>	vav.link/vfm-f10-hb
 <p>White Flipchart-Style Floorstand</p>	VFM-F10/WH	<p>Diagonal: 50" - 55" VESA: 200x200; 300x300; 200x400; 400x200; 400x300; 350x350; 300x400; 400x400 SWL: 45kg</p>	vav.link/vfm-f10-wh
 <p>Height-Adjustable Display Cart 50kg</p>	VFM-F20	<p>Diagonal: 37" - 70" VESA: 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 350x350; 300x400; 400x400 SWL: 50kg</p>	vav.link/vfm-f20
 <p>Height-Adjustable Display Cart 80kg</p>	VFM-F25	<p>Diagonal: 60" - 100" VESA: 200x200; 300x300; 200x400; 400x200; 400x300; 600x400; 300x400; 800x400; 800x600; 1000x400; 1000x600; 400x400; 500x400; 400x600 SWL: 80kg</p>	vav.link/vfm-f25
 <p>Motorised Flat Panel Floor Stand with Wheels</p>	VFM-F30/W	<p>Diagonal: 47" - 90" VESA: 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600; 400x400; 500x400; 600x500; 400x600 SWL: 110kg</p>	vav.link/vfm-f30-w
 <p>Motorised Flat Panel Floor Stand with XL Wheels</p>	VFM-F30/WXL	<p>Diagonal: 47" - 90" VESA: 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600; 400x400; 500x400; 600x500; 400x600 SWL: 130kg</p>	vav.link/vfm-f30-wxl
 <p>Motorised Flat Panel Floor Stand with Wheels</p>	VFM-F40/W	<p>Diagonal: 47" - 90" VESA: 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600; 400x400; 500x400; 600x500; 400x600 SWL: 110kg</p>	vav.link/vfm-f40-w
 <p>Motorised Flat Panel Floor Stand with XL Wheels</p>	VFM-F40/WXL	<p>Diagonal: 47" - 90" VESA: 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600; 400x400; 500x400; 600x500; 400x600 SWL: 130kg</p>	vav.link/vfm-f40-wxl
 <p>Laptop Shelf for Wall Mount & Floor Stands</p>	VFM-WLS		vav.link/vfm-wls
 <p>Wall Mount Video Conference Shelf</p>	VFM-WVC		vav.link/vfm-wvc
 <p>Motorised Flat Panel Floor Stand</p>	VFM-F30	<p>Diagonal: 47" - 90" VESA: 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600; 400x400; 500x400; 600x500; 400x600 SWL: 130kg</p>	vav.link/vfm-f30
 <p>Motorised Flat Panel Floor Stand with Freestanding Floor Plate</p>	VFM-F30/FP	<p>Diagonal: 47" - 90" VESA: 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600; 400x400; 500x400; 600x500; 400x600 SWL: 130kg</p>	vav.link/vfm-f30-fp

Floorstands

Product	Part Number	Info	Link
 Motorised Flat Panel Floor Stand	VFM-F40	Diagonal: 47" - 90" VESA: 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600; 400x400; 500x400; 600x500; 400x600 SWL: 130kg	vav.link/vfm-f40
 Motorised Flat Panel Floor Stand with Freestanding Floor Plate	VFM-F40/FP	Diagonal: 47" - 90" VESA: 300x300; 400x200; 400x300; 500x500; 600x400; 300x400; 800x400; 800x600; 800x500; 600x600; 400x400; 500x400; 600x500; 400x600 SWL: 130kg	vav.link/vfm-f40-fp



Media Players

Index.....

- Celeron
- i3
- i5
- i7

MEDIA PLAYER CONFIGURATOR

Configure the perfect Vision Media Player unit for your requirements.



vav.link/configure-vmp





J3455 Celeron 4K VMP [1xVGA/1xHDMI]

VMP-6CAYH

Processor: Intel® Celeron J3455 (1.5 to 2.3 GHz Burst)
Graphics: 1 x HDMI port, 1 x VGA
USB: 4 x 3.0 ports
Ethernet: 1 x port
RAM Memory: up to 8GB
Hard Drive: SSD or HDD (2.5" type)
Audio: 2 x Headphone Jack and HDMI
Bluetooth/Wifi adaptor: pre-installed
VESA Wall Mount: included
Kensington Lock Slot
SD Card Slot
Chassis Dimensions 115 × 111 × 51 mm (4.53" x 4.37" x 2.01")

vav.link/vmp-6cayh



J4005 Celeron 4K VMP [1xVGA/1xHDMI]

VMP-7CJYH

Processor: Intel® Celeron J3455 (1.5 to 2.3 GHz Burst)
Graphics: 1 x HDMI port, 1 x VGA
USB: 4 x 3.0 ports
Ethernet: 1 x port
RAM Memory: up to 8GB
Hard Drive: SSD or HDD (2.5" type)
Audio: 2 x Headphone Jack and HDMI
Bluetooth/Wifi adaptor: pre-installed
VESA Wall Mount: included
Kensington Lock Slot
SD Card Slot
Chassis Dimensions 115 × 111 × 51 mm (4.53" x 4.37" x 2.01")

vav.link/vmp-7cyjh



N3050 Celeron 4K VMP [1xVGA/1xHDMI]

VMP-CE3050

Processor: Intel® Celeron N3050 (2.16 GHz Dual Core)
Graphics: 1 x HDMI port, 1 x VGA
USB: 4 x 3.0 ports
Ethernet: 1 x port
RAM Memory: 2-8GB
SSD Hard Drive: 30-240GB or 30-480GB (2.5" type)
Audio: Headphone Jack and HDMI
Bluetooth/Wifi adaptor: pre-installed
VESA Wall Mount: included
Kensington Lock Slot
SD Card Slot
Chassis Dimensions 115 × 111 × 52 mm (4.6" x 4.4" x 2.0")

vav.link/vmp-ce3050



5010U i3 4K VMP [1xMiniDP/1xMiniHDMI]

VMP-513RYK

Processor: Intel® i3-5010U
 Graphics: 1 x Mini-DP / 1 x Mini-HDMI
 USB: 4 x 3.0 (yellow port also supports high speed charging)
 Ethernet: 1 x port
 RAM Memory: 2-16GB
 SSD Hard Drive: 30-240GB (M.2 type)
 Audio: Headphone Jack and HDMI
 Bluetooth/Wifi adaptor: AC 7265 (M.2 type) soldered down
 VESA Wall Mount: included
 Chassis Dimensions: 115 × 111 × 34.5 mm (4.53" x 4.37" x 1.36")

vav.link/vmp-5i3ryk



6100U i3 4K VMP [1xHDMI/1xMiniDP]

VMP-613SYK

Processor: Intel® Core™ i3-6100U
 Graphics: 1 x HDMI / 1 x Mini-DP
 USB: 4 x 3.0 / 2 x 2.0
 Ethernet: 1 x Gigabit LAN
 RAM Memory: up to 32GB
 Hard Drive: M.2 slot with flexible support for a 42 or 80mm M.2 SSD, 1 x SATA3 port
 Audio: Headphone/ Microphone Jack
 Bluetooth/Wifi adaptor: Dual Band Wireless - AC 8260 (802.11ac) and Bluetooth 4.1
 Chassis Dimensions: 115 × 111 × 32 mm (4.53" x 4.37" x 1.26")

vav.link/vmp-6i3syk



7100U i3 4K VMP [1xHDMI/1xUSB-C]

VMP-713BNH

Processor: Intel® Core™ 7th Generation i3-7100U
 Graphics: 1 x HDMI/ 1 x USB Type-C
 USB: 1 x 3.1 (type-C) / 4 x 3.0
 Ethernet: 1 x Gigabit LAN
 RAM Memory: up to 32GB
 SSD Hard Drive: M.2 type
 Audio: Headphone/microphone Jack and HDMI
 Microphones: Dual-array in front for Cortana
 Bluetooth adaptor: Dual Mode 4.2
 VESA Wall Mount: included
 Chassis Dimensions: 115 × 111 × 35 mm (4.53" x 4.37" x 1.38")

vav.link/vmp-7i3bnh



7100U i3 4K VMP [1xHDMI/1xUSB-C]

VMP-713BNK

Processor: Intel® Core™ 7th Generation i3-7100U
 Graphics: 1 x HDMI/ 1 x USB Type-C
 USB: 1 x 3.1 (type-C) / 4 x 3.0
 Ethernet: 1 x Gigabit LAN
 RAM Memory: up to 32GB
 SSD Hard Drive: M.2 type
 Audio: Headphone/microphone Jack and HDMI
 Microphones: Dual-array in front for Cortana
 Bluetooth adaptor: Dual Mode 4.2
 VESA Wall Mount: included
 Chassis Dimensions: 115 × 111 × 35 mm (4.53" x 4.37" x 1.38")

vav.link/vmp-713bnk



7100U i3 4K VMP [1xHDMI/1xUSB-C]

VMP-713DNHE

Processor: Intel® Core™ 7th Generation i3-7100U
 Graphics: 1 x HDMI/ 1 x USB Type-C
 USB: 1 x 3.1 (type-C) / 4 x 3.0
 Ethernet: 1 x Gigabit LAN
 RAM Memory: up to 32GB
 SSD Hard Drive: M.2 type
 Audio: Headphone/microphone Jack and HDMI
 Microphones: Dual-array in front for Cortana
 Bluetooth adaptor: Dual Mode 4.2
 VESA Wall Mount: included
 Chassis Dimensions: 115 × 111 × 35 mm (4.53" x 4.37" x 1.38")

vav.link/vmp-713dnhe



7100U i3 4K VMP [1xHDMI/1xUSB-C]

VMP-713DNKE

Processor: Intel® Core™ 7th Generation i3-7100U
 Graphics: 1 x HDMI/ 1 x USB Type-C
 USB: 1 x 3.1 (type-C) / 4 x 3.0
 Ethernet: 1 x Gigabit LAN
 RAM Memory: up to 32GB
 SSD Hard Drive: M.2 type
 Audio: Headphone/microphone Jack and HDMI
 Microphones: Dual-array in front for Cortana
 Bluetooth adaptor: Dual Mode 4.2
 VESA Wall Mount: included
 Chassis Dimensions: 115 × 111 × 35 mm (4.53" x 4.37" x 1.38")

vav.link/vmp-713dnke

i3

LIFETIME
WARRANTY



8109U i3 4K VMP [1xHDMI/1xUSB-C]

VMP-813BEK

Processor: Intel® Core™ 8th Generation i3-8109U

Graphics: Iris® Plus Graphics 655, 1 x HDMI/ 1 x USB Type-C with DisplayPort 1.2

USB: 4 x 3.1 (type-C) / 2 x 2.0

Ethernet: 1 x Gigabit LAN

RAM Memory: up to 32GB

SSD Hard Drive: M.2 type

Audio: Headphone/microphone Jack and HDMI

Microphones: Dual-array in front

Bluetooth/Wifi adaptor: Dual Band Wireless - AC 9560 (802.11ac) and Dual Mode

Bluetooth 5.0

Chassis Dimensions: 117 × 112 × 36 mm (4.60" x 4.40" x 1.41")

vav.link/vmp-813bek

i5

LIFETIME
WARRANTY



5300U i5 4K vPro VMP [2xMiniDP]

VMP-515MYHE

Processor: Intel® i5-5300U vPro
Graphics: 2 x Mini-DP
USB: 4 x 3.0
Ethernet: 1 x port
RAM Memory: 2-16GB
SSD Hard Drive: 30-240GB (M.2 type) or 30-480GB (2.5" type)
Audio: Headphone Jack and DisplayPort
Bluetooth/Wifi adaptor: optional
VESA Wall Mount: included
Chassis Dimensions: 115 × 111 × 49 mm (4.53" x 4.37" x 1.9")

vav.link/vmp-5i5myhe



7260U i5 4K VMP [1xHDMI/1xUSB-C]

VMP-715BNH

Processor: Intel® Core™ 7th Generation i5-7260U
Graphics: 1 x HDMI/ 1 x USB Type-C
USB: 1 x 3.1 (type-C thunderbolt 3) / 4 x 3.0
Ethernet: 1 x Gigabit LAN
RAM Memory: up to 32GB
SSD Hard Drive: M.2 type
Audio: Headphone/microphone Jack and HDMI
Microphones: Dual-array in front for Cortana
Bluetooth adaptor: Dual Mode 4.2
VESA Wall Mount: included
Chassis Dimensions: 115 × 111 × 35 mm (4.53" x 4.37" x 1.38")

vav.link/vmp-7i5bnh



7260U i5 4K VMP [1xHDMI/1xUSB-C]

VMP-715BNK

Processor: Intel® Core™ 7th Generation i5-7260U
Graphics: 1 x HDMI/ 1 x USB Type-C
USB: 1 x 3.1 (type-C thunderbolt 3) / 4 x 3.0
Ethernet: 1 x Gigabit LAN
RAM Memory: up to 32GB
SSD Hard Drive: M.2 type
Audio: Headphone/microphone Jack and HDMI
Microphones: Dual-array in front for Cortana
Bluetooth adaptor: Dual Mode 4.2
VESA Wall Mount: included
Chassis Dimensions: 115 × 111 × 35 mm (4.53" x 4.37" x 1.38")

vav.link/vmp-7i5bnk

i5

LIFETIME WARRANTY



7300U i5 4K vPro VMP [2xHDMI]

VMP-715DNHE

Processor: Intel® Core™ i5-7300U vPro

Graphics: 2 x HDMI 2.0a

USB: 4 x 3.0

Ethernet: 1 x port

RAM Memory: 2-16GB

SSD Hard Drive: 1 x M.2 type connector for 22x80 M.2 SSD, 1 x SATA 3 port for 2.5" HDD or SSD

Audio: Up to 7.1 surround via HDMI

Bluetooth/Wifi adaptor: preinstalled

VESA Wall Mount: included

Chassis Dimensions: 115 × 111 × 52 mm (4.53" x 4.37" x 2.05")

vav.link/vmp-7i5dnhe



7300U i5 4K vPro VMP [2xHDMI]

VMP-715DNKE

Processor: Intel® Core™ i5-7300U vPro

Graphics: 2 x HDMI 2.0a

USB: 4 x 3.0

Ethernet: 1 x port

RAM Memory: 2-16GB

SSD Hard Drive: 22x80 (M.2 type)

Audio: Up to 7.1 surround via HDMI

Bluetooth/Wifi adaptor: preinstalled

VESA Wall Mount: included

Chassis Dimensions: 115 × 111 × 56 mm (4.53" x 4.37" x 2.2")

vav.link/vmp-7i5dnke



8259U i5 4K VMP [1xHDMI/1xUSB-C]

VMP-815BEK

Processor: Intel® Core™ 8th Generation i5-8259U

Graphics: Iris® Plus Graphics 655, 1 x HDMI/ 1 x USB Type-C with DisplayPort 1.2

USB: 4 x 3.1 (type-C) / 2 x 2.0

Ethernet: 1 x Gigabit LAN

RAM Memory: up to 32GB

SSD Hard Drive: M.2 type

Audio: Headphone/microphone Jack and HDMI

Microphones: Dual-array in front for Cortana

Bluetooth/Wifi adaptor: Dual Band Wireless - AC 9560 (802.11ac) and Dual Mode

Bluetooth 5.0

Chassis Dimensions: 117 × 112 × 36 mm (4.60" x 4.40" x 1.41")

vav.link/vmp-8i5bek

i7

LIFETIME
WARRANTY



7567U i7 4K VMP [1xHDMI/1xUSB-C]

VMP-717BNH

Processor: Intel® Core™ 7th Generation i7-7567U

Graphics: 1 x HDMI/ 1 x USB Type-C

USB: 1 x 3.1 (type-C thunderbolt 3) / 4 x 3.0

Ethernet: 1 x Gigabit LAN

RAM Memory: up to 32GB

Hard Drive: SSD M.2 type or HDD via SATA3

Audio: Headphone/microphone Jack and HDMI

Microphones: Dual-array in front for Cortana

Bluetooth adaptor: Dual Mode 4.2


VESA Wall Mount: included

Chassis Size: 115 × 111 × 35 mm (4.53" x 4.37" x 1.38")

vav.link/vmp-7i7bnh

Media Player Configurator


Configure the perfect Vision Media Player unit for your requirements.



Select the parts you need to generate a detailed specification and quote.




Select Hardware



Select Memory



Select SSD



Select Operating System







Select Digital Signage



Receive Specs & Quote

vav.link/configure-vmp




Media Players

Product	Part Number	Info	Link
 <p>J3455 Celeron 4K VMP [1xVGA/1xHDMI]</p>	VMP-6CAYH	<p>Processor: Intel® Celeron J3455 (1.5 to 2.3 GHz Burst) Graphics: 1 x HDMI port, 1 x VGA USB: 4 x 3.0 ports Ethernet: 1 x port RAM Memory: up to 8GB Hard Drive: SSD or HDD (2.5" type) Audio: 2 x Headphone Jack and HDMI Bluetooth/Wifi adaptor: pre-installed VESA Wall Mount: included Kensington Lock Slot SD Card Slot Chassis Dimensions 115 × 111 × 51 mm (4.53" x 4.37" x 2.01")</p>	vav.link/vmp-6cayh
 <p>J4005 Celeron 4K VMP [1xVGA/1xHDMI]</p>	VMP-7CJYH	<p>Processor: Intel® Celeron J3455 (1.5 to 2.3 GHz Burst) Graphics: 1 x HDMI port, 1 x VGA USB: 4 x 3.0 ports Ethernet: 1 x port RAM Memory: up to 8GB Hard Drive: SSD or HDD (2.5" type) Audio: 2 x Headphone Jack and HDMI Bluetooth/Wifi adaptor: pre-installed VESA Wall Mount: included Kensington Lock Slot SD Card Slot Chassis Dimensions 115 × 111 × 51 mm (4.53" x 4.37" x 2.01")</p>	vav.link/vmp-7cjyh
 <p>N3050 Celeron 4K VMP [1xVGA/1xHDMI]</p>	VMP-CE3050	<p>Processor: Intel® Celeron N3050 (2.16 GHz Dual Core) Graphics: 1 x HDMI port, 1 x VGA USB: 4 x 3.0 ports Ethernet: 1 x port RAM Memory: 2-8GB SSD Hard Drive: 30-240GB or 30-480GB (2.5" type) Audio: Headphone Jack and HDMI Bluetooth/Wifi adaptor: pre-installed VESA Wall Mount: included Kensington Lock Slot SD Card Slot Chassis Dimensions 115 × 111 × 52 mm (4.6" x 4.4" x 2.0")</p>	vav.link/vmp-ce3050
 <p>5010U i3 4K VMP [1xMiniDP/1xMiniHDMI]</p>	VMP-5I3RYK	<p>Processor: Intel® i3-5010U Graphics: 1 x Mini-DP / 1 x Mini-HDMI USB: 4 x 3.0 (yellow port also supports high speed charging) Ethernet: 1 x port RAM Memory: 2-16GB SSD Hard Drive: 30-240GB (M.2 type) Audio: Headphone Jack and HDMI Bluetooth/Wifi adaptor: AC 7265 (M.2 type) soldered down VESA Wall Mount: included Chassis Dimensions: 115 × 111 × 34.5 mm (4.53" x 4.37" x 1.36")</p>	vav.link/vmp-5i3ryk




Media Players

Product	Part Number	Info	Link
 <p>6100U i3 4K VMP [1xHDMI/1xMiniDP]</p>	VMP-6I3SYK	<p>Processor: Intel® Core™ i3-6100U Graphics: 1 x HDMI / 1 x Mini-DP USB: 4 x 3.0 / 2 x 2.0 Ethernet: 1 x Gigabit LAN RAM Memory: up to 32GB Hard Drive: M.2 slot with flexible support for a 42 or 80mm M.2 SSD, 1 x SATA3 port Audio: Headphone/ Microphone Jack Bluetooth/Wifi adaptor: Dual Band Wireless - AC 8260 (802.11ac) and Bluetooth 4.1 Chassis Dimensions: 115 x 111 x 32 mm (4.53" x 4.37" x 1.26")</p>	vav.link/vmp-6i3syk
 <p>7100U i3 4K VMP [1xHDMI/1xUSB-C]</p>	VMP-7I3BNH	<p>Processor: Intel® Core™ 7th Generation i3-7100U Graphics: 1 x HDMI/ 1 x USB Type-C USB: 1 x 3.1 (type-C) / 4 x 3.0 Ethernet: 1 x Gigabit LAN RAM Memory: up to 32GB SSD Hard Drive: M.2 type Audio: Headphone/microphone Jack and HDMI Microphones: Dual-array in front for Cortana Bluetooth adaptor: Dual Mode 4.2 VESA Wall Mount: included Chassis Dimensions: 115 x 111 x 35 mm (4.53" x 4.37" x 1.38")</p>	vav.link/vmp-7i3bnh
 <p>7100U i3 4K VMP [1xHDMI/1xUSB-C]</p>	VMP-7I3BNK	<p>Processor: Intel® Core™ 7th Generation i3-7100U Graphics: 1 x HDMI/ 1 x USB Type-C USB: 1 x 3.1 (type-C) / 4 x 3.0 Ethernet: 1 x Gigabit LAN RAM Memory: up to 32GB SSD Hard Drive: M.2 type Audio: Headphone/microphone Jack and HDMI Microphones: Dual-array in front for Cortana Bluetooth adaptor: Dual Mode 4.2 VESA Wall Mount: included Chassis Dimensions: 115 x 111 x 35 mm (4.53" x 4.37" x 1.38")</p>	vav.link/vmp-7i3bnk
 <p>7100U i3 4K VMP [1xHDMI/1xUSB-C]</p>	VMP-7I3DNHE	<p>Processor: Intel® Core™ 7th Generation i3-7100U Graphics: 1 x HDMI/ 1 x USB Type-C USB: 1 x 3.1 (type-C) / 4 x 3.0 Ethernet: 1 x Gigabit LAN RAM Memory: up to 32GB SSD Hard Drive: M.2 type Audio: Headphone/microphone Jack and HDMI Microphones: Dual-array in front for Cortana Bluetooth adaptor: Dual Mode 4.2 VESA Wall Mount: included Chassis Dimensions: 115 x 111 x 35 mm (4.53" x 4.37" x 1.38")</p>	vav.link/vmp-7i3dnhe


Media Players

Product	Part Number	Info	Link
 <p>7100U i3 4K VMP [1xHDMI/1xUSB-C]</p>	VMP-713DNKE	<p>Processor: Intel® Core™ 7th Generation i3-7100U Graphics: 1 x HDMI/ 1 x USB Type-C USB: 1 x 3.1 (type-C) / 4 x 3.0 Ethernet: 1 x Gigabit LAN RAM Memory: up to 32GB SSD Hard Drive: M.2 type Audio: Headphone/microphone Jack and HDMI Microphones: Dual-array in front for Cortana Bluetooth adaptor: Dual Mode 4.2 VESA Wall Mount: included Chassis Dimensions: 115 × 111 × 35 mm (4.53" x 4.37" x 1.38")</p>	vav.link/vmp-7i3dnke
 <p>8109U i3 4K VMP [1xHDMI/1xUSB-C]</p>	VMP-8i3BEK	<p>Processor: Intel® Core™ 8th Generation i3-8109U Graphics: Iris® Plus Graphics 655, 1 x HDMI/ 1 x USB Type-C with DisplayPort 1.2 USB: 4 x 3.1 (type-C) / 2 x 2.0 Ethernet: 1 x Gigabit LAN RAM Memory: up to 32GB SSD Hard Drive: M.2 type Audio: Headphone/microphone Jack and HDMI Microphones: Dual-array in front Bluetooth/Wifi adaptor: Dual Band Wireless - AC 9560 (802.11ac) and Dual Mode Bluetooth 5.0 Chassis Dimensions: 117 × 112 × 36 mm (4.60" x 4.40" x 1.41")</p>	vav.link/vmp-8i3bek
 <p>5300U i5 4K vPro VMP [2xMiniDP]</p>	VMP-5i5MYHE	<p>Processor: Intel® i5-5300U vPro Graphics: 2 x Mini-DP USB: 4 x 3.0 Ethernet: 1 x port RAM Memory: 2-16GB SSD Hard Drive: 30-240GB (M.2 type) or 30-480GB (2.5" type) Audio: Headphone Jack and DisplayPort Bluetooth/Wifi adaptor: optional VESA Wall Mount: included Chassis Dimensions: 115 × 111 × 49 mm (4.53" x 4.37" x 1.9")</p>	vav.link/vmp-5i5myhe
 <p>7260U i5 4K VMP [1xHDMI/1xUSB-C]</p>	VMP-7i5BNH	<p>Processor: Intel® Core™ 7th Generation i5-7260U Graphics: 1 x HDMI/ 1 x USB Type-C USB: 1 x 3.1 (type-C thunderbolt 3) / 4 x 3.0 Ethernet: 1 x Gigabit LAN RAM Memory: up to 32GB SSD Hard Drive: M.2 type Audio: Headphone/microphone Jack and HDMI Microphones: Dual-array in front for Cortana Bluetooth adaptor: Dual Mode 4.2 VESA Wall Mount: included Chassis Dimensions: 115 × 111 × 35 mm (4.53" x 4.37" x 1.38")</p>	vav.link/vmp-7i5bnh

Media Players

Product	Part Number	Info	Link
 <p>7260U i5 4K VMP [1xHDMI/1xUSB-C]</p>	VMP-715BNK	<p>Processor: Intel® Core™ 7th Generation i5-7260U Graphics: 1 x HDMI/ 1 x USB Type-C USB: 1 x 3.1 (type-C thunderbolt 3) / 4 x 3.0 Ethernet: 1 x Gigabit LAN RAM Memory: up to 32GB SSD Hard Drive: M.2 type Audio: Headphone/microphone Jack and HDMI Microphones: Dual-array in front for Cortana Bluetooth adaptor: Dual Mode 4.2 VESA Wall Mount: included Chassis Dimensions: 115 × 111 × 35 mm (4.53" x 4.37" x 1.38")</p>	vav.link/vmp-7i5bnk
 <p>7300U i5 4K vPro VMP [2xHDMI]</p>	VMP-715DNHE	<p>Processor: Intel® Core™ i5-7300U vPro Graphics: 2 x HDMI 2.0a USB: 4 x 3.0 Ethernet: 1 x port RAM Memory: 2-16GB SSD Hard Drive: 1 x M.2 type connector for 22x80 M.2 SSD, 1 x SATA 3 port for 2.5" HDD or SSD Audio: Up to 7.1 surround via HDMI Bluetooth/Wifi adaptor: preinstalled VESA Wall Mount: included Chassis Dimensions: 115 × 111 × 52 mm (4.53" x 4.37" x 2.05")</p>	vav.link/vmp-7i5dnhe
 <p>7300U i5 4K vPro VMP [2xHDMI]</p>	VMP-715DNKE	<p>Processor: Intel® Core™ i5-7300U vPro Graphics: 2 x HDMI 2.0a USB: 4 x 3.0 Ethernet: 1 x port RAM Memory: 2-16GB SSD Hard Drive: 22x80 (M.2 type) Audio: Up to 7.1 surround via HDMI Bluetooth/Wifi adaptor: preinstalled VESA Wall Mount: included Chassis Dimensions: 115 × 111 × 56 mm (4.53" x 4.37" x 2.2")</p>	vav.link/vmp-7i5dnke
 <p>8259U i5 4K VMP [1xHDMI/1xUSB-C]</p>	VMP-815BEK	<p>Processor: Intel® Core™ 8th Generation i5-8259U Graphics: Iris® Plus Graphics 655, 1 x HDMI/ 1 x USB Type-C with DisplayPort 1.2 USB: 4 x 3.1 (type-C) / 2 x 2.0 Ethernet: 1 x Gigabit LAN RAM Memory: up to 32GB SSD Hard Drive: M.2 type Audio: Headphone/microphone Jack and HDMI Microphones: Dual-array in front for Cortana Bluetooth/Wifi adaptor: Dual Band Wireless - AC 9560 (802.11ac) and Dual Mode Bluetooth 5.0 Chassis Dimensions: 117 × 112 × 36 mm (4.60" x 4.40" x 1.41")</p>	vav.link/vmp-8i5bek

Media Players

Product	Part Number	Info	Link
 7567U i7 4K VMP [1xHDMI/1xUSB-C]	VMP-7I7BNH	Processor: Intel® Core™ 7th Generation i7-7567U Graphics: 1 x HDMI/ 1 x USB Type-C USB: 1 x 3.1 (type-C thunderbolt 3) / 4 x 3.0 Ethernet: 1 x Gigabit LAN RAM Memory: up to 32GB Hard Drive: SSD M.2 type or HDD via SATA3 Audio: Headphone/microphone Jack and HDMI Microphones: Dual-array in front for Cortana Bluetooth adaptor: Dual Mode 4.2 VESA Wall Mount: included Chassis Size: 115 × 111 × 35 mm (4.53" x 4.37" x 1.38")	vav.link/vmp-7i7bnh



LIFETIME
WARRANTY

VISION

www.visionaudiovisual.com