
Data Sheet




DTK-2451/ DTH-2452 24-inch Pen Display



Wacom® for Business

DTK-2451/DTH-2452

Preminm display for handling electronic documents



Product Overview

Featuring 24-inch, full HD displays, the DTK-2451 and DTH-2452 are Wacom's largest pen displays for businesses and educational institutions. The generous active area provides a comfortable work surface for writing and signing digital documents or annotating directly on presentations. Industry-leading digital pen performance allows users to add drawings, sketches and diagrams to presentations or lesson plans to elaborate on key concepts and spontaneously integrate new ideas into the discussion.

And with 2,048 levels of pen pressure, users can enjoy precise drawing, writing, and annotating, plus enhanced biometric signature capture. The DTH-2452's multi-touch screen also supports touch gestures and navigation.

Key Features & Benefits

- Optimal user comfort with the large 23.8" color LCD panel that offers a generous working area and a wide viewing angle
- Biometrically-accurate input precision with 2048 levels of digital pen pressure for precise drawing, writing, and annotating, plus enhanced biometric signature capture
- Flexible display options with support for both analog and digital connections with DVI-I passthrough connections and HDCP compliance

- Versatile usage in any working environment with a flexible stand, allowing the device to be used at multiple angles, and built-in standard VESA mounts to allow the use of 3rd-party stands
- Intuitive navigation with support for common gestures through multi-touch functionality (DTH-2452 only)
- Ease of use is enhanced with 4 user-assignable ExpressKeys to access common functions or tools, plus an integrated USB port to provide easy access to users' favorite USB devices

W∂COM° for Business

General Specifications

	Dimensions (W x H x D, excluding stand)	23.7 x 14.0 x 1.8 inches / 601 x 356 x 46 mm
	Weight (including stand)	15.9 lbs / 7.2 kg (without stand)
\nearrow	Stand inclination	11° - 73° adjustable stand
5	Power supply	AC 100 ~ 240V, 50/60 Hz
\mathcal{J}	Power consumption	40 W or lower, Power Save mode: 0.5 W or lower, Power OFF mode: 0.5 W or lower
\rightleftharpoons	Communication interface	USB 2.0
	Programmable buttons	4
	Supported operating systems	Windows 10 / 8.1 / 7 (32-bit, 64-bit) Mac OSX 10.11 or later
		Fide COX 10.11 of later
	LCD Screen	HIGG GOX 10.11 of later
	LCD Screen	VA
	LCD Panel Type	VA
	LCD Panel Type Touch Input	VA DTK-2451: No / DTH-2452: Yes
	LCD Panel Type Touch Input Cover glass surface	VA DTK-2451: No / DTH-2452: Yes Tempered AG etched glass
	LCD Panel Type Touch Input Cover glass surface Aspect ratio	VA DTK-2451: No / DTH-2452: Yes Tempered AG etched glass 16:9

16.7M colors

1000:1 (typical)

16 ms (typical)

0.13 cd/in² / 210 cd/m² (typical)

Tablet and Pen

T Technology	Electromagenetic Resonance (EMR)
Screen dimensions	23.8" diagonal (20,7 x 11.75 inches / 527 x 296 mm)
Coordinate resolution	2540 lpi
Coordinate accuracy	±0.02 inches / ±0.5 mm (center)
Report rate	187 points per second
Pressure levels	2048
\$\text{Encryption}	AES 256 / RSA 2048
Reading height	0.4 inches / 10 mm or more (center)

Miscellaneous

	Pen storage	Pen holder
	Security lock slot	Yes, Kensington
	Mounting system	VESA 3.93 x 7.87 inches / 100 x 200 mm
\$	Signature software compatability	Compatible with signature / eSign software and Wacom sign pro PDF; C++, .NET and Java SDK/API available for developers
© [®]	Drivers	Wacom driver required,, SDK/API available for developers
®	Package content	DTK-2451 or DTH-2452, adjustable display stand, pen with eraser, pen holder, attachment, pen tether, warranty card, QSG, IPI, DVI-D cable, DVI-I to VGA Cable, USB cable, AC adapter, power cable

Energy efficiency class and information for COMMISSION REGULATION (EU) 2019/2013



W∂COM* for Business

Luminance (brightness)

Colours

Contrast ratio

Response time